

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		S 4 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	04/29/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:15	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza Capital (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Tim Williams Triumvirate (Pump Truck) Equipment On Site: DustTrak (x3), PID (x3), Pile Rig
---	--

Scope of Work: Deploy three (3) CAMP stations; ECD to continue with pile installation at north building; ECS relocation dewatering equipment; BCG to continue relocating/constructing fencing along Nevins Street for National Grid main relocation work; IEC to gauge 14 sentinel wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- ECD started pile installation at north building;
- Excavation of grids H2 & I2 and Hotspot SB-9 to a depth of 8' bsg. Refer to the Alpha Numeric Grid map for grid locations. It should be noted that all excavated grids were screened for VOCs via a PID, no elevated readings were encountered. Backfilled limestone was stockpiled separately and all soil/cross contaminated fill was stockpiled separately onto poly sheeting;
- Endpoint sampling: EP-23 (8'), EP-24 (8'), HS-SB-9-Bottom (8') and Sidewall- N,S,E,W (7.5') were collected;
- Gauged depth to water at all 14 sentinel wells and at canal for dewatering purposes;
- Dewatering was active in SB-13 and H2;
- National grid begins gas installation along Nevins Street (off-Site);
- Triumvirate pumps approximately 2,000 gallons of water from the Truck Wash Frac Tank; and
- Site perimeter check was conducted at the end of the Sites activities to confirm that no soil or liquids were begin tracked offsite, two drains were replaced with new filter fabrics.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.087_ mg/m³ @ 06:51
- High Conditions (Upwind) – PID = _0.1_ ppm @11:53, Dust = 0.204_ mg/m³ @ 07:32
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.547_ mg/m³ @ 06:59
- High Conditions (Downwind 2) – PID = _0.0_ ppm Dust = _0.201_ mg/m³ @ 11:31

Notable Site Conditions:

- Dusty Conditions, dust suppression was implemented.
- Calibration Error with Downwind 1 Dust unit, replaced at 9:30 AM.

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- National Grid gas relation work to be continued.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of
excavation of
grid H2.



Photo 2 –
Representative
photo of soil
stockpile from
grid H2 being
placed on top of
poly sheeting.



Photo 3 –
Representative
photo of
Triumvirate
pumping out
Truck Wash Frac
Tank.



Photo 4 –
Representative
photo of
dewatering sump
active in H2
excavation.



Photo 5 –

Representative photo of dust suppression over truck roadway.



Photo 6 –

Representative photo of National Grid performing gas line work on Nevins Street Sidewalk.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:51:15 AM
Test Start Date	4/29/2024
Test Length [D:H:M]	0:08:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.042
Mass Minimum [mg/m3]	0.026
Mass Maximum [mg/m3]	0.204
Mass TWA [mg/m3]	0.042
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	506

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:51:15 AM	0.087		
6:52:15 AM	0.074		
6:53:15 AM	0.071		
6:54:15 AM	0.068		
6:55:15 AM	0.067		
6:56:15 AM	0.066		
6:57:15 AM	0.066		
6:58:15 AM	0.066		
6:59:15 AM	0.063		
7:00:15 AM	0.063		
7:01:15 AM	0.065		
7:02:15 AM	0.064		
7:03:15 AM	0.064		
7:04:15 AM	0.064		
7:05:15 AM	0.075		
7:06:15 AM	0.073		
7:07:15 AM	0.072		
7:08:15 AM	0.07		
7:09:15 AM	0.068		
7:10:15 AM	0.067		
7:11:15 AM	0.067		
7:12:15 AM	0.069		
7:13:15 AM	0.068		
7:14:15 AM	0.065		

7:15:15 AM	0.065
7:16:15 AM	0.065
7:17:15 AM	0.064
7:18:15 AM	0.063
7:19:15 AM	0.064
7:20:15 AM	0.064
7:21:15 AM	0.063
7:22:15 AM	0.063
7:23:15 AM	0.062
7:24:15 AM	0.063
7:25:15 AM	0.062
7:26:15 AM	0.062
7:27:15 AM	0.065
7:28:15 AM	0.065
7:29:15 AM	0.065
7:30:15 AM	0.066
7:31:15 AM	0.067
7:32:15 AM	0.204
7:33:15 AM	0.104
7:34:15 AM	0.078
7:35:15 AM	0.066
7:36:15 AM	0.066
7:37:15 AM	0.067
7:38:15 AM	0.066
7:39:15 AM	0.064
7:40:15 AM	0.065
7:41:15 AM	0.064
7:42:15 AM	0.063
7:43:15 AM	0.063
7:44:15 AM	0.063
7:45:15 AM	0.065
7:46:15 AM	0.064
7:47:15 AM	0.065
7:48:15 AM	0.065
7:49:15 AM	0.064
7:50:15 AM	0.063
7:51:15 AM	0.063
7:52:15 AM	0.062
7:53:15 AM	0.067
7:54:15 AM	0.074
7:55:15 AM	0.073
7:56:15 AM	0.068
7:57:15 AM	0.08
7:58:15 AM	0.067

7:59:15 AM	0.067
8:00:15 AM	0.069
8:01:15 AM	0.066
8:02:15 AM	0.065
8:03:15 AM	0.065
8:04:15 AM	0.061
8:05:15 AM	0.061
8:06:15 AM	0.062
8:07:15 AM	0.062
8:08:15 AM	0.063
8:09:15 AM	0.069
8:10:15 AM	0.073
8:11:15 AM	0.086
8:12:15 AM	0.063
8:13:15 AM	0.064
8:14:15 AM	0.067
8:15:15 AM	0.063
8:16:15 AM	0.06
8:17:15 AM	0.058
8:18:15 AM	0.06
8:19:15 AM	0.06
8:20:15 AM	0.061
8:21:15 AM	0.074
8:22:15 AM	0.063
8:23:15 AM	0.064
8:24:15 AM	0.058
8:25:15 AM	0.059
8:26:15 AM	0.062
8:27:15 AM	0.062
8:28:15 AM	0.062
8:29:15 AM	0.062
8:30:15 AM	0.059
8:31:15 AM	0.058
8:32:15 AM	0.056
8:33:15 AM	0.059
8:34:15 AM	0.062
8:35:15 AM	0.065
8:36:15 AM	0.064
8:37:15 AM	0.063
8:38:15 AM	0.06
8:39:15 AM	0.058
8:40:15 AM	0.06
8:41:15 AM	0.057
8:42:15 AM	0.125

8:43:15 AM	0.067
8:44:15 AM	0.066
8:45:15 AM	0.094
8:46:15 AM	0.095
8:47:15 AM	0.059
8:48:15 AM	0.052
8:49:15 AM	0.049
8:50:15 AM	0.05
8:51:15 AM	0.047
8:52:15 AM	0.054
8:53:15 AM	0.05
8:54:15 AM	0.049
8:55:15 AM	0.048
8:56:15 AM	0.047
8:57:15 AM	0.044
8:58:15 AM	0.042
8:59:15 AM	0.042
9:00:15 AM	0.042
9:01:15 AM	0.042
9:02:15 AM	0.044
9:03:15 AM	0.042
9:04:15 AM	0.042
9:05:15 AM	0.04
9:06:15 AM	0.041
9:07:15 AM	0.04
9:08:15 AM	0.052
9:09:15 AM	0.047
9:10:15 AM	0.04
9:11:15 AM	0.04
9:12:15 AM	0.043
9:13:15 AM	0.058
9:14:15 AM	0.039
9:15:15 AM	0.037
9:16:15 AM	0.037
9:17:15 AM	0.034
9:18:15 AM	0.036
9:19:15 AM	0.035
9:20:15 AM	0.033
9:21:15 AM	0.033
9:22:15 AM	0.034
9:23:15 AM	0.033
9:24:15 AM	0.033
9:25:15 AM	0.032
9:26:15 AM	0.033

9:27:15 AM	0.033
9:28:15 AM	0.034
9:29:15 AM	0.032
9:30:15 AM	0.053
9:31:15 AM	0.041
9:32:15 AM	0.037
9:33:15 AM	0.035
9:34:15 AM	0.034
9:35:15 AM	0.032
9:36:15 AM	0.031
9:37:15 AM	0.03
9:38:15 AM	0.03
9:39:15 AM	0.041
9:40:15 AM	0.042
9:41:15 AM	0.048
9:42:15 AM	0.036
9:43:15 AM	0.033
9:44:15 AM	0.052
9:45:15 AM	0.042
9:46:15 AM	0.036
9:47:15 AM	0.032
9:48:15 AM	0.029
9:49:15 AM	0.03
9:50:15 AM	0.054
9:51:15 AM	0.045
9:52:15 AM	0.029
9:53:15 AM	0.031
9:54:15 AM	0.043
9:55:15 AM	0.032
9:56:15 AM	0.034
9:57:15 AM	0.029
9:58:15 AM	0.03
9:59:15 AM	0.028
10:00:15 AM	0.029
10:01:15 AM	0.029
10:02:15 AM	0.028
10:03:15 AM	0.028
10:04:15 AM	0.027
10:05:15 AM	0.026
10:06:15 AM	0.027
10:07:15 AM	0.026
10:08:15 AM	0.027
10:09:15 AM	0.026
10:10:15 AM	0.027

10:11:15 AM	0.027
10:12:15 AM	0.027
10:13:15 AM	0.027
10:14:15 AM	0.028
10:15:15 AM	0.029
10:16:15 AM	0.028
10:17:15 AM	0.028
10:18:15 AM	0.028
10:19:15 AM	0.034
10:20:15 AM	0.028
10:21:15 AM	0.028
10:22:15 AM	0.029
10:23:15 AM	0.028
10:24:15 AM	0.028
10:25:15 AM	0.029
10:26:15 AM	0.029
10:27:15 AM	0.029
10:28:15 AM	0.03
10:29:15 AM	0.029
10:30:15 AM	0.029
10:31:15 AM	0.029
10:32:15 AM	0.029
10:33:15 AM	0.029
10:34:15 AM	0.029
10:35:15 AM	0.03
10:36:15 AM	0.029
10:37:15 AM	0.03
10:38:15 AM	0.03
10:39:15 AM	0.03
10:40:15 AM	0.032
10:41:15 AM	0.032
10:42:15 AM	0.031
10:43:15 AM	0.031
10:44:15 AM	0.03
10:45:15 AM	0.028
10:46:15 AM	0.03
10:47:15 AM	0.029
10:48:15 AM	0.028
10:49:15 AM	0.028
10:50:15 AM	0.028
10:51:15 AM	0.029
10:52:15 AM	0.03
10:53:15 AM	0.03
10:54:15 AM	0.029

10:55:15 AM	0.028
10:56:15 AM	0.028
10:57:15 AM	0.028
10:58:15 AM	0.027
10:59:15 AM	0.026
11:00:15 AM	0.027
11:01:15 AM	0.027
11:02:15 AM	0.028
11:03:15 AM	0.026
11:04:15 AM	0.027
11:05:15 AM	0.027
11:06:15 AM	0.028
11:07:15 AM	0.027
11:08:15 AM	0.029
11:09:15 AM	0.027
11:10:15 AM	0.027
11:11:15 AM	0.029
11:12:15 AM	0.027
11:13:15 AM	0.027
11:14:15 AM	0.029
11:15:15 AM	0.028
11:16:15 AM	0.028
11:17:15 AM	0.029
11:18:15 AM	0.028
11:19:15 AM	0.03
11:20:15 AM	0.028
11:21:15 AM	0.029
11:22:15 AM	0.028
11:23:15 AM	0.028
11:24:15 AM	0.029
11:25:15 AM	0.028
11:26:15 AM	0.066
11:27:15 AM	0.059
11:28:15 AM	0.034
11:29:15 AM	0.055
11:30:15 AM	0.035
11:31:15 AM	0.032
11:32:15 AM	0.032
11:33:15 AM	0.036
11:34:15 AM	0.033
11:35:15 AM	0.034
11:36:15 AM	0.041
11:37:15 AM	0.036
11:38:15 AM	0.037

11:39:15 AM	0.054
11:40:15 AM	0.032
11:41:15 AM	0.036
11:42:15 AM	0.059
11:43:15 AM	0.037
11:44:15 AM	0.032
11:45:15 AM	0.033
11:46:15 AM	0.031
11:47:15 AM	0.03
11:48:15 AM	0.051
11:49:15 AM	0.032
11:50:15 AM	0.029
11:51:15 AM	0.029
11:52:15 AM	0.028
11:53:15 AM	0.029
11:54:15 AM	0.028
11:55:15 AM	0.029
11:56:15 AM	0.032
11:57:15 AM	0.035
11:58:15 AM	0.032
11:59:15 AM	0.03
12:00:15 PM	0.032
12:01:15 PM	0.033
12:02:15 PM	0.037
12:03:15 PM	0.03
12:04:15 PM	0.029
12:05:15 PM	0.029
12:06:15 PM	0.031
12:07:15 PM	0.028
12:08:15 PM	0.027
12:09:15 PM	0.027
12:10:15 PM	0.026
12:11:15 PM	0.03
12:12:15 PM	0.027
12:13:15 PM	0.028
12:14:15 PM	0.027
12:15:15 PM	0.028
12:16:15 PM	0.029
12:17:15 PM	0.027
12:18:15 PM	0.027
12:19:15 PM	0.03
12:20:15 PM	0.027
12:21:15 PM	0.027
12:22:15 PM	0.027

12:23:15 PM	0.037
12:24:15 PM	0.039
12:25:15 PM	0.044
12:26:15 PM	0.045
12:27:15 PM	0.036
12:28:15 PM	0.037
12:29:15 PM	0.032
12:30:15 PM	0.032
12:31:15 PM	0.032
12:32:15 PM	0.032
12:33:15 PM	0.035
12:34:15 PM	0.031
12:35:15 PM	0.036
12:36:15 PM	0.035
12:37:15 PM	0.036
12:38:15 PM	0.036
12:39:15 PM	0.042
12:40:15 PM	0.033
12:41:15 PM	0.029
12:42:15 PM	0.028
12:43:15 PM	0.028
12:44:15 PM	0.031
12:45:15 PM	0.033
12:46:15 PM	0.029
12:47:15 PM	0.038
12:48:15 PM	0.036
12:49:15 PM	0.036
12:50:15 PM	0.034
12:51:15 PM	0.034
12:52:15 PM	0.033
12:53:15 PM	0.037
12:54:15 PM	0.035
12:55:15 PM	0.033
12:56:15 PM	0.033
12:57:15 PM	0.032
12:58:15 PM	0.033
12:59:15 PM	0.035
1:00:15 PM	0.037
1:01:15 PM	0.035
1:02:15 PM	0.043
1:03:15 PM	0.043
1:04:15 PM	0.036
1:05:15 PM	0.037
1:06:15 PM	0.037

1:07:15 PM	0.035
1:08:15 PM	0.038
1:09:15 PM	0.042
1:10:15 PM	0.039
1:11:15 PM	0.035
1:12:15 PM	0.036
1:13:15 PM	0.04
1:14:15 PM	0.04
1:15:15 PM	0.062
1:16:15 PM	0.045
1:17:15 PM	0.03
1:18:15 PM	0.037
1:19:15 PM	0.032
1:20:15 PM	0.031
1:21:15 PM	0.037
1:22:15 PM	0.035
1:23:15 PM	0.035
1:24:15 PM	0.032
1:25:15 PM	0.032
1:26:15 PM	0.033
1:27:15 PM	0.034
1:28:15 PM	0.034
1:29:15 PM	0.034
1:30:15 PM	0.034
1:31:15 PM	0.034
1:32:15 PM	0.035
1:33:15 PM	0.034
1:34:15 PM	0.032
1:35:15 PM	0.031
1:36:15 PM	0.031
1:37:15 PM	0.031
1:38:15 PM	0.031
1:39:15 PM	0.033
1:40:15 PM	0.032
1:41:15 PM	0.031
1:42:15 PM	0.031
1:43:15 PM	0.033
1:44:15 PM	0.032
1:45:15 PM	0.032
1:46:15 PM	0.033
1:47:15 PM	0.036
1:48:15 PM	0.034
1:49:15 PM	0.033
1:50:15 PM	0.032

1:51:15 PM	0.033
1:52:15 PM	0.038
1:53:15 PM	0.033
1:54:15 PM	0.032
1:55:15 PM	0.083
1:56:15 PM	0.032
1:57:15 PM	0.029
1:58:15 PM	0.032
1:59:15 PM	0.044
2:00:15 PM	0.032
2:01:15 PM	0.038
2:02:15 PM	0.032
2:03:15 PM	0.031
2:04:15 PM	0.029
2:05:15 PM	0.031
2:06:15 PM	0.031
2:07:15 PM	0.03
2:08:15 PM	0.031
2:09:15 PM	0.037
2:10:15 PM	0.043
2:11:15 PM	0.031
2:12:15 PM	0.035
2:13:15 PM	0.032
2:14:15 PM	0.046
2:15:15 PM	0.033
2:16:15 PM	0.034
2:17:15 PM	0.031
2:18:15 PM	0.03
2:19:15 PM	0.032
2:20:15 PM	0.029
2:21:15 PM	0.034
2:22:15 PM	0.033
2:23:15 PM	0.034
2:24:15 PM	0.037
2:25:15 PM	0.034
2:26:15 PM	0.034
2:27:15 PM	0.034
2:28:15 PM	0.032
2:29:15 PM	0.029
2:30:15 PM	0.032
2:31:15 PM	0.041
2:32:15 PM	0.043
2:33:15 PM	0.031
2:34:15 PM	0.034

2:35:15 PM	0.038
2:36:15 PM	0.037
2:37:15 PM	0.041
2:38:15 PM	0.035
2:39:15 PM	0.032
2:40:15 PM	0.032
2:41:15 PM	0.033
2:42:15 PM	0.035
2:43:15 PM	0.035
2:44:15 PM	0.037
2:45:15 PM	0.044
2:46:15 PM	0.041
2:47:15 PM	0.036
2:48:15 PM	0.047
2:49:15 PM	0.032
2:50:15 PM	0.034
2:51:15 PM	0.036
2:52:15 PM	0.043
2:53:15 PM	0.04
2:54:15 PM	0.034
2:55:15 PM	0.033
2:56:15 PM	0.034
2:57:15 PM	0.032
2:58:15 PM	0.033
2:59:15 PM	0.036
3:00:15 PM	0.034
3:01:15 PM	0.033
3:02:15 PM	0.033
3:03:15 PM	0.033
3:04:15 PM	0.038
3:05:15 PM	0.033
3:06:15 PM	0.037
3:07:15 PM	0.033
3:08:15 PM	0.041
3:09:15 PM	0.033
3:10:15 PM	0.03
3:11:15 PM	0.031
3:12:15 PM	0.028
3:13:15 PM	0.029
3:14:15 PM	0.029
3:15:15 PM	0.055
3:16:15 PM	0.032

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	4/29/2024 15:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 15:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 14:50	Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	4/29/2024 12:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 12:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 12:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 12:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 12:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/29/2024 11:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 11:32 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

592-600853	4/29/2024 10:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:22 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:21 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 9:53 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	4/29/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/29/2024 6:49 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:51:15 AM
Test Start Date	4/29/2024
Test Length [D:H:M]	0:08:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.042
Mass Minimum [mg/m3]	0.026
Mass Maximum [mg/m3]	0.204
Mass TWA [mg/m3]	0.042
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	506

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:51:15 AM	0.087		
6:52:15 AM	0.074		
6:53:15 AM	0.071		
6:54:15 AM	0.068		
6:55:15 AM	0.067		
6:56:15 AM	0.066		
6:57:15 AM	0.066		
6:58:15 AM	0.066		
6:59:15 AM	0.063		
7:00:15 AM	0.063		
7:01:15 AM	0.065		
7:02:15 AM	0.064		
7:03:15 AM	0.064		
7:04:15 AM	0.064		
7:05:15 AM	0.075		
7:06:15 AM	0.073		
7:07:15 AM	0.072		
7:08:15 AM	0.07		
7:09:15 AM	0.068		
7:10:15 AM	0.067		
7:11:15 AM	0.067		
7:12:15 AM	0.069		
7:13:15 AM	0.068		
7:14:15 AM	0.065		

7:15:15 AM	0.065
7:16:15 AM	0.065
7:17:15 AM	0.064
7:18:15 AM	0.063
7:19:15 AM	0.064
7:20:15 AM	0.064
7:21:15 AM	0.063
7:22:15 AM	0.063
7:23:15 AM	0.062
7:24:15 AM	0.063
7:25:15 AM	0.062
7:26:15 AM	0.062
7:27:15 AM	0.065
7:28:15 AM	0.065
7:29:15 AM	0.065
7:30:15 AM	0.066
7:31:15 AM	0.067
7:32:15 AM	0.204
7:33:15 AM	0.104
7:34:15 AM	0.078
7:35:15 AM	0.066
7:36:15 AM	0.066
7:37:15 AM	0.067
7:38:15 AM	0.066
7:39:15 AM	0.064
7:40:15 AM	0.065
7:41:15 AM	0.064
7:42:15 AM	0.063
7:43:15 AM	0.063
7:44:15 AM	0.063
7:45:15 AM	0.065
7:46:15 AM	0.064
7:47:15 AM	0.065
7:48:15 AM	0.065
7:49:15 AM	0.064
7:50:15 AM	0.063
7:51:15 AM	0.063
7:52:15 AM	0.062
7:53:15 AM	0.067
7:54:15 AM	0.074
7:55:15 AM	0.073
7:56:15 AM	0.068
7:57:15 AM	0.08
7:58:15 AM	0.067

7:59:15 AM	0.067
8:00:15 AM	0.069
8:01:15 AM	0.066
8:02:15 AM	0.065
8:03:15 AM	0.065
8:04:15 AM	0.061
8:05:15 AM	0.061
8:06:15 AM	0.062
8:07:15 AM	0.062
8:08:15 AM	0.063
8:09:15 AM	0.069
8:10:15 AM	0.073
8:11:15 AM	0.086
8:12:15 AM	0.063
8:13:15 AM	0.064
8:14:15 AM	0.067
8:15:15 AM	0.063
8:16:15 AM	0.06
8:17:15 AM	0.058
8:18:15 AM	0.06
8:19:15 AM	0.06
8:20:15 AM	0.061
8:21:15 AM	0.074
8:22:15 AM	0.063
8:23:15 AM	0.064
8:24:15 AM	0.058
8:25:15 AM	0.059
8:26:15 AM	0.062
8:27:15 AM	0.062
8:28:15 AM	0.062
8:29:15 AM	0.062
8:30:15 AM	0.059
8:31:15 AM	0.058
8:32:15 AM	0.056
8:33:15 AM	0.059
8:34:15 AM	0.062
8:35:15 AM	0.065
8:36:15 AM	0.064
8:37:15 AM	0.063
8:38:15 AM	0.06
8:39:15 AM	0.058
8:40:15 AM	0.06
8:41:15 AM	0.057
8:42:15 AM	0.125

8:43:15 AM	0.067
8:44:15 AM	0.066
8:45:15 AM	0.094
8:46:15 AM	0.095
8:47:15 AM	0.059
8:48:15 AM	0.052
8:49:15 AM	0.049
8:50:15 AM	0.05
8:51:15 AM	0.047
8:52:15 AM	0.054
8:53:15 AM	0.05
8:54:15 AM	0.049
8:55:15 AM	0.048
8:56:15 AM	0.047
8:57:15 AM	0.044
8:58:15 AM	0.042
8:59:15 AM	0.042
9:00:15 AM	0.042
9:01:15 AM	0.042
9:02:15 AM	0.044
9:03:15 AM	0.042
9:04:15 AM	0.042
9:05:15 AM	0.04
9:06:15 AM	0.041
9:07:15 AM	0.04
9:08:15 AM	0.052
9:09:15 AM	0.047
9:10:15 AM	0.04
9:11:15 AM	0.04
9:12:15 AM	0.043
9:13:15 AM	0.058
9:14:15 AM	0.039
9:15:15 AM	0.037
9:16:15 AM	0.037
9:17:15 AM	0.034
9:18:15 AM	0.036
9:19:15 AM	0.035
9:20:15 AM	0.033
9:21:15 AM	0.033
9:22:15 AM	0.034
9:23:15 AM	0.033
9:24:15 AM	0.033
9:25:15 AM	0.032
9:26:15 AM	0.033

9:27:15 AM	0.033
9:28:15 AM	0.034
9:29:15 AM	0.032
9:30:15 AM	0.053
9:31:15 AM	0.041
9:32:15 AM	0.037
9:33:15 AM	0.035
9:34:15 AM	0.034
9:35:15 AM	0.032
9:36:15 AM	0.031
9:37:15 AM	0.03
9:38:15 AM	0.03
9:39:15 AM	0.041
9:40:15 AM	0.042
9:41:15 AM	0.048
9:42:15 AM	0.036
9:43:15 AM	0.033
9:44:15 AM	0.052
9:45:15 AM	0.042
9:46:15 AM	0.036
9:47:15 AM	0.032
9:48:15 AM	0.029
9:49:15 AM	0.03
9:50:15 AM	0.054
9:51:15 AM	0.045
9:52:15 AM	0.029
9:53:15 AM	0.031
9:54:15 AM	0.043
9:55:15 AM	0.032
9:56:15 AM	0.034
9:57:15 AM	0.029
9:58:15 AM	0.03
9:59:15 AM	0.028
10:00:15 AM	0.029
10:01:15 AM	0.029
10:02:15 AM	0.028
10:03:15 AM	0.028
10:04:15 AM	0.027
10:05:15 AM	0.026
10:06:15 AM	0.027
10:07:15 AM	0.026
10:08:15 AM	0.027
10:09:15 AM	0.026
10:10:15 AM	0.027

10:11:15 AM	0.027
10:12:15 AM	0.027
10:13:15 AM	0.027
10:14:15 AM	0.028
10:15:15 AM	0.029
10:16:15 AM	0.028
10:17:15 AM	0.028
10:18:15 AM	0.028
10:19:15 AM	0.034
10:20:15 AM	0.028
10:21:15 AM	0.028
10:22:15 AM	0.029
10:23:15 AM	0.028
10:24:15 AM	0.028
10:25:15 AM	0.029
10:26:15 AM	0.029
10:27:15 AM	0.029
10:28:15 AM	0.03
10:29:15 AM	0.029
10:30:15 AM	0.029
10:31:15 AM	0.029
10:32:15 AM	0.029
10:33:15 AM	0.029
10:34:15 AM	0.029
10:35:15 AM	0.03
10:36:15 AM	0.029
10:37:15 AM	0.03
10:38:15 AM	0.03
10:39:15 AM	0.03
10:40:15 AM	0.032
10:41:15 AM	0.032
10:42:15 AM	0.031
10:43:15 AM	0.031
10:44:15 AM	0.03
10:45:15 AM	0.028
10:46:15 AM	0.03
10:47:15 AM	0.029
10:48:15 AM	0.028
10:49:15 AM	0.028
10:50:15 AM	0.028
10:51:15 AM	0.029
10:52:15 AM	0.03
10:53:15 AM	0.03
10:54:15 AM	0.029

10:55:15 AM	0.028
10:56:15 AM	0.028
10:57:15 AM	0.028
10:58:15 AM	0.027
10:59:15 AM	0.026
11:00:15 AM	0.027
11:01:15 AM	0.027
11:02:15 AM	0.028
11:03:15 AM	0.026
11:04:15 AM	0.027
11:05:15 AM	0.027
11:06:15 AM	0.028
11:07:15 AM	0.027
11:08:15 AM	0.029
11:09:15 AM	0.027
11:10:15 AM	0.027
11:11:15 AM	0.029
11:12:15 AM	0.027
11:13:15 AM	0.027
11:14:15 AM	0.029
11:15:15 AM	0.028
11:16:15 AM	0.028
11:17:15 AM	0.029
11:18:15 AM	0.028
11:19:15 AM	0.03
11:20:15 AM	0.028
11:21:15 AM	0.029
11:22:15 AM	0.028
11:23:15 AM	0.028
11:24:15 AM	0.029
11:25:15 AM	0.028
11:26:15 AM	0.066
11:27:15 AM	0.059
11:28:15 AM	0.034
11:29:15 AM	0.055
11:30:15 AM	0.035
11:31:15 AM	0.032
11:32:15 AM	0.032
11:33:15 AM	0.036
11:34:15 AM	0.033
11:35:15 AM	0.034
11:36:15 AM	0.041
11:37:15 AM	0.036
11:38:15 AM	0.037

11:39:15 AM	0.054
11:40:15 AM	0.032
11:41:15 AM	0.036
11:42:15 AM	0.059
11:43:15 AM	0.037
11:44:15 AM	0.032
11:45:15 AM	0.033
11:46:15 AM	0.031
11:47:15 AM	0.03
11:48:15 AM	0.051
11:49:15 AM	0.032
11:50:15 AM	0.029
11:51:15 AM	0.029
11:52:15 AM	0.028
11:53:15 AM	0.029
11:54:15 AM	0.028
11:55:15 AM	0.029
11:56:15 AM	0.032
11:57:15 AM	0.035
11:58:15 AM	0.032
11:59:15 AM	0.03
12:00:15 PM	0.032
12:01:15 PM	0.033
12:02:15 PM	0.037
12:03:15 PM	0.03
12:04:15 PM	0.029
12:05:15 PM	0.029
12:06:15 PM	0.031
12:07:15 PM	0.028
12:08:15 PM	0.027
12:09:15 PM	0.027
12:10:15 PM	0.026
12:11:15 PM	0.03
12:12:15 PM	0.027
12:13:15 PM	0.028
12:14:15 PM	0.027
12:15:15 PM	0.028
12:16:15 PM	0.029
12:17:15 PM	0.027
12:18:15 PM	0.027
12:19:15 PM	0.03
12:20:15 PM	0.027
12:21:15 PM	0.027
12:22:15 PM	0.027

12:23:15 PM	0.037
12:24:15 PM	0.039
12:25:15 PM	0.044
12:26:15 PM	0.045
12:27:15 PM	0.036
12:28:15 PM	0.037
12:29:15 PM	0.032
12:30:15 PM	0.032
12:31:15 PM	0.032
12:32:15 PM	0.032
12:33:15 PM	0.035
12:34:15 PM	0.031
12:35:15 PM	0.036
12:36:15 PM	0.035
12:37:15 PM	0.036
12:38:15 PM	0.036
12:39:15 PM	0.042
12:40:15 PM	0.033
12:41:15 PM	0.029
12:42:15 PM	0.028
12:43:15 PM	0.028
12:44:15 PM	0.031
12:45:15 PM	0.033
12:46:15 PM	0.029
12:47:15 PM	0.038
12:48:15 PM	0.036
12:49:15 PM	0.036
12:50:15 PM	0.034
12:51:15 PM	0.034
12:52:15 PM	0.033
12:53:15 PM	0.037
12:54:15 PM	0.035
12:55:15 PM	0.033
12:56:15 PM	0.033
12:57:15 PM	0.032
12:58:15 PM	0.033
12:59:15 PM	0.035
1:00:15 PM	0.037
1:01:15 PM	0.035
1:02:15 PM	0.043
1:03:15 PM	0.043
1:04:15 PM	0.036
1:05:15 PM	0.037
1:06:15 PM	0.037

1:07:15 PM	0.035
1:08:15 PM	0.038
1:09:15 PM	0.042
1:10:15 PM	0.039
1:11:15 PM	0.035
1:12:15 PM	0.036
1:13:15 PM	0.04
1:14:15 PM	0.04
1:15:15 PM	0.062
1:16:15 PM	0.045
1:17:15 PM	0.03
1:18:15 PM	0.037
1:19:15 PM	0.032
1:20:15 PM	0.031
1:21:15 PM	0.037
1:22:15 PM	0.035
1:23:15 PM	0.035
1:24:15 PM	0.032
1:25:15 PM	0.032
1:26:15 PM	0.033
1:27:15 PM	0.034
1:28:15 PM	0.034
1:29:15 PM	0.034
1:30:15 PM	0.034
1:31:15 PM	0.034
1:32:15 PM	0.035
1:33:15 PM	0.034
1:34:15 PM	0.032
1:35:15 PM	0.031
1:36:15 PM	0.031
1:37:15 PM	0.031
1:38:15 PM	0.031
1:39:15 PM	0.033
1:40:15 PM	0.032
1:41:15 PM	0.031
1:42:15 PM	0.031
1:43:15 PM	0.033
1:44:15 PM	0.032
1:45:15 PM	0.032
1:46:15 PM	0.033
1:47:15 PM	0.036
1:48:15 PM	0.034
1:49:15 PM	0.033
1:50:15 PM	0.032

1:51:15 PM	0.033
1:52:15 PM	0.038
1:53:15 PM	0.033
1:54:15 PM	0.032
1:55:15 PM	0.083
1:56:15 PM	0.032
1:57:15 PM	0.029
1:58:15 PM	0.032
1:59:15 PM	0.044
2:00:15 PM	0.032
2:01:15 PM	0.038
2:02:15 PM	0.032
2:03:15 PM	0.031
2:04:15 PM	0.029
2:05:15 PM	0.031
2:06:15 PM	0.031
2:07:15 PM	0.03
2:08:15 PM	0.031
2:09:15 PM	0.037
2:10:15 PM	0.043
2:11:15 PM	0.031
2:12:15 PM	0.035
2:13:15 PM	0.032
2:14:15 PM	0.046
2:15:15 PM	0.033
2:16:15 PM	0.034
2:17:15 PM	0.031
2:18:15 PM	0.03
2:19:15 PM	0.032
2:20:15 PM	0.029
2:21:15 PM	0.034
2:22:15 PM	0.033
2:23:15 PM	0.034
2:24:15 PM	0.037
2:25:15 PM	0.034
2:26:15 PM	0.034
2:27:15 PM	0.034
2:28:15 PM	0.032
2:29:15 PM	0.029
2:30:15 PM	0.032
2:31:15 PM	0.041
2:32:15 PM	0.043
2:33:15 PM	0.031
2:34:15 PM	0.034

2:35:15 PM	0.038
2:36:15 PM	0.037
2:37:15 PM	0.041
2:38:15 PM	0.035
2:39:15 PM	0.032
2:40:15 PM	0.032
2:41:15 PM	0.033
2:42:15 PM	0.035
2:43:15 PM	0.035
2:44:15 PM	0.037
2:45:15 PM	0.044
2:46:15 PM	0.041
2:47:15 PM	0.036
2:48:15 PM	0.047
2:49:15 PM	0.032
2:50:15 PM	0.034
2:51:15 PM	0.036
2:52:15 PM	0.043
2:53:15 PM	0.04
2:54:15 PM	0.034
2:55:15 PM	0.033
2:56:15 PM	0.034
2:57:15 PM	0.032
2:58:15 PM	0.033
2:59:15 PM	0.036
3:00:15 PM	0.034
3:01:15 PM	0.033
3:02:15 PM	0.033
3:03:15 PM	0.033
3:04:15 PM	0.038
3:05:15 PM	0.033
3:06:15 PM	0.037
3:07:15 PM	0.033
3:08:15 PM	0.041
3:09:15 PM	0.033
3:10:15 PM	0.03
3:11:15 PM	0.031
3:12:15 PM	0.028
3:13:15 PM	0.029
3:14:15 PM	0.029
3:15:15 PM	0.055
3:16:15 PM	0.032

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	4/29/2024 14:34	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:33	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:32	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:31	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:30	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:29	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:28	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:27	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:26	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:25	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:24	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:23	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:22	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:21	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:20	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:19	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:18	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:17	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:16	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:15	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:14	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:13	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:12	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:11	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:10	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:09	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:08	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:07	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:06	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:05	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:04	Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 14:03	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	4/29/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:40 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 9:39 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	4/29/2024 6:20 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:19 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:18 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:17 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:16 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:15 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:14 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:13 Readings	PID	SC23030124AA	Normal	0
592-908641	4/29/2024 6:12 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_003
Test Start Time	6:58:21 AM
Test Start Date	4/29/2024
Test Length [D:H:M]	0:08:13
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.046
Mass Minimum [mg/m3]	0.027
Mass Maximum [mg/m3]	0.201
Mass TWA [mg/m3]	0.046
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	493

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:21 AM	0.098		
6:59:21 AM	0.068		
7:00:21 AM	0.068		
7:01:21 AM	0.067		
7:02:21 AM	0.067		
7:03:21 AM	0.067		
7:04:21 AM	0.069		
7:05:21 AM	0.068		
7:06:21 AM	0.068		
7:07:21 AM	0.069		
7:08:21 AM	0.069		
7:09:21 AM	0.07		
7:10:21 AM	0.069		
7:11:21 AM	0.069		
7:12:21 AM	0.068		
7:13:21 AM	0.066		
7:14:21 AM	0.066		
7:15:21 AM	0.066		
7:16:21 AM	0.065		
7:17:21 AM	0.067		
7:18:21 AM	0.067		
7:19:21 AM	0.065		
7:20:21 AM	0.065		
7:21:21 AM	0.063		

7:22:21 AM	0.064
7:23:21 AM	0.064
7:24:21 AM	0.064
7:25:21 AM	0.064
7:26:21 AM	0.063
7:27:21 AM	0.063
7:28:21 AM	0.063
7:29:21 AM	0.062
7:30:21 AM	0.063
7:31:21 AM	0.062
7:32:21 AM	0.061
7:33:21 AM	0.061
7:34:21 AM	0.061
7:35:21 AM	0.062
7:36:21 AM	0.064
7:37:21 AM	0.063
7:38:21 AM	0.062
7:39:21 AM	0.062
7:40:21 AM	0.062
7:41:21 AM	0.061
7:42:21 AM	0.062
7:43:21 AM	0.064
7:44:21 AM	0.064
7:45:21 AM	0.064
7:46:21 AM	0.063
7:47:21 AM	0.063
7:48:21 AM	0.063
7:49:21 AM	0.063
7:50:21 AM	0.064
7:51:21 AM	0.062
7:52:21 AM	0.061
7:53:21 AM	0.061
7:54:21 AM	0.061
7:55:21 AM	0.06
7:56:21 AM	0.059
7:57:21 AM	0.058
7:58:21 AM	0.058
7:59:21 AM	0.06
8:00:21 AM	0.061
8:01:21 AM	0.062
8:02:21 AM	0.06
8:03:21 AM	0.06
8:04:21 AM	0.06
8:05:21 AM	0.06

8:06:21 AM	0.062
8:07:21 AM	0.061
8:08:21 AM	0.061
8:09:21 AM	0.061
8:10:21 AM	0.062
8:11:21 AM	0.062
8:12:21 AM	0.063
8:13:21 AM	0.064
8:14:21 AM	0.06
8:15:21 AM	0.058
8:16:21 AM	0.058
8:17:21 AM	0.06
8:18:21 AM	0.059
8:19:21 AM	0.059
8:20:21 AM	0.06
8:21:21 AM	0.059
8:22:21 AM	0.058
8:23:21 AM	0.056
8:24:21 AM	0.054
8:25:21 AM	0.054
8:26:21 AM	0.056
8:27:21 AM	0.056
8:28:21 AM	0.055
8:29:21 AM	0.055
8:30:21 AM	0.055
8:31:21 AM	0.054
8:32:21 AM	0.055
8:33:21 AM	0.055
8:34:21 AM	0.056
8:35:21 AM	0.057
8:36:21 AM	0.056
8:37:21 AM	0.058
8:38:21 AM	0.057
8:39:21 AM	0.06
8:40:21 AM	0.053
8:41:21 AM	0.051
8:42:21 AM	0.051
8:43:21 AM	0.05
8:44:21 AM	0.051
8:45:21 AM	0.051
8:46:21 AM	0.051
8:47:21 AM	0.05
8:48:21 AM	0.05
8:49:21 AM	0.047

8:50:21 AM	0.045
8:51:21 AM	0.044
8:52:21 AM	0.045
8:53:21 AM	0.049
8:54:21 AM	0.066
8:55:21 AM	0.049
8:56:21 AM	0.047
8:57:21 AM	0.045
8:58:21 AM	0.043
8:59:21 AM	0.046
9:00:21 AM	0.044
9:01:21 AM	0.044
9:02:21 AM	0.044
9:03:21 AM	0.041
9:04:21 AM	0.041
9:05:21 AM	0.043
9:06:21 AM	0.043
9:07:21 AM	0.041
9:08:21 AM	0.041
9:09:21 AM	0.044
9:10:21 AM	0.04
9:11:21 AM	0.039
9:12:21 AM	0.041
9:13:21 AM	0.04
9:14:21 AM	0.041
9:15:21 AM	0.039
9:16:21 AM	0.037
9:17:21 AM	0.035
9:18:21 AM	0.034
9:19:21 AM	0.033
9:20:21 AM	0.033
9:21:21 AM	0.032
9:22:21 AM	0.032
9:23:21 AM	0.032
9:24:21 AM	0.033
9:25:21 AM	0.032
9:26:21 AM	0.032
9:27:21 AM	0.032
9:28:21 AM	0.033
9:29:21 AM	0.033
9:30:21 AM	0.033
9:31:21 AM	0.032
9:32:21 AM	0.032
9:33:21 AM	0.032

9:34:21 AM	0.032
9:35:21 AM	0.032
9:36:21 AM	0.031
9:37:21 AM	0.032
9:38:21 AM	0.032
9:39:21 AM	0.031
9:40:21 AM	0.032
9:41:21 AM	0.032
9:42:21 AM	0.036
9:43:21 AM	0.036
9:44:21 AM	0.033
9:45:21 AM	0.036
9:46:21 AM	0.033
9:47:21 AM	0.034
9:48:21 AM	0.031
9:49:21 AM	0.03
9:50:21 AM	0.03
9:51:21 AM	0.029
9:52:21 AM	0.029
9:53:21 AM	0.028
9:54:21 AM	0.028
9:55:21 AM	0.028
9:56:21 AM	0.028
9:57:21 AM	0.028
9:58:21 AM	0.027
9:59:21 AM	0.028
10:00:21 AM	0.029
10:01:21 AM	0.029
10:02:21 AM	0.028
10:03:21 AM	0.028
10:04:21 AM	0.029
10:05:21 AM	0.028
10:06:21 AM	0.027
10:07:21 AM	0.031
10:08:21 AM	0.028
10:09:21 AM	0.028
10:10:21 AM	0.027
10:11:21 AM	0.027
10:12:21 AM	0.028
10:13:21 AM	0.028
10:14:21 AM	0.028
10:15:21 AM	0.029
10:16:21 AM	0.029
10:17:21 AM	0.029

10:18:21 AM	0.029
10:19:21 AM	0.029
10:20:21 AM	0.029
10:21:21 AM	0.029
10:22:21 AM	0.029
10:23:21 AM	0.03
10:24:21 AM	0.03
10:25:21 AM	0.03
10:26:21 AM	0.03
10:27:21 AM	0.031
10:28:21 AM	0.031
10:29:21 AM	0.03
10:30:21 AM	0.031
10:31:21 AM	0.032
10:32:21 AM	0.031
10:33:21 AM	0.032
10:34:21 AM	0.031
10:35:21 AM	0.032
10:36:21 AM	0.031
10:37:21 AM	0.032
10:38:21 AM	0.031
10:39:21 AM	0.033
10:40:21 AM	0.035
10:41:21 AM	0.032
10:42:21 AM	0.032
10:43:21 AM	0.033
10:44:21 AM	0.035
10:45:21 AM	0.033
10:46:21 AM	0.033
10:47:21 AM	0.034
10:48:21 AM	0.032
10:49:21 AM	0.032
10:50:21 AM	0.032
10:51:21 AM	0.032
10:52:21 AM	0.033
10:53:21 AM	0.033
10:54:21 AM	0.036
10:55:21 AM	0.034
10:56:21 AM	0.039
10:57:21 AM	0.045
10:58:21 AM	0.038
10:59:21 AM	0.035
11:00:21 AM	0.032
11:01:21 AM	0.033

11:02:21 AM	0.033
11:03:21 AM	0.033
11:04:21 AM	0.033
11:05:21 AM	0.033
11:06:21 AM	0.036
11:07:21 AM	0.035
11:08:21 AM	0.035
11:09:21 AM	0.033
11:10:21 AM	0.035
11:11:21 AM	0.032
11:12:21 AM	0.034
11:13:21 AM	0.034
11:14:21 AM	0.035
11:15:21 AM	0.037
11:16:21 AM	0.037
11:17:21 AM	0.037
11:18:21 AM	0.035
11:19:21 AM	0.034
11:20:21 AM	0.033
11:21:21 AM	0.033
11:22:21 AM	0.033
11:23:21 AM	0.037
11:24:21 AM	0.041
11:25:21 AM	0.042
11:26:21 AM	0.041
11:27:21 AM	0.04
11:28:21 AM	0.051
11:29:21 AM	0.051
11:30:21 AM	0.038
11:31:21 AM	0.201
11:32:21 AM	0.039
11:33:21 AM	0.039
11:34:21 AM	0.038
11:35:21 AM	0.039
11:36:21 AM	0.05
11:37:21 AM	0.072
11:38:21 AM	0.044
11:39:21 AM	0.074
11:40:21 AM	0.04
11:41:21 AM	0.041
11:42:21 AM	0.043
11:43:21 AM	0.045
11:44:21 AM	0.042
11:45:21 AM	0.044

11:46:21 AM	0.04
11:47:21 AM	0.038
11:48:21 AM	0.043
11:49:21 AM	0.04
11:50:21 AM	0.038
11:51:21 AM	0.036
11:52:21 AM	0.035
11:53:21 AM	0.036
11:54:21 AM	0.038
11:55:21 AM	0.044
11:56:21 AM	0.056
11:57:21 AM	0.048
11:58:21 AM	0.041
11:59:21 AM	0.039
12:00:21 PM	0.038
12:01:21 PM	0.037
12:02:21 PM	0.035
12:03:21 PM	0.035
12:04:21 PM	0.035
12:05:21 PM	0.036
12:06:21 PM	0.036
12:07:21 PM	0.036
12:08:21 PM	0.044
12:09:21 PM	0.036
12:10:21 PM	0.035
12:11:21 PM	0.034
12:12:21 PM	0.035
12:13:21 PM	0.036
12:14:21 PM	0.034
12:15:21 PM	0.034
12:16:21 PM	0.039
12:17:21 PM	0.063
12:18:21 PM	0.037
12:19:21 PM	0.035
12:20:21 PM	0.036
12:21:21 PM	0.039
12:22:21 PM	0.047
12:23:21 PM	0.046
12:24:21 PM	0.045
12:25:21 PM	0.05
12:26:21 PM	0.053
12:27:21 PM	0.048
12:28:21 PM	0.044
12:29:21 PM	0.039

12:30:21 PM	0.036
12:31:21 PM	0.038
12:32:21 PM	0.04
12:33:21 PM	0.04
12:34:21 PM	0.042
12:35:21 PM	0.043
12:36:21 PM	0.041
12:37:21 PM	0.043
12:38:21 PM	0.045
12:39:21 PM	0.046
12:40:21 PM	0.042
12:41:21 PM	0.037
12:42:21 PM	0.039
12:43:21 PM	0.044
12:44:21 PM	0.051
12:45:21 PM	0.071
12:46:21 PM	0.063
12:47:21 PM	0.065
12:48:21 PM	0.061
12:49:21 PM	0.047
12:50:21 PM	0.049
12:51:21 PM	0.044
12:52:21 PM	0.1
12:53:21 PM	0.111
12:54:21 PM	0.092
12:55:21 PM	0.059
12:56:21 PM	0.048
12:57:21 PM	0.088
12:58:21 PM	0.085
12:59:21 PM	0.089
1:00:21 PM	0.082
1:01:21 PM	0.066
1:02:21 PM	0.062
1:03:21 PM	0.059
1:04:21 PM	0.051
1:05:21 PM	0.047
1:06:21 PM	0.047
1:07:21 PM	0.045
1:08:21 PM	0.048
1:09:21 PM	0.062
1:10:21 PM	0.055
1:11:21 PM	0.046
1:12:21 PM	0.06
1:13:21 PM	0.079

1:14:21 PM	0.068
1:15:21 PM	0.064
1:16:21 PM	0.071
1:17:21 PM	0.059
1:18:21 PM	0.082
1:19:21 PM	0.1
1:20:21 PM	0.055
1:21:21 PM	0.047
1:22:21 PM	0.057
1:23:21 PM	0.042
1:24:21 PM	0.04
1:25:21 PM	0.045
1:26:21 PM	0.042
1:27:21 PM	0.04
1:28:21 PM	0.04
1:29:21 PM	0.045
1:30:21 PM	0.048
1:31:21 PM	0.045
1:32:21 PM	0.044
1:33:21 PM	0.044
1:34:21 PM	0.04
1:35:21 PM	0.039
1:36:21 PM	0.04
1:37:21 PM	0.04
1:38:21 PM	0.041
1:39:21 PM	0.046
1:40:21 PM	0.04
1:41:21 PM	0.041
1:42:21 PM	0.044
1:43:21 PM	0.039
1:44:21 PM	0.04
1:45:21 PM	0.038
1:46:21 PM	0.039
1:47:21 PM	0.041
1:48:21 PM	0.037
1:49:21 PM	0.036
1:50:21 PM	0.036
1:51:21 PM	0.038
1:52:21 PM	0.042
1:53:21 PM	0.06
1:54:21 PM	0.056
1:55:21 PM	0.043
1:56:21 PM	0.039
1:57:21 PM	0.037

1:58:21 PM	0.038
1:59:21 PM	0.037
2:00:21 PM	0.036
2:01:21 PM	0.035
2:02:21 PM	0.037
2:03:21 PM	0.039
2:04:21 PM	0.034
2:05:21 PM	0.039
2:06:21 PM	0.036
2:07:21 PM	0.033
2:08:21 PM	0.033
2:09:21 PM	0.035
2:10:21 PM	0.04
2:11:21 PM	0.036
2:12:21 PM	0.033
2:13:21 PM	0.036
2:14:21 PM	0.042
2:15:21 PM	0.059
2:16:21 PM	0.065
2:17:21 PM	0.054
2:18:21 PM	0.051
2:19:21 PM	0.064
2:20:21 PM	0.062
2:21:21 PM	0.057
2:22:21 PM	0.057
2:23:21 PM	0.041
2:24:21 PM	0.038
2:25:21 PM	0.04
2:26:21 PM	0.041
2:27:21 PM	0.034
2:28:21 PM	0.035
2:29:21 PM	0.037
2:30:21 PM	0.038
2:31:21 PM	0.038
2:32:21 PM	0.037
2:33:21 PM	0.036
2:34:21 PM	0.034
2:35:21 PM	0.034
2:36:21 PM	0.034
2:37:21 PM	0.035
2:38:21 PM	0.039
2:39:21 PM	0.039
2:40:21 PM	0.037
2:41:21 PM	0.038

2:42:21 PM	0.039
2:43:21 PM	0.049
2:44:21 PM	0.052
2:45:21 PM	0.05
2:46:21 PM	0.051
2:47:21 PM	0.049
2:48:21 PM	0.039
2:49:21 PM	0.036
2:50:21 PM	0.039
2:51:21 PM	0.038
2:52:21 PM	0.041
2:53:21 PM	0.039
2:54:21 PM	0.037
2:55:21 PM	0.038
2:56:21 PM	0.035
2:57:21 PM	0.034
2:58:21 PM	0.034
2:59:21 PM	0.036
3:00:21 PM	0.036
3:01:21 PM	0.034
3:02:21 PM	0.032
3:03:21 PM	0.032
3:04:21 PM	0.033
3:05:21 PM	0.032
3:06:21 PM	0.032
3:07:21 PM	0.033
3:08:21 PM	0.033
3:09:21 PM	0.031
3:10:21 PM	0.032

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	4/29/2024 15:15	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:14	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:13	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:12	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:11	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:10	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:09	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:08	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:07	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:06	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:05	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:04	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:03	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:02	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:01	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 15:00	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:59	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:58	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:57	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:56	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:55	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:54	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:53	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:52	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:51	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:50	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:49	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:48	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:47	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:46	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:45	Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 14:44	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	4/29/2024 10:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 10:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 9:47 Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	4/29/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/29/2024 7:07 CONFIG	PID	SC23030602B4		