

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		W 5 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/1/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:45	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza / Bill Chaky Capital (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Tim Williams AFS (Fence Installation) NetPower (Electricians) Equipment On Site: DustTrak (x3), PID (x3), Pile Rig
Scope of Work: Deploy three (3) CAMP stations; AFS relocates fencing along Nevins Street for National Grid work; ECD to continue with pile installation at north building; NetPower begins power installation to Dewatering System; National Grid main relocation work; IEC to gauge 14 sentinel well; low flow groundwater sampling of sentinel wells. Site Activities: - Deployed three (3) CAMP stations prior to start of site activities; - ECD started pile installation at north building and south building; P71, P42, P96A, P125A, T95A, T95A, T93A, T99A, P33, P69, P37. Pile locations were verified by IEC before installation, demarcations were placed via flags on grid that are not approved for pile/foundation work; - ECD begins removal work of pile sheeting bracing in SB-13; - Seventeen (17) truckloads of approved crushed limestone were imported onto site; - Seventeen (17) truckloads of material were disposed of off Site to the Puresoil Jackson Facility; - Pile Cap work in B2; - Excavation of grids J3, I3 & K5 to a depth of 9' bsg. Refer to the Alpha Numeric Grid Map for grid locations. It should be noted that all excavated grids were screened for VOCs via a PID, no exceedances were observed. Backfilled limestone was stockpiled separately, and all soil/cross contaminated fill was stockpiled separately onto poly sheeting; - Endpoint sampling: EP-39 (9'), EP-40 (9'); - Gauged depth to water at all 14 sentinel wells and at canal for dewatering purposes; - Low flow groundwater sampling of the following sentinel wells: MW-21 A, MW-19 A&B, NMAW-2 A&B; - Dewatering was active in SB-13 and I2;	

- National Grid gas installation along Nevins Street, MW-20 A & B were blocked during the workday, National Grid Foreman informed that in the near future the wells might be disturbed since they will be trenching and sheeting right along the well points;
- AFS relocates fencing along Nevins Street;
- NetPower begins power installation to Dewatering System; and
- Site perimeter check was conducted at the end of the Sites activities to confirm that no soil or liquids were begin tracked offsite.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.306_ mg/m³ @ 06:51
- High Conditions (Upwind) – PID = _0.3_ ppm @ 07:19, Dust = 0.306_ mg/m³ @ 06:51
- High Conditions (Downwind 1) – PID = _2.5_ ppm @14:35, Dust = _0.402_ mg/m³ @ 13:56
- High Conditions (Downwind 2) – PID = _4.6_ ppm @ 12:22, Dust = _0.1_ mg/m³ @ 07:27

Notable Site Conditions:

- Sheening was observed on the Canal.

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- National Grid gas relation work to be continued;
- Continued low flow groundwater sampling;
- Continued excavation and soil loadout in the northern building.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of material
load out.



Photo 2 –
Representative
photo of tire
washing and tarp
strap down.



Photo 3 –

Representative photo of AFS fence and gate relocation.



Photo 4 –

Representative photo of ECD pile sheeting removal.



Photo 5 –
Representative
photo of
Excavation in grid
J3.



Photo 6 –
Representative
photo of pile cap
work in grid B2.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	6:51:24 AM
Test Start Date	5/1/2024
Test Length [D:H:M]	0:08:52
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.034
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.306
Mass TWA [mg/m3]	0.034
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	532

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:51:24 AM	0.306		
6:52:24 AM	0.07		
6:53:24 AM	0.045		
6:54:24 AM	0.045		
6:55:24 AM	0.041		
6:56:24 AM	0.043		
6:57:24 AM	0.035		
6:58:24 AM	0.036		
6:59:24 AM	0.036		
7:00:24 AM	0.038		
7:01:24 AM	0.04		
7:02:24 AM	0.038		
7:03:24 AM	0.036		
7:04:24 AM	0.034		
7:05:24 AM	0.039		
7:06:24 AM	0.032		
7:07:24 AM	0.041		
7:08:24 AM	0.041		
7:09:24 AM	0.038		
7:10:24 AM	0.029		
7:11:24 AM	0.033		
7:12:24 AM	0.03		
7:13:24 AM	0.029		
7:14:24 AM	0.032		

7:15:24 AM	0.031
7:16:24 AM	0.031
7:17:24 AM	0.026
7:18:24 AM	0.031
7:19:24 AM	0.029
7:20:24 AM	0.027
7:21:24 AM	0.027
7:22:24 AM	0.027
7:23:24 AM	0.028
7:24:24 AM	0.027
7:25:24 AM	0.027
7:26:24 AM	0.028
7:27:24 AM	0.029
7:28:24 AM	0.031
7:29:24 AM	0.031
7:30:24 AM	0.029
7:31:24 AM	0.028
7:32:24 AM	0.029
7:33:24 AM	0.029
7:34:24 AM	0.03
7:35:24 AM	0.029
7:36:24 AM	0.031
7:37:24 AM	0.034
7:38:24 AM	0.037
7:39:24 AM	0.041
7:40:24 AM	0.032
7:41:24 AM	0.033
7:42:24 AM	0.044
7:43:24 AM	0.041
7:44:24 AM	0.034
7:45:24 AM	0.033
7:46:24 AM	0.034
7:47:24 AM	0.035
7:48:24 AM	0.033
7:49:24 AM	0.033
7:50:24 AM	0.032
7:51:24 AM	0.035
7:52:24 AM	0.033
7:53:24 AM	0.035
7:54:24 AM	0.034
7:55:24 AM	0.036
7:56:24 AM	0.036
7:57:24 AM	0.033
7:58:24 AM	0.037

7:59:24 AM	0.038
8:00:24 AM	0.04
8:01:24 AM	0.038
8:02:24 AM	0.04
8:03:24 AM	0.04
8:04:24 AM	0.042
8:05:24 AM	0.038
8:06:24 AM	0.038
8:07:24 AM	0.043
8:08:24 AM	0.041
8:09:24 AM	0.038
8:10:24 AM	0.035
8:11:24 AM	0.036
8:12:24 AM	0.034
8:13:24 AM	0.036
8:14:24 AM	0.041
8:15:24 AM	0.036
8:16:24 AM	0.037
8:17:24 AM	0.035
8:18:24 AM	0.035
8:19:24 AM	0.035
8:20:24 AM	0.035
8:21:24 AM	0.036
8:22:24 AM	0.037
8:23:24 AM	0.051
8:24:24 AM	0.046
8:25:24 AM	0.043
8:26:24 AM	0.042
8:27:24 AM	0.042
8:28:24 AM	0.04
8:29:24 AM	0.038
8:30:24 AM	0.037
8:31:24 AM	0.037
8:32:24 AM	0.036
8:33:24 AM	0.037
8:34:24 AM	0.036
8:35:24 AM	0.035
8:36:24 AM	0.038
8:37:24 AM	0.035
8:38:24 AM	0.035
8:39:24 AM	0.034
8:40:24 AM	0.034
8:41:24 AM	0.033
8:42:24 AM	0.034

8:43:24 AM	0.034
8:44:24 AM	0.032
8:45:24 AM	0.035
8:46:24 AM	0.036
8:47:24 AM	0.036
8:48:24 AM	0.033
8:49:24 AM	0.032
8:50:24 AM	0.032
8:51:24 AM	0.031
8:52:24 AM	0.032
8:53:24 AM	0.031
8:54:24 AM	0.03
8:55:24 AM	0.066
8:56:24 AM	0.039
8:57:24 AM	0.032
8:58:24 AM	0.029
8:59:24 AM	0.032
9:00:24 AM	0.032
9:01:24 AM	0.03
9:02:24 AM	0.028
9:03:24 AM	0.028
9:04:24 AM	0.028
9:05:24 AM	0.029
9:06:24 AM	0.032
9:07:24 AM	0.032
9:08:24 AM	0.034
9:09:24 AM	0.035
9:10:24 AM	0.035
9:11:24 AM	0.036
9:12:24 AM	0.036
9:13:24 AM	0.037
9:14:24 AM	0.036
9:15:24 AM	0.036
9:16:24 AM	0.037
9:17:24 AM	0.036
9:18:24 AM	0.035
9:19:24 AM	0.036
9:20:24 AM	0.037
9:21:24 AM	0.038
9:22:24 AM	0.041
9:23:24 AM	0.04
9:24:24 AM	0.038
9:25:24 AM	0.039
9:26:24 AM	0.04

9:27:24 AM	0.051
9:28:24 AM	0.039
9:29:24 AM	0.038
9:30:24 AM	0.039
9:31:24 AM	0.041
9:32:24 AM	0.039
9:33:24 AM	0.04
9:34:24 AM	0.042
9:35:24 AM	0.05
9:36:24 AM	0.045
9:37:24 AM	0.049
9:38:24 AM	0.04
9:39:24 AM	0.04
9:40:24 AM	0.041
9:41:24 AM	0.041
9:42:24 AM	0.047
9:43:24 AM	0.044
9:44:24 AM	0.045
9:45:24 AM	0.042
9:46:24 AM	0.042
9:47:24 AM	0.041
9:48:24 AM	0.041
9:49:24 AM	0.041
9:50:24 AM	0.045
9:51:24 AM	0.044
9:52:24 AM	0.045
9:53:24 AM	0.046
9:54:24 AM	0.045
9:55:24 AM	0.046
9:56:24 AM	0.065
9:57:24 AM	0.049
9:58:24 AM	0.048
9:59:24 AM	0.047
10:00:24 AM	0.064
10:01:24 AM	0.068
10:02:24 AM	0.048
10:03:24 AM	0.048
10:04:24 AM	0.048
10:05:24 AM	0.048
10:06:24 AM	0.047
10:07:24 AM	0.047
10:08:24 AM	0.049
10:09:24 AM	0.047
10:10:24 AM	0.048

10:11:24 AM	0.048
10:12:24 AM	0.046
10:13:24 AM	0.048
10:14:24 AM	0.05
10:15:24 AM	0.058
10:16:24 AM	0.053
10:17:24 AM	0.072
10:18:24 AM	0.056
10:19:24 AM	0.047
10:20:24 AM	0.046
10:21:24 AM	0.044
10:22:24 AM	0.044
10:23:24 AM	0.044
10:24:24 AM	0.048
10:25:24 AM	0.045
10:26:24 AM	0.046
10:27:24 AM	0.042
10:28:24 AM	0.054
10:29:24 AM	0.05
10:30:24 AM	0.047
10:31:24 AM	0.043
10:32:24 AM	0.042
10:33:24 AM	0.042
10:34:24 AM	0.041
10:35:24 AM	0.042
10:36:24 AM	0.042
10:37:24 AM	0.041
10:38:24 AM	0.041
10:39:24 AM	0.041
10:40:24 AM	0.041
10:41:24 AM	0.039
10:42:24 AM	0.04
10:43:24 AM	0.042
10:44:24 AM	0.04
10:45:24 AM	0.056
10:46:24 AM	0.04
10:47:24 AM	0.038
10:48:24 AM	0.038
10:49:24 AM	0.039
10:50:24 AM	0.05
10:51:24 AM	0.039
10:52:24 AM	0.037
10:53:24 AM	0.037
10:54:24 AM	0.039

10:55:24 AM	0.036
10:56:24 AM	0.038
10:57:24 AM	0.037
10:58:24 AM	0.037
10:59:24 AM	0.037
11:00:24 AM	0.038
11:01:24 AM	0.04
11:02:24 AM	0.037
11:03:24 AM	0.038
11:04:24 AM	0.037
11:05:24 AM	0.035
11:06:24 AM	0.033
11:07:24 AM	0.033
11:08:24 AM	0.035
11:09:24 AM	0.036
11:10:24 AM	0.047
11:11:24 AM	0.032
11:12:24 AM	0.043
11:13:24 AM	0.039
11:14:24 AM	0.036
11:15:24 AM	0.034
11:16:24 AM	0.033
11:17:24 AM	0.033
11:18:24 AM	0.031
11:19:24 AM	0.03
11:20:24 AM	0.033
11:21:24 AM	0.04
11:22:24 AM	0.029
11:23:24 AM	0.027
11:24:24 AM	0.027
11:25:24 AM	0.028
11:26:24 AM	0.028
11:27:24 AM	0.028
11:28:24 AM	0.029
11:29:24 AM	0.03
11:30:24 AM	0.034
11:31:24 AM	0.026
11:32:24 AM	0.025
11:33:24 AM	0.024
11:34:24 AM	0.031
11:35:24 AM	0.027
11:36:24 AM	0.031
11:37:24 AM	0.034
11:38:24 AM	0.04

11:39:24 AM	0.033
11:40:24 AM	0.029
11:41:24 AM	0.031
11:42:24 AM	0.029
11:43:24 AM	0.031
11:44:24 AM	0.027
11:45:24 AM	0.027
11:46:24 AM	0.027
11:47:24 AM	0.03
11:48:24 AM	0.032
11:49:24 AM	0.03
11:50:24 AM	0.027
11:51:24 AM	0.026
11:52:24 AM	0.027
11:53:24 AM	0.024
11:54:24 AM	0.025
11:55:24 AM	0.026
11:56:24 AM	0.024
11:57:24 AM	0.022
11:58:24 AM	0.022
11:59:24 AM	0.024
12:00:24 PM	0.029
12:01:24 PM	0.023
12:02:24 PM	0.027
12:03:24 PM	0.027
12:04:24 PM	0.023
12:05:24 PM	0.024
12:06:24 PM	0.027
12:07:24 PM	0.023
12:08:24 PM	0.022
12:09:24 PM	0.021
12:10:24 PM	0.019
12:11:24 PM	0.017
12:12:24 PM	0.018
12:13:24 PM	0.018
12:14:24 PM	0.023
12:15:24 PM	0.018
12:16:24 PM	0.019
12:17:24 PM	0.018
12:18:24 PM	0.016
12:19:24 PM	0.019
12:20:24 PM	0.016
12:21:24 PM	0.014
12:22:24 PM	0.014

12:23:24 PM	0.014
12:24:24 PM	0.018
12:25:24 PM	0.027
12:26:24 PM	0.016
12:27:24 PM	0.015
12:28:24 PM	0.024
12:29:24 PM	0.017
12:30:24 PM	0.021
12:31:24 PM	0.016
12:32:24 PM	0.014
12:33:24 PM	0.012
12:34:24 PM	0.016
12:35:24 PM	0.011
12:36:24 PM	0.012
12:37:24 PM	0.01
12:38:24 PM	0.012
12:39:24 PM	0.012
12:40:24 PM	0.012
12:41:24 PM	0.016
12:42:24 PM	0.016
12:43:24 PM	0.011
12:44:24 PM	0.01
12:45:24 PM	0.025
12:46:24 PM	0.028
12:47:24 PM	0.019
12:48:24 PM	0.015
12:49:24 PM	0.014
12:50:24 PM	0.013
12:51:24 PM	0.013
12:52:24 PM	0.015
12:53:24 PM	0.014
12:54:24 PM	0.014
12:55:24 PM	0.036
12:56:24 PM	0.032
12:57:24 PM	0.014
12:58:24 PM	0.014
12:59:24 PM	0.023
1:00:24 PM	0.022
1:01:24 PM	0.027
1:02:24 PM	0.034
1:03:24 PM	0.018
1:04:24 PM	0.025
1:05:24 PM	0.027
1:06:24 PM	0.161

1:07:24 PM	0.027
1:08:24 PM	0.028
1:09:24 PM	0.051
1:10:24 PM	0.031
1:11:24 PM	0.031
1:12:24 PM	0.035
1:13:24 PM	0.028
1:14:24 PM	0.026
1:15:24 PM	0.04
1:16:24 PM	0.029
1:17:24 PM	0.032
1:18:24 PM	0.029
1:19:24 PM	0.026
1:20:24 PM	0.028
1:21:24 PM	0.025
1:22:24 PM	0.029
1:23:24 PM	0.028
1:24:24 PM	0.026
1:25:24 PM	0.12
1:26:24 PM	0.098
1:27:24 PM	0.028
1:28:24 PM	0.026
1:29:24 PM	0.031
1:30:24 PM	0.027
1:31:24 PM	0.03
1:32:24 PM	0.027
1:33:24 PM	0.036
1:34:24 PM	0.031
1:35:24 PM	0.032
1:36:24 PM	0.029
1:37:24 PM	0.027
1:38:24 PM	0.026
1:39:24 PM	0.048
1:40:24 PM	0.033
1:41:24 PM	0.031
1:42:24 PM	0.028
1:43:24 PM	0.024
1:44:24 PM	0.023
1:45:24 PM	0.038
1:46:24 PM	0.032
1:47:24 PM	0.034
1:48:24 PM	0.051
1:49:24 PM	0.032
1:50:24 PM	0.031

1:51:24 PM	0.031
1:52:24 PM	0.036
1:53:24 PM	0.031
1:54:24 PM	0.035
1:55:24 PM	0.024
1:56:24 PM	0.025
1:57:24 PM	0.026
1:58:24 PM	0.03
1:59:24 PM	0.026
2:00:24 PM	0.027
2:01:24 PM	0.028
2:02:24 PM	0.025
2:03:24 PM	0.026
2:04:24 PM	0.035
2:05:24 PM	0.033
2:06:24 PM	0.031
2:07:24 PM	0.032
2:08:24 PM	0.021
2:09:24 PM	0.018
2:10:24 PM	0.017
2:11:24 PM	0.021
2:12:24 PM	0.023
2:13:24 PM	0.023
2:14:24 PM	0.021
2:15:24 PM	0.02
2:16:24 PM	0.02
2:17:24 PM	0.023
2:18:24 PM	0.02
2:19:24 PM	0.093
2:20:24 PM	0.022
2:21:24 PM	0.025
2:22:24 PM	0.025
2:23:24 PM	0.026
2:24:24 PM	0.034
2:25:24 PM	0.025
2:26:24 PM	0.022
2:27:24 PM	0.023
2:28:24 PM	0.023
2:29:24 PM	0.024
2:30:24 PM	0.028
2:31:24 PM	0.024
2:32:24 PM	0.023
2:33:24 PM	0.025
2:34:24 PM	0.029

2:35:24 PM	0.037
2:36:24 PM	0.032
2:37:24 PM	0.023
2:38:24 PM	0.022
2:39:24 PM	0.031
2:40:24 PM	0.032
2:41:24 PM	0.03
2:42:24 PM	0.026
2:43:24 PM	0.028
2:44:24 PM	0.028
2:45:24 PM	0.033
2:46:24 PM	0.028
2:47:24 PM	0.033
2:48:24 PM	0.029
2:49:24 PM	0.031
2:50:24 PM	0.026
2:51:24 PM	0.032
2:52:24 PM	0.031
2:53:24 PM	0.048
2:54:24 PM	0.036
2:55:24 PM	0.166
2:56:24 PM	0.031
2:57:24 PM	0.029
2:58:24 PM	0.038
2:59:24 PM	0.038
3:00:24 PM	0.026
3:01:24 PM	0.034
3:02:24 PM	0.03
3:03:24 PM	0.028
3:04:24 PM	0.024
3:05:24 PM	0.029
3:06:24 PM	0.026
3:07:24 PM	0.025
3:08:24 PM	0.029
3:09:24 PM	0.027
3:10:24 PM	0.026
3:11:24 PM	0.026
3:12:24 PM	0.026
3:13:24 PM	0.023
3:14:24 PM	0.026
3:15:24 PM	0.045
3:16:24 PM	0.033
3:17:24 PM	0.031
3:18:24 PM	0.033

3:19:24 PM	0.032
3:20:24 PM	0.032
3:21:24 PM	0.034
3:22:24 PM	0.035
3:23:24 PM	0.033
3:24:24 PM	0.033
3:25:24 PM	0.032
3:26:24 PM	0.033
3:27:24 PM	0.031
3:28:24 PM	0.033
3:29:24 PM	0.044
3:30:24 PM	0.034
3:31:24 PM	0.033
3:32:24 PM	0.036
3:33:24 PM	0.036
3:34:24 PM	0.033
3:35:24 PM	0.035
3:36:24 PM	0.038
3:37:24 PM	0.04
3:38:24 PM	0.051
3:39:24 PM	0.037
3:40:24 PM	0.047
3:41:24 PM	0.051
3:42:24 PM	0.052

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/1/2024 15:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:26	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:16	Readings	PID	SC23030449A8	Normal	0

592-600853	5/1/2024 15:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 15:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 14:43 Readings	PID	SC23030449A8	Normal	0

592-600853	5/1/2024 14:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 14:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 14:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 14:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 14:10 Readings	PID	SC23030449A8	Normal	0

592-600853	5/1/2024 14:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 14:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 13:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:37 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

592-600853	5/1/2024 13:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 13:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:55 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:53 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:52 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:51 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:50 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:46 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:44 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 12:32 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 12:31 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

592-600853	5/1/2024 11:57 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:56 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:55 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:54 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:53 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:52 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:51 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:50 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:49 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:48 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:47 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:46 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:45 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:44 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:43 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:42 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:41 Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/1/2024 11:40 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:39 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:38 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:37 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:36 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:35 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:34 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:33 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:32 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:31 Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/1/2024 11:30 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 11:28 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:27 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/1/2024 11:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 11:25 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

592-600853	5/1/2024 10:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 10:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:19 Readings	PID	SC23030449A8	Normal	0

592-600853	5/1/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 9:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 9:46 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	5/1/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 9:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 9:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:40 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	5/1/2024 8:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 8:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 7:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:34 Readings	PID	SC23030449A8	Normal	0

592-600853	5/1/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/1/2024 7:19 Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/1/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 7:01 Readings	PID	SC23030449A8	Normal	0

592-600853	5/1/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/1/2024 6:55 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530172401
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_003
Test Start Time	6:54:53 AM
Test Start Date	5/1/2024
Test Length [D:H:M]	0:08:58
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.05
Mass Minimum [mg/m3]	0.024
Mass Maximum [mg/m3]	0.402
Mass TWA [mg/m3]	0.049
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	538

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:54:53 AM	0.076		
6:55:53 AM	0.032		
6:56:53 AM	0.031		
6:57:53 AM	0.031		
6:58:53 AM	0.032		
6:59:53 AM	0.034		
7:00:53 AM	0.035		
7:01:53 AM	0.037		
7:02:53 AM	0.036		
7:03:53 AM	0.032		
7:04:53 AM	0.032		
7:05:53 AM	0.032		
7:06:53 AM	0.033		
7:07:53 AM	0.032		
7:08:53 AM	0.031		
7:09:53 AM	0.031		
7:10:53 AM	0.032		
7:11:53 AM	0.03		
7:12:53 AM	0.03		
7:13:53 AM	0.031		
7:14:53 AM	0.031		
7:15:53 AM	0.03		
7:16:53 AM	0.03		
7:17:53 AM	0.032		

7:18:53 AM	0.032
7:19:53 AM	0.036
7:20:53 AM	0.034
7:21:53 AM	0.033
7:22:53 AM	0.041
7:23:53 AM	0.039
7:24:53 AM	0.036
7:25:53 AM	0.036
7:26:53 AM	0.035
7:27:53 AM	0.035
7:28:53 AM	0.035
7:29:53 AM	0.035
7:30:53 AM	0.035
7:31:53 AM	0.036
7:32:53 AM	0.036
7:33:53 AM	0.037
7:34:53 AM	0.05
7:35:53 AM	0.039
7:36:53 AM	0.04
7:37:53 AM	0.042
7:38:53 AM	0.038
7:39:53 AM	0.035
7:40:53 AM	0.037
7:41:53 AM	0.04
7:42:53 AM	0.046
7:43:53 AM	0.045
7:44:53 AM	0.048
7:45:53 AM	0.045
7:46:53 AM	0.044
7:47:53 AM	0.038
7:48:53 AM	0.038
7:49:53 AM	0.038
7:50:53 AM	0.039
7:51:53 AM	0.042
7:52:53 AM	0.049
7:53:53 AM	0.048
7:54:53 AM	0.06
7:55:53 AM	0.043
7:56:53 AM	0.05
7:57:53 AM	0.046
7:58:53 AM	0.052
7:59:53 AM	0.061
8:00:53 AM	0.043
8:01:53 AM	0.059

8:02:53 AM	0.049
8:03:53 AM	0.044
8:04:53 AM	0.043
8:05:53 AM	0.043
8:06:53 AM	0.043
8:07:53 AM	0.043
8:08:53 AM	0.044
8:09:53 AM	0.044
8:10:53 AM	0.041
8:11:53 AM	0.045
8:12:53 AM	0.042
8:13:53 AM	0.041
8:14:53 AM	0.041
8:15:53 AM	0.043
8:16:53 AM	0.045
8:17:53 AM	0.048
8:18:53 AM	0.041
8:19:53 AM	0.04
8:20:53 AM	0.041
8:21:53 AM	0.041
8:22:53 AM	0.044
8:23:53 AM	0.047
8:24:53 AM	0.043
8:25:53 AM	0.043
8:26:53 AM	0.044
8:27:53 AM	0.044
8:28:53 AM	0.047
8:29:53 AM	0.046
8:30:53 AM	0.045
8:31:53 AM	0.061
8:32:53 AM	0.048
8:33:53 AM	0.044
8:34:53 AM	0.043
8:35:53 AM	0.043
8:36:53 AM	0.043
8:37:53 AM	0.042
8:38:53 AM	0.042
8:39:53 AM	0.042
8:40:53 AM	0.042
8:41:53 AM	0.041
8:42:53 AM	0.041
8:43:53 AM	0.04
8:44:53 AM	0.04
8:45:53 AM	0.041

8:46:53 AM	0.047
8:47:53 AM	0.042
8:48:53 AM	0.041
8:49:53 AM	0.041
8:50:53 AM	0.041
8:51:53 AM	0.041
8:52:53 AM	0.043
8:53:53 AM	0.041
8:54:53 AM	0.039
8:55:53 AM	0.039
8:56:53 AM	0.036
8:57:53 AM	0.041
8:58:53 AM	0.038
8:59:53 AM	0.037
9:00:53 AM	0.039
9:01:53 AM	0.041
9:02:53 AM	0.05
9:03:53 AM	0.036
9:04:53 AM	0.038
9:05:53 AM	0.044
9:06:53 AM	0.041
9:07:53 AM	0.043
9:08:53 AM	0.045
9:09:53 AM	0.047
9:10:53 AM	0.049
9:11:53 AM	0.049
9:12:53 AM	0.057
9:13:53 AM	0.055
9:14:53 AM	0.051
9:15:53 AM	0.05
9:16:53 AM	0.05
9:17:53 AM	0.047
9:18:53 AM	0.047
9:19:53 AM	0.05
9:20:53 AM	0.051
9:21:53 AM	0.051
9:22:53 AM	0.051
9:23:53 AM	0.052
9:24:53 AM	0.051
9:25:53 AM	0.052
9:26:53 AM	0.051
9:27:53 AM	0.052
9:28:53 AM	0.054
9:29:53 AM	0.055

9:30:53 AM	0.055
9:31:53 AM	0.054
9:32:53 AM	0.053
9:33:53 AM	0.054
9:34:53 AM	0.054
9:35:53 AM	0.054
9:36:53 AM	0.054
9:37:53 AM	0.054
9:38:53 AM	0.055
9:39:53 AM	0.055
9:40:53 AM	0.056
9:41:53 AM	0.057
9:42:53 AM	0.058
9:43:53 AM	0.059
9:44:53 AM	0.057
9:45:53 AM	0.055
9:46:53 AM	0.055
9:47:53 AM	0.055
9:48:53 AM	0.056
9:49:53 AM	0.056
9:50:53 AM	0.057
9:51:53 AM	0.058
9:52:53 AM	0.058
9:53:53 AM	0.058
9:54:53 AM	0.06
9:55:53 AM	0.06
9:56:53 AM	0.062
9:57:53 AM	0.061
9:58:53 AM	0.062
9:59:53 AM	0.061
10:00:53 AM	0.06
10:01:53 AM	0.059
10:02:53 AM	0.059
10:03:53 AM	0.059
10:04:53 AM	0.06
10:05:53 AM	0.062
10:06:53 AM	0.06
10:07:53 AM	0.058
10:08:53 AM	0.059
10:09:53 AM	0.057
10:10:53 AM	0.057
10:11:53 AM	0.058
10:12:53 AM	0.058
10:13:53 AM	0.059

10:14:53 AM	0.06
10:15:53 AM	0.058
10:16:53 AM	0.058
10:17:53 AM	0.058
10:18:53 AM	0.057
10:19:53 AM	0.056
10:20:53 AM	0.057
10:21:53 AM	0.057
10:22:53 AM	0.058
10:23:53 AM	0.058
10:24:53 AM	0.06
10:25:53 AM	0.059
10:26:53 AM	0.057
10:27:53 AM	0.056
10:28:53 AM	0.056
10:29:53 AM	0.061
10:30:53 AM	0.062
10:31:53 AM	0.058
10:32:53 AM	0.059
10:33:53 AM	0.059
10:34:53 AM	0.057
10:35:53 AM	0.058
10:36:53 AM	0.059
10:37:53 AM	0.06
10:38:53 AM	0.058
10:39:53 AM	0.063
10:40:53 AM	0.074
10:41:53 AM	0.058
10:42:53 AM	0.06
10:43:53 AM	0.058
10:44:53 AM	0.068
10:45:53 AM	0.067
10:46:53 AM	0.057
10:47:53 AM	0.056
10:48:53 AM	0.055
10:49:53 AM	0.054
10:50:53 AM	0.053
10:51:53 AM	0.054
10:52:53 AM	0.054
10:53:53 AM	0.054
10:54:53 AM	0.053
10:55:53 AM	0.053
10:56:53 AM	0.055
10:57:53 AM	0.054

10:58:53 AM	0.055
10:59:53 AM	0.056
11:00:53 AM	0.054
11:01:53 AM	0.062
11:02:53 AM	0.057
11:03:53 AM	0.057
11:04:53 AM	0.055
11:05:53 AM	0.055
11:06:53 AM	0.052
11:07:53 AM	0.059
11:08:53 AM	0.052
11:09:53 AM	0.056
11:10:53 AM	0.051
11:11:53 AM	0.052
11:12:53 AM	0.052
11:13:53 AM	0.056
11:14:53 AM	0.055
11:15:53 AM	0.056
11:16:53 AM	0.055
11:17:53 AM	0.054
11:18:53 AM	0.052
11:19:53 AM	0.051
11:20:53 AM	0.053
11:21:53 AM	0.053
11:22:53 AM	0.065
11:23:53 AM	0.054
11:24:53 AM	0.062
11:25:53 AM	0.057
11:26:53 AM	0.054
11:27:53 AM	0.053
11:28:53 AM	0.053
11:29:53 AM	0.056
11:30:53 AM	0.045
11:31:53 AM	0.043
11:32:53 AM	0.054
11:33:53 AM	0.042
11:34:53 AM	0.042
11:35:53 AM	0.045
11:36:53 AM	0.047
11:37:53 AM	0.208
11:38:53 AM	0.19
11:39:53 AM	0.057
11:40:53 AM	0.074
11:41:53 AM	0.108

11:42:53 AM	0.065
11:43:53 AM	0.051
11:44:53 AM	0.048
11:45:53 AM	0.057
11:46:53 AM	0.05
11:47:53 AM	0.049
11:48:53 AM	0.048
11:49:53 AM	0.056
11:50:53 AM	0.058
11:51:53 AM	0.045
11:52:53 AM	0.044
11:53:53 AM	0.044
11:54:53 AM	0.043
11:55:53 AM	0.043
11:56:53 AM	0.042
11:57:53 AM	0.042
11:58:53 AM	0.041
11:59:53 AM	0.041
12:00:53 PM	0.041
12:01:53 PM	0.041
12:02:53 PM	0.041
12:03:53 PM	0.066
12:04:53 PM	0.042
12:05:53 PM	0.04
12:06:53 PM	0.04
12:07:53 PM	0.04
12:08:53 PM	0.038
12:09:53 PM	0.04
12:10:53 PM	0.036
12:11:53 PM	0.047
12:12:53 PM	0.036
12:13:53 PM	0.034
12:14:53 PM	0.035
12:15:53 PM	0.034
12:16:53 PM	0.033
12:17:53 PM	0.031
12:18:53 PM	0.031
12:19:53 PM	0.03
12:20:53 PM	0.031
12:21:53 PM	0.054
12:22:53 PM	0.049
12:23:53 PM	0.03
12:24:53 PM	0.031
12:25:53 PM	0.029

12:26:53 PM	0.028
12:27:53 PM	0.027
12:28:53 PM	0.028
12:29:53 PM	0.025
12:30:53 PM	0.028
12:31:53 PM	0.025
12:32:53 PM	0.027
12:33:53 PM	0.027
12:34:53 PM	0.032
12:35:53 PM	0.028
12:36:53 PM	0.027
12:37:53 PM	0.03
12:38:53 PM	0.024
12:39:53 PM	0.03
12:40:53 PM	0.024
12:41:53 PM	0.036
12:42:53 PM	0.027
12:43:53 PM	0.028
12:44:53 PM	0.031
12:45:53 PM	0.029
12:46:53 PM	0.027
12:47:53 PM	0.029
12:48:53 PM	0.027
12:49:53 PM	0.026
12:50:53 PM	0.027
12:51:53 PM	0.036
12:52:53 PM	0.035
12:53:53 PM	0.03
12:54:53 PM	0.029
12:55:53 PM	0.033
12:56:53 PM	0.031
12:57:53 PM	0.031
12:58:53 PM	0.032
12:59:53 PM	0.034
1:00:53 PM	0.035
1:01:53 PM	0.036
1:02:53 PM	0.034
1:03:53 PM	0.034
1:04:53 PM	0.037
1:05:53 PM	0.036
1:06:53 PM	0.039
1:07:53 PM	0.039
1:08:53 PM	0.042
1:09:53 PM	0.04

1:10:53 PM	0.045
1:11:53 PM	0.043
1:12:53 PM	0.066
1:13:53 PM	0.131
1:14:53 PM	0.04
1:15:53 PM	0.04
1:16:53 PM	0.039
1:17:53 PM	0.04
1:18:53 PM	0.039
1:19:53 PM	0.038
1:20:53 PM	0.041
1:21:53 PM	0.04
1:22:53 PM	0.04
1:23:53 PM	0.041
1:24:53 PM	0.038
1:25:53 PM	0.038
1:26:53 PM	0.037
1:27:53 PM	0.037
1:28:53 PM	0.038
1:29:53 PM	0.038
1:30:53 PM	0.04
1:31:53 PM	0.041
1:32:53 PM	0.04
1:33:53 PM	0.04
1:34:53 PM	0.039
1:35:53 PM	0.047
1:36:53 PM	0.044
1:37:53 PM	0.044
1:38:53 PM	0.044
1:39:53 PM	0.041
1:40:53 PM	0.042
1:41:53 PM	0.04
1:42:53 PM	0.038
1:43:53 PM	0.036
1:44:53 PM	0.035
1:45:53 PM	0.038
1:46:53 PM	0.037
1:47:53 PM	0.037
1:48:53 PM	0.038
1:49:53 PM	0.04
1:50:53 PM	0.038
1:51:53 PM	0.048
1:52:53 PM	0.039
1:53:53 PM	0.041

1:54:53 PM	0.039
1:55:53 PM	0.061
1:56:53 PM	0.402
1:57:53 PM	0.202
1:58:53 PM	0.075
1:59:53 PM	0.035
2:00:53 PM	0.036
2:01:53 PM	0.037
2:02:53 PM	0.059
2:03:53 PM	0.123
2:04:53 PM	0.06
2:05:53 PM	0.053
2:06:53 PM	0.046
2:07:53 PM	0.055
2:08:53 PM	0.037
2:09:53 PM	0.037
2:10:53 PM	0.035
2:11:53 PM	0.044
2:12:53 PM	0.054
2:13:53 PM	0.072
2:14:53 PM	0.045
2:15:53 PM	0.035
2:16:53 PM	0.034
2:17:53 PM	0.035
2:18:53 PM	0.05
2:19:53 PM	0.039
2:20:53 PM	0.037
2:21:53 PM	0.083
2:22:53 PM	0.045
2:23:53 PM	0.269
2:24:53 PM	0.108
2:25:53 PM	0.083
2:26:53 PM	0.054
2:27:53 PM	0.059
2:28:53 PM	0.047
2:29:53 PM	0.145
2:30:53 PM	0.106
2:31:53 PM	0.042
2:32:53 PM	0.043
2:33:53 PM	0.059
2:34:53 PM	0.042
2:35:53 PM	0.076
2:36:53 PM	0.045
2:37:53 PM	0.046

2:38:53 PM	0.078
2:39:53 PM	0.054
2:40:53 PM	0.059
2:41:53 PM	0.054
2:42:53 PM	0.045
2:43:53 PM	0.035
2:44:53 PM	0.074
2:45:53 PM	0.04
2:46:53 PM	0.04
2:47:53 PM	0.05
2:48:53 PM	0.071
2:49:53 PM	0.063
2:50:53 PM	0.044
2:51:53 PM	0.06
2:52:53 PM	0.09
2:53:53 PM	0.04
2:54:53 PM	0.04
2:55:53 PM	0.039
2:56:53 PM	0.039
2:57:53 PM	0.041
2:58:53 PM	0.043
2:59:53 PM	0.043
3:00:53 PM	0.041
3:01:53 PM	0.039
3:02:53 PM	0.038
3:03:53 PM	0.045
3:04:53 PM	0.04
3:05:53 PM	0.04
3:06:53 PM	0.039
3:07:53 PM	0.038
3:08:53 PM	0.044
3:09:53 PM	0.223
3:10:53 PM	0.051
3:11:53 PM	0.055
3:12:53 PM	0.041
3:13:53 PM	0.038
3:14:53 PM	0.044
3:15:53 PM	0.05
3:16:53 PM	0.06
3:17:53 PM	0.051
3:18:53 PM	0.087
3:19:53 PM	0.134
3:20:53 PM	0.075
3:21:53 PM	0.083

3:22:53 PM	0.272
3:23:53 PM	0.07
3:24:53 PM	0.065
3:25:53 PM	0.074
3:26:53 PM	0.054
3:27:53 PM	0.054
3:28:53 PM	0.074
3:29:53 PM	0.071
3:30:53 PM	0.052
3:31:53 PM	0.123
3:32:53 PM	0.08
3:33:53 PM	0.055
3:34:53 PM	0.047
3:35:53 PM	0.05
3:36:53 PM	0.059
3:37:53 PM	0.055
3:38:53 PM	0.048
3:39:53 PM	0.046
3:40:53 PM	0.045
3:41:53 PM	0.046
3:42:53 PM	0.053
3:43:53 PM	0.055
3:44:53 PM	0.048
3:45:53 PM	0.047
3:46:53 PM	0.061
3:47:53 PM	0.046
3:48:53 PM	0.045
3:49:53 PM	0.046
3:50:53 PM	0.05
3:51:53 PM	0.045

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/1/2024 15:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 15:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:43	Readings	PID	SC23030124AA	Normal	0.1

592-908641	5/1/2024 14:42 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 14:41 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 14:40 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 14:39 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 14:38 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 14:37 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/1/2024 14:36 Readings	PID	SC23030124AA	Normal	0.6
592-908641	5/1/2024 14:35 Readings	PID	SC23030124AA	Normal	2.5
592-908641	5/1/2024 14:34 Readings	PID	SC23030124AA	Normal	1.5
592-908641	5/1/2024 14:33 Readings	PID	SC23030124AA	Normal	0.6
592-908641	5/1/2024 14:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:11 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:10 Readings	PID	SC23030124AA	Normal	0

592-908641	5/1/2024 14:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:07 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 14:04 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 14:03 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 14:02 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 14:01 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 14:00 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:59 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:58 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:57 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:56 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:55 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:54 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 13:53 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:52 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:51 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:48 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:47 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:45 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:42 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:41 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:37 Readings	PID	SC23030124AA	Normal	0

592-908641	5/1/2024 13:36 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:35 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:34 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:30 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:29 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:28 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:27 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:26 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:25 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:24 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:20 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:19 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:18 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:17 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:16 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:14 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:13 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:11 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 13:10 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:07 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:04 Readings	PID	SC23030124AA	Normal	0

592-908641	5/1/2024 13:03 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 13:00 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:59 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:58 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 12:56 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:55 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:54 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:53 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:52 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:51 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:50 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:49 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:48 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:47 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:46 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:45 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:44 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:43 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:42 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:41 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:40 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:39 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:38 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:37 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:36 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:35 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:33 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:32 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:31 Readings	PID	SC23030124AA	Normal	0.2

592-908641	5/1/2024 12:30 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:29 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:28 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:27 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:26 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:25 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:24 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:23 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:22 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:21 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:20 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:19 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:18 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:17 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:16 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:15 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:14 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:13 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:12 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:11 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:10 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 12:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 12:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 12:07 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 12:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 12:05 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 12:04 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 12:03 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 12:02 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 12:01 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 12:00 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:59 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:58 Readings	PID	SC23030124AA	Normal	0.4

592-908641	5/1/2024 11:57 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:56 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:55 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:54 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:53 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:52 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:51 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:50 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:49 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:48 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:47 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:46 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:45 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:44 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:43 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:42 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:41 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:40 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:39 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:38 Readings	PID	SC23030124AA	Normal	0.6
592-908641	5/1/2024 11:37 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/1/2024 11:36 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:35 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:33 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:32 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:31 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:30 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:29 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:28 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:27 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:26 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:25 Readings	PID	SC23030124AA	Normal	0.3

592-908641	5/1/2024 11:24 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:23 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:22 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:21 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:20 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:19 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:18 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:17 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:16 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:15 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:14 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:13 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:12 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:11 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:10 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:09 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:08 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:07 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:06 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:05 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:04 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:03 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 11:02 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:01 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 11:00 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:59 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:58 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:57 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:56 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:55 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:54 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:53 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:52 Readings	PID	SC23030124AA	Normal	0.2

592-908641	5/1/2024 10:51 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:50 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 10:49 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:48 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:47 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:46 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 10:45 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:44 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:43 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/1/2024 10:42 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:41 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:40 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:39 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:38 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:37 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:36 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:35 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:34 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:32 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:31 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:29 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:19 Readings	PID	SC23030124AA	Normal	0

592-908641	5/1/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:11 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:03 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/1/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 9:46 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

592-908641	5/1/2024 8:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:35 Readings	PID	SC23030124AA	Normal	1.5
592-908641	5/1/2024 8:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:11 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:10 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 8:07 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

592-908641	5/1/2024 7:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:42 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/1/2024 6:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:28 Readings	PID	SC23030124AA	Normal	0

592-908641	5/1/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/1/2024 6:14 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_005
Test Start Time	6:54:44 AM
Test Start Date	5/1/2024
Test Length [D:H:M]	0:08:55
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.039
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	0.1
Mass TWA [mg/m3]	0.039
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	535

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:54:44 AM	0.096		
6:55:44 AM	0.032		
6:56:44 AM	0.031		
6:57:44 AM	0.032		
6:58:44 AM	0.032		
6:59:44 AM	0.032		
7:00:44 AM	0.033		
7:01:44 AM	0.036		
7:02:44 AM	0.034		
7:03:44 AM	0.033		
7:04:44 AM	0.034		
7:05:44 AM	0.033		
7:06:44 AM	0.034		
7:07:44 AM	0.034		
7:08:44 AM	0.033		
7:09:44 AM	0.033		
7:10:44 AM	0.032		
7:11:44 AM	0.032		
7:12:44 AM	0.032		
7:13:44 AM	0.032		
7:14:44 AM	0.032		
7:15:44 AM	0.033		
7:16:44 AM	0.033		
7:17:44 AM	0.032		

7:18:44 AM	0.033
7:19:44 AM	0.034
7:20:44 AM	0.034
7:21:44 AM	0.034
7:22:44 AM	0.034
7:23:44 AM	0.061
7:24:44 AM	0.046
7:25:44 AM	0.039
7:26:44 AM	0.041
7:27:44 AM	0.1
7:28:44 AM	0.048
7:29:44 AM	0.039
7:30:44 AM	0.039
7:31:44 AM	0.039
7:32:44 AM	0.07
7:33:44 AM	0.061
7:34:44 AM	0.066
7:35:44 AM	0.047
7:36:44 AM	0.04
7:37:44 AM	0.039
7:38:44 AM	0.038
7:39:44 AM	0.041
7:40:44 AM	0.05
7:41:44 AM	0.058
7:42:44 AM	0.064
7:43:44 AM	0.067
7:44:44 AM	0.069
7:45:44 AM	0.062
7:46:44 AM	0.043
7:47:44 AM	0.045
7:48:44 AM	0.04
7:49:44 AM	0.049
7:50:44 AM	0.041
7:51:44 AM	0.052
7:52:44 AM	0.049
7:53:44 AM	0.042
7:54:44 AM	0.047
7:55:44 AM	0.049
7:56:44 AM	0.056
7:57:44 AM	0.067
7:58:44 AM	0.051
7:59:44 AM	0.054
8:00:44 AM	0.054
8:01:44 AM	0.053

8:02:44 AM	0.051
8:03:44 AM	0.056
8:04:44 AM	0.05
8:05:44 AM	0.05
8:06:44 AM	0.046
8:07:44 AM	0.045
8:08:44 AM	0.048
8:09:44 AM	0.049
8:10:44 AM	0.047
8:11:44 AM	0.045
8:12:44 AM	0.042
8:13:44 AM	0.043
8:14:44 AM	0.044
8:15:44 AM	0.046
8:16:44 AM	0.05
8:17:44 AM	0.051
8:18:44 AM	0.054
8:19:44 AM	0.045
8:20:44 AM	0.044
8:21:44 AM	0.043
8:22:44 AM	0.046
8:23:44 AM	0.048
8:24:44 AM	0.047
8:25:44 AM	0.05
8:26:44 AM	0.055
8:27:44 AM	0.045
8:28:44 AM	0.044
8:29:44 AM	0.044
8:30:44 AM	0.044
8:31:44 AM	0.044
8:32:44 AM	0.044
8:33:44 AM	0.043
8:34:44 AM	0.043
8:35:44 AM	0.042
8:36:44 AM	0.045
8:37:44 AM	0.042
8:38:44 AM	0.041
8:39:44 AM	0.042
8:40:44 AM	0.041
8:41:44 AM	0.041
8:42:44 AM	0.041
8:43:44 AM	0.039
8:44:44 AM	0.04
8:45:44 AM	0.041

8:46:44 AM	0.042
8:47:44 AM	0.041
8:48:44 AM	0.043
8:49:44 AM	0.041
8:50:44 AM	0.04
8:51:44 AM	0.04
8:52:44 AM	0.041
8:53:44 AM	0.042
8:54:44 AM	0.039
8:55:44 AM	0.044
8:56:44 AM	0.041
8:57:44 AM	0.039
8:58:44 AM	0.036
8:59:44 AM	0.035
9:00:44 AM	0.036
9:01:44 AM	0.035
9:02:44 AM	0.035
9:03:44 AM	0.035
9:04:44 AM	0.036
9:05:44 AM	0.039
9:06:44 AM	0.041
9:07:44 AM	0.043
9:08:44 AM	0.044
9:09:44 AM	0.047
9:10:44 AM	0.048
9:11:44 AM	0.047
9:12:44 AM	0.047
9:13:44 AM	0.047
9:14:44 AM	0.048
9:15:44 AM	0.047
9:16:44 AM	0.046
9:17:44 AM	0.045
9:18:44 AM	0.052
9:19:44 AM	0.048
9:20:44 AM	0.051
9:21:44 AM	0.05
9:22:44 AM	0.052
9:23:44 AM	0.05
9:24:44 AM	0.052
9:25:44 AM	0.053
9:26:44 AM	0.05
9:27:44 AM	0.049
9:28:44 AM	0.05
9:29:44 AM	0.052

9:30:44 AM	0.052
9:31:44 AM	0.051
9:32:44 AM	0.052
9:33:44 AM	0.051
9:34:44 AM	0.052
9:35:44 AM	0.053
9:36:44 AM	0.053
9:37:44 AM	0.052
9:38:44 AM	0.053
9:39:44 AM	0.054
9:40:44 AM	0.055
9:41:44 AM	0.056
9:42:44 AM	0.055
9:43:44 AM	0.056
9:44:44 AM	0.054
9:45:44 AM	0.054
9:46:44 AM	0.054
9:47:44 AM	0.055
9:48:44 AM	0.055
9:49:44 AM	0.054
9:50:44 AM	0.054
9:51:44 AM	0.059
9:52:44 AM	0.056
9:53:44 AM	0.063
9:54:44 AM	0.064
9:55:44 AM	0.06
9:56:44 AM	0.059
9:57:44 AM	0.06
9:58:44 AM	0.061
9:59:44 AM	0.063
10:00:44 AM	0.061
10:01:44 AM	0.059
10:02:44 AM	0.056
10:03:44 AM	0.057
10:04:44 AM	0.057
10:05:44 AM	0.058
10:06:44 AM	0.059
10:07:44 AM	0.059
10:08:44 AM	0.056
10:09:44 AM	0.059
10:10:44 AM	0.059
10:11:44 AM	0.061
10:12:44 AM	0.058
10:13:44 AM	0.056

10:14:44 AM	0.055
10:15:44 AM	0.053
10:16:44 AM	0.054
10:17:44 AM	0.054
10:18:44 AM	0.053
10:19:44 AM	0.052
10:20:44 AM	0.053
10:21:44 AM	0.052
10:22:44 AM	0.056
10:23:44 AM	0.053
10:24:44 AM	0.055
10:25:44 AM	0.053
10:26:44 AM	0.051
10:27:44 AM	0.052
10:28:44 AM	0.057
10:29:44 AM	0.064
10:30:44 AM	0.055
10:31:44 AM	0.057
10:32:44 AM	0.063
10:33:44 AM	0.065
10:34:44 AM	0.068
10:35:44 AM	0.061
10:36:44 AM	0.054
10:37:44 AM	0.054
10:38:44 AM	0.053
10:39:44 AM	0.05
10:40:44 AM	0.073
10:41:44 AM	0.07
10:42:44 AM	0.073
10:43:44 AM	0.073
10:44:44 AM	0.087
10:45:44 AM	0.055
10:46:44 AM	0.053
10:47:44 AM	0.049
10:48:44 AM	0.049
10:49:44 AM	0.048
10:50:44 AM	0.047
10:51:44 AM	0.05
10:52:44 AM	0.052
10:53:44 AM	0.05
10:54:44 AM	0.055
10:55:44 AM	0.06
10:56:44 AM	0.052
10:57:44 AM	0.049

10:58:44 AM	0.049
10:59:44 AM	0.048
11:00:44 AM	0.049
11:01:44 AM	0.051
11:02:44 AM	0.05
11:03:44 AM	0.051
11:04:44 AM	0.049
11:05:44 AM	0.047
11:06:44 AM	0.047
11:07:44 AM	0.046
11:08:44 AM	0.045
11:09:44 AM	0.044
11:10:44 AM	0.045
11:11:44 AM	0.043
11:12:44 AM	0.045
11:13:44 AM	0.048
11:14:44 AM	0.048
11:15:44 AM	0.048
11:16:44 AM	0.047
11:17:44 AM	0.045
11:18:44 AM	0.047
11:19:44 AM	0.044
11:20:44 AM	0.045
11:21:44 AM	0.044
11:22:44 AM	0.046
11:23:44 AM	0.045
11:24:44 AM	0.042
11:25:44 AM	0.041
11:26:44 AM	0.041
11:27:44 AM	0.041
11:28:44 AM	0.038
11:29:44 AM	0.037
11:30:44 AM	0.035
11:31:44 AM	0.034
11:32:44 AM	0.036
11:33:44 AM	0.034
11:34:44 AM	0.037
11:35:44 AM	0.04
11:36:44 AM	0.045
11:37:44 AM	0.039
11:38:44 AM	0.037
11:39:44 AM	0.037
11:40:44 AM	0.039
11:41:44 AM	0.04

11:42:44 AM	0.04
11:43:44 AM	0.04
11:44:44 AM	0.04
11:45:44 AM	0.047
11:46:44 AM	0.06
11:47:44 AM	0.051
11:48:44 AM	0.052
11:49:44 AM	0.041
11:50:44 AM	0.04
11:51:44 AM	0.038
11:52:44 AM	0.04
11:53:44 AM	0.036
11:54:44 AM	0.033
11:55:44 AM	0.032
11:56:44 AM	0.033
11:57:44 AM	0.035
11:58:44 AM	0.04
11:59:44 AM	0.033
12:00:44 PM	0.031
12:01:44 PM	0.032
12:02:44 PM	0.031
12:03:44 PM	0.037
12:04:44 PM	0.034
12:05:44 PM	0.043
12:06:44 PM	0.048
12:07:44 PM	0.036
12:08:44 PM	0.028
12:09:44 PM	0.027
12:10:44 PM	0.026
12:11:44 PM	0.034
12:12:44 PM	0.045
12:13:44 PM	0.04
12:14:44 PM	0.035
12:15:44 PM	0.03
12:16:44 PM	0.024
12:17:44 PM	0.02
12:18:44 PM	0.019
12:19:44 PM	0.02
12:20:44 PM	0.02
12:21:44 PM	0.025
12:22:44 PM	0.022
12:23:44 PM	0.046
12:24:44 PM	0.026
12:25:44 PM	0.027

12:26:44 PM	0.019
12:27:44 PM	0.018
12:28:44 PM	0.016
12:29:44 PM	0.019
12:30:44 PM	0.02
12:31:44 PM	0.024
12:32:44 PM	0.028
12:33:44 PM	0.025
12:34:44 PM	0.016
12:35:44 PM	0.016
12:36:44 PM	0.014
12:37:44 PM	0.014
12:38:44 PM	0.013
12:39:44 PM	0.012
12:40:44 PM	0.013
12:41:44 PM	0.015
12:42:44 PM	0.033
12:43:44 PM	0.036
12:44:44 PM	0.028
12:45:44 PM	0.015
12:46:44 PM	0.016
12:47:44 PM	0.015
12:48:44 PM	0.016
12:49:44 PM	0.016
12:50:44 PM	0.016
12:51:44 PM	0.016
12:52:44 PM	0.017
12:53:44 PM	0.018
12:54:44 PM	0.019
12:55:44 PM	0.018
12:56:44 PM	0.019
12:57:44 PM	0.019
12:58:44 PM	0.019
12:59:44 PM	0.019
1:00:44 PM	0.02
1:01:44 PM	0.021
1:02:44 PM	0.022
1:03:44 PM	0.023
1:04:44 PM	0.024
1:05:44 PM	0.025
1:06:44 PM	0.026
1:07:44 PM	0.028
1:08:44 PM	0.027
1:09:44 PM	0.027

1:10:44 PM	0.028
1:11:44 PM	0.026
1:12:44 PM	0.026
1:13:44 PM	0.028
1:14:44 PM	0.028
1:15:44 PM	0.031
1:16:44 PM	0.033
1:17:44 PM	0.025
1:18:44 PM	0.025
1:19:44 PM	0.025
1:20:44 PM	0.025
1:21:44 PM	0.026
1:22:44 PM	0.026
1:23:44 PM	0.025
1:24:44 PM	0.025
1:25:44 PM	0.025
1:26:44 PM	0.025
1:27:44 PM	0.025
1:28:44 PM	0.025
1:29:44 PM	0.027
1:30:44 PM	0.027
1:31:44 PM	0.027
1:32:44 PM	0.027
1:33:44 PM	0.026
1:34:44 PM	0.027
1:35:44 PM	0.026
1:36:44 PM	0.031
1:37:44 PM	0.033
1:38:44 PM	0.03
1:39:44 PM	0.027
1:40:44 PM	0.027
1:41:44 PM	0.026
1:42:44 PM	0.024
1:43:44 PM	0.023
1:44:44 PM	0.023
1:45:44 PM	0.025
1:46:44 PM	0.025
1:47:44 PM	0.024
1:48:44 PM	0.027
1:49:44 PM	0.026
1:50:44 PM	0.025
1:51:44 PM	0.026
1:52:44 PM	0.024
1:53:44 PM	0.023

1:54:44 PM	0.023
1:55:44 PM	0.023
1:56:44 PM	0.022
1:57:44 PM	0.023
1:58:44 PM	0.021
1:59:44 PM	0.021
2:00:44 PM	0.022
2:01:44 PM	0.023
2:02:44 PM	0.023
2:03:44 PM	0.022
2:04:44 PM	0.024
2:05:44 PM	0.024
2:06:44 PM	0.025
2:07:44 PM	0.022
2:08:44 PM	0.02
2:09:44 PM	0.02
2:10:44 PM	0.02
2:11:44 PM	0.02
2:12:44 PM	0.021
2:13:44 PM	0.021
2:14:44 PM	0.02
2:15:44 PM	0.019
2:16:44 PM	0.019
2:17:44 PM	0.02
2:18:44 PM	0.02
2:19:44 PM	0.021
2:20:44 PM	0.02
2:21:44 PM	0.021
2:22:44 PM	0.022
2:23:44 PM	0.022
2:24:44 PM	0.024
2:25:44 PM	0.023
2:26:44 PM	0.027
2:27:44 PM	0.028
2:28:44 PM	0.024
2:29:44 PM	0.022
2:30:44 PM	0.024
2:31:44 PM	0.024
2:32:44 PM	0.023
2:33:44 PM	0.022
2:34:44 PM	0.022
2:35:44 PM	0.022
2:36:44 PM	0.021
2:37:44 PM	0.021

2:38:44 PM	0.021
2:39:44 PM	0.022
2:40:44 PM	0.022
2:41:44 PM	0.021
2:42:44 PM	0.02
2:43:44 PM	0.02
2:44:44 PM	0.022
2:45:44 PM	0.021
2:46:44 PM	0.042
2:47:44 PM	0.025
2:48:44 PM	0.025
2:49:44 PM	0.024
2:50:44 PM	0.023
2:51:44 PM	0.026
2:52:44 PM	0.023
2:53:44 PM	0.025
2:54:44 PM	0.026
2:55:44 PM	0.024
2:56:44 PM	0.025
2:57:44 PM	0.025
2:58:44 PM	0.024
2:59:44 PM	0.025
3:00:44 PM	0.025
3:01:44 PM	0.024
3:02:44 PM	0.025
3:03:44 PM	0.026
3:04:44 PM	0.028
3:05:44 PM	0.025
3:06:44 PM	0.025
3:07:44 PM	0.025
3:08:44 PM	0.025
3:09:44 PM	0.033
3:10:44 PM	0.03
3:11:44 PM	0.027
3:12:44 PM	0.025
3:13:44 PM	0.027
3:14:44 PM	0.027
3:15:44 PM	0.028
3:16:44 PM	0.036
3:17:44 PM	0.035
3:18:44 PM	0.089
3:19:44 PM	0.066
3:20:44 PM	0.055
3:21:44 PM	0.035

3:22:44 PM	0.075
3:23:44 PM	0.037
3:24:44 PM	0.037
3:25:44 PM	0.034
3:26:44 PM	0.034
3:27:44 PM	0.036
3:28:44 PM	0.035
3:29:44 PM	0.036
3:30:44 PM	0.035
3:31:44 PM	0.035
3:32:44 PM	0.035
3:33:44 PM	0.035
3:34:44 PM	0.035
3:35:44 PM	0.037
3:36:44 PM	0.036
3:37:44 PM	0.036
3:38:44 PM	0.035
3:39:44 PM	0.035
3:40:44 PM	0.033
3:41:44 PM	0.034
3:42:44 PM	0.034
3:43:44 PM	0.035
3:44:44 PM	0.036
3:45:44 PM	0.035
3:46:44 PM	0.041
3:47:44 PM	0.035
3:48:44 PM	0.034

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/1/2024 15:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:37	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:36	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:33	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:32	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:30	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:29	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:28	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:27	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:26	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:25	Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:24	Readings	PID	SC23030602B4	Normal	0.1

592-602176	5/1/2024 15:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 15:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 15:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 15:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 15:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 15:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 15:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 14:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:51 Readings	PID	SC23030602B4	Normal	0.2

592-602176	5/1/2024 14:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:36 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 14:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:33 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:32 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:31 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:30 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 14:29 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:28 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:27 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:26 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:25 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:24 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:23 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:22 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:21 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:20 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:19 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:18 Readings	PID	SC23030602B4	Normal	0.3

592-602176	5/1/2024 14:17 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:15 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 14:08 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:07 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 14:06 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:05 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:04 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:03 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:02 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 14:01 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 14:00 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:57 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:54 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:53 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:52 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:50 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 13:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 13:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 13:45 Readings	PID	SC23030602B4	Normal	0.3

592-602176	5/1/2024 13:44 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:43 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:40 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:39 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:38 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:37 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:36 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:35 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:33 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:32 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:31 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:30 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:29 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:27 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:26 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:25 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:24 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:23 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:22 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:21 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:20 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:19 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 13:18 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:17 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:16 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:15 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:13 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:12 Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/1/2024 13:11 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 13:10 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:09 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 13:08 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/1/2024 13:07 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:06 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:05 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:04 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 13:03 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 13:02 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/1/2024 13:01 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/1/2024 13:00 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:59 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 12:58 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/1/2024 12:57 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:56 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:55 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:54 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:53 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:52 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:51 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:48 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 12:47 Readings	PID	SC23030602B4	Normal	1.8
592-602176	5/1/2024 12:46 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 12:45 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 12:44 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:43 Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/1/2024 12:42 Readings	PID	SC23030602B4	Normal	2.2
592-602176	5/1/2024 12:41 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/1/2024 12:40 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:39 Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/1/2024 12:38 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 12:37 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/1/2024 12:36 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:35 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:34 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:33 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:32 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:31 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:30 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:29 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 12:28 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 12:27 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/1/2024 12:26 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/1/2024 12:25 Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/1/2024 12:24 Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/1/2024 12:23 Readings	PID	SC23030602B4	Normal	1.5
592-602176	5/1/2024 12:22 Readings	PID	SC23030602B4	Normal	4.6
592-602176	5/1/2024 12:21 Readings	PID	SC23030602B4	Normal	2.8
592-602176	5/1/2024 12:20 Readings	PID	SC23030602B4	Normal	4.3
592-602176	5/1/2024 12:19 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:18 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:17 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:16 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:15 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:13 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 12:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:10 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:09 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:08 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:07 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:06 Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/1/2024 12:05 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:04 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:03 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:02 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 12:01 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 12:00 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:59 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:58 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 11:57 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 11:56 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:55 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:54 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:53 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:52 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:51 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 11:50 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:49 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:48 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:47 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:46 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:45 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:44 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:43 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:42 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:41 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:40 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 11:39 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:38 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 11:37 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:36 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:34 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:33 Readings	PID	SC23030602B4	Normal	0.4

592-602176	5/1/2024 11:32 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:31 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:30 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 11:29 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:27 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:26 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:25 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:24 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/1/2024 11:23 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:22 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:21 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:20 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:19 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:18 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:17 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:16 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:15 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:13 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:12 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 11:09 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:08 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:07 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:06 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:05 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 11:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 11:02 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 11:01 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 11:00 Readings	PID	SC23030602B4	Normal	0.4

592-602176	5/1/2024 10:59 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:57 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:55 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:53 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:52 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:51 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:50 Readings	PID	SC23030602B4	Normal	1
592-602176	5/1/2024 10:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 10:48 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/1/2024 10:47 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 10:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:45 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:44 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 10:43 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:42 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:39 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/1/2024 10:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:36 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:35 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:33 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:32 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:31 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:28 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:27 Readings	PID	SC23030602B4	Normal	0.2

592-602176	5/1/2024 10:26 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 10:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:18 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 10:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 10:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 10:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 10:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 10:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 10:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 10:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 10:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 10:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 10:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 10:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 10:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 10:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 10:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:54 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	5/1/2024 9:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/1/2024 9:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 9:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:48 Readings	PID	SC23030602B4	Normal	0

592-602176	5/1/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/1/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 8:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 8:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 8:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 8:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/1/2024 8:15 Readings	PID	SC23030602B4	Normal	1.2

[illegible]

592-602176	5/1/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 7:34 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/1/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:09 Readings	PID	SC23030602B4	Normal	0

592-602176	5/1/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/1/2024 7:00 CONFIG	PID	SC23030602B4		