



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		S 6 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/2/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 16:00</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza / Bill Chaky Capital (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Tim Williams NetPower (Electricians)</p> <p>Equipment On Site: DustTrak (x3), PID (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations; ECD to continue with pile installation at north building; NetPower continues connecting power to the Dewatering System; National Grid main relocation work; IEC to gauge 14 sentinel wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- ECD started pile installation at north building and south building; P43, P41, P67, T102A, T96A, T101A, T106A, P123, P96. Pile locations were verified by IEC before installation, demarcations were placed via flags on grids that are not approved for pile/foundation work;
- ECD continues removal work of Pile sheeting bracing in SB-13;
- Ten (10) truckloads of approved crushed limestone were imported onto site;
- Ten (10) truckloads of material were disposed of off Site to the Puresoil Jackson Facility;
- Footing excavation in A6 and B2. Refer to Alpha Numeric Grid Map for grid locaitons;
- Vapor barrier installation in A1, B2, A6, A7, B7, followed by Inspection to ensure proper application was performed;
- Excavation of grid K5 to a depth of 9’ bsg. All excavated grids were screened for VOCs via a PID, readings in grid K5 ranged from 4-19 ppm. Backfilled limestone was stockpiled separately, and all soil/cross contaminated fill was stockpiled onto poly sheeting;
- Endpoint sampling: EP-71 (9’);
- Gauged depth to water at all 14 sentinel wells and at canal for dewatering purposes;
- Low flow ground Water sampling in the following sentinel wells: MW-20 A & B, HRP-MW-5 A & B and GW-17 B;

- Dewatering was active in K5;
- Small amount of Hydraulic fluid leaked from an Excavator (approx. 1-2 gallons), leak was immediately placed over poly sheeting and all contents were drummed;
- National Grid gas installation along Nevins Street, MW-20 A & B were blocked during the workday, National Grid Foreman informed that in the near future the wells will have to be relocate;
- NetPower continued to connects power to the Dewatering System; and
- Site perimeter check was conducted at the end of the Sites activities to confirm that no soil or liquids were begin tracked offsite.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.036_ mg/m³ @ 06:58
- High Conditions (Upwind) – PID = _1.8_ ppm @ 09:21, Dust = 0.153_ mg/m³ @ 12:44
- High Conditions (Downwind 1) – PID = _0.1_ ppm @13:32, Dust = _0.159_ mg/m³ @ 06:48
- High Conditions (Downwind 2) – PID = _0.9_ ppm @ 08:36, Dust = _0.077_ mg/m³ @ 12:44

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- National Grid gas relation work to be continued.
- Continued excavation and soil loadout in the northern building.
- Continued ground water sampling of sentinel wells.
- Concrete pouring of footings.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of soil load
out.



Photo 2 –
Representative
photo of tire
washing and tarp
strap down over
tracking pad.



Photo 3 –

Representative photo of Hydraulic Oil leakage contained onto poly sheeting.



Photo 4 –

Representative photo of ECD pile sheeting removal.



Photo 5 –

Representative photo of Excavation in grid K5.



Photo 6 –

Representative photo of pile cap work in grid A5.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



- 1 = 2' Excavation
- 2 = 4' Excavation
- 3 = 6' Excavation
- 4 = 7-8' Excavation
- 5 = 9' Excavation
- 6 = 10' Excavation
- 7 = 11' Excavation
- 8 = 19' Excavation

Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_001
Test Start Time	6:58:43 AM
Test Start Date	5/2/2024
Test Length [D:H:M]	0:08:50
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.019
Mass Maximum [mg/m3]	0.153
Mass TWA [mg/m3]	0.036
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	530

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:43 AM	0.036		
6:59:43 AM	0.021		
7:00:43 AM	0.021		
7:01:43 AM	0.02		
7:02:43 AM	0.019		
7:03:43 AM	0.029		
7:04:43 AM	0.023		
7:05:43 AM	0.024		
7:06:43 AM	0.022		
7:07:43 AM	0.024		
7:08:43 AM	0.022		
7:09:43 AM	0.021		
7:10:43 AM	0.023		
7:11:43 AM	0.022		
7:12:43 AM	0.023		
7:13:43 AM	0.025		
7:14:43 AM	0.023		
7:15:43 AM	0.024		
7:16:43 AM	0.02		
7:17:43 AM	0.022		
7:18:43 AM	0.021		
7:19:43 AM	0.021		
7:20:43 AM	0.025		
7:21:43 AM	0.037		

7:22:43 AM	0.026
7:23:43 AM	0.021
7:24:43 AM	0.025
7:25:43 AM	0.081
7:26:43 AM	0.033
7:27:43 AM	0.022
7:28:43 AM	0.022
7:29:43 AM	0.025
7:30:43 AM	0.019
7:31:43 AM	0.02
7:32:43 AM	0.022
7:33:43 AM	0.027
7:34:43 AM	0.021
7:35:43 AM	0.021
7:36:43 AM	0.02
7:37:43 AM	0.019
7:38:43 AM	0.019
7:39:43 AM	0.019
7:40:43 AM	0.019
7:41:43 AM	0.02
7:42:43 AM	0.02
7:43:43 AM	0.022
7:44:43 AM	0.021
7:45:43 AM	0.022
7:46:43 AM	0.032
7:47:43 AM	0.045
7:48:43 AM	0.079
7:49:43 AM	0.031
7:50:43 AM	0.022
7:51:43 AM	0.024
7:52:43 AM	0.04
7:53:43 AM	0.024
7:54:43 AM	0.023
7:55:43 AM	0.024
7:56:43 AM	0.022
7:57:43 AM	0.023
7:58:43 AM	0.021
7:59:43 AM	0.021
8:00:43 AM	0.021
8:01:43 AM	0.024
8:02:43 AM	0.024
8:03:43 AM	0.027
8:04:43 AM	0.024
8:05:43 AM	0.022

8:06:43 AM	0.022
8:07:43 AM	0.027
8:08:43 AM	0.03
8:09:43 AM	0.022
8:10:43 AM	0.026
8:11:43 AM	0.021
8:12:43 AM	0.021
8:13:43 AM	0.022
8:14:43 AM	0.02
8:15:43 AM	0.022
8:16:43 AM	0.025
8:17:43 AM	0.029
8:18:43 AM	0.02
8:19:43 AM	0.024
8:20:43 AM	0.022
8:21:43 AM	0.02
8:22:43 AM	0.02
8:23:43 AM	0.023
8:24:43 AM	0.029
8:25:43 AM	0.032
8:26:43 AM	0.029
8:27:43 AM	0.027
8:28:43 AM	0.023
8:29:43 AM	0.021
8:30:43 AM	0.023
8:31:43 AM	0.024
8:32:43 AM	0.027
8:33:43 AM	0.022
8:34:43 AM	0.024
8:35:43 AM	0.022
8:36:43 AM	0.022
8:37:43 AM	0.028
8:38:43 AM	0.025
8:39:43 AM	0.024
8:40:43 AM	0.024
8:41:43 AM	0.024
8:42:43 AM	0.029
8:43:43 AM	0.028
8:44:43 AM	0.027
8:45:43 AM	0.025
8:46:43 AM	0.024
8:47:43 AM	0.028
8:48:43 AM	0.028
8:49:43 AM	0.027

8:50:43 AM	0.027
8:51:43 AM	0.028
8:52:43 AM	0.036
8:53:43 AM	0.033
8:54:43 AM	0.031
8:55:43 AM	0.027
8:56:43 AM	0.028
8:57:43 AM	0.026
8:58:43 AM	0.027
8:59:43 AM	0.028
9:00:43 AM	0.031
9:01:43 AM	0.029
9:02:43 AM	0.027
9:03:43 AM	0.035
9:04:43 AM	0.026
9:05:43 AM	0.026
9:06:43 AM	0.026
9:07:43 AM	0.027
9:08:43 AM	0.029
9:09:43 AM	0.028
9:10:43 AM	0.026
9:11:43 AM	0.027
9:12:43 AM	0.027
9:13:43 AM	0.026
9:14:43 AM	0.027
9:15:43 AM	0.032
9:16:43 AM	0.082
9:17:43 AM	0.03
9:18:43 AM	0.029
9:19:43 AM	0.032
9:20:43 AM	0.03
9:21:43 AM	0.037
9:22:43 AM	0.036
9:23:43 AM	0.04
9:24:43 AM	0.031
9:25:43 AM	0.031
9:26:43 AM	0.028
9:27:43 AM	0.028
9:28:43 AM	0.028
9:29:43 AM	0.027
9:30:43 AM	0.028
9:31:43 AM	0.028
9:32:43 AM	0.03
9:33:43 AM	0.031

9:34:43 AM	0.03
9:35:43 AM	0.03
9:36:43 AM	0.029
9:37:43 AM	0.029
9:38:43 AM	0.029
9:39:43 AM	0.028
9:40:43 AM	0.028
9:41:43 AM	0.029
9:42:43 AM	0.037
9:43:43 AM	0.03
9:44:43 AM	0.03
9:45:43 AM	0.03
9:46:43 AM	0.03
9:47:43 AM	0.03
9:48:43 AM	0.03
9:49:43 AM	0.032
9:50:43 AM	0.038
9:51:43 AM	0.033
9:52:43 AM	0.031
9:53:43 AM	0.032
9:54:43 AM	0.033
9:55:43 AM	0.034
9:56:43 AM	0.034
9:57:43 AM	0.033
9:58:43 AM	0.032
9:59:43 AM	0.032
10:00:43 AM	0.033
10:01:43 AM	0.036
10:02:43 AM	0.036
10:03:43 AM	0.034
10:04:43 AM	0.033
10:05:43 AM	0.033
10:06:43 AM	0.033
10:07:43 AM	0.033
10:08:43 AM	0.034
10:09:43 AM	0.034
10:10:43 AM	0.034
10:11:43 AM	0.036
10:12:43 AM	0.036
10:13:43 AM	0.035
10:14:43 AM	0.035
10:15:43 AM	0.036
10:16:43 AM	0.035
10:17:43 AM	0.036

10:18:43 AM	0.037
10:19:43 AM	0.036
10:20:43 AM	0.036
10:21:43 AM	0.036
10:22:43 AM	0.036
10:23:43 AM	0.036
10:24:43 AM	0.038
10:25:43 AM	0.038
10:26:43 AM	0.036
10:27:43 AM	0.037
10:28:43 AM	0.039
10:29:43 AM	0.039
10:30:43 AM	0.046
10:31:43 AM	0.041
10:32:43 AM	0.039
10:33:43 AM	0.038
10:34:43 AM	0.038
10:35:43 AM	0.038
10:36:43 AM	0.04
10:37:43 AM	0.04
10:38:43 AM	0.039
10:39:43 AM	0.04
10:40:43 AM	0.043
10:41:43 AM	0.044
10:42:43 AM	0.058
10:43:43 AM	0.052
10:44:43 AM	0.052
10:45:43 AM	0.042
10:46:43 AM	0.046
10:47:43 AM	0.042
10:48:43 AM	0.043
10:49:43 AM	0.052
10:50:43 AM	0.046
10:51:43 AM	0.043
10:52:43 AM	0.043
10:53:43 AM	0.043
10:54:43 AM	0.046
10:55:43 AM	0.049
10:56:43 AM	0.044
10:57:43 AM	0.044
10:58:43 AM	0.045
10:59:43 AM	0.044
11:00:43 AM	0.043
11:01:43 AM	0.044

11:02:43 AM	0.045
11:03:43 AM	0.047
11:04:43 AM	0.047
11:05:43 AM	0.047
11:06:43 AM	0.047
11:07:43 AM	0.047
11:08:43 AM	0.058
11:09:43 AM	0.053
11:10:43 AM	0.048
11:11:43 AM	0.048
11:12:43 AM	0.048
11:13:43 AM	0.046
11:14:43 AM	0.049
11:15:43 AM	0.048
11:16:43 AM	0.049
11:17:43 AM	0.047
11:18:43 AM	0.046
11:19:43 AM	0.048
11:20:43 AM	0.047
11:21:43 AM	0.045
11:22:43 AM	0.048
11:23:43 AM	0.047
11:24:43 AM	0.047
11:25:43 AM	0.047
11:26:43 AM	0.045
11:27:43 AM	0.052
11:28:43 AM	0.055
11:29:43 AM	0.049
11:30:43 AM	0.047
11:31:43 AM	0.059
11:32:43 AM	0.061
11:33:43 AM	0.05
11:34:43 AM	0.057
11:35:43 AM	0.049
11:36:43 AM	0.046
11:37:43 AM	0.046
11:38:43 AM	0.051
11:39:43 AM	0.048
11:40:43 AM	0.051
11:41:43 AM	0.048
11:42:43 AM	0.047
11:43:43 AM	0.045
11:44:43 AM	0.048
11:45:43 AM	0.043

11:46:43 AM	0.051
11:47:43 AM	0.053
11:48:43 AM	0.066
11:49:43 AM	0.058
11:50:43 AM	0.043
11:51:43 AM	0.045
11:52:43 AM	0.044
11:53:43 AM	0.046
11:54:43 AM	0.046
11:55:43 AM	0.049
11:56:43 AM	0.043
11:57:43 AM	0.042
11:58:43 AM	0.044
11:59:43 AM	0.045
12:00:43 PM	0.043
12:01:43 PM	0.043
12:02:43 PM	0.043
12:03:43 PM	0.044
12:04:43 PM	0.042
12:05:43 PM	0.078
12:06:43 PM	0.046
12:07:43 PM	0.041
12:08:43 PM	0.04
12:09:43 PM	0.04
12:10:43 PM	0.041
12:11:43 PM	0.041
12:12:43 PM	0.041
12:13:43 PM	0.04
12:14:43 PM	0.049
12:15:43 PM	0.044
12:16:43 PM	0.042
12:17:43 PM	0.04
12:18:43 PM	0.041
12:19:43 PM	0.041
12:20:43 PM	0.043
12:21:43 PM	0.043
12:22:43 PM	0.038
12:23:43 PM	0.043
12:24:43 PM	0.045
12:25:43 PM	0.038
12:26:43 PM	0.036
12:27:43 PM	0.037
12:28:43 PM	0.038
12:29:43 PM	0.038

12:30:43 PM	0.04
12:31:43 PM	0.039
12:32:43 PM	0.037
12:33:43 PM	0.039
12:34:43 PM	0.043
12:35:43 PM	0.037
12:36:43 PM	0.036
12:37:43 PM	0.037
12:38:43 PM	0.036
12:39:43 PM	0.039
12:40:43 PM	0.037
12:41:43 PM	0.035
12:42:43 PM	0.036
12:43:43 PM	0.038
12:44:43 PM	0.153
12:45:43 PM	0.046
12:46:43 PM	0.036
12:47:43 PM	0.044
12:48:43 PM	0.039
12:49:43 PM	0.037
12:50:43 PM	0.037
12:51:43 PM	0.035
12:52:43 PM	0.035
12:53:43 PM	0.044
12:54:43 PM	0.036
12:55:43 PM	0.041
12:56:43 PM	0.039
12:57:43 PM	0.043
12:58:43 PM	0.038
12:59:43 PM	0.042
1:00:43 PM	0.037
1:01:43 PM	0.035
1:02:43 PM	0.039
1:03:43 PM	0.038
1:04:43 PM	0.037
1:05:43 PM	0.037
1:06:43 PM	0.035
1:07:43 PM	0.041
1:08:43 PM	0.036
1:09:43 PM	0.036
1:10:43 PM	0.037
1:11:43 PM	0.037
1:12:43 PM	0.05
1:13:43 PM	0.041

1:14:43 PM	0.041
1:15:43 PM	0.084
1:16:43 PM	0.038
1:17:43 PM	0.039
1:18:43 PM	0.038
1:19:43 PM	0.037
1:20:43 PM	0.038
1:21:43 PM	0.036
1:22:43 PM	0.035
1:23:43 PM	0.035
1:24:43 PM	0.039
1:25:43 PM	0.042
1:26:43 PM	0.038
1:27:43 PM	0.037
1:28:43 PM	0.037
1:29:43 PM	0.037
1:30:43 PM	0.038
1:31:43 PM	0.041
1:32:43 PM	0.042
1:33:43 PM	0.04
1:34:43 PM	0.038
1:35:43 PM	0.038
1:36:43 PM	0.039
1:37:43 PM	0.039
1:38:43 PM	0.039
1:39:43 PM	0.038
1:40:43 PM	0.038
1:41:43 PM	0.038
1:42:43 PM	0.04
1:43:43 PM	0.036
1:44:43 PM	0.037
1:45:43 PM	0.035
1:46:43 PM	0.037
1:47:43 PM	0.035
1:48:43 PM	0.035
1:49:43 PM	0.036
1:50:43 PM	0.035
1:51:43 PM	0.038
1:52:43 PM	0.036
1:53:43 PM	0.038
1:54:43 PM	0.038
1:55:43 PM	0.036
1:56:43 PM	0.034
1:57:43 PM	0.036

1:58:43 PM	0.035
1:59:43 PM	0.034
2:00:43 PM	0.039
2:01:43 PM	0.041
2:02:43 PM	0.039
2:03:43 PM	0.044
2:04:43 PM	0.037
2:05:43 PM	0.032
2:06:43 PM	0.033
2:07:43 PM	0.035
2:08:43 PM	0.033
2:09:43 PM	0.037
2:10:43 PM	0.036
2:11:43 PM	0.031
2:12:43 PM	0.034
2:13:43 PM	0.035
2:14:43 PM	0.032
2:15:43 PM	0.031
2:16:43 PM	0.032
2:17:43 PM	0.031
2:18:43 PM	0.032
2:19:43 PM	0.035
2:20:43 PM	0.03
2:21:43 PM	0.029
2:22:43 PM	0.028
2:23:43 PM	0.027
2:24:43 PM	0.028
2:25:43 PM	0.03
2:26:43 PM	0.036
2:27:43 PM	0.04
2:28:43 PM	0.033
2:29:43 PM	0.028
2:30:43 PM	0.029
2:31:43 PM	0.03
2:32:43 PM	0.029
2:33:43 PM	0.028
2:34:43 PM	0.028
2:35:43 PM	0.028
2:36:43 PM	0.03
2:37:43 PM	0.027
2:38:43 PM	0.026
2:39:43 PM	0.026
2:40:43 PM	0.029
2:41:43 PM	0.027

2:42:43 PM	0.028
2:43:43 PM	0.047
2:44:43 PM	0.05
2:45:43 PM	0.029
2:46:43 PM	0.066
2:47:43 PM	0.03
2:48:43 PM	0.042
2:49:43 PM	0.027
2:50:43 PM	0.042
2:51:43 PM	0.066
2:52:43 PM	0.048
2:53:43 PM	0.032
2:54:43 PM	0.029
2:55:43 PM	0.025
2:56:43 PM	0.027
2:57:43 PM	0.03
2:58:43 PM	0.07
2:59:43 PM	0.056
3:00:43 PM	0.031
3:01:43 PM	0.026
3:02:43 PM	0.028
3:03:43 PM	0.029
3:04:43 PM	0.029
3:05:43 PM	0.03
3:06:43 PM	0.028
3:07:43 PM	0.029
3:08:43 PM	0.031
3:09:43 PM	0.03
3:10:43 PM	0.028
3:11:43 PM	0.029
3:12:43 PM	0.029
3:13:43 PM	0.028
3:14:43 PM	0.029
3:15:43 PM	0.028
3:16:43 PM	0.027
3:17:43 PM	0.028
3:18:43 PM	0.027
3:19:43 PM	0.028
3:20:43 PM	0.027
3:21:43 PM	0.029
3:22:43 PM	0.031
3:23:43 PM	0.027
3:24:43 PM	0.026
3:25:43 PM	0.028

3:26:43 PM	0.031
3:27:43 PM	0.026
3:28:43 PM	0.028
3:29:43 PM	0.027
3:30:43 PM	0.026
3:31:43 PM	0.026
3:32:43 PM	0.026
3:33:43 PM	0.026
3:34:43 PM	0.026
3:35:43 PM	0.027
3:36:43 PM	0.028
3:37:43 PM	0.029
3:38:43 PM	0.03
3:39:43 PM	0.03
3:40:43 PM	0.026
3:41:43 PM	0.026
3:42:43 PM	0.029
3:43:43 PM	0.028
3:44:43 PM	0.026
3:45:43 PM	0.025
3:46:43 PM	0.025
3:47:43 PM	0.025

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/2/2024 14:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 14:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 13:41	Readings	PID	SC23030449A8	Normal	0

592-600853	5/2/2024 12:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 12:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 11:29	Readings	PID	SC23030449A8	Normal	0

592-600853	5/2/2024 9:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/2/2024 9:27	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/2/2024 9:25	Readings	PID	SC23030449A8	Normal	0.4
592-600853	5/2/2024 9:24	Readings	PID	SC23030449A8	Normal	0.4
592-600853	5/2/2024 9:23	Readings	PID	SC23030449A8	Normal	0.4
592-600853	5/2/2024 9:22	Readings	PID	SC23030449A8	Normal	1.2
592-600853	5/2/2024 9:21	Readings	PID	SC23030449A8	Normal	1.8
592-600853	5/2/2024 9:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:17	Readings	PID	SC23030449A8	Normal	0

592-600853	5/2/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:09 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/2/2024 9:08 Readings	PID	SC23030449A8	Normal	0.8
592-600853	5/2/2024 9:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:03 Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/2/2024 9:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 9:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 9:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 8:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:44 Readings	PID	SC23030449A8	Normal	0

592-600853	5/2/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 8:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/2/2024 8:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 8:11 Readings	PID	SC23030449A8	Normal	0

592-600853	5/2/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/2/2024 7:02 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530172401
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_001
Test Start Time	6:48:06 AM
Test Start Date	5/2/2024
Test Length [D:H:M]	0:09:09
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.041
Mass Minimum [mg/m3]	0.017
Mass Maximum [mg/m3]	0.159
Mass TWA [mg/m3]	0.04
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	549

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48:06 AM	0.159		
6:49:06 AM	0.021		
6:50:06 AM	0.02		
6:51:06 AM	0.021		
6:52:06 AM	0.019		
6:53:06 AM	0.021		
6:54:06 AM	0.021		
6:55:06 AM	0.019		
6:56:06 AM	0.021		
6:57:06 AM	0.023		
6:58:06 AM	0.021		
6:59:06 AM	0.023		
7:00:06 AM	0.02		
7:01:06 AM	0.019		
7:02:06 AM	0.024		
7:03:06 AM	0.024		
7:04:06 AM	0.019		
7:05:06 AM	0.021		
7:06:06 AM	0.021		
7:07:06 AM	0.021		
7:08:06 AM	0.02		
7:09:06 AM	0.021		
7:10:06 AM	0.02		
7:11:06 AM	0.021		

7:12:06 AM	0.022
7:13:06 AM	0.02
7:14:06 AM	0.019
7:15:06 AM	0.018
7:16:06 AM	0.017
7:17:06 AM	0.027
7:18:06 AM	0.027
7:19:06 AM	0.022
7:20:06 AM	0.021
7:21:06 AM	0.03
7:22:06 AM	0.024
7:23:06 AM	0.023
7:24:06 AM	0.024
7:25:06 AM	0.022
7:26:06 AM	0.021
7:27:06 AM	0.019
7:28:06 AM	0.024
7:29:06 AM	0.027
7:30:06 AM	0.026
7:31:06 AM	0.064
7:32:06 AM	0.042
7:33:06 AM	0.028
7:34:06 AM	0.02
7:35:06 AM	0.025
7:36:06 AM	0.021
7:37:06 AM	0.025
7:38:06 AM	0.019
7:39:06 AM	0.022
7:40:06 AM	0.025
7:41:06 AM	0.026
7:42:06 AM	0.021
7:43:06 AM	0.021
7:44:06 AM	0.021
7:45:06 AM	0.021
7:46:06 AM	0.027
7:47:06 AM	0.028
7:48:06 AM	0.026
7:49:06 AM	0.022
7:50:06 AM	0.022
7:51:06 AM	0.022
7:52:06 AM	0.021
7:53:06 AM	0.029
7:54:06 AM	0.025
7:55:06 AM	0.022

7:56:06 AM	0.022
7:57:06 AM	0.028
7:58:06 AM	0.028
7:59:06 AM	0.02
8:00:06 AM	0.02
8:01:06 AM	0.021
8:02:06 AM	0.02
8:03:06 AM	0.021
8:04:06 AM	0.023
8:05:06 AM	0.024
8:06:06 AM	0.022
8:07:06 AM	0.02
8:08:06 AM	0.02
8:09:06 AM	0.02
8:10:06 AM	0.022
8:11:06 AM	0.022
8:12:06 AM	0.02
8:13:06 AM	0.032
8:14:06 AM	0.081
8:15:06 AM	0.025
8:16:06 AM	0.032
8:17:06 AM	0.053
8:18:06 AM	0.049
8:19:06 AM	0.025
8:20:06 AM	0.023
8:21:06 AM	0.023
8:22:06 AM	0.022
8:23:06 AM	0.02
8:24:06 AM	0.022
8:25:06 AM	0.032
8:26:06 AM	0.023
8:27:06 AM	0.024
8:28:06 AM	0.024
8:29:06 AM	0.024
8:30:06 AM	0.023
8:31:06 AM	0.021
8:32:06 AM	0.022
8:33:06 AM	0.027
8:34:06 AM	0.022
8:35:06 AM	0.06
8:36:06 AM	0.061
8:37:06 AM	0.027
8:38:06 AM	0.025
8:39:06 AM	0.022

8:40:06 AM	0.024
8:41:06 AM	0.023
8:42:06 AM	0.023
8:43:06 AM	0.023
8:44:06 AM	0.027
8:45:06 AM	0.027
8:46:06 AM	0.028
8:47:06 AM	0.028
8:48:06 AM	0.027
8:49:06 AM	0.028
8:50:06 AM	0.027
8:51:06 AM	0.026
8:52:06 AM	0.051
8:53:06 AM	0.028
8:54:06 AM	0.026
8:55:06 AM	0.027
8:56:06 AM	0.079
8:57:06 AM	0.031
8:58:06 AM	0.027
8:59:06 AM	0.027
9:00:06 AM	0.027
9:01:06 AM	0.026
9:02:06 AM	0.027
9:03:06 AM	0.028
9:04:06 AM	0.029
9:05:06 AM	0.027
9:06:06 AM	0.026
9:07:06 AM	0.026
9:08:06 AM	0.026
9:09:06 AM	0.029
9:10:06 AM	0.05
9:11:06 AM	0.126
9:12:06 AM	0.099
9:13:06 AM	0.033
9:14:06 AM	0.028
9:15:06 AM	0.03
9:16:06 AM	0.031
9:17:06 AM	0.029
9:18:06 AM	0.032
9:19:06 AM	0.035
9:20:06 AM	0.03
9:21:06 AM	0.028
9:22:06 AM	0.028
9:23:06 AM	0.03

9:24:06 AM	0.028
9:25:06 AM	0.034
9:26:06 AM	0.029
9:27:06 AM	0.031
9:28:06 AM	0.029
9:29:06 AM	0.027
9:30:06 AM	0.03
9:31:06 AM	0.035
9:32:06 AM	0.03
9:33:06 AM	0.03
9:34:06 AM	0.045
9:35:06 AM	0.033
9:36:06 AM	0.032
9:37:06 AM	0.031
9:38:06 AM	0.034
9:39:06 AM	0.035
9:40:06 AM	0.031
9:41:06 AM	0.037
9:42:06 AM	0.032
9:43:06 AM	0.03
9:44:06 AM	0.035
9:45:06 AM	0.035
9:46:06 AM	0.035
9:47:06 AM	0.034
9:48:06 AM	0.035
9:49:06 AM	0.033
9:50:06 AM	0.034
9:51:06 AM	0.033
9:52:06 AM	0.042
9:53:06 AM	0.038
9:54:06 AM	0.034
9:55:06 AM	0.033
9:56:06 AM	0.034
9:57:06 AM	0.033
9:58:06 AM	0.032
9:59:06 AM	0.033
10:00:06 AM	0.033
10:01:06 AM	0.035
10:02:06 AM	0.034
10:03:06 AM	0.034
10:04:06 AM	0.035
10:05:06 AM	0.035
10:06:06 AM	0.034
10:07:06 AM	0.034

10:08:06 AM	0.035
10:09:06 AM	0.035
10:10:06 AM	0.036
10:11:06 AM	0.036
10:12:06 AM	0.036
10:13:06 AM	0.036
10:14:06 AM	0.038
10:15:06 AM	0.037
10:16:06 AM	0.036
10:17:06 AM	0.036
10:18:06 AM	0.037
10:19:06 AM	0.038
10:20:06 AM	0.038
10:21:06 AM	0.039
10:22:06 AM	0.038
10:23:06 AM	0.038
10:24:06 AM	0.038
10:25:06 AM	0.039
10:26:06 AM	0.041
10:27:06 AM	0.04
10:28:06 AM	0.043
10:29:06 AM	0.042
10:30:06 AM	0.04
10:31:06 AM	0.041
10:32:06 AM	0.042
10:33:06 AM	0.041
10:34:06 AM	0.042
10:35:06 AM	0.055
10:36:06 AM	0.07
10:37:06 AM	0.044
10:38:06 AM	0.043
10:39:06 AM	0.041
10:40:06 AM	0.042
10:41:06 AM	0.044
10:42:06 AM	0.052
10:43:06 AM	0.046
10:44:06 AM	0.043
10:45:06 AM	0.046
10:46:06 AM	0.043
10:47:06 AM	0.045
10:48:06 AM	0.056
10:49:06 AM	0.048
10:50:06 AM	0.065
10:51:06 AM	0.071

10:52:06 AM	0.07
10:53:06 AM	0.051
10:54:06 AM	0.056
10:55:06 AM	0.05
10:56:06 AM	0.046
10:57:06 AM	0.049
10:58:06 AM	0.047
10:59:06 AM	0.046
11:00:06 AM	0.047
11:01:06 AM	0.048
11:02:06 AM	0.049
11:03:06 AM	0.046
11:04:06 AM	0.049
11:05:06 AM	0.053
11:06:06 AM	0.049
11:07:06 AM	0.059
11:08:06 AM	0.049
11:09:06 AM	0.071
11:10:06 AM	0.076
11:11:06 AM	0.05
11:12:06 AM	0.052
11:13:06 AM	0.064
11:14:06 AM	0.091
11:15:06 AM	0.063
11:16:06 AM	0.054
11:17:06 AM	0.058
11:18:06 AM	0.057
11:19:06 AM	0.052
11:20:06 AM	0.053
11:21:06 AM	0.053
11:22:06 AM	0.056
11:23:06 AM	0.06
11:24:06 AM	0.054
11:25:06 AM	0.052
11:26:06 AM	0.052
11:27:06 AM	0.053
11:28:06 AM	0.052
11:29:06 AM	0.051
11:30:06 AM	0.053
11:31:06 AM	0.052
11:32:06 AM	0.052
11:33:06 AM	0.053
11:34:06 AM	0.053
11:35:06 AM	0.055

11:36:06 AM	0.059
11:37:06 AM	0.067
11:38:06 AM	0.066
11:39:06 AM	0.059
11:40:06 AM	0.058
11:41:06 AM	0.056
11:42:06 AM	0.072
11:43:06 AM	0.064
11:44:06 AM	0.08
11:45:06 AM	0.059
11:46:06 AM	0.055
11:47:06 AM	0.07
11:48:06 AM	0.055
11:49:06 AM	0.055
11:50:06 AM	0.078
11:51:06 AM	0.058
11:52:06 AM	0.054
11:53:06 AM	0.051
11:54:06 AM	0.053
11:55:06 AM	0.052
11:56:06 AM	0.06
11:57:06 AM	0.052
11:58:06 AM	0.052
11:59:06 AM	0.052
12:00:06 PM	0.052
12:01:06 PM	0.057
12:02:06 PM	0.055
12:03:06 PM	0.055
12:04:06 PM	0.056
12:05:06 PM	0.055
12:06:06 PM	0.055
12:07:06 PM	0.051
12:08:06 PM	0.05
12:09:06 PM	0.048
12:10:06 PM	0.047
12:11:06 PM	0.048
12:12:06 PM	0.052
12:13:06 PM	0.055
12:14:06 PM	0.046
12:15:06 PM	0.046
12:16:06 PM	0.047
12:17:06 PM	0.054
12:18:06 PM	0.05
12:19:06 PM	0.05

12:20:06 PM	0.049
12:21:06 PM	0.047
12:22:06 PM	0.045
12:23:06 PM	0.044
12:24:06 PM	0.054
12:25:06 PM	0.075
12:26:06 PM	0.055
12:27:06 PM	0.044
12:28:06 PM	0.043
12:29:06 PM	0.042
12:30:06 PM	0.043
12:31:06 PM	0.043
12:32:06 PM	0.043
12:33:06 PM	0.05
12:34:06 PM	0.044
12:35:06 PM	0.042
12:36:06 PM	0.044
12:37:06 PM	0.046
12:38:06 PM	0.044
12:39:06 PM	0.045
12:40:06 PM	0.042
12:41:06 PM	0.048
12:42:06 PM	0.046
12:43:06 PM	0.042
12:44:06 PM	0.04
12:45:06 PM	0.04
12:46:06 PM	0.09
12:47:06 PM	0.047
12:48:06 PM	0.046
12:49:06 PM	0.049
12:50:06 PM	0.056
12:51:06 PM	0.059
12:52:06 PM	0.04
12:53:06 PM	0.039
12:54:06 PM	0.05
12:55:06 PM	0.053
12:56:06 PM	0.04
12:57:06 PM	0.041
12:58:06 PM	0.041
12:59:06 PM	0.041
1:00:06 PM	0.043
1:01:06 PM	0.046
1:02:06 PM	0.041
1:03:06 PM	0.041

1:04:06 PM	0.042
1:05:06 PM	0.041
1:06:06 PM	0.041
1:07:06 PM	0.04
1:08:06 PM	0.042
1:09:06 PM	0.042
1:10:06 PM	0.08
1:11:06 PM	0.043
1:12:06 PM	0.042
1:13:06 PM	0.042
1:14:06 PM	0.042
1:15:06 PM	0.049
1:16:06 PM	0.045
1:17:06 PM	0.04
1:18:06 PM	0.04
1:19:06 PM	0.041
1:20:06 PM	0.043
1:21:06 PM	0.042
1:22:06 PM	0.044
1:23:06 PM	0.041
1:24:06 PM	0.041
1:25:06 PM	0.042
1:26:06 PM	0.042
1:27:06 PM	0.043
1:28:06 PM	0.044
1:29:06 PM	0.043
1:30:06 PM	0.046
1:31:06 PM	0.042
1:32:06 PM	0.043
1:33:06 PM	0.042
1:34:06 PM	0.044
1:35:06 PM	0.043
1:36:06 PM	0.044
1:37:06 PM	0.045
1:38:06 PM	0.043
1:39:06 PM	0.045
1:40:06 PM	0.043
1:41:06 PM	0.043
1:42:06 PM	0.043
1:43:06 PM	0.044
1:44:06 PM	0.044
1:45:06 PM	0.044
1:46:06 PM	0.045
1:47:06 PM	0.043

1:48:06 PM	0.043
1:49:06 PM	0.045
1:50:06 PM	0.044
1:51:06 PM	0.047
1:52:06 PM	0.046
1:53:06 PM	0.044
1:54:06 PM	0.043
1:55:06 PM	0.044
1:56:06 PM	0.044
1:57:06 PM	0.044
1:58:06 PM	0.043
1:59:06 PM	0.044
2:00:06 PM	0.045
2:01:06 PM	0.066
2:02:06 PM	0.044
2:03:06 PM	0.05
2:04:06 PM	0.042
2:05:06 PM	0.048
2:06:06 PM	0.043
2:07:06 PM	0.043
2:08:06 PM	0.044
2:09:06 PM	0.057
2:10:06 PM	0.049
2:11:06 PM	0.043
2:12:06 PM	0.042
2:13:06 PM	0.042
2:14:06 PM	0.042
2:15:06 PM	0.043
2:16:06 PM	0.042
2:17:06 PM	0.046
2:18:06 PM	0.043
2:19:06 PM	0.06
2:20:06 PM	0.039
2:21:06 PM	0.04
2:22:06 PM	0.042
2:23:06 PM	0.039
2:24:06 PM	0.039
2:25:06 PM	0.039
2:26:06 PM	0.042
2:27:06 PM	0.058
2:28:06 PM	0.054
2:29:06 PM	0.044
2:30:06 PM	0.04
2:31:06 PM	0.038

2:32:06 PM	0.038
2:33:06 PM	0.041
2:34:06 PM	0.039
2:35:06 PM	0.039
2:36:06 PM	0.041
2:37:06 PM	0.07
2:38:06 PM	0.075
2:39:06 PM	0.045
2:40:06 PM	0.047
2:41:06 PM	0.046
2:42:06 PM	0.044
2:43:06 PM	0.044
2:44:06 PM	0.042
2:45:06 PM	0.044
2:46:06 PM	0.047
2:47:06 PM	0.04
2:48:06 PM	0.041
2:49:06 PM	0.041
2:50:06 PM	0.058
2:51:06 PM	0.047
2:52:06 PM	0.048
2:53:06 PM	0.042
2:54:06 PM	0.038
2:55:06 PM	0.039
2:56:06 PM	0.039
2:57:06 PM	0.042
2:58:06 PM	0.037
2:59:06 PM	0.038
3:00:06 PM	0.038
3:01:06 PM	0.038
3:02:06 PM	0.04
3:03:06 PM	0.043
3:04:06 PM	0.041
3:05:06 PM	0.04
3:06:06 PM	0.039
3:07:06 PM	0.04
3:08:06 PM	0.041
3:09:06 PM	0.054
3:10:06 PM	0.052
3:11:06 PM	0.039
3:12:06 PM	0.039
3:13:06 PM	0.04
3:14:06 PM	0.041
3:15:06 PM	0.046

3:16:06 PM	0.046
3:17:06 PM	0.04
3:18:06 PM	0.04
3:19:06 PM	0.04
3:20:06 PM	0.041
3:21:06 PM	0.041
3:22:06 PM	0.04
3:23:06 PM	0.04
3:24:06 PM	0.04
3:25:06 PM	0.04
3:26:06 PM	0.04
3:27:06 PM	0.044
3:28:06 PM	0.04
3:29:06 PM	0.04
3:30:06 PM	0.048
3:31:06 PM	0.041
3:32:06 PM	0.04
3:33:06 PM	0.039
3:34:06 PM	0.039
3:35:06 PM	0.04
3:36:06 PM	0.042
3:37:06 PM	0.041
3:38:06 PM	0.041
3:39:06 PM	0.047
3:40:06 PM	0.044
3:41:06 PM	0.042
3:42:06 PM	0.041
3:43:06 PM	0.051
3:44:06 PM	0.043
3:45:06 PM	0.043
3:46:06 PM	0.04
3:47:06 PM	0.041
3:48:06 PM	0.042
3:49:06 PM	0.043
3:50:06 PM	0.04
3:51:06 PM	0.04
3:52:06 PM	0.04
3:53:06 PM	0.049
3:54:06 PM	0.044
3:55:06 PM	0.04
3:56:06 PM	0.041

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/2/2024 15:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 15:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 14:48	Readings	PID	SC23030124AA	Normal	0

592-908641	5/2/2024 10:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 9:51	Readings	PID	SC23030124AA	Normal	0

592-908641	5/2/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:11 Readings	PID	SC23030124AA	Normal	0
592-908641	5/2/2024 6:10 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_001
Test Start Time	6:59:38 AM
Test Start Date	5/2/2024
Test Length [D:H:M]	0:08:54
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.037
Mass Minimum [mg/m3]	0.02
Mass Maximum [mg/m3]	0.077
Mass TWA [mg/m3]	0.038
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	534

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:59:38 AM	0.056		
7:00:38 AM	0.031		
7:01:38 AM	0.025		
7:02:38 AM	0.027		
7:03:38 AM	0.033		
7:04:38 AM	0.037		
7:05:38 AM	0.029		
7:06:38 AM	0.023		
7:07:38 AM	0.039		
7:08:38 AM	0.025		
7:09:38 AM	0.027		
7:10:38 AM	0.026		
7:11:38 AM	0.029		
7:12:38 AM	0.027		
7:13:38 AM	0.03		
7:14:38 AM	0.023		
7:15:38 AM	0.022		
7:16:38 AM	0.03		
7:17:38 AM	0.025		
7:18:38 AM	0.023		
7:19:38 AM	0.024		
7:20:38 AM	0.027		
7:21:38 AM	0.024		
7:22:38 AM	0.023		

7:23:38 AM	0.022
7:24:38 AM	0.02
7:25:38 AM	0.029
7:26:38 AM	0.031
7:27:38 AM	0.025
7:28:38 AM	0.024
7:29:38 AM	0.031
7:30:38 AM	0.023
7:31:38 AM	0.022
7:32:38 AM	0.026
7:33:38 AM	0.022
7:34:38 AM	0.029
7:35:38 AM	0.03
7:36:38 AM	0.027
7:37:38 AM	0.024
7:38:38 AM	0.024
7:39:38 AM	0.025
7:40:38 AM	0.031
7:41:38 AM	0.023
7:42:38 AM	0.023
7:43:38 AM	0.023
7:44:38 AM	0.026
7:45:38 AM	0.021
7:46:38 AM	0.023
7:47:38 AM	0.023
7:48:38 AM	0.028
7:49:38 AM	0.03
7:50:38 AM	0.032
7:51:38 AM	0.03
7:52:38 AM	0.025
7:53:38 AM	0.032
7:54:38 AM	0.029
7:55:38 AM	0.033
7:56:38 AM	0.028
7:57:38 AM	0.031
7:58:38 AM	0.032
7:59:38 AM	0.032
8:00:38 AM	0.026
8:01:38 AM	0.03
8:02:38 AM	0.03
8:03:38 AM	0.023
8:04:38 AM	0.024
8:05:38 AM	0.024
8:06:38 AM	0.025

8:07:38 AM	0.029
8:08:38 AM	0.03
8:09:38 AM	0.024
8:10:38 AM	0.026
8:11:38 AM	0.022
8:12:38 AM	0.022
8:13:38 AM	0.023
8:14:38 AM	0.023
8:15:38 AM	0.022
8:16:38 AM	0.024
8:17:38 AM	0.031
8:18:38 AM	0.026
8:19:38 AM	0.021
8:20:38 AM	0.025
8:21:38 AM	0.022
8:22:38 AM	0.023
8:23:38 AM	0.025
8:24:38 AM	0.024
8:25:38 AM	0.024
8:26:38 AM	0.024
8:27:38 AM	0.026
8:28:38 AM	0.024
8:29:38 AM	0.026
8:30:38 AM	0.027
8:31:38 AM	0.027
8:32:38 AM	0.024
8:33:38 AM	0.04
8:34:38 AM	0.042
8:35:38 AM	0.03
8:36:38 AM	0.028
8:37:38 AM	0.028
8:38:38 AM	0.027
8:39:38 AM	0.034
8:40:38 AM	0.028
8:41:38 AM	0.028
8:42:38 AM	0.026
8:43:38 AM	0.027
8:44:38 AM	0.026
8:45:38 AM	0.029
8:46:38 AM	0.03
8:47:38 AM	0.027
8:48:38 AM	0.028
8:49:38 AM	0.026
8:50:38 AM	0.027

8:51:38 AM	0.028
8:52:38 AM	0.027
8:53:38 AM	0.027
8:54:38 AM	0.027
8:55:38 AM	0.028
8:56:38 AM	0.031
8:57:38 AM	0.029
8:58:38 AM	0.028
8:59:38 AM	0.029
9:00:38 AM	0.03
9:01:38 AM	0.032
9:02:38 AM	0.03
9:03:38 AM	0.029
9:04:38 AM	0.033
9:05:38 AM	0.037
9:06:38 AM	0.033
9:07:38 AM	0.033
9:08:38 AM	0.032
9:09:38 AM	0.031
9:10:38 AM	0.03
9:11:38 AM	0.03
9:12:38 AM	0.032
9:13:38 AM	0.028
9:14:38 AM	0.032
9:15:38 AM	0.032
9:16:38 AM	0.033
9:17:38 AM	0.03
9:18:38 AM	0.031
9:19:38 AM	0.032
9:20:38 AM	0.03
9:21:38 AM	0.035
9:22:38 AM	0.037
9:23:38 AM	0.034
9:24:38 AM	0.03
9:25:38 AM	0.031
9:26:38 AM	0.035
9:27:38 AM	0.037
9:28:38 AM	0.038
9:29:38 AM	0.032
9:30:38 AM	0.03
9:31:38 AM	0.031
9:32:38 AM	0.03
9:33:38 AM	0.032
9:34:38 AM	0.032

9:35:38 AM	0.032
9:36:38 AM	0.041
9:37:38 AM	0.034
9:38:38 AM	0.038
9:39:38 AM	0.034
9:40:38 AM	0.033
9:41:38 AM	0.035
9:42:38 AM	0.034
9:43:38 AM	0.034
9:44:38 AM	0.032
9:45:38 AM	0.032
9:46:38 AM	0.06
9:47:38 AM	0.044
9:48:38 AM	0.035
9:49:38 AM	0.037
9:50:38 AM	0.037
9:51:38 AM	0.048
9:52:38 AM	0.044
9:53:38 AM	0.037
9:54:38 AM	0.037
9:55:38 AM	0.036
9:56:38 AM	0.039
9:57:38 AM	0.039
9:58:38 AM	0.069
9:59:38 AM	0.039
10:00:38 AM	0.039
10:01:38 AM	0.037
10:02:38 AM	0.038
10:03:38 AM	0.038
10:04:38 AM	0.037
10:05:38 AM	0.037
10:06:38 AM	0.038
10:07:38 AM	0.043
10:08:38 AM	0.043
10:09:38 AM	0.041
10:10:38 AM	0.038
10:11:38 AM	0.042
10:12:38 AM	0.043
10:13:38 AM	0.039
10:14:38 AM	0.04
10:15:38 AM	0.038
10:16:38 AM	0.042
10:17:38 AM	0.043
10:18:38 AM	0.055

10:19:38 AM	0.04
10:20:38 AM	0.039
10:21:38 AM	0.042
10:22:38 AM	0.042
10:23:38 AM	0.041
10:24:38 AM	0.048
10:25:38 AM	0.047
10:26:38 AM	0.044
10:27:38 AM	0.046
10:28:38 AM	0.056
10:29:38 AM	0.045
10:30:38 AM	0.043
10:31:38 AM	0.042
10:32:38 AM	0.042
10:33:38 AM	0.042
10:34:38 AM	0.043
10:35:38 AM	0.041
10:36:38 AM	0.044
10:37:38 AM	0.045
10:38:38 AM	0.045
10:39:38 AM	0.045
10:40:38 AM	0.044
10:41:38 AM	0.048
10:42:38 AM	0.045
10:43:38 AM	0.048
10:44:38 AM	0.047
10:45:38 AM	0.045
10:46:38 AM	0.045
10:47:38 AM	0.059
10:48:38 AM	0.05
10:49:38 AM	0.046
10:50:38 AM	0.053
10:51:38 AM	0.047
10:52:38 AM	0.047
10:53:38 AM	0.048
10:54:38 AM	0.051
10:55:38 AM	0.072
10:56:38 AM	0.054
10:57:38 AM	0.048
10:58:38 AM	0.051
10:59:38 AM	0.052
11:00:38 AM	0.048
11:01:38 AM	0.053
11:02:38 AM	0.055

11:03:38 AM	0.054
11:04:38 AM	0.048
11:05:38 AM	0.054
11:06:38 AM	0.049
11:07:38 AM	0.05
11:08:38 AM	0.05
11:09:38 AM	0.054
11:10:38 AM	0.062
11:11:38 AM	0.065
11:12:38 AM	0.064
11:13:38 AM	0.062
11:14:38 AM	0.058
11:15:38 AM	0.066
11:16:38 AM	0.055
11:17:38 AM	0.059
11:18:38 AM	0.052
11:19:38 AM	0.053
11:20:38 AM	0.053
11:21:38 AM	0.053
11:22:38 AM	0.055
11:23:38 AM	0.054
11:24:38 AM	0.052
11:25:38 AM	0.049
11:26:38 AM	0.05
11:27:38 AM	0.05
11:28:38 AM	0.052
11:29:38 AM	0.049
11:30:38 AM	0.048
11:31:38 AM	0.052
11:32:38 AM	0.053
11:33:38 AM	0.052
11:34:38 AM	0.068
11:35:38 AM	0.055
11:36:38 AM	0.064
11:37:38 AM	0.054
11:38:38 AM	0.052
11:39:38 AM	0.049
11:40:38 AM	0.048
11:41:38 AM	0.052
11:42:38 AM	0.05
11:43:38 AM	0.048
11:44:38 AM	0.052
11:45:38 AM	0.051
11:46:38 AM	0.061

11:47:38 AM	0.057
11:48:38 AM	0.049
11:49:38 AM	0.048
11:50:38 AM	0.051
11:51:38 AM	0.049
11:52:38 AM	0.054
11:53:38 AM	0.05
11:54:38 AM	0.046
11:55:38 AM	0.053
11:56:38 AM	0.046
11:57:38 AM	0.046
11:58:38 AM	0.055
11:59:38 AM	0.049
12:00:38 PM	0.059
12:01:38 PM	0.055
12:02:38 PM	0.047
12:03:38 PM	0.045
12:04:38 PM	0.05
12:05:38 PM	0.045
12:06:38 PM	0.045
12:07:38 PM	0.045
12:08:38 PM	0.044
12:09:38 PM	0.047
12:10:38 PM	0.044
12:11:38 PM	0.045
12:12:38 PM	0.044
12:13:38 PM	0.042
12:14:38 PM	0.044
12:15:38 PM	0.045
12:16:38 PM	0.047
12:17:38 PM	0.042
12:18:38 PM	0.042
12:19:38 PM	0.044
12:20:38 PM	0.043
12:21:38 PM	0.044
12:22:38 PM	0.042
12:23:38 PM	0.04
12:24:38 PM	0.042
12:25:38 PM	0.041
12:26:38 PM	0.04
12:27:38 PM	0.041
12:28:38 PM	0.042
12:29:38 PM	0.038
12:30:38 PM	0.051

12:31:38 PM	0.047
12:32:38 PM	0.039
12:33:38 PM	0.041
12:34:38 PM	0.038
12:35:38 PM	0.041
12:36:38 PM	0.036
12:37:38 PM	0.039
12:38:38 PM	0.041
12:39:38 PM	0.037
12:40:38 PM	0.035
12:41:38 PM	0.036
12:42:38 PM	0.037
12:43:38 PM	0.038
12:44:38 PM	0.077
12:45:38 PM	0.038
12:46:38 PM	0.038
12:47:38 PM	0.036
12:48:38 PM	0.04
12:49:38 PM	0.036
12:50:38 PM	0.036
12:51:38 PM	0.038
12:52:38 PM	0.037
12:53:38 PM	0.035
12:54:38 PM	0.04
12:55:38 PM	0.041
12:56:38 PM	0.039
12:57:38 PM	0.038
12:58:38 PM	0.055
12:59:38 PM	0.051
1:00:38 PM	0.037
1:01:38 PM	0.036
1:02:38 PM	0.035
1:03:38 PM	0.037
1:04:38 PM	0.036
1:05:38 PM	0.036
1:06:38 PM	0.038
1:07:38 PM	0.039
1:08:38 PM	0.036
1:09:38 PM	0.038
1:10:38 PM	0.038
1:11:38 PM	0.037
1:12:38 PM	0.036
1:13:38 PM	0.039
1:14:38 PM	0.041

1:15:38 PM	0.036
1:16:38 PM	0.038
1:17:38 PM	0.035
1:18:38 PM	0.037
1:19:38 PM	0.041
1:20:38 PM	0.037
1:21:38 PM	0.035
1:22:38 PM	0.034
1:23:38 PM	0.038
1:24:38 PM	0.036
1:25:38 PM	0.046
1:26:38 PM	0.04
1:27:38 PM	0.041
1:28:38 PM	0.038
1:29:38 PM	0.04
1:30:38 PM	0.04
1:31:38 PM	0.038
1:32:38 PM	0.042
1:33:38 PM	0.073
1:34:38 PM	0.04
1:35:38 PM	0.038
1:36:38 PM	0.04
1:37:38 PM	0.037
1:38:38 PM	0.035
1:39:38 PM	0.036
1:40:38 PM	0.035
1:41:38 PM	0.037
1:42:38 PM	0.038
1:43:38 PM	0.037
1:44:38 PM	0.036
1:45:38 PM	0.037
1:46:38 PM	0.04
1:47:38 PM	0.037
1:48:38 PM	0.037
1:49:38 PM	0.052
1:50:38 PM	0.039
1:51:38 PM	0.034
1:52:38 PM	0.035
1:53:38 PM	0.035
1:54:38 PM	0.036
1:55:38 PM	0.035
1:56:38 PM	0.038
1:57:38 PM	0.035
1:58:38 PM	0.037

1:59:38 PM	0.035
2:00:38 PM	0.036
2:01:38 PM	0.036
2:02:38 PM	0.035
2:03:38 PM	0.034
2:04:38 PM	0.038
2:05:38 PM	0.034
2:06:38 PM	0.038
2:07:38 PM	0.036
2:08:38 PM	0.039
2:09:38 PM	0.038
2:10:38 PM	0.037
2:11:38 PM	0.033
2:12:38 PM	0.036
2:13:38 PM	0.034
2:14:38 PM	0.032
2:15:38 PM	0.035
2:16:38 PM	0.036
2:17:38 PM	0.033
2:18:38 PM	0.036
2:19:38 PM	0.033
2:20:38 PM	0.033
2:21:38 PM	0.034
2:22:38 PM	0.036
2:23:38 PM	0.038
2:24:38 PM	0.038
2:25:38 PM	0.035
2:26:38 PM	0.033
2:27:38 PM	0.032
2:28:38 PM	0.03
2:29:38 PM	0.037
2:30:38 PM	0.035
2:31:38 PM	0.038
2:32:38 PM	0.038
2:33:38 PM	0.037
2:34:38 PM	0.031
2:35:38 PM	0.031
2:36:38 PM	0.031
2:37:38 PM	0.031
2:38:38 PM	0.031
2:39:38 PM	0.03
2:40:38 PM	0.03
2:41:38 PM	0.029
2:42:38 PM	0.027

2:43:38 PM	0.028
2:44:38 PM	0.029
2:45:38 PM	0.03
2:46:38 PM	0.032
2:47:38 PM	0.039
2:48:38 PM	0.04
2:49:38 PM	0.031
2:50:38 PM	0.034
2:51:38 PM	0.032
2:52:38 PM	0.032
2:53:38 PM	0.028
2:54:38 PM	0.033
2:55:38 PM	0.035
2:56:38 PM	0.053
2:57:38 PM	0.034
2:58:38 PM	0.037
2:59:38 PM	0.041
3:00:38 PM	0.035
3:01:38 PM	0.034
3:02:38 PM	0.036
3:03:38 PM	0.035
3:04:38 PM	0.032
3:05:38 PM	0.03
3:06:38 PM	0.037
3:07:38 PM	0.032
3:08:38 PM	0.03
3:09:38 PM	0.032
3:10:38 PM	0.032
3:11:38 PM	0.032
3:12:38 PM	0.035
3:13:38 PM	0.035
3:14:38 PM	0.038
3:15:38 PM	0.032
3:16:38 PM	0.036
3:17:38 PM	0.039
3:18:38 PM	0.038
3:19:38 PM	0.04
3:20:38 PM	0.031
3:21:38 PM	0.032
3:22:38 PM	0.034
3:23:38 PM	0.039
3:24:38 PM	0.034
3:25:38 PM	0.04
3:26:38 PM	0.045

3:27:38 PM	0.036
3:28:38 PM	0.035
3:29:38 PM	0.033
3:30:38 PM	0.032
3:31:38 PM	0.033
3:32:38 PM	0.034
3:33:38 PM	0.033
3:34:38 PM	0.032
3:35:38 PM	0.035
3:36:38 PM	0.033
3:37:38 PM	0.033
3:38:38 PM	0.031
3:39:38 PM	0.032
3:40:38 PM	0.032
3:41:38 PM	0.033
3:42:38 PM	0.031
3:43:38 PM	0.032
3:44:38 PM	0.031
3:45:38 PM	0.037
3:46:38 PM	0.031
3:47:38 PM	0.031
3:48:38 PM	0.035
3:49:38 PM	0.033
3:50:38 PM	0.031
3:51:38 PM	0.031
3:52:38 PM	0.031

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/2/2024 15:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:56	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:37	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:36	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:35	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:33	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:32	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:30	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:29	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:28	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 15:27	Readings	PID	SC23030602B4	Normal	0

592-602176	5/2/2024 13:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 13:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 13:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 13:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 13:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:52 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:51 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:42 Readings	PID	SC23030602B4	Normal	0

592-602176	5/2/2024 12:41	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:40	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:38	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:37	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:36	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:35	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:33	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:32	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:30	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:29	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:28	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:27	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:26	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:25	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:24	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:23	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:22	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:21	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:20	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:19	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:18	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:17	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:16	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:15	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:14	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:13	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:12	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:11	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:10	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:09	Readings	PID	SC23030602B4	Normal	0

592-602176	5/2/2024 12:08	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:07	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:06	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 12:05	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:04	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:03	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:02	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:01	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 12:00	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:59	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:56	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:37	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:36	Readings	PID	SC23030602B4	Normal	0

592-602176	5/2/2024 11:02	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:01	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 11:00	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:59	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:56	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:37	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:36	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:35	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:33	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/2/2024 10:32	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 10:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 10:30	Readings	PID	SC23030602B4	Normal	0

592-602176	5/2/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/2/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:36 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/2/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:29 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 8:18 Readings	PID	SC23030602B4	Normal	0

592-602176	5/2/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/2/2024 7:04 CONFIG	PID	SC23030602B4		