IMPACT ENVIRONMENTAL
welcome to solid ground…
170 Keyland Court| Bohemia| NY | 11716 | 631.269.8800
www.impactenvironmental.com

DAILY STATUS REPORT

Prepared By:

Bill Chaky

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		W 5 mph

IEC Project No:	15977	**NYSDEC BCP Site No**:	C224350	**Date**:	05/03/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:	**Personnel On Site:**
Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:45	IEEG (Environmental) – Victor Barraza / Bill Chaky Capital (Contractor) ECD (Pile Installation) GES (Geotech) – James WSP (Environmental oversight) – Tim Williams ECS (De-watering system) **Equipment On Site: DustTrak (x3), PID (x3), Pile Rig**

Scope of Work: Deploy three (3) CAMP stations; import loads of clean-fill; ECD to continue with pile installation at south building; Capital to backfill and grade SB-13 excavation; Capital to excavate at grid N5; IEC to collect end-point sample from N5 excavation; KFS to continue with footing fabrication and pour cement for foundation; ECS to connect de-watering system to sewer; BCG to pump water from catch-basins to holding tank; IEC to low-flow sample remaining well GW-17A; and IEC to gauge 14 sentinel wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- Thirty-one (31) truckloads of approved crushed limestone were imported onto the Site;
- Gauged depth to water at all 14 sentinel wells and at canal for de-watering purposes;
- Began purging well GW-17A, however, slow recharge and insufficient water-column prevented sampling;
- KFS continued with fabrication of footings and pouring concrete at south building;
- Capital backfilled and graded clean-fill at SB-13 excavation.
- ECS re-connected de-watering system to sewer;
- Capital began excavation within grid N5 and stockpiled soil atop poly-sheeting. Refer to the Alpha Numeric Grid Map for grid locations;
- ECD started pile installation at south building; P124, T80, T90A, T107A, P98, P72, P79, P46, P44. Pile locations were verified by IEC before installation, demarcations were placed via flags on grid that are not approved for pile/foundation work;
- Capital removed concrete footings along sidewalk on Nevins St. that were exposed by adjacent trenching activities conducted by Hallen Contractors for a National Grid gas main relocation project;
- BCG covered N5 soil stockpile with poly-sheeting at end of work day; and

- Site perimeter check was conducted at the end of the Sites activities to confirm that no soil or liquids were begin tracked offsite.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m3) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.032_ mg/m^3 @ 06:37
- High Conditions (Upwind) – PID = _0.3 ppm @ 08:53, Dust = 0.154_ mg/m^3 @ 12:13
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.159 _ mg/m^3 @ 06:48
- High Conditions (Downwind 2) – PID = _2.3_ ppm @ 11:05, Dust =_0.853_ mg/m^3 @ 07:05

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- National Grid gas relation work to be continued;
- Continue with N5 excavation and end-point sampling;
- Continue with low flow sampling well GW-17A;
- Triumvirate to pump water from holding tank.

Photo Log

318 Nevins Street, Brooklyn, NY

Photo Log

Photo 1 – Representative photo of truck being washed down over truck-wash station.	
Photo 2 – Representative photo of offloading of clean fill at southern portion of the Site.	

Photo 3 – Representative photo of backfilling and grading at SB-13 excavation.	
Photo 4 – Representative photo of ECS connecting de-watering system to sewer.	

Photo 5 – Representative photo of concrete footing removal along sidewalk on Nevins St. and adjacent to National Grid project.	
Photo 6 – Representative photo of concrete pouring for fabricated footings in southern lot.	

Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY

IMPACT ENVIRONMENTAL
welcome to solid ground…
170 Keyland Court| Bohemia| NY | 11716 | 631.269.8800
www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY


Spill 2308807 Area
18,000-gallon frac tank
Upwind CAMP
Downwind CAMP 1.
Temporary Washdown and containment pad
Ramp
Downwind CAMP 2.
Footing Work and Vapor Barrier Installation
Dewatering equipment
UNION STREET
NEVINS STREET
PRESIDENT STREET
GOWANUS
FORMER BUILDING FOUNDATION SLAB
ADJACENT PROPERTY
SIDEWALK
NORTH
0'
50'
100'
NOTES:
LEGEND
PROPERTY LINE
TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
POTENTIAL OIL/WATER SEPARATOR IDENTIFIED URING THE SEPTEMBER GPR SURVEY
FIGURE 3:
REMEDIAL INVESTIGATION
SAMPLE LOCATION MAP
318 Nevins Street
Brooklyn, New York
Figure No: 03
IMPACT ENVIRONMENTAL
170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599

UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:37:12 AM
Test Start Date	5/3/2024
Test Length [D:H:M]	0:08:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.154
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	510

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:37:12 AM	0.032		
6:38:12 AM	0.016		
6:39:12 AM	0.016		
6:40:12 AM	0.015		
6:41:12 AM	0.015		
6:42:12 AM	0.015		
6:43:12 AM	0.015		
6:44:12 AM	0.016		
6:45:12 AM	0.017		
6:46:12 AM	0.016		
6:47:12 AM	0.014		
6:48:12 AM	0.015		
6:49:12 AM	0.014		
6:50:12 AM	0.013		
6:51:12 AM	0.013		
6:52:12 AM	0.014		
6:53:12 AM	0.013		
6:54:12 AM	0.014		
6:55:12 AM	0.013		
6:56:12 AM	0.013		
6:57:12 AM	0.013		
6:58:12 AM	0.013		
6:59:12 AM	0.013		
7:00:12 AM	0.017		

7:01:12 AM	0.014
7:02:12 AM	0.014
7:03:12 AM	0.013
7:04:12 AM	0.013
7:05:12 AM	0.018
7:06:12 AM	0.016
7:07:12 AM	0.016
7:08:12 AM	0.015
7:09:12 AM	0.014
7:10:12 AM	0.016
7:11:12 AM	0.016
7:12:12 AM	0.014
7:13:12 AM	0.014
7:14:12 AM	0.014
7:15:12 AM	0.053
7:16:12 AM	0.014
7:17:12 AM	0.016
7:18:12 AM	0.014
7:19:12 AM	0.014
7:20:12 AM	0.014
7:21:12 AM	0.013
7:22:12 AM	0.014
7:23:12 AM	0.014
7:24:12 AM	0.014
7:25:12 AM	0.014
7:26:12 AM	0.018
7:27:12 AM	0.015
7:28:12 AM	0.017
7:29:12 AM	0.017
7:30:12 AM	0.016
7:31:12 AM	0.014
7:32:12 AM	0.013
7:33:12 AM	0.014
7:34:12 AM	0.016
7:35:12 AM	0.013
7:36:12 AM	0.012
7:37:12 AM	0.013
7:38:12 AM	0.013
7:39:12 AM	0.013
7:40:12 AM	0.013
7:41:12 AM	0.013
7:42:12 AM	0.015
7:43:12 AM	0.014
7:44:12 AM	0.019

7:45:12 AM	0.015
7:46:12 AM	0.014
7:47:12 AM	0.013
7:48:12 AM	0.03
7:49:12 AM	0.017
7:50:12 AM	0.017
7:51:12 AM	0.015
7:52:12 AM	0.013
7:53:12 AM	0.013
7:54:12 AM	0.013
7:55:12 AM	0.011
7:56:12 AM	0.014
7:57:12 AM	0.013
7:58:12 AM	0.014
7:59:12 AM	0.015
8:00:12 AM	0.014
8:01:12 AM	0.016
8:02:12 AM	0.021
8:03:12 AM	0.016
8:04:12 AM	0.015
8:05:12 AM	0.016
8:06:12 AM	0.016
8:07:12 AM	0.017
8:08:12 AM	0.018
8:09:12 AM	0.016
8:10:12 AM	0.021
8:11:12 AM	0.022
8:12:12 AM	0.021
8:13:12 AM	0.02
8:14:12 AM	0.018
8:15:12 AM	0.019
8:16:12 AM	0.021
8:17:12 AM	0.019
8:18:12 AM	0.019
8:19:12 AM	0.023
8:20:12 AM	0.017
8:21:12 AM	0.018
8:22:12 AM	0.016
8:23:12 AM	0.016
8:24:12 AM	0.015
8:25:12 AM	0.016
8:26:12 AM	0.021
8:27:12 AM	0.018
8:28:12 AM	0.021

8:29:12 AM	0.018
8:30:12 AM	0.019
8:31:12 AM	0.018
8:32:12 AM	0.016
8:33:12 AM	0.027
8:34:12 AM	0.022
8:35:12 AM	0.02
8:36:12 AM	0.02
8:37:12 AM	0.031
8:38:12 AM	0.017
8:39:12 AM	0.02
8:40:12 AM	0.017
8:41:12 AM	0.017
8:42:12 AM	0.016
8:43:12 AM	0.016
8:44:12 AM	0.016
8:45:12 AM	0.016
8:46:12 AM	0.017
8:47:12 AM	0.018
8:48:12 AM	0.017
8:49:12 AM	0.02
8:50:12 AM	0.016
8:51:12 AM	0.017
8:52:12 AM	0.015
8:53:12 AM	0.014
8:54:12 AM	0.017
8:55:12 AM	0.017
8:56:12 AM	0.017
8:57:12 AM	0.014
8:58:12 AM	0.013
8:59:12 AM	0.013
9:00:12 AM	0.014
9:01:12 AM	0.014
9:02:12 AM	0.015
9:03:12 AM	0.016
9:04:12 AM	0.014
9:05:12 AM	0.014
9:06:12 AM	0.013
9:07:12 AM	0.014
9:08:12 AM	0.015
9:09:12 AM	0.014
9:10:12 AM	0.016
9:11:12 AM	0.014
9:12:12 AM	0.013

9:13:12 AM	0.012
9:14:12 AM	0.018
9:15:12 AM	0.018
9:16:12 AM	0.022
9:17:12 AM	0.015
9:18:12 AM	0.017
9:19:12 AM	0.016
9:20:12 AM	0.016
9:21:12 AM	0.016
9:22:12 AM	0.021
9:23:12 AM	0.024
9:24:12 AM	0.019
9:25:12 AM	0.014
9:26:12 AM	0.013
9:27:12 AM	0.014
9:28:12 AM	0.015
9:29:12 AM	0.015
9:30:12 AM	0.012
9:31:12 AM	0.015
9:32:12 AM	0.012
9:33:12 AM	0.013
9:34:12 AM	0.013
9:35:12 AM	0.013
9:36:12 AM	0.014
9:37:12 AM	0.013
9:38:12 AM	0.013
9:39:12 AM	0.012
9:40:12 AM	0.013
9:41:12 AM	0.013
9:42:12 AM	0.012
9:43:12 AM	0.013
9:44:12 AM	0.013
9:45:12 AM	0.016
9:46:12 AM	0.016
9:47:12 AM	0.012
9:48:12 AM	0.012
9:49:12 AM	0.013
9:50:12 AM	0.016
9:51:12 AM	0.018
9:52:12 AM	0.024
9:53:12 AM	0.014
9:54:12 AM	0.023
9:55:12 AM	0.033
9:56:12 AM	0.044

9:57:12 AM	0.017
9:58:12 AM	0.023
9:59:12 AM	0.017
10:00:12 AM	0.014
10:01:12 AM	0.013
10:02:12 AM	0.012
10:03:12 AM	0.012
10:04:12 AM	0.013
10:05:12 AM	0.014
10:06:12 AM	0.015
10:07:12 AM	0.014
10:08:12 AM	0.017
10:09:12 AM	0.014
10:10:12 AM	0.014
10:11:12 AM	0.014
10:12:12 AM	0.013
10:13:12 AM	0.013
10:14:12 AM	0.013
10:15:12 AM	0.017
10:16:12 AM	0.013
10:17:12 AM	0.013
10:18:12 AM	0.016
10:19:12 AM	0.023
10:20:12 AM	0.023
10:21:12 AM	0.017
10:22:12 AM	0.018
10:23:12 AM	0.013
10:24:12 AM	0.015
10:25:12 AM	0.016
10:26:12 AM	0.016
10:27:12 AM	0.014
10:28:12 AM	0.016
10:29:12 AM	0.018
10:30:12 AM	0.013
10:31:12 AM	0.012
10:32:12 AM	0.011
10:33:12 AM	0.01
10:34:12 AM	0.012
10:35:12 AM	0.015
10:36:12 AM	0.01
10:37:12 AM	0.01
10:38:12 AM	0.009
10:39:12 AM	0.01
10:40:12 AM	0.01

10:41:12 AM	0.01
10:42:12 AM	0.01
10:43:12 AM	0.01
10:44:12 AM	0.009
10:45:12 AM	0.009
10:46:12 AM	0.009
10:47:12 AM	0.009
10:48:12 AM	0.009
10:49:12 AM	0.009
10:50:12 AM	0.01
10:51:12 AM	0.011
10:52:12 AM	0.01
10:53:12 AM	0.009
10:54:12 AM	0.009
10:55:12 AM	0.009
10:56:12 AM	0.01
10:57:12 AM	0.01
10:58:12 AM	0.01
10:59:12 AM	0.01
11:00:12 AM	0.011
11:01:12 AM	0.009
11:02:12 AM	0.009
11:03:12 AM	0.009
11:04:12 AM	0.01
11:05:12 AM	0.01
11:06:12 AM	0.009
11:07:12 AM	0.009
11:08:12 AM	0.01
11:09:12 AM	0.013
11:10:12 AM	0.01
11:11:12 AM	0.01
11:12:12 AM	0.011
11:13:12 AM	0.01
11:14:12 AM	0.009
11:15:12 AM	0.01
11:16:12 AM	0.011
11:17:12 AM	0.015
11:18:12 AM	0.011
11:19:12 AM	0.012
11:20:12 AM	0.016
11:21:12 AM	0.012
11:22:12 AM	0.015
11:23:12 AM	0.011
11:24:12 AM	0.009

11:25:12 AM	0.011
11:26:12 AM	0.011
11:27:12 AM	0.009
11:28:12 AM	0.01
11:29:12 AM	0.011
11:30:12 AM	0.01
11:31:12 AM	0.012
11:32:12 AM	0.01
11:33:12 AM	0.009
11:34:12 AM	0.008
11:35:12 AM	0.009
11:36:12 AM	0.01
11:37:12 AM	0.012
11:38:12 AM	0.01
11:39:12 AM	0.011
11:40:12 AM	0.011
11:41:12 AM	0.011
11:42:12 AM	0.011
11:43:12 AM	0.012
11:44:12 AM	0.013
11:45:12 AM	0.01
11:46:12 AM	0.01
11:47:12 AM	0.01
11:48:12 AM	0.011
11:49:12 AM	0.011
11:50:12 AM	0.01
11:51:12 AM	0.009
11:52:12 AM	0.009
11:53:12 AM	0.012
11:54:12 AM	0.012
11:55:12 AM	0.018
11:56:12 AM	0.015
11:57:12 AM	0.014
11:58:12 AM	0.013
11:59:12 AM	0.012
12:00:12 PM	0.01
12:01:12 PM	0.011
12:02:12 PM	0.01
12:03:12 PM	0.008
12:04:12 PM	0.008
12:05:12 PM	0.009
12:06:12 PM	0.013
12:07:12 PM	0.011
12:08:12 PM	0.009

12:09:12 PM	0.009
12:10:12 PM	0.009
12:11:12 PM	0.009
12:12:12 PM	0.009
12:13:12 PM	0.154
12:14:12 PM	0.013
12:15:12 PM	0.014
12:16:12 PM	0.024
12:17:12 PM	0.019
12:18:12 PM	0.012
12:19:12 PM	0.016
12:20:12 PM	0.013
12:21:12 PM	0.015
12:22:12 PM	0.018
12:23:12 PM	0.027
12:24:12 PM	0.027
12:25:12 PM	0.017
12:26:12 PM	0.015
12:27:12 PM	0.015
12:28:12 PM	0.013
12:29:12 PM	0.01
12:30:12 PM	0.011
12:31:12 PM	0.013
12:32:12 PM	0.013
12:33:12 PM	0.014
12:34:12 PM	0.011
12:35:12 PM	0.033
12:36:12 PM	0.028
12:37:12 PM	0.014
12:38:12 PM	0.014
12:39:12 PM	0.016
12:40:12 PM	0.01
12:41:12 PM	0.01
12:42:12 PM	0.011
12:43:12 PM	0.01
12:44:12 PM	0.011
12:45:12 PM	0.008
12:46:12 PM	0.011
12:47:12 PM	0.009
12:48:12 PM	0.009
12:49:12 PM	0.017
12:50:12 PM	0.009
12:51:12 PM	0.013
12:52:12 PM	0.013

12:53:12 PM	0.013
12:54:12 PM	0.016
12:55:12 PM	0.01
12:56:12 PM	0.008
12:57:12 PM	0.008
12:58:12 PM	0.007
12:59:12 PM	0.008
1:00:12 PM	0.013
1:01:12 PM	0.014
1:02:12 PM	0.01
1:03:12 PM	0.009
1:04:12 PM	0.013
1:05:12 PM	0.007
1:06:12 PM	0.006
1:07:12 PM	0.008
1:08:12 PM	0.008
1:09:12 PM	0.007
1:10:12 PM	0.008
1:11:12 PM	0.008
1:12:12 PM	0.008
1:13:12 PM	0.007
1:14:12 PM	0.008
1:15:12 PM	0.007
1:16:12 PM	0.007
1:17:12 PM	0.006
1:18:12 PM	0.007
1:19:12 PM	0.019
1:20:12 PM	0.011
1:21:12 PM	0.022
1:22:12 PM	0.011
1:23:12 PM	0.009
1:24:12 PM	0.009
1:25:12 PM	0.013
1:26:12 PM	0.014
1:27:12 PM	0.02
1:28:12 PM	0.011
1:29:12 PM	0.009
1:30:12 PM	0.01
1:31:12 PM	0.022
1:32:12 PM	0.013
1:33:12 PM	0.007
1:34:12 PM	0.008
1:35:12 PM	0.008
1:36:12 PM	0.009

1:37:12 PM	0.011
1:38:12 PM	0.007
1:39:12 PM	0.008
1:40:12 PM	0.009
1:41:12 PM	0.011
1:42:12 PM	0.015
1:43:12 PM	0.008
1:44:12 PM	0.008
1:45:12 PM	0.01
1:46:12 PM	0.011
1:47:12 PM	0.008
1:48:12 PM	0.006
1:49:12 PM	0.008
1:50:12 PM	0.013
1:51:12 PM	0.012
1:52:12 PM	0.011
1:53:12 PM	0.011
1:54:12 PM	0.008
1:55:12 PM	0.008
1:56:12 PM	0.009
1:57:12 PM	0.015
1:58:12 PM	0.011
1:59:12 PM	0.012
2:00:12 PM	0.009
2:01:12 PM	0.011
2:02:12 PM	0.008
2:03:12 PM	0.006
2:04:12 PM	0.008
2:05:12 PM	0.022
2:06:12 PM	0.016
2:07:12 PM	0.019
2:08:12 PM	0.013
2:09:12 PM	0.011
2:10:12 PM	0.012
2:11:12 PM	0.031
2:12:12 PM	0.036
2:13:12 PM	0.019
2:14:12 PM	0.011
2:15:12 PM	0.013
2:16:12 PM	0.009
2:17:12 PM	0.01
2:18:12 PM	0.009
2:19:12 PM	0.016
2:20:12 PM	0.017

2:21:12 PM	0.017
2:22:12 PM	0.016
2:23:12 PM	0.011
2:24:12 PM	0.011
2:25:12 PM	0.01
2:26:12 PM	0.012
2:27:12 PM	0.01
2:28:12 PM	0.013
2:29:12 PM	0.01
2:30:12 PM	0.01
2:31:12 PM	0.01
2:32:12 PM	0.014
2:33:12 PM	0.01
2:34:12 PM	0.01
2:35:12 PM	0.012
2:36:12 PM	0.013
2:37:12 PM	0.01
2:38:12 PM	0.01
2:39:12 PM	0.028
2:40:12 PM	0.062
2:41:12 PM	0.026
2:42:12 PM	0.018
2:43:12 PM	0.012
2:44:12 PM	0.014
2:45:12 PM	0.014
2:46:12 PM	0.012
2:47:12 PM	0.012
2:48:12 PM	0.01
2:49:12 PM	0.017
2:50:12 PM	0.018
2:51:12 PM	0.013
2:52:12 PM	0.014
2:53:12 PM	0.041
2:54:12 PM	0.039
2:55:12 PM	0.014
2:56:12 PM	0.013
2:57:12 PM	0.011
2:58:12 PM	0.012
2:59:12 PM	0.009
3:00:12 PM	0.042
3:01:12 PM	0.013
3:02:12 PM	0.014
3:03:12 PM	0.01
3:04:12 PM	0.01

3:05:12 PM	0.009
3:06:12 PM	0.017

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/3/2024 15:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 15:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.1

592-600853	5/3/2024 14:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:28	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:27	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:26	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	14:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	14:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	14:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	14:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/3/2024	13:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	13:01	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024 9:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 9:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:53	Readings	PID	SC23030449A8	Normal	0.3
592-600853	5/3/2024 8:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024 8:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024	8:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	8:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:33	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	7:31	Readings	PID	SC23030449A8	Normal	0.1

592-600853	5/3/2024	7:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:28	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:27	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:26	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:26	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	7:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	7:18	Readings	PID	SC23030449A8	Normal	0

592-600853	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0.1

592-600853	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0.1

592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0.2

592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0

592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:51	Readings	PID	SC23030449A8	Normal	0

592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:48	Readings	PID	SC23030449A8	Normal	0

592-600853	5/3/2024 6:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024 6:45	Readings	PID	SC23030449A8	Normal	0

592-600853	5/3/2024	6:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0.2
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0.1

592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0.1
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8	Normal	0
592-600853	5/3/2024	6:41	CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530172401
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_001
Test Start Time	6:48:06 AM
Test Start Date	5/2/2024
Test Length [D:H:M]	0:09:09
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.041
Mass Minimum [mg/m3]	0.017
Mass Maximum [mg/m3]	0.159
Mass TWA [mg/m3]	0.04
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	549

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48:06 AM	0.159		
6:49:06 AM	0.021		
6:50:06 AM	0.02		
6:51:06 AM	0.021		
6:52:06 AM	0.019		
6:53:06 AM	0.021		
6:54:06 AM	0.021		
6:55:06 AM	0.019		
6:56:06 AM	0.021		
6:57:06 AM	0.023		
6:58:06 AM	0.021		
6:59:06 AM	0.023		
7:00:06 AM	0.02		
7:01:06 AM	0.019		
7:02:06 AM	0.024		
7:03:06 AM	0.024		
7:04:06 AM	0.019		
7:05:06 AM	0.021		
7:06:06 AM	0.021		
7:07:06 AM	0.021		
7:08:06 AM	0.02		
7:09:06 AM	0.021		
7:10:06 AM	0.02		
7:11:06 AM	0.021		

7:12:06 AM	0.022
7:13:06 AM	0.02
7:14:06 AM	0.019
7:15:06 AM	0.018
7:16:06 AM	0.017
7:17:06 AM	0.027
7:18:06 AM	0.027
7:19:06 AM	0.022
7:20:06 AM	0.021
7:21:06 AM	0.03
7:22:06 AM	0.024
7:23:06 AM	0.023
7:24:06 AM	0.024
7:25:06 AM	0.022
7:26:06 AM	0.021
7:27:06 AM	0.019
7:28:06 AM	0.024
7:29:06 AM	0.027
7:30:06 AM	0.026
7:31:06 AM	0.064
7:32:06 AM	0.042
7:33:06 AM	0.028
7:34:06 AM	0.02
7:35:06 AM	0.025
7:36:06 AM	0.021
7:37:06 AM	0.025
7:38:06 AM	0.019
7:39:06 AM	0.022
7:40:06 AM	0.025
7:41:06 AM	0.026
7:42:06 AM	0.021
7:43:06 AM	0.021
7:44:06 AM	0.021
7:45:06 AM	0.021
7:46:06 AM	0.027
7:47:06 AM	0.028
7:48:06 AM	0.026
7:49:06 AM	0.022
7:50:06 AM	0.022
7:51:06 AM	0.022
7:52:06 AM	0.021
7:53:06 AM	0.029
7:54:06 AM	0.025
7:55:06 AM	0.022

7:56:06 AM	0.022
7:57:06 AM	0.028
7:58:06 AM	0.028
7:59:06 AM	0.02
8:00:06 AM	0.02
8:01:06 AM	0.021
8:02:06 AM	0.02
8:03:06 AM	0.021
8:04:06 AM	0.023
8:05:06 AM	0.024
8:06:06 AM	0.022
8:07:06 AM	0.02
8:08:06 AM	0.02
8:09:06 AM	0.02
8:10:06 AM	0.022
8:11:06 AM	0.022
8:12:06 AM	0.02
8:13:06 AM	0.032
8:14:06 AM	0.081
8:15:06 AM	0.025
8:16:06 AM	0.032
8:17:06 AM	0.053
8:18:06 AM	0.049
8:19:06 AM	0.025
8:20:06 AM	0.023
8:21:06 AM	0.023
8:22:06 AM	0.022
8:23:06 AM	0.02
8:24:06 AM	0.022
8:25:06 AM	0.032
8:26:06 AM	0.023
8:27:06 AM	0.024
8:28:06 AM	0.024
8:29:06 AM	0.024
8:30:06 AM	0.023
8:31:06 AM	0.021
8:32:06 AM	0.022
8:33:06 AM	0.027
8:34:06 AM	0.022
8:35:06 AM	0.06
8:36:06 AM	0.061
8:37:06 AM	0.027
8:38:06 AM	0.025
8:39:06 AM	0.022

8:40:06 AM	0.024
8:41:06 AM	0.023
8:42:06 AM	0.023
8:43:06 AM	0.023
8:44:06 AM	0.027
8:45:06 AM	0.027
8:46:06 AM	0.028
8:47:06 AM	0.028
8:48:06 AM	0.027
8:49:06 AM	0.028
8:50:06 AM	0.027
8:51:06 AM	0.026
8:52:06 AM	0.051
8:53:06 AM	0.028
8:54:06 AM	0.026
8:55:06 AM	0.027
8:56:06 AM	0.079
8:57:06 AM	0.031
8:58:06 AM	0.027
8:59:06 AM	0.027
9:00:06 AM	0.027
9:01:06 AM	0.026
9:02:06 AM	0.027
9:03:06 AM	0.028
9:04:06 AM	0.029
9:05:06 AM	0.027
9:06:06 AM	0.026
9:07:06 AM	0.026
9:08:06 AM	0.026
9:09:06 AM	0.029
9:10:06 AM	0.05
9:11:06 AM	0.126
9:12:06 AM	0.099
9:13:06 AM	0.033
9:14:06 AM	0.028
9:15:06 AM	0.03
9:16:06 AM	0.031
9:17:06 AM	0.029
9:18:06 AM	0.032
9:19:06 AM	0.035
9:20:06 AM	0.03
9:21:06 AM	0.028
9:22:06 AM	0.028
9:23:06 AM	0.03

9:24:06 AM	0.028
9:25:06 AM	0.034
9:26:06 AM	0.029
9:27:06 AM	0.031
9:28:06 AM	0.029
9:29:06 AM	0.027
9:30:06 AM	0.03
9:31:06 AM	0.035
9:32:06 AM	0.03
9:33:06 AM	0.03
9:34:06 AM	0.045
9:35:06 AM	0.033
9:36:06 AM	0.032
9:37:06 AM	0.031
9:38:06 AM	0.034
9:39:06 AM	0.035
9:40:06 AM	0.031
9:41:06 AM	0.037
9:42:06 AM	0.032
9:43:06 AM	0.03
9:44:06 AM	0.035
9:45:06 AM	0.035
9:46:06 AM	0.035
9:47:06 AM	0.034
9:48:06 AM	0.035
9:49:06 AM	0.033
9:50:06 AM	0.034
9:51:06 AM	0.033
9:52:06 AM	0.042
9:53:06 AM	0.038
9:54:06 AM	0.034
9:55:06 AM	0.033
9:56:06 AM	0.034
9:57:06 AM	0.033
9:58:06 AM	0.032
9:59:06 AM	0.033
10:00:06 AM	0.033
10:01:06 AM	0.035
10:02:06 AM	0.034
10:03:06 AM	0.034
10:04:06 AM	0.035
10:05:06 AM	0.035
10:06:06 AM	0.034
10:07:06 AM	0.034

10:08:06 AM	0.035
10:09:06 AM	0.035
10:10:06 AM	0.036
10:11:06 AM	0.036
10:12:06 AM	0.036
10:13:06 AM	0.036
10:14:06 AM	0.038
10:15:06 AM	0.037
10:16:06 AM	0.036
10:17:06 AM	0.036
10:18:06 AM	0.037
10:19:06 AM	0.038
10:20:06 AM	0.038
10:21:06 AM	0.039
10:22:06 AM	0.038
10:23:06 AM	0.038
10:24:06 AM	0.038
10:25:06 AM	0.039
10:26:06 AM	0.041
10:27:06 AM	0.04
10:28:06 AM	0.043
10:29:06 AM	0.042
10:30:06 AM	0.04
10:31:06 AM	0.041
10:32:06 AM	0.042
10:33:06 AM	0.041
10:34:06 AM	0.042
10:35:06 AM	0.055
10:36:06 AM	0.07
10:37:06 AM	0.044
10:38:06 AM	0.043
10:39:06 AM	0.041
10:40:06 AM	0.042
10:41:06 AM	0.044
10:42:06 AM	0.052
10:43:06 AM	0.046
10:44:06 AM	0.043
10:45:06 AM	0.046
10:46:06 AM	0.043
10:47:06 AM	0.045
10:48:06 AM	0.056
10:49:06 AM	0.048
10:50:06 AM	0.065
10:51:06 AM	0.071

10:52:06 AM	0.07
10:53:06 AM	0.051
10:54:06 AM	0.056
10:55:06 AM	0.05
10:56:06 AM	0.046
10:57:06 AM	0.049
10:58:06 AM	0.047
10:59:06 AM	0.046
11:00:06 AM	0.047
11:01:06 AM	0.048
11:02:06 AM	0.049
11:03:06 AM	0.046
11:04:06 AM	0.049
11:05:06 AM	0.053
11:06:06 AM	0.049
11:07:06 AM	0.059
11:08:06 AM	0.049
11:09:06 AM	0.071
11:10:06 AM	0.076
11:11:06 AM	0.05
11:12:06 AM	0.052
11:13:06 AM	0.064
11:14:06 AM	0.091
11:15:06 AM	0.063
11:16:06 AM	0.054
11:17:06 AM	0.058
11:18:06 AM	0.057
11:19:06 AM	0.052
11:20:06 AM	0.053
11:21:06 AM	0.053
11:22:06 AM	0.056
11:23:06 AM	0.06
11:24:06 AM	0.054
11:25:06 AM	0.052
11:26:06 AM	0.052
11:27:06 AM	0.053
11:28:06 AM	0.052
11:29:06 AM	0.051
11:30:06 AM	0.053
11:31:06 AM	0.052
11:32:06 AM	0.052
11:33:06 AM	0.053
11:34:06 AM	0.053
11:35:06 AM	0.055

11:36:06 AM	0.059
11:37:06 AM	0.067
11:38:06 AM	0.066
11:39:06 AM	0.059
11:40:06 AM	0.058
11:41:06 AM	0.056
11:42:06 AM	0.072
11:43:06 AM	0.064
11:44:06 AM	0.08
11:45:06 AM	0.059
11:46:06 AM	0.055
11:47:06 AM	0.07
11:48:06 AM	0.055
11:49:06 AM	0.055
11:50:06 AM	0.078
11:51:06 AM	0.058
11:52:06 AM	0.054
11:53:06 AM	0.051
11:54:06 AM	0.053
11:55:06 AM	0.052
11:56:06 AM	0.06
11:57:06 AM	0.052
11:58:06 AM	0.052
11:59:06 AM	0.052
12:00:06 PM	0.052
12:01:06 PM	0.057
12:02:06 PM	0.055
12:03:06 PM	0.055
12:04:06 PM	0.056
12:05:06 PM	0.055
12:06:06 PM	0.055
12:07:06 PM	0.051
12:08:06 PM	0.05
12:09:06 PM	0.048
12:10:06 PM	0.047
12:11:06 PM	0.048
12:12:06 PM	0.052
12:13:06 PM	0.055
12:14:06 PM	0.046
12:15:06 PM	0.046
12:16:06 PM	0.047
12:17:06 PM	0.054
12:18:06 PM	0.05
12:19:06 PM	0.05

12:20:06 PM	0.049
12:21:06 PM	0.047
12:22:06 PM	0.045
12:23:06 PM	0.044
12:24:06 PM	0.054
12:25:06 PM	0.075
12:26:06 PM	0.055
12:27:06 PM	0.044
12:28:06 PM	0.043
12:29:06 PM	0.042
12:30:06 PM	0.043
12:31:06 PM	0.043
12:32:06 PM	0.043
12:33:06 PM	0.05
12:34:06 PM	0.044
12:35:06 PM	0.042
12:36:06 PM	0.044
12:37:06 PM	0.046
12:38:06 PM	0.044
12:39:06 PM	0.045
12:40:06 PM	0.042
12:41:06 PM	0.048
12:42:06 PM	0.046
12:43:06 PM	0.042
12:44:06 PM	0.04
12:45:06 PM	0.04
12:46:06 PM	0.09
12:47:06 PM	0.047
12:48:06 PM	0.046
12:49:06 PM	0.049
12:50:06 PM	0.056
12:51:06 PM	0.059
12:52:06 PM	0.04
12:53:06 PM	0.039
12:54:06 PM	0.05
12:55:06 PM	0.053
12:56:06 PM	0.04
12:57:06 PM	0.041
12:58:06 PM	0.041
12:59:06 PM	0.041
1:00:06 PM	0.043
1:01:06 PM	0.046
1:02:06 PM	0.041
1:03:06 PM	0.041

1:04:06 PM	0.042
1:05:06 PM	0.041
1:06:06 PM	0.041
1:07:06 PM	0.04
1:08:06 PM	0.042
1:09:06 PM	0.042
1:10:06 PM	0.08
1:11:06 PM	0.043
1:12:06 PM	0.042
1:13:06 PM	0.042
1:14:06 PM	0.042
1:15:06 PM	0.049
1:16:06 PM	0.045
1:17:06 PM	0.04
1:18:06 PM	0.04
1:19:06 PM	0.041
1:20:06 PM	0.043
1:21:06 PM	0.042
1:22:06 PM	0.044
1:23:06 PM	0.041
1:24:06 PM	0.041
1:25:06 PM	0.042
1:26:06 PM	0.042
1:27:06 PM	0.043
1:28:06 PM	0.044
1:29:06 PM	0.043
1:30:06 PM	0.046
1:31:06 PM	0.042
1:32:06 PM	0.043
1:33:06 PM	0.042
1:34:06 PM	0.044
1:35:06 PM	0.043
1:36:06 PM	0.044
1:37:06 PM	0.045
1:38:06 PM	0.043
1:39:06 PM	0.045
1:40:06 PM	0.043
1:41:06 PM	0.043
1:42:06 PM	0.043
1:43:06 PM	0.044
1:44:06 PM	0.044
1:45:06 PM	0.044
1:46:06 PM	0.045
1:47:06 PM	0.043

1:48:06 PM	0.043
1:49:06 PM	0.045
1:50:06 PM	0.044
1:51:06 PM	0.047
1:52:06 PM	0.046
1:53:06 PM	0.044
1:54:06 PM	0.043
1:55:06 PM	0.044
1:56:06 PM	0.044
1:57:06 PM	0.044
1:58:06 PM	0.043
1:59:06 PM	0.044
2:00:06 PM	0.045
2:01:06 PM	0.066
2:02:06 PM	0.044
2:03:06 PM	0.05
2:04:06 PM	0.042
2:05:06 PM	0.048
2:06:06 PM	0.043
2:07:06 PM	0.043
2:08:06 PM	0.044
2:09:06 PM	0.057
2:10:06 PM	0.049
2:11:06 PM	0.043
2:12:06 PM	0.042
2:13:06 PM	0.042
2:14:06 PM	0.042
2:15:06 PM	0.043
2:16:06 PM	0.042
2:17:06 PM	0.046
2:18:06 PM	0.043
2:19:06 PM	0.06
2:20:06 PM	0.039
2:21:06 PM	0.04
2:22:06 PM	0.042
2:23:06 PM	0.039
2:24:06 PM	0.039
2:25:06 PM	0.039
2:26:06 PM	0.042
2:27:06 PM	0.058
2:28:06 PM	0.054
2:29:06 PM	0.044
2:30:06 PM	0.04
2:31:06 PM	0.038

2:32:06 PM	0.038
2:33:06 PM	0.041
2:34:06 PM	0.039
2:35:06 PM	0.039
2:36:06 PM	0.041
2:37:06 PM	0.07
2:38:06 PM	0.075
2:39:06 PM	0.045
2:40:06 PM	0.047
2:41:06 PM	0.046
2:42:06 PM	0.044
2:43:06 PM	0.044
2:44:06 PM	0.042
2:45:06 PM	0.044
2:46:06 PM	0.047
2:47:06 PM	0.04
2:48:06 PM	0.041
2:49:06 PM	0.041
2:50:06 PM	0.058
2:51:06 PM	0.047
2:52:06 PM	0.048
2:53:06 PM	0.042
2:54:06 PM	0.038
2:55:06 PM	0.039
2:56:06 PM	0.039
2:57:06 PM	0.042
2:58:06 PM	0.037
2:59:06 PM	0.038
3:00:06 PM	0.038
3:01:06 PM	0.038
3:02:06 PM	0.04
3:03:06 PM	0.043
3:04:06 PM	0.041
3:05:06 PM	0.04
3:06:06 PM	0.039
3:07:06 PM	0.04
3:08:06 PM	0.041
3:09:06 PM	0.054
3:10:06 PM	0.052
3:11:06 PM	0.039
3:12:06 PM	0.039
3:13:06 PM	0.04
3:14:06 PM	0.041
3:15:06 PM	0.046

3:16:06 PM	0.046
3:17:06 PM	0.04
3:18:06 PM	0.04
3:19:06 PM	0.04
3:20:06 PM	0.041
3:21:06 PM	0.041
3:22:06 PM	0.04
3:23:06 PM	0.04
3:24:06 PM	0.04
3:25:06 PM	0.04
3:26:06 PM	0.04
3:27:06 PM	0.044
3:28:06 PM	0.04
3:29:06 PM	0.04
3:30:06 PM	0.048
3:31:06 PM	0.041
3:32:06 PM	0.04
3:33:06 PM	0.039
3:34:06 PM	0.039
3:35:06 PM	0.04
3:36:06 PM	0.042
3:37:06 PM	0.041
3:38:06 PM	0.041
3:39:06 PM	0.047
3:40:06 PM	0.044
3:41:06 PM	0.042
3:42:06 PM	0.041
3:43:06 PM	0.051
3:44:06 PM	0.043
3:45:06 PM	0.043
3:46:06 PM	0.04
3:47:06 PM	0.041
3:48:06 PM	0.042
3:49:06 PM	0.043
3:50:06 PM	0.04
3:51:06 PM	0.04
3:52:06 PM	0.04
3:53:06 PM	0.049
3:54:06 PM	0.044
3:55:06 PM	0.04
3:56:06 PM	0.041

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading	
592-908641	5/3/2024 15:14	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:13	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:12	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:11	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:10	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:09	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:08	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:07	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:06	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:05	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:04	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:03	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:02	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:01	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 15:00	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:59	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:58	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:57	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:56	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:55	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:54	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:53	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:52	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:51	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:50	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:49	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:48	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:47	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:46	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:45	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:44	Readings	PID	SC23030124AA	Normal		0
592-908641	5/3/2024 14:43	Readings	PID	SC23030124AA	Normal		0

592-908641	5/3/2024 14:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:10	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 14:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 14:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:37	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 13:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:04	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 13:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 13:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 12:31	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024	12:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	12:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:58	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024	11:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:25	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024	11:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	11:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	10:52	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 10:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:19	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 10:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 9:46	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024	9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:13	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024	9:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	9:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	8:40	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 8:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:07	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 8:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 8:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:34	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024 7:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024 7:01	Readings	PID	SC23030124AA	Normal	0

592-908641	5/3/2024	7:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/3/2024	6:50	CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	6:50:29 AM
Test Start Date	5/3/2024
Test Length [D:H:M]	0:08:21
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.023
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.835
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	501

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50:29 AM	0.066		
6:51:29 AM	0.017		
6:52:29 AM	0.022		
6:53:29 AM	0.016		
6:54:29 AM	0.017		
6:55:29 AM	0.014		
6:56:29 AM	0.016		
6:57:29 AM	0.03		
6:58:29 AM	0.022		
6:59:29 AM	0.017		
7:00:29 AM	0.03		
7:01:29 AM	0.025		
7:02:29 AM	0.031		
7:03:29 AM	0.037		
7:04:29 AM	0.252		
7:05:29 AM	0.835		
7:06:29 AM	0.185		
7:07:29 AM	0.357		
7:08:29 AM	0.04		
7:09:29 AM	0.121		
7:10:29 AM	0.202		
7:11:29 AM	0.055		
7:12:29 AM	0.038		
7:13:29 AM	0.031		

7:14:29 AM	0.016
7:15:29 AM	0.028
7:16:29 AM	0.036
7:17:29 AM	0.015
7:18:29 AM	0.02
7:19:29 AM	0.033
7:20:29 AM	0.046
7:21:29 AM	0.074
7:22:29 AM	0.03
7:23:29 AM	0.044
7:24:29 AM	0.04
7:25:29 AM	0.046
7:26:29 AM	0.151
7:27:29 AM	0.049
7:28:29 AM	0.037
7:29:29 AM	0.03
7:30:29 AM	0.045
7:31:29 AM	0.03
7:32:29 AM	0.244
7:33:29 AM	0.263
7:34:29 AM	0.049
7:35:29 AM	0.037
7:36:29 AM	0.018
7:37:29 AM	0.034
7:38:29 AM	0.1
7:39:29 AM	0.036
7:40:29 AM	0.03
7:41:29 AM	0.025
7:42:29 AM	0.02
7:43:29 AM	0.057
7:44:29 AM	0.085
7:45:29 AM	0.028
7:46:29 AM	0.016
7:47:29 AM	0.023
7:48:29 AM	0.019
7:49:29 AM	0.019
7:50:29 AM	0.018
7:51:29 AM	0.02
7:52:29 AM	0.023
7:53:29 AM	0.016
7:54:29 AM	0.021
7:55:29 AM	0.018
7:56:29 AM	0.035
7:57:29 AM	0.115

7:58:29 AM	0.092
7:59:29 AM	0.019
8:00:29 AM	0.02
8:01:29 AM	0.018
8:02:29 AM	0.018
8:03:29 AM	0.027
8:04:29 AM	0.022
8:05:29 AM	0.053
8:06:29 AM	0.026
8:07:29 AM	0.02
8:08:29 AM	0.021
8:09:29 AM	0.019
8:10:29 AM	0.02
8:11:29 AM	0.017
8:12:29 AM	0.016
8:13:29 AM	0.016
8:14:29 AM	0.017
8:15:29 AM	0.02
8:16:29 AM	0.02
8:17:29 AM	0.019
8:18:29 AM	0.018
8:19:29 AM	0.017
8:20:29 AM	0.016
8:21:29 AM	0.016
8:22:29 AM	0.018
8:23:29 AM	0.018
8:24:29 AM	0.017
8:25:29 AM	0.019
8:26:29 AM	0.019
8:27:29 AM	0.02
8:28:29 AM	0.016
8:29:29 AM	0.016
8:30:29 AM	0.016
8:31:29 AM	0.019
8:32:29 AM	0.038
8:33:29 AM	0.038
8:34:29 AM	0.037
8:35:29 AM	0.046
8:36:29 AM	0.033
8:37:29 AM	0.053
8:38:29 AM	0.018
8:39:29 AM	0.017
8:40:29 AM	0.016
8:41:29 AM	0.018

8:42:29 AM	0.045
8:43:29 AM	0.027
8:44:29 AM	0.025
8:45:29 AM	0.036
8:46:29 AM	0.017
8:47:29 AM	0.016
8:48:29 AM	0.015
8:49:29 AM	0.019
8:50:29 AM	0.015
8:51:29 AM	0.015
8:52:29 AM	0.023
8:53:29 AM	0.016
8:54:29 AM	0.031
8:55:29 AM	0.047
8:56:29 AM	0.023
8:57:29 AM	0.02
8:58:29 AM	0.014
8:59:29 AM	0.015
9:00:29 AM	0.013
9:01:29 AM	0.015
9:02:29 AM	0.021
9:03:29 AM	0.016
9:04:29 AM	0.014
9:05:29 AM	0.017
9:06:29 AM	0.02
9:07:29 AM	0.022
9:08:29 AM	0.013
9:09:29 AM	0.028
9:10:29 AM	0.014
9:11:29 AM	0.017
9:12:29 AM	0.011
9:13:29 AM	0.012
9:14:29 AM	0.018
9:15:29 AM	0.025
9:16:29 AM	0.019
9:17:29 AM	0.02
9:18:29 AM	0.017
9:19:29 AM	0.014
9:20:29 AM	0.014
9:21:29 AM	0.013
9:22:29 AM	0.013
9:23:29 AM	0.013
9:24:29 AM	0.012
9:25:29 AM	0.012

9:26:29 AM	0.012
9:27:29 AM	0.012
9:28:29 AM	0.011
9:29:29 AM	0.011
9:30:29 AM	0.01
9:31:29 AM	0.012
9:32:29 AM	0.012
9:33:29 AM	0.012
9:34:29 AM	0.012
9:35:29 AM	0.011
9:36:29 AM	0.013
9:37:29 AM	0.012
9:38:29 AM	0.011
9:39:29 AM	0.013
9:40:29 AM	0.013
9:41:29 AM	0.016
9:42:29 AM	0.014
9:43:29 AM	0.016
9:44:29 AM	0.016
9:45:29 AM	0.016
9:46:29 AM	0.016
9:47:29 AM	0.015
9:48:29 AM	0.078
9:49:29 AM	0.019
9:50:29 AM	0.014
9:51:29 AM	0.017
9:52:29 AM	0.014
9:53:29 AM	0.012
9:54:29 AM	0.012
9:55:29 AM	0.014
9:56:29 AM	0.014
9:57:29 AM	0.012
9:58:29 AM	0.012
9:59:29 AM	0.012
10:00:29 AM	0.013
10:01:29 AM	0.011
10:02:29 AM	0.012
10:03:29 AM	0.011
10:04:29 AM	0.012
10:05:29 AM	0.012
10:06:29 AM	0.013
10:07:29 AM	0.016
10:08:29 AM	0.018
10:09:29 AM	0.018

10:10:29 AM	0.016
10:11:29 AM	0.017
10:12:29 AM	0.017
10:13:29 AM	0.016
10:14:29 AM	0.014
10:15:29 AM	0.013
10:16:29 AM	0.012
10:17:29 AM	0.015
10:18:29 AM	0.013
10:19:29 AM	0.014
10:20:29 AM	0.013
10:21:29 AM	0.013
10:22:29 AM	0.015
10:23:29 AM	0.014
10:24:29 AM	0.014
10:25:29 AM	0.014
10:26:29 AM	0.016
10:27:29 AM	0.017
10:28:29 AM	0.018
10:29:29 AM	0.027
10:30:29 AM	0.025
10:31:29 AM	0.022
10:32:29 AM	0.023
10:33:29 AM	0.018
10:34:29 AM	0.013
10:35:29 AM	0.015
10:36:29 AM	0.019
10:37:29 AM	0.019
10:38:29 AM	0.017
10:39:29 AM	0.012
10:40:29 AM	0.014
10:41:29 AM	0.014
10:42:29 AM	0.02
10:43:29 AM	0.019
10:44:29 AM	0.025
10:45:29 AM	0.012
10:46:29 AM	0.011
10:47:29 AM	0.012
10:48:29 AM	0.013
10:49:29 AM	0.015
10:50:29 AM	0.013
10:51:29 AM	0.013
10:52:29 AM	0.015
10:53:29 AM	0.012

10:54:29 AM	0.011
10:55:29 AM	0.012
10:56:29 AM	0.012
10:57:29 AM	0.011
10:58:29 AM	0.011
10:59:29 AM	0.01
11:00:29 AM	0.01
11:01:29 AM	0.011
11:02:29 AM	0.011
11:03:29 AM	0.013
11:04:29 AM	0.015
11:05:29 AM	0.016
11:06:29 AM	0.011
11:07:29 AM	0.012
11:08:29 AM	0.013
11:09:29 AM	0.012
11:10:29 AM	0.017
11:11:29 AM	0.017
11:12:29 AM	0.014
11:13:29 AM	0.024
11:14:29 AM	0.018
11:15:29 AM	0.034
11:16:29 AM	0.011
11:17:29 AM	0.018
11:18:29 AM	0.023
11:19:29 AM	0.014
11:20:29 AM	0.011
11:21:29 AM	0.013
11:22:29 AM	0.011
11:23:29 AM	0.012
11:24:29 AM	0.028
11:25:29 AM	0.013
11:26:29 AM	0.014
11:27:29 AM	0.011
11:28:29 AM	0.01
11:29:29 AM	0.01
11:30:29 AM	0.013
11:31:29 AM	0.011
11:32:29 AM	0.011
11:33:29 AM	0.01
11:34:29 AM	0.01
11:35:29 AM	0.011
11:36:29 AM	0.014
11:37:29 AM	0.011

11:38:29 AM	0.012
11:39:29 AM	0.011
11:40:29 AM	0.011
11:41:29 AM	0.011
11:42:29 AM	0.013
11:43:29 AM	0.014
11:44:29 AM	0.023
11:45:29 AM	0.027
11:46:29 AM	0.024
11:47:29 AM	0.033
11:48:29 AM	0.017
11:49:29 AM	0.015
11:50:29 AM	0.013
11:51:29 AM	0.011
11:52:29 AM	0.023
11:53:29 AM	0.011
11:54:29 AM	0.018
11:55:29 AM	0.011
11:56:29 AM	0.015
11:57:29 AM	0.013
11:58:29 AM	0.009
11:59:29 AM	0.023
12:00:29 PM	0.03
12:01:29 PM	0.016
12:02:29 PM	0.014
12:03:29 PM	0.01
12:04:29 PM	0.009
12:05:29 PM	0.01
12:06:29 PM	0.01
12:07:29 PM	0.02
12:08:29 PM	0.01
12:09:29 PM	0.016
12:10:29 PM	0.013
12:11:29 PM	0.024
12:12:29 PM	0.032
12:13:29 PM	0.024
12:14:29 PM	0.019
12:15:29 PM	0.016
12:16:29 PM	0.01
12:17:29 PM	0.009
12:18:29 PM	0.015
12:19:29 PM	0.013
12:20:29 PM	0.016
12:21:29 PM	0.015

12:22:29 PM	0.009
12:23:29 PM	0.013
12:24:29 PM	0.01
12:25:29 PM	0.01
12:26:29 PM	0.009
12:27:29 PM	0.008
12:28:29 PM	0.01
12:29:29 PM	0.011
12:30:29 PM	0.018
12:31:29 PM	0.016
12:32:29 PM	0.013
12:33:29 PM	0.013
12:34:29 PM	0.01
12:35:29 PM	0.011
12:36:29 PM	0.01
12:37:29 PM	0.009
12:38:29 PM	0.009
12:39:29 PM	0.008
12:40:29 PM	0.009
12:41:29 PM	0.008
12:42:29 PM	0.075
12:43:29 PM	0.016
12:44:29 PM	0.011
12:45:29 PM	0.008
12:46:29 PM	0.01
12:47:29 PM	0.01
12:48:29 PM	0.009
12:49:29 PM	0.009
12:50:29 PM	0.011
12:51:29 PM	0.01
12:52:29 PM	0.009
12:53:29 PM	0.009
12:54:29 PM	0.009
12:55:29 PM	0.017
12:56:29 PM	0.012
12:57:29 PM	0.011
12:58:29 PM	0.01
12:59:29 PM	0.007
1:00:29 PM	0.009
1:01:29 PM	0.008
1:02:29 PM	0.012
1:03:29 PM	0.008
1:04:29 PM	0.071
1:05:29 PM	0.015

1:06:29 PM	0.011
1:07:29 PM	0.012
1:08:29 PM	0.018
1:09:29 PM	0.033
1:10:29 PM	0.014
1:11:29 PM	0.024
1:12:29 PM	0.014
1:13:29 PM	0.014
1:14:29 PM	0.018
1:15:29 PM	0.008
1:16:29 PM	0.007
1:17:29 PM	0.008
1:18:29 PM	0.007
1:19:29 PM	0.01
1:20:29 PM	0.009
1:21:29 PM	0.012
1:22:29 PM	0.009
1:23:29 PM	0.01
1:24:29 PM	0.016
1:25:29 PM	0.025
1:26:29 PM	0.01
1:27:29 PM	0.007
1:28:29 PM	0.008
1:29:29 PM	0.007
1:30:29 PM	0.011
1:31:29 PM	0.01
1:32:29 PM	0.01
1:33:29 PM	0.009
1:34:29 PM	0.007
1:35:29 PM	0.011
1:36:29 PM	0.009
1:37:29 PM	0.008
1:38:29 PM	0.01
1:39:29 PM	0.009
1:40:29 PM	0.011
1:41:29 PM	0.073
1:42:29 PM	0.031
1:43:29 PM	0.01
1:44:29 PM	0.018
1:45:29 PM	0.009
1:46:29 PM	0.009
1:47:29 PM	0.009
1:48:29 PM	0.148
1:49:29 PM	0.027

1:50:29 PM	0.008
1:51:29 PM	0.008
1:52:29 PM	0.009
1:53:29 PM	0.01
1:54:29 PM	0.013
1:55:29 PM	0.01
1:56:29 PM	0.013
1:57:29 PM	0.011
1:58:29 PM	0.01
1:59:29 PM	0.009
2:00:29 PM	0.021
2:01:29 PM	0.011
2:02:29 PM	0.011
2:03:29 PM	0.009
2:04:29 PM	0.008
2:05:29 PM	0.008
2:06:29 PM	0.013
2:07:29 PM	0.008
2:08:29 PM	0.009
2:09:29 PM	0.008
2:10:29 PM	0.01
2:11:29 PM	0.01
2:12:29 PM	0.016
2:13:29 PM	0.018
2:14:29 PM	0.014
2:15:29 PM	0.01
2:16:29 PM	0.014
2:17:29 PM	0.01
2:18:29 PM	0.047
2:19:29 PM	0.016
2:20:29 PM	0.01
2:21:29 PM	0.008
2:22:29 PM	0.01
2:23:29 PM	0.009
2:24:29 PM	0.009
2:25:29 PM	0.008
2:26:29 PM	0.053
2:27:29 PM	0.016
2:28:29 PM	0.014
2:29:29 PM	0.021
2:30:29 PM	0.009
2:31:29 PM	0.008
2:32:29 PM	0.008
2:33:29 PM	0.01

2:34:29 PM	0.009
2:35:29 PM	0.009
2:36:29 PM	0.009
2:37:29 PM	0.008
2:38:29 PM	0.013
2:39:29 PM	0.008
2:40:29 PM	0.007
2:41:29 PM	0.008
2:42:29 PM	0.043
2:43:29 PM	0.008
2:44:29 PM	0.008
2:45:29 PM	0.015
2:46:29 PM	0.019
2:47:29 PM	0.01
2:48:29 PM	0.008
2:49:29 PM	0.009
2:50:29 PM	0.031
2:51:29 PM	0.018
2:52:29 PM	0.012
2:53:29 PM	0.011
2:54:29 PM	0.014
2:55:29 PM	0.013
2:56:29 PM	0.026
2:57:29 PM	0.027
2:58:29 PM	0.031
2:59:29 PM	0.008
3:00:29 PM	0.007
3:01:29 PM	0.153
3:02:29 PM	0.015
3:03:29 PM	0.011
3:04:29 PM	0.008
3:05:29 PM	0.01
3:06:29 PM	0.008
3:07:29 PM	0.008
3:08:29 PM	0.008
3:09:29 PM	0.011
3:10:29 PM	0.007

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:17	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:16	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:15	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 15:14	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:14	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:14	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:13	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:12	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:11	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:10	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:09	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:08	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:08	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:08	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:07	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:06	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 15:05	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 15:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 15:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 15:05	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024	15:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:05	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:04	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:03	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:02	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:01	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	15:00	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:59	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:58	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:57	Readings	PID	SC23030602B4	Normal	1

592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:56	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:55	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:54	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:53	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:52	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:51	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:50	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:49	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:48	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:47	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:46	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:45	Readings	PID	SC23030602B4	Normal	1.4
592-602176	5/3/2024	14:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:44	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:44	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:43	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:42	Readings	PID	SC23030602B4	Normal	1.8
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:41	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:40	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:40	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:39	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:38	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:37	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:37	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:36	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:35	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:35	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:34	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:33	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:33	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:32	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:31	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:30	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:29	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:29	Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:28	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:27	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:26	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:25	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:24	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:23	Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:22	Readings	PID	SC23030602B4	Normal	1.8
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:21	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:20	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:19	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:18	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 14:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:18	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:17	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:16	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:15	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:15	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:14	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:13	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:12	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:11	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:11	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:10	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:09	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:08	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:07	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:07	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:06	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:05	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 14:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:05	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:04	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:03	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 14:03	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:02	Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 14:01	Readings	PID	SC23030602B4	Normal	1.2

592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	14:00	Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:59	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:58	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:57	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.3

592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:56	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:55	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:54	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:53	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:52	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:51	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:50	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:49	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:48	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:47	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:46	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:45	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:44	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:43	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.3

592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:42	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:41	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:40	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:39	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:38	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:37	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:36	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:35	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:34	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:33	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:32	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:31	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:30	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 13:30	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:29	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:28	Readings	PID	SC23030602B4	Normal	1

592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:27	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:26	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:25	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:24	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.4

592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:23	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:22	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:21	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:20	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:19	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:18	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:17	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:16	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:15	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:14	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:13	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:12	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:11	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:10	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:09	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:09	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:08	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:07	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:07	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:06	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:05	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:04	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:03	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:03	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:02	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 13:01	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	13:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:01	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	13:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	13:00	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:59	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 12:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:59	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:58	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:57	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:57	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:56	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:55	Readings	PID	SC23030602B4	Normal	1

592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:54	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:53	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:52	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:51	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.4

592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:50	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:49	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:48	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:47	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:46	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:45	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:44	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:44	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:44	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:43	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 12:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:42	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 12:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:42	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:42	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:41	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:40	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:39	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:38	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:37	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:36	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:35	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:34	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:33	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:32	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:31	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:30	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:29	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:28	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:27	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:26	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:25	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:24	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:24	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:23	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:22	Readings	PID	SC23030602B4	Normal	1

592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:21	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:20	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:19	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:18	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.4

592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:17	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:16	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:15	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:14	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:13	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:12	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:11	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:10	Readings	PID	SC23030602B4	Normal	1.4
592-602176	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:09	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:09	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:08	Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:07	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:07	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:06	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:05	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:04	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:03	Readings	PID	SC23030449A8	Normal	0.3

592-602176	5/3/2024 12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:03	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:03	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:02	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 12:01	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:01	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:01	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	12:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	12:00	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:59	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:58	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:57	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:56	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:55	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:54	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024	11:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:53	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:52	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:51	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:51	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:50	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:49	Readings	PID	SC23030602B4	Normal	1.1

592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:48	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:47	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:46	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:45	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.5

592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:44	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:43	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:42	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:41	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:40	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:39	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:38	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:37	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:36	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:35	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:34	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	11:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:33	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:32	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:31	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:30	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:29	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:28	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:27	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:26	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:25	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:24	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:23	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:22	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:21	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	11:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:20	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:19	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:18	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:18	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:17	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:16	Readings	PID	SC23030602B4	Normal	1

592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:15	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:14	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:13	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:12	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0.5

592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:11	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:10	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:09	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:09	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:09	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:08	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 11:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 11:07	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 11:07	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:07	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:06	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:05	Readings	PID	SC23030602B4	Normal	2.3
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:04	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:03	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:02	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:01	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	11:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	11:00	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:59	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:58	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0.2

592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:57	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:56	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:55	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:54	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:53	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:52	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:51	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:50	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:49	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:48	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	10:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:47	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:46	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:45	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:45	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:44	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:43	Readings	PID	SC23030602B4	Normal	1

592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:42	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:41	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:40	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:39	Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0.5

592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:38	Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:37	Readings	PID	SC23030602B4	Normal	1.5
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:36	Readings	PID	SC23030602B4	Normal	6.4
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:35	Readings	PID	SC23030602B4	Normal	6.3
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:34	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:33	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:32	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:31	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:30	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:29	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:28	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:27	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:26	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:25	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:24	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:23	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:22	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:21	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:20	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:19	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:18	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:17	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:16	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:15	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:14	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 10:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:14	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:13	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:12	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:12	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:11	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:10	Readings	PID	SC23030602B4	Normal	0.9

592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:09	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:08	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:07	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:06	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0.5

592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:05	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:04	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	10:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:03	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:03	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:03	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:02	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024 10:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 10:01	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 10:01	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:01	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	10:00	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:59	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:59	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:59	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:58	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:57	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:56	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:55	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:55	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:54	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:53	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:52	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:51	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:50	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:49	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:48	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:47	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:47	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:46	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:45	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:45	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:44	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:43	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:42	Readings	PID	SC23030602B4	Normal	1
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:41	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:40	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:39	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 9:39	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:38	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:37	Readings	PID	SC23030602B4	Normal	0.8

592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:36	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:35	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:34	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:33	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0.5

592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:32	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:31	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:30	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:29	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0.7
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:28	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:27	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:26	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:25	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:24	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:23	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	9:23	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:22	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0.7
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:21	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024	9:21	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:20	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	9:20	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:19	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	9:19	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:18	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	9:18	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:17	Readings	PID	SC23030449A8	Normal	1.2
592-602176	5/3/2024	9:17	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:16	Readings	PID	SC23030449A8	Normal	1.8
592-602176	5/3/2024	9:16	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:15	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:14	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:13	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:12	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:11	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:10	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:09	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	9:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:08	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:07	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	9:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:07	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 9:06	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:05	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 9:04	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 9:04	Readings	PID	SC23030602B4	Normal	0.7

592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:03	Readings	PID	SC23030449A8	Normal	0.8
592-602176	5/3/2024	9:03	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:02	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:01	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:01	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	9:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	9:00	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	8:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:59	Readings	PID	SC23030449A8	Normal	0.6

592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:59	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:58	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:58	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:57	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:56	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:56	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:55	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:55	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:55	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:55	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:54	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:54	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:53	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:52	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:51	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:50	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:49	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:49	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:48	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:47	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:46	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:45	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:44	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:43	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:42	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:41	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:40	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:39	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0.6
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:38	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:37	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:37	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:36	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:35	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:35	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:34	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:33	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:33	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:32	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:31	Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:30	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:29	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:28	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:28	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:28	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:27	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0.5

592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:26	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0.5
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:25	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:24	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:23	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:22	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:22	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:22	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:21	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:20	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:20	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:20	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:20	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:19	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:18	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:18	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:17	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:16	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:16	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:15	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:14	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:13	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:12	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:11	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0.4
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:10	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:10	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:09	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:08	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:08	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:07	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:06	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:05	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:04	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:03	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 8:02	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:02	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:01	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	8:00	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024	8:00	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:59	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024	7:58	Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:57	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:56	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:55	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:54	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0.3

592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:53	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:52	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:51	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:50	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:49	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:48	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:47	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:46	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:45	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:44	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:43	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:42	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:41	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:40	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:39	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:38	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:35	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:34	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:33	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:32	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:29	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:29	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:28	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:27	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:27	Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:26	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:25	Readings	PID	SC23030602B4	Normal	0.1

592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0.2
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:24	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:23	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:22	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0.3
592-602176	5/3/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:21	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0.1

592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:20	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:19	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:18	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:17	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:16	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:15	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:14	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:13	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:12	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:11	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:10	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:09	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:08	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:07	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:06	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:05	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:04	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:03	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:02	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:01	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 7:00	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0

592-602176	5/3/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:59	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0.1
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-602176	5/3/2024 6:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8		

592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030449A8
592-602176	5/3/2024 6:57	CONFIG	PID	SC23030602B4