

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85	X	N 8 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/08/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:30	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas Capital/KFS (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Tim Williams Equipment On Site: DustTrak (x3), PID (x3), Pile Rig
--	---

Scope of Work: Deploy three (3) CAMP stations; import loads of approved fill; ECD to continue with pile installation at south building; Capital to excavate at grid M6; KFS continues pile cap/footing and vapor barrier work in approved grids.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- Ten (10) truckloads of approved crushed limestone were imported onto site;
- Eight (8) truckloads of material were disposed of offsite to the Puresoil Jackson Facility;
- Two (2) truckloads of concrete were disposed of offsite to the PPark facility;
- Gauged depth to water at all 14 sentinel wells and at canal for de-watering purposes;
- Vapor barrier installation and footing work in grid D2 and D3, an inspection was performed to observe proper application was implemented. Refer to the Alpha Numeric Grid Map for grid locations;
- Partial excavation of grid M6 to 10' bsg, soil placed and covered by poly sheeting, grid was screened for VOCs via a PID, no exceedances were observed;
- ECD started pile installation at south building, the following piles were installed: T44, T84A, T36, T59, T22, T59, T22, P101, P106. Pile locations were verified by IEC before installation, demarcations were placed via flags on grid that are not approved for pile/foundation work;
- National Grid gas main line installation on Nevins Street sidewalk; and
- Site perimeter check was conducted at the end of the Sites activities to confirm that no soil or liquids were begin tracked offsite, a clean up of sediments on Carol Street was performed.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.042_ mg/m³ @ 07:01
- High Conditions (Upwind) – PID = _0.7_ ppm @ 12:50, Dust = _0.154_ mg/m³ @ 08:30
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 14:05, Dust = _0.636_ mg/m³ @ 11:43
- High Conditions (Downwind 2) – PID = _0.3_ ppm @ 08:54, Dust = _0.15_ mg/m³ @ 07:38

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- National Grid gas relation work to be continued;
- Replacement of filter fabric from catch basins;
- Concrete pour of footings; and
- Disposal of on-site drums (5/9/24).

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of truck
tires being
washed over
track pad.



Photo 2 –
Representative
photo of soil load
out.



Photo 3 –

Representative
photo of
excavation in grid
M6.



Photo 4 –

Representative
photo of footing
construction.



Photo 5 –

Representative photo of National grid contractors trench shoring along Nevins Street.



Photo 6 –

Representative photo of concrete load out.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	7:01:20 AM
Test Start Date	5/8/2024
Test Length [D:H:M]	0:08:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.039
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.154
Mass TWA [mg/m3]	0.04
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	512

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:01:20 AM	0.042		
7:02:20 AM	0.037		
7:03:20 AM	0.036		
7:04:20 AM	0.035		
7:05:20 AM	0.034		
7:06:20 AM	0.034		
7:07:20 AM	0.033		
7:08:20 AM	0.033		
7:09:20 AM	0.033		
7:10:20 AM	0.032		
7:11:20 AM	0.032		
7:12:20 AM	0.032		
7:13:20 AM	0.032		
7:14:20 AM	0.031		
7:15:20 AM	0.03		
7:16:20 AM	0.03		
7:17:20 AM	0.03		
7:18:20 AM	0.031		
7:19:20 AM	0.03		
7:20:20 AM	0.03		
7:21:20 AM	0.03		
7:22:20 AM	0.03		
7:23:20 AM	0.031		
7:24:20 AM	0.032		

7:25:20 AM	0.04
7:26:20 AM	0.04
7:27:20 AM	0.042
7:28:20 AM	0.038
7:29:20 AM	0.038
7:30:20 AM	0.037
7:31:20 AM	0
7:32:20 AM	0.042
7:33:20 AM	0.042
7:34:20 AM	0.042
7:35:20 AM	0.048
7:36:20 AM	0.072
7:37:20 AM	0.044
7:38:20 AM	0.038
7:39:20 AM	0.041
7:40:20 AM	0.052
7:41:20 AM	0.044
7:42:20 AM	0.06
7:43:20 AM	0.037
7:44:20 AM	0.048
7:45:20 AM	0.049
7:46:20 AM	0.039
7:47:20 AM	0.044
7:48:20 AM	0.05
7:49:20 AM	0.045
7:50:20 AM	0.051
7:51:20 AM	0.048
7:52:20 AM	0.044
7:53:20 AM	0.042
7:54:20 AM	0.041
7:55:20 AM	0.038
7:56:20 AM	0.036
7:57:20 AM	0.037
7:58:20 AM	0.038
7:59:20 AM	0.037
8:00:20 AM	0.036
8:01:20 AM	0.036
8:02:20 AM	0.037
8:03:20 AM	0.037
8:04:20 AM	0.037
8:05:20 AM	0.036
8:06:20 AM	0.037
8:07:20 AM	0.036
8:08:20 AM	0.036

8:09:20 AM	0.036
8:10:20 AM	0.036
8:11:20 AM	0.037
8:12:20 AM	0.038
8:13:20 AM	0.037
8:14:20 AM	0.036
8:15:20 AM	0.038
8:16:20 AM	0.043
8:17:20 AM	0.082
8:18:20 AM	0.055
8:19:20 AM	0.043
8:20:20 AM	0.054
8:21:20 AM	0.063
8:22:20 AM	0.052
8:23:20 AM	0.044
8:24:20 AM	0.049
8:25:20 AM	0.062
8:26:20 AM	0.053
8:27:20 AM	0.043
8:28:20 AM	0.048
8:29:20 AM	0.073
8:30:20 AM	0.154
8:31:20 AM	0.101
8:32:20 AM	0.065
8:33:20 AM	0.07
8:34:20 AM	0.046
8:35:20 AM	0.048
8:36:20 AM	0.042
8:37:20 AM	0.05
8:38:20 AM	0.049
8:39:20 AM	0.104
8:40:20 AM	0.085
8:41:20 AM	0.104
8:42:20 AM	0.108
8:43:20 AM	0.092
8:44:20 AM	0.052
8:45:20 AM	0.057
8:46:20 AM	0.044
8:47:20 AM	0.045
8:48:20 AM	0.04
8:49:20 AM	0.1
8:50:20 AM	0.076
8:51:20 AM	0.108
8:52:20 AM	0.048

8:53:20 AM	0.042
8:54:20 AM	0.033
8:55:20 AM	0.068
8:56:20 AM	0.059
8:57:20 AM	0.087
8:58:20 AM	0.119
8:59:20 AM	0.149
9:00:20 AM	0.142
9:01:20 AM	0.128
9:02:20 AM	0.08
9:03:20 AM	0.079
9:04:20 AM	0.073
9:05:20 AM	0.087
9:06:20 AM	0.055
9:07:20 AM	0.05
9:08:20 AM	0.045
9:09:20 AM	0.042
9:10:20 AM	0.041
9:11:20 AM	0.038
9:12:20 AM	0.037
9:13:20 AM	0.038
9:14:20 AM	0.036
9:15:20 AM	0.043
9:16:20 AM	0.043
9:17:20 AM	0.048
9:18:20 AM	0.042
9:19:20 AM	0.039
9:20:20 AM	0.036
9:21:20 AM	0.039
9:22:20 AM	0.051
9:23:20 AM	0.06
9:24:20 AM	0.043
9:25:20 AM	0.045
9:26:20 AM	0.059
9:27:20 AM	0.053
9:28:20 AM	0.042
9:29:20 AM	0.045
9:30:20 AM	0.055
9:31:20 AM	0.057
9:32:20 AM	0.08
9:33:20 AM	0.046
9:34:20 AM	0.04
9:35:20 AM	0.038
9:36:20 AM	0.04

9:37:20 AM	0.055
9:38:20 AM	0.048
9:39:20 AM	0.044
9:40:20 AM	0.071
9:41:20 AM	0.078
9:42:20 AM	0.114
9:43:20 AM	0.048
9:44:20 AM	0.052
9:45:20 AM	0.047
9:46:20 AM	0.043
9:47:20 AM	0.041
9:48:20 AM	0.038
9:49:20 AM	0.045
9:50:20 AM	0.056
9:51:20 AM	0.073
9:52:20 AM	0.072
9:53:20 AM	0.096
9:54:20 AM	0.076
9:55:20 AM	0.062
9:56:20 AM	0.045
9:57:20 AM	0.045
9:58:20 AM	0.046
9:59:20 AM	0.038
10:00:20 AM	0.037
10:01:20 AM	0.063
10:02:20 AM	0.058
10:03:20 AM	0.042
10:04:20 AM	0.04
10:05:20 AM	0.049
10:06:20 AM	0.064
10:07:20 AM	0.089
10:08:20 AM	0.132
10:09:20 AM	0.089
10:10:20 AM	0.061
10:11:20 AM	0.068
10:12:20 AM	0.049
10:13:20 AM	0.048
10:14:20 AM	0.044
10:15:20 AM	0.04
10:16:20 AM	0.045
10:17:20 AM	0.149
10:18:20 AM	0.099
10:19:20 AM	0.087
10:20:20 AM	0.063

10:21:20 AM	0.042
10:22:20 AM	0.04
10:23:20 AM	0.039
10:24:20 AM	0.04
10:25:20 AM	0.038
10:26:20 AM	0.038
10:27:20 AM	0.039
10:28:20 AM	0.037
10:29:20 AM	0.042
10:30:20 AM	0.038
10:31:20 AM	0.037
10:32:20 AM	0.037
10:33:20 AM	0.037
10:34:20 AM	0.039
10:35:20 AM	0.041
10:36:20 AM	0.04
10:37:20 AM	0.038
10:38:20 AM	0.036
10:39:20 AM	0.037
10:40:20 AM	0.037
10:41:20 AM	0.041
10:42:20 AM	0.042
10:43:20 AM	0.041
10:44:20 AM	0.039
10:45:20 AM	0.038
10:46:20 AM	0.038
10:47:20 AM	0.036
10:48:20 AM	0.039
10:49:20 AM	0.036
10:50:20 AM	0.037
10:51:20 AM	0.037
10:52:20 AM	0.037
10:53:20 AM	0.038
10:54:20 AM	0.036
10:55:20 AM	0.036
10:56:20 AM	0.038
10:57:20 AM	0.04
10:58:20 AM	0.04
10:59:20 AM	0.038
11:00:20 AM	0.038
11:01:20 AM	0.038
11:02:20 AM	0.039
11:03:20 AM	0.045
11:04:20 AM	0.044

11:05:20 AM	0.041
11:06:20 AM	0.042
11:07:20 AM	0.043
11:08:20 AM	0.044
11:09:20 AM	0.044
11:10:20 AM	0.047
11:11:20 AM	0.045
11:12:20 AM	0.043
11:13:20 AM	0.046
11:14:20 AM	0.043
11:15:20 AM	0.042
11:16:20 AM	0.04
11:17:20 AM	0.041
11:18:20 AM	0.048
11:19:20 AM	0.039
11:20:20 AM	0.039
11:21:20 AM	0.041
11:22:20 AM	0.043
11:23:20 AM	0.046
11:24:20 AM	0.047
11:25:20 AM	0.047
11:26:20 AM	0.044
11:27:20 AM	0.044
11:28:20 AM	0.047
11:29:20 AM	0.045
11:30:20 AM	0.041
11:31:20 AM	0.043
11:32:20 AM	0.044
11:33:20 AM	0.042
11:34:20 AM	0.04
11:35:20 AM	0.04
11:36:20 AM	0.041
11:37:20 AM	0.041
11:38:20 AM	0.041
11:39:20 AM	0.04
11:40:20 AM	0.042
11:41:20 AM	0.047
11:42:20 AM	0.045
11:43:20 AM	0.051
11:44:20 AM	0.056
11:45:20 AM	0.04
11:46:20 AM	0.046
11:47:20 AM	0.041
11:48:20 AM	0.04

11:49:20 AM	0.04
11:50:20 AM	0.042
11:51:20 AM	0.042
11:52:20 AM	0.041
11:53:20 AM	0.041
11:54:20 AM	0.044
11:55:20 AM	0.041
11:56:20 AM	0.041
11:57:20 AM	0.041
11:58:20 AM	0.04
11:59:20 AM	0.04
12:00:20 PM	0.041
12:01:20 PM	0.041
12:02:20 PM	0.046
12:03:20 PM	0.04
12:04:20 PM	0.038
12:05:20 PM	0.039
12:06:20 PM	0.04
12:07:20 PM	0.038
12:08:20 PM	0.04
12:09:20 PM	0.039
12:10:20 PM	0.039
12:11:20 PM	0.039
12:12:20 PM	0.039
12:13:20 PM	0.037
12:14:20 PM	0.04
12:15:20 PM	0.041
12:16:20 PM	0.039
12:17:20 PM	0.037
12:18:20 PM	0.034
12:19:20 PM	0.035
12:20:20 PM	0.035
12:21:20 PM	0.032
12:22:20 PM	0.033
12:23:20 PM	0.034
12:24:20 PM	0.033
12:25:20 PM	0.032
12:26:20 PM	0.033
12:27:20 PM	0.033
12:28:20 PM	0.036
12:29:20 PM	0.036
12:30:20 PM	0.034
12:31:20 PM	0.033
12:32:20 PM	0.039

12:33:20 PM	0.033
12:34:20 PM	0.032
12:35:20 PM	0.028
12:36:20 PM	0.034
12:37:20 PM	0.037
12:38:20 PM	0.046
12:39:20 PM	0.04
12:40:20 PM	0.042
12:41:20 PM	0.029
12:42:20 PM	0.029
12:43:20 PM	0.026
12:44:20 PM	0.025
12:45:20 PM	0.025
12:46:20 PM	0.025
12:47:20 PM	0.027
12:48:20 PM	0.03
12:49:20 PM	0.029
12:50:20 PM	0.026
12:51:20 PM	0.025
12:52:20 PM	0.024
12:53:20 PM	0.024
12:54:20 PM	0.024
12:55:20 PM	0.022
12:56:20 PM	0.023
12:57:20 PM	0.023
12:58:20 PM	0.022
12:59:20 PM	0.023
1:00:20 PM	0.022
1:01:20 PM	0.022
1:02:20 PM	0.021
1:03:20 PM	0.023
1:04:20 PM	0.022
1:05:20 PM	0.024
1:06:20 PM	0.025
1:07:20 PM	0.026
1:08:20 PM	0.026
1:09:20 PM	0.025
1:10:20 PM	0.022
1:11:20 PM	0.022
1:12:20 PM	0.022
1:13:20 PM	0.02
1:14:20 PM	0.021
1:15:20 PM	0.02
1:16:20 PM	0.021

1:17:20 PM	0.022
1:18:20 PM	0.024
1:19:20 PM	0.024
1:20:20 PM	0.026
1:21:20 PM	0.025
1:22:20 PM	0.024
1:23:20 PM	0.024
1:24:20 PM	0.026
1:25:20 PM	0.023
1:26:20 PM	0.025
1:27:20 PM	0.028
1:28:20 PM	0.03
1:29:20 PM	0.032
1:30:20 PM	0.026
1:31:20 PM	0.026
1:32:20 PM	0.025
1:33:20 PM	0.027
1:34:20 PM	0.027
1:35:20 PM	0.025
1:36:20 PM	0.027
1:37:20 PM	0.027
1:38:20 PM	0.026
1:39:20 PM	0.027
1:40:20 PM	0.026
1:41:20 PM	0.027
1:42:20 PM	0.025
1:43:20 PM	0.024
1:44:20 PM	0.023
1:45:20 PM	0.024
1:46:20 PM	0.025
1:47:20 PM	0.024
1:48:20 PM	0.025
1:49:20 PM	0.027
1:50:20 PM	0.027
1:51:20 PM	0.025
1:52:20 PM	0.025
1:53:20 PM	0.024
1:54:20 PM	0.025
1:55:20 PM	0.025
1:56:20 PM	0.024
1:57:20 PM	0.024
1:58:20 PM	0.023
1:59:20 PM	0.025
2:00:20 PM	0.024

2:01:20 PM	0.026
2:02:20 PM	0.023
2:03:20 PM	0.023
2:04:20 PM	0.024
2:05:20 PM	0.024
2:06:20 PM	0.024
2:07:20 PM	0.023
2:08:20 PM	0.024
2:09:20 PM	0.022
2:10:20 PM	0.023
2:11:20 PM	0.022
2:12:20 PM	0.021
2:13:20 PM	0.021
2:14:20 PM	0.02
2:15:20 PM	0.021
2:16:20 PM	0.02
2:17:20 PM	0.019
2:18:20 PM	0.02
2:19:20 PM	0.018
2:20:20 PM	0.02
2:21:20 PM	0.019
2:22:20 PM	0.018
2:23:20 PM	0.019
2:24:20 PM	0.019
2:25:20 PM	0.02
2:26:20 PM	0.021
2:27:20 PM	0.021
2:28:20 PM	0.021
2:29:20 PM	0.02
2:30:20 PM	0.02
2:31:20 PM	0.018
2:32:20 PM	0.019
2:33:20 PM	0.018
2:34:20 PM	0.021
2:35:20 PM	0.018
2:36:20 PM	0.025
2:37:20 PM	0.026
2:38:20 PM	0.021
2:39:20 PM	0.017
2:40:20 PM	0.017
2:41:20 PM	0.018
2:42:20 PM	0.017
2:43:20 PM	0.02
2:44:20 PM	0.041

2:45:20 PM	0.033
2:46:20 PM	0.021
2:47:20 PM	0.022
2:48:20 PM	0.018
2:49:20 PM	0.016
2:50:20 PM	0.015
2:51:20 PM	0.016
2:52:20 PM	0.016
2:53:20 PM	0.017
2:54:20 PM	0.015
2:55:20 PM	0.015
2:56:20 PM	0.015
2:57:20 PM	0.015
2:58:20 PM	0.014
2:59:20 PM	0.015
3:00:20 PM	0.014
3:01:20 PM	0.014
3:02:20 PM	0.014
3:03:20 PM	0.014
3:04:20 PM	0.013
3:05:20 PM	0.014
3:06:20 PM	0.014
3:07:20 PM	0.013
3:08:20 PM	0.015
3:09:20 PM	0.015
3:10:20 PM	0.015
3:11:20 PM	0.013
3:12:20 PM	0.013
3:13:20 PM	0.013
3:14:20 PM	0.016
3:15:20 PM	0.013
3:16:20 PM	0.013
3:17:20 PM	0.014
3:18:20 PM	0.014
3:19:20 PM	0.014
3:20:20 PM	0.013
3:21:20 PM	0.013
3:22:20 PM	0.013
3:23:20 PM	0.013
3:24:20 PM	0.017
3:25:20 PM	0.015
3:26:20 PM	0.015
3:27:20 PM	0.014
3:28:20 PM	0.015

3:29:20 PM	0.015
3:30:20 PM	0.016
3:31:20 PM	0.014
3:32:20 PM	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/8/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:26	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:14	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 15:12	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	5/8/2024 12:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:50 Readings	PID	SC23030449A8	Normal	0.7
592-600853	5/8/2024 12:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 12:27 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	5/8/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:42 Readings	PID	SC23030449A8	Normal	0

592-600853	5/8/2024 9:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 9:09 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

592-600853	5/8/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/8/2024 7:04 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530172401
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_005
Test Start Time	7:00:22 AM
Test Start Date	5/8/2024
Test Length [D:H:M]	0:08:37
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.048
Mass Minimum [mg/m3]	0.032
Mass Maximum [mg/m3]	0.686
Mass TWA [mg/m3]	0.049
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	517

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:00:22 AM	0.081		
7:01:22 AM	0.037		
7:02:22 AM	0.037		
7:03:22 AM	0.038		
7:04:22 AM	0.038		
7:05:22 AM	0.038		
7:06:22 AM	0.036		
7:07:22 AM	0.035		
7:08:22 AM	0.035		
7:09:22 AM	0.034		
7:10:22 AM	0.034		
7:11:22 AM	0.035		
7:12:22 AM	0.036		
7:13:22 AM	0.037		
7:14:22 AM	0.036		
7:15:22 AM	0.034		
7:16:22 AM	0.034		
7:17:22 AM	0.035		
7:18:22 AM	0.035		
7:19:22 AM	0.034		
7:20:22 AM	0.034		
7:21:22 AM	0.034		
7:22:22 AM	0.035		
7:23:22 AM	0.035		

7:24:22 AM	0.037
7:25:22 AM	0.037
7:26:22 AM	0.037
7:27:22 AM	0.037
7:28:22 AM	0.039
7:29:22 AM	0.038
7:30:22 AM	0.036
7:31:22 AM	0.037
7:32:22 AM	0.038
7:33:22 AM	0.038
7:34:22 AM	0.038
7:35:22 AM	0.039
7:36:22 AM	0.037
7:37:22 AM	0.041
7:38:22 AM	0.036
7:39:22 AM	0.038
7:40:22 AM	0.037
7:41:22 AM	0.035
7:42:22 AM	0.036
7:43:22 AM	0.038
7:44:22 AM	0.038
7:45:22 AM	0.036
7:46:22 AM	0.036
7:47:22 AM	0.035
7:48:22 AM	0.039
7:49:22 AM	0.039
7:50:22 AM	0.045
7:51:22 AM	0.051
7:52:22 AM	0.049
7:53:22 AM	0.066
7:54:22 AM	0.052
7:55:22 AM	0.051
7:56:22 AM	0.051
7:57:22 AM	0.044
7:58:22 AM	0.055
7:59:22 AM	0.068
8:00:22 AM	0.055
8:01:22 AM	0.043
8:02:22 AM	0.043
8:03:22 AM	0.041
8:04:22 AM	0.041
8:05:22 AM	0.04
8:06:22 AM	0.04
8:07:22 AM	0.04

8:08:22 AM	0.039
8:09:22 AM	0.04
8:10:22 AM	0.039
8:11:22 AM	0.04
8:12:22 AM	0.04
8:13:22 AM	0.04
8:14:22 AM	0.041
8:15:22 AM	0.043
8:16:22 AM	0.042
8:17:22 AM	0.047
8:18:22 AM	0.046
8:19:22 AM	0.045
8:20:22 AM	0.046
8:21:22 AM	0.043
8:22:22 AM	0.041
8:23:22 AM	0.043
8:24:22 AM	0.044
8:25:22 AM	0.04
8:26:22 AM	0.043
8:27:22 AM	0.045
8:28:22 AM	0.043
8:29:22 AM	0.042
8:30:22 AM	0.041
8:31:22 AM	0.041
8:32:22 AM	0.043
8:33:22 AM	0.044
8:34:22 AM	0.043
8:35:22 AM	0.041
8:36:22 AM	0.048
8:37:22 AM	0.051
8:38:22 AM	0.049
8:39:22 AM	0.044
8:40:22 AM	0.041
8:41:22 AM	0.043
8:42:22 AM	0.047
8:43:22 AM	0.04
8:44:22 AM	0.045
8:45:22 AM	0.047
8:46:22 AM	0.044
8:47:22 AM	0.04
8:48:22 AM	0.042
8:49:22 AM	0.043
8:50:22 AM	0.038
8:51:22 AM	0.04

8:52:22 AM	0.039
8:53:22 AM	0.038
8:54:22 AM	0.037
8:55:22 AM	0.037
8:56:22 AM	0.038
8:57:22 AM	0.041
8:58:22 AM	0.04
8:59:22 AM	0.038
9:00:22 AM	0.036
9:01:22 AM	0.038
9:02:22 AM	0.04
9:03:22 AM	0.05
9:04:22 AM	0.057
9:05:22 AM	0.051
9:06:22 AM	0.047
9:07:22 AM	0.04
9:08:22 AM	0.038
9:09:22 AM	0.036
9:10:22 AM	0.036
9:11:22 AM	0.036
9:12:22 AM	0.037
9:13:22 AM	0.037
9:14:22 AM	0.036
9:15:22 AM	0.036
9:16:22 AM	0.037
9:17:22 AM	0.036
9:18:22 AM	0.04
9:19:22 AM	0.039
9:20:22 AM	0.038
9:21:22 AM	0.036
9:22:22 AM	0.038
9:23:22 AM	0.038
9:24:22 AM	0.04
9:25:22 AM	0.04
9:26:22 AM	0.039
9:27:22 AM	0.041
9:28:22 AM	0.041
9:29:22 AM	0.042
9:30:22 AM	0.041
9:31:22 AM	0.042
9:32:22 AM	0.043
9:33:22 AM	0.043
9:34:22 AM	0.043
9:35:22 AM	0.044

9:36:22 AM	0.044
9:37:22 AM	0.043
9:38:22 AM	0.044
9:39:22 AM	0.046
9:40:22 AM	0.047
9:41:22 AM	0.045
9:42:22 AM	0.047
9:43:22 AM	0.044
9:44:22 AM	0.044
9:45:22 AM	0.044
9:46:22 AM	0.044
9:47:22 AM	0.046
9:48:22 AM	0.044
9:49:22 AM	0.045
9:50:22 AM	0.046
9:51:22 AM	0.049
9:52:22 AM	0.05
9:53:22 AM	0.048
9:54:22 AM	0.047
9:55:22 AM	0.046
9:56:22 AM	0.047
9:57:22 AM	0.051
9:58:22 AM	0.046
9:59:22 AM	0.049
10:00:22 AM	0.051
10:01:22 AM	0.05
10:02:22 AM	0.049
10:03:22 AM	0.049
10:04:22 AM	0.048
10:05:22 AM	0.044
10:06:22 AM	0.044
10:07:22 AM	0.044
10:08:22 AM	0.046
10:09:22 AM	0.045
10:10:22 AM	0.046
10:11:22 AM	0.044
10:12:22 AM	0.046
10:13:22 AM	0.047
10:14:22 AM	0.047
10:15:22 AM	0.048
10:16:22 AM	0.047
10:17:22 AM	0.046
10:18:22 AM	0.047
10:19:22 AM	0.059

10:20:22 AM	0.047
10:21:22 AM	0.046
10:22:22 AM	0.046
10:23:22 AM	0.045
10:24:22 AM	0.045
10:25:22 AM	0.046
10:26:22 AM	0.058
10:27:22 AM	0.048
10:28:22 AM	0.048
10:29:22 AM	0.05
10:30:22 AM	0.047
10:31:22 AM	0.046
10:32:22 AM	0.047
10:33:22 AM	0.046
10:34:22 AM	0.05
10:35:22 AM	0.051
10:36:22 AM	0.047
10:37:22 AM	0.049
10:38:22 AM	0.046
10:39:22 AM	0.047
10:40:22 AM	0.053
10:41:22 AM	0.048
10:42:22 AM	0.053
10:43:22 AM	0.165
10:44:22 AM	0.047
10:45:22 AM	0.047
10:46:22 AM	0.046
10:47:22 AM	0.049
10:48:22 AM	0.052
10:49:22 AM	0.049
10:50:22 AM	0.048
10:51:22 AM	0.049
10:52:22 AM	0.049
10:53:22 AM	0.047
10:54:22 AM	0.046
10:55:22 AM	0.048
10:56:22 AM	0.049
10:57:22 AM	0.053
10:58:22 AM	0.051
10:59:22 AM	0.05
11:00:22 AM	0.049
11:01:22 AM	0.049
11:02:22 AM	0.051
11:03:22 AM	0.055

11:04:22 AM	0.053
11:05:22 AM	0.05
11:06:22 AM	0.051
11:07:22 AM	0.053
11:08:22 AM	0.052
11:09:22 AM	0.054
11:10:22 AM	0.055
11:11:22 AM	0.054
11:12:22 AM	0.056
11:13:22 AM	0.056
11:14:22 AM	0.056
11:15:22 AM	0.058
11:16:22 AM	0.063
11:17:22 AM	0.06
11:18:22 AM	0.057
11:19:22 AM	0.061
11:20:22 AM	0.056
11:21:22 AM	0.055
11:22:22 AM	0.058
11:23:22 AM	0.06
11:24:22 AM	0.059
11:25:22 AM	0.053
11:26:22 AM	0.056
11:27:22 AM	0.056
11:28:22 AM	0.062
11:29:22 AM	0.065
11:30:22 AM	0.072
11:31:22 AM	0.062
11:32:22 AM	0.058
11:33:22 AM	0.072
11:34:22 AM	0.063
11:35:22 AM	0.059
11:36:22 AM	0.054
11:37:22 AM	0.054
11:38:22 AM	0.056
11:39:22 AM	0.066
11:40:22 AM	0.058
11:41:22 AM	0.177
11:42:22 AM	0.059
11:43:22 AM	0.686
11:44:22 AM	0.062
11:45:22 AM	0.069
11:46:22 AM	0.056
11:47:22 AM	0.056

11:48:22 AM	0.065
11:49:22 AM	0.053
11:50:22 AM	0.136
11:51:22 AM	0.086
11:52:22 AM	0.139
11:53:22 AM	0.126
11:54:22 AM	0.068
11:55:22 AM	0.062
11:56:22 AM	0.074
11:57:22 AM	0.061
11:58:22 AM	0.115
11:59:22 AM	0.123
12:00:22 PM	0.151
12:01:22 PM	0.091
12:02:22 PM	0.073
12:03:22 PM	0.07
12:04:22 PM	0.063
12:05:22 PM	0.06
12:06:22 PM	0.057
12:07:22 PM	0.054
12:08:22 PM	0.055
12:09:22 PM	0.053
12:10:22 PM	0.054
12:11:22 PM	0.055
12:12:22 PM	0.056
12:13:22 PM	0.052
12:14:22 PM	0.052
12:15:22 PM	0.052
12:16:22 PM	0.057
12:17:22 PM	0.058
12:18:22 PM	0.056
12:19:22 PM	0.057
12:20:22 PM	0.053
12:21:22 PM	0.052
12:22:22 PM	0.054
12:23:22 PM	0.055
12:24:22 PM	0.053
12:25:22 PM	0.051
12:26:22 PM	0.049
12:27:22 PM	0.05
12:28:22 PM	0.052
12:29:22 PM	0.05
12:30:22 PM	0.049
12:31:22 PM	0.051

12:32:22 PM	0.05
12:33:22 PM	0.049
12:34:22 PM	0.052
12:35:22 PM	0.055
12:36:22 PM	0.045
12:37:22 PM	0.052
12:38:22 PM	0.054
12:39:22 PM	0.048
12:40:22 PM	0.045
12:41:22 PM	0.05
12:42:22 PM	0.046
12:43:22 PM	0.045
12:44:22 PM	0.046
12:45:22 PM	0.051
12:46:22 PM	0.047
12:47:22 PM	0.044
12:48:22 PM	0.044
12:49:22 PM	0.043
12:50:22 PM	0.046
12:51:22 PM	0.047
12:52:22 PM	0.053
12:53:22 PM	0.049
12:54:22 PM	0.072
12:55:22 PM	0.248
12:56:22 PM	0.075
12:57:22 PM	0.056
12:58:22 PM	0.039
12:59:22 PM	0.044
1:00:22 PM	0.038
1:01:22 PM	0.038
1:02:22 PM	0.039
1:03:22 PM	0.038
1:04:22 PM	0.038
1:05:22 PM	0.038
1:06:22 PM	0.038
1:07:22 PM	0.039
1:08:22 PM	0.039
1:09:22 PM	0.041
1:10:22 PM	0.041
1:11:22 PM	0.043
1:12:22 PM	0.047
1:13:22 PM	0.041
1:14:22 PM	0.039
1:15:22 PM	0.038

1:16:22 PM	0.039
1:17:22 PM	0.043
1:18:22 PM	0.041
1:19:22 PM	0.039
1:20:22 PM	0.039
1:21:22 PM	0.038
1:22:22 PM	0.039
1:23:22 PM	0.042
1:24:22 PM	0.044
1:25:22 PM	0.044
1:26:22 PM	0.044
1:27:22 PM	0.043
1:28:22 PM	0.041
1:29:22 PM	0.044
1:30:22 PM	0.043
1:31:22 PM	0.043
1:32:22 PM	0.043
1:33:22 PM	0.044
1:34:22 PM	0.046
1:35:22 PM	0.046
1:36:22 PM	0.044
1:37:22 PM	0.045
1:38:22 PM	0.044
1:39:22 PM	0.047
1:40:22 PM	0.048
1:41:22 PM	0.046
1:42:22 PM	0.045
1:43:22 PM	0.045
1:44:22 PM	0.045
1:45:22 PM	0.045
1:46:22 PM	0.047
1:47:22 PM	0.055
1:48:22 PM	0.046
1:49:22 PM	0.046
1:50:22 PM	0.046
1:51:22 PM	0.045
1:52:22 PM	0.055
1:53:22 PM	0.047
1:54:22 PM	0.045
1:55:22 PM	0.047
1:56:22 PM	0.047
1:57:22 PM	0.046
1:58:22 PM	0.046
1:59:22 PM	0.046

2:00:22 PM	0.045
2:01:22 PM	0.044
2:02:22 PM	0.046
2:03:22 PM	0.043
2:04:22 PM	0.043
2:05:22 PM	0.045
2:06:22 PM	0.046
2:07:22 PM	0.044
2:08:22 PM	0.043
2:09:22 PM	0.045
2:10:22 PM	0.044
2:11:22 PM	0.043
2:12:22 PM	0.045
2:13:22 PM	0.042
2:14:22 PM	0.042
2:15:22 PM	0.046
2:16:22 PM	0.045
2:17:22 PM	0.044
2:18:22 PM	0.052
2:19:22 PM	0.042
2:20:22 PM	0.042
2:21:22 PM	0.042
2:22:22 PM	0.041
2:23:22 PM	0.039
2:24:22 PM	0.039
2:25:22 PM	0.044
2:26:22 PM	0.041
2:27:22 PM	0.042
2:28:22 PM	0.044
2:29:22 PM	0.045
2:30:22 PM	0.04
2:31:22 PM	0.039
2:32:22 PM	0.044
2:33:22 PM	0.042
2:34:22 PM	0.037
2:35:22 PM	0.038
2:36:22 PM	0.038
2:37:22 PM	0.037
2:38:22 PM	0.037
2:39:22 PM	0.036
2:40:22 PM	0.038
2:41:22 PM	0.041
2:42:22 PM	0.05
2:43:22 PM	0.042

2:44:22 PM	0.041
2:45:22 PM	0.038
2:46:22 PM	0.036
2:47:22 PM	0.04
2:48:22 PM	0.036
2:49:22 PM	0.036
2:50:22 PM	0.041
2:51:22 PM	0.036
2:52:22 PM	0.04
2:53:22 PM	0.05
2:54:22 PM	0.035
2:55:22 PM	0.036
2:56:22 PM	0.035
2:57:22 PM	0.037
2:58:22 PM	0.036
2:59:22 PM	0.037
3:00:22 PM	0.035
3:01:22 PM	0.035
3:02:22 PM	0.036
3:03:22 PM	0.034
3:04:22 PM	0.034
3:05:22 PM	0.035
3:06:22 PM	0.033
3:07:22 PM	0.034
3:08:22 PM	0.035
3:09:22 PM	0.035
3:10:22 PM	0.033
3:11:22 PM	0.035
3:12:22 PM	0.033
3:13:22 PM	0.032
3:14:22 PM	0.033
3:15:22 PM	0.032
3:16:22 PM	0.04
3:17:22 PM	0.033
3:18:22 PM	0.034
3:19:22 PM	0.034
3:20:22 PM	0.035
3:21:22 PM	0.033
3:22:22 PM	0.036
3:23:22 PM	0.035
3:24:22 PM	0.037
3:25:22 PM	0.033
3:26:22 PM	0.036
3:27:22 PM	0.038

3:28:22 PM	0.035
3:29:22 PM	0.036
3:30:22 PM	0.043
3:31:22 PM	0.037
3:32:22 PM	0.035
3:33:22 PM	0.038
3:34:22 PM	0.035
3:35:22 PM	0.035
3:36:22 PM	0.036

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/8/2024 15:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 15:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 15:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:31	Readings	PID	SC23030124AA	Normal	0

592-908641	5/8/2024 14:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:11 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:10 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:07 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/8/2024 14:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:04 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:03 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 14:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 13:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 13:58 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	5/8/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 9:34 Readings	PID	SC23030124AA	Normal	0

[illegible]

592-908641	5/8/2024 9:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 8:28 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	5/8/2024 6:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/8/2024 6:25 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_005
Test Start Time	6:57:33 AM
Test Start Date	5/8/2024
Test Length [D:H:M]	0:02:36
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.044
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.15
Mass TWA [mg/m3]	0.015
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	156

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:57:33 AM	0.147		
6:58:33 AM	0.038		
6:59:33 AM	0.04		
7:00:33 AM	0.042		
7:01:33 AM	0.042		
7:02:33 AM	0.04		
7:03:33 AM	0.04		
7:04:33 AM	0.038		
7:05:33 AM	0.038		
7:06:33 AM	0.039		
7:07:33 AM	0.041		
7:08:33 AM	0.042		
7:09:33 AM	0.041		
7:10:33 AM	0.04		
7:11:33 AM	0.041		
7:12:33 AM	0.039		
7:13:33 AM	0.039		
7:14:33 AM	0.039		
7:15:33 AM	0.036		
7:16:33 AM	0.037		
7:17:33 AM	0.038		
7:18:33 AM	0.039		
7:19:33 AM	0.039		
7:20:33 AM	0.04		

7:21:33 AM	0.043
7:22:33 AM	0.039
7:23:33 AM	0.042
7:24:33 AM	0.042
7:25:33 AM	0.039
7:26:33 AM	0.037
7:27:33 AM	0.037
7:28:33 AM	0.041
7:29:33 AM	0.04
7:30:33 AM	0.043
7:31:33 AM	0.045
7:32:33 AM	0.041
7:33:33 AM	0.037
7:34:33 AM	0.039
7:35:33 AM	0.04
7:36:33 AM	0.04
7:37:33 AM	0.041
7:38:33 AM	0.15
7:39:33 AM	0.071
7:40:33 AM	0.039
7:41:33 AM	0.053
7:42:33 AM	0.041
7:43:33 AM	0.086
7:44:33 AM	0.069
7:45:33 AM	0.056
7:46:33 AM	0.075
7:47:33 AM	0.073
7:48:33 AM	0.054
7:49:33 AM	0.062
7:50:33 AM	0.067
7:51:33 AM	0.06
7:52:33 AM	0.054
7:53:33 AM	0.046
7:54:33 AM	0.06
7:55:33 AM	0.061
7:56:33 AM	0.065
7:57:33 AM	0.052
7:58:33 AM	0.048
7:59:33 AM	0.046
8:00:33 AM	0.044
8:01:33 AM	0.044
8:02:33 AM	0.043
8:03:33 AM	0.042
8:04:33 AM	0.043

8:05:33 AM	0.044
8:06:33 AM	0.044
8:07:33 AM	0.044
8:08:33 AM	0.044
8:09:33 AM	0.043
8:10:33 AM	0.044
8:11:33 AM	0.044
8:12:33 AM	0.044
8:13:33 AM	0.05
8:14:33 AM	0.052
8:15:33 AM	0.051
8:16:33 AM	0.05
8:17:33 AM	0.047
8:18:33 AM	0.045
8:19:33 AM	0.048
8:20:33 AM	0.049
8:21:33 AM	0.047
8:22:33 AM	0.049
8:23:33 AM	0.057
8:24:33 AM	0.046
8:25:33 AM	0.045
8:26:33 AM	0.044
8:27:33 AM	0.047
8:28:33 AM	0.049
8:29:33 AM	0.047
8:30:33 AM	0.05
8:31:33 AM	0.05
8:32:33 AM	0.058
8:33:33 AM	0.062
8:34:33 AM	0.049
8:35:33 AM	0.052
8:36:33 AM	0.044
8:37:33 AM	0.045
8:38:33 AM	0.041
8:39:33 AM	0.039
8:40:33 AM	0.122
8:41:33 AM	0.066
8:42:33 AM	0.053
8:43:33 AM	0.049
8:44:33 AM	0.053
8:45:33 AM	0.05
8:46:33 AM	0.041
8:47:33 AM	0.045
8:48:33 AM	0.047

8:49:33 AM	0.082
8:50:33 AM	0.055
8:51:33 AM	0.084
8:52:33 AM	0.05
8:53:33 AM	0.045
8:54:33 AM	0.044
8:55:33 AM	0.04
8:56:33 AM	0.038
8:57:33 AM	0.041
8:58:33 AM	0.047
8:59:33 AM	0.054
9:00:33 AM	0.093
9:01:33 AM	0.058
9:02:33 AM	0.059
9:03:33 AM	0.052
9:04:33 AM	0.047
9:05:33 AM	0.055
9:06:33 AM	0.042
9:07:33 AM	0.038
9:08:33 AM	0.041
9:09:33 AM	0.041
9:10:33 AM	0.038
9:11:33 AM	0.037
9:12:33 AM	0.039
9:13:33 AM	0.038
9:14:33 AM	0.04
9:15:33 AM	0.04
9:16:33 AM	0.039
9:17:33 AM	0.04
9:18:33 AM	0.051
9:19:33 AM	0.041
9:20:33 AM	0.043
9:21:33 AM	0.04
9:22:33 AM	0.041
9:23:33 AM	0.04
9:24:33 AM	0.04
9:25:33 AM	0.04
9:26:33 AM	0.043
9:27:33 AM	0.04
9:28:33 AM	0.038
9:29:33 AM	0.041
9:30:33 AM	0.041
9:31:33 AM	0.038
9:32:33 AM	0.037

9:33:33 AM	0.039
9:34:33 AM	0.038
9:35:33 AM	0.04
9:36:33 AM	0.04
9:37:33 AM	0.039
9:38:33 AM	0.039
9:39:33 AM	0.039
9:40:33 AM	0.052
9:41:33 AM	0.067
9:42:33 AM	0.05
9:43:33 AM	0.05
9:44:33 AM	0.05
9:45:33 AM	0.044
9:46:33 AM	0.044
9:47:33 AM	0.041
9:48:33 AM	0.046
9:49:33 AM	0.055
9:50:33 AM	0.042
9:51:33 AM	0.038
9:52:33 AM	0.041
9:53:33 AM	0.041
9:54:33 AM	0.041
9:55:33 AM	0.038
9:56:33 AM	0.045
9:57:33 AM	0.044
9:58:33 AM	0.038
9:59:33 AM	0.038
10:00:33 AM	0.041
10:01:33 AM	0.047
10:02:33 AM	0.035
10:03:33 AM	0.036
10:04:33 AM	0.042
10:05:33 AM	0.041
10:06:33 AM	0.041
10:07:33 AM	0.041
10:08:33 AM	0.042
10:09:33 AM	0.044
10:10:33 AM	0.038
10:11:33 AM	0.038
10:12:33 AM	0.038
10:13:33 AM	0.041
10:14:33 AM	0.041
10:15:33 AM	0.041
10:16:33 AM	0.038

10:17:33 AM	0.05
10:18:33 AM	0.049
10:19:33 AM	0.054
10:20:33 AM	0.06
10:21:33 AM	0.063
10:22:33 AM	0.063
10:23:33 AM	0.056
10:24:33 AM	0.055
10:25:33 AM	0.051
10:26:33 AM	0.044
10:27:33 AM	0.044
10:28:33 AM	0.041
10:29:33 AM	0.039
10:30:33 AM	0.039
10:31:33 AM	0.039
10:32:33 AM	0.036
10:33:33 AM	0.037
10:34:33 AM	0.041
10:35:33 AM	0.039
10:36:33 AM	0.039
10:37:33 AM	0.041
10:38:33 AM	0.039
10:39:33 AM	0.039
10:40:33 AM	0.039
10:41:33 AM	0.036
10:42:33 AM	0.037
10:43:33 AM	0.038
10:44:33 AM	0.039
10:45:33 AM	0.039
10:46:33 AM	0.04
10:47:33 AM	0.043
10:48:33 AM	0.039
10:49:33 AM	0.042
10:50:33 AM	0.042
10:51:33 AM	0.039
10:52:33 AM	0.037
10:53:33 AM	0.037
10:54:33 AM	0.05
10:55:33 AM	0.044
10:56:33 AM	0.044
10:57:33 AM	0.039
10:58:33 AM	0.04
10:59:33 AM	0.044
11:00:33 AM	0.044

11:01:33 AM	0.044
11:02:33 AM	0.044
11:03:33 AM	0.044
11:04:33 AM	0.041
11:05:33 AM	0.039
11:06:33 AM	0.039
11:07:33 AM	0.039
11:08:33 AM	0.036
11:09:33 AM	0.037
11:10:33 AM	0.04
11:11:33 AM	0.044
11:12:33 AM	0.044
11:13:33 AM	0.044
11:14:33 AM	0.04
11:15:33 AM	0.044
11:16:33 AM	0.044
11:17:33 AM	0.044
11:18:33 AM	0.044
11:19:33 AM	0.044
11:20:33 AM	0.041
11:21:33 AM	0.036
11:22:33 AM	0.036
11:23:33 AM	0.037
11:24:33 AM	0.037
11:25:33 AM	0.05
11:26:33 AM	0.038
11:27:33 AM	0.038
11:28:33 AM	0.038
11:29:33 AM	0.039
11:30:33 AM	0.041
11:31:33 AM	0.041
11:32:33 AM	0.041
11:33:33 AM	0.04
11:34:33 AM	0.038
11:35:33 AM	0.038
11:36:33 AM	0.039
11:37:33 AM	0.041
11:38:33 AM	0.042
11:39:33 AM	0.041
11:40:33 AM	0.038
11:41:33 AM	0.038
11:42:33 AM	0.039
11:43:33 AM	0.041
11:44:33 AM	0.041

11:45:33 AM	0.041
11:46:33 AM	0.04
11:47:33 AM	0.041
11:48:33 AM	0.039
11:49:33 AM	0.039
11:50:33 AM	0.039
11:51:33 AM	0.041
11:52:33 AM	0.042
11:53:33 AM	0.041
11:54:33 AM	0.042
11:55:33 AM	0.041
11:56:33 AM	0.038
11:57:33 AM	0.044
11:58:33 AM	0.044
11:59:33 AM	0.044
12:00:33 PM	0.051
12:01:33 PM	0.05
12:02:33 PM	0.047
12:03:33 PM	0.045
12:04:33 PM	0.048
12:05:33 PM	0.049
12:06:33 PM	0.047
12:07:33 PM	0.049
12:08:33 PM	0.057
12:09:33 PM	0.046
12:10:33 PM	0.045
12:11:33 PM	0.044
12:12:33 PM	0.047
12:13:33 PM	0.047
12:14:33 PM	0.042
12:15:33 PM	0.041
12:16:33 PM	0.047
12:17:33 PM	0.044
12:18:33 PM	0.044
12:19:33 PM	0.044
12:20:33 PM	0.051
12:21:33 PM	0.044
12:22:33 PM	0.044
12:23:33 PM	0.051
12:24:33 PM	0.05
12:25:33 PM	0.049
12:26:33 PM	0.047
12:27:33 PM	0.049
12:28:33 PM	0.057

12:29:33 PM	0.046
12:30:33 PM	0.045
12:31:33 PM	0.044
12:32:33 PM	0.047
12:33:33 PM	0.049
12:34:33 PM	0.066
12:35:33 PM	0.053
12:36:33 PM	0.049
12:37:33 PM	0.053
12:38:33 PM	0.05
12:39:33 PM	0.041
12:40:33 PM	0.045
12:41:33 PM	0.047
12:42:33 PM	0.066
12:43:33 PM	0.05
12:44:33 PM	0.05
12:45:33 PM	0.05
12:46:33 PM	0.049
12:47:33 PM	0.049
12:48:33 PM	0.046
12:49:33 PM	0.045
12:50:33 PM	0.044
12:51:33 PM	0.045
12:52:33 PM	0.045
12:53:33 PM	0.051
12:54:33 PM	0.045
12:55:33 PM	0.047
12:56:33 PM	0.045
12:57:33 PM	0.048
12:58:33 PM	0.049
12:59:33 PM	0.047
1:00:33 PM	0.049
1:01:33 PM	0.057
1:02:33 PM	0.046
1:03:33 PM	0.044
1:04:33 PM	0.051
1:05:33 PM	0.05
1:06:33 PM	0.047
1:07:33 PM	0.045
1:08:33 PM	0.045
1:09:33 PM	0.049
1:10:33 PM	0.047
1:11:33 PM	0.049
1:12:33 PM	0.057

1:13:33 PM	0.046
1:14:33 PM	0.044
1:15:33 PM	0.051
1:16:33 PM	0.05
1:17:33 PM	0.047
1:18:33 PM	0.045
1:19:33 PM	0.048
1:20:33 PM	0.041
1:21:33 PM	0.047
1:22:33 PM	0.049
1:23:33 PM	0.057
1:24:33 PM	0.041
1:25:33 PM	0.044
1:26:33 PM	0.041
1:27:33 PM	0.041
1:28:33 PM	0.041
1:29:33 PM	0.044
1:30:33 PM	0.051
1:31:33 PM	0.05
1:32:33 PM	0.047
1:33:33 PM	0.045
1:34:33 PM	0.041
1:35:33 PM	0.044
1:36:33 PM	0.047
1:37:33 PM	0.049
1:38:33 PM	0.057
1:39:33 PM	0.046
1:40:33 PM	0.041
1:41:33 PM	0.044
1:42:33 PM	0.041
1:43:33 PM	0.041
1:44:33 PM	0.041
1:45:33 PM	0.044
1:46:33 PM	0.051
1:47:33 PM	0.052
1:48:33 PM	0.051
1:49:33 PM	0.051
1:50:33 PM	0.045
1:51:33 PM	0.045
1:52:33 PM	0.045
1:53:33 PM	0.044
1:54:33 PM	0.041
1:55:33 PM	0.044
1:56:33 PM	0.051

1:57:33 PM	0.052	
1:58:33 PM	0.051	
1:59:33 PM	0.058	
2:00:33 PM	0.056	
2:01:33 PM	0.05	
2:02:33 PM	0.041	
2:03:33 PM	0.044	
2:04:33 PM	0.04	
2:05:33 PM	0.039	Flow Error
2:06:33 PM	0.033	Flow Error
2:07:33 PM	0.024	Flow Error
2:08:33 PM	0.019	Flow Error
2:09:33 PM	0.051	Flow Error
2:10:33 PM	0.012	Flow Error
2:11:33 PM	0.031	Flow Error
2:12:33 PM	0.015	Flow Error
2:13:33 PM	0.023	Flow Error
2:14:33 PM	0.006	Flow Error
2:15:33 PM	0.02	Flow Error
2:16:33 PM	0.005	Flow Error
2:17:33 PM	0.004	Flow Error
2:18:33 PM	0.003	Flow Error
2:19:33 PM	0.003	Flow Error
2:20:33 PM	0.003	Flow Error
2:21:33 PM	0.003	Flow Error
2:22:33 PM	0.003	Flow Error
2:23:33 PM	0.003	Flow Error
2:24:33 PM	0.003	Flow Error
2:25:33 PM	0.003	Flow Error
2:26:33 PM	0.003	Flow Error
2:27:33 PM	0.003	Flow Error
2:28:33 PM	0.003	Flow Error
2:29:33 PM	0.003	Flow Error
2:30:33 PM	0.001	Flow Error
2:31:33 PM	0.001	Flow Error
2:32:33 PM	0.001	Flow Error
2:33:33 PM	0.001	Flow Error
2:34:33 PM	0.001	Flow Error
2:35:33 PM	0.001	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/8/2024 15:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:37	Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 15:36	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:35	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:33	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:32	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:30	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:29	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:28	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:27	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:26	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:25	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:24	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:23	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:22	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:21	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:20	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:19	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:18	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:17	Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 15:16	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	5/8/2024 10:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 10:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:52 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:51 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:46 Readings	PID	SC23030602B4	Normal	0

592-602176	5/8/2024 9:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:42 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:29 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 9:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 9:15 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/8/2024 9:14 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/8/2024 9:13 Readings	PID	SC23030602B4	Normal	0.3

592-602176	5/8/2024 9:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/8/2024 9:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 9:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 9:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/8/2024 8:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/8/2024 8:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/8/2024 8:40 Readings	PID	SC23030602B4	Normal	0.2

592-602176	5/8/2024 8:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:07 Readings	PID	SC23030602B4	Normal	0.1

592-602176	5/8/2024 8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 8:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 8:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/8/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:34 Readings	PID	SC23030602B4	Normal	0

592-602176	5/8/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/8/2024 7:08 CONFIG	PID	SC23030602B4		