

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		E 9 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/13/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:45	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza Capital/KFS (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Chris Disclafani Equipment On Site: DustTrak (x3), PID (x3), Pile Rig
--	--

Scope of Work: Deploy three (3) CAMP stations; import loads of approved fill and load-out of excavated material; ECD to continue with pile installation at south building; KFS to continue pile cap/footing and vapor barrier work in approved grids; Capital to excavate to continue excavation of remaining grids in the north building.

Site Activities:

- Deployed three (3) CAMP stations prior to start of Site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells and at canal point for de-watering purposes;
- KFS continued with footing construction in grids: C2, C3, D4. Refer to Alpha Numeric Grid Map for grid locations;
- Capital excavated Hotspot SB-15 to 9' bsg, and partial excavation of H5 to 8' bsg. Excavated areas were followed up by VOC screening of soil via PID, all readings were <0.0 ppm;
- Ten (10) truckloads of approved crushed limestone were imported onto the Site;
- Ten (10) truckloads of material were loaded out for offsite disposal to the Puresoil Jackson Facility;
- Sampling of Hot Spot SB-15: HS-SB-15-Bottom (9'), Sidewall-North, East, South, and West (8.5');;
- ECD completed pile installation in southern lot, the following piles were installed: T50, T39, T91A, P157, T53A, P97, P135A, P102, T20A, T58A. Pile locations were verified by IEC before installation, demarcations were placed via flags on grid that are not approved for pile/foundation work;
- National Grid work on gas main continued along sidewalk and in front of eastern gate on Nevins Street; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite;

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.077_ mg/m³ @ 06:48
- High Conditions (Upwind) – PID = _1.1_ ppm @ 08:08, Dust = _0.167_ mg/m³ @ 11:35
- High Conditions (Downwind 1) – PID = _0.2_ ppm @ 09:07, Dust = _0.122_ mg/m³ @ 06:50
- High Conditions (Downwind 2) – PID = _2.8_ ppm @ 07:44, Dust = _0.286_ mg/m³ @ 09:22

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- KFS to continue with footing work;
- Import clean-fill and material load out for disposal; and
- National Grid work on gas main to continue.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of truck-
wash station.



Photo 2 –
Representative
photo of
excavation of
grid H5.



Photo 3 –

Representative photo of material load out.



Photo 4 –

Representative photo of ECD pile installation in the southern building.



Photo 5 –

Representative
photo of marked
out Hotspot SB-
15



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:48:22 AM
Test Start Date	5/13/2024
Test Length [D:H:M]	0:09:03
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.049
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.167
Mass TWA [mg/m3]	0.052
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	543

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48:22 AM	0.077		
6:49:22 AM	0.037		
6:50:22 AM	0.034		
6:51:22 AM	0.036		
6:52:22 AM	0.036		
6:53:22 AM	0.038		
6:54:22 AM	0.041		
6:55:22 AM	0.041		
6:56:22 AM	0.042		
6:57:22 AM	0.046		
6:58:22 AM	0.046		
6:59:22 AM	0.068		
7:00:22 AM	0.046		
7:01:22 AM	0.047		
7:02:22 AM	0.074		
7:03:22 AM	0.078		
7:04:22 AM	0.052		
7:05:22 AM	0.051		
7:06:22 AM	0.051		
7:07:22 AM	0.055		
7:08:22 AM	0.057		
7:09:22 AM	0.055		
7:10:22 AM	0.059		
7:11:22 AM	0.059		

7:12:22 AM	0.06
7:13:22 AM	0.061
7:14:22 AM	0.063
7:15:22 AM	0.064
7:16:22 AM	0.063
7:17:22 AM	0.065
7:18:22 AM	0.073
7:19:22 AM	0.068
7:20:22 AM	0.065
7:21:22 AM	0.063
7:22:22 AM	0.064
7:23:22 AM	0.067
7:24:22 AM	0.069
7:25:22 AM	0.076
7:26:22 AM	0.078
7:27:22 AM	0.075
7:28:22 AM	0.077
7:29:22 AM	0.076
7:30:22 AM	0.073
7:31:22 AM	0.065
7:32:22 AM	0.064
7:33:22 AM	0.061
7:34:22 AM	0.062
7:35:22 AM	0.064
7:36:22 AM	0.061
7:37:22 AM	0.063
7:38:22 AM	0.062
7:39:22 AM	0.059
7:40:22 AM	0.06
7:41:22 AM	0.06
7:42:22 AM	0.061
7:43:22 AM	0.062
7:44:22 AM	0.06
7:45:22 AM	0.063
7:46:22 AM	0.068
7:47:22 AM	0.066
7:48:22 AM	0.071
7:49:22 AM	0.07
7:50:22 AM	0.069
7:51:22 AM	0.069
7:52:22 AM	0.068
7:53:22 AM	0.069
7:54:22 AM	0.068
7:55:22 AM	0.068

7:56:22 AM	0.068
7:57:22 AM	0.067
7:58:22 AM	0.069
7:59:22 AM	0.07
8:00:22 AM	0.075
8:01:22 AM	0.071
8:02:22 AM	0.066
8:03:22 AM	0.065
8:04:22 AM	0.063
8:05:22 AM	0.062
8:06:22 AM	0.065
8:07:22 AM	0.079
8:08:22 AM	0.078
8:09:22 AM	0.076
8:10:22 AM	0.069
8:11:22 AM	0.074
8:12:22 AM	0.068
8:13:22 AM	0.07
8:14:22 AM	0.071
8:15:22 AM	0.074
8:16:22 AM	0.071
8:17:22 AM	0.071
8:18:22 AM	0.077
8:19:22 AM	0.074
8:20:22 AM	0.075
8:21:22 AM	0.074
8:22:22 AM	0.076
8:23:22 AM	0.078
8:24:22 AM	0.081
8:25:22 AM	0.083
8:26:22 AM	0.125
8:27:22 AM	0.101
8:28:22 AM	0.101
8:29:22 AM	0.112
8:30:22 AM	0.096
8:31:22 AM	0.097
8:32:22 AM	0.098
8:33:22 AM	0.087
8:34:22 AM	0.089
8:35:22 AM	0.089
8:36:22 AM	0.088
8:37:22 AM	0.107
8:38:22 AM	0.11
8:39:22 AM	0.101

8:40:22 AM	0.095
8:41:22 AM	0.091
8:42:22 AM	0.09
8:43:22 AM	0.092
8:44:22 AM	0.093
8:45:22 AM	0.095
8:46:22 AM	0.101
8:47:22 AM	0.107
8:48:22 AM	0.095
8:49:22 AM	0.089
8:50:22 AM	0.088
8:51:22 AM	0.09
8:52:22 AM	0.088
8:53:22 AM	0.086
8:54:22 AM	0.107
8:55:22 AM	0.095
8:56:22 AM	0.097
8:57:22 AM	0.092
8:58:22 AM	0.088
8:59:22 AM	0.086
9:00:22 AM	0.088
9:01:22 AM	0.085
9:02:22 AM	0.087
9:03:22 AM	0.089
9:04:22 AM	0.096
9:05:22 AM	0.093
9:06:22 AM	0.085
9:07:22 AM	0.084
9:08:22 AM	0.086
9:09:22 AM	0.09
9:10:22 AM	0.095
9:11:22 AM	0.093
9:12:22 AM	0.092
9:13:22 AM	0.093
9:14:22 AM	0.092
9:15:22 AM	0.089
9:16:22 AM	0.089
9:17:22 AM	0.089
9:18:22 AM	0.091
9:19:22 AM	0.092
9:20:22 AM	0.092
9:21:22 AM	0.097
9:22:22 AM	0.089
9:23:22 AM	0.088

9:24:22 AM	0.089
9:25:22 AM	0.088
9:26:22 AM	0.087
9:27:22 AM	0.088
9:28:22 AM	0.088
9:29:22 AM	0.088
9:30:22 AM	0.088
9:31:22 AM	0.086
9:32:22 AM	0.085
9:33:22 AM	0.087
9:34:22 AM	0.087
9:35:22 AM	0.086
9:36:22 AM	0.086
9:37:22 AM	0.087
9:38:22 AM	0.086
9:39:22 AM	0.085
9:40:22 AM	0.081
9:41:22 AM	0.083
9:42:22 AM	0.08
9:43:22 AM	0.079
9:44:22 AM	0.079
9:45:22 AM	0.082
9:46:22 AM	0.082
9:47:22 AM	0.081
9:48:22 AM	0.084
9:49:22 AM	0.08
9:50:22 AM	0.079
9:51:22 AM	0.079
9:52:22 AM	0.079
9:53:22 AM	0.081
9:54:22 AM	0.081
9:55:22 AM	0.084
9:56:22 AM	0.09
9:57:22 AM	0.083
9:58:22 AM	0.083
9:59:22 AM	0.086
10:00:22 AM	0.106
10:01:22 AM	0.083
10:02:22 AM	0.078
10:03:22 AM	0.141
10:04:22 AM	0.093
10:05:22 AM	0.081
10:06:22 AM	0.08
10:07:22 AM	0.076

10:08:22 AM	0.074
10:09:22 AM	0.072
10:10:22 AM	0.074
10:11:22 AM	0.074
10:12:22 AM	0.081
10:13:22 AM	0.075
10:14:22 AM	0.072
10:15:22 AM	0.072
10:16:22 AM	0.067
10:17:22 AM	0.068
10:18:22 AM	0.087
10:19:22 AM	0.072
10:20:22 AM	0.143
10:21:22 AM	0.084
10:22:22 AM	0.069
10:23:22 AM	0.067
10:24:22 AM	0.067
10:25:22 AM	0.068
10:26:22 AM	0.067
10:27:22 AM	0.065
10:28:22 AM	0.068
10:29:22 AM	0.064
10:30:22 AM	0.062
10:31:22 AM	0.063
10:32:22 AM	0.061
10:33:22 AM	0.065
10:34:22 AM	0.064
10:35:22 AM	0.062
10:36:22 AM	0.062
10:37:22 AM	0.076
10:38:22 AM	0.068
10:39:22 AM	0.065
10:40:22 AM	0.058
10:41:22 AM	0.055
10:42:22 AM	0.055
10:43:22 AM	0.054
10:44:22 AM	0.052
10:45:22 AM	0.051
10:46:22 AM	0.049
10:47:22 AM	0.048
10:48:22 AM	0.053
10:49:22 AM	0.05
10:50:22 AM	0.048
10:51:22 AM	0.05

10:52:22 AM	0.05
10:53:22 AM	0.049
10:54:22 AM	0.045
10:55:22 AM	0.041
10:56:22 AM	0.041
10:57:22 AM	0.041
10:58:22 AM	0.053
10:59:22 AM	0.042
11:00:22 AM	0.035
11:01:22 AM	0.037
11:02:22 AM	0.042
11:03:22 AM	0.04
11:04:22 AM	0.045
11:05:22 AM	0.036
11:06:22 AM	0.035
11:07:22 AM	0.035
11:08:22 AM	0.037
11:09:22 AM	0.033
11:10:22 AM	0.034
11:11:22 AM	0.034
11:12:22 AM	0.032
11:13:22 AM	0.034
11:14:22 AM	0.039
11:15:22 AM	0.033
11:16:22 AM	0.032
11:17:22 AM	0.033
11:18:22 AM	0.032
11:19:22 AM	0.033
11:20:22 AM	0.035
11:21:22 AM	0.036
11:22:22 AM	0.048
11:23:22 AM	0.034
11:24:22 AM	0.032
11:25:22 AM	0.036
11:26:22 AM	0.034
11:27:22 AM	0.033
11:28:22 AM	0.035
11:29:22 AM	0.043
11:30:22 AM	0.031
11:31:22 AM	0.03
11:32:22 AM	0.033
11:33:22 AM	0.042
11:34:22 AM	0.029
11:35:22 AM	0.167

11:36:22 AM	0.04
11:37:22 AM	0.028
11:38:22 AM	0.029
11:39:22 AM	0.063
11:40:22 AM	0.032
11:41:22 AM	0.028
11:42:22 AM	0.049
11:43:22 AM	0.035
11:44:22 AM	0.03
11:45:22 AM	0.048
11:46:22 AM	0.029
11:47:22 AM	0.034
11:48:22 AM	0.083
11:49:22 AM	0.028
11:50:22 AM	0.03
11:51:22 AM	0.028
11:52:22 AM	0.031
11:53:22 AM	0.025
11:54:22 AM	0.024
11:55:22 AM	0.024
11:56:22 AM	0.027
11:57:22 AM	0.033
11:58:22 AM	0.027
11:59:22 AM	0.03
12:00:22 PM	0.023
12:01:22 PM	0.024
12:02:22 PM	0.072
12:03:22 PM	0.028
12:04:22 PM	0.028
12:05:22 PM	0.035
12:06:22 PM	0.026
12:07:22 PM	0.022
12:08:22 PM	0.025
12:09:22 PM	0.021
12:10:22 PM	0.021
12:11:22 PM	0.024
12:12:22 PM	0.021
12:13:22 PM	0.021
12:14:22 PM	0.037
12:15:22 PM	0.069
12:16:22 PM	0.079
12:17:22 PM	0.045
12:18:22 PM	0.02
12:19:22 PM	0.02

12:20:22 PM	0.032
12:21:22 PM	0.021
12:22:22 PM	0.017
12:23:22 PM	0.019
12:24:22 PM	0.029
12:25:22 PM	0.02
12:26:22 PM	0.019
12:27:22 PM	0.021
12:28:22 PM	0.029
12:29:22 PM	0.021
12:30:22 PM	0.02
12:31:22 PM	0.021
12:32:22 PM	0.022
12:33:22 PM	0.017
12:34:22 PM	0.023
12:35:22 PM	0.021
12:36:22 PM	0.022
12:37:22 PM	0.031
12:38:22 PM	0.028
12:39:22 PM	0.025
12:40:22 PM	0.02
12:41:22 PM	0.019
12:42:22 PM	0.021
12:43:22 PM	0.016
12:44:22 PM	0.078
12:45:22 PM	0.018
12:46:22 PM	0.014
12:47:22 PM	0.021
12:48:22 PM	0.016
12:49:22 PM	0.019
12:50:22 PM	0.019
12:51:22 PM	0.019
12:52:22 PM	0.017
12:53:22 PM	0.014
12:54:22 PM	0.017
12:55:22 PM	0.015
12:56:22 PM	0.02
12:57:22 PM	0.022
12:58:22 PM	0.022
12:59:22 PM	0.022
1:00:22 PM	0.03
1:01:22 PM	0.02
1:02:22 PM	0.022
1:03:22 PM	0.017

1:04:22 PM	0.019
1:05:22 PM	0.02
1:06:22 PM	0.016
1:07:22 PM	0.015
1:08:22 PM	0.013
1:09:22 PM	0.022
1:10:22 PM	0.012
1:11:22 PM	0.013
1:12:22 PM	0.014
1:13:22 PM	0.011
1:14:22 PM	0.013
1:15:22 PM	0.016
1:16:22 PM	0.014
1:17:22 PM	0.011
1:18:22 PM	0.011
1:19:22 PM	0.012
1:20:22 PM	0.019
1:21:22 PM	0.012
1:22:22 PM	0.011
1:23:22 PM	0.014
1:24:22 PM	0.011
1:25:22 PM	0.013
1:26:22 PM	0.012
1:27:22 PM	0.008
1:28:22 PM	0.008
1:29:22 PM	0.009
1:30:22 PM	0.008
1:31:22 PM	0.009
1:32:22 PM	0.013
1:33:22 PM	0.013
1:34:22 PM	0.013
1:35:22 PM	0.012
1:36:22 PM	0.011
1:37:22 PM	0.01
1:38:22 PM	0.023
1:39:22 PM	0.013
1:40:22 PM	0.009
1:41:22 PM	0.013
1:42:22 PM	0.01
1:43:22 PM	0.015
1:44:22 PM	0.012
1:45:22 PM	0.014
1:46:22 PM	0.01
1:47:22 PM	0.008

1:48:22 PM	0.009
1:49:22 PM	0.013
1:50:22 PM	0.018
1:51:22 PM	0.025
1:52:22 PM	0.016
1:53:22 PM	0.012
1:54:22 PM	0.017
1:55:22 PM	0.013
1:56:22 PM	0.024
1:57:22 PM	0.012
1:58:22 PM	0.02
1:59:22 PM	0.012
2:00:22 PM	0.013
2:01:22 PM	0.011
2:02:22 PM	0.012
2:03:22 PM	0.024
2:04:22 PM	0.025
2:05:22 PM	0.017
2:06:22 PM	0.02
2:07:22 PM	0.015
2:08:22 PM	0.02
2:09:22 PM	0.015
2:10:22 PM	0.014
2:11:22 PM	0.012
2:12:22 PM	0.013
2:13:22 PM	0.014
2:14:22 PM	0.025
2:15:22 PM	0.023
2:16:22 PM	0.02
2:17:22 PM	0.014
2:18:22 PM	0.013
2:19:22 PM	0.013
2:20:22 PM	0.016
2:21:22 PM	0.051
2:22:22 PM	0.052
2:23:22 PM	0.032
2:24:22 PM	0.018
2:25:22 PM	0.016
2:26:22 PM	0.021
2:27:22 PM	0.024
2:28:22 PM	0.018
2:29:22 PM	0.018
2:30:22 PM	0.027
2:31:22 PM	0.022

2:32:22 PM	0.02
2:33:22 PM	0.1
2:34:22 PM	0.097
2:35:22 PM	0.016
2:36:22 PM	0.013
2:37:22 PM	0.012
2:38:22 PM	0.014
2:39:22 PM	0.017
2:40:22 PM	0.019
2:41:22 PM	0.051
2:42:22 PM	0.065
2:43:22 PM	0.064
2:44:22 PM	0.145
2:45:22 PM	0.066
2:46:22 PM	0.018
2:47:22 PM	0.017
2:48:22 PM	0.022
2:49:22 PM	0.017
2:50:22 PM	0.018
2:51:22 PM	0.027
2:52:22 PM	0.03
2:53:22 PM	0.023
2:54:22 PM	0.02
2:55:22 PM	0.021
2:56:22 PM	0.017
2:57:22 PM	0.018
2:58:22 PM	0.035
2:59:22 PM	0.019
3:00:22 PM	0.018
3:01:22 PM	0.019
3:02:22 PM	0.024
3:03:22 PM	0.02
3:04:22 PM	0.02
3:05:22 PM	0.019
3:06:22 PM	0.023
3:07:22 PM	0.025
3:08:22 PM	0.031
3:09:22 PM	0.022
3:10:22 PM	0.022
3:11:22 PM	0.024
3:12:22 PM	0.024
3:13:22 PM	0.024
3:14:22 PM	0.028
3:15:22 PM	0.027

3:16:22 PM	0.025
3:17:22 PM	0.024
3:18:22 PM	0.024
3:19:22 PM	0.024
3:20:22 PM	0.031
3:21:22 PM	0.023
3:22:22 PM	0.029
3:23:22 PM	0.022
3:24:22 PM	0.046
3:25:22 PM	0.027
3:26:22 PM	0.042
3:27:22 PM	0.032
3:28:22 PM	0.024
3:29:22 PM	0.023
3:30:22 PM	0.021
3:31:22 PM	0.131
3:32:22 PM	0.023
3:33:22 PM	0.022
3:34:22 PM	0.02
3:35:22 PM	0.019
3:36:22 PM	0.022
3:37:22 PM	0.032
3:38:22 PM	0.025
3:39:22 PM	0.025
3:40:22 PM	0.022
3:41:22 PM	0.023
3:42:22 PM	0.057
3:43:22 PM	0.058
3:44:22 PM	0.025
3:45:22 PM	0.048
3:46:22 PM	0.022
3:47:22 PM	0.023
3:48:22 PM	0.041
3:49:22 PM	0.026
3:50:22 PM	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/13/2024 15:19	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:18	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:17	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:16	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 15:15	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 15:14	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:13	Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 15:12	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:11	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 15:10	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:09	Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 15:08	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 15:07	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:06	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:05	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:04	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:03	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 15:02	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:01	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 15:00	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:59	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:58	Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:57	Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:56	Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:55	Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:54	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:53	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:52	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:51	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:50	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:49	Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:48	Readings	PID	SC23030124AA	Normal	0.2

[illegible]

592-908641	5/13/2024 14:14 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:13 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:12 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:11 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:10 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:09 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:08 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:07 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:06 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 14:05 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:04 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:03 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:02 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:01 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 14:00 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:59 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:58 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:57 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:56 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:55 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:54 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:53 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:52 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:51 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:50 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:49 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:48 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:47 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:46 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:45 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:44 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:43 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:42 Readings	PID	SC23030124AA	Normal	0.2

592-908641	5/13/2024 13:41 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:40 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:39 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:38 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:37 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:36 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:35 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 13:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:33 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:32 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:31 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:30 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:29 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:28 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:27 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:26 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:25 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:24 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:23 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:22 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:21 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:20 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:19 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 13:18 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:17 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:16 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:15 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:14 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:13 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:12 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:11 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:10 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 13:09 Readings	PID	SC23030124AA	Normal	0.3

[illegible]

[illegible]

[illegible]

592-908641	5/13/2024 11:29 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:28 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 11:27 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:26 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:25 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:24 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:23 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:22 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:21 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:20 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:19 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:18 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:17 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:16 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:15 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:14 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:13 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:12 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:11 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:10 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:09 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:08 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 11:07 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:06 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:05 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:04 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:03 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:02 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:01 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 11:00 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:59 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:58 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:57 Readings	PID	SC23030124AA	Normal	0.3

592-908641	5/13/2024 10:56 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 10:55 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:54 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:53 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:52 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:51 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:50 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:49 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:48 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:47 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:46 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:45 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:44 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:43 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:42 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:41 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:40 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:39 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:38 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:37 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:36 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:35 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:33 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:32 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:31 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:30 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:29 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:28 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:27 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:26 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:25 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:24 Readings	PID	SC23030124AA	Normal	0.2

592-908641	5/13/2024 10:23 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:22 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:21 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:20 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:19 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 10:18 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:17 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:16 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:15 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:14 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:13 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 10:12 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:11 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:10 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:09 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:08 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:07 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:06 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 10:05 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 10:04 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/13/2024 10:03 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/13/2024 10:02 Readings	PID	SC23030124AA	Normal	0.9
592-908641	5/13/2024 10:01 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 10:00 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 9:59 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:58 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:57 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:56 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 9:55 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:54 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:53 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:52 Readings	PID	SC23030124AA	Normal	0.6
592-908641	5/13/2024 9:51 Readings	PID	SC23030124AA	Normal	0.1

592-908641	5/13/2024 9:50 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:49 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:48 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:47 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:46 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:45 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:44 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:43 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:42 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:41 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:40 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:39 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:38 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:37 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:36 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:35 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:34 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:33 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:32 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:31 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:30 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:29 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:28 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:27 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:26 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:25 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:24 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:23 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:22 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:21 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:20 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:19 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:18 Readings	PID	SC23030124AA	Normal	0.1

592-908641	5/13/2024 9:17 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:16 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:15 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:14 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:13 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:12 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:11 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:10 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:09 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:08 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:07 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:06 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 9:05 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:04 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:03 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:02 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 9:01 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 9:00 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 8:59 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:58 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:57 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:56 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:55 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:54 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:53 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:52 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:51 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:50 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:49 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:48 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:47 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:46 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:45 Readings	PID	SC23030124AA	Normal	0.1

592-908641	5/13/2024 8:44 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:43 Readings	PID	SC23030124AA	Normal	0.8
592-908641	5/13/2024 8:42 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:41 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:40 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:39 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:38 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:37 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:36 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:35 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:33 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:32 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:31 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:30 Readings	PID	SC23030124AA	Normal	0.6
592-908641	5/13/2024 8:29 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:28 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/13/2024 8:27 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/13/2024 8:26 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:25 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 8:24 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:23 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:22 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/13/2024 8:21 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 8:20 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:19 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:18 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:17 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:16 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 8:15 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:14 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 8:13 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:12 Readings	PID	SC23030124AA	Normal	0.1

592-908641	5/13/2024 8:11 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:10 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:09 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:08 Readings	PID	SC23030124AA	Normal	1.1
592-908641	5/13/2024 8:07 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:06 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:05 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:04 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:03 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 8:02 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 8:01 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 8:00 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:59 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:58 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:57 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:56 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:55 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:54 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:53 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:52 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:51 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 7:50 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:49 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:48 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:47 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:46 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:45 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 7:44 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:43 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:42 Readings	PID	SC23030124AA	Normal	0.6
592-908641	5/13/2024 7:41 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:40 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:39 Readings	PID	SC23030124AA	Normal	0.1

592-908641	5/13/2024 7:38 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:36 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	5/13/2024 7:33 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:32 Readings	PID	SC23030124AA	Normal	0.3
592-908641	5/13/2024 7:31 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 7:30 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:28 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:27 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:24 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:17 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:16 Readings	PID	SC23030124AA	Normal	0.5
592-908641	5/13/2024 7:15 Readings	PID	SC23030124AA	Normal	0.4
592-908641	5/13/2024 7:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:11 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:10 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 7:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:07 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:06 Readings	PID	SC23030124AA	Normal	0

592-908641	5/13/2024 7:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:04 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:03 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 7:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:40 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/13/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:33 Readings	PID	SC23030124AA	Normal	0

592-908641	5/13/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/13/2024 6:14 CONFIG	PID	SC23030124AA		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530172401
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_002
Test Start Time	6:50:32 AM
Test Start Date	5/13/2024
Test Length [D:H:M]	0:09:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.029
Mass Minimum [mg/m3]	0.014
Mass Maximum [mg/m3]	0.122
Mass TWA [mg/m3]	0.03
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	545

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50:32 AM	0.122		
6:51:32 AM	0.014		
6:52:32 AM	0.016		
6:53:32 AM	0.016		
6:54:32 AM	0.017		
6:55:32 AM	0.019		
6:56:32 AM	0.019		
6:57:32 AM	0.019		
6:58:32 AM	0.02		
6:59:32 AM	0.026		
7:00:32 AM	0.023		
7:01:32 AM	0.023		
7:02:32 AM	0.038		
7:03:32 AM	0.024		
7:04:32 AM	0.023		
7:05:32 AM	0.023		
7:06:32 AM	0.023		
7:07:32 AM	0.025		
7:08:32 AM	0.025		
7:09:32 AM	0.025		
7:10:32 AM	0.026		
7:11:32 AM	0.027		
7:12:32 AM	0.028		
7:13:32 AM	0.055		

7:14:32 AM	0.09
7:15:32 AM	0.034
7:16:32 AM	0.047
7:17:32 AM	0.052
7:18:32 AM	0.058
7:19:32 AM	0.106
7:20:32 AM	0.041
7:21:32 AM	0.045
7:22:32 AM	0.054
7:23:32 AM	0.045
7:24:32 AM	0.032
7:25:32 AM	0.03
7:26:32 AM	0.031
7:27:32 AM	0.032
7:28:32 AM	0.03
7:29:32 AM	0.032
7:30:32 AM	0.031
7:31:32 AM	0.029
7:32:32 AM	0.029
7:33:32 AM	0.027
7:34:32 AM	0.026
7:35:32 AM	0.03
7:36:32 AM	0.027
7:37:32 AM	0.027
7:38:32 AM	0.028
7:39:32 AM	0.029
7:40:32 AM	0.029
7:41:32 AM	0.031
7:42:32 AM	0.029
7:43:32 AM	0.028
7:44:32 AM	0.03
7:45:32 AM	0.031
7:46:32 AM	0.031
7:47:32 AM	0.031
7:48:32 AM	0.031
7:49:32 AM	0.031
7:50:32 AM	0.04
7:51:32 AM	0.072
7:52:32 AM	0.055
7:53:32 AM	0.034
7:54:32 AM	0.032
7:55:32 AM	0.032
7:56:32 AM	0.032
7:57:32 AM	0.033

7:58:32 AM	0.033
7:59:32 AM	0.033
8:00:32 AM	0.034
8:01:32 AM	0.037
8:02:32 AM	0.05
8:03:32 AM	0.037
8:04:32 AM	0.029
8:05:32 AM	0.031
8:06:32 AM	0.031
8:07:32 AM	0.06
8:08:32 AM	0.044
8:09:32 AM	0.032
8:10:32 AM	0.029
8:11:32 AM	0.031
8:12:32 AM	0.031
8:13:32 AM	0.031
8:14:32 AM	0.032
8:15:32 AM	0.033
8:16:32 AM	0.035
8:17:32 AM	0.048
8:18:32 AM	0.045
8:19:32 AM	0.037
8:20:32 AM	0.04
8:21:32 AM	0.055
8:22:32 AM	0.039
8:23:32 AM	0.04
8:24:32 AM	0.045
8:25:32 AM	0.04
8:26:32 AM	0.068
8:27:32 AM	0.051
8:28:32 AM	0.045
8:29:32 AM	0.046
8:30:32 AM	0.051
8:31:32 AM	0.068
8:32:32 AM	0.052
8:33:32 AM	0.044
8:34:32 AM	0.047
8:35:32 AM	0.043
8:36:32 AM	0.041
8:37:32 AM	0.045
8:38:32 AM	0.075
8:39:32 AM	0.053
8:40:32 AM	0.042
8:41:32 AM	0.043

8:42:32 AM	0.044
8:43:32 AM	0.042
8:44:32 AM	0.097
8:45:32 AM	0.057
8:46:32 AM	0.055
8:47:32 AM	0.058
8:48:32 AM	0.056
8:49:32 AM	0.045
8:50:32 AM	0.044
8:51:32 AM	0.048
8:52:32 AM	0.058
8:53:32 AM	0.042
8:54:32 AM	0.041
8:55:32 AM	0.041
8:56:32 AM	0.043
8:57:32 AM	0.043
8:58:32 AM	0.044
8:59:32 AM	0.047
9:00:32 AM	0.05
9:01:32 AM	0.042
9:02:32 AM	0.047
9:03:32 AM	0.045
9:04:32 AM	0.042
9:05:32 AM	0.046
9:06:32 AM	0.042
9:07:32 AM	0.04
9:08:32 AM	0.04
9:09:32 AM	0.041
9:10:32 AM	0.042
9:11:32 AM	0.041
9:12:32 AM	0.043
9:13:32 AM	0.05
9:14:32 AM	0.045
9:15:32 AM	0.044
9:16:32 AM	0.063
9:17:32 AM	0.047
9:18:32 AM	0.044
9:19:32 AM	0.047
9:20:32 AM	0.043
9:21:32 AM	0.042
9:22:32 AM	0.042
9:23:32 AM	0.043
9:24:32 AM	0.045
9:25:32 AM	0.044

9:26:32 AM	0.043
9:27:32 AM	0.043
9:28:32 AM	0.044
9:29:32 AM	0.042
9:30:32 AM	0.044
9:31:32 AM	0.04
9:32:32 AM	0.067
9:33:32 AM	0.042
9:34:32 AM	0.041
9:35:32 AM	0.045
9:36:32 AM	0.05
9:37:32 AM	0.041
9:38:32 AM	0.041
9:39:32 AM	0.041
9:40:32 AM	0.04
9:41:32 AM	0.042
9:42:32 AM	0.05
9:43:32 AM	0.039
9:44:32 AM	0.039
9:45:32 AM	0.038
9:46:32 AM	0.039
9:47:32 AM	0.037
9:48:32 AM	0.039
9:49:32 AM	0.037
9:50:32 AM	0.038
9:51:32 AM	0.037
9:52:32 AM	0.036
9:53:32 AM	0.037
9:54:32 AM	0.037
9:55:32 AM	0.038
9:56:32 AM	0.037
9:57:32 AM	0.037
9:58:32 AM	0.037
9:59:32 AM	0.037
10:00:32 AM	0.037
10:01:32 AM	0.037
10:02:32 AM	0.038
10:03:32 AM	0.039
10:04:32 AM	0.038
10:05:32 AM	0.038
10:06:32 AM	0.039
10:07:32 AM	0.039
10:08:32 AM	0.039
10:09:32 AM	0.038

10:10:32 AM	0.038
10:11:32 AM	0.037
10:12:32 AM	0.038
10:13:32 AM	0.037
10:14:32 AM	0.036
10:15:32 AM	0.035
10:16:32 AM	0.036
10:17:32 AM	0.034
10:18:32 AM	0.034
10:19:32 AM	0.035
10:20:32 AM	0.036
10:21:32 AM	0.036
10:22:32 AM	0.036
10:23:32 AM	0.033
10:24:32 AM	0.033
10:25:32 AM	0.036
10:26:32 AM	0.034
10:27:32 AM	0.034
10:28:32 AM	0.035
10:29:32 AM	0.033
10:30:32 AM	0.034
10:31:32 AM	0.034
10:32:32 AM	0.033
10:33:32 AM	0.033
10:34:32 AM	0.034
10:35:32 AM	0.035
10:36:32 AM	0.034
10:37:32 AM	0.038
10:38:32 AM	0.069
10:39:32 AM	0.038
10:40:32 AM	0.039
10:41:32 AM	0.034
10:42:32 AM	0.031
10:43:32 AM	0.032
10:44:32 AM	0.033
10:45:32 AM	0.031
10:46:32 AM	0.028
10:47:32 AM	0.028
10:48:32 AM	0.028
10:49:32 AM	0.029
10:50:32 AM	0.028
10:51:32 AM	0.027
10:52:32 AM	0.027
10:53:32 AM	0.026

10:54:32 AM	0.027
10:55:32 AM	0.032
10:56:32 AM	0.025
10:57:32 AM	0.025
10:58:32 AM	0.023
10:59:32 AM	0.022
11:00:32 AM	0.021
11:01:32 AM	0.021
11:02:32 AM	0.022
11:03:32 AM	0.022
11:04:32 AM	0.02
11:05:32 AM	0.022
11:06:32 AM	0.021
11:07:32 AM	0.021
11:08:32 AM	0.02
11:09:32 AM	0.021
11:10:32 AM	0.021
11:11:32 AM	0.021
11:12:32 AM	0.02
11:13:32 AM	0.02
11:14:32 AM	0.02
11:15:32 AM	0.021
11:16:32 AM	0.02
11:17:32 AM	0.02
11:18:32 AM	0.021
11:19:32 AM	0.023
11:20:32 AM	0.021
11:21:32 AM	0.021
11:22:32 AM	0.021
11:23:32 AM	0.028
11:24:32 AM	0.023
11:25:32 AM	0.021
11:26:32 AM	0.021
11:27:32 AM	0.021
11:28:32 AM	0.022
11:29:32 AM	0.025
11:30:32 AM	0.022
11:31:32 AM	0.021
11:32:32 AM	0.021
11:33:32 AM	0.02
11:34:32 AM	0.02
11:35:32 AM	0.02
11:36:32 AM	0.022
11:37:32 AM	0.02

11:38:32 AM	0.021
11:39:32 AM	0.02
11:40:32 AM	0.022
11:41:32 AM	0.022
11:42:32 AM	0.02
11:43:32 AM	0.022
11:44:32 AM	0.02
11:45:32 AM	0.02
11:46:32 AM	0.02
11:47:32 AM	0.021
11:48:32 AM	0.021
11:49:32 AM	0.019
11:50:32 AM	0.018
11:51:32 AM	0.018
11:52:32 AM	0.018
11:53:32 AM	0.018
11:54:32 AM	0.018
11:55:32 AM	0.017
11:56:32 AM	0.017
11:57:32 AM	0.017
11:58:32 AM	0.016
11:59:32 AM	0.016
12:00:32 PM	0.016
12:01:32 PM	0.017
12:02:32 PM	0.017
12:03:32 PM	0.018
12:04:32 PM	0.017
12:05:32 PM	0.019
12:06:32 PM	0.019
12:07:32 PM	0.018
12:08:32 PM	0.017
12:09:32 PM	0.017
12:10:32 PM	0.017
12:11:32 PM	0.017
12:12:32 PM	0.019
12:13:32 PM	0.019
12:14:32 PM	0.019
12:15:32 PM	0.016
12:16:32 PM	0.017
12:17:32 PM	0.017
12:18:32 PM	0.019
12:19:32 PM	0.018
12:20:32 PM	0.018
12:21:32 PM	0.02

12:22:32 PM	0.019
12:23:32 PM	0.017
12:24:32 PM	0.021
12:25:32 PM	0.025
12:26:32 PM	0.02
12:27:32 PM	0.018
12:28:32 PM	0.023
12:29:32 PM	0.019
12:30:32 PM	0.019
12:31:32 PM	0.02
12:32:32 PM	0.019
12:33:32 PM	0.019
12:34:32 PM	0.018
12:35:32 PM	0.018
12:36:32 PM	0.018
12:37:32 PM	0.018
12:38:32 PM	0.019
12:39:32 PM	0.02
12:40:32 PM	0.019
12:41:32 PM	0.027
12:42:32 PM	0.026
12:43:32 PM	0.019
12:44:32 PM	0.02
12:45:32 PM	0.021
12:46:32 PM	0.019
12:47:32 PM	0.018
12:48:32 PM	0.016
12:49:32 PM	0.017
12:50:32 PM	0.018
12:51:32 PM	0.02
12:52:32 PM	0.039
12:53:32 PM	0.031
12:54:32 PM	0.025
12:55:32 PM	0.021
12:56:32 PM	0.02
12:57:32 PM	0.02
12:58:32 PM	0.021
12:59:32 PM	0.024
1:00:32 PM	0.028
1:01:32 PM	0.028
1:02:32 PM	0.018
1:03:32 PM	0.021
1:04:32 PM	0.021
1:05:32 PM	0.018

1:06:32 PM	0.017
1:07:32 PM	0.018
1:08:32 PM	0.017
1:09:32 PM	0.017
1:10:32 PM	0.017
1:11:32 PM	0.016
1:12:32 PM	0.016
1:13:32 PM	0.016
1:14:32 PM	0.017
1:15:32 PM	0.018
1:16:32 PM	0.018
1:17:32 PM	0.019
1:18:32 PM	0.018
1:19:32 PM	0.017
1:20:32 PM	0.018
1:21:32 PM	0.019
1:22:32 PM	0.018
1:23:32 PM	0.018
1:24:32 PM	0.017
1:25:32 PM	0.018
1:26:32 PM	0.018
1:27:32 PM	0.018
1:28:32 PM	0.018
1:29:32 PM	0.017
1:30:32 PM	0.017
1:31:32 PM	0.018
1:32:32 PM	0.018
1:33:32 PM	0.018
1:34:32 PM	0.02
1:35:32 PM	0.019
1:36:32 PM	0.018
1:37:32 PM	0.019
1:38:32 PM	0.018
1:39:32 PM	0.019
1:40:32 PM	0.018
1:41:32 PM	0.018
1:42:32 PM	0.018
1:43:32 PM	0.018
1:44:32 PM	0.019
1:45:32 PM	0.019
1:46:32 PM	0.019
1:47:32 PM	0.018
1:48:32 PM	0.017
1:49:32 PM	0.018

1:50:32 PM	0.018
1:51:32 PM	0.021
1:52:32 PM	0.02
1:53:32 PM	0.02
1:54:32 PM	0.019
1:55:32 PM	0.018
1:56:32 PM	0.019
1:57:32 PM	0.02
1:58:32 PM	0.02
1:59:32 PM	0.021
2:00:32 PM	0.021
2:01:32 PM	0.018
2:02:32 PM	0.019
2:03:32 PM	0.019
2:04:32 PM	0.019
2:05:32 PM	0.019
2:06:32 PM	0.018
2:07:32 PM	0.019
2:08:32 PM	0.02
2:09:32 PM	0.02
2:10:32 PM	0.019
2:11:32 PM	0.038
2:12:32 PM	0.023
2:13:32 PM	0.019
2:14:32 PM	0.021
2:15:32 PM	0.023
2:16:32 PM	0.021
2:17:32 PM	0.019
2:18:32 PM	0.019
2:19:32 PM	0.018
2:20:32 PM	0.019
2:21:32 PM	0.019
2:22:32 PM	0.02
2:23:32 PM	0.021
2:24:32 PM	0.019
2:25:32 PM	0.02
2:26:32 PM	0.02
2:27:32 PM	0.019
2:28:32 PM	0.02
2:29:32 PM	0.022
2:30:32 PM	0.027
2:31:32 PM	0.026
2:32:32 PM	0.02
2:33:32 PM	0.02

2:34:32 PM	0.02
2:35:32 PM	0.021
2:36:32 PM	0.02
2:37:32 PM	0.02
2:38:32 PM	0.018
2:39:32 PM	0.019
2:40:32 PM	0.018
2:41:32 PM	0.02
2:42:32 PM	0.019
2:43:32 PM	0.019
2:44:32 PM	0.019
2:45:32 PM	0.02
2:46:32 PM	0.019
2:47:32 PM	0.019
2:48:32 PM	0.02
2:49:32 PM	0.02
2:50:32 PM	0.02
2:51:32 PM	0.02
2:52:32 PM	0.02
2:53:32 PM	0.022
2:54:32 PM	0.021
2:55:32 PM	0.02
2:56:32 PM	0.021
2:57:32 PM	0.02
2:58:32 PM	0.022
2:59:32 PM	0.022
3:00:32 PM	0.019
3:01:32 PM	0.021
3:02:32 PM	0.082
3:03:32 PM	0.029
3:04:32 PM	0.022
3:05:32 PM	0.021
3:06:32 PM	0.022
3:07:32 PM	0.021
3:08:32 PM	0.026
3:09:32 PM	0.025
3:10:32 PM	0.035
3:11:32 PM	0.057
3:12:32 PM	0.024
3:13:32 PM	0.024
3:14:32 PM	0.023
3:15:32 PM	0.023
3:16:32 PM	0.023
3:17:32 PM	0.026

3:18:32 PM	0.028
3:19:32 PM	0.023
3:20:32 PM	0.024
3:21:32 PM	0.028
3:22:32 PM	0.027
3:23:32 PM	0.032
3:24:32 PM	0.029
3:25:32 PM	0.024
3:26:32 PM	0.025
3:27:32 PM	0.025
3:28:32 PM	0.024
3:29:32 PM	0.022
3:30:32 PM	0.024
3:31:32 PM	0.024
3:32:32 PM	0.025
3:33:32 PM	0.024
3:34:32 PM	0.025
3:35:32 PM	0.024
3:36:32 PM	0.024
3:37:32 PM	0.024
3:38:32 PM	0.024
3:39:32 PM	0.024
3:40:32 PM	0.024
3:41:32 PM	0.022
3:42:32 PM	0.023
3:43:32 PM	0.023
3:44:32 PM	0.029
3:45:32 PM	0.026
3:46:32 PM	0.022
3:47:32 PM	0.022
3:48:32 PM	0.044
3:49:32 PM	0.027
3:50:32 PM	0.023
3:51:32 PM	0.021
3:52:32 PM	0.022
3:53:32 PM	0.021
3:54:32 PM	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/13/2024 15:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 15:26	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

592-600853	5/13/2024 14:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 14:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 14:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 14:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 14:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 14:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 14:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 14:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 13:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 13:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 13:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 13:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 13:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 13:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 13:47 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	5/13/2024 10:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 10:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:56 Readings	PID	SC23030449A8	Normal	0.1

592-600853	5/13/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:23 Readings	PID	SC23030449A8	Normal	0

592-600853	5/13/2024 9:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:08 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:07 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/13/2024 9:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 9:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 9:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 8:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 8:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 8:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:50 Readings	PID	SC23030449A8	Normal	0

592-600853	5/13/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/13/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 8:17 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

592-600853	5/13/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/13/2024 6:49 CONFIG	PID	SC23030449A8		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	6:54:49 AM
Test Start Date	5/13/2024
Test Length [D:H:M]	0:08:57
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.03
Mass Minimum [mg/m3]	0.013
Mass Maximum [mg/m3]	0.286
Mass TWA [mg/m3]	0.031
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	537

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:54:49 AM	0.099		
6:55:49 AM	0.026		
6:56:49 AM	0.025		
6:57:49 AM	0.022		
6:58:49 AM	0.024		
6:59:49 AM	0.025		
7:00:49 AM	0.026		
7:01:49 AM	0.029		
7:02:49 AM	0.028		
7:03:49 AM	0.028		
7:04:49 AM	0.025		
7:05:49 AM	0.026		
7:06:49 AM	0.028		
7:07:49 AM	0.028		
7:08:49 AM	0.029		
7:09:49 AM	0.03		
7:10:49 AM	0.029		
7:11:49 AM	0.034		
7:12:49 AM	0.038		
7:13:49 AM	0.044		
7:14:49 AM	0.041		
7:15:49 AM	0.054		
7:16:49 AM	0.035		
7:17:49 AM	0.035		

7:18:49 AM	0.04
7:19:49 AM	0.036
7:20:49 AM	0.037
7:21:49 AM	0.036
7:22:49 AM	0.041
7:23:49 AM	0.04
7:24:49 AM	0.042
7:25:49 AM	0.034
7:26:49 AM	0.033
7:27:49 AM	0.037
7:28:49 AM	0.035
7:29:49 AM	0.035
7:30:49 AM	0.036
7:31:49 AM	0.037
7:32:49 AM	0.033
7:33:49 AM	0.032
7:34:49 AM	0.033
7:35:49 AM	0.031
7:36:49 AM	0.033
7:37:49 AM	0.03
7:38:49 AM	0.033
7:39:49 AM	0.035
7:40:49 AM	0.032
7:41:49 AM	0.031
7:42:49 AM	0.03
7:43:49 AM	0.031
7:44:49 AM	0.03
7:45:49 AM	0.03
7:46:49 AM	0.031
7:47:49 AM	0.03
7:48:49 AM	0.03
7:49:49 AM	0.034
7:50:49 AM	0.036
7:51:49 AM	0.035
7:52:49 AM	0.037
7:53:49 AM	0.038
7:54:49 AM	0.039
7:55:49 AM	0.037
7:56:49 AM	0.036
7:57:49 AM	0.035
7:58:49 AM	0.035
7:59:49 AM	0.036
8:00:49 AM	0.034
8:01:49 AM	0.031

8:02:49 AM	0.032
8:03:49 AM	0.035
8:04:49 AM	0.046
8:05:49 AM	0.035
8:06:49 AM	0.034
8:07:49 AM	0.032
8:08:49 AM	0.032
8:09:49 AM	0.037
8:10:49 AM	0.035
8:11:49 AM	0.034
8:12:49 AM	0.037
8:13:49 AM	0.102
8:14:49 AM	0.037
8:15:49 AM	0.039
8:16:49 AM	0.038
8:17:49 AM	0.041
8:18:49 AM	0.038
8:19:49 AM	0.041
8:20:49 AM	0.047
8:21:49 AM	0.041
8:22:49 AM	0.048
8:23:49 AM	0.04
8:24:49 AM	0.042
8:25:49 AM	0.041
8:26:49 AM	0.047
8:27:49 AM	0.047
8:28:49 AM	0.046
8:29:49 AM	0.046
8:30:49 AM	0.055
8:31:49 AM	0.049
8:32:49 AM	0.047
8:33:49 AM	0.047
8:34:49 AM	0.049
8:35:49 AM	0.048
8:36:49 AM	0.049
8:37:49 AM	0.046
8:38:49 AM	0.05
8:39:49 AM	0.051
8:40:49 AM	0.048
8:41:49 AM	0.051
8:42:49 AM	0.051
8:43:49 AM	0.048
8:44:49 AM	0.048
8:45:49 AM	0.044

8:46:49 AM	0.044
8:47:49 AM	0.044
8:48:49 AM	0.043
8:49:49 AM	0.045
8:50:49 AM	0.047
8:51:49 AM	0.049
8:52:49 AM	0.053
8:53:49 AM	0.045
8:54:49 AM	0.045
8:55:49 AM	0.045
8:56:49 AM	0.046
8:57:49 AM	0.047
8:58:49 AM	0.051
8:59:49 AM	0.053
9:00:49 AM	0.05
9:01:49 AM	0.049
9:02:49 AM	0.048
9:03:49 AM	0.045
9:04:49 AM	0.046
9:05:49 AM	0.046
9:06:49 AM	0.046
9:07:49 AM	0.044
9:08:49 AM	0.045
9:09:49 AM	0.046
9:10:49 AM	0.046
9:11:49 AM	0.047
9:12:49 AM	0.047
9:13:49 AM	0.049
9:14:49 AM	0.061
9:15:49 AM	0.099
9:16:49 AM	0.051
9:17:49 AM	0.048
9:18:49 AM	0.046
9:19:49 AM	0.045
9:20:49 AM	0.048
9:21:49 AM	0.1
9:22:49 AM	0.286
9:23:49 AM	0.05
9:24:49 AM	0.055
9:25:49 AM	0.063
9:26:49 AM	0.048
9:27:49 AM	0.046
9:28:49 AM	0.046
9:29:49 AM	0.045

9:30:49 AM	0.045
9:31:49 AM	0.046
9:32:49 AM	0.06
9:33:49 AM	0.048
9:34:49 AM	0.044
9:35:49 AM	0.043
9:36:49 AM	0.045
9:37:49 AM	0.044
9:38:49 AM	0.043
9:39:49 AM	0.041
9:40:49 AM	0.043
9:41:49 AM	0.044
9:42:49 AM	0.046
9:43:49 AM	0.043
9:44:49 AM	0.044
9:45:49 AM	0.042
9:46:49 AM	0.042
9:47:49 AM	0.04
9:48:49 AM	0.041
9:49:49 AM	0.042
9:50:49 AM	0.04
9:51:49 AM	0.041
9:52:49 AM	0.04
9:53:49 AM	0.04
9:54:49 AM	0.041
9:55:49 AM	0.05
9:56:49 AM	0.041
9:57:49 AM	0.04
9:58:49 AM	0.042
9:59:49 AM	0.042
10:00:49 AM	0.041
10:01:49 AM	0.043
10:02:49 AM	0.042
10:03:49 AM	0.04
10:04:49 AM	0.04
10:05:49 AM	0.041
10:06:49 AM	0.043
10:07:49 AM	0.04
10:08:49 AM	0.041
10:09:49 AM	0.041
10:10:49 AM	0.041
10:11:49 AM	0.04
10:12:49 AM	0.04
10:13:49 AM	0.04

10:14:49 AM	0.041
10:15:49 AM	0.037
10:16:49 AM	0.038
10:17:49 AM	0.038
10:18:49 AM	0.038
10:19:49 AM	0.04
10:20:49 AM	0.039
10:21:49 AM	0.039
10:22:49 AM	0.04
10:23:49 AM	0.035
10:24:49 AM	0.036
10:25:49 AM	0.037
10:26:49 AM	0.037
10:27:49 AM	0.035
10:28:49 AM	0.037
10:29:49 AM	0.037
10:30:49 AM	0.036
10:31:49 AM	0.036
10:32:49 AM	0.037
10:33:49 AM	0.037
10:34:49 AM	0.037
10:35:49 AM	0.038
10:36:49 AM	0.035
10:37:49 AM	0.044
10:38:49 AM	0.053
10:39:49 AM	0.04
10:40:49 AM	0.039
10:41:49 AM	0.035
10:42:49 AM	0.033
10:43:49 AM	0.035
10:44:49 AM	0.033
10:45:49 AM	0.031
10:46:49 AM	0.032
10:47:49 AM	0.03
10:48:49 AM	0.03
10:49:49 AM	0.03
10:50:49 AM	0.03
10:51:49 AM	0.03
10:52:49 AM	0.031
10:53:49 AM	0.028
10:54:49 AM	0.028
10:55:49 AM	0.027
10:56:49 AM	0.026
10:57:49 AM	0.025

10:58:49 AM	0.027
10:59:49 AM	0.024
11:00:49 AM	0.023
11:01:49 AM	0.022
11:02:49 AM	0.025
11:03:49 AM	0.024
11:04:49 AM	0.023
11:05:49 AM	0.022
11:06:49 AM	0.022
11:07:49 AM	0.022
11:08:49 AM	0.023
11:09:49 AM	0.022
11:10:49 AM	0.022
11:11:49 AM	0.022
11:12:49 AM	0.022
11:13:49 AM	0.021
11:14:49 AM	0.021
11:15:49 AM	0.021
11:16:49 AM	0.025
11:17:49 AM	0.023
11:18:49 AM	0.025
11:19:49 AM	0.024
11:20:49 AM	0.022
11:21:49 AM	0.023
11:22:49 AM	0.021
11:23:49 AM	0.024
11:24:49 AM	0.024
11:25:49 AM	0.024
11:26:49 AM	0.022
11:27:49 AM	0.022
11:28:49 AM	0.024
11:29:49 AM	0.025
11:30:49 AM	0.023
11:31:49 AM	0.022
11:32:49 AM	0.02
11:33:49 AM	0.02
11:34:49 AM	0.021
11:35:49 AM	0.02
11:36:49 AM	0.021
11:37:49 AM	0.02
11:38:49 AM	0.021
11:39:49 AM	0.023
11:40:49 AM	0.024
11:41:49 AM	0.021

11:42:49 AM	0.02
11:43:49 AM	0.019
11:44:49 AM	0.02
11:45:49 AM	0.019
11:46:49 AM	0.02
11:47:49 AM	0.021
11:48:49 AM	0.023
11:49:49 AM	0.02
11:50:49 AM	0.019
11:51:49 AM	0.019
11:52:49 AM	0.02
11:53:49 AM	0.019
11:54:49 AM	0.019
11:55:49 AM	0.018
11:56:49 AM	0.017
11:57:49 AM	0.017
11:58:49 AM	0.018
11:59:49 AM	0.018
12:00:49 PM	0.018
12:01:49 PM	0.019
12:02:49 PM	0.017
12:03:49 PM	0.017
12:04:49 PM	0.018
12:05:49 PM	0.02
12:06:49 PM	0.021
12:07:49 PM	0.019
12:08:49 PM	0.017
12:09:49 PM	0.017
12:10:49 PM	0.018
12:11:49 PM	0.02
12:12:49 PM	0.022
12:13:49 PM	0.021
12:14:49 PM	0.017
12:15:49 PM	0.016
12:16:49 PM	0.016
12:17:49 PM	0.019
12:18:49 PM	0.017
12:19:49 PM	0.016
12:20:49 PM	0.02
12:21:49 PM	0.02
12:22:49 PM	0.018
12:23:49 PM	0.019
12:24:49 PM	0.025
12:25:49 PM	0.024

12:26:49 PM	0.019
12:27:49 PM	0.02
12:28:49 PM	0.019
12:29:49 PM	0.021
12:30:49 PM	0.018
12:31:49 PM	0.019
12:32:49 PM	0.018
12:33:49 PM	0.018
12:34:49 PM	0.018
12:35:49 PM	0.018
12:36:49 PM	0.017
12:37:49 PM	0.019
12:38:49 PM	0.019
12:39:49 PM	0.017
12:40:49 PM	0.017
12:41:49 PM	0.022
12:42:49 PM	0.028
12:43:49 PM	0.016
12:44:49 PM	0.017
12:45:49 PM	0.015
12:46:49 PM	0.016
12:47:49 PM	0.015
12:48:49 PM	0.015
12:49:49 PM	0.015
12:50:49 PM	0.017
12:51:49 PM	0.018
12:52:49 PM	0.02
12:53:49 PM	0.019
12:54:49 PM	0.017
12:55:49 PM	0.016
12:56:49 PM	0.017
12:57:49 PM	0.018
12:58:49 PM	0.02
12:59:49 PM	0.018
1:00:49 PM	0.017
1:01:49 PM	0.052
1:02:49 PM	0.022
1:03:49 PM	0.02
1:04:49 PM	0.019
1:05:49 PM	0.017
1:06:49 PM	0.017
1:07:49 PM	0.015
1:08:49 PM	0.015
1:09:49 PM	0.014

1:10:49 PM	0.017
1:11:49 PM	0.014
1:12:49 PM	0.013
1:13:49 PM	0.014
1:14:49 PM	0.015
1:15:49 PM	0.017
1:16:49 PM	0.015
1:17:49 PM	0.016
1:18:49 PM	0.016
1:19:49 PM	0.016
1:20:49 PM	0.018
1:21:49 PM	0.018
1:22:49 PM	0.014
1:23:49 PM	0.013
1:24:49 PM	0.014
1:25:49 PM	0.015
1:26:49 PM	0.013
1:27:49 PM	0.083
1:28:49 PM	0.04
1:29:49 PM	0.073
1:30:49 PM	0.038
1:31:49 PM	0.029
1:32:49 PM	0.026
1:33:49 PM	0.022
1:34:49 PM	0.015
1:35:49 PM	0.014
1:36:49 PM	0.013
1:37:49 PM	0.015
1:38:49 PM	0.014
1:39:49 PM	0.016
1:40:49 PM	0.014
1:41:49 PM	0.017
1:42:49 PM	0.016
1:43:49 PM	0.016
1:44:49 PM	0.018
1:45:49 PM	0.016
1:46:49 PM	0.016
1:47:49 PM	0.015
1:48:49 PM	0.014
1:49:49 PM	0.014
1:50:49 PM	0.014
1:51:49 PM	0.017
1:52:49 PM	0.019
1:53:49 PM	0.017

1:54:49 PM	0.015
1:55:49 PM	0.015
1:56:49 PM	0.015
1:57:49 PM	0.015
1:58:49 PM	0.018
1:59:49 PM	0.016
2:00:49 PM	0.018
2:01:49 PM	0.016
2:02:49 PM	0.015
2:03:49 PM	0.019
2:04:49 PM	0.017
2:05:49 PM	0.017
2:06:49 PM	0.016
2:07:49 PM	0.018
2:08:49 PM	0.021
2:09:49 PM	0.015
2:10:49 PM	0.018
2:11:49 PM	0.016
2:12:49 PM	0.016
2:13:49 PM	0.018
2:14:49 PM	0.025
2:15:49 PM	0.018
2:16:49 PM	0.017
2:17:49 PM	0.016
2:18:49 PM	0.015
2:19:49 PM	0.015
2:20:49 PM	0.016
2:21:49 PM	0.017
2:22:49 PM	0.019
2:23:49 PM	0.017
2:24:49 PM	0.017
2:25:49 PM	0.017
2:26:49 PM	0.016
2:27:49 PM	0.016
2:28:49 PM	0.018
2:29:49 PM	0.025
2:30:49 PM	0.143
2:31:49 PM	0.026
2:32:49 PM	0.018
2:33:49 PM	0.017
2:34:49 PM	0.02
2:35:49 PM	0.017
2:36:49 PM	0.018
2:37:49 PM	0.017

2:38:49 PM	0.016
2:39:49 PM	0.015
2:40:49 PM	0.014
2:41:49 PM	0.015
2:42:49 PM	0.019
2:43:49 PM	0.016
2:44:49 PM	0.019
2:45:49 PM	0.017
2:46:49 PM	0.018
2:47:49 PM	0.015
2:48:49 PM	0.018
2:49:49 PM	0.017
2:50:49 PM	0.015
2:51:49 PM	0.015
2:52:49 PM	0.019
2:53:49 PM	0.019
2:54:49 PM	0.017
2:55:49 PM	0.017
2:56:49 PM	0.017
2:57:49 PM	0.017
2:58:49 PM	0.015
2:59:49 PM	0.035
3:00:49 PM	0.016
3:01:49 PM	0.014
3:02:49 PM	0.02
3:03:49 PM	0.026
3:04:49 PM	0.021
3:05:49 PM	0.019
3:06:49 PM	0.019
3:07:49 PM	0.02
3:08:49 PM	0.019
3:09:49 PM	0.017
3:10:49 PM	0.023
3:11:49 PM	0.02
3:12:49 PM	0.02
3:13:49 PM	0.021
3:14:49 PM	0.02
3:15:49 PM	0.029
3:16:49 PM	0.023
3:17:49 PM	0.024
3:18:49 PM	0.024
3:19:49 PM	0.026
3:20:49 PM	0.027
3:21:49 PM	0.024

3:22:49 PM	0.031
3:23:49 PM	0.028
3:24:49 PM	0.025
3:25:49 PM	0.022
3:26:49 PM	0.024
3:27:49 PM	0.021
3:28:49 PM	0.022
3:29:49 PM	0.022
3:30:49 PM	0.019
3:31:49 PM	0.02
3:32:49 PM	0.017
3:33:49 PM	0.021
3:34:49 PM	0.019
3:35:49 PM	0.018
3:36:49 PM	0.017
3:37:49 PM	0.019
3:38:49 PM	0.021
3:39:49 PM	0.019
3:40:49 PM	0.02
3:41:49 PM	0.021
3:42:49 PM	0.021
3:43:49 PM	0.018
3:44:49 PM	0.021
3:45:49 PM	0.019
3:46:49 PM	0.018
3:47:49 PM	0.018
3:48:49 PM	0.018
3:49:49 PM	0.019
3:50:49 PM	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/13/2024 14:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 14:38	CONFIG	PID	SC23030602B4		
592-602176	5/13/2024 12:34	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:33	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:32	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:31	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:30	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:29	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:28	Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 12:27	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:26	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:25	Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 12:24	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:23	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:22	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:21	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:20	Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 12:19	Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:18	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:17	Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:16	Readings	PID	SC23030602B4	Normal	0.8

592-602176	5/13/2024 12:15 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:14 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:13 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:12 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:11 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:10 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:09 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:08 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:07 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:06 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:05 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:04 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:03 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:02 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 12:01 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 12:00 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:59 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:58 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:57 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:56 Readings	PID	SC23030602B4	Normal	1.3
592-602176	5/13/2024 11:55 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:54 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:53 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:52 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:51 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:50 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:49 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 11:48 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 11:47 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:46 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:45 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:44 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:43 Readings	PID	SC23030602B4	Normal	0.8

592-602176	5/13/2024 11:42 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:41 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:40 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:39 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:38 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:37 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:36 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:35 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:34 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:33 Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/13/2024 11:32 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:31 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:30 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:29 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:28 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:27 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 11:26 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:25 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:24 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:23 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:22 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:21 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:20 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:19 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:18 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:17 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:16 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:15 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:14 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 11:13 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:12 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:11 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:10 Readings	PID	SC23030602B4	Normal	0.8

592-602176	5/13/2024 11:09 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 11:08 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:07 Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/13/2024 11:06 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:05 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:04 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:03 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:02 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 11:01 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 11:00 Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/13/2024 10:59 Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/13/2024 10:58 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:57 Readings	PID	SC23030602B4	Normal	1.1
592-602176	5/13/2024 10:56 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:55 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:54 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:53 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 10:52 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 10:51 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 10:50 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 10:49 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 10:48 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 10:47 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 10:46 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 10:45 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 10:44 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 10:43 Readings	PID	SC23030602B4	Normal	2
592-602176	5/13/2024 10:42 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:41 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:40 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:39 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:38 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:37 Readings	PID	SC23030602B4	Normal	1.2

592-602176	5/13/2024 10:36 Readings	PID	SC23030602B4	Normal	1.4
592-602176	5/13/2024 10:35 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:34 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:33 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:32 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:31 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:30 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:29 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:28 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:27 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:26 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:25 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:24 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:23 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:22 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:21 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:20 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:19 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:18 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:17 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:16 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:15 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:14 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:13 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 10:12 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 10:11 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:10 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:09 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:08 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:07 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:06 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:05 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 10:04 Readings	PID	SC23030602B4	Normal	0.7

592-602176	5/13/2024 10:03 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 10:02 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:01 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 10:00 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:59 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:58 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:57 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:56 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:55 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:54 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:53 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:52 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:51 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:50 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:49 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:48 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:47 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:46 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:45 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:44 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:43 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:42 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:41 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:40 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:39 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:38 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:37 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:36 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:35 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:34 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:33 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:32 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 9:31 Readings	PID	SC23030602B4	Normal	0.8

592-602176	5/13/2024 9:30 Readings	PID	SC23030602B4	Normal	2.1
592-602176	5/13/2024 9:29 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:28 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:27 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 9:26 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:25 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:24 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:23 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:22 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:21 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:20 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:19 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/13/2024 9:18 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:17 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:16 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:15 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:14 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:13 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:12 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 9:11 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:10 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 9:09 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:08 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 9:07 Readings	PID	SC23030602B4	Normal	1
592-602176	5/13/2024 9:06 Readings	PID	SC23030602B4	Normal	1.5
592-602176	5/13/2024 9:05 Readings	PID	SC23030602B4	Normal	0.9
592-602176	5/13/2024 9:04 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:03 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 9:02 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 9:01 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 9:00 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/13/2024 8:59 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 8:58 Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/13/2024 8:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:52 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:51 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 8:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:47 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 8:46 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 8:45 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:44 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:43 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:40 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:39 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:38 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:36 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:35 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:34 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:30 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:29 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:26 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:25 Readings	PID	SC23030602B4	Normal	0.4

592-602176	5/13/2024 8:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:23 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/13/2024 8:22 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 8:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/13/2024 8:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 8:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 8:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 8:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 8:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 8:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 7:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 7:58 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/13/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:52 Readings	PID	SC23030602B4	Normal	0

592-602176	5/13/2024 7:51 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 7:46 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/13/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:44 Readings	PID	SC23030602B4	Normal	2.8
592-602176	5/13/2024 7:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/13/2024 7:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 7:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:19 Readings	PID	SC23030602B4	Normal	0

592-602176	5/13/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/13/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/13/2024 7:02 CONFIG	PID	SC23030602B4		