

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain	X	Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		S 11 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/16/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 16:30	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Bill Chaky Capital/KFS (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Chris Disclafani Equipment On Site: DustTrak (x3), PID (x3), Pile Rig
--	--

Scope of Work: Deploy three (3) CAMP stations; import approved fill and material load-out for offsite disposal; ECD to continue with pile installation at south building; KFS to continue pile cap/footing and vapor barrier work in approved grids followed by concrete pouring; Capital to excavate to continue excavation of remaining grids in the north building. Low flow groundwater sampling of sentinel wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells and at canal point for de-watering purposes;
- KFS continues construction of footings in the southern building;
- Inspection of vapor barrier was performed to ensure proper application;
- Concrete pour of approved footings in the southern building;
- Dewatering was not active;
- Low flow groundwater sampling of the following sentinel wells: GW-17A, MW-19B, NMAW-2A and NMAW-2B;
- Fifteen (15) truckloads of approved imported fill were unloaded on Site (crushed limestone);
- Seven (7) truckloads of material were loaded out for offsite disposal to the Puresoil Jackson Facility;
- ECD completed pile installation in southern lot, the following piles were installed: T72, P105, T26A, T30, T48, T68. Pile locations were verified by IEC before installation;
- Backfilling of grids I2, J2, I3, J3 to grade and graded for ISS equipment staging. Refer to the Alpha Numeric Grid Map for grid locations;
- National Grid work on gas main continued along sidewalk and in front of eastern gate on Nevins Street; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not

tracked.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.009_ mg/m³ @ 6:58
- High Conditions (Upwind) – PID = _0.7_ ppm @ 16:22, Dust = _0.058_ mg/m³ @ 14:45
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.086_ mg/m³ @ 11:23
- High Conditions (Downwind 2) – PID = _2.6_ ppm @ 10:29, Dust = _0.057_ mg/m³ @ 11:55

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- Import clean-fill and load out waste soil for disposal;
- National Grid work on gas main to continue; and
- Pump out of truck wash frac tank.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo 1 –
Representative
photo of truck-
wash station
over track pad



Photo 2 –
Representative
photo of material
load out.



Photo 3 –

Representative photo of backfill material being unloaded on grid H3.



Photo 4 –

Representative photo of grading on grid I2 for ISS equipment staging.



Photo 5 –

Representative photo of concrete pour of footing.



Photo 6 –

Representative photo of vapor barrier with patched punctures.



Photo 7 –

Representative photo of vapor barrier with punctures prior to IEC requesting patching.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	6:58:11 AM
Test Start Date	5/16/2024
Test Length [D:H:M]	0:09:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.005
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.058
Mass TWA [mg/m3]	0.005
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	572

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:11 AM	0.009		
6:59:11 AM	0.004		
7:00:11 AM	0.004		
7:01:11 AM	0.003		
7:02:11 AM	0.004		
7:03:11 AM	0.003		
7:04:11 AM	0.003		
7:05:11 AM	0.003		
7:06:11 AM	0.003		
7:07:11 AM	0.002		
7:08:11 AM	0.003		
7:09:11 AM	0.002		
7:10:11 AM	0.002		
7:11:11 AM	0.003		
7:12:11 AM	0.003		
7:13:11 AM	0.009		
7:14:11 AM	0.004		
7:15:11 AM	0.003		
7:16:11 AM	0.003		
7:17:11 AM	0.005		
7:18:11 AM	0.005		
7:19:11 AM	0.003		
7:20:11 AM	0.003		
7:21:11 AM	0.014		

7:22:11 AM	0.005
7:23:11 AM	0.004
7:24:11 AM	0.004
7:25:11 AM	0.004
7:26:11 AM	0.004
7:27:11 AM	0.004
7:28:11 AM	0.004
7:29:11 AM	0.003
7:30:11 AM	0.003
7:31:11 AM	0.003
7:32:11 AM	0.003
7:33:11 AM	0.003
7:34:11 AM	0.003
7:35:11 AM	0.003
7:36:11 AM	0.003
7:37:11 AM	0.003
7:38:11 AM	0.003
7:39:11 AM	0.003
7:40:11 AM	0.005
7:41:11 AM	0.003
7:42:11 AM	0.003
7:43:11 AM	0.003
7:44:11 AM	0.003
7:45:11 AM	0.006
7:46:11 AM	0.002
7:47:11 AM	0.003
7:48:11 AM	0.004
7:49:11 AM	0.003
7:50:11 AM	0.003
7:51:11 AM	0.003
7:52:11 AM	0.002
7:53:11 AM	0.002
7:54:11 AM	0.004
7:55:11 AM	0.004
7:56:11 AM	0.002
7:57:11 AM	0.006
7:58:11 AM	0.013
7:59:11 AM	0.003
8:00:11 AM	0.003
8:01:11 AM	0.003
8:02:11 AM	0.004
8:03:11 AM	0.005
8:04:11 AM	0.003
8:05:11 AM	0.003

8:06:11 AM	0.003
8:07:11 AM	0.003
8:08:11 AM	0.003
8:09:11 AM	0.003
8:10:11 AM	0.004
8:11:11 AM	0.003
8:12:11 AM	0.003
8:13:11 AM	0.004
8:14:11 AM	0.004
8:15:11 AM	0.004
8:16:11 AM	0.003
8:17:11 AM	0.003
8:18:11 AM	0.003
8:19:11 AM	0.003
8:20:11 AM	0.003
8:21:11 AM	0.005
8:22:11 AM	0.006
8:23:11 AM	0.006
8:24:11 AM	0.005
8:25:11 AM	0.004
8:26:11 AM	0.003
8:27:11 AM	0.004
8:28:11 AM	0.004
8:29:11 AM	0.003
8:30:11 AM	0.003
8:31:11 AM	0.003
8:32:11 AM	0.004
8:33:11 AM	0.004
8:34:11 AM	0.004
8:35:11 AM	0.004
8:36:11 AM	0.005
8:37:11 AM	0.004
8:38:11 AM	0.013
8:39:11 AM	0.022
8:40:11 AM	0.022
8:41:11 AM	0.004
8:42:11 AM	0.003
8:43:11 AM	0.003
8:44:11 AM	0.003
8:45:11 AM	0.003
8:46:11 AM	0.003
8:47:11 AM	0.002
8:48:11 AM	0.002
8:49:11 AM	0.003

8:50:11 AM	0.003
8:51:11 AM	0.003
8:52:11 AM	0.003
8:53:11 AM	0.003
8:54:11 AM	0.003
8:55:11 AM	0.003
8:56:11 AM	0.002
8:57:11 AM	0.002
8:58:11 AM	0.002
8:59:11 AM	0.002
9:00:11 AM	0.003
9:01:11 AM	0.003
9:02:11 AM	0.004
9:03:11 AM	0.003
9:04:11 AM	0.003
9:05:11 AM	0.003
9:06:11 AM	0.003
9:07:11 AM	0.003
9:08:11 AM	0.004
9:09:11 AM	0.003
9:10:11 AM	0.003
9:11:11 AM	0.003
9:12:11 AM	0.004
9:13:11 AM	0.003
9:14:11 AM	0.006
9:15:11 AM	0.008
9:16:11 AM	0.009
9:17:11 AM	0.01
9:18:11 AM	0.008
9:19:11 AM	0.005
9:20:11 AM	0.004
9:21:11 AM	0.005
9:22:11 AM	0.004
9:23:11 AM	0.004
9:24:11 AM	0.005
9:25:11 AM	0.004
9:26:11 AM	0.004
9:27:11 AM	0.003
9:28:11 AM	0.004
9:29:11 AM	0.004
9:30:11 AM	0.003
9:31:11 AM	0.004
9:32:11 AM	0.003
9:33:11 AM	0.004

9:34:11 AM	0.003
9:35:11 AM	0.003
9:36:11 AM	0.003
9:37:11 AM	0.003
9:38:11 AM	0.003
9:39:11 AM	0.003
9:40:11 AM	0.003
9:41:11 AM	0.004
9:42:11 AM	0.003
9:43:11 AM	0.003
9:44:11 AM	0.004
9:45:11 AM	0.004
9:46:11 AM	0.004
9:47:11 AM	0.003
9:48:11 AM	0.003
9:49:11 AM	0.004
9:50:11 AM	0.004
9:51:11 AM	0.004
9:52:11 AM	0.004
9:53:11 AM	0.003
9:54:11 AM	0.004
9:55:11 AM	0.004
9:56:11 AM	0.004
9:57:11 AM	0.004
9:58:11 AM	0.004
9:59:11 AM	0.006
10:00:11 AM	0.004
10:01:11 AM	0.004
10:02:11 AM	0.004
10:03:11 AM	0.003
10:04:11 AM	0.003
10:05:11 AM	0.003
10:06:11 AM	0.004
10:07:11 AM	0.004
10:08:11 AM	0.005
10:09:11 AM	0.004
10:10:11 AM	0.004
10:11:11 AM	0.003
10:12:11 AM	0.004
10:13:11 AM	0.004
10:14:11 AM	0.004
10:15:11 AM	0.005
10:16:11 AM	0.004
10:17:11 AM	0.004

10:18:11 AM	0.005
10:19:11 AM	0.004
10:20:11 AM	0.003
10:21:11 AM	0.004
10:22:11 AM	0.004
10:23:11 AM	0.004
10:24:11 AM	0.004
10:25:11 AM	0.005
10:26:11 AM	0.005
10:27:11 AM	0.005
10:28:11 AM	0.005
10:29:11 AM	0.005
10:30:11 AM	0.005
10:31:11 AM	0.006
10:32:11 AM	0.006
10:33:11 AM	0.006
10:34:11 AM	0.005
10:35:11 AM	0.007
10:36:11 AM	0.006
10:37:11 AM	0.013
10:38:11 AM	0.007
10:39:11 AM	0.006
10:40:11 AM	0.005
10:41:11 AM	0.004
10:42:11 AM	0.004
10:43:11 AM	0.005
10:44:11 AM	0.004
10:45:11 AM	0.004
10:46:11 AM	0.004
10:47:11 AM	0.004
10:48:11 AM	0.004
10:49:11 AM	0.004
10:50:11 AM	0.004
10:51:11 AM	0.003
10:52:11 AM	0.004
10:53:11 AM	0.004
10:54:11 AM	0.004
10:55:11 AM	0.005
10:56:11 AM	0.016
10:57:11 AM	0.004
10:58:11 AM	0.004
10:59:11 AM	0.006
11:00:11 AM	0.006
11:01:11 AM	0.004

11:02:11 AM	0.004
11:03:11 AM	0.004
11:04:11 AM	0.005
11:05:11 AM	0.004
11:06:11 AM	0.003
11:07:11 AM	0.005
11:08:11 AM	0.004
11:09:11 AM	0.003
11:10:11 AM	0.004
11:11:11 AM	0.004
11:12:11 AM	0.004
11:13:11 AM	0.004
11:14:11 AM	0.005
11:15:11 AM	0.003
11:16:11 AM	0.003
11:17:11 AM	0.005
11:18:11 AM	0.004
11:19:11 AM	0.004
11:20:11 AM	0.003
11:21:11 AM	0.004
11:22:11 AM	0.004
11:23:11 AM	0.004
11:24:11 AM	0.003
11:25:11 AM	0.004
11:26:11 AM	0.003
11:27:11 AM	0.004
11:28:11 AM	0.003
11:29:11 AM	0.003
11:30:11 AM	0.003
11:31:11 AM	0.005
11:32:11 AM	0.004
11:33:11 AM	0.004
11:34:11 AM	0.004
11:35:11 AM	0.002
11:36:11 AM	0.002
11:37:11 AM	0.003
11:38:11 AM	0.003
11:39:11 AM	0.003
11:40:11 AM	0.004
11:41:11 AM	0.003
11:42:11 AM	0.004
11:43:11 AM	0.005
11:44:11 AM	0.005
11:45:11 AM	0.004

11:46:11 AM	0.004
11:47:11 AM	0.004
11:48:11 AM	0.004
11:49:11 AM	0.004
11:50:11 AM	0.005
11:51:11 AM	0.011
11:52:11 AM	0.006
11:53:11 AM	0.003
11:54:11 AM	0.003
11:55:11 AM	0.004
11:56:11 AM	0.004
11:57:11 AM	0.004
11:58:11 AM	0.007
11:59:11 AM	0.003
12:00:11 PM	0.003
12:01:11 PM	0.004
12:02:11 PM	0.005
12:03:11 PM	0.003
12:04:11 PM	0.003
12:05:11 PM	0.003
12:06:11 PM	0.004
12:07:11 PM	0.004
12:08:11 PM	0.003
12:09:11 PM	0.003
12:10:11 PM	0.003
12:11:11 PM	0.002
12:12:11 PM	0.003
12:13:11 PM	0.002
12:14:11 PM	0.005
12:15:11 PM	0.022
12:16:11 PM	0.013
12:17:11 PM	0.007
12:18:11 PM	0.005
12:19:11 PM	0.003
12:20:11 PM	0.004
12:21:11 PM	0.004
12:22:11 PM	0.004
12:23:11 PM	0.004
12:24:11 PM	0.004
12:25:11 PM	0.004
12:26:11 PM	0.003
12:27:11 PM	0.004
12:28:11 PM	0.004
12:29:11 PM	0.004

12:30:11 PM	0.004
12:31:11 PM	0.004
12:32:11 PM	0.003
12:33:11 PM	0.005
12:34:11 PM	0.005
12:35:11 PM	0.005
12:36:11 PM	0.007
12:37:11 PM	0.006
12:38:11 PM	0.004
12:39:11 PM	0.004
12:40:11 PM	0.004
12:41:11 PM	0.005
12:42:11 PM	0.004
12:43:11 PM	0.004
12:44:11 PM	0.004
12:45:11 PM	0.004
12:46:11 PM	0.004
12:47:11 PM	0.004
12:48:11 PM	0.004
12:49:11 PM	0.004
12:50:11 PM	0.004
12:51:11 PM	0.004
12:52:11 PM	0.004
12:53:11 PM	0.004
12:54:11 PM	0.004
12:55:11 PM	0.004
12:56:11 PM	0.004
12:57:11 PM	0.004
12:58:11 PM	0.004
12:59:11 PM	0.026
1:00:11 PM	0.004
1:01:11 PM	0.005
1:02:11 PM	0.004
1:03:11 PM	0.004
1:04:11 PM	0.003
1:05:11 PM	0.005
1:06:11 PM	0.004
1:07:11 PM	0.004
1:08:11 PM	0.004
1:09:11 PM	0.004
1:10:11 PM	0.004
1:11:11 PM	0.005
1:12:11 PM	0.005
1:13:11 PM	0.004

1:14:11 PM	0.004
1:15:11 PM	0.004
1:16:11 PM	0.004
1:17:11 PM	0.006
1:18:11 PM	0.005
1:19:11 PM	0.004
1:20:11 PM	0.004
1:21:11 PM	0.004
1:22:11 PM	0.004
1:23:11 PM	0.004
1:24:11 PM	0.004
1:25:11 PM	0.004
1:26:11 PM	0.004
1:27:11 PM	0.004
1:28:11 PM	0.004
1:29:11 PM	0.004
1:30:11 PM	0.004
1:31:11 PM	0.003
1:32:11 PM	0.004
1:33:11 PM	0.004
1:34:11 PM	0.003
1:35:11 PM	0.006
1:36:11 PM	0.004
1:37:11 PM	0.003
1:38:11 PM	0.004
1:39:11 PM	0.003
1:40:11 PM	0.003
1:41:11 PM	0.003
1:42:11 PM	0.004
1:43:11 PM	0.004
1:44:11 PM	0.004
1:45:11 PM	0.004
1:46:11 PM	0.004
1:47:11 PM	0.004
1:48:11 PM	0.003
1:49:11 PM	0.003
1:50:11 PM	0.003
1:51:11 PM	0.004
1:52:11 PM	0.004
1:53:11 PM	0.003
1:54:11 PM	0.004
1:55:11 PM	0.004
1:56:11 PM	0.004
1:57:11 PM	0.004

1:58:11 PM	0.004
1:59:11 PM	0.004
2:00:11 PM	0.005
2:01:11 PM	0.005
2:02:11 PM	0.004
2:03:11 PM	0.004
2:04:11 PM	0.006
2:05:11 PM	0.003
2:06:11 PM	0.003
2:07:11 PM	0.006
2:08:11 PM	0.004
2:09:11 PM	0.003
2:10:11 PM	0.003
2:11:11 PM	0.003
2:12:11 PM	0.003
2:13:11 PM	0.003
2:14:11 PM	0.004
2:15:11 PM	0.003
2:16:11 PM	0.003
2:17:11 PM	0.004
2:18:11 PM	0.005
2:19:11 PM	0.005
2:20:11 PM	0.004
2:21:11 PM	0.004
2:22:11 PM	0.004
2:23:11 PM	0.005
2:24:11 PM	0.004
2:25:11 PM	0.005
2:26:11 PM	0.005
2:27:11 PM	0.004
2:28:11 PM	0.004
2:29:11 PM	0.006
2:30:11 PM	0.004
2:31:11 PM	0.005
2:32:11 PM	0.005
2:33:11 PM	0.004
2:34:11 PM	0.004
2:35:11 PM	0.004
2:36:11 PM	0.005
2:37:11 PM	0.006
2:38:11 PM	0.004
2:39:11 PM	0.005
2:40:11 PM	0.006
2:41:11 PM	0.005

2:42:11 PM	0.005
2:43:11 PM	0.005
2:44:11 PM	0.016
2:45:11 PM	0.058
2:46:11 PM	0.008
2:47:11 PM	0.005
2:48:11 PM	0.055
2:49:11 PM	0.048
2:50:11 PM	0.007
2:51:11 PM	0.01
2:52:11 PM	0.01
2:53:11 PM	0.025
2:54:11 PM	0.03
2:55:11 PM	0.022
2:56:11 PM	0.005
2:57:11 PM	0.005
2:58:11 PM	0.005
2:59:11 PM	0.005
3:00:11 PM	0.006
3:01:11 PM	0.005
3:02:11 PM	0.004
3:03:11 PM	0.004
3:04:11 PM	0.005
3:05:11 PM	0.006
3:06:11 PM	0.014
3:07:11 PM	0.009
3:08:11 PM	0.006
3:09:11 PM	0.008
3:10:11 PM	0.007
3:11:11 PM	0.008
3:12:11 PM	0.005
3:13:11 PM	0.005
3:14:11 PM	0.006
3:15:11 PM	0.011
3:16:11 PM	0.008
3:17:11 PM	0.005
3:18:11 PM	0.008
3:19:11 PM	0.008
3:20:11 PM	0.005
3:21:11 PM	0.006
3:22:11 PM	0.007
3:23:11 PM	0.007
3:24:11 PM	0.006
3:25:11 PM	0.006

3:26:11 PM	0.006
3:27:11 PM	0.006
3:28:11 PM	0.006
3:29:11 PM	0.006
3:30:11 PM	0.006
3:31:11 PM	0.005
3:32:11 PM	0.006
3:33:11 PM	0.006
3:34:11 PM	0.007
3:35:11 PM	0.008
3:36:11 PM	0.006
3:37:11 PM	0.006
3:38:11 PM	0.006
3:39:11 PM	0.006
3:40:11 PM	0.006
3:41:11 PM	0.006
3:42:11 PM	0.006
3:43:11 PM	0.006
3:44:11 PM	0.006
3:45:11 PM	0.006
3:46:11 PM	0.006
3:47:11 PM	0.006
3:48:11 PM	0.006
3:49:11 PM	0.006
3:50:11 PM	0.006
3:51:11 PM	0.006
3:52:11 PM	0.006
3:53:11 PM	0.007
3:54:11 PM	0.007
3:55:11 PM	0.005
3:56:11 PM	0.006
3:57:11 PM	0.008
3:58:11 PM	0.005
3:59:11 PM	0.006
4:00:11 PM	0.005
4:01:11 PM	0.005
4:02:11 PM	0.005
4:03:11 PM	0.005
4:04:11 PM	0.006
4:05:11 PM	0.006
4:06:11 PM	0.007
4:07:11 PM	0.005
4:08:11 PM	0.006
4:09:11 PM	0.005

4:10:11 PM	0.005
4:11:11 PM	0.005
4:12:11 PM	0.006
4:13:11 PM	0.009
4:14:11 PM	0.01
4:15:11 PM	0.007
4:16:11 PM	0.01
4:17:11 PM	0.008
4:18:11 PM	0.008
4:19:11 PM	0.008
4:20:11 PM	0.007
4:21:11 PM	0.006
4:22:11 PM	0.006
4:23:11 PM	0.007
4:24:11 PM	0.006
4:25:11 PM	0.006
4:26:11 PM	0.006
4:27:11 PM	0.007
4:28:11 PM	0.008
4:29:11 PM	0.006

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/16/2024 16:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:29	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:26	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:22	Readings	PID	SC23030449A8	Normal	0.7
592-600853	5/16/2024 16:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:14	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 16:06	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	5/16/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 9:30 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	5/16/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/16/2024 7:03 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_002
Test Start Time	7:00:24 AM
Test Start Date	5/16/2024
Test Length [D:H:M]	0:09:19
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.086
Mass TWA [mg/m3]	0.007
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	559

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:00:24 AM	0.035		
7:01:24 AM	0.006		
7:02:24 AM	0.006		
7:03:24 AM	0.006		
7:04:24 AM	0.007		
7:05:24 AM	0.008		
7:06:24 AM	0.005		
7:07:24 AM	0.003		
7:08:24 AM	0.006		
7:09:24 AM	0.004		
7:10:24 AM	0.013		
7:11:24 AM	0.009		
7:12:24 AM	0.004		
7:13:24 AM	0.004		
7:14:24 AM	0.003		
7:15:24 AM	0.004		
7:16:24 AM	0.005		
7:17:24 AM	0.004		
7:18:24 AM	0.003		
7:19:24 AM	0.003		
7:20:24 AM	0.005		
7:21:24 AM	0.005		
7:22:24 AM	0.004		
7:23:24 AM	0.004		

7:24:24 AM	0.003
7:25:24 AM	0.004
7:26:24 AM	0.005
7:27:24 AM	0.004
7:28:24 AM	0.004
7:29:24 AM	0.004
7:30:24 AM	0.004
7:31:24 AM	0.004
7:32:24 AM	0.004
7:33:24 AM	0.005
7:34:24 AM	0.009
7:35:24 AM	0.014
7:36:24 AM	0.009
7:37:24 AM	0.005
7:38:24 AM	0.006
7:39:24 AM	0.005
7:40:24 AM	0.003
7:41:24 AM	0.005
7:42:24 AM	0.004
7:43:24 AM	0.003
7:44:24 AM	0.005
7:45:24 AM	0.004
7:46:24 AM	0.003
7:47:24 AM	0.003
7:48:24 AM	0.003
7:49:24 AM	0.005
7:50:24 AM	0.005
7:51:24 AM	0.004
7:52:24 AM	0.004
7:53:24 AM	0.003
7:54:24 AM	0.003
7:55:24 AM	0.003
7:56:24 AM	0.004
7:57:24 AM	0.005
7:58:24 AM	0.005
7:59:24 AM	0.005
8:00:24 AM	0.005
8:01:24 AM	0.005
8:02:24 AM	0.004
8:03:24 AM	0.006
8:04:24 AM	0.008
8:05:24 AM	0.005
8:06:24 AM	0.004
8:07:24 AM	0.004

8:08:24 AM	0.004
8:09:24 AM	0.004
8:10:24 AM	0.004
8:11:24 AM	0.004
8:12:24 AM	0.005
8:13:24 AM	0.004
8:14:24 AM	0.004
8:15:24 AM	0.003
8:16:24 AM	0.004
8:17:24 AM	0.013
8:18:24 AM	0.006
8:19:24 AM	0.006
8:20:24 AM	0.004
8:21:24 AM	0.005
8:22:24 AM	0.007
8:23:24 AM	0.005
8:24:24 AM	0.004
8:25:24 AM	0.004
8:26:24 AM	0.004
8:27:24 AM	0.004
8:28:24 AM	0.005
8:29:24 AM	0.015
8:30:24 AM	0.005
8:31:24 AM	0.005
8:32:24 AM	0.008
8:33:24 AM	0.005
8:34:24 AM	0.004
8:35:24 AM	0.003
8:36:24 AM	0.003
8:37:24 AM	0.004
8:38:24 AM	0.004
8:39:24 AM	0.006
8:40:24 AM	0.006
8:41:24 AM	0.005
8:42:24 AM	0.016
8:43:24 AM	0.011
8:44:24 AM	0.003
8:45:24 AM	0.004
8:46:24 AM	0.003
8:47:24 AM	0.004
8:48:24 AM	0.004
8:49:24 AM	0.004
8:50:24 AM	0.014
8:51:24 AM	0.01

8:52:24 AM	0.009
8:53:24 AM	0.009
8:54:24 AM	0.002
8:55:24 AM	0.003
8:56:24 AM	0.009
8:57:24 AM	0.015
8:58:24 AM	0.008
8:59:24 AM	0.014
9:00:24 AM	0.014
9:01:24 AM	0.003
9:02:24 AM	0.005
9:03:24 AM	0.005
9:04:24 AM	0.007
9:05:24 AM	0.007
9:06:24 AM	0.007
9:07:24 AM	0.005
9:08:24 AM	0.004
9:09:24 AM	0.005
9:10:24 AM	0.008
9:11:24 AM	0.008
9:12:24 AM	0.008
9:13:24 AM	0.005
9:14:24 AM	0.005
9:15:24 AM	0.007
9:16:24 AM	0.007
9:17:24 AM	0.004
9:18:24 AM	0.004
9:19:24 AM	0.003
9:20:24 AM	0.006
9:21:24 AM	0.005
9:22:24 AM	0.005
9:23:24 AM	0.003
9:24:24 AM	0.003
9:25:24 AM	0.006
9:26:24 AM	0.005
9:27:24 AM	0.004
9:28:24 AM	0.005
9:29:24 AM	0.003
9:30:24 AM	0.004
9:31:24 AM	0.005
9:32:24 AM	0.007
9:33:24 AM	0.005
9:34:24 AM	0.003
9:35:24 AM	0.004

9:36:24 AM	0.004
9:37:24 AM	0.004
9:38:24 AM	0.004
9:39:24 AM	0.004
9:40:24 AM	0.003
9:41:24 AM	0.006
9:42:24 AM	0.004
9:43:24 AM	0.003
9:44:24 AM	0.006
9:45:24 AM	0.003
9:46:24 AM	0.004
9:47:24 AM	0.006
9:48:24 AM	0.005
9:49:24 AM	0.003
9:50:24 AM	0.003
9:51:24 AM	0.003
9:52:24 AM	0.003
9:53:24 AM	0.004
9:54:24 AM	0.006
9:55:24 AM	0.004
9:56:24 AM	0.004
9:57:24 AM	0.004
9:58:24 AM	0.004
9:59:24 AM	0.005
10:00:24 AM	0.004
10:01:24 AM	0.004
10:02:24 AM	0.004
10:03:24 AM	0.005
10:04:24 AM	0.005
10:05:24 AM	0.006
10:06:24 AM	0.005
10:07:24 AM	0.004
10:08:24 AM	0.004
10:09:24 AM	0.004
10:10:24 AM	0.006
10:11:24 AM	0.004
10:12:24 AM	0.007
10:13:24 AM	0.007
10:14:24 AM	0.006
10:15:24 AM	0.006
10:16:24 AM	0.005
10:17:24 AM	0.005
10:18:24 AM	0.005
10:19:24 AM	0.005

10:20:24 AM	0.005
10:21:24 AM	0.004
10:22:24 AM	0.005
10:23:24 AM	0.005
10:24:24 AM	0.006
10:25:24 AM	0.009
10:26:24 AM	0.007
10:27:24 AM	0.006
10:28:24 AM	0.005
10:29:24 AM	0.006
10:30:24 AM	0.005
10:31:24 AM	0.006
10:32:24 AM	0.006
10:33:24 AM	0.005
10:34:24 AM	0.005
10:35:24 AM	0.008
10:36:24 AM	0.006
10:37:24 AM	0.007
10:38:24 AM	0.005
10:39:24 AM	0.003
10:40:24 AM	0.004
10:41:24 AM	0.006
10:42:24 AM	0.004
10:43:24 AM	0.003
10:44:24 AM	0.004
10:45:24 AM	0.004
10:46:24 AM	0.005
10:47:24 AM	0.006
10:48:24 AM	0.005
10:49:24 AM	0.005
10:50:24 AM	0.007
10:51:24 AM	0.007
10:52:24 AM	0.005
10:53:24 AM	0.009
10:54:24 AM	0.006
10:55:24 AM	0.004
10:56:24 AM	0.006
10:57:24 AM	0.004
10:58:24 AM	0.005
10:59:24 AM	0.004
11:00:24 AM	0.004
11:01:24 AM	0.003
11:02:24 AM	0.003
11:03:24 AM	0.004

11:04:24 AM	0.004
11:05:24 AM	0.009
11:06:24 AM	0.004
11:07:24 AM	0.004
11:08:24 AM	0.003
11:09:24 AM	0.004
11:10:24 AM	0.004
11:11:24 AM	0.004
11:12:24 AM	0.004
11:13:24 AM	0.004
11:14:24 AM	0.003
11:15:24 AM	0.004
11:16:24 AM	0.003
11:17:24 AM	0.004
11:18:24 AM	0.006
11:19:24 AM	0.005
11:20:24 AM	0.005
11:21:24 AM	0.005
11:22:24 AM	0.009
11:23:24 AM	0.086
11:24:24 AM	0.006
11:25:24 AM	0.007
11:26:24 AM	0.004
11:27:24 AM	0.013
11:28:24 AM	0.012
11:29:24 AM	0.003
11:30:24 AM	0.004
11:31:24 AM	0.004
11:32:24 AM	0.002
11:33:24 AM	0.005
11:34:24 AM	0.003
11:35:24 AM	0.003
11:36:24 AM	0.005
11:37:24 AM	0.003
11:38:24 AM	0.002
11:39:24 AM	0.003
11:40:24 AM	0.002
11:41:24 AM	0.085
11:42:24 AM	0.019
11:43:24 AM	0.045
11:44:24 AM	0.068
11:45:24 AM	0.023
11:46:24 AM	0.004
11:47:24 AM	0.003

11:48:24 AM	0.003
11:49:24 AM	0.003
11:50:24 AM	0.004
11:51:24 AM	0.047
11:52:24 AM	0.024
11:53:24 AM	0.009
11:54:24 AM	0.018
11:55:24 AM	0.011
11:56:24 AM	0.005
11:57:24 AM	0.077
11:58:24 AM	0.023
11:59:24 AM	0.002
12:00:24 PM	0.002
12:01:24 PM	0.043
12:02:24 PM	0.012
12:03:24 PM	0.009
12:04:24 PM	0.006
12:05:24 PM	0.008
12:06:24 PM	0.007
12:07:24 PM	0.002
12:08:24 PM	0.006
12:09:24 PM	0.005
12:10:24 PM	0.008
12:11:24 PM	0.008
12:12:24 PM	0.002
12:13:24 PM	0.002
12:14:24 PM	0.002
12:15:24 PM	0.002
12:16:24 PM	0.003
12:17:24 PM	0.013
12:18:24 PM	0.008
12:19:24 PM	0.003
12:20:24 PM	0.002
12:21:24 PM	0.007
12:22:24 PM	0.003
12:23:24 PM	0.002
12:24:24 PM	0.003
12:25:24 PM	0.003
12:26:24 PM	0.002
12:27:24 PM	0.004
12:28:24 PM	0.003
12:29:24 PM	0.006
12:30:24 PM	0.004
12:31:24 PM	0.004

12:32:24 PM	0.003
12:33:24 PM	0.004
12:34:24 PM	0.004
12:35:24 PM	0.002
12:36:24 PM	0.003
12:37:24 PM	0.042
12:38:24 PM	0.022
12:39:24 PM	0.007
12:40:24 PM	0.004
12:41:24 PM	0.005
12:42:24 PM	0.021
12:43:24 PM	0.004
12:44:24 PM	0.003
12:45:24 PM	0.003
12:46:24 PM	0.005
12:47:24 PM	0.006
12:48:24 PM	0.011
12:49:24 PM	0.05
12:50:24 PM	0.003
12:51:24 PM	0.003
12:52:24 PM	0.004
12:53:24 PM	0.003
12:54:24 PM	0.004
12:55:24 PM	0.003
12:56:24 PM	0.005
12:57:24 PM	0.004
12:58:24 PM	0.01
12:59:24 PM	0.008
1:00:24 PM	0.004
1:01:24 PM	0.004
1:02:24 PM	0.006
1:03:24 PM	0.004
1:04:24 PM	0.002
1:05:24 PM	0.004
1:06:24 PM	0.004
1:07:24 PM	0.003
1:08:24 PM	0.004
1:09:24 PM	0.001
1:10:24 PM	0.005
1:11:24 PM	0.005
1:12:24 PM	0.004
1:13:24 PM	0.02
1:14:24 PM	0.004
1:15:24 PM	0.003

1:16:24 PM	0.004
1:17:24 PM	0.004
1:18:24 PM	0.005
1:19:24 PM	0.007
1:20:24 PM	0.011
1:21:24 PM	0.005
1:22:24 PM	0.004
1:23:24 PM	0.002
1:24:24 PM	0.002
1:25:24 PM	0.028
1:26:24 PM	0.003
1:27:24 PM	0.004
1:28:24 PM	0.003
1:29:24 PM	0.005
1:30:24 PM	0.003
1:31:24 PM	0.002
1:32:24 PM	0.001
1:33:24 PM	0.002
1:34:24 PM	0.002
1:35:24 PM	0.004
1:36:24 PM	0.004
1:37:24 PM	0.023
1:38:24 PM	0.006
1:39:24 PM	0.006
1:40:24 PM	0.005
1:41:24 PM	0.008
1:42:24 PM	0.006
1:43:24 PM	0.006
1:44:24 PM	0.003
1:45:24 PM	0.003
1:46:24 PM	0.003
1:47:24 PM	0.003
1:48:24 PM	0.002
1:49:24 PM	0.012
1:50:24 PM	0.003
1:51:24 PM	0.005
1:52:24 PM	0.004
1:53:24 PM	0.004
1:54:24 PM	0.008
1:55:24 PM	0.004
1:56:24 PM	0.002
1:57:24 PM	0.027
1:58:24 PM	0.003
1:59:24 PM	0.003

2:00:24 PM	0.003
2:01:24 PM	0.002
2:02:24 PM	0.003
2:03:24 PM	0.003
2:04:24 PM	0.007
2:05:24 PM	0.005
2:06:24 PM	0.009
2:07:24 PM	0.015
2:08:24 PM	0.01
2:09:24 PM	0.007
2:10:24 PM	0.005
2:11:24 PM	0.004
2:12:24 PM	0.003
2:13:24 PM	0.004
2:14:24 PM	0.003
2:15:24 PM	0.006
2:16:24 PM	0.018
2:17:24 PM	0.006
2:18:24 PM	0.005
2:19:24 PM	0.005
2:20:24 PM	0.004
2:21:24 PM	0.01
2:22:24 PM	0.006
2:23:24 PM	0.006
2:24:24 PM	0.004
2:25:24 PM	0.004
2:26:24 PM	0.008
2:27:24 PM	0.003
2:28:24 PM	0.01
2:29:24 PM	0.002
2:30:24 PM	0.004
2:31:24 PM	0.034
2:32:24 PM	0.006
2:33:24 PM	0.005
2:34:24 PM	0.004
2:35:24 PM	0.004
2:36:24 PM	0.004
2:37:24 PM	0.007
2:38:24 PM	0.004
2:39:24 PM	0.002
2:40:24 PM	0.005
2:41:24 PM	0.005
2:42:24 PM	0.006
2:43:24 PM	0.005

2:44:24 PM	0.024
2:45:24 PM	0.009
2:46:24 PM	0.005
2:47:24 PM	0.007
2:48:24 PM	0.004
2:49:24 PM	0.003
2:50:24 PM	0.004
2:51:24 PM	0.003
2:52:24 PM	0.01
2:53:24 PM	0.008
2:54:24 PM	0.003
2:55:24 PM	0.004
2:56:24 PM	0.002
2:57:24 PM	0.002
2:58:24 PM	0.003
2:59:24 PM	0.004
3:00:24 PM	0.004
3:01:24 PM	0.006
3:02:24 PM	0.007
3:03:24 PM	0.006
3:04:24 PM	0.006
3:05:24 PM	0.005
3:06:24 PM	0.006
3:07:24 PM	0.008
3:08:24 PM	0.004
3:09:24 PM	0.003
3:10:24 PM	0.005
3:11:24 PM	0.004
3:12:24 PM	0.004
3:13:24 PM	0.005
3:14:24 PM	0.004
3:15:24 PM	0.019
3:16:24 PM	0.01
3:17:24 PM	0.006
3:18:24 PM	0.004
3:19:24 PM	0.004
3:20:24 PM	0.005
3:21:24 PM	0.003
3:22:24 PM	0.004
3:23:24 PM	0.005
3:24:24 PM	0.006
3:25:24 PM	0.006
3:26:24 PM	0.006
3:27:24 PM	0.009

3:28:24 PM	0.005
3:29:24 PM	0.007
3:30:24 PM	0.006
3:31:24 PM	0.005
3:32:24 PM	0.004
3:33:24 PM	0.006
3:34:24 PM	0.006
3:35:24 PM	0.006
3:36:24 PM	0.007
3:37:24 PM	0.007
3:38:24 PM	0.005
3:39:24 PM	0.006
3:40:24 PM	0.005
3:41:24 PM	0.004
3:42:24 PM	0.003
3:43:24 PM	0.006
3:44:24 PM	0.005
3:45:24 PM	0.005
3:46:24 PM	0.005
3:47:24 PM	0.005
3:48:24 PM	0.006
3:49:24 PM	0.005
3:50:24 PM	0.004
3:51:24 PM	0.004
3:52:24 PM	0.005
3:53:24 PM	0.004
3:54:24 PM	0.004
3:55:24 PM	0.004
3:56:24 PM	0.004
3:57:24 PM	0.004
3:58:24 PM	0.004
3:59:24 PM	0.005
4:00:24 PM	0.005
4:01:24 PM	0.005
4:02:24 PM	0.005
4:03:24 PM	0.006
4:04:24 PM	0.006
4:05:24 PM	0.004
4:06:24 PM	0.004
4:07:24 PM	0.005
4:08:24 PM	0.005
4:09:24 PM	0.004
4:10:24 PM	0.004
4:11:24 PM	0.003

4:12:24 PM	0.004
4:13:24 PM	0.004
4:14:24 PM	0.004
4:15:24 PM	0.006
4:16:24 PM	0.006
4:17:24 PM	0.006
4:18:24 PM	0.005

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/16/2024 15:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 15:19	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	5/16/2024 10:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 9:49 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	5/16/2024 7:03 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 7:02 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 7:01 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 7:00 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:59 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:58 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:57 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:56 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:55 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:54 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:53 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:52 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:51 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/16/2024 6:36 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_005
Test Start Time	7:02:07 AM
Test Start Date	5/16/2024
Test Length [D:H:M]	0:09:12
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.057
Mass TWA [mg/m3]	0.007
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	552

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02:07 AM	0.028		
7:03:07 AM	0.006		
7:04:07 AM	0.004		
7:05:07 AM	0.004		
7:06:07 AM	0.004		
7:07:07 AM	0.005		
7:08:07 AM	0.008		
7:09:07 AM	0.007		
7:10:07 AM	0.004		
7:11:07 AM	0.004		
7:12:07 AM	0.003		
7:13:07 AM	0.006		
7:14:07 AM	0.005		
7:15:07 AM	0.004		
7:16:07 AM	0.003		
7:17:07 AM	0.004		
7:18:07 AM	0.004		
7:19:07 AM	0.004		
7:20:07 AM	0.004		
7:21:07 AM	0.005		
7:22:07 AM	0.003		
7:23:07 AM	0.005		
7:24:07 AM	0.007		
7:25:07 AM	0.003		

7:26:07 AM	0.004
7:27:07 AM	0.007
7:28:07 AM	0.003
7:29:07 AM	0.003
7:30:07 AM	0.005
7:31:07 AM	0.006
7:32:07 AM	0.008
7:33:07 AM	0.006
7:34:07 AM	0.003
7:35:07 AM	0.005
7:36:07 AM	0.004
7:37:07 AM	0.004
7:38:07 AM	0.004
7:39:07 AM	0.004
7:40:07 AM	0.003
7:41:07 AM	0.003
7:42:07 AM	0.004
7:43:07 AM	0.004
7:44:07 AM	0.004
7:45:07 AM	0.003
7:46:07 AM	0.004
7:47:07 AM	0.004
7:48:07 AM	0.006
7:49:07 AM	0.003
7:50:07 AM	0.003
7:51:07 AM	0.003
7:52:07 AM	0.003
7:53:07 AM	0.003
7:54:07 AM	0.004
7:55:07 AM	0.005
7:56:07 AM	0.005
7:57:07 AM	0.004
7:58:07 AM	0.003
7:59:07 AM	0.007
8:00:07 AM	0.006
8:01:07 AM	0.006
8:02:07 AM	0.006
8:03:07 AM	0.006
8:04:07 AM	0.007
8:05:07 AM	0.005
8:06:07 AM	0.004
8:07:07 AM	0.003
8:08:07 AM	0.005
8:09:07 AM	0.004

8:10:07 AM	0.006
8:11:07 AM	0.007
8:12:07 AM	0.007
8:13:07 AM	0.004
8:14:07 AM	0.004
8:15:07 AM	0.005
8:16:07 AM	0.006
8:17:07 AM	0.004
8:18:07 AM	0.004
8:19:07 AM	0.006
8:20:07 AM	0.004
8:21:07 AM	0.005
8:22:07 AM	0.005
8:23:07 AM	0.005
8:24:07 AM	0.004
8:25:07 AM	0.005
8:26:07 AM	0.005
8:27:07 AM	0.005
8:28:07 AM	0.007
8:29:07 AM	0.006
8:30:07 AM	0.007
8:31:07 AM	0.006
8:32:07 AM	0.006
8:33:07 AM	0.004
8:34:07 AM	0.004
8:35:07 AM	0.004
8:36:07 AM	0.004
8:37:07 AM	0.004
8:38:07 AM	0.01
8:39:07 AM	0.006
8:40:07 AM	0.004
8:41:07 AM	0.007
8:42:07 AM	0.004
8:43:07 AM	0.006
8:44:07 AM	0.006
8:45:07 AM	0.004
8:46:07 AM	0.005
8:47:07 AM	0.007
8:48:07 AM	0.007
8:49:07 AM	0.005
8:50:07 AM	0.004
8:51:07 AM	0.005
8:52:07 AM	0.004
8:53:07 AM	0.004

8:54:07 AM	0.007
8:55:07 AM	0.012
8:56:07 AM	0.006
8:57:07 AM	0.004
8:58:07 AM	0.005
8:59:07 AM	0.004
9:00:07 AM	0.005
9:01:07 AM	0.005
9:02:07 AM	0.005
9:03:07 AM	0.004
9:04:07 AM	0.004
9:05:07 AM	0.004
9:06:07 AM	0.005
9:07:07 AM	0.01
9:08:07 AM	0.009
9:09:07 AM	0.006
9:10:07 AM	0.005
9:11:07 AM	0.006
9:12:07 AM	0.005
9:13:07 AM	0.006
9:14:07 AM	0.008
9:15:07 AM	0.004
9:16:07 AM	0.004
9:17:07 AM	0.005
9:18:07 AM	0.005
9:19:07 AM	0.005
9:20:07 AM	0.004
9:21:07 AM	0.005
9:22:07 AM	0.004
9:23:07 AM	0.006
9:24:07 AM	0.005
9:25:07 AM	0.005
9:26:07 AM	0.006
9:27:07 AM	0.004
9:28:07 AM	0.005
9:29:07 AM	0.005
9:30:07 AM	0.006
9:31:07 AM	0.007
9:32:07 AM	0.005
9:33:07 AM	0.006
9:34:07 AM	0.006
9:35:07 AM	0.021
9:36:07 AM	0.007
9:37:07 AM	0.006

9:38:07 AM	0.006
9:39:07 AM	0.005
9:40:07 AM	0.004
9:41:07 AM	0.004
9:42:07 AM	0.005
9:43:07 AM	0.004
9:44:07 AM	0.004
9:45:07 AM	0.004
9:46:07 AM	0.005
9:47:07 AM	0.005
9:48:07 AM	0.004
9:49:07 AM	0.005
9:50:07 AM	0.006
9:51:07 AM	0.007
9:52:07 AM	0.006
9:53:07 AM	0.005
9:54:07 AM	0.005
9:55:07 AM	0.005
9:56:07 AM	0.005
9:57:07 AM	0.005
9:58:07 AM	0.006
9:59:07 AM	0.007
10:00:07 AM	0.005
10:01:07 AM	0.006
10:02:07 AM	0.005
10:03:07 AM	0.007
10:04:07 AM	0.007
10:05:07 AM	0.004
10:06:07 AM	0.005
10:07:07 AM	0.005
10:08:07 AM	0.007
10:09:07 AM	0.006
10:10:07 AM	0.008
10:11:07 AM	0.013
10:12:07 AM	0.012
10:13:07 AM	0.036
10:14:07 AM	0.006
10:15:07 AM	0.009
10:16:07 AM	0.006
10:17:07 AM	0.006
10:18:07 AM	0.007
10:19:07 AM	0.006
10:20:07 AM	0.006
10:21:07 AM	0.006

10:22:07 AM	0.009
10:23:07 AM	0.01
10:24:07 AM	0.009
10:25:07 AM	0.008
10:26:07 AM	0.009
10:27:07 AM	0.005
10:28:07 AM	0.007
10:29:07 AM	0.008
10:30:07 AM	0.007
10:31:07 AM	0.007
10:32:07 AM	0.007
10:33:07 AM	0.007
10:34:07 AM	0.007
10:35:07 AM	0.007
10:36:07 AM	0.006
10:37:07 AM	0.005
10:38:07 AM	0.007
10:39:07 AM	0.006
10:40:07 AM	0.006
10:41:07 AM	0.006
10:42:07 AM	0.005
10:43:07 AM	0.006
10:44:07 AM	0.006
10:45:07 AM	0.005
10:46:07 AM	0.005
10:47:07 AM	0.009
10:48:07 AM	0.009
10:49:07 AM	0.007
10:50:07 AM	0.006
10:51:07 AM	0.006
10:52:07 AM	0.007
10:53:07 AM	0.005
10:54:07 AM	0.005
10:55:07 AM	0.006
10:56:07 AM	0.005
10:57:07 AM	0.006
10:58:07 AM	0.005
10:59:07 AM	0.005
11:00:07 AM	0.005
11:01:07 AM	0.006
11:02:07 AM	0.004
11:03:07 AM	0.006
11:04:07 AM	0.005
11:05:07 AM	0.004

11:06:07 AM	0.006
11:07:07 AM	0.004
11:08:07 AM	0.004
11:09:07 AM	0.006
11:10:07 AM	0.005
11:11:07 AM	0.005
11:12:07 AM	0.007
11:13:07 AM	0.007
11:14:07 AM	0.007
11:15:07 AM	0.007
11:16:07 AM	0.005
11:17:07 AM	0.005
11:18:07 AM	0.006
11:19:07 AM	0.008
11:20:07 AM	0.008
11:21:07 AM	0.008
11:22:07 AM	0.006
11:23:07 AM	0.009
11:24:07 AM	0.008
11:25:07 AM	0.007
11:26:07 AM	0.006
11:27:07 AM	0.007
11:28:07 AM	0.005
11:29:07 AM	0.005
11:30:07 AM	0.006
11:31:07 AM	0.009
11:32:07 AM	0.039
11:33:07 AM	0.006
11:34:07 AM	0.004
11:35:07 AM	0.006
11:36:07 AM	0.005
11:37:07 AM	0.005
11:38:07 AM	0.005
11:39:07 AM	0.024
11:40:07 AM	0.026
11:41:07 AM	0.05
11:42:07 AM	0.012
11:43:07 AM	0.01
11:44:07 AM	0.012
11:45:07 AM	0.006
11:46:07 AM	0.01
11:47:07 AM	0.006
11:48:07 AM	0.006
11:49:07 AM	0.034

11:50:07 AM	0.038
11:51:07 AM	0.013
11:52:07 AM	0.01
11:53:07 AM	0.007
11:54:07 AM	0.016
11:55:07 AM	0.057
11:56:07 AM	0.013
11:57:07 AM	0.006
11:58:07 AM	0.012
11:59:07 AM	0.018
12:00:07 PM	0.009
12:01:07 PM	0.007
12:02:07 PM	0.014
12:03:07 PM	0.007
12:04:07 PM	0.005
12:05:07 PM	0.005
12:06:07 PM	0.006
12:07:07 PM	0.007
12:08:07 PM	0.012
12:09:07 PM	0.01
12:10:07 PM	0.005
12:11:07 PM	0.005
12:12:07 PM	0.005
12:13:07 PM	0.005
12:14:07 PM	0.005
12:15:07 PM	0.007
12:16:07 PM	0.006
12:17:07 PM	0.005
12:18:07 PM	0.005
12:19:07 PM	0.005
12:20:07 PM	0.005
12:21:07 PM	0.005
12:22:07 PM	0.008
12:23:07 PM	0.007
12:24:07 PM	0.006
12:25:07 PM	0.005
12:26:07 PM	0.006
12:27:07 PM	0.006
12:28:07 PM	0.01
12:29:07 PM	0.009
12:30:07 PM	0.013
12:31:07 PM	0.006
12:32:07 PM	0.006
12:33:07 PM	0.005

12:34:07 PM	0.006
12:35:07 PM	0.006
12:36:07 PM	0.006
12:37:07 PM	0.007
12:38:07 PM	0.006
12:39:07 PM	0.006
12:40:07 PM	0.005
12:41:07 PM	0.01
12:42:07 PM	0.006
12:43:07 PM	0.005
12:44:07 PM	0.006
12:45:07 PM	0.006
12:46:07 PM	0.013
12:47:07 PM	0.006
12:48:07 PM	0.005
12:49:07 PM	0.005
12:50:07 PM	0.006
12:51:07 PM	0.006
12:52:07 PM	0.007
12:53:07 PM	0.006
12:54:07 PM	0.006
12:55:07 PM	0.006
12:56:07 PM	0.007
12:57:07 PM	0.006
12:58:07 PM	0.005
12:59:07 PM	0.007
1:00:07 PM	0.007
1:01:07 PM	0.006
1:02:07 PM	0.005
1:03:07 PM	0.006
1:04:07 PM	0.007
1:05:07 PM	0.007
1:06:07 PM	0.006
1:07:07 PM	0.004
1:08:07 PM	0.005
1:09:07 PM	0.005
1:10:07 PM	0.007
1:11:07 PM	0.007
1:12:07 PM	0.007
1:13:07 PM	0.006
1:14:07 PM	0.005
1:15:07 PM	0.007
1:16:07 PM	0.007
1:17:07 PM	0.008

1:18:07 PM	0.011
1:19:07 PM	0.006
1:20:07 PM	0.005
1:21:07 PM	0.006
1:22:07 PM	0.006
1:23:07 PM	0.006
1:24:07 PM	0.004
1:25:07 PM	0.005
1:26:07 PM	0.005
1:27:07 PM	0.006
1:28:07 PM	0.005
1:29:07 PM	0.005
1:30:07 PM	0.004
1:31:07 PM	0.005
1:32:07 PM	0.005
1:33:07 PM	0.012
1:34:07 PM	0.008
1:35:07 PM	0.009
1:36:07 PM	0.01
1:37:07 PM	0.007
1:38:07 PM	0.007
1:39:07 PM	0.007
1:40:07 PM	0.008
1:41:07 PM	0.01
1:42:07 PM	0.006
1:43:07 PM	0.007
1:44:07 PM	0.007
1:45:07 PM	0.006
1:46:07 PM	0.005
1:47:07 PM	0.007
1:48:07 PM	0.007
1:49:07 PM	0.005
1:50:07 PM	0.006
1:51:07 PM	0.006
1:52:07 PM	0.006
1:53:07 PM	0.009
1:54:07 PM	0.005
1:55:07 PM	0.008
1:56:07 PM	0.006
1:57:07 PM	0.005
1:58:07 PM	0.005
1:59:07 PM	0.005
2:00:07 PM	0.006
2:01:07 PM	0.006

2:02:07 PM	0.006
2:03:07 PM	0.006
2:04:07 PM	0.007
2:05:07 PM	0.005
2:06:07 PM	0.009
2:07:07 PM	0.011
2:08:07 PM	0.007
2:09:07 PM	0.006
2:10:07 PM	0.006
2:11:07 PM	0.007
2:12:07 PM	0.007
2:13:07 PM	0.007
2:14:07 PM	0.008
2:15:07 PM	0.006
2:16:07 PM	0.006
2:17:07 PM	0.005
2:18:07 PM	0.005
2:19:07 PM	0.007
2:20:07 PM	0.006
2:21:07 PM	0.007
2:22:07 PM	0.007
2:23:07 PM	0.006
2:24:07 PM	0.007
2:25:07 PM	0.006
2:26:07 PM	0.006
2:27:07 PM	0.005
2:28:07 PM	0.006
2:29:07 PM	0.006
2:30:07 PM	0.007
2:31:07 PM	0.006
2:32:07 PM	0.007
2:33:07 PM	0.007
2:34:07 PM	0.008
2:35:07 PM	0.007
2:36:07 PM	0.007
2:37:07 PM	0.006
2:38:07 PM	0.008
2:39:07 PM	0.008
2:40:07 PM	0.008
2:41:07 PM	0.009
2:42:07 PM	0.008
2:43:07 PM	0.009
2:44:07 PM	0.007
2:45:07 PM	0.007

2:46:07 PM	0.006
2:47:07 PM	0.006
2:48:07 PM	0.006
2:49:07 PM	0.006
2:50:07 PM	0.007
2:51:07 PM	0.008
2:52:07 PM	0.006
2:53:07 PM	0.009
2:54:07 PM	0.007
2:55:07 PM	0.006
2:56:07 PM	0.007
2:57:07 PM	0.007
2:58:07 PM	0.01
2:59:07 PM	0.009
3:00:07 PM	0.008
3:01:07 PM	0.01
3:02:07 PM	0.009
3:03:07 PM	0.009
3:04:07 PM	0.009
3:05:07 PM	0.008
3:06:07 PM	0.008
3:07:07 PM	0.007
3:08:07 PM	0.009
3:09:07 PM	0.009
3:10:07 PM	0.007
3:11:07 PM	0.007
3:12:07 PM	0.007
3:13:07 PM	0.013
3:14:07 PM	0.013
3:15:07 PM	0.009
3:16:07 PM	0.009
3:17:07 PM	0.01
3:18:07 PM	0.007
3:19:07 PM	0.007
3:20:07 PM	0.01
3:21:07 PM	0.011
3:22:07 PM	0.009
3:23:07 PM	0.008
3:24:07 PM	0.01
3:25:07 PM	0.008
3:26:07 PM	0.008
3:27:07 PM	0.008
3:28:07 PM	0.009
3:29:07 PM	0.008

3:30:07 PM	0.008
3:31:07 PM	0.008
3:32:07 PM	0.009
3:33:07 PM	0.008
3:34:07 PM	0.008
3:35:07 PM	0.008
3:36:07 PM	0.008
3:37:07 PM	0.007
3:38:07 PM	0.008
3:39:07 PM	0.008
3:40:07 PM	0.007
3:41:07 PM	0.008
3:42:07 PM	0.007
3:43:07 PM	0.007
3:44:07 PM	0.008
3:45:07 PM	0.008
3:46:07 PM	0.008
3:47:07 PM	0.009
3:48:07 PM	0.007
3:49:07 PM	0.008
3:50:07 PM	0.01
3:51:07 PM	0.007
3:52:07 PM	0.008
3:53:07 PM	0.007
3:54:07 PM	0.008
3:55:07 PM	0.009
3:56:07 PM	0.008
3:57:07 PM	0.009
3:58:07 PM	0.007
3:59:07 PM	0.007
4:00:07 PM	0.007
4:01:07 PM	0.006
4:02:07 PM	0.007
4:03:07 PM	0.007
4:04:07 PM	0.007
4:05:07 PM	0.007
4:06:07 PM	0.007
4:07:07 PM	0.007
4:08:07 PM	0.007
4:09:07 PM	0.007
4:10:07 PM	0.007
4:11:07 PM	0.007
4:12:07 PM	0.007
4:13:07 PM	0.008

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/16/2024 16:30	Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/16/2024 16:29	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:28	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/16/2024 16:27	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:26	Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/16/2024 16:25	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:24	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:23	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:22	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:21	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:20	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:19	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:18	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:17	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:16	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:15	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:14	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:13	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:12	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:11	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:10	Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 16:09	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:08	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:07	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:06	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:05	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:04	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:03	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:02	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:01	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 16:00	Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:59	Readings	PID	SC23030602B4	Normal	0.4

592-602176	5/16/2024 15:58 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:57 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:56 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:55 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/16/2024 15:54 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:53 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:52 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:51 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:50 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:48 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:47 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:46 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:45 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/16/2024 15:44 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:43 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:42 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:41 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:40 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:39 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:38 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:37 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:36 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:34 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:33 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/16/2024 15:32 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:31 Readings	PID	SC23030602B4	Normal	0.7
592-602176	5/16/2024 15:30 Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/16/2024 15:29 Readings	PID	SC23030602B4	Normal	0.8
592-602176	5/16/2024 15:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:27 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:26 Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/16/2024 15:25 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:24 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:23 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:22 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/16/2024 15:21 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:20 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:19 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:18 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:17 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:16 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:15 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:14 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:13 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:12 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:10 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:09 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:08 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:07 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:06 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:05 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:04 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:03 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 15:02 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:01 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 15:00 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:59 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:57 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:56 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:55 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:54 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:53 Readings	PID	SC23030602B4	Normal	0.4

592-602176	5/16/2024 14:52 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:51 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:49 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:48 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:47 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:46 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:45 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:44 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:43 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:42 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 14:40 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:39 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:38 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:37 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:36 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:35 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:34 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:33 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:32 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:31 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:30 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:29 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:27 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:26 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:25 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:24 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:23 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:22 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:21 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:20 Readings	PID	SC23030602B4	Normal	0.5

592-602176	5/16/2024 14:19 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:18 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:17 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:16 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:15 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:13 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:12 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:10 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:09 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 14:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 14:07 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:06 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:05 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:04 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:03 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:02 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:01 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 14:00 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:59 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 13:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:57 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 13:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:55 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:54 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:53 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:52 Readings	PID	SC23030602B4	Normal	0.6
592-602176	5/16/2024 13:51 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:49 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:48 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:47 Readings	PID	SC23030602B4	Normal	0.4

592-602176	5/16/2024 13:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:45 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:44 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:43 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:42 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:41 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:40 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:39 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:37 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:36 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 13:34 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:33 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:32 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:31 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:30 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 13:29 Readings	PID	SC23030602B4	Normal	0.5
592-602176	5/16/2024 13:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:27 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:26 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:25 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:24 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:23 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:22 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:21 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:20 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:18 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:15 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:14 Readings	PID	SC23030602B4	Normal	0.3

592-602176	5/16/2024 13:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:11 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:10 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:08 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 13:07 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:06 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:05 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 13:00 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:58 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:57 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 12:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:53 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 12:52 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	5/16/2024 12:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:47 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:41 Readings	PID	SC23030602B4	Normal	0.2

592-602176	5/16/2024 12:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:35 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:24 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 12:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:08 Readings	PID	SC23030602B4	Normal	0.1

592-602176	5/16/2024 12:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 12:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 12:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 12:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 12:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	5/16/2024 11:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:43 Readings	PID	SC23030602B4	Normal	1
592-602176	5/16/2024 11:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:35 Readings	PID	SC23030602B4	Normal	0.1

592-602176	5/16/2024 11:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/16/2024 11:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 11:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:02 Readings	PID	SC23030602B4	Normal	0

592-602176	5/16/2024 11:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 11:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:52 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:51 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 10:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	5/16/2024 10:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 10:29 Readings	PID	SC23030602B4	Normal	2.6

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	5/16/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/16/2024 7:18 CONFIG	PID	SC23030602B4		