



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		N 5 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/21/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 16:00</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barazza Capital/KFS (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Tim Williams Cascade (ISS Contractor) Control Point (Licensed Surveyor)</p> <p>Equipment On Site: DustTrak (x3), PID (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations; import approved fill and material load-out for offsite disposal; ECD to continue with pile installation at south building; KFS to continue pile cap/footing and vapor barrier work in approved grids. Capital to excavate to continue excavation of remaining grids in the north building. Import of crushed limestone. Cascade stages ISS equipment. Surveying of endpoint locations.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells and at canal point for de-watering purposes;
- One (1) Truckload of approved fill (crushed limestone) was imported on site, backfilling occurred in grid H4;
- Excavation of grid H4 to 10' bsg. Refer to the Alpha Numeric Grid Map for grid locations;
- Endpoint sampling: EP-53 (10');
- Control Point Surveys locations: Ep-110, 98, 83, 68, 53, SB-9-Bottom, Sidewalls-North, South, East, and West;
- Dust suppression was implemented throughout the day;
- KFS continues construction of footings in the southern building;
- Inspection of vapor barriers performed to ensure proper application;
- Cascade stages ISS equipment across site in the northern building;
- Dewatering Active at grid H4. A leak was observed from a dewatering pipe, all valves were shut off and ECS was scheduled for repairs. The leakage was surrounded with filter fabric as mitigation;
- ECD completed pile installation in southern lot, the following piles were installed: T16, T76, T65A, P144, T32, P157, T54A, T52, P20, P128. Pile locations were verified by IEC before installation; and

- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked;

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.012_ mg/m³ @ 6:59
- High Conditions (Upwind) – PID = _0.1_ ppm @ 08:54, Dust = _0.095_ mg/m³ @ 11:15
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 13:17, Dust = _0.096_ mg/m³ @ 14:20
- High Conditions (Downwind 2) – PID = _1.2_ ppm @12:56, Dust = _0.183_ mg/m³ @ 11:25

*It should be noted that Cascade mobilized rig for ISS work to the Site at midnight. CAMP was run by IEC during this mobilization. CAMP Data below:

- Prestart Upwind Conditions – PID = _0.1_ ppm, Dust = _0.065_ mg/m³ @ 20:06
- High Conditions (Upwind) – PID = _0.2_ ppm @ 00:01, Dust = _0.082_ mg/m³ @ 00:30
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.278_ mg/m³ @ 20:02
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.105_ mg/m³ @20:10

Notable Site Conditions:

- Cascade mobilized Silos to the Site for ISS work from approximately 10 pm until 12:15 am, IEC ran CAMP during this time period.

Planned Activities for the Next Day/Week:

- ECD to continue with pile installation;
- Importing clean-fill;
- IEC was notified at 15:00 that Cascade rig delivery tonight scheduled for approx 10:00 PM, CAMP will be deployed.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of vapor
barrier and
footing
construction.



Photo 2 –
Representative
photo of
excavated grid
H4 and
dewatering
sump.



Photo 3 –

Representative photo of ECD pile installation in the southern building.



Photo 4 –

Representative photo of clean fill unloading on grid I4.



Photo 5 –

Representative photo of surface compaction for Cascade's ISS staging area.



Photo 6 –

Representative photo of backfilled grid H4 to grade.



Photo 7 –

Representative photo of Cascade mobilizing ISS rig onto the Site.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL




- 1 = 2' Excavation
- 2 = 4' Excavation
- 3 = 6' Excavation
- 4 = 7-8' Excavation
- 5 = 9' Excavation
- 6 = 10' Excavation
- 7 = 11' Excavation
- 8 = 19' Excavation

Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND	
	PROPERTY LINE
	TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
	POTENTIAL OIL/WATER SEPARATOR IDENTIFIED USING THE SEPTEMBER GPR SURVEY

**FIGURE 3:
REMEDIAL INVESTIGATION
SAMPLE LOCATION MAP**

318 Nevins Street Brooklyn, New York	Figure No: 03																															
	<table border="1"> <tr><td>PROJECT NO:</td><td>1807-01</td></tr> <tr><td>DRAWN BY:</td><td>AS</td></tr> <tr><td>CHECKED BY:</td><td>AS</td></tr> <tr><td>DATE:</td><td>08/01/2023</td></tr> <tr><td>SCALE:</td><td>1"=50'</td></tr> <tr><td>REVISION:</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </table>	PROJECT NO:	1807-01	DRAWN BY:	AS	CHECKED BY:	AS	DATE:	08/01/2023	SCALE:	1"=50'	REVISION:																				
PROJECT NO:	1807-01																															
DRAWN BY:	AS																															
CHECKED BY:	AS																															
DATE:	08/01/2023																															
SCALE:	1"=50'																															
REVISION:																																

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (831) 289-8800
FAX (831) 289-1599



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_001
Test Start Time	6:59:39 AM
Test Start Date	5/21/2024
Test Length [D:H:M]	0:09:11
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.095
Mass TWA [mg/m3]	0.024
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	551

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:59:39 AM	0.012		
7:00:39 AM	0.008		
7:01:39 AM	0.008		
7:02:39 AM	0.008		
7:03:39 AM	0.009		
7:04:39 AM	0.008		
7:05:39 AM	0.007		
7:06:39 AM	0.008		
7:07:39 AM	0.009		
7:08:39 AM	0.01		
7:09:39 AM	0.011		
7:10:39 AM	0.01		
7:11:39 AM	0.009		
7:12:39 AM	0.009		
7:13:39 AM	0.008		
7:14:39 AM	0.009		
7:15:39 AM	0.008		
7:16:39 AM	0.009		
7:17:39 AM	0.013		
7:18:39 AM	0.022		
7:19:39 AM	0.022		
7:20:39 AM	0.02		
7:21:39 AM	0.033		
7:22:39 AM	0.022		

7:23:39 AM	0.018
7:24:39 AM	0.018
7:25:39 AM	0.012
7:26:39 AM	0.01
7:27:39 AM	0.011
7:28:39 AM	0.013
7:29:39 AM	0.014
7:30:39 AM	0.012
7:31:39 AM	0.011
7:32:39 AM	0.011
7:33:39 AM	0.011
7:34:39 AM	0.01
7:35:39 AM	0.009
7:36:39 AM	0.009
7:37:39 AM	0.011
7:38:39 AM	0.011
7:39:39 AM	0.013
7:40:39 AM	0.009
7:41:39 AM	0.008
7:42:39 AM	0.01
7:43:39 AM	0.012
7:44:39 AM	0.011
7:45:39 AM	0.011
7:46:39 AM	0.01
7:47:39 AM	0.008
7:48:39 AM	0.008
7:49:39 AM	0.011
7:50:39 AM	0.01
7:51:39 AM	0.009
7:52:39 AM	0.01
7:53:39 AM	0.011
7:54:39 AM	0.01
7:55:39 AM	0.011
7:56:39 AM	0.01
7:57:39 AM	0.011
7:58:39 AM	0.017
7:59:39 AM	0.024
8:00:39 AM	0.013
8:01:39 AM	0.009
8:02:39 AM	0.009
8:03:39 AM	0.01
8:04:39 AM	0.01
8:05:39 AM	0.011
8:06:39 AM	0.012

8:07:39 AM	0.013
8:08:39 AM	0.011
8:09:39 AM	0.011
8:10:39 AM	0.016
8:11:39 AM	0.016
8:12:39 AM	0.013
8:13:39 AM	0.012
8:14:39 AM	0.015
8:15:39 AM	0.01
8:16:39 AM	0.011
8:17:39 AM	0.011
8:18:39 AM	0.012
8:19:39 AM	0.014
8:20:39 AM	0.017
8:21:39 AM	0.016
8:22:39 AM	0.014
8:23:39 AM	0.019
8:24:39 AM	0.017
8:25:39 AM	0.016
8:26:39 AM	0.018
8:27:39 AM	0.02
8:28:39 AM	0.021
8:29:39 AM	0.017
8:30:39 AM	0.016
8:31:39 AM	0.014
8:32:39 AM	0.014
8:33:39 AM	0.012
8:34:39 AM	0.013
8:35:39 AM	0.015
8:36:39 AM	0.014
8:37:39 AM	0.016
8:38:39 AM	0.014
8:39:39 AM	0.018
8:40:39 AM	0.024
8:41:39 AM	0.014
8:42:39 AM	0.014
8:43:39 AM	0.017
8:44:39 AM	0.017
8:45:39 AM	0.016
8:46:39 AM	0.016
8:47:39 AM	0.016
8:48:39 AM	0.015
8:49:39 AM	0.016
8:50:39 AM	0.015

8:51:39 AM	0.014
8:52:39 AM	0.016
8:53:39 AM	0.016
8:54:39 AM	0.017
8:55:39 AM	0.014
8:56:39 AM	0.021
8:57:39 AM	0.023
8:58:39 AM	0.016
8:59:39 AM	0.021
9:00:39 AM	0.019
9:01:39 AM	0.015
9:02:39 AM	0.015
9:03:39 AM	0.018
9:04:39 AM	0.017
9:05:39 AM	0.017
9:06:39 AM	0.016
9:07:39 AM	0.016
9:08:39 AM	0.021
9:09:39 AM	0.018
9:10:39 AM	0.017
9:11:39 AM	0.018
9:12:39 AM	0.022
9:13:39 AM	0.018
9:14:39 AM	0.02
9:15:39 AM	0.019
9:16:39 AM	0.018
9:17:39 AM	0.018
9:18:39 AM	0.019
9:19:39 AM	0.019
9:20:39 AM	0.02
9:21:39 AM	0.021
9:22:39 AM	0.02
9:23:39 AM	0.018
9:24:39 AM	0.019
9:25:39 AM	0.018
9:26:39 AM	0.019
9:27:39 AM	0.022
9:28:39 AM	0.021
9:29:39 AM	0.022
9:30:39 AM	0.022
9:31:39 AM	0.024
9:32:39 AM	0.024
9:33:39 AM	0.023
9:34:39 AM	0.024

9:35:39 AM	0.024
9:36:39 AM	0.024
9:37:39 AM	0.025
9:38:39 AM	0.023
9:39:39 AM	0.024
9:40:39 AM	0.023
9:41:39 AM	0.024
9:42:39 AM	0.024
9:43:39 AM	0.025
9:44:39 AM	0.024
9:45:39 AM	0.024
9:46:39 AM	0.025
9:47:39 AM	0.025
9:48:39 AM	0.024
9:49:39 AM	0.024
9:50:39 AM	0.028
9:51:39 AM	0.027
9:52:39 AM	0.025
9:53:39 AM	0.024
9:54:39 AM	0.026
9:55:39 AM	0.031
9:56:39 AM	0.036
9:57:39 AM	0.029
9:58:39 AM	0.026
9:59:39 AM	0.027
10:00:39 AM	0.026
10:01:39 AM	0.026
10:02:39 AM	0.027
10:03:39 AM	0.028
10:04:39 AM	0.028
10:05:39 AM	0.028
10:06:39 AM	0.028
10:07:39 AM	0.029
10:08:39 AM	0.032
10:09:39 AM	0.029
10:10:39 AM	0.03
10:11:39 AM	0.034
10:12:39 AM	0.028
10:13:39 AM	0.035
10:14:39 AM	0.034
10:15:39 AM	0.03
10:16:39 AM	0.026
10:17:39 AM	0.026
10:18:39 AM	0.027

10:19:39 AM	0.029
10:20:39 AM	0.027
10:21:39 AM	0.027
10:22:39 AM	0.026
10:23:39 AM	0.026
10:24:39 AM	0.032
10:25:39 AM	0.031
10:26:39 AM	0.028
10:27:39 AM	0.027
10:28:39 AM	0.034
10:29:39 AM	0.028
10:30:39 AM	0.029
10:31:39 AM	0.032
10:32:39 AM	0.029
10:33:39 AM	0.029
10:34:39 AM	0.028
10:35:39 AM	0.03
10:36:39 AM	0.032
10:37:39 AM	0.028
10:38:39 AM	0.03
10:39:39 AM	0.032
10:40:39 AM	0.031
10:41:39 AM	0.029
10:42:39 AM	0.029
10:43:39 AM	0.029
10:44:39 AM	0.03
10:45:39 AM	0.033
10:46:39 AM	0.036
10:47:39 AM	0.036
10:48:39 AM	0.028
10:49:39 AM	0.03
10:50:39 AM	0.032
10:51:39 AM	0.031
10:52:39 AM	0.03
10:53:39 AM	0.032
10:54:39 AM	0.032
10:55:39 AM	0.031
10:56:39 AM	0.03
10:57:39 AM	0.035
10:58:39 AM	0.034
10:59:39 AM	0.03
11:00:39 AM	0.032
11:01:39 AM	0.032
11:02:39 AM	0.043

11:03:39 AM	0.036
11:04:39 AM	0.03
11:05:39 AM	0.031
11:06:39 AM	0.03
11:07:39 AM	0.029
11:08:39 AM	0.029
11:09:39 AM	0.033
11:10:39 AM	0.03
11:11:39 AM	0.029
11:12:39 AM	0.029
11:13:39 AM	0.035
11:14:39 AM	0.056
11:15:39 AM	0.095
11:16:39 AM	0.029
11:17:39 AM	0.031
11:18:39 AM	0.037
11:19:39 AM	0.036
11:20:39 AM	0.029
11:21:39 AM	0.027
11:22:39 AM	0.026
11:23:39 AM	0.027
11:24:39 AM	0.026
11:25:39 AM	0.03
11:26:39 AM	0.042
11:27:39 AM	0.032
11:28:39 AM	0.025
11:29:39 AM	0.025
11:30:39 AM	0.025
11:31:39 AM	0.029
11:32:39 AM	0.029
11:33:39 AM	0.027
11:34:39 AM	0.028
11:35:39 AM	0.037
11:36:39 AM	0.034
11:37:39 AM	0.051
11:38:39 AM	0.032
11:39:39 AM	0.031
11:40:39 AM	0.031
11:41:39 AM	0.029
11:42:39 AM	0.027
11:43:39 AM	0.029
11:44:39 AM	0.029
11:45:39 AM	0.036
11:46:39 AM	0.032

11:47:39 AM	0.032
11:48:39 AM	0.029
11:49:39 AM	0.029
11:50:39 AM	0.03
11:51:39 AM	0.029
11:52:39 AM	0.032
11:53:39 AM	0.032
11:54:39 AM	0.036
11:55:39 AM	0.041
11:56:39 AM	0.032
11:57:39 AM	0.031
11:58:39 AM	0.031
11:59:39 AM	0.033
12:00:39 PM	0.031
12:01:39 PM	0.03
12:02:39 PM	0.036
12:03:39 PM	0.044
12:04:39 PM	0.034
12:05:39 PM	0.031
12:06:39 PM	0.03
12:07:39 PM	0.03
12:08:39 PM	0.03
12:09:39 PM	0.029
12:10:39 PM	0.033
12:11:39 PM	0.03
12:12:39 PM	0.031
12:13:39 PM	0.03
12:14:39 PM	0.032
12:15:39 PM	0.046
12:16:39 PM	0.047
12:17:39 PM	0.034
12:18:39 PM	0.031
12:19:39 PM	0.03
12:20:39 PM	0.036
12:21:39 PM	0.032
12:22:39 PM	0.032
12:23:39 PM	0.031
12:24:39 PM	0.032
12:25:39 PM	0.033
12:26:39 PM	0.032
12:27:39 PM	0.031
12:28:39 PM	0.031
12:29:39 PM	0.037
12:30:39 PM	0.036

12:31:39 PM	0.037
12:32:39 PM	0.031
12:33:39 PM	0.03
12:34:39 PM	0.032
12:35:39 PM	0.034
12:36:39 PM	0.029
12:37:39 PM	0.032
12:38:39 PM	0.034
12:39:39 PM	0.033
12:40:39 PM	0.033
12:41:39 PM	0.03
12:42:39 PM	0.033
12:43:39 PM	0.032
12:44:39 PM	0.031
12:45:39 PM	0.031
12:46:39 PM	0.029
12:47:39 PM	0.038
12:48:39 PM	0.035
12:49:39 PM	0.034
12:50:39 PM	0.032
12:51:39 PM	0.029
12:52:39 PM	0.032
12:53:39 PM	0.032
12:54:39 PM	0.036
12:55:39 PM	0.035
12:56:39 PM	0.036
12:57:39 PM	0.034
12:58:39 PM	0.033
12:59:39 PM	0.032
1:00:39 PM	0.031
1:01:39 PM	0.03
1:02:39 PM	0.031
1:03:39 PM	0.03
1:04:39 PM	0.029
1:05:39 PM	0.029
1:06:39 PM	0.029
1:07:39 PM	0.029
1:08:39 PM	0.03
1:09:39 PM	0.034
1:10:39 PM	0.035
1:11:39 PM	0.029
1:12:39 PM	0.029
1:13:39 PM	0.028
1:14:39 PM	0.028

1:15:39 PM	0.032
1:16:39 PM	0.036
1:17:39 PM	0.031
1:18:39 PM	0.028
1:19:39 PM	0.028
1:20:39 PM	0.028
1:21:39 PM	0.029
1:22:39 PM	0.028
1:23:39 PM	0.033
1:24:39 PM	0.032
1:25:39 PM	0.029
1:26:39 PM	0.029
1:27:39 PM	0.028
1:28:39 PM	0.029
1:29:39 PM	0.027
1:30:39 PM	0.028
1:31:39 PM	0.029
1:32:39 PM	0.028
1:33:39 PM	0.039
1:34:39 PM	0.027
1:35:39 PM	0.027
1:36:39 PM	0.028
1:37:39 PM	0.028
1:38:39 PM	0.028
1:39:39 PM	0.025
1:40:39 PM	0.023
1:41:39 PM	0.025
1:42:39 PM	0.026
1:43:39 PM	0.024
1:44:39 PM	0.026
1:45:39 PM	0.027
1:46:39 PM	0.027
1:47:39 PM	0.029
1:48:39 PM	0.028
1:49:39 PM	0.027
1:50:39 PM	0.027
1:51:39 PM	0.028
1:52:39 PM	0.027
1:53:39 PM	0.025
1:54:39 PM	0.027
1:55:39 PM	0.027
1:56:39 PM	0.027
1:57:39 PM	0.027
1:58:39 PM	0.025

1:59:39 PM	0.027
2:00:39 PM	0.027
2:01:39 PM	0.029
2:02:39 PM	0.028
2:03:39 PM	0.027
2:04:39 PM	0.027
2:05:39 PM	0.03
2:06:39 PM	0.036
2:07:39 PM	0.031
2:08:39 PM	0.027
2:09:39 PM	0.027
2:10:39 PM	0.023
2:11:39 PM	0.034
2:12:39 PM	0.024
2:13:39 PM	0.024
2:14:39 PM	0.023
2:15:39 PM	0.023
2:16:39 PM	0.022
2:17:39 PM	0.023
2:18:39 PM	0.023
2:19:39 PM	0.022
2:20:39 PM	0.024
2:21:39 PM	0.025
2:22:39 PM	0.02
2:23:39 PM	0.023
2:24:39 PM	0.019
2:25:39 PM	0.022
2:26:39 PM	0.021
2:27:39 PM	0.024
2:28:39 PM	0.024
2:29:39 PM	0.023
2:30:39 PM	0.022
2:31:39 PM	0.021
2:32:39 PM	0.022
2:33:39 PM	0.021
2:34:39 PM	0.019
2:35:39 PM	0.018
2:36:39 PM	0.018
2:37:39 PM	0.017
2:38:39 PM	0.018
2:39:39 PM	0.019
2:40:39 PM	0.019
2:41:39 PM	0.019
2:42:39 PM	0.019

2:43:39 PM	0.019
2:44:39 PM	0.019
2:45:39 PM	0.019
2:46:39 PM	0.02
2:47:39 PM	0.025
2:48:39 PM	0.027
2:49:39 PM	0.021
2:50:39 PM	0.025
2:51:39 PM	0.033
2:52:39 PM	0.023
2:53:39 PM	0.017
2:54:39 PM	0.017
2:55:39 PM	0.018
2:56:39 PM	0.017
2:57:39 PM	0.016
2:58:39 PM	0.016
2:59:39 PM	0.017
3:00:39 PM	0.017
3:01:39 PM	0.017
3:02:39 PM	0.017
3:03:39 PM	0.016
3:04:39 PM	0.016
3:05:39 PM	0.016
3:06:39 PM	0.016
3:07:39 PM	0.015
3:08:39 PM	0.015
3:09:39 PM	0.015
3:10:39 PM	0.015
3:11:39 PM	0.015
3:12:39 PM	0.016
3:13:39 PM	0.016
3:14:39 PM	0.018
3:15:39 PM	0.029
3:16:39 PM	0.018
3:17:39 PM	0.018
3:18:39 PM	0.033
3:19:39 PM	0.019
3:20:39 PM	0.016
3:21:39 PM	0.017
3:22:39 PM	0.019
3:23:39 PM	0.018
3:24:39 PM	0.016
3:25:39 PM	0.018
3:26:39 PM	0.018

3:27:39 PM	0.016
3:28:39 PM	0.018
3:29:39 PM	0.023
3:30:39 PM	0.019
3:31:39 PM	0.02
3:32:39 PM	0.02
3:33:39 PM	0.02
3:34:39 PM	0.02
3:35:39 PM	0.021
3:36:39 PM	0.018
3:37:39 PM	0.017
3:38:39 PM	0.017
3:39:39 PM	0.017
3:40:39 PM	0.018
3:41:39 PM	0.017
3:42:39 PM	0.018
3:43:39 PM	0.017
3:44:39 PM	0.017
3:45:39 PM	0.017
3:46:39 PM	0.016
3:47:39 PM	0.016
3:48:39 PM	0.017
3:49:39 PM	0.016
3:50:39 PM	0.015
3:51:39 PM	0.016
3:52:39 PM	0.016
3:53:39 PM	0.016
3:54:39 PM	0.016
3:55:39 PM	0.016
3:56:39 PM	0.015
3:57:39 PM	0.017
3:58:39 PM	0.018
3:59:39 PM	0.016
4:00:39 PM	0.017
4:01:39 PM	0.019
4:02:39 PM	0.016
4:03:39 PM	0.016
4:04:39 PM	0.017
4:05:39 PM	0.017
4:06:39 PM	0.016
4:07:39 PM	0.017
4:08:39 PM	0.017
4:09:39 PM	0.018

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/21/2024 11:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:14	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 11:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:53	Readings	PID	SC23030449A8	Normal	0

592-600853	5/21/2024 10:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 10:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 10:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:29	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:26	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:20	Readings	PID	SC23030449A8	Normal	0

592-600853	5/21/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 10:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:47 Readings	PID	SC23030449A8	Normal	0

592-600853	5/21/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 9:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:41	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:40	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:39	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:36	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:35	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:34	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:33	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:32	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:31	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:30	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:29	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:28	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:27	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:26	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:25	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:24	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:23	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:22	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:21	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:20	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:19	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:14	Readings	PID	SC23030449A8	Normal	0

592-600853	5/21/2024 9:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 9:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 8:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/21/2024 8:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:47	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:46	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:45	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:44	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:43	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:42	Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 8:41	Readings	PID	SC23030449A8	Normal	0

592-600853	5/21/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 7:07 CONFIG	PID	SC23030449A8		
592-600853	5/21/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/21/2024 6:51 CONFIG	PID	SC23030449A8		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	10:06:58 PM
Test Start Date	5/21/2024
Test Length [D:H:M]	0:02:31
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.055
Mass Minimum [mg/m3]	0.038
Mass Maximum [mg/m3]	0.082
Mass TWA [mg/m3]	0.017
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	151

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.065		
120	0.058		
180	0.061		
240	0.059		
300	0.058		
360	0.057		
420	0.057		
480	0.055		
540	0.056		
600	0.055		
660	0.054		
720	0.053		
780	0.054		
840	0.054		
900	0.054		
960	0.052		
1020	0.053		
1080	0.053		
1140	0.052		
1200	0.053		
1260	0.054		
1320	0.053		
1380	0.053		
1440	0.054		

1500	0.053
1560	0.056
1620	0.059
1680	0.06
1740	0.062
1800	0.06
1860	0.061
1920	0.071
1980	0.07
2040	0.064
2100	0.056
2160	0.056
2220	0.057
2280	0.056
2340	0.057
2400	0.057
2460	0.058
2520	0.059
2580	0.058
2640	0.056
2700	0.058
2760	0.058
2820	0.055
2880	0.057
2940	0.056
3000	0.052
3060	0.051
3120	0.051
3180	0.052
3240	0.05
3300	0.048
3360	0.05
3420	0.049
3480	0.053
3540	0.049
3600	0.049
3660	0.047
3720	0.049
3780	0.049
3840	0.055
3900	0.057
3960	0.055
4020	0.05
4080	0.052

4140	0.052
4200	0.054
4260	0.055
4320	0.055
4380	0.057
4440	0.058
4500	0.056
4560	0.053
4620	0.049
4680	0.047
4740	0.048
4800	0.051
4860	0.05
4920	0.048
4980	0.052
5040	0.057
5100	0.054
5160	0.053
5220	0.052
5280	0.058
5340	0.064
5400	0.065
5460	0.061
5520	0.056
5580	0.055
5640	0.054
5700	0.059
5760	0.054
5820	0.051
5880	0.051
5940	0.05
6000	0.051
6060	0.056
6120	0.054
6180	0.055
6240	0.056
6300	0.062
6360	0.057
6420	0.056
6480	0.062
6540	0.072
6600	0.07
6660	0.067
6720	0.068

6780	0.07
6840	0.071
6900	0.06
6960	0.06
7020	0.054
7080	0.049
7140	0.047
7200	0.049
7260	0.048
7320	0.044
7380	0.043
7440	0.042
7500	0.041
7560	0.039
7620	0.039
7680	0.038
7740	0.039
7800	0.042
7860	0.039
7920	0.038
7980	0.04
8040	0.039
8100	0.039
8160	0.046
8220	0.042
8280	0.043
8340	0.044
8400	0.048
8460	0.051
8520	0.053
8580	0.056
8640	0.065
8700	0.068
8760	0.073
8820	0.076
8880	0.082
8940	0.074
9000	0.067
9060	0.07

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/22/2024 0:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:15	Readings	PID	SC23030449A8	Normal	0.1

592-600853	5/22/2024 0:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:09 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:08 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:03 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/22/2024 0:01 Readings	PID	SC23030449A8	Normal	0.2
592-600853	5/22/2024 0:00 Readings	PID	SC23030449A8	Normal	0.1

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_001
Test Start Time	6:55:42 AM
Test Start Date	5/21/2024
Test Length [D:H:M]	0:09:11
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.021
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.096
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	551

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:55:42 AM	0.055		
6:56:42 AM	0.009		
6:57:42 AM	0.007		
6:58:42 AM	0.009		
6:59:42 AM	0.007		
7:00:42 AM	0.007		
7:01:42 AM	0.012		
7:02:42 AM	0.012		
7:03:42 AM	0.013		
7:04:42 AM	0.009		
7:05:42 AM	0.008		
7:06:42 AM	0.008		
7:07:42 AM	0.008		
7:08:42 AM	0.009		
7:09:42 AM	0.01		
7:10:42 AM	0.009		
7:11:42 AM	0.01		
7:12:42 AM	0.009		
7:13:42 AM	0.009		
7:14:42 AM	0.009		
7:15:42 AM	0.008		
7:16:42 AM	0.008		
7:17:42 AM	0.009		
7:18:42 AM	0.01		

7:19:42 AM	0.012
7:20:42 AM	0.01
7:21:42 AM	0.009
7:22:42 AM	0.018
7:23:42 AM	0.014
7:24:42 AM	0.012
7:25:42 AM	0.013
7:26:42 AM	0.014
7:27:42 AM	0.014
7:28:42 AM	0.011
7:29:42 AM	0.014
7:30:42 AM	0.013
7:31:42 AM	0.011
7:32:42 AM	0.01
7:33:42 AM	0.011
7:34:42 AM	0.01
7:35:42 AM	0.011
7:36:42 AM	0.015
7:37:42 AM	0.012
7:38:42 AM	0.01
7:39:42 AM	0.01
7:40:42 AM	0.01
7:41:42 AM	0.011
7:42:42 AM	0.012
7:43:42 AM	0.011
7:44:42 AM	0.011
7:45:42 AM	0.009
7:46:42 AM	0.009
7:47:42 AM	0.009
7:48:42 AM	0.01
7:49:42 AM	0.012
7:50:42 AM	0.012
7:51:42 AM	0.012
7:52:42 AM	0.011
7:53:42 AM	0.013
7:54:42 AM	0.012
7:55:42 AM	0.011
7:56:42 AM	0.013
7:57:42 AM	0.013
7:58:42 AM	0.016
7:59:42 AM	0.027
8:00:42 AM	0.013
8:01:42 AM	0.012
8:02:42 AM	0.013

8:03:42 AM	0.015
8:04:42 AM	0.022
8:05:42 AM	0.013
8:06:42 AM	0.015
8:07:42 AM	0.018
8:08:42 AM	0.017
8:09:42 AM	0.018
8:10:42 AM	0.021
8:11:42 AM	0.018
8:12:42 AM	0.015
8:13:42 AM	0.018
8:14:42 AM	0.015
8:15:42 AM	0.015
8:16:42 AM	0.017
8:17:42 AM	0.015
8:18:42 AM	0.017
8:19:42 AM	0.018
8:20:42 AM	0.018
8:21:42 AM	0.015
8:22:42 AM	0.016
8:23:42 AM	0.015
8:24:42 AM	0.014
8:25:42 AM	0.015
8:26:42 AM	0.019
8:27:42 AM	0.015
8:28:42 AM	0.016
8:29:42 AM	0.016
8:30:42 AM	0.017
8:31:42 AM	0.022
8:32:42 AM	0.026
8:33:42 AM	0.016
8:34:42 AM	0.016
8:35:42 AM	0.014
8:36:42 AM	0.014
8:37:42 AM	0.014
8:38:42 AM	0.014
8:39:42 AM	0.014
8:40:42 AM	0.014
8:41:42 AM	0.016
8:42:42 AM	0.015
8:43:42 AM	0.017
8:44:42 AM	0.021
8:45:42 AM	0.013
8:46:42 AM	0.013

8:47:42 AM	0.012
8:48:42 AM	0.013
8:49:42 AM	0.015
8:50:42 AM	0.014
8:51:42 AM	0.012
8:52:42 AM	0.012
8:53:42 AM	0.013
8:54:42 AM	0.013
8:55:42 AM	0.014
8:56:42 AM	0.014
8:57:42 AM	0.013
8:58:42 AM	0.013
8:59:42 AM	0.015
9:00:42 AM	0.015
9:01:42 AM	0.016
9:02:42 AM	0.015
9:03:42 AM	0.015
9:04:42 AM	0.014
9:05:42 AM	0.024
9:06:42 AM	0.021
9:07:42 AM	0.016
9:08:42 AM	0.015
9:09:42 AM	0.023
9:10:42 AM	0.018
9:11:42 AM	0.017
9:12:42 AM	0.017
9:13:42 AM	0.018
9:14:42 AM	0.018
9:15:42 AM	0.016
9:16:42 AM	0.017
9:17:42 AM	0.021
9:18:42 AM	0.022
9:19:42 AM	0.02
9:20:42 AM	0.019
9:21:42 AM	0.022
9:22:42 AM	0.025
9:23:42 AM	0.022
9:24:42 AM	0.023
9:25:42 AM	0.021
9:26:42 AM	0.021
9:27:42 AM	0.022
9:28:42 AM	0.021
9:29:42 AM	0.02
9:30:42 AM	0.022

9:31:42 AM	0.022
9:32:42 AM	0.024
9:33:42 AM	0.024
9:34:42 AM	0.022
9:35:42 AM	0.024
9:36:42 AM	0.023
9:37:42 AM	0.027
9:38:42 AM	0.027
9:39:42 AM	0.031
9:40:42 AM	0.025
9:41:42 AM	0.025
9:42:42 AM	0.026
9:43:42 AM	0.024
9:44:42 AM	0.024
9:45:42 AM	0.027
9:46:42 AM	0.065
9:47:42 AM	0.031
9:48:42 AM	0.026
9:49:42 AM	0.026
9:50:42 AM	0.027
9:51:42 AM	0.026
9:52:42 AM	0.028
9:53:42 AM	0.026
9:54:42 AM	0.026
9:55:42 AM	0.026
9:56:42 AM	0.08
9:57:42 AM	0.032
9:58:42 AM	0.03
9:59:42 AM	0.028
10:00:42 AM	0.031
10:01:42 AM	0.038
10:02:42 AM	0.032
10:03:42 AM	0.029
10:04:42 AM	0.03
10:05:42 AM	0.032
10:06:42 AM	0.029
10:07:42 AM	0.028
10:08:42 AM	0.034
10:09:42 AM	0.03
10:10:42 AM	0.026
10:11:42 AM	0.026
10:12:42 AM	0.027
10:13:42 AM	0.026
10:14:42 AM	0.026

10:15:42 AM	0.025
10:16:42 AM	0.027
10:17:42 AM	0.026
10:18:42 AM	0.03
10:19:42 AM	0.032
10:20:42 AM	0.03
10:21:42 AM	0.027
10:22:42 AM	0.025
10:23:42 AM	0.029
10:24:42 AM	0.027
10:25:42 AM	0.028
10:26:42 AM	0.029
10:27:42 AM	0.026
10:28:42 AM	0.027
10:29:42 AM	0.032
10:30:42 AM	0.028
10:31:42 AM	0.028
10:32:42 AM	0.031
10:33:42 AM	0.026
10:34:42 AM	0.026
10:35:42 AM	0.03
10:36:42 AM	0.053
10:37:42 AM	0.027
10:38:42 AM	0.028
10:39:42 AM	0.031
10:40:42 AM	0.035
10:41:42 AM	0.029
10:42:42 AM	0.028
10:43:42 AM	0.028
10:44:42 AM	0.029
10:45:42 AM	0.031
10:46:42 AM	0.048
10:47:42 AM	0.038
10:48:42 AM	0.026
10:49:42 AM	0.026
10:50:42 AM	0.027
10:51:42 AM	0.032
10:52:42 AM	0.036
10:53:42 AM	0.031
10:54:42 AM	0.032
10:55:42 AM	0.029
10:56:42 AM	0.028
10:57:42 AM	0.027
10:58:42 AM	0.027

10:59:42 AM	0.027
11:00:42 AM	0.032
11:01:42 AM	0.032
11:02:42 AM	0.032
11:03:42 AM	0.029
11:04:42 AM	0.031
11:05:42 AM	0.029
11:06:42 AM	0.029
11:07:42 AM	0.028
11:08:42 AM	0.028
11:09:42 AM	0.029
11:10:42 AM	0.028
11:11:42 AM	0.029
11:12:42 AM	0.025
11:13:42 AM	0.025
11:14:42 AM	0.026
11:15:42 AM	0.027
11:16:42 AM	0.029
11:17:42 AM	0.032
11:18:42 AM	0.042
11:19:42 AM	0.027
11:20:42 AM	0.025
11:21:42 AM	0.03
11:22:42 AM	0.025
11:23:42 AM	0.029
11:24:42 AM	0.044
11:25:42 AM	0.032
11:26:42 AM	0.027
11:27:42 AM	0.024
11:28:42 AM	0.029
11:29:42 AM	0.026
11:30:42 AM	0.024
11:31:42 AM	0.024
11:32:42 AM	0.03
11:33:42 AM	0.026
11:34:42 AM	0.027
11:35:42 AM	0.031
11:36:42 AM	0.03
11:37:42 AM	0.028
11:38:42 AM	0.027
11:39:42 AM	0.027
11:40:42 AM	0.027
11:41:42 AM	0.027
11:42:42 AM	0.026

11:43:42 AM	0.026
11:44:42 AM	0.027
11:45:42 AM	0.033
11:46:42 AM	0.039
11:47:42 AM	0.03
11:48:42 AM	0.029
11:49:42 AM	0.028
11:50:42 AM	0.028
11:51:42 AM	0.032
11:52:42 AM	0.029
11:53:42 AM	0.032
11:54:42 AM	0.033
11:55:42 AM	0.029
11:56:42 AM	0.025
11:57:42 AM	0.025
11:58:42 AM	0.027
11:59:42 AM	0.027
12:00:42 PM	0.029
12:01:42 PM	0.027
12:02:42 PM	0.028
12:03:42 PM	0.025
12:04:42 PM	0.031
12:05:42 PM	0.027
12:06:42 PM	0.03
12:07:42 PM	0.026
12:08:42 PM	0.025
12:09:42 PM	0.033
12:10:42 PM	0.032
12:11:42 PM	0.026
12:12:42 PM	0.026
12:13:42 PM	0.024
12:14:42 PM	0.023
12:15:42 PM	0.029
12:16:42 PM	0.028
12:17:42 PM	0.025
12:18:42 PM	0.026
12:19:42 PM	0.025
12:20:42 PM	0.027
12:21:42 PM	0.028
12:22:42 PM	0.026
12:23:42 PM	0.026
12:24:42 PM	0.027
12:25:42 PM	0.031
12:26:42 PM	0.027

12:27:42 PM	0.027
12:28:42 PM	0.026
12:29:42 PM	0.027
12:30:42 PM	0.031
12:31:42 PM	0.028
12:32:42 PM	0.029
12:33:42 PM	0.026
12:34:42 PM	0.026
12:35:42 PM	0.032
12:36:42 PM	0.028
12:37:42 PM	0.025
12:38:42 PM	0.035
12:39:42 PM	0.029
12:40:42 PM	0.029
12:41:42 PM	0.025
12:42:42 PM	0.026
12:43:42 PM	0.03
12:44:42 PM	0.025
12:45:42 PM	0.028
12:46:42 PM	0.026
12:47:42 PM	0.024
12:48:42 PM	0.028
12:49:42 PM	0.027
12:50:42 PM	0.027
12:51:42 PM	0.026
12:52:42 PM	0.028
12:53:42 PM	0.039
12:54:42 PM	0.028
12:55:42 PM	0.028
12:56:42 PM	0.027
12:57:42 PM	0.025
12:58:42 PM	0.024
12:59:42 PM	0.026
1:00:42 PM	0.026
1:01:42 PM	0.024
1:02:42 PM	0.025
1:03:42 PM	0.024
1:04:42 PM	0.024
1:05:42 PM	0.022
1:06:42 PM	0.023
1:07:42 PM	0.024
1:08:42 PM	0.025
1:09:42 PM	0.026
1:10:42 PM	0.024

1:11:42 PM	0.026
1:12:42 PM	0.021
1:13:42 PM	0.022
1:14:42 PM	0.027
1:15:42 PM	0.024
1:16:42 PM	0.02
1:17:42 PM	0.022
1:18:42 PM	0.021
1:19:42 PM	0.02
1:20:42 PM	0.02
1:21:42 PM	0.022
1:22:42 PM	0.019
1:23:42 PM	0.019
1:24:42 PM	0.023
1:25:42 PM	0.021
1:26:42 PM	0.019
1:27:42 PM	0.02
1:28:42 PM	0.02
1:29:42 PM	0.019
1:30:42 PM	0.023
1:31:42 PM	0.022
1:32:42 PM	0.024
1:33:42 PM	0.026
1:34:42 PM	0.022
1:35:42 PM	0.02
1:36:42 PM	0.019
1:37:42 PM	0.019
1:38:42 PM	0.019
1:39:42 PM	0.019
1:40:42 PM	0.02
1:41:42 PM	0.02
1:42:42 PM	0.021
1:43:42 PM	0.024
1:44:42 PM	0.02
1:45:42 PM	0.023
1:46:42 PM	0.023
1:47:42 PM	0.025
1:48:42 PM	0.024
1:49:42 PM	0.02
1:50:42 PM	0.029
1:51:42 PM	0.028
1:52:42 PM	0.024
1:53:42 PM	0.024
1:54:42 PM	0.035

1:55:42 PM	0.021
1:56:42 PM	0.024
1:57:42 PM	0.025
1:58:42 PM	0.024
1:59:42 PM	0.022
2:00:42 PM	0.02
2:01:42 PM	0.022
2:02:42 PM	0.02
2:03:42 PM	0.019
2:04:42 PM	0.021
2:05:42 PM	0.021
2:06:42 PM	0.02
2:07:42 PM	0.024
2:08:42 PM	0.021
2:09:42 PM	0.018
2:10:42 PM	0.018
2:11:42 PM	0.019
2:12:42 PM	0.02
2:13:42 PM	0.018
2:14:42 PM	0.018
2:15:42 PM	0.018
2:16:42 PM	0.018
2:17:42 PM	0.02
2:18:42 PM	0.021
2:19:42 PM	0.019
2:20:42 PM	0.096
2:21:42 PM	0.028
2:22:42 PM	0.023
2:23:42 PM	0.019
2:24:42 PM	0.028
2:25:42 PM	0.025
2:26:42 PM	0.021
2:27:42 PM	0.021
2:28:42 PM	0.02
2:29:42 PM	0.03
2:30:42 PM	0.021
2:31:42 PM	0.033
2:32:42 PM	0.019
2:33:42 PM	0.019
2:34:42 PM	0.016
2:35:42 PM	0.014
2:36:42 PM	0.016
2:37:42 PM	0.014
2:38:42 PM	0.014

2:39:42 PM	0.016
2:40:42 PM	0.015
2:41:42 PM	0.013
2:42:42 PM	0.013
2:43:42 PM	0.016
2:44:42 PM	0.023
2:45:42 PM	0.017
2:46:42 PM	0.022
2:47:42 PM	0.024
2:48:42 PM	0.044
2:49:42 PM	0.019
2:50:42 PM	0.015
2:51:42 PM	0.013
2:52:42 PM	0.018
2:53:42 PM	0.024
2:54:42 PM	0.016
2:55:42 PM	0.015
2:56:42 PM	0.015
2:57:42 PM	0.02
2:58:42 PM	0.019
2:59:42 PM	0.018
3:00:42 PM	0.027
3:01:42 PM	0.021
3:02:42 PM	0.018
3:03:42 PM	0.014
3:04:42 PM	0.012
3:05:42 PM	0.012
3:06:42 PM	0.015
3:07:42 PM	0.013
3:08:42 PM	0.012
3:09:42 PM	0.011
3:10:42 PM	0.014
3:11:42 PM	0.011
3:12:42 PM	0.011
3:13:42 PM	0.012
3:14:42 PM	0.011
3:15:42 PM	0.012
3:16:42 PM	0.012
3:17:42 PM	0.01
3:18:42 PM	0.012
3:19:42 PM	0.012
3:20:42 PM	0.011
3:21:42 PM	0.012
3:22:42 PM	0.011

3:23:42 PM	0.011
3:24:42 PM	0.011
3:25:42 PM	0.01
3:26:42 PM	0.011
3:27:42 PM	0.013
3:28:42 PM	0.012
3:29:42 PM	0.011
3:30:42 PM	0.012
3:31:42 PM	0.013
3:32:42 PM	0.013
3:33:42 PM	0.014
3:34:42 PM	0.021
3:35:42 PM	0.01
3:36:42 PM	0.011
3:37:42 PM	0.012
3:38:42 PM	0.012
3:39:42 PM	0.012
3:40:42 PM	0.012
3:41:42 PM	0.012
3:42:42 PM	0.013
3:43:42 PM	0.013
3:44:42 PM	0.012
3:45:42 PM	0.013
3:46:42 PM	0.011
3:47:42 PM	0.011
3:48:42 PM	0.015
3:49:42 PM	0.036
3:50:42 PM	0.015
3:51:42 PM	0.014
3:52:42 PM	0.016
3:53:42 PM	0.012
3:54:42 PM	0.011
3:55:42 PM	0.012
3:56:42 PM	0.012
3:57:42 PM	0.021
3:58:42 PM	0.015
3:59:42 PM	0.011
4:00:42 PM	0.012
4:01:42 PM	0.012
4:02:42 PM	0.012
4:03:42 PM	0.011
4:04:42 PM	0.011
4:05:42 PM	0.012

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/21/2024 15:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 15:02	Readings	PID	SC23030124AA	Normal	0

592-908641	5/21/2024 13:22	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/21/2024 13:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:17	Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/21/2024 13:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 13:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 12:50	Readings	PID	SC23030124AA	Normal	0

592-908641	5/21/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:46	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:43	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:42	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:41	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:40	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:39	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:38	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 9:32	Readings	PID	SC23030124AA	Normal	0

592-908641	5/21/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:33 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/21/2024 6:22 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_002
Test Start Time	10:02:33 PM
Test Start Date	5/21/2024
Test Length [D:H:M]	0:02:39
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.026
Mass Minimum [mg/m3]	0.018
Mass Maximum [mg/m3]	0.278
Mass TWA [mg/m3]	0.009
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	159

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.278		
120	0.025		
180	0.024		
240	0.023		
300	0.023		
360	0.024		
420	0.027		
480	0.026		
540	0.025		
600	0.024		
660	0.025		
720	0.024		
780	0.024		
840	0.023		
900	0.023		
960	0.023		
1020	0.023		
1080	0.023		
1140	0.023		
1200	0.023		
1260	0.024		
1320	0.024		
1380	0.024		
1440	0.024		

1500	0.023
1560	0.023
1620	0.023
1680	0.024
1740	0.023
1800	0.023
1860	0.024
1920	0.024
1980	0.024
2040	0.024
2100	0.024
2160	0.025
2220	0.026
2280	0.024
2340	0.024
2400	0.024
2460	0.025
2520	0.025
2580	0.023
2640	0.024
2700	0.024
2760	0.024
2820	0.026
2880	0.026
2940	0.025
3000	0.025
3060	0.024
3120	0.024
3180	0.024
3240	0.023
3300	0.023
3360	0.023
3420	0.023
3480	0.022
3540	0.022
3600	0.022
3660	0.022
3720	0.023
3780	0.022
3840	0.021
3900	0.022
3960	0.022
4020	0.022
4080	0.022

4140	0.024
4200	0.025
4260	0.025
4320	0.024
4380	0.025
4440	0.024
4500	0.025
4560	0.028
4620	0.028
4680	0.029
4740	0.026
4800	0.025
4860	0.027
4920	0.024
4980	0.022
5040	0.023
5100	0.025
5160	0.022
5220	0.022
5280	0.025
5340	0.028
5400	0.028
5460	0.028
5520	0.028
5580	0.028
5640	0.031
5700	0.031
5760	0.03
5820	0.031
5880	0.027
5940	0.027
6000	0.026
6060	0.025
6120	0.026
6180	0.03
6240	0.024
6300	0.023
6360	0.025
6420	0.025
6480	0.026
6540	0.028
6600	0.029
6660	0.028
6720	0.029

6780	0.027
6840	0.029
6900	0.027
6960	0.028
7020	0.029
7080	0.03
7140	0.03
7200	0.027
7260	0.024
7320	0.022
7380	0.021
7440	0.021
7500	0.022
7560	0.02
7620	0.019
7680	0.019
7740	0.022
7800	0.023
7860	0.024
7920	0.022
7980	0.02
8040	0.019
8100	0.021
8160	0.023
8220	0.019
8280	0.02
8340	0.02
8400	0.019
8460	0.019
8520	0.018
8580	0.018
8640	0.018
8700	0.019
8760	0.02
8820	0.022
8880	0.022
8940	0.025
9000	0.028
9060	0.025
9120	0.034
9180	0.033
9240	0.03
9300	0.029
9360	0.03

9420	0.028
9480	0.026
9540	0.025

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/22/2024 0:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:06	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:05	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:04	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:03	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:02	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:01	Readings	PID	SC23030124AA	Normal	0
592-908641	5/22/2024 0:00	Readings	PID	SC23030124AA	Normal	0

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_001
Test Start Time	6:53:30 AM
Test Start Date	5/21/2024
Test Length [D:H:M]	0:09:13
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.03
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.183
Mass TWA [mg/m3]	0.031
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	553

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53:30 AM	0.065		
6:54:30 AM	0.01		
6:55:30 AM	0.008		
6:56:30 AM	0.006		
6:57:30 AM	0.006		
6:58:30 AM	0.007		
6:59:30 AM	0.006		
7:00:30 AM	0.006		
7:01:30 AM	0.018		
7:02:30 AM	0.011		
7:03:30 AM	0.007		
7:04:30 AM	0.007		
7:05:30 AM	0.009		
7:06:30 AM	0.008		
7:07:30 AM	0.008		
7:08:30 AM	0.008		
7:09:30 AM	0.012		
7:10:30 AM	0.01		
7:11:30 AM	0.009		
7:12:30 AM	0.009		
7:13:30 AM	0.009		
7:14:30 AM	0.009		
7:15:30 AM	0.009		
7:16:30 AM	0.008		

7:17:30 AM	0.008
7:18:30 AM	0.008
7:19:30 AM	0.01
7:20:30 AM	0.012
7:21:30 AM	0.009
7:22:30 AM	0.01
7:23:30 AM	0.016
7:24:30 AM	0.015
7:25:30 AM	0.016
7:26:30 AM	0.016
7:27:30 AM	0.018
7:28:30 AM	0.015
7:29:30 AM	0.013
7:30:30 AM	0.022
7:31:30 AM	0.023
7:32:30 AM	0.012
7:33:30 AM	0.012
7:34:30 AM	0.015
7:35:30 AM	0.013
7:36:30 AM	0.012
7:37:30 AM	0.014
7:38:30 AM	0.03
7:39:30 AM	0.018
7:40:30 AM	0.013
7:41:30 AM	0.01
7:42:30 AM	0.022
7:43:30 AM	0.011
7:44:30 AM	0.01
7:45:30 AM	0.012
7:46:30 AM	0.009
7:47:30 AM	0.01
7:48:30 AM	0.008
7:49:30 AM	0.01
7:50:30 AM	0.012
7:51:30 AM	0.011
7:52:30 AM	0.011
7:53:30 AM	0.014
7:54:30 AM	0.035
7:55:30 AM	0.015
7:56:30 AM	0.011
7:57:30 AM	0.017
7:58:30 AM	0.019
7:59:30 AM	0.029
8:00:30 AM	0.022

8:01:30 AM	0.019
8:02:30 AM	0.014
8:03:30 AM	0.014
8:04:30 AM	0.016
8:05:30 AM	0.021
8:06:30 AM	0.062
8:07:30 AM	0.023
8:08:30 AM	0.023
8:09:30 AM	0.027
8:10:30 AM	0.024
8:11:30 AM	0.022
8:12:30 AM	0.02
8:13:30 AM	0.019
8:14:30 AM	0.019
8:15:30 AM	0.015
8:16:30 AM	0.015
8:17:30 AM	0.015
8:18:30 AM	0.016
8:19:30 AM	0.016
8:20:30 AM	0.017
8:21:30 AM	0.016
8:22:30 AM	0.015
8:23:30 AM	0.017
8:24:30 AM	0.015
8:25:30 AM	0.015
8:26:30 AM	0.023
8:27:30 AM	0.022
8:28:30 AM	0.043
8:29:30 AM	0.021
8:30:30 AM	0.021
8:31:30 AM	0.033
8:32:30 AM	0.023
8:33:30 AM	0.021
8:34:30 AM	0.019
8:35:30 AM	0.017
8:36:30 AM	0.017
8:37:30 AM	0.018
8:38:30 AM	0.017
8:39:30 AM	0.017
8:40:30 AM	0.018
8:41:30 AM	0.045
8:42:30 AM	0.028
8:43:30 AM	0.025
8:44:30 AM	0.02

8:45:30 AM	0.025
8:46:30 AM	0.027
8:47:30 AM	0.017
8:48:30 AM	0.018
8:49:30 AM	0.021
8:50:30 AM	0.018
8:51:30 AM	0.016
8:52:30 AM	0.017
8:53:30 AM	0.018
8:54:30 AM	0.018
8:55:30 AM	0.02
8:56:30 AM	0.019
8:57:30 AM	0.018
8:58:30 AM	0.019
8:59:30 AM	0.019
9:00:30 AM	0.02
9:01:30 AM	0.02
9:02:30 AM	0.022
9:03:30 AM	0.022
9:04:30 AM	0.02
9:05:30 AM	0.029
9:06:30 AM	0.039
9:07:30 AM	0.022
9:08:30 AM	0.021
9:09:30 AM	0.022
9:10:30 AM	0.034
9:11:30 AM	0.03
9:12:30 AM	0.022
9:13:30 AM	0.023
9:14:30 AM	0.025
9:15:30 AM	0.026
9:16:30 AM	0.024
9:17:30 AM	0.025
9:18:30 AM	0.027
9:19:30 AM	0.026
9:20:30 AM	0.027
9:21:30 AM	0.044
9:22:30 AM	0.031
9:23:30 AM	0.037
9:24:30 AM	0.034
9:25:30 AM	0.031
9:26:30 AM	0.03
9:27:30 AM	0.029
9:28:30 AM	0.03

9:29:30 AM	0.03
9:30:30 AM	0.03
9:31:30 AM	0.03
9:32:30 AM	0.033
9:33:30 AM	0.035
9:34:30 AM	0.037
9:35:30 AM	0.032
9:36:30 AM	0.032
9:37:30 AM	0.031
9:38:30 AM	0.037
9:39:30 AM	0.039
9:40:30 AM	0.035
9:41:30 AM	0.035
9:42:30 AM	0.034
9:43:30 AM	0.04
9:44:30 AM	0.035
9:45:30 AM	0.037
9:46:30 AM	0.062
9:47:30 AM	0.064
9:48:30 AM	0.036
9:49:30 AM	0.033
9:50:30 AM	0.034
9:51:30 AM	0.037
9:52:30 AM	0.036
9:53:30 AM	0.036
9:54:30 AM	0.036
9:55:30 AM	0.036
9:56:30 AM	0.038
9:57:30 AM	0.044
9:58:30 AM	0.037
9:59:30 AM	0.036
10:00:30 AM	0.035
10:01:30 AM	0.037
10:02:30 AM	0.036
10:03:30 AM	0.036
10:04:30 AM	0.037
10:05:30 AM	0.038
10:06:30 AM	0.038
10:07:30 AM	0.04
10:08:30 AM	0.042
10:09:30 AM	0.041
10:10:30 AM	0.037
10:11:30 AM	0.036
10:12:30 AM	0.035

10:13:30 AM	0.035
10:14:30 AM	0.037
10:15:30 AM	0.035
10:16:30 AM	0.035
10:17:30 AM	0.035
10:18:30 AM	0.036
10:19:30 AM	0.038
10:20:30 AM	0.037
10:21:30 AM	0.047
10:22:30 AM	0.036
10:23:30 AM	0.034
10:24:30 AM	0.034
10:25:30 AM	0.034
10:26:30 AM	0.039
10:27:30 AM	0.042
10:28:30 AM	0.036
10:29:30 AM	0.035
10:30:30 AM	0.045
10:31:30 AM	0.038
10:32:30 AM	0.041
10:33:30 AM	0.04
10:34:30 AM	0.038
10:35:30 AM	0.043
10:36:30 AM	0.038
10:37:30 AM	0.048
10:38:30 AM	0.055
10:39:30 AM	0.037
10:40:30 AM	0.038
10:41:30 AM	0.038
10:42:30 AM	0.042
10:43:30 AM	0.037
10:44:30 AM	0.039
10:45:30 AM	0.037
10:46:30 AM	0.044
10:47:30 AM	0.052
10:48:30 AM	0.049
10:49:30 AM	0.035
10:50:30 AM	0.036
10:51:30 AM	0.045
10:52:30 AM	0.043
10:53:30 AM	0.052
10:54:30 AM	0.041
10:55:30 AM	0.049
10:56:30 AM	0.04

10:57:30 AM	0.037
10:58:30 AM	0.036
10:59:30 AM	0.035
11:00:30 AM	0.063
11:01:30 AM	0.043
11:02:30 AM	0.043
11:03:30 AM	0.042
11:04:30 AM	0.041
11:05:30 AM	0.043
11:06:30 AM	0.039
11:07:30 AM	0.038
11:08:30 AM	0.038
11:09:30 AM	0.04
11:10:30 AM	0.045
11:11:30 AM	0.039
11:12:30 AM	0.039
11:13:30 AM	0.036
11:14:30 AM	0.036
11:15:30 AM	0.037
11:16:30 AM	0.036
11:17:30 AM	0.069
11:18:30 AM	0.045
11:19:30 AM	0.039
11:20:30 AM	0.037
11:21:30 AM	0.035
11:22:30 AM	0.044
11:23:30 AM	0.036
11:24:30 AM	0.038
11:25:30 AM	0.183
11:26:30 AM	0.066
11:27:30 AM	0.045
11:28:30 AM	0.034
11:29:30 AM	0.037
11:30:30 AM	0.038
11:31:30 AM	0.033
11:32:30 AM	0.041
11:33:30 AM	0.047
11:34:30 AM	0.039
11:35:30 AM	0.037
11:36:30 AM	0.038
11:37:30 AM	0.043
11:38:30 AM	0.039
11:39:30 AM	0.035
11:40:30 AM	0.038

11:41:30 AM	0.035
11:42:30 AM	0.037
11:43:30 AM	0.083
11:44:30 AM	0.044
11:45:30 AM	0.042
11:46:30 AM	0.043
11:47:30 AM	0.044
11:48:30 AM	0.04
11:49:30 AM	0.045
11:50:30 AM	0.045
11:51:30 AM	0.038
11:52:30 AM	0.039
11:53:30 AM	0.037
11:54:30 AM	0.038
11:55:30 AM	0.04
11:56:30 AM	0.039
11:57:30 AM	0.035
11:58:30 AM	0.036
11:59:30 AM	0.035
12:00:30 PM	0.036
12:01:30 PM	0.036
12:02:30 PM	0.036
12:03:30 PM	0.036
12:04:30 PM	0.037
12:05:30 PM	0.035
12:06:30 PM	0.035
12:07:30 PM	0.036
12:08:30 PM	0.039
12:09:30 PM	0.046
12:10:30 PM	0.065
12:11:30 PM	0.039
12:12:30 PM	0.036
12:13:30 PM	0.035
12:14:30 PM	0.035
12:15:30 PM	0.033
12:16:30 PM	0.041
12:17:30 PM	0.037
12:18:30 PM	0.059
12:19:30 PM	0.036
12:20:30 PM	0.035
12:21:30 PM	0.051
12:22:30 PM	0.039
12:23:30 PM	0.035
12:24:30 PM	0.034

12:25:30 PM	0.035
12:26:30 PM	0.044
12:27:30 PM	0.039
12:28:30 PM	0.038
12:29:30 PM	0.035
12:30:30 PM	0.038
12:31:30 PM	0.062
12:32:30 PM	0.041
12:33:30 PM	0.051
12:34:30 PM	0.032
12:35:30 PM	0.032
12:36:30 PM	0.034
12:37:30 PM	0.036
12:38:30 PM	0.033
12:39:30 PM	0.033
12:40:30 PM	0.043
12:41:30 PM	0.038
12:42:30 PM	0.033
12:43:30 PM	0.033
12:44:30 PM	0.036
12:45:30 PM	0.034
12:46:30 PM	0.034
12:47:30 PM	0.032
12:48:30 PM	0.031
12:49:30 PM	0.038
12:50:30 PM	0.034
12:51:30 PM	0.033
12:52:30 PM	0.033
12:53:30 PM	0.036
12:54:30 PM	0.039
12:55:30 PM	0.035
12:56:30 PM	0.039
12:57:30 PM	0.035
12:58:30 PM	0.032
12:59:30 PM	0.03
1:00:30 PM	0.03
1:01:30 PM	0.033
1:02:30 PM	0.032
1:03:30 PM	0.03
1:04:30 PM	0.031
1:05:30 PM	0.03
1:06:30 PM	0.028
1:07:30 PM	0.03
1:08:30 PM	0.031

1:09:30 PM	0.036
1:10:30 PM	0.03
1:11:30 PM	0.032
1:12:30 PM	0.031
1:13:30 PM	0.027
1:14:30 PM	0.028
1:15:30 PM	0.033
1:16:30 PM	0.028
1:17:30 PM	0.028
1:18:30 PM	0.029
1:19:30 PM	0.028
1:20:30 PM	0.026
1:21:30 PM	0.026
1:22:30 PM	0.026
1:23:30 PM	0.025
1:24:30 PM	0.027
1:25:30 PM	0.029
1:26:30 PM	0.025
1:27:30 PM	0.024
1:28:30 PM	0.024
1:29:30 PM	0.025
1:30:30 PM	0.027
1:31:30 PM	0.026
1:32:30 PM	0.052
1:33:30 PM	0.087
1:34:30 PM	0.028
1:35:30 PM	0.032
1:36:30 PM	0.029
1:37:30 PM	0.025
1:38:30 PM	0.032
1:39:30 PM	0.024
1:40:30 PM	0.027
1:41:30 PM	0.028
1:42:30 PM	0.027
1:43:30 PM	0.028
1:44:30 PM	0.027
1:45:30 PM	0.027
1:46:30 PM	0.031
1:47:30 PM	0.027
1:48:30 PM	0.031
1:49:30 PM	0.029
1:50:30 PM	0.027
1:51:30 PM	0.029
1:52:30 PM	0.032

1:53:30 PM	0.028
1:54:30 PM	0.029
1:55:30 PM	0.032
1:56:30 PM	0.046
1:57:30 PM	0.035
1:58:30 PM	0.032
1:59:30 PM	0.032
2:00:30 PM	0.041
2:01:30 PM	0.029
2:02:30 PM	0.03
2:03:30 PM	0.023
2:04:30 PM	0.024
2:05:30 PM	0.026
2:06:30 PM	0.032
2:07:30 PM	0.023
2:08:30 PM	0.031
2:09:30 PM	0.024
2:10:30 PM	0.023
2:11:30 PM	0.023
2:12:30 PM	0.026
2:13:30 PM	0.025
2:14:30 PM	0.025
2:15:30 PM	0.022
2:16:30 PM	0.022
2:17:30 PM	0.025
2:18:30 PM	0.022
2:19:30 PM	0.026
2:20:30 PM	0.031
2:21:30 PM	0.097
2:22:30 PM	0.023
2:23:30 PM	0.022
2:24:30 PM	0.021
2:25:30 PM	0.028
2:26:30 PM	0.023
2:27:30 PM	0.026
2:28:30 PM	0.044
2:29:30 PM	0.025
2:30:30 PM	0.03
2:31:30 PM	0.027
2:32:30 PM	0.076
2:33:30 PM	0.04
2:34:30 PM	0.024
2:35:30 PM	0.056
2:36:30 PM	0.082

2:37:30 PM	0.02
2:38:30 PM	0.019
2:39:30 PM	0.022
2:40:30 PM	0.03
2:41:30 PM	0.02
2:42:30 PM	0.022
2:43:30 PM	0.024
2:44:30 PM	0.026
2:45:30 PM	0.024
2:46:30 PM	0.028
2:47:30 PM	0.032
2:48:30 PM	0.126
2:49:30 PM	0.054
2:50:30 PM	0.038
2:51:30 PM	0.019
2:52:30 PM	0.021
2:53:30 PM	0.048
2:54:30 PM	0.041
2:55:30 PM	0.021
2:56:30 PM	0.018
2:57:30 PM	0.022
2:58:30 PM	0.018
2:59:30 PM	0.033
3:00:30 PM	0.022
3:01:30 PM	0.038
3:02:30 PM	0.021
3:03:30 PM	0.024
3:04:30 PM	0.021
3:05:30 PM	0.016
3:06:30 PM	0.047
3:07:30 PM	0.06
3:08:30 PM	0.017
3:09:30 PM	0.016
3:10:30 PM	0.018
3:11:30 PM	0.022
3:12:30 PM	0.018
3:13:30 PM	0.016
3:14:30 PM	0.018
3:15:30 PM	0.017
3:16:30 PM	0.055
3:17:30 PM	0.015
3:18:30 PM	0.014
3:19:30 PM	0.014
3:20:30 PM	0.015

3:21:30 PM	0.016
3:22:30 PM	0.034
3:23:30 PM	0.017
3:24:30 PM	0.016
3:25:30 PM	0.017
3:26:30 PM	0.014
3:27:30 PM	0.015
3:28:30 PM	0.019
3:29:30 PM	0.02
3:30:30 PM	0.017
3:31:30 PM	0.017
3:32:30 PM	0.016
3:33:30 PM	0.021
3:34:30 PM	0.018
3:35:30 PM	0.016
3:36:30 PM	0.016
3:37:30 PM	0.015
3:38:30 PM	0.017
3:39:30 PM	0.015
3:40:30 PM	0.016
3:41:30 PM	0.018
3:42:30 PM	0.017
3:43:30 PM	0.025
3:44:30 PM	0.026
3:45:30 PM	0.018
3:46:30 PM	0.017
3:47:30 PM	0.024
3:48:30 PM	0.024
3:49:30 PM	0.023
3:50:30 PM	0.089
3:51:30 PM	0.021
3:52:30 PM	0.019
3:53:30 PM	0.02
3:54:30 PM	0.017
3:55:30 PM	0.016
3:56:30 PM	0.015
3:57:30 PM	0.017
3:58:30 PM	0.015
3:59:30 PM	0.017
4:00:30 PM	0.015
4:01:30 PM	0.015
4:02:30 PM	0.015
4:03:30 PM	0.016
4:04:30 PM	0.015

4:05:30 PM

0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/21/2024 16:15	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:14	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:13	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:12	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:11	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:10	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:09	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:08	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:07	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:06	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:05	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:04	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:03	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:02	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:01	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 16:00	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:59	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:56	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 15:44	Readings	PID	SC23030602B4	Normal	0

592-602176	5/21/2024 12:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:56	Readings	PID	SC23030602B4	Normal	1.2
592-602176	5/21/2024 12:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:41	Readings	PID	SC23030602B4	Normal	0.2
592-602176	5/21/2024 12:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:37	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:36	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:35	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:33	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:32	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:30	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:29	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:28	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:27	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 12:26	Readings	PID	SC23030602B4	Normal	0

592-602176	5/21/2024 10:13	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:12	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:11	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:10	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:09	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:08	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:07	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:06	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:05	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:04	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:03	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:02	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:01	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 10:00	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:59	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:56	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 9:41	Readings	PID	SC23030602B4	Normal	0

592-602176	5/21/2024 8:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:29 Readings	PID	SC23030602B4	Normal	0

592-602176	5/21/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/21/2024 7:02 CONFIG	PID	SC23030602B4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	10:10:12 PM
Test Start Date	5/21/2024
Test Length [D:H:M]	0:02:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.028
Mass Minimum [mg/m3]	0.018
Mass Maximum [mg/m3]	0.105
Mass TWA [mg/m3]	0.009
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	152

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.105		
120	0.026		
180	0.027		
240	0.027		
300	0.026		
360	0.026		
420	0.026		
480	0.026		
540	0.025		
600	0.024		
660	0.026		
720	0.026		
780	0.026		
840	0.026		
900	0.027		
960	0.025		
1020	0.026		
1080	0.026		
1140	0.025		
1200	0.025		
1260	0.026		
1320	0.025		
1380	0.025		
1440	0.026		

1500	0.026
1560	0.027
1620	0.026
1680	0.027
1740	0.026
1800	0.027
1860	0.026
1920	0.026
1980	0.027
2040	0.028
2100	0.028
2160	0.027
2220	0.027
2280	0.026
2340	0.027
2400	0.029
2460	0.029
2520	0.027
2580	0.027
2640	0.026
2700	0.025
2760	0.026
2820	0.027
2880	0.028
2940	0.025
3000	0.025
3060	0.024
3120	0.024
3180	0.022
3240	0.023
3300	0.026
3360	0.023
3420	0.023
3480	0.023
3540	0.023
3600	0.024
3660	0.024
3720	0.025
3780	0.028
3840	0.027
3900	0.025
3960	0.025
4020	0.024
4080	0.027

4140	0.028
4200	0.027
4260	0.03
4320	0.027
4380	0.025
4440	0.026
4500	0.025
4560	0.022
4620	0.024
4680	0.025
4740	0.023
4800	0.022
4860	0.026
4920	0.03
4980	0.028
5040	0.029
5100	0.029
5160	0.031
5220	0.031
5280	0.06
5340	0.055
5400	0.039
5460	0.03
5520	0.029
5580	0.027
5640	0.027
5700	0.033
5760	0.045
5820	0.026
5880	0.027
5940	0.028
6000	0.026
6060	0.027
6120	0.03
6180	0.032
6240	0.032
6300	0.031
6360	0.031
6420	0.032
6480	0.03
6540	0.03
6600	0.032
6660	0.033
6720	0.03

6780	0.027
6840	0.026
6900	0.023
6960	0.022
7020	0.022
7080	0.022
7140	0.024
7200	0.023
7260	0.02
7320	0.02
7380	0.032
7440	0.03
7500	0.033
7560	0.019
7620	0.022
7680	0.024
7740	0.02
7800	0.018
7860	0.019
7920	0.019
7980	0.019
8040	0.021
8100	0.019
8160	0.02
8220	0.02
8280	0.022
8340	0.024
8400	0.024
8460	0.025
8520	0.03
8580	0.034
8640	0.034
8700	0.04
8760	0.037
8820	0.034
8880	0.033
8940	0.034
9000	0.029
9060	0.031
9120	0.028

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/22/2024 0:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:51	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:50	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:49	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:48	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:47	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:46	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:45	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:44	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:43	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:42	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:41	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:40	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:39	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:38	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:37	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:36	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:35	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:34	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:33	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:32	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:31	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:30	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:29	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:28	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:27	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:26	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:25	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:24	Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:23	Readings	PID	SC23030602B4	Normal	0

592-602176	5/22/2024 0:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:10 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:09 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:08 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:07 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:06 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:05 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:04 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:03 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/22/2024 0:00 Readings	PID	SC23030602B4	Normal	0