

**DAILY STATUS REPORT****Prepared By:**

Victor B

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85	X	S- 4 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	05/31/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time Onsite: 06:30 Time Offsite: 18:30 + ISS Pilot Test Equipment Mob Time Onsite: 11:30 Time Offsite: 02:30	Personnel On Site: IEEG (Environmental) – Victor Barraza/Bill Chaky Capital/KFS (Contractor) ECD (Pile Installation) GES (Geotech) – James. WSP (Environmental oversight) – Tim Williams Cascade (ISS Contractor) Equipment On Site: DustTrak (x3), PID (x3), Pile Rig
---	---

Scope of Work: Deploy three (3) CAMP stations; ECD Starts sheeting installation. building; KFS to continue pile cap/footing fabrication and vapor barrier installation in approved grids at south building; IEC begins water sampling; Cascade to continue setting up associated ISS equipment.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- KFS continued fabrication of footings and vapor barrier installation at south building;
- ECD started inserting sheeting on ground at south building within Grid F-6. Refer to Alpha Numeric Grid Map for Grid locations;
- KFS stayed until 18:00 to complete rebar installation as required by inspector;
- JP express delivered a tote for Atmos system;
- Cascade continued setting up ISS equipment, rig assembly.
- Dewatering system was active at grid C-5;
- IEC performed low-flow ground water sampling at wells NMAW-2B and GW-17A;
- IEC gauged depth to water (DTW) at all 14 sentinel wells and at canal point for de-watering purposes; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.063_ mg/m³ @ 6:50
- High Conditions (Upwind) – PID = _0.1_ ppm @ 08:33, Dust = _0.063_ mg/m³ @ 06:50
- High Conditions (Downwind 1) – PID = _0.2_ ppm @ 13:23, Dust = _0.218_ mg/m³ @ 09:06
- High Conditions (Downwind 2) – PID = _45.6_ ppm @12:56, Dust = _1.55_ mg/m³ @ 11:09

Notable Site Conditions:

- Cascade mobilized ISS Pilot Test equipment to the Site between 11:30 and 2:30 am (non-peak traffic times per DOT requirement). IEC was on-Site to run CAMP and ensure all vehicles leaving the Site were properly deconn'ed prior to exiting the Site.

Planned Activities for the Next Day/Week:

- Cascade to continue with ISS equipment mobilization and setup;
- ECD to continue with sheeting installation; and
- KFS to continue with footing fabrication and vapor barrier installation.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of ECD installing sheeting.



Photo 2 –

Representative photo of KFS digging to start a new footing pile cap at Grid "F-3".



Photo 3 –

Representative photo of dewatering running at grid C-5.



Photo 4 –

Representative photo of truck pad wash being pumped to green frag tank.



Photo 5 –
Representative
photo of KFS
working on
footing
installation.



Photo 6 –
Representative
photo of Cascade
mobbing ISS Pilot
Test equipment
during off-hours.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_004
Test Start Time	6:50:00 AM
Test Start Date	5/31/2024
Test Length [D:H:M]	0:11:18
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.01
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.063
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	678

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.063		
120	0.013		
180	0.011		
240	0.011		
300	0.01		
360	0.011		
420	0.01		
480	0.011		
540	0.011		
600	0.011		
660	0.01		
720	0.01		
780	0.01		
840	0.01		
900	0.01		
960	0.01		
1020	0.01		
1080	0.011		
1140	0.011		
1200	0.011		
1260	0.011		
1320	0.012		
1380	0.01		
1440	0.011		

1500	0.013
1560	0.011
1620	0.012
1680	0.011
1740	0.011
1800	0.01
1860	0.01
1920	0.011
1980	0.013
2040	0.011
2100	0.011
2160	0.011
2220	0.012
2280	0.011
2340	0.011
2400	0.01
2460	0.011
2520	0.011
2580	0.011
2640	0.01
2700	0.011
2760	0.01
2820	0.011
2880	0.011
2940	0.01
3000	0.01
3060	0.01
3120	0.011
3180	0.014
3240	0.012
3300	0.011
3360	0.012
3420	0.018
3480	0.014
3540	0.012
3600	0.011
3660	0.011
3720	0.012
3780	0.01
3840	0.012
3900	0.012
3960	0.012
4020	0.013
4080	0.016

4140	0.014
4200	0.014
4260	0.014
4320	0.012
4380	0.012
4440	0.012
4500	0.012
4560	0.011
4620	0.012
4680	0.012
4740	0.012
4800	0.01
4860	0.01
4920	0.011
4980	0.013
5040	0.012
5100	0.011
5160	0.014
5220	0.017
5280	0.012
5340	0.011
5400	0.011
5460	0.013
5520	0.012
5580	0.012
5640	0.012
5700	0.012
5760	0.012
5820	0.012
5880	0.012
5940	0.013
6000	0.013
6060	0.012
6120	0.011
6180	0.011
6240	0.01
6300	0.011
6360	0.011
6420	0.011
6480	0.01
6540	0.012
6600	0.012
6660	0.013
6720	0.011

6780	0.011
6840	0.013
6900	0.012
6960	0.012
7020	0.012
7080	0.012
7140	0.011
7200	0.012
7260	0.011
7320	0.012
7380	0.012
7440	0.012
7500	0.011
7560	0.012
7620	0.014
7680	0.012
7740	0.011
7800	0.011
7860	0.011
7920	0.011
7980	0.01
8040	0.01
8100	0.013
8160	0.012
8220	0.014
8280	0.011
8340	0.012
8400	0.011
8460	0.01
8520	0.01
8580	0.011
8640	0.012
8700	0.011
8760	0.01
8820	0.01
8880	0.01
8940	0.01
9000	0.01
9060	0.01
9120	0.01
9180	0.01
9240	0.01
9300	0.014
9360	0.03

9420	0.024
9480	0.017
9540	0.012
9600	0.01
9660	0.01
9720	0.011
9780	0.01
9840	0.01
9900	0.01
9960	0.01
10020	0.012
10080	0.012
10140	0.01
10200	0.01
10260	0.01
10320	0.009
10380	0.012
10440	0.011
10500	0.01
10560	0.01
10620	0.01
10680	0.01
10740	0.011
10800	0.011
10860	0.011
10920	0.011
10980	0.01
11040	0.011
11100	0.012
11160	0.011
11220	0.011
11280	0.011
11340	0.01
11400	0.01
11460	0.011
11520	0.011
11580	0.01
11640	0.01
11700	0.011
11760	0.012
11820	0.012
11880	0.013
11940	0.012
12000	0.015

12060	0.015
12120	0.012
12180	0.011
12240	0.011
12300	0.01
12360	0.01
12420	0.01
12480	0.01
12540	0.011
12600	0.01
12660	0.011
12720	0.012
12780	0.01
12840	0.012
12900	0.011
12960	0.011
13020	0.01
13080	0.009
13140	0.011
13200	0.01
13260	0.009
13320	0.009
13380	0.009
13440	0.01
13500	0.01
13560	0.011
13620	0.011
13680	0.01
13740	0.01
13800	0.009
13860	0.011
13920	0.01
13980	0.009
14040	0.01
14100	0.01
14160	0.01
14220	0.01
14280	0.011
14340	0.01
14400	0.01
14460	0.009
14520	0.009
14580	0.009
14640	0.009

14700	0.011
14760	0.012
14820	0.01
14880	0.01
14940	0.009
15000	0.009
15060	0.01
15120	0.009
15180	0.009
15240	0.01
15300	0.01
15360	0.01
15420	0.01
15480	0.011
15540	0.012
15600	0.009
15660	0.01
15720	0.009
15780	0.008
15840	0.01
15900	0.008
15960	0.009
16020	0.008
16080	0.009
16140	0.01
16200	0.01
16260	0.009
16320	0.009
16380	0.008
16440	0.009
16500	0.009
16560	0.008
16620	0.009
16680	0.01
16740	0.014
16800	0.01
16860	0.01
16920	0.009
16980	0.009
17040	0.012
17100	0.009
17160	0.008
17220	0.009
17280	0.01

17340	0.01
17400	0.011
17460	0.009
17520	0.014
17580	0.011
17640	0.01
17700	0.009
17760	0.011
17820	0.011
17880	0.011
17940	0.01
18000	0.011
18060	0.01
18120	0.009
18180	0.01
18240	0.01
18300	0.009
18360	0.011
18420	0.01
18480	0.01
18540	0.01
18600	0.009
18660	0.009
18720	0.009
18780	0.02
18840	0.013
18900	0.01
18960	0.01
19020	0.01
19080	0.009
19140	0.009
19200	0.009
19260	0.01
19320	0.009
19380	0.01
19440	0.009
19500	0.01
19560	0.01
19620	0.009
19680	0.009
19740	0.009
19800	0.011
19860	0.01
19920	0.009

19980	0.009
20040	0.009
20100	0.008
20160	0.008
20220	0.008
20280	0.01
20340	0.009
20400	0.008
20460	0.008
20520	0.009
20580	0.008
20640	0.008
20700	0.009
20760	0.008
20820	0.008
20880	0.011
20940	0.01
21000	0.009
21060	0.01
21120	0.01
21180	0.012
21240	0.01
21300	0.01
21360	0.011
21420	0.011
21480	0.009
21540	0.01
21600	0.012
21660	0.012
21720	0.013
21780	0.011
21840	0.011
21900	0.009
21960	0.009
22020	0.009
22080	0.007
22140	0.008
22200	0.01
22260	0.01
22320	0.009
22380	0.008
22440	0.008
22500	0.007
22560	0.009

22620	0.011
22680	0.012
22740	0.009
22800	0.008
22860	0.009
22920	0.01
22980	0.023
23040	0.031
23100	0.022
23160	0.03
23220	0.011
23280	0.01
23340	0.009
23400	0.01
23460	0.008
23520	0.009
23580	0.01
23640	0.01
23700	0.01
23760	0.009
23820	0.012
23880	0.01
23940	0.009
24000	0.008
24060	0.009
24120	0.009
24180	0.009
24240	0.009
24300	0.01
24360	0.009
24420	0.01
24480	0.009
24540	0.008
24600	0.009
24660	0.012
24720	0.01
24780	0.01
24840	0.009
24900	0.01
24960	0.009
25020	0.008
25080	0.01
25140	0.01
25200	0.01

25260	0.01
25320	0.009
25380	0.009
25440	0.01
25500	0.009
25560	0.007
25620	0.008
25680	0.008
25740	0.008
25800	0.007
25860	0.009
25920	0.011
25980	0.012
26040	0.013
26100	0.015
26160	0.012
26220	0.012
26280	0.01
26340	0.009
26400	0.008
26460	0.009
26520	0.012
26580	0.012
26640	0.013
26700	0.012
26760	0.01
26820	0.01
26880	0.011
26940	0.013
27000	0.01
27060	0.009
27120	0.009
27180	0.009
27240	0.009
27300	0.008
27360	0.011
27420	0.009
27480	0.011
27540	0.009
27600	0.009
27660	0.008
27720	0.01
27780	0.01
27840	0.008

27900	0.008
27960	0.009
28020	0.012
28080	0.008
28140	0.009
28200	0.01
28260	0.009
28320	0.01
28380	0.01
28440	0.009
28500	0.009
28560	0.016
28620	0.009
28680	0.012
28740	0.009
28800	0.01
28860	0.009
28920	0.008
28980	0.009
29040	0.009
29100	0.009
29160	0.009
29220	0.008
29280	0.009
29340	0.009
29400	0.009
29460	0.009
29520	0.009
29580	0.009
29640	0.01
29700	0.009
29760	0.008
29820	0.011
29880	0.009
29940	0.009
30000	0.01
30060	0.009
30120	0.009
30180	0.009
30240	0.009
30300	0.009
30360	0.009
30420	0.009
30480	0.009

30540	0.009
30600	0.01
30660	0.009
30720	0.008
30780	0.008
30840	0.008
30900	0.008
30960	0.008
31020	0.008
31080	0.009
31140	0.011
31200	0.011
31260	0.01
31320	0.009
31380	0.008
31440	0.008
31500	0.009
31560	0.009
31620	0.01
31680	0.009
31740	0.009
31800	0.009
31860	0.009
31920	0.008
31980	0.009
32040	0.009
32100	0.008
32160	0.008
32220	0.009
32280	0.008
32340	0.009
32400	0.009
32460	0.009
32520	0.009
32580	0.009
32640	0.01
32700	0.008
32760	0.008
32820	0.009
32880	0.014
32940	0.009
33000	0.009
33060	0.009
33120	0.008

33180	0.01
33240	0.009
33300	0.009
33360	0.009
33420	0.009
33480	0.009
33540	0.008
33600	0.009
33660	0.009
33720	0.009
33780	0.008
33840	0.011
33900	0.013
33960	0.008
34020	0.009
34080	0.009
34140	0.012
34200	0.01
34260	0.009
34320	0.011
34380	0.012
34440	0.01
34500	0.01
34560	0.01
34620	0.009
34680	0.009
34740	0.009
34800	0.008
34860	0.008
34920	0.009
34980	0.009
35040	0.011
35100	0.009
35160	0.009
35220	0.009
35280	0.009
35340	0.008
35400	0.009
35460	0.009
35520	0.009
35580	0.009
35640	0.01
35700	0.011
35760	0.01

35820	0.009
35880	0.01
35940	0.009
36000	0.009
36060	0.009
36120	0.008
36180	0.009
36240	0.008
36300	0.009
36360	0.009
36420	0.008
36480	0.009
36540	0.009
36600	0.009
36660	0.009
36720	0.009
36780	0.009
36840	0.009
36900	0.009
36960	0.009
37020	0.009
37080	0.009
37140	0.01
37200	0.009
37260	0.01
37320	0.01
37380	0.013
37440	0.011
37500	0.009
37560	0.013
37620	0.009
37680	0.009
37740	0.009
37800	0.009
37860	0.009
37920	0.009
37980	0.009
38040	0.01
38100	0.01
38160	0.009
38220	0.009
38280	0.009
38340	0.009
38400	0.009

38460	0.009
38520	0.01
38580	0.01
38640	0.009
38700	0.009
38760	0.009
38820	0.009
38880	0.011
38940	0.009
39000	0.009
39060	0.009
39120	0.009
39180	0.009
39240	0.009
39300	0.009
39360	0.009
39420	0.009
39480	0.01
39540	0.009
39600	0.009
39660	0.009
39720	0.009
39780	0.009
39840	0.009
39900	0.009
39960	0.009
40020	0.009
40080	0.009
40140	0.01
40200	0.01
40260	0.01
40320	0.009
40380	0.009
40440	0.011
40500	0.009
40560	0.009
40620	0.011
40680	0.01

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	5/31/2024 18:18	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:17	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:16	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:15	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:14	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:13	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:12	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:11	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:10	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:09	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:08	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:07	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:06	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:05	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:04	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:03	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:02	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:01	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 18:00	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:59	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:58	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:57	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:56	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:55	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:54	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:53	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:52	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:51	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:50	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:49	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:48	Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 17:47	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	5/31/2024 15:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 15:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 14:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 14:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 14:29 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	5/31/2024 13:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 13:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 13:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 13:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 13:23 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

592-600853	5/31/2024 11:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:38 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 11:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:32 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 11:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:11 Readings	PID	SC23030449A8	Normal	0

592-600853	5/31/2024 11:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 11:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 11:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 11:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 10:38 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	5/31/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:42 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:41 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:39 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 9:37 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:36 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:33 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:32 Readings	PID	SC23030449A8	Normal	0

592-600853	5/31/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:30 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:29 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:28 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:27 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:22 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 9:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:59 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	5/31/2024 8:25 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:24 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:23 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	5/31/2024 8:21 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:20 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 8:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:59 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:58 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:57 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:56 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:54 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:53 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	5/31/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:01 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 6:59 CONFIG	PID	SC23030449A8		
592-600853	5/31/2024 6:55 Readings	PID	SC23030449A8	Normal	0
592-600853	5/31/2024 6:54 CONFIG	PID	SC23030449A8		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	12:36:12 AM
Test Start Date	6/1/2024
Test Length [D:H:M]	0:02:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.011
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.045
Mass TWA [mg/m3]	0.003
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	120

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.02		
120	0.01		
180	0.01		
240	0.009		
300	0.01		
360	0.009		
420	0.009		
480	0.014		
540	0.01		
600	0.009		
660	0.009		
720	0.01		
780	0.009		
840	0.009		
900	0.009		
960	0.009		
1020	0.009		
1080	0.009		
1140	0.009		
1200	0.009		
1260	0.009		
1320	0.009		
1380	0.009		
1440	0.009		

1500	0.009
1560	0.009
1620	0.009
1680	0.009
1740	0.009
1800	0.009
1860	0.045
1920	0.02
1980	0.01
2040	0.009
2100	0.009
2160	0.009
2220	0.015
2280	0.009
2340	0.009
2400	0.009
2460	0.009
2520	0.009
2580	0.009
2640	0.009
2700	0.009
2760	0.009
2820	0.009
2880	0.009
2940	0.01
3000	0.009
3060	0.01
3120	0.038
3180	0.023
3240	0.01
3300	0.01
3360	0.01
3420	0.011
3480	0.009
3540	0.009
3600	0.01
3660	0.01
3720	0.01
3780	0.009
3840	0.01
3900	0.01
3960	0.01
4020	0.01
4080	0.01

4140	0.01
4200	0.01
4260	0.01
4320	0.01
4380	0.01
4440	0.01
4500	0.01
4560	0.01
4620	0.01
4680	0.01
4740	0.01
4800	0.01
4860	0.01
4920	0.01
4980	0.01
5040	0.01
5100	0.01
5160	0.01
5220	0.01
5280	0.011
5340	0.011
5400	0.011
5460	0.011
5520	0.011
5580	0.011
5640	0.013
5700	0.011
5760	0.011
5820	0.011
5880	0.011
5940	0.011
6000	0.011
6060	0.012
6120	0.012
6180	0.012
6240	0.012
6300	0.013
6360	0.014
6420	0.012
6480	0.012
6540	0.012
6600	0.014
6660	0.012
6720	0.013

6780	0.013
6840	0.013
6900	0.013
6960	0.013
7020	0.014
7080	0.014
7140	0.014
7200	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	6/1/2024 2:46	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:45	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:44	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:43	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:42	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:41	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:40	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:39	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:38	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:37	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:36	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:35	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:34	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:33	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:32	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:31	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:30	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:29	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:28	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:27	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:26	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:25	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:24	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:23	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:22	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:21	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:20	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:19	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:18	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:17	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:16	Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 2:15	Readings	PID	SC23030449A8	Normal	0

592-600853	6/1/2024 1:41 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:40 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:39 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:38 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:37 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:36 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:35 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:34 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:33 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:32 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:31 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:30 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:29 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:28 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:27 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:26 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:25 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:24 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:23 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:22 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:21 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:20 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:19 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:18 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:17 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:16 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:15 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:14 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:13 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:12 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:11 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:10 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:09 Readings	PID	SC23030449A8	Normal	0

592-600853	6/1/2024 1:08 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:07 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:06 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:05 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:04 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:03 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:02 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:01 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 1:00 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:59 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:58 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:57 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:56 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:55 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:54 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:53 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:52 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:51 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:50 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:49 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:48 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:47 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:46 Readings	PID	SC23030449A8	Normal	0
592-600853	6/1/2024 0:45 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_004
Test Start Time	7:05:38 AM
Test Start Date	5/31/2024
Test Length [D:H:M]	0:11:03
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.01
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.218
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	663

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.04		
120	0.012		
180	0.014		
240	0.012		
300	0.012		
360	0.014		
420	0.02		
480	0.02		
540	0.023		
600	0.016		
660	0.014		
720	0.013		
780	0.014		
840	0.015		
900	0.013		
960	0.016		
1020	0.014		
1080	0.011		
1140	0.013		
1200	0.011		
1260	0.011		
1320	0.025		
1380	0.018		
1440	0.014		

1500	0.019
1560	0.013
1620	0.011
1680	0.012
1740	0.015
1800	0.011
1860	0.011
1920	0.011
1980	0.011
2040	0.012
2100	0.013
2160	0.013
2220	0.011
2280	0.011
2340	0.011
2400	0.015
2460	0.013
2520	0.012
2580	0.012
2640	0.018
2700	0.013
2760	0.011
2820	0.014
2880	0.011
2940	0.012
3000	0.01
3060	0.013
3120	0.012
3180	0.013
3240	0.012
3300	0.013
3360	0.011
3420	0.013
3480	0.012
3540	0.012
3600	0.012
3660	0.01
3720	0.012
3780	0.011
3840	0.012
3900	0.01
3960	0.009
4020	0.012
4080	0.011

4140	0.015
4200	0.013
4260	0.013
4320	0.022
4380	0.021
4440	0.012
4500	0.011
4560	0.013
4620	0.012
4680	0.014
4740	0.016
4800	0.016
4860	0.014
4920	0.012
4980	0.014
5040	0.015
5100	0.011
5160	0.011
5220	0.011
5280	0.011
5340	0.016
5400	0.013
5460	0.018
5520	0.023
5580	0.02
5640	0.015
5700	0.012
5760	0.014
5820	0.01
5880	0.013
5940	0.016
6000	0.018
6060	0.02
6120	0.017
6180	0.013
6240	0.01
6300	0.017
6360	0.017
6420	0.011
6480	0.014
6540	0.015
6600	0.012
6660	0.011
6720	0.011

6780	0.013
6840	0.013
6900	0.011
6960	0.012
7020	0.013
7080	0.016
7140	0.01
7200	0.014
7260	0.013
7320	0.015
7380	0.09
7440	0.218
7500	0.01
7560	0.011
7620	0.011
7680	0.015
7740	0.011
7800	0.011
7860	0.011
7920	0.011
7980	0.015
8040	0.01
8100	0.013
8160	0.015
8220	0.012
8280	0.011
8340	0.009
8400	0.011
8460	0.01
8520	0.012
8580	0.01
8640	0.009
8700	0.013
8760	0.014
8820	0.012
8880	0.01
8940	0.01
9000	0.008
9060	0.01
9120	0.009
9180	0.009
9240	0.01
9300	0.011
9360	0.011

9420	0.008
9480	0.008
9540	0.014
9600	0.013
9660	0.011
9720	0.012
9780	0.011
9840	0.01
9900	0.01
9960	0.009
10020	0.01
10080	0.01
10140	0.009
10200	0.01
10260	0.012
10320	0.015
10380	0.012
10440	0.009
10500	0.009
10560	0.009
10620	0.009
10680	0.009
10740	0.008
10800	0.009
10860	0.009
10920	0.008
10980	0.007
11040	0.007
11100	0.008
11160	0.009
11220	0.009
11280	0.008
11340	0.007
11400	0.008
11460	0.009
11520	0.009
11580	0.01
11640	0.01
11700	0.011
11760	0.013
11820	0.01
11880	0.011
11940	0.009
12000	0.008

12060	0.007
12120	0.007
12180	0.009
12240	0.01
12300	0.011
12360	0.009
12420	0.007
12480	0.009
12540	0.008
12600	0.007
12660	0.008
12720	0.009
12780	0.008
12840	0.009
12900	0.009
12960	0.01
13020	0.011
13080	0.008
13140	0.008
13200	0.011
13260	0.01
13320	0.009
13380	0.009
13440	0.011
13500	0.009
13560	0.01
13620	0.008
13680	0.008
13740	0.008
13800	0.008
13860	0.009
13920	0.01
13980	0.012
14040	0.009
14100	0.01
14160	0.009
14220	0.019
14280	0.041
14340	0.101
14400	0.013
14460	0.016
14520	0.014
14580	0.008
14640	0.011

14700	0.007
14760	0.011
14820	0.013
14880	0.012
14940	0.015
15000	0.011
15060	0.015
15120	0.028
15180	0.019
15240	0.015
15300	0.009
15360	0.015
15420	0.01
15480	0.012
15540	0.01
15600	0.011
15660	0.015
15720	0.015
15780	0.009
15840	0.009
15900	0.012
15960	0.011
16020	0.01
16080	0.009
16140	0.008
16200	0.012
16260	0.009
16320	0.007
16380	0.01
16440	0.009
16500	0.006
16560	0.008
16620	0.028
16680	0.012
16740	0.012
16800	0.009
16860	0.007
16920	0.008
16980	0.009
17040	0.008
17100	0.012
17160	0.009
17220	0.01
17280	0.008

17340	0.007
17400	0.007
17460	0.007
17520	0.006
17580	0.007
17640	0.008
17700	0.009
17760	0.007
17820	0.007
17880	0.006
17940	0.007
18000	0.008
18060	0.009
18120	0.006
18180	0.008
18240	0.006
18300	0.011
18360	0.007
18420	0.006
18480	0.006
18540	0.01
18600	0.01
18660	0.012
18720	0.007
18780	0.013
18840	0.01
18900	0.006
18960	0.007
19020	0.009
19080	0.006
19140	0.011
19200	0.005
19260	0.006
19320	0.004
19380	0.005
19440	0.006
19500	0.005
19560	0.005
19620	0.007
19680	0.005
19740	0.004
19800	0.005
19860	0.01
19920	0.006

19980	0.006
20040	0.004
20100	0.005
20160	0.008
20220	0.007
20280	0.005
20340	0.017
20400	0.012
20460	0.041
20520	0.007
20580	0.008
20640	0.012
20700	0.01
20760	0.01
20820	0.008
20880	0.007
20940	0.006
21000	0.012
21060	0.019
21120	0.009
21180	0.007
21240	0.016
21300	0.011
21360	0.01
21420	0.012
21480	0.006
21540	0.006
21600	0.011
21660	0.01
21720	0.006
21780	0.007
21840	0.008
21900	0.008
21960	0.006
22020	0.006
22080	0.006
22140	0.013
22200	0.009
22260	0.019
22320	0.024
22380	0.011
22440	0.004
22500	0.005
22560	0.006

22620	0.016
22680	0.028
22740	0.022
22800	0.01
22860	0.007
22920	0.01
22980	0.006
23040	0.005
23100	0.004
23160	0.004
23220	0.006
23280	0.008
23340	0.005
23400	0.005
23460	0.006
23520	0.011
23580	0.008
23640	0.004
23700	0.007
23760	0.007
23820	0.004
23880	0.005
23940	0.006
24000	0.005
24060	0.01
24120	0.004
24180	0.004
24240	0.006
24300	0.008
24360	0.006
24420	0.006
24480	0.009
24540	0.007
24600	0.007
24660	0.004
24720	0.005
24780	0.005
24840	0.005
24900	0.005
24960	0.006
25020	0.005
25080	0.005
25140	0.007
25200	0.008

25260	0.011
25320	0.01
25380	0.008
25440	0.007
25500	0.01
25560	0.006
25620	0.009
25680	0.013
25740	0.007
25800	0.01
25860	0.017
25920	0.01
25980	0.007
26040	0.006
26100	0.006
26160	0.008
26220	0.007
26280	0.006
26340	0.005
26400	0.005
26460	0.005
26520	0.004
26580	0.005
26640	0.007
26700	0.006
26760	0.007
26820	0.013
26880	0.02
26940	0.021
27000	0.005
27060	0.005
27120	0.005
27180	0.006
27240	0.004
27300	0.005
27360	0.004
27420	0.005
27480	0.006
27540	0.01
27600	0.006
27660	0.006
27720	0.006
27780	0.017
27840	0.009

27900	0.01
27960	0.025
28020	0.007
28080	0.016
28140	0.013
28200	0.019
28260	0.038
28320	0.011
28380	0.01
28440	0.006
28500	0.007
28560	0.005
28620	0.013
28680	0.005
28740	0.004
28800	0.005
28860	0.005
28920	0.004
28980	0.007
29040	0.01
29100	0.006
29160	0.007
29220	0.01
29280	0.007
29340	0.007
29400	0.006
29460	0.008
29520	0.008
29580	0.005
29640	0.004
29700	0.004
29760	0.013
29820	0.007
29880	0.012
29940	0.007
30000	0.01
30060	0.007
30120	0.008
30180	0.007
30240	0.004
30300	0.004
30360	0.006
30420	0.007
30480	0.006

30540	0.004
30600	0.004
30660	0.006
30720	0.005
30780	0.007
30840	0.021
30900	0.011
30960	0.008
31020	0.011
31080	0.007
31140	0.012
31200	0.006
31260	0.004
31320	0.005
31380	0.011
31440	0.022
31500	0.007
31560	0.009
31620	0.008
31680	0.007
31740	0.015
31800	0.023
31860	0.006
31920	0.019
31980	0.013
32040	0.009
32100	0.01
32160	0.008
32220	0.027
32280	0.011
32340	0.007
32400	0.004
32460	0.004
32520	0.005
32580	0.004
32640	0.004
32700	0.005
32760	0.005
32820	0.005
32880	0.003
32940	0.004
33000	0.005
33060	0.004
33120	0.004

33180	0.004
33240	0.004
33300	0.006
33360	0.008
33420	0.047
33480	0.015
33540	0.006
33600	0.005
33660	0.005
33720	0.009
33780	0.003
33840	0.003
33900	0.007
33960	0.011
34020	0.01
34080	0.011
34140	0.008
34200	0.005
34260	0.005
34320	0.004
34380	0.004
34440	0.004
34500	0.005
34560	0.005
34620	0.004
34680	0.005
34740	0.009
34800	0.01
34860	0.007
34920	0.007
34980	0.004
35040	0.005
35100	0.005
35160	0.007
35220	0.004
35280	0.006
35340	0.009
35400	0.015
35460	0.006
35520	0.005
35580	0.004
35640	0.006
35700	0.008
35760	0.007

35820	0.005
35880	0.006
35940	0.006
36000	0.004
36060	0.004
36120	0.003
36180	0.004
36240	0.004
36300	0.004
36360	0.006
36420	0.007
36480	0.005
36540	0.006
36600	0.006
36660	0.005
36720	0.005
36780	0.004
36840	0.003
36900	0.004
36960	0.004
37020	0.004
37080	0.009
37140	0.009
37200	0.007
37260	0.009
37320	0.007
37380	0.006
37440	0.005
37500	0.005
37560	0.004
37620	0.004
37680	0.005
37740	0.005
37800	0.005
37860	0.004
37920	0.004
37980	0.005
38040	0.004
38100	0.004
38160	0.005
38220	0.004
38280	0.005
38340	0.005
38400	0.005

38460	0.014
38520	0.007
38580	0.006
38640	0.005
38700	0.005
38760	0.009
38820	0.006
38880	0.005
38940	0.006
39000	0.005
39060	0.005
39120	0.005
39180	0.004
39240	0.005
39300	0.004
39360	0.004
39420	0.005
39480	0.005
39540	0.004
39600	0.007
39660	0.005
39720	0.004
39780	0.006

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	5/31/2024 17:37	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:36	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:35	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:34	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:33	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:32	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:31	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:30	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:29	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:28	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:27	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:26	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:25	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:24	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:23	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:22	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:21	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:20	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:19	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:18	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:17	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:16	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:15	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:14	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:13	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:12	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:11	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:10	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:09	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:08	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:07	Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 17:06	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	5/31/2024 8:50 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:49 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:48 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:47 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:46 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:45 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:44 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:43 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:42 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:41 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:40 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:39 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:33 Readings	PID	SC23030124AA	Normal	0.1
592-908641	5/31/2024 8:32 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:31 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:30 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:29 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:28 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:27 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:26 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:25 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:24 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:23 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:22 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:21 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:20 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:19 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 8:18 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	5/31/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	5/31/2024 6:33 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_005
Test Start Time	12:42:12 AM
Test Start Date	6/1/2024
Test Length [D:H:M]	0:01:58
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.034
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	1.6
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	118

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.186		
120	0.011		
180	0.01		
240	0.01		
300	0.01		
360	0.009		
420	0.01		
480	0.009		
540	0.009		
600	0.009		
660	0.009		
720	0.009		
780	0.009		
840	0.009		
900	0.009		
960	0.009		
1020	0.009		
1080	0.009		
1140	0.064		
1200	0.03		
1260	0.014		
1320	0.009		
1380	0.01		
1440	0.01		

1500	0.027
1560	0.022
1620	0.013
1680	0.01
1740	0.01
1800	0.012
1860	0.01
1920	0.01
1980	0.01
2040	0.01
2100	0.01
2160	0.01
2220	0.01
2280	0.01
2340	0.01
2400	0.01
2460	0.01
2520	0.028
2580	0.01
2640	0.01
2700	0.01
2760	0.01
2820	0.21
2880	1.6
2940	0.199
3000	0.011
3060	0.01
3120	0.011
3180	0.011
3240	0.01
3300	0.01
3360	0.01
3420	0.015
3480	0.011
3540	0.011
3600	0.087
3660	0.029
3720	0.016
3780	0.012
3840	0.012
3900	0.017
3960	0.014
4020	0.018
4080	0.035

4140	0.031
4200	0.011
4260	0.018
4320	0.012
4380	0.017
4440	0.014
4500	0.015
4560	0.015
4620	0.019
4680	0.015
4740	0.032
4800	0.046
4860	0.028
4920	0.035
4980	0.03
5040	0.017
5100	0.024
5160	0.013
5220	0.014
5280	0.012
5340	0.012
5400	0.012
5460	0.012
5520	0.014
5580	0.013
5640	0.013
5700	0.019
5760	0.016
5820	0.013
5880	0.014
5940	0.013
6000	0.014
6060	0.015
6120	0.014
6180	0.021
6240	0.015
6300	0.014
6360	0.014
6420	0.014
6480	0.014
6540	0.014
6600	0.015
6660	0.014
6720	0.014

6780	0.014
6840	0.014
6900	0.014
6960	0.015
7020	0.014
7080	0.014

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/1/2024 2:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 2:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:55	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:54	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:53	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:52	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:51	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:50	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:49	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:48	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:47	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:46	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:45	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:44	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:43	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:42	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:41	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:40	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:39	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:38	Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 1:37	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

592-908641	6/1/2024 0:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:21 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:20 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:19 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:16 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/1/2024 0:10 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	6:59:31 AM
Test Start Date	5/31/2024
Test Length [D:H:M]	0:09:38
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.026
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	1.55
Mass TWA [mg/m3]	0.03
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	578

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.29		
120	0.019		
180	0.014		
240	0.012		
300	0.012		
360	0.015		
420	0.012		
480	0.011		
540	0.014		
600	0.012		
660	0.012		
720	0.015		
780	0.02		
840	0.038		
900	0.024		
960	0.026		
1020	0.018		
1080	0.018		
1140	0.017		
1200	0.019		
1260	0.018		
1320	0.016		
1380	0.028		
1440	0.03		

1500	0.018
1560	0.078
1620	0.081
1680	1.12
1740	0.137
1800	0.092
1860	0.021
1920	0.019
1980	0.014
2040	0.011
2100	0.014
2160	0.012
2220	0.014
2280	0.012
2340	0.014
2400	0.015
2460	0.014
2520	0.015
2580	0.018
2640	0.013
2700	0.013
2760	0.016
2820	0.016
2880	0.015
2940	0.012
3000	0.012
3060	0.014
3120	0.014
3180	0.015
3240	0.016
3300	0.013
3360	0.013
3420	0.012
3480	0.014
3540	0.013
3600	0.015
3660	0.014
3720	0.012
3780	0.012
3840	0.015
3900	0.015
3960	0.015
4020	0.013
4080	0.013

4140	0.012
4200	0.013
4260	0.013
4320	0.012
4380	0.013
4440	0.012
4500	0.013
4560	0.014
4620	0.014
4680	0.012
4740	0.016
4800	0.017
4860	0.012
4920	0.012
4980	0.013
5040	0.013
5100	0.019
5160	0.015
5220	0.018
5280	0.015
5340	0.059
5400	0.017
5460	0.044
5520	0.031
5580	0.017
5640	0.015
5700	0.016
5760	0.034
5820	0.028
5880	0.027
5940	0.042
6000	0.025
6060	0.014
6120	0.032
6180	0.031
6240	0.012
6300	0.022
6360	0.016
6420	0.028
6480	0.02
6540	0.022
6600	0.017
6660	0.013
6720	0.012

6780	0.013
6840	0.014
6900	0.016
6960	0.02
7020	0.013
7080	0.018
7140	0.015
7200	0.016
7260	0.028
7320	0.056
7380	0.019
7440	0.018
7500	0.014
7560	0.016
7620	0.012
7680	0.014
7740	0.022
7800	0.014
7860	0.021
7920	0.026
7980	0.062
8040	0.041
8100	0.018
8160	0.035
8220	0.014
8280	0.018
8340	0.019
8400	0.026
8460	0.014
8520	0.058
8580	0.042
8640	0.016
8700	0.015
8760	0.016
8820	0.012
8880	0.023
8940	0.016
9000	0.023
9060	0.02
9120	0.017
9180	0.033
9240	0.023
9300	0.044
9360	0.014

9420	0.012
9480	0.011
9540	0.01
9600	0.012
9660	0.016
9720	0.015
9780	0.013
9840	0.013
9900	0.016
9960	0.018
10020	0.016
10080	0.012
10140	0.014
10200	0.014
10260	0.014
10320	0.013
10380	0.017
10440	0.015
10500	0.014
10560	0.016
10620	0.015
10680	0.016
10740	0.014
10800	0.015
10860	0.017
10920	0.012
10980	0.01
11040	0.011
11100	0.012
11160	0.01
11220	0.011
11280	0.012
11340	0.011
11400	0.011
11460	0.01
11520	0.009
11580	0.01
11640	0.01
11700	0.011
11760	0.01
11820	0.01
11880	0.011
11940	0.011
12000	0.02

12060	0.012
12120	0.016
12180	0.013
12240	0.013
12300	0.011
12360	0.011
12420	0.01
12480	0.011
12540	0.01
12600	0.011
12660	0.015
12720	0.014
12780	0.014
12840	0.012
12900	0.014
12960	0.016
13020	0.012
13080	0.012
13140	0.012
13200	0.011
13260	0.011
13320	0.017
13380	0.015
13440	0.016
13500	0.012
13560	0.016
13620	0.02
13680	0.022
13740	0.014
13800	0.013
13860	0.016
13920	0.012
13980	0.012
14040	0.012
14100	0.012
14160	0.012
14220	0.011
14280	0.013
14340	0.013
14400	0.015
14460	0.014
14520	0.014
14580	0.016
14640	0.019

14700	0.026
14760	1.55
14820	0.035
14880	0.017
14940	0.052
15000	0.043
15060	0.012
15120	0.015
15180	0.013
15240	0.016
15300	0.016
15360	0.015
15420	0.01
15480	0.012
15540	0.046
15600	0.013
15660	0.014
15720	0.014
15780	0.013
15840	0.013
15900	0.012
15960	0.014
16020	0.018
16080	0.034
16140	0.032
16200	0.02
16260	0.011
16320	0.009
16380	0.009
16440	0.013
16500	0.012
16560	0.009
16620	0.009
16680	0.009
16740	0.012
16800	0.009
16860	0.01
16920	0.013
16980	0.017
17040	0.01
17100	0.015
17160	0.012
17220	0.008
17280	0.008

17340	0.01
17400	0.013
17460	0.013
17520	0.014
17580	0.014
17640	0.013
17700	0.01
17760	0.01
17820	0.012
17880	0.015
17940	0.008
18000	0.012
18060	0.01
18120	0.012
18180	0.01
18240	0.014
18300	0.011
18360	0.009
18420	0.018
18480	0.012
18540	0.021
18600	0.011
18660	0.01
18720	0.011
18780	0.011
18840	0.012
18900	0.011
18960	0.011
19020	0.012
19080	0.018
19140	0.01
19200	0.011
19260	0.011
19320	0.012
19380	0.011
19440	0.014
19500	0.011
19560	0.011
19620	0.011
19680	0.009
19740	0.008
19800	0.009
19860	0.01
19920	0.013

19980	0.008
20040	0.01
20100	0.011
20160	0.01
20220	0.093
20280	0.028
20340	0.099
20400	0.049
20460	0.009
20520	0.008
20580	0.011
20640	0.009
20700	0.011
20760	0.009
20820	0.016
20880	0.068
20940	0.011
21000	0.012
21060	0.021
21120	0.019
21180	0.034
21240	0.014
21300	0.01
21360	0.008
21420	0.008
21480	0.014
21540	0.011
21600	0.01
21660	0.011
21720	0.017
21780	0.024
21840	0.014
21900	0.009
21960	0.009
22020	0.086
22080	0.008
22140	0.012
22200	0.025
22260	0.011
22320	0.03
22380	0.009
22440	0.011
22500	0.014
22560	0.011

22620	0.009
22680	0.014
22740	0.016
22800	0.013
22860	0.008
22920	0.007
22980	0.009
23040	0.032
23100	0.029
23160	0.017
23220	0.013
23280	0.009
23340	0.01
23400	0.008
23460	0.007
23520	0.025
23580	0.008
23640	0.016
23700	0.011
23760	0.01
23820	0.009
23880	0.011
23940	0.014
24000	0.01
24060	0.008
24120	0.011
24180	0.009
24240	0.007
24300	0.008
24360	0.009
24420	0.007
24480	0.007
24540	0.006
24600	0.008
24660	0.007
24720	0.008
24780	0.01
24840	0.015
24900	0.012
24960	0.01
25020	0.01
25080	0.008
25140	0.007
25200	0.011

25260	0.008
25320	0.009
25380	0.009
25440	0.008
25500	0.008
25560	0.01
25620	0.013
25680	0.013
25740	0.008
25800	0.011
25860	0.02
25920	0.013
25980	0.012
26040	0.018
26100	0.014
26160	0.015
26220	0.01
26280	0.01
26340	0.011
26400	0.035
26460	0.034
26520	0.006
26580	0.007
26640	0.007
26700	0.007
26760	0.007
26820	0.007
26880	0.007
26940	0.007
27000	0.008
27060	0.012
27120	0.015
27180	0.021
27240	0.032
27300	0.022
27360	0.013
27420	0.007
27480	0.008
27540	0.008
27600	0.007
27660	0.007
27720	0.008
27780	0.007
27840	0.01

27900	0.011
27960	0.014
28020	0.007
28080	0.007
28140	0.007
28200	0.007
28260	0.009
28320	0.009
28380	0.009
28440	0.011
28500	0.012
28560	0.014
28620	0.011
28680	0.011
28740	0.011
28800	0.011
28860	0.008
28920	0.008
28980	0.008
29040	0.008
29100	0.007
29160	0.006
29220	0.007
29280	0.007
29340	0.007
29400	0.009
29460	0.009
29520	0.009
29580	0.012
29640	0.014
29700	0.009
29760	0.01
29820	0.008
29880	0.01
29940	0.007
30000	0.008
30060	0.007
30120	0.007
30180	0.007
30240	0.012
30300	0.016
30360	0.01
30420	0.008
30480	0.01

30540	0.011
30600	0.007
30660	0.009
30720	0.006
30780	0.007
30840	0.01
30900	0.007
30960	0.006
31020	0.006
31080	0.007
31140	0.007
31200	0.007
31260	0.007
31320	0.007
31380	0.008
31440	0.008
31500	0.007
31560	0.007
31620	0.007
31680	0.007
31740	0.007
31800	0.008
31860	0.008
31920	0.011
31980	0.01
32040	0.011
32100	0.01
32160	0.01
32220	0.015
32280	0.008
32340	0.007
32400	0.023
32460	0.012
32520	0.014
32580	0.011
32640	0.014
32700	0.008
32760	0.01
32820	0.007
32880	0.006
32940	0.006
33000	0.006
33060	0.007
33120	0.007

33180	0.007	
33240	0.008	
33300	0.007	
33360	0.008	
33420	0.006	
33480	0.007	
33540	0.008	
33600	0.009	
33660	0.007	
33720	0.008	
33780	0.009	
33840	0.009	
33900	0.008	
33960	0.012	Flow Error
34020	0.004	Flow Error
34080	0.021	Flow Error
34140	0.002	Flow Error
34200	0.002	Flow Error
34260	0.004	Flow Error
34320	0.007	Flow Error
34380	0.001	Flow Error
34440	0.001	Flow Error
34500	0.008	Flow Error
34560	0.01	Flow Error
34620	0.006	Flow Error
34680	0.003	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	5/31/2024 18:22	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:21	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:20	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:19	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:18	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:17	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:16	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:15	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:14	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:13	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:12	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:11	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:10	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:09	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:08	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:07	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:06	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:05	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:04	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:03	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:02	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:01	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 18:00	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:59	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:58	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:57	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:56	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:55	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:54	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:53	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:52	Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 17:51	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	5/31/2024 9:02 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 9:01 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:56 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:55 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:54 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:53 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:52 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:36 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:34 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:33 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:32 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:31 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 8:30 Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

592-602176	5/31/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	5/31/2024 7:10 CONFIG	PID	SC23030602B4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_005
Test Start Time	12:39:24 AM
Test Start Date	6/1/2024
Test Length [D:H:M]	0:02:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.079
Mass TWA [mg/m3]	0.003
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	120

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.079		
120	0.012		
180	0.011		
240	0.011		
300	0.016		
360	0.01		
420	0.01		
480	0.011		
540	0.009		
600	0.01		
660	0.009		
720	0.01		
780	0.009		
840	0.009		
900	0.009		
960	0.01		
1020	0.009		
1080	0.009		
1140	0.009		
1200	0.01		
1260	0.018		
1320	0.016		
1380	0.01		
1440	0.02		

1500	0.012
1560	0.009
1620	0.009
1680	0.009
1740	0.01
1800	0.009
1860	0.009
1920	0.011
1980	0.01
2040	0.01
2100	0.009
2160	0.01
2220	0.01
2280	0.01
2340	0.01
2400	0.01
2460	0.01
2520	0.01
2580	0.01
2640	0.01
2700	0.01
2760	0.01
2820	0.01
2880	0.01
2940	0.01
3000	0.01
3060	0.01
3120	0.01
3180	0.01
3240	0.01
3300	0.01
3360	0.01
3420	0.01
3480	0.01
3540	0.01
3600	0.01
3660	0.01
3720	0.01
3780	0.01
3840	0.013
3900	0.01
3960	0.01
4020	0.01
4080	0.01

4140	0.01
4200	0.01
4260	0.015
4320	0.012
4380	0.01
4440	0.01
4500	0.011
4560	0.01
4620	0.011
4680	0.011
4740	0.011
4800	0.011
4860	0.011
4920	0.011
4980	0.011
5040	0.011
5100	0.011
5160	0.011
5220	0.011
5280	0.012
5340	0.011
5400	0.012
5460	0.012
5520	0.012
5580	0.012
5640	0.012
5700	0.012
5760	0.012
5820	0.012
5880	0.013
5940	0.012
6000	0.012
6060	0.012
6120	0.013
6180	0.013
6240	0.012
6300	0.013
6360	0.013
6420	0.013
6480	0.013
6540	0.013
6600	0.013
6660	0.014
6720	0.014

6780	0.013
6840	0.014
6900	0.014
6960	0.014
7020	0.014
7080	0.014
7140	0.014
7200	0.014

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/1/2024 2:50	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:49	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:48	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:47	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:46	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:45	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:44	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:43	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:42	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:41	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:40	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:39	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:38	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:37	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:36	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:35	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:34	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:33	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:32	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:31	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:30	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:29	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:28	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:27	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:26	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:25	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:24	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:23	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:22	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:21	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:20	Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 2:19	Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	6/1/2024 1:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:06 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:05 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:04 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:03 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:02 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:01 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 1:00 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:59 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:58 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:57 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:56 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:55 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:53 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:52 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:51 Readings	PID	SC23030602B4	Normal	0
592-602176	6/1/2024 0:50 CONFIG	PID	SC23030602B4		