

**DAILY STATUS REPORT****Prepared By:**

Bill Chaky

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		WNW 9 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	06/10/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:30

Time Offsite: 18:30

Personnel On Site:

IEEG (Environmental) – Victor Barraza / Bill Chaky

WSP (Environmental oversight) – Tim Williams

ECD (Sheet-Pile Installation)

Capital/KFS (Contractor)

Cascade/ECA (ISS Contractor)

Bradford (SSDS Contractor)

Equipment On Site: DustTrak (x3), PID (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations; Capital to excavate within spill area to expose sheet-piles; ECD to weld exposed sheet-piles within spill area; KFS and Capital to continue with pile-cap/footing fabrication and vapor barrier installation in approved grids at south building; Cascade / ECA to continue with ISS equipment mobilization; Capital to excavate test-pits at treatment area to expose tie-backs; Control Point to survey day-lighted tie-backs; Triumvirate to pump out wash-water from holding tank and from catch-basin at truck-wash station; and Bradford to begin lay-out of sewer piping within trenches.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells for de-watering purposes; and
- KFS and Capital continued with rebar fabrication, footing construction and vapor barrier installation on approved pile-caps at south building;
- Cascade excavated clean fill at spill area within perimeter of installed sheet-piles and side-casted fill;
- IEC screened excavation within Spill 2308807 area, highest PID reading of 19.8 ppm;
- IEC mobilized Atmos spray-foam equipment to spill area and PRC applied foam to open excavation;
- Cascade and ECA continued with ISS equipment mobilization;
- Triumvirate pumped out 2,103 gallons of truck wash rinsae water from the frac tank and from the catch-basin at the Gate 1 truck-wash pad;
- Bradford began laying out sewer pipe within trenches at the south building;
- PRC applied water along west side of site to suppress dust;
- National Grid continued with gas pipeline work along sidewalk on Nevins St. and in front of Gate 3;
- Five (5) truckloads of approved clean fill imported to site at south building;

- Crew spilled approximately 2 gallons of diesel fuel atop road-plates at the exit of Gate 1, and spill was cleaned up with absorbent material and then drummed for proper disposal;
- Capital de-watering from excavation in Grid E6. Refer to attached Alpha Numeric Grid Map for grid locations;
- IEC inspected previously installed vapor-barriers within fabricated footings at south building;
- ECD continued excavation at spill area with a smaller excavator to remove soil from between previously installed pilings;
- Capital began test-pit excavation along treatment line to expose bulkhead tie-backs; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.124_ mg/m³ @ 6:25
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.789_ mg/m³ @ 08:58
- High Conditions (Downwind 1) – PID = _3.9_ ppm @ 16:18, Dust = _0.442_ mg/m³ @ 06:16
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.208_ mg/m³ @ 6:19

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- Cascade and ECA to continue with ISS equipment mobilization and setup, ISS Pilot test to begin on 6/13;
- KFS and Capital to continue with rebar fabrication, footing construction and vapor barrier installation;
- Bradford to continue with sewer piping layout within trenches at south building;
- ECD to further excavate within spill area, install sheet-piles, then weld sheets together;
- Capital to resume test-pit excavations along treatment area to expose tie-backs.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of small diesel spill at Gate 1 prior to clean up.



Photo 2 –

Representative photo of sewer pipe within trench completed by Bradford.



Photo 3 –

Representative
photo of Vapor
Barrier.



Photo 4 –

Representative
photo of
excavation
around footing.




Photo 5 –

Representative
photo of
ATMOPs foam
sprayed in Spill
2308807 area.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_011
Test Start Time	6:25:50 AM
Test Start Date	6/10/2024
Test Length [D:H:M]	0:11:31
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	-0.014
Mass Maximum [mg/m3]	0.789
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	691

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:25:50 AM	0.124		
6:26:50 AM	0.013		
6:27:50 AM	0.01		
6:28:50 AM	0.012		
6:29:50 AM	0.013		
6:30:50 AM	0.013		
6:31:50 AM	0.011		
6:32:50 AM	0.011		
6:33:50 AM	0.009		
6:34:50 AM	0.009		
6:35:50 AM	0.008		
6:36:50 AM	0.009		
6:37:50 AM	0.011		
6:38:50 AM	0.012		
6:39:50 AM	0.012		
6:40:50 AM	0.016		
6:41:50 AM	0.013		
6:42:50 AM	0.013		
6:43:50 AM	0.013		
6:44:50 AM	0.013		
6:45:50 AM	0.013		
6:46:50 AM	0.017		
6:47:50 AM	0.014		
6:48:50 AM	0.013		

6:49:50 AM	0.014
6:50:50 AM	0.011
6:51:50 AM	0.011
6:52:50 AM	0.007
6:53:50 AM	0.013
6:54:50 AM	0.012
6:55:50 AM	0.01
6:56:50 AM	0.02
6:57:50 AM	0.011
6:58:50 AM	0.01
6:59:50 AM	0.011
7:00:50 AM	0.025
7:01:50 AM	0.014
7:02:50 AM	0.037
7:03:50 AM	0.04
7:04:50 AM	0.039
7:05:50 AM	0.02
7:06:50 AM	0.016
7:07:50 AM	0.013
7:08:50 AM	0.01
7:09:50 AM	0.019
7:10:50 AM	0.025
7:11:50 AM	0.028
7:12:50 AM	0.02
7:13:50 AM	0.021
7:14:50 AM	0.053
7:15:50 AM	0.011
7:16:50 AM	0.185
7:17:50 AM	0.039
7:18:50 AM	0.014
7:19:50 AM	0.011
7:20:50 AM	0.011
7:21:50 AM	0.013
7:22:50 AM	0.039
7:23:50 AM	0.007
7:24:50 AM	0.014
7:25:50 AM	0.016
7:26:50 AM	0.018
7:27:50 AM	0.018
7:28:50 AM	0.097
7:29:50 AM	0.033
7:30:50 AM	0.044
7:31:50 AM	0.081
7:32:50 AM	0.249

7:33:50 AM	0.015
7:34:50 AM	0.012
7:35:50 AM	0.115
7:36:50 AM	0.016
7:37:50 AM	0.038
7:38:50 AM	0.014
7:39:50 AM	0.018
7:40:50 AM	0.028
7:41:50 AM	0.011
7:42:50 AM	0.009
7:43:50 AM	0.03
7:44:50 AM	0.018
7:45:50 AM	0.014
7:46:50 AM	0.007
7:47:50 AM	0.007
7:48:50 AM	0.011
7:49:50 AM	0.008
7:50:50 AM	0.014
7:51:50 AM	0.011
7:52:50 AM	0.011
7:53:50 AM	0.01
7:54:50 AM	0.009
7:55:50 AM	0.023
7:56:50 AM	0.014
7:57:50 AM	0.012
7:58:50 AM	0.02
7:59:50 AM	0.01
8:00:50 AM	0.017
8:01:50 AM	0.01
8:02:50 AM	0.013
8:03:50 AM	0.009
8:04:50 AM	0.01
8:05:50 AM	0.009
8:06:50 AM	0.013
8:07:50 AM	0.007
8:08:50 AM	0.008
8:09:50 AM	0.008
8:10:50 AM	0.012
8:11:50 AM	0.007
8:12:50 AM	0.012
8:13:50 AM	0.016
8:14:50 AM	0.021
8:15:50 AM	0.012
8:16:50 AM	0.013

8:17:50 AM	0.02
8:18:50 AM	0.028
8:19:50 AM	0.011
8:20:50 AM	0.011
8:21:50 AM	0.062
8:22:50 AM	0.011
8:23:50 AM	0.059
8:24:50 AM	0.007
8:25:50 AM	0.11
8:26:50 AM	0.018
8:27:50 AM	0.24
8:28:50 AM	0.033
8:29:50 AM	0.013
8:30:50 AM	0.007
8:31:50 AM	0.006
8:32:50 AM	0.006
8:33:50 AM	0.006
8:34:50 AM	0.008
8:35:50 AM	0.007
8:36:50 AM	0.012
8:37:50 AM	0.009
8:38:50 AM	0.006
8:39:50 AM	0.007
8:40:50 AM	0.123
8:41:50 AM	0.018
8:42:50 AM	0.005
8:43:50 AM	0.007
8:44:50 AM	0.006
8:45:50 AM	0.005
8:46:50 AM	0.007
8:47:50 AM	0.019
8:48:50 AM	0.009
8:49:50 AM	0.004
8:50:50 AM	0.186
8:51:50 AM	0.018
8:52:50 AM	0.02
8:53:50 AM	0.015
8:54:50 AM	0.003
8:55:50 AM	0.013
8:56:50 AM	0.013
8:57:50 AM	0.03
8:58:50 AM	0.789
8:59:50 AM	0.044
9:00:50 AM	0.012

9:01:50 AM	0.005
9:02:50 AM	0.005
9:03:50 AM	0.003
9:04:50 AM	0.005
9:05:50 AM	0.002
9:06:50 AM	0.004
9:07:50 AM	0.003
9:08:50 AM	0.008
9:09:50 AM	0.004
9:10:50 AM	0.004
9:11:50 AM	0.004
9:12:50 AM	0.002
9:13:50 AM	0.007
9:14:50 AM	0
9:15:50 AM	0.001
9:16:50 AM	0.002
9:17:50 AM	0.002
9:18:50 AM	0.006
9:19:50 AM	0.002
9:20:50 AM	0.003
9:21:50 AM	0.009
9:22:50 AM	0.004
9:23:50 AM	0.003
9:24:50 AM	0.001
9:25:50 AM	0.001
9:26:50 AM	0.002
9:27:50 AM	0.001
9:28:50 AM	0
9:29:50 AM	0
9:30:50 AM	0.001
9:31:50 AM	0
9:32:50 AM	0.001
9:33:50 AM	0.002
9:34:50 AM	0.004
9:35:50 AM	0.014
9:36:50 AM	0.004
9:37:50 AM	0.005
9:38:50 AM	0.003
9:39:50 AM	0.002
9:40:50 AM	0.001
9:41:50 AM	0.001
9:42:50 AM	0.003
9:43:50 AM	0.006
9:44:50 AM	0.002

9:45:50 AM	0.001
9:46:50 AM	0.001
9:47:50 AM	0.021
9:48:50 AM	0.001
9:49:50 AM	0.001
9:50:50 AM	0
9:51:50 AM	0.003
9:52:50 AM	0.001
9:53:50 AM	0
9:54:50 AM	0.001
9:55:50 AM	0.003
9:56:50 AM	0.006
9:57:50 AM	0.001
9:58:50 AM	0.007
9:59:50 AM	0.004
10:00:50 AM	0
10:01:50 AM	0.003
10:02:50 AM	0.003
10:03:50 AM	0
10:04:50 AM	0
10:05:50 AM	0.003
10:06:50 AM	0.002
10:07:50 AM	0.028
10:08:50 AM	0.004
10:09:50 AM	0.001
10:10:50 AM	0
10:11:50 AM	0.003
10:12:50 AM	0.01
10:13:50 AM	0.002
10:14:50 AM	0.004
10:15:50 AM	0.005
10:16:50 AM	0
10:17:50 AM	0.002
10:18:50 AM	0.001
10:19:50 AM	0.001
10:20:50 AM	0.001
10:21:50 AM	0.001
10:22:50 AM	0.003
10:23:50 AM	0.001
10:24:50 AM	0
10:25:50 AM	0.001
10:26:50 AM	0.003
10:27:50 AM	0
10:28:50 AM	0

10:29:50 AM	0.002
10:30:50 AM	0
10:31:50 AM	0
10:32:50 AM	0.001
10:33:50 AM	0.001
10:34:50 AM	0.033
10:35:50 AM	0.003
10:36:50 AM	0.009
10:37:50 AM	0.005
10:38:50 AM	0.002
10:39:50 AM	0.001
10:40:50 AM	-0.001
10:41:50 AM	0
10:42:50 AM	0
10:43:50 AM	0
10:44:50 AM	0.004
10:45:50 AM	0.001
10:46:50 AM	0
10:47:50 AM	0
10:48:50 AM	0.001
10:49:50 AM	0.008
10:50:50 AM	0.017
10:51:50 AM	0.007
10:52:50 AM	0.006
10:53:50 AM	0
10:54:50 AM	0
10:55:50 AM	0
10:56:50 AM	0.001
10:57:50 AM	0
10:58:50 AM	0
10:59:50 AM	0.004
11:00:50 AM	0.006
11:01:50 AM	0
11:02:50 AM	0.029
11:03:50 AM	0.023
11:04:50 AM	0
11:05:50 AM	0.002
11:06:50 AM	0.006
11:07:50 AM	0.001
11:08:50 AM	0.001
11:09:50 AM	0.001
11:10:50 AM	0.001
11:11:50 AM	0
11:12:50 AM	-0.002

11:13:50 AM	-0.001
11:14:50 AM	0
11:15:50 AM	-0.002
11:16:50 AM	-0.002
11:17:50 AM	-0.002
11:18:50 AM	-0.003
11:19:50 AM	-0.004
11:20:50 AM	0
11:21:50 AM	0
11:22:50 AM	0.001
11:23:50 AM	0
11:24:50 AM	0.032
11:25:50 AM	0.004
11:26:50 AM	0.001
11:27:50 AM	0
11:28:50 AM	0
11:29:50 AM	0
11:30:50 AM	-0.001
11:31:50 AM	0
11:32:50 AM	0.002
11:33:50 AM	0
11:34:50 AM	0.001
11:35:50 AM	0.001
11:36:50 AM	0.001
11:37:50 AM	0
11:38:50 AM	0.004
11:39:50 AM	0.001
11:40:50 AM	0.001
11:41:50 AM	0.009
11:42:50 AM	0.005
11:43:50 AM	0.02
11:44:50 AM	0.004
11:45:50 AM	0.001
11:46:50 AM	0.001
11:47:50 AM	0.001
11:48:50 AM	0.001
11:49:50 AM	0.001
11:50:50 AM	0.014
11:51:50 AM	0.003
11:52:50 AM	0.001
11:53:50 AM	0.001
11:54:50 AM	0.001
11:55:50 AM	0.001
11:56:50 AM	0.018

11:57:50 AM	0.038
11:58:50 AM	0.016
11:59:50 AM	0.001
12:00:50 PM	0.001
12:01:50 PM	0.001
12:02:50 PM	0.001
12:03:50 PM	0.001
12:04:50 PM	0.001
12:05:50 PM	0.001
12:06:50 PM	0.001
12:07:50 PM	0.001
12:08:50 PM	0.001
12:09:50 PM	-0.007
12:10:50 PM	-0.005
12:11:50 PM	-0.006
12:12:50 PM	-0.005
12:13:50 PM	-0.007
12:14:50 PM	-0.005
12:15:50 PM	-0.004
12:16:50 PM	-0.004
12:17:50 PM	-0.006
12:18:50 PM	-0.007
12:19:50 PM	-0.005
12:20:50 PM	-0.007
12:21:50 PM	-0.009
12:22:50 PM	-0.008
12:23:50 PM	-0.009
12:24:50 PM	-0.005
12:25:50 PM	-0.009
12:26:50 PM	-0.001
12:27:50 PM	0.378
12:28:50 PM	0.018
12:29:50 PM	0.013
12:30:50 PM	-0.007
12:31:50 PM	-0.013
12:32:50 PM	-0.014
12:33:50 PM	-0.014
12:34:50 PM	-0.01
12:35:50 PM	-0.012
12:36:50 PM	-0.012
12:37:50 PM	-0.011
12:38:50 PM	-0.012
12:39:50 PM	-0.011
12:40:50 PM	-0.012

12:41:50 PM	-0.006
12:42:50 PM	-0.002
12:43:50 PM	-0.007
12:44:50 PM	-0.012
12:45:50 PM	-0.01
12:46:50 PM	-0.012
12:47:50 PM	0.001
12:48:50 PM	-0.011
12:49:50 PM	-0.009
12:50:50 PM	-0.011
12:51:50 PM	-0.012
12:52:50 PM	-0.01
12:53:50 PM	-0.01
12:54:50 PM	-0.01
12:55:50 PM	-0.01
12:56:50 PM	-0.004
12:57:50 PM	-0.009
12:58:50 PM	0.001
12:59:50 PM	-0.007
1:00:50 PM	-0.007
1:01:50 PM	-0.005
1:02:50 PM	-0.008
1:03:50 PM	-0.009
1:04:50 PM	-0.006
1:05:50 PM	-0.007
1:06:50 PM	-0.006
1:07:50 PM	-0.003
1:08:50 PM	-0.006
1:09:50 PM	-0.01
1:10:50 PM	-0.013
1:11:50 PM	-0.009
1:12:50 PM	-0.011
1:13:50 PM	-0.008
1:14:50 PM	-0.008
1:15:50 PM	-0.011
1:16:50 PM	-0.013
1:17:50 PM	-0.01
1:18:50 PM	-0.012
1:19:50 PM	-0.013
1:20:50 PM	-0.012
1:21:50 PM	-0.01
1:22:50 PM	0
1:23:50 PM	-0.003
1:24:50 PM	-0.01

1:25:50 PM	0.001
1:26:50 PM	0.001
1:27:50 PM	0.001
1:28:50 PM	0.001
1:29:50 PM	0.001
1:30:50 PM	0.001
1:31:50 PM	0.001
1:32:50 PM	0.001
1:33:50 PM	0.001
1:34:50 PM	-0.011
1:35:50 PM	-0.009
1:36:50 PM	-0.009
1:37:50 PM	-0.007
1:38:50 PM	-0.007
1:39:50 PM	-0.009
1:40:50 PM	0.001
1:41:50 PM	0.011
1:42:50 PM	0.031
1:43:50 PM	0.013
1:44:50 PM	0.004
1:45:50 PM	0.035
1:46:50 PM	0.006
1:47:50 PM	0.062
1:48:50 PM	0.014
1:49:50 PM	0.009
1:50:50 PM	0.004
1:51:50 PM	0.003
1:52:50 PM	0.006
1:53:50 PM	0.009
1:54:50 PM	0.003
1:55:50 PM	0.01
1:56:50 PM	0.002
1:57:50 PM	0.002
1:58:50 PM	0.004
1:59:50 PM	0.007
2:00:50 PM	0.018
2:01:50 PM	0.001
2:02:50 PM	0
2:03:50 PM	0
2:04:50 PM	0.006
2:05:50 PM	0.01
2:06:50 PM	0.041
2:07:50 PM	0.106
2:08:50 PM	0.069

2:09:50 PM	0.042
2:10:50 PM	0.006
2:11:50 PM	0.006
2:12:50 PM	0.008
2:13:50 PM	0.007
2:14:50 PM	0.035
2:15:50 PM	0.013
2:16:50 PM	0.017
2:17:50 PM	0.004
2:18:50 PM	0.012
2:19:50 PM	0.003
2:20:50 PM	0.001
2:21:50 PM	0.008
2:22:50 PM	0.013
2:23:50 PM	0.01
2:24:50 PM	0.021
2:25:50 PM	0.03
2:26:50 PM	0.004
2:27:50 PM	0.002
2:28:50 PM	0.003
2:29:50 PM	0.006
2:30:50 PM	0.016
2:31:50 PM	0.001
2:32:50 PM	0.006
2:33:50 PM	0.003
2:34:50 PM	0.004
2:35:50 PM	0.009
2:36:50 PM	0.01
2:37:50 PM	0.001
2:38:50 PM	0
2:39:50 PM	0.007
2:40:50 PM	0.004
2:41:50 PM	0.001
2:42:50 PM	0.002
2:43:50 PM	0.004
2:44:50 PM	0.005
2:45:50 PM	0.007
2:46:50 PM	0.017
2:47:50 PM	0.016
2:48:50 PM	0.038
2:49:50 PM	0.068
2:50:50 PM	0.005
2:51:50 PM	0.006
2:52:50 PM	0.003

2:53:50 PM	0.011
2:54:50 PM	0.001
2:55:50 PM	0
2:56:50 PM	0.006
2:57:50 PM	0.009
2:58:50 PM	0.011
2:59:50 PM	0.043
3:00:50 PM	0.013
3:01:50 PM	0.009
3:02:50 PM	0.002
3:03:50 PM	0.006
3:04:50 PM	0.009
3:05:50 PM	0.042
3:06:50 PM	0.019
3:07:50 PM	0.01
3:08:50 PM	0.018
3:09:50 PM	0.015
3:10:50 PM	0.002
3:11:50 PM	0.002
3:12:50 PM	0.014
3:13:50 PM	0.017
3:14:50 PM	0.013
3:15:50 PM	0.011
3:16:50 PM	0.008
3:17:50 PM	0.025
3:18:50 PM	0.021
3:19:50 PM	0.053
3:20:50 PM	0.035
3:21:50 PM	0.01
3:22:50 PM	0.011
3:23:50 PM	0.007
3:24:50 PM	0.008
3:25:50 PM	0.008
3:26:50 PM	0.009
3:27:50 PM	0.017
3:28:50 PM	0.013
3:29:50 PM	0.01
3:30:50 PM	0.012
3:31:50 PM	0.012
3:32:50 PM	0.025
3:33:50 PM	0.018
3:34:50 PM	0.012
3:35:50 PM	0.015
3:36:50 PM	0.011

3:37:50 PM	0.026
3:38:50 PM	0.075
3:39:50 PM	0.029
3:40:50 PM	0.008
3:41:50 PM	0.007
3:42:50 PM	0.002
3:43:50 PM	0.004
3:44:50 PM	0.004
3:45:50 PM	0.009
3:46:50 PM	0.009
3:47:50 PM	0.008
3:48:50 PM	0.007
3:49:50 PM	0.024
3:50:50 PM	0.009
3:51:50 PM	0.018
3:52:50 PM	0.023
3:53:50 PM	0.022
3:54:50 PM	0.02
3:55:50 PM	0.044
3:56:50 PM	0.008
3:57:50 PM	0.013
3:58:50 PM	0.017
3:59:50 PM	0.015
4:00:50 PM	0.017
4:01:50 PM	0.01
4:02:50 PM	0.008
4:03:50 PM	0.024
4:04:50 PM	0.011
4:05:50 PM	0.03
4:06:50 PM	0.03
4:07:50 PM	0.031
4:08:50 PM	0.019
4:09:50 PM	0.012
4:10:50 PM	0.016
4:11:50 PM	0.019
4:12:50 PM	0.068
4:13:50 PM	0.013
4:14:50 PM	0.013
4:15:50 PM	0.029
4:16:50 PM	0.222
4:17:50 PM	0.137
4:18:50 PM	0.018
4:19:50 PM	0.012
4:20:50 PM	0.014

4:21:50 PM	0.008
4:22:50 PM	0.018
4:23:50 PM	0.026
4:24:50 PM	0.019
4:25:50 PM	0.009
4:26:50 PM	0.009
4:27:50 PM	0.011
4:28:50 PM	0.009
4:29:50 PM	0.007
4:30:50 PM	0.007
4:31:50 PM	0.013
4:32:50 PM	0.011
4:33:50 PM	0.011
4:34:50 PM	0.013
4:35:50 PM	0.031
4:36:50 PM	0.02
4:37:50 PM	0.007
4:38:50 PM	0.008
4:39:50 PM	0.008
4:40:50 PM	0.011
4:41:50 PM	0.012
4:42:50 PM	0.007
4:43:50 PM	0.01
4:44:50 PM	0.024
4:45:50 PM	0.012
4:46:50 PM	0.009
4:47:50 PM	0.01
4:48:50 PM	0.011
4:49:50 PM	0.009
4:50:50 PM	0.008
4:51:50 PM	0.007
4:52:50 PM	0.014
4:53:50 PM	0.018
4:54:50 PM	0.081
4:55:50 PM	0.016
4:56:50 PM	0.011
4:57:50 PM	0.009
4:58:50 PM	0.012
4:59:50 PM	0.02
5:00:50 PM	0.01
5:01:50 PM	0.014
5:02:50 PM	0.013
5:03:50 PM	0.014
5:04:50 PM	0.017

5:05:50 PM	0.02
5:06:50 PM	0.022
5:07:50 PM	0.009
5:08:50 PM	0.01
5:09:50 PM	0.01
5:10:50 PM	0.015
5:11:50 PM	0.011
5:12:50 PM	0.008
5:13:50 PM	0.009
5:14:50 PM	0.01
5:15:50 PM	0.008
5:16:50 PM	0.008
5:17:50 PM	0.008
5:18:50 PM	0.007
5:19:50 PM	0.01
5:20:50 PM	0.03
5:21:50 PM	0.011
5:22:50 PM	0.01
5:23:50 PM	0.011
5:24:50 PM	0.137
5:25:50 PM	0.017
5:26:50 PM	0.01
5:27:50 PM	0.01
5:28:50 PM	0.009
5:29:50 PM	0.008
5:30:50 PM	0.008
5:31:50 PM	0.009
5:32:50 PM	0.01
5:33:50 PM	0.01
5:34:50 PM	0.009
5:35:50 PM	0.008
5:36:50 PM	0.009
5:37:50 PM	0.008
5:38:50 PM	0.009
5:39:50 PM	0.009
5:40:50 PM	0.01
5:41:50 PM	0.011
5:42:50 PM	0.01
5:43:50 PM	0.013
5:44:50 PM	0.019
5:45:50 PM	0.012
5:46:50 PM	0.016
5:47:50 PM	0.012
5:48:50 PM	0.011

5:49:50 PM	0.012
5:50:50 PM	0.015
5:51:50 PM	0.013
5:52:50 PM	0.011
5:53:50 PM	0.013
5:54:50 PM	0.018
5:55:50 PM	0.019

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Average Reading
592-600853	6/10/2024 18:09	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:08	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:07	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:06	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:05	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:04	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:03	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:02	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 18:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:50	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:49	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:48	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:47	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:46	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:45	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:44	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:43	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:42	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:41	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:40	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:39	Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 17:38	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	6/10/2024 6:37 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:36 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:35 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:34 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:33 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:32 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:31 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:30 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:29 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:28 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:27 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:26 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:25 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:24 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:23 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:22 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:21 Readings	PID	SC23030449A8	Normal	0
592-600853	6/10/2024 6:20 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_011
Test Start Time	6:16:20 AM
Test Start Date	6/10/2024
Test Length [D:H:M]	0:11:39
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.442
Mass TWA [mg/m3]	0.009
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	699

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:16:20 AM	0.442		
6:17:20 AM	0.007		
6:18:20 AM	0.006		
6:19:20 AM	0.005		
6:20:20 AM	0.005		
6:21:20 AM	0.006		
6:22:20 AM	0.006		
6:23:20 AM	0.005		
6:24:20 AM	0.006		
6:25:20 AM	0.006		
6:26:20 AM	0.006		
6:27:20 AM	0.005		
6:28:20 AM	0.006		
6:29:20 AM	0.006		
6:30:20 AM	0.005		
6:31:20 AM	0.006		
6:32:20 AM	0.006		
6:33:20 AM	0.005		
6:34:20 AM	0.006		
6:35:20 AM	0.006		
6:36:20 AM	0.006		
6:37:20 AM	0.006		
6:38:20 AM	0.006		
6:39:20 AM	0.006		

6:40:20 AM	0.006
6:41:20 AM	0.006
6:42:20 AM	0.006
6:43:20 AM	0.006
6:44:20 AM	0.006
6:45:20 AM	0.005
6:46:20 AM	0.006
6:47:20 AM	0.006
6:48:20 AM	0.006
6:49:20 AM	0.006
6:50:20 AM	0.006
6:51:20 AM	0.006
6:52:20 AM	0.006
6:53:20 AM	0.006
6:54:20 AM	0.006
6:55:20 AM	0.005
6:56:20 AM	0.006
6:57:20 AM	0.006
6:58:20 AM	0.006
6:59:20 AM	0.006
7:00:20 AM	0.006
7:01:20 AM	0.006
7:02:20 AM	0.006
7:03:20 AM	0.007
7:04:20 AM	0.008
7:05:20 AM	0.007
7:06:20 AM	0.007
7:07:20 AM	0.007
7:08:20 AM	0.007
7:09:20 AM	0.007
7:10:20 AM	0.007
7:11:20 AM	0.006
7:12:20 AM	0.007
7:13:20 AM	0.006
7:14:20 AM	0.006
7:15:20 AM	0.009
7:16:20 AM	0.007
7:17:20 AM	0.009
7:18:20 AM	0.014
7:19:20 AM	0.007
7:20:20 AM	0.007
7:21:20 AM	0.006
7:22:20 AM	0.006
7:23:20 AM	0.007

7:24:20 AM	0.006
7:25:20 AM	0.007
7:26:20 AM	0.007
7:27:20 AM	0.007
7:28:20 AM	0.006
7:29:20 AM	0.006
7:30:20 AM	0.007
7:31:20 AM	0.007
7:32:20 AM	0.007
7:33:20 AM	0.007
7:34:20 AM	0.007
7:35:20 AM	0.006
7:36:20 AM	0.007
7:37:20 AM	0.007
7:38:20 AM	0.007
7:39:20 AM	0.007
7:40:20 AM	0.008
7:41:20 AM	0.007
7:42:20 AM	0.007
7:43:20 AM	0.006
7:44:20 AM	0.006
7:45:20 AM	0.006
7:46:20 AM	0.006
7:47:20 AM	0.006
7:48:20 AM	0.006
7:49:20 AM	0.009
7:50:20 AM	0.006
7:51:20 AM	0.007
7:52:20 AM	0.01
7:53:20 AM	0.015
7:54:20 AM	0.011
7:55:20 AM	0.007
7:56:20 AM	0.007
7:57:20 AM	0.007
7:58:20 AM	0.031
7:59:20 AM	0.008
8:00:20 AM	0.008
8:01:20 AM	0.01
8:02:20 AM	0.007
8:03:20 AM	0.007
8:04:20 AM	0.007
8:05:20 AM	0.007
8:06:20 AM	0.006
8:07:20 AM	0.008

8:08:20 AM	0.006
8:09:20 AM	0.006
8:10:20 AM	0.007
8:11:20 AM	0.006
8:12:20 AM	0.007
8:13:20 AM	0.007
8:14:20 AM	0.009
8:15:20 AM	0.007
8:16:20 AM	0.009
8:17:20 AM	0.007
8:18:20 AM	0.007
8:19:20 AM	0.009
8:20:20 AM	0.008
8:21:20 AM	0.011
8:22:20 AM	0.011
8:23:20 AM	0.007
8:24:20 AM	0.006
8:25:20 AM	0.007
8:26:20 AM	0.035
8:27:20 AM	0.011
8:28:20 AM	0.008
8:29:20 AM	0.013
8:30:20 AM	0.009
8:31:20 AM	0.016
8:32:20 AM	0.043
8:33:20 AM	0.01
8:34:20 AM	0.025
8:35:20 AM	0.015
8:36:20 AM	0.015
8:37:20 AM	0.013
8:38:20 AM	0.009
8:39:20 AM	0.008
8:40:20 AM	0.007
8:41:20 AM	0.021
8:42:20 AM	0.008
8:43:20 AM	0.007
8:44:20 AM	0.015
8:45:20 AM	0.006
8:46:20 AM	0.013
8:47:20 AM	0.01
8:48:20 AM	0.008
8:49:20 AM	0.007
8:50:20 AM	0.008
8:51:20 AM	0.006

8:52:20 AM	0.008
8:53:20 AM	0.009
8:54:20 AM	0.005
8:55:20 AM	0.006
8:56:20 AM	0.007
8:57:20 AM	0.006
8:58:20 AM	0.006
8:59:20 AM	0.007
9:00:20 AM	0.006
9:01:20 AM	0.006
9:02:20 AM	0.007
9:03:20 AM	0.323
9:04:20 AM	0.007
9:05:20 AM	0.007
9:06:20 AM	0.008
9:07:20 AM	0.007
9:08:20 AM	0.007
9:09:20 AM	0.012
9:10:20 AM	0.008
9:11:20 AM	0.008
9:12:20 AM	0.006
9:13:20 AM	0.017
9:14:20 AM	0.016
9:15:20 AM	0.006
9:16:20 AM	0.008
9:17:20 AM	0.027
9:18:20 AM	0.012
9:19:20 AM	0.007
9:20:20 AM	0.006
9:21:20 AM	0.008
9:22:20 AM	0.006
9:23:20 AM	0.01
9:24:20 AM	0.01
9:25:20 AM	0.008
9:26:20 AM	0.013
9:27:20 AM	0.007
9:28:20 AM	0.005
9:29:20 AM	0.005
9:30:20 AM	0.009
9:31:20 AM	0.006
9:32:20 AM	0.007
9:33:20 AM	0.007
9:34:20 AM	0.007
9:35:20 AM	0.01

9:36:20 AM	0.012
9:37:20 AM	0.011
9:38:20 AM	0.01
9:39:20 AM	0.011
9:40:20 AM	0.007
9:41:20 AM	0.01
9:42:20 AM	0.01
9:43:20 AM	0.01
9:44:20 AM	0.008
9:45:20 AM	0.007
9:46:20 AM	0.008
9:47:20 AM	0.009
9:48:20 AM	0.01
9:49:20 AM	0.006
9:50:20 AM	0.007
9:51:20 AM	0.006
9:52:20 AM	0.006
9:53:20 AM	0.011
9:54:20 AM	0.009
9:55:20 AM	0.009
9:56:20 AM	0.007
9:57:20 AM	0.007
9:58:20 AM	0.013
9:59:20 AM	0.011
10:00:20 AM	0.008
10:01:20 AM	0.008
10:02:20 AM	0.007
10:03:20 AM	0.007
10:04:20 AM	0.006
10:05:20 AM	0.022
10:06:20 AM	0.113
10:07:20 AM	0.02
10:08:20 AM	0.008
10:09:20 AM	0.008
10:10:20 AM	0.009
10:11:20 AM	0.007
10:12:20 AM	0.007
10:13:20 AM	0.007
10:14:20 AM	0.007
10:15:20 AM	0.008
10:16:20 AM	0.011
10:17:20 AM	0.011
10:18:20 AM	0.01
10:19:20 AM	0.008

10:20:20 AM	0.008
10:21:20 AM	0.01
10:22:20 AM	0.007
10:23:20 AM	0.012
10:24:20 AM	0.009
10:25:20 AM	0.008
10:26:20 AM	0.006
10:27:20 AM	0.023
10:28:20 AM	0.022
10:29:20 AM	0.013
10:30:20 AM	0.012
10:31:20 AM	0.007
10:32:20 AM	0.007
10:33:20 AM	0.008
10:34:20 AM	0.008
10:35:20 AM	0.01
10:36:20 AM	0.009
10:37:20 AM	0.018
10:38:20 AM	0.016
10:39:20 AM	0.017
10:40:20 AM	0.011
10:41:20 AM	0.01
10:42:20 AM	0.013
10:43:20 AM	0.013
10:44:20 AM	0.011
10:45:20 AM	0.007
10:46:20 AM	0.008
10:47:20 AM	0.01
10:48:20 AM	0.006
10:49:20 AM	0.008
10:50:20 AM	0.009
10:51:20 AM	0.011
10:52:20 AM	0.016
10:53:20 AM	0.012
10:54:20 AM	0.007
10:55:20 AM	0.005
10:56:20 AM	0.008
10:57:20 AM	0.007
10:58:20 AM	0.009
10:59:20 AM	0.015
11:00:20 AM	0.012
11:01:20 AM	0.012
11:02:20 AM	0.007
11:03:20 AM	0.01

11:04:20 AM	0.009
11:05:20 AM	0.01
11:06:20 AM	0.011
11:07:20 AM	0.006
11:08:20 AM	0.012
11:09:20 AM	0.006
11:10:20 AM	0.005
11:11:20 AM	0.012
11:12:20 AM	0.005
11:13:20 AM	0.009
11:14:20 AM	0.008
11:15:20 AM	0.007
11:16:20 AM	0.009
11:17:20 AM	0.007
11:18:20 AM	0.016
11:19:20 AM	0.004
11:20:20 AM	0.004
11:21:20 AM	0.005
11:22:20 AM	0.012
11:23:20 AM	0.019
11:24:20 AM	0.013
11:25:20 AM	0.016
11:26:20 AM	0.012
11:27:20 AM	0.007
11:28:20 AM	0.01
11:29:20 AM	0.011
11:30:20 AM	0.007
11:31:20 AM	0.007
11:32:20 AM	0.006
11:33:20 AM	0.016
11:34:20 AM	0.01
11:35:20 AM	0.007
11:36:20 AM	0.007
11:37:20 AM	0.008
11:38:20 AM	0.019
11:39:20 AM	0.012
11:40:20 AM	0.009
11:41:20 AM	0.015
11:42:20 AM	0.011
11:43:20 AM	0.015
11:44:20 AM	0.013
11:45:20 AM	0.008
11:46:20 AM	0.008
11:47:20 AM	0.005

11:48:20 AM	0.008
11:49:20 AM	0.012
11:50:20 AM	0.02
11:51:20 AM	0.008
11:52:20 AM	0.007
11:53:20 AM	0.007
11:54:20 AM	0.005
11:55:20 AM	0.005
11:56:20 AM	0.005
11:57:20 AM	0.005
11:58:20 AM	0.006
11:59:20 AM	0.005
12:00:20 PM	0.007
12:01:20 PM	0.01
12:02:20 PM	0.017
12:03:20 PM	0.022
12:04:20 PM	0.011
12:05:20 PM	0.018
12:06:20 PM	0.005
12:07:20 PM	0.005
12:08:20 PM	0.003
12:09:20 PM	0.004
12:10:20 PM	0.004
12:11:20 PM	0.004
12:12:20 PM	0.004
12:13:20 PM	0.003
12:14:20 PM	0.002
12:15:20 PM	0.008
12:16:20 PM	0.021
12:17:20 PM	0.011
12:18:20 PM	0.003
12:19:20 PM	0.002
12:20:20 PM	0.003
12:21:20 PM	0
12:22:20 PM	0
12:23:20 PM	0.001
12:24:20 PM	0.001
12:25:20 PM	0.003
12:26:20 PM	0.002
12:27:20 PM	0.002
12:28:20 PM	0.003
12:29:20 PM	0.016
12:30:20 PM	0.004
12:31:20 PM	0.001

12:32:20 PM	0
12:33:20 PM	0
12:34:20 PM	0
12:35:20 PM	0.001
12:36:20 PM	0
12:37:20 PM	0.001
12:38:20 PM	0
12:39:20 PM	0
12:40:20 PM	0.001
12:41:20 PM	0.005
12:42:20 PM	0.019
12:43:20 PM	0.007
12:44:20 PM	0.004
12:45:20 PM	0.011
12:46:20 PM	0.002
12:47:20 PM	0.004
12:48:20 PM	0.007
12:49:20 PM	0.003
12:50:20 PM	0.004
12:51:20 PM	0.005
12:52:20 PM	0.001
12:53:20 PM	0.002
12:54:20 PM	0.002
12:55:20 PM	0.002
12:56:20 PM	0.002
12:57:20 PM	0.002
12:58:20 PM	0
12:59:20 PM	0.001
1:00:20 PM	0.002
1:01:20 PM	0.001
1:02:20 PM	0.001
1:03:20 PM	0.001
1:04:20 PM	0.002
1:05:20 PM	0.005
1:06:20 PM	0.001
1:07:20 PM	0.002
1:08:20 PM	0.002
1:09:20 PM	0.002
1:10:20 PM	0.001
1:11:20 PM	0
1:12:20 PM	0
1:13:20 PM	0.001
1:14:20 PM	0
1:15:20 PM	0.001

1:16:20 PM	0.001
1:17:20 PM	0
1:18:20 PM	0
1:19:20 PM	0
1:20:20 PM	0
1:21:20 PM	0
1:22:20 PM	0.004
1:23:20 PM	0.005
1:24:20 PM	0.001
1:25:20 PM	0
1:26:20 PM	0.001
1:27:20 PM	0.001
1:28:20 PM	0.002
1:29:20 PM	0.001
1:30:20 PM	0.006
1:31:20 PM	0.004
1:32:20 PM	0.001
1:33:20 PM	0.002
1:34:20 PM	0.001
1:35:20 PM	0
1:36:20 PM	0
1:37:20 PM	0.001
1:38:20 PM	0.003
1:39:20 PM	0.005
1:40:20 PM	0.002
1:41:20 PM	0.018
1:42:20 PM	0.036
1:43:20 PM	0.027
1:44:20 PM	0.029
1:45:20 PM	0.007
1:46:20 PM	0.009
1:47:20 PM	0.003
1:48:20 PM	0.007
1:49:20 PM	0.007
1:50:20 PM	0.008
1:51:20 PM	0.004
1:52:20 PM	0.005
1:53:20 PM	0.002
1:54:20 PM	0.024
1:55:20 PM	0.017
1:56:20 PM	0.007
1:57:20 PM	0.002
1:58:20 PM	0.006
1:59:20 PM	0.006

2:00:20 PM	0.004
2:01:20 PM	0.006
2:02:20 PM	0.004
2:03:20 PM	0.003
2:04:20 PM	0.003
2:05:20 PM	0.004
2:06:20 PM	0.008
2:07:20 PM	0.002
2:08:20 PM	0.005
2:09:20 PM	0.009
2:10:20 PM	0.006
2:11:20 PM	0.008
2:12:20 PM	0.004
2:13:20 PM	0.005
2:14:20 PM	0.004
2:15:20 PM	0.005
2:16:20 PM	0.004
2:17:20 PM	0.006
2:18:20 PM	0.004
2:19:20 PM	0.006
2:20:20 PM	0.01
2:21:20 PM	0.01
2:22:20 PM	0.008
2:23:20 PM	0.011
2:24:20 PM	0.013
2:25:20 PM	0.024
2:26:20 PM	0.004
2:27:20 PM	0.003
2:28:20 PM	0.006
2:29:20 PM	0.006
2:30:20 PM	0.005
2:31:20 PM	0.003
2:32:20 PM	0.004
2:33:20 PM	0.017
2:34:20 PM	0.004
2:35:20 PM	0.006
2:36:20 PM	0.009
2:37:20 PM	0.003
2:38:20 PM	0.005
2:39:20 PM	0.003
2:40:20 PM	0.008
2:41:20 PM	0.025
2:42:20 PM	0.004
2:43:20 PM	0.005

2:44:20 PM	0.005
2:45:20 PM	0.005
2:46:20 PM	0.01
2:47:20 PM	0.008
2:48:20 PM	0.026
2:49:20 PM	0.005
2:50:20 PM	0.003
2:51:20 PM	0.004
2:52:20 PM	0.006
2:53:20 PM	0.005
2:54:20 PM	0.004
2:55:20 PM	0.004
2:56:20 PM	0.002
2:57:20 PM	0.006
2:58:20 PM	0.008
2:59:20 PM	0.005
3:00:20 PM	0.003
3:01:20 PM	0.005
3:02:20 PM	0.005
3:03:20 PM	0.004
3:04:20 PM	0.005
3:05:20 PM	0.007
3:06:20 PM	0.006
3:07:20 PM	0.008
3:08:20 PM	0.007
3:09:20 PM	0.012
3:10:20 PM	0.003
3:11:20 PM	0.082
3:12:20 PM	0.039
3:13:20 PM	0.013
3:14:20 PM	0.009
3:15:20 PM	0.004
3:16:20 PM	0.005
3:17:20 PM	0.006
3:18:20 PM	0.004
3:19:20 PM	0.008
3:20:20 PM	0.009
3:21:20 PM	0.009
3:22:20 PM	0.005
3:23:20 PM	0.005
3:24:20 PM	0.008
3:25:20 PM	0.003
3:26:20 PM	0.003
3:27:20 PM	0.003

3:28:20 PM	0.002
3:29:20 PM	0.003
3:30:20 PM	0.005
3:31:20 PM	0.006
3:32:20 PM	0.009
3:33:20 PM	0.003
3:34:20 PM	0.003
3:35:20 PM	0.007
3:36:20 PM	0.008
3:37:20 PM	0.011
3:38:20 PM	0.005
3:39:20 PM	0.009
3:40:20 PM	0.016
3:41:20 PM	0.023
3:42:20 PM	0.007
3:43:20 PM	0.009
3:44:20 PM	0.008
3:45:20 PM	0.005
3:46:20 PM	0.013
3:47:20 PM	0.024
3:48:20 PM	0.021
3:49:20 PM	0.02
3:50:20 PM	0.006
3:51:20 PM	0.008
3:52:20 PM	0.008
3:53:20 PM	0.003
3:54:20 PM	0.006
3:55:20 PM	0.009
3:56:20 PM	0.004
3:57:20 PM	0.008
3:58:20 PM	0.004
3:59:20 PM	0.012
4:00:20 PM	0.005
4:01:20 PM	0.004
4:02:20 PM	0.003
4:03:20 PM	0.018
4:04:20 PM	0.008
4:05:20 PM	0.007
4:06:20 PM	0.007
4:07:20 PM	0.009
4:08:20 PM	0.011
4:09:20 PM	0.007
4:10:20 PM	0.007
4:11:20 PM	0.007

4:12:20 PM	0.013
4:13:20 PM	0.006
4:14:20 PM	0.006
4:15:20 PM	0.004
4:16:20 PM	0.004
4:17:20 PM	0.006
4:18:20 PM	0.012
4:19:20 PM	0.006
4:20:20 PM	0.006
4:21:20 PM	0.007
4:22:20 PM	0.016
4:23:20 PM	0.013
4:24:20 PM	0.015
4:25:20 PM	0.005
4:26:20 PM	0.003
4:27:20 PM	0.006
4:28:20 PM	0.005
4:29:20 PM	0.01
4:30:20 PM	0.006
4:31:20 PM	0.005
4:32:20 PM	0.009
4:33:20 PM	0.012
4:34:20 PM	0.014
4:35:20 PM	0.007
4:36:20 PM	0.011
4:37:20 PM	0.004
4:38:20 PM	0.01
4:39:20 PM	0.005
4:40:20 PM	0.004
4:41:20 PM	0.009
4:42:20 PM	0.005
4:43:20 PM	0.006
4:44:20 PM	0.008
4:45:20 PM	0.025
4:46:20 PM	0.03
4:47:20 PM	0.004
4:48:20 PM	0.003
4:49:20 PM	0.004
4:50:20 PM	0.003
4:51:20 PM	0.003
4:52:20 PM	0.011
4:53:20 PM	0.009
4:54:20 PM	0.007
4:55:20 PM	0.01

4:56:20 PM	0.005
4:57:20 PM	0.004
4:58:20 PM	0.003
4:59:20 PM	0.005
5:00:20 PM	0.004
5:01:20 PM	0.003
5:02:20 PM	0.004
5:03:20 PM	0.012
5:04:20 PM	0.007
5:05:20 PM	0.01
5:06:20 PM	0.006
5:07:20 PM	0.007
5:08:20 PM	0.005
5:09:20 PM	0.006
5:10:20 PM	0.005
5:11:20 PM	0.01
5:12:20 PM	0.006
5:13:20 PM	0.008
5:14:20 PM	0.008
5:15:20 PM	0.007
5:16:20 PM	0.003
5:17:20 PM	0.003
5:18:20 PM	0.002
5:19:20 PM	0.005
5:20:20 PM	0.003
5:21:20 PM	0.004
5:22:20 PM	0.003
5:23:20 PM	0.002
5:24:20 PM	0.002
5:25:20 PM	0.006
5:26:20 PM	0.002
5:27:20 PM	0.001
5:28:20 PM	0.004
5:29:20 PM	0.002
5:30:20 PM	0.002
5:31:20 PM	0.005
5:32:20 PM	0.004
5:33:20 PM	0.005
5:34:20 PM	0.005
5:35:20 PM	0.006
5:36:20 PM	0.004
5:37:20 PM	0.002
5:38:20 PM	0.002
5:39:20 PM	0.001

5:40:20 PM	0.002
5:41:20 PM	0.001
5:42:20 PM	0.002
5:43:20 PM	0.002
5:44:20 PM	0.007
5:45:20 PM	0.003
5:46:20 PM	0.003
5:47:20 PM	0.007
5:48:20 PM	0.003
5:49:20 PM	0.007
5:50:20 PM	0.009
5:51:20 PM	0.008
5:52:20 PM	0.003
5:53:20 PM	0.002
5:54:20 PM	0.002

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/10/2024 17:26	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:25	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:24	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:23	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:21	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:20	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:19	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:16	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:14	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:13	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:12	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:11	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 17:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:55	Readings	PID	SC23030124AA	Normal	0

592-908641	6/10/2024 16:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:51 Readings	PID	SC23030124AA	Normal	1.8
592-908641	6/10/2024 16:50 Readings	PID	SC23030124AA	Normal	3.4
592-908641	6/10/2024 16:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:36 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:35 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:34 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:22 Readings	PID	SC23030124AA	Normal	0

592-908641	6/10/2024 16:21 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:20 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:19 Readings	PID	SC23030124AA	Normal	0.3
592-908641	6/10/2024 16:18 Readings	PID	SC23030124AA	Normal	3.9
592-908641	6/10/2024 16:17 Readings	PID	SC23030124AA	Normal	2.8
592-908641	6/10/2024 16:16 Readings	PID	SC23030124AA	Normal	1
592-908641	6/10/2024 16:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:08 Readings	PID	SC23030124AA	Normal	5
592-908641	6/10/2024 16:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:06 Readings	PID	SC23030124AA	Normal	0.6
592-908641	6/10/2024 16:05 Readings	PID	SC23030124AA	Normal	3.5
592-908641	6/10/2024 16:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 16:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 15:49 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	6/10/2024 14:09 Readings	PID	SC23030124AA	Normal	0.2
592-908641	6/10/2024 14:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:05 Readings	PID	SC23030124AA	Normal	0.1
592-908641	6/10/2024 14:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 14:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:51 Readings	PID	SC23030124AA	Normal	0.1
592-908641	6/10/2024 13:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 13:37 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	6/10/2024 11:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:45 Readings	PID	SC23030124AA	Normal	0.2
592-908641	6/10/2024 11:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:42 Readings	PID	SC23030124AA	Normal	0.4
592-908641	6/10/2024 11:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:36 Readings	PID	SC23030124AA	Normal	0.1
592-908641	6/10/2024 11:35 Readings	PID	SC23030124AA	Normal	0.1
592-908641	6/10/2024 11:34 Readings	PID	SC23030124AA	Normal	0.2
592-908641	6/10/2024 11:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 11:25 Readings	PID	SC23030124AA	Normal	0

	6/10/2024	11:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:21 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:20 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:19 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:16 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:05 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	11:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:55 Readings	PID	SC23030124AA	Normal	0.2
592-908641	6/10/2024	10:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024	10:52 Readings	PID	SC23030124AA	Normal	0

[illegible]

592-908641	6/10/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 9:46 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	6/10/2024 5:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/10/2024 5:47 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_011
Test Start Time	6:19:39 AM
Test Start Date	6/10/2024
Test Length [D:H:M]	0:08:54
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.208
Mass TWA [mg/m3]	0.013
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	534

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:19:39 AM	0.208		
6:20:39 AM	0.069		
6:21:39 AM	0.009		
6:22:39 AM	0.007		
6:23:39 AM	0.007		
6:24:39 AM	0.007		
6:25:39 AM	0.006		
6:26:39 AM	0.006		
6:27:39 AM	0.006		
6:28:39 AM	0.006		
6:29:39 AM	0.006		
6:30:39 AM	0.006		
6:31:39 AM	0.006		
6:32:39 AM	0.006		
6:33:39 AM	0.006		
6:34:39 AM	0.005		
6:35:39 AM	0.005		
6:36:39 AM	0.006		
6:37:39 AM	0.005		
6:38:39 AM	0.006		
6:39:39 AM	0.006		
6:40:39 AM	0.007		
6:41:39 AM	0.007		
6:42:39 AM	0.006		

6:43:39 AM	0.007
6:44:39 AM	0.007
6:45:39 AM	0.006
6:46:39 AM	0.006
6:47:39 AM	0.006
6:48:39 AM	0.006
6:49:39 AM	0.006
6:50:39 AM	0.007
6:51:39 AM	0.006
6:52:39 AM	0.006
6:53:39 AM	0.006
6:54:39 AM	0.005
6:55:39 AM	0.007
6:56:39 AM	0.006
6:57:39 AM	0.006
6:58:39 AM	0.005
6:59:39 AM	0.005
7:00:39 AM	0.005
7:01:39 AM	0.006
7:02:39 AM	0.006
7:03:39 AM	0.006
7:04:39 AM	0.006
7:05:39 AM	0.007
7:06:39 AM	0.007
7:07:39 AM	0.035
7:08:39 AM	0.008
7:09:39 AM	0.007
7:10:39 AM	0.019
7:11:39 AM	0.006
7:12:39 AM	0.007
7:13:39 AM	0.007
7:14:39 AM	0.006
7:15:39 AM	0.006
7:16:39 AM	0.006
7:17:39 AM	0.008
7:18:39 AM	0.007
7:19:39 AM	0.008
7:20:39 AM	0.008
7:21:39 AM	0.007
7:22:39 AM	0.01
7:23:39 AM	0.008
7:24:39 AM	0.006
7:25:39 AM	0.007
7:26:39 AM	0.007

7:27:39 AM	0.008
7:28:39 AM	0.008
7:29:39 AM	0.009
7:30:39 AM	0.01
7:31:39 AM	0.01
7:32:39 AM	0.008
7:33:39 AM	0.006
7:34:39 AM	0.005
7:35:39 AM	0.006
7:36:39 AM	0.006
7:37:39 AM	0.007
7:38:39 AM	0.008
7:39:39 AM	0.007
7:40:39 AM	0.007
7:41:39 AM	0.007
7:42:39 AM	0.008
7:43:39 AM	0.008
7:44:39 AM	0.011
7:45:39 AM	0.015
7:46:39 AM	0.014
7:47:39 AM	0.012
7:48:39 AM	0.016
7:49:39 AM	0.01
7:50:39 AM	0.009
7:51:39 AM	0.007
7:52:39 AM	0.006
7:53:39 AM	0.006
7:54:39 AM	0.005
7:55:39 AM	0.006
7:56:39 AM	0.006
7:57:39 AM	0.008
7:58:39 AM	0.008
7:59:39 AM	0.007
8:00:39 AM	0.006
8:01:39 AM	0.006
8:02:39 AM	0.008
8:03:39 AM	0.008
8:04:39 AM	0.006
8:05:39 AM	0.006
8:06:39 AM	0.009
8:07:39 AM	0.013
8:08:39 AM	0.013
8:09:39 AM	0.011
8:10:39 AM	0.007

8:11:39 AM	0.01
8:12:39 AM	0.007
8:13:39 AM	0.006
8:14:39 AM	0.006
8:15:39 AM	0.006
8:16:39 AM	0.008
8:17:39 AM	0.006
8:18:39 AM	0.009
8:19:39 AM	0.013
8:20:39 AM	0.01
8:21:39 AM	0.008
8:22:39 AM	0.01
8:23:39 AM	0.011
8:24:39 AM	0.013
8:25:39 AM	0.012
8:26:39 AM	0.009
8:27:39 AM	0.015
8:28:39 AM	0.015
8:29:39 AM	0.013
8:30:39 AM	0.018
8:31:39 AM	0.012
8:32:39 AM	0.007
8:33:39 AM	0.01
8:34:39 AM	0.009
8:35:39 AM	0.019
8:36:39 AM	0.025
8:37:39 AM	0.02
8:38:39 AM	0.012
8:39:39 AM	0.01
8:40:39 AM	0.012
8:41:39 AM	0.014
8:42:39 AM	0.012
8:43:39 AM	0.015
8:44:39 AM	0.026
8:45:39 AM	0.015
8:46:39 AM	0.016
8:47:39 AM	0.019
8:48:39 AM	0.008
8:49:39 AM	0.012
8:50:39 AM	0.015
8:51:39 AM	0.011
8:52:39 AM	0.015
8:53:39 AM	0.01
8:54:39 AM	0.011

8:55:39 AM	0.007
8:56:39 AM	0.006
8:57:39 AM	0.009
8:58:39 AM	0.007
8:59:39 AM	0.011
9:00:39 AM	0.015
9:01:39 AM	0.01
9:02:39 AM	0.016
9:03:39 AM	0.016
9:04:39 AM	0.015
9:05:39 AM	0.013
9:06:39 AM	0.012
9:07:39 AM	0.007
9:08:39 AM	0.008
9:09:39 AM	0.007
9:10:39 AM	0.008
9:11:39 AM	0.007
9:12:39 AM	0.009
9:13:39 AM	0.008
9:14:39 AM	0.01
9:15:39 AM	0.01
9:16:39 AM	0.011
9:17:39 AM	0.008
9:18:39 AM	0.013
9:19:39 AM	0.013
9:20:39 AM	0.011
9:21:39 AM	0.008
9:22:39 AM	0.01
9:23:39 AM	0.009
9:24:39 AM	0.013
9:25:39 AM	0.017
9:26:39 AM	0.027
9:27:39 AM	0.011
9:28:39 AM	0.007
9:29:39 AM	0.012
9:30:39 AM	0.009
9:31:39 AM	0.01
9:32:39 AM	0.008
9:33:39 AM	0.008
9:34:39 AM	0.006
9:35:39 AM	0.007
9:36:39 AM	0.006
9:37:39 AM	0.009
9:38:39 AM	0.008

9:39:39 AM	0.007
9:40:39 AM	0.007
9:41:39 AM	0.008
9:42:39 AM	0.009
9:43:39 AM	0.007
9:44:39 AM	0.012
9:45:39 AM	0.011
9:46:39 AM	0.013
9:47:39 AM	0.009
9:48:39 AM	0.011
9:49:39 AM	0.009
9:50:39 AM	0.011
9:51:39 AM	0.012
9:52:39 AM	0.016
9:53:39 AM	0.01
9:54:39 AM	0.009
9:55:39 AM	0.01
9:56:39 AM	0.011
9:57:39 AM	0.008
9:58:39 AM	0.008
9:59:39 AM	0.008
10:00:39 AM	0.007
10:01:39 AM	0.007
10:02:39 AM	0.008
10:03:39 AM	0.006
10:04:39 AM	0.008
10:05:39 AM	0.009
10:06:39 AM	0.014
10:07:39 AM	0.012
10:08:39 AM	0.011
10:09:39 AM	0.008
10:10:39 AM	0.006
10:11:39 AM	0.007
10:12:39 AM	0.007
10:13:39 AM	0.007
10:14:39 AM	0.007
10:15:39 AM	0.007
10:16:39 AM	0.009
10:17:39 AM	0.008
10:18:39 AM	0.007
10:19:39 AM	0.007
10:20:39 AM	0.007
10:21:39 AM	0.008
10:22:39 AM	0.007

10:23:39 AM	0.008
10:24:39 AM	0.007
10:25:39 AM	0.006
10:26:39 AM	0.008
10:27:39 AM	0.007
10:28:39 AM	0.011
10:29:39 AM	0.026
10:30:39 AM	0.008
10:31:39 AM	0.007
10:32:39 AM	0.009
10:33:39 AM	0.013
10:34:39 AM	0.008
10:35:39 AM	0.008
10:36:39 AM	0.021
10:37:39 AM	0.015
10:38:39 AM	0.006
10:39:39 AM	0.008
10:40:39 AM	0.009
10:41:39 AM	0.008
10:42:39 AM	0.008
10:43:39 AM	0.006
10:44:39 AM	0.007
10:45:39 AM	0.006
10:46:39 AM	0.01
10:47:39 AM	0.016
10:48:39 AM	0.012
10:49:39 AM	0.007
10:50:39 AM	0.008
10:51:39 AM	0.008
10:52:39 AM	0.008
10:53:39 AM	0.006
10:54:39 AM	0.009
10:55:39 AM	0.007
10:56:39 AM	0.007
10:57:39 AM	0.006
10:58:39 AM	0.008
10:59:39 AM	0.007
11:00:39 AM	0.009
11:01:39 AM	0.011
11:02:39 AM	0.007
11:03:39 AM	0.006
11:04:39 AM	0.006
11:05:39 AM	0.006
11:06:39 AM	0.006

11:07:39 AM	0.008
11:08:39 AM	0.01
11:09:39 AM	0.008
11:10:39 AM	0.007
11:11:39 AM	0.006
11:12:39 AM	0.007
11:13:39 AM	0.007
11:14:39 AM	0.006
11:15:39 AM	0.006
11:16:39 AM	0.007
11:17:39 AM	0.013
11:18:39 AM	0.009
11:19:39 AM	0.006
11:20:39 AM	0.006
11:21:39 AM	0.007
11:22:39 AM	0.006
11:23:39 AM	0.006
11:24:39 AM	0.006
11:25:39 AM	0.006
11:26:39 AM	0.046
11:27:39 AM	0.063
11:28:39 AM	0.008
11:29:39 AM	0.006
11:30:39 AM	0.006
11:31:39 AM	0.009
11:32:39 AM	0.009
11:33:39 AM	0.007
11:34:39 AM	0.006
11:35:39 AM	0.006
11:36:39 AM	0.005
11:37:39 AM	0.013
11:38:39 AM	0.007
11:39:39 AM	0.008
11:40:39 AM	0.006
11:41:39 AM	0.007
11:42:39 AM	0.006
11:43:39 AM	0.007
11:44:39 AM	0.007
11:45:39 AM	0.006
11:46:39 AM	0.005
11:47:39 AM	0.005
11:48:39 AM	0.006
11:49:39 AM	0.006
11:50:39 AM	0.006

11:51:39 AM	0.008
11:52:39 AM	0.006
11:53:39 AM	0.007
11:54:39 AM	0.006
11:55:39 AM	0.007
11:56:39 AM	0.009
11:57:39 AM	0.009
11:58:39 AM	0.009
11:59:39 AM	0.009
12:00:39 PM	0.01
12:01:39 PM	0.005
12:02:39 PM	0.007
12:03:39 PM	0.007
12:04:39 PM	0.008
12:05:39 PM	0.008
12:06:39 PM	0.01
12:07:39 PM	0.008
12:08:39 PM	0.006
12:09:39 PM	0.006
12:10:39 PM	0.008
12:11:39 PM	0.009
12:12:39 PM	0.009
12:13:39 PM	0.008
12:14:39 PM	0.007
12:15:39 PM	0.007
12:16:39 PM	0.007
12:17:39 PM	0.007
12:18:39 PM	0.008
12:19:39 PM	0.009
12:20:39 PM	0.006
12:21:39 PM	0.011
12:22:39 PM	0.008
12:23:39 PM	0.007
12:24:39 PM	0.01
12:25:39 PM	0.007
12:26:39 PM	0.005
12:27:39 PM	0.006
12:28:39 PM	0.008
12:29:39 PM	0.005
12:30:39 PM	0.006
12:31:39 PM	0.006
12:32:39 PM	0.006
12:33:39 PM	0.007
12:34:39 PM	0.005

12:35:39 PM	0.005
12:36:39 PM	0.006
12:37:39 PM	0.006
12:38:39 PM	0.005
12:39:39 PM	0.006
12:40:39 PM	0.006
12:41:39 PM	0.006
12:42:39 PM	0.007
12:43:39 PM	0.006
12:44:39 PM	0.006
12:45:39 PM	0.014
12:46:39 PM	0.008
12:47:39 PM	0.01
12:48:39 PM	0.008
12:49:39 PM	0.007
12:50:39 PM	0.007
12:51:39 PM	0.006
12:52:39 PM	0.01
12:53:39 PM	0.01
12:54:39 PM	0.007
12:55:39 PM	0.007
12:56:39 PM	0.011
12:57:39 PM	0.011
12:58:39 PM	0.008
12:59:39 PM	0.014
1:00:39 PM	0.008
1:01:39 PM	0.006
1:02:39 PM	0.006
1:03:39 PM	0.009
1:04:39 PM	0.011
1:05:39 PM	0.007
1:06:39 PM	0.006
1:07:39 PM	0.005
1:08:39 PM	0.01
1:09:39 PM	0.007
1:10:39 PM	0.008
1:11:39 PM	0.007
1:12:39 PM	0.009
1:13:39 PM	0.009
1:14:39 PM	0.009
1:15:39 PM	0.007
1:16:39 PM	0.006
1:17:39 PM	0.006
1:18:39 PM	0.006

1:19:39 PM	0.007
1:20:39 PM	0.007
1:21:39 PM	0.008
1:22:39 PM	0.014
1:23:39 PM	0.007
1:24:39 PM	0.008
1:25:39 PM	0.008
1:26:39 PM	0.009
1:27:39 PM	0.007
1:28:39 PM	0.01
1:29:39 PM	0.013
1:30:39 PM	0.02
1:31:39 PM	0.018
1:32:39 PM	0.014
1:33:39 PM	0.008
1:34:39 PM	0.009
1:35:39 PM	0.009
1:36:39 PM	0.012
1:37:39 PM	0.008
1:38:39 PM	0.009
1:39:39 PM	0.012
1:40:39 PM	0.009
1:41:39 PM	0.01
1:42:39 PM	0.012
1:43:39 PM	0.014
1:44:39 PM	0.016
1:45:39 PM	0.01
1:46:39 PM	0.012
1:47:39 PM	0.01
1:48:39 PM	0.009
1:49:39 PM	0.008
1:50:39 PM	0.007
1:51:39 PM	0.007
1:52:39 PM	0.008
1:53:39 PM	0.01
1:54:39 PM	0.01
1:55:39 PM	0.015
1:56:39 PM	0.008
1:57:39 PM	0.01
1:58:39 PM	0.008
1:59:39 PM	0.007
2:00:39 PM	0.008
2:01:39 PM	0.01
2:02:39 PM	0.015

2:03:39 PM	0.01
2:04:39 PM	0.008
2:05:39 PM	0.009
2:06:39 PM	0.008
2:07:39 PM	0.011
2:08:39 PM	0.01
2:09:39 PM	0.009
2:10:39 PM	0.011
2:11:39 PM	0.015
2:12:39 PM	0.01
2:13:39 PM	0.01
2:14:39 PM	0.011
2:15:39 PM	0.009
2:16:39 PM	0.009
2:17:39 PM	0.009
2:18:39 PM	0.009
2:19:39 PM	0.011
2:20:39 PM	0.011
2:21:39 PM	0.011
2:22:39 PM	0.012
2:23:39 PM	0.01
2:24:39 PM	0.009
2:25:39 PM	0.01
2:26:39 PM	0.009
2:27:39 PM	0.007
2:28:39 PM	0.008
2:29:39 PM	0.008
2:30:39 PM	0.009
2:31:39 PM	0.009
2:32:39 PM	0.01
2:33:39 PM	0.009
2:34:39 PM	0.009
2:35:39 PM	0.008
2:36:39 PM	0.009
2:37:39 PM	0.01
2:38:39 PM	0.009
2:39:39 PM	0.008
2:40:39 PM	0.009
2:41:39 PM	0.011
2:42:39 PM	0.015
2:43:39 PM	0.011
2:44:39 PM	0.012
2:45:39 PM	0.015
2:46:39 PM	0.017

2:47:39 PM	0.011	
2:48:39 PM	0.011	
2:49:39 PM	0.009	
2:50:39 PM	0.008	
2:51:39 PM	0.007	
2:52:39 PM	0.007	
2:53:39 PM	0.007	
2:54:39 PM	0.008	
2:55:39 PM	0.009	
2:56:39 PM	0.011	
2:57:39 PM	0.008	
2:58:39 PM	0.008	
2:59:39 PM	0.008	
3:00:39 PM	0.002	Flow Error
3:01:39 PM	0.004	Flow Error
3:02:39 PM	0.006	Flow Error
3:03:39 PM	0.005	Flow Error
3:04:39 PM	0.004	Flow Error
3:05:39 PM	0.011	Flow Error
3:06:39 PM	0.016	Flow Error
3:07:39 PM	0.004	Flow Error
3:08:39 PM	0.004	Flow Error
3:09:39 PM	0.003	Flow Error
3:10:39 PM	0.007	Flow Error
3:11:39 PM	0.002	Flow Error
3:12:39 PM	0.004	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/10/2024 16:32	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:31	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:30	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:29	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:28	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:27	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:26	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:25	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:24	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:23	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:22	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:21	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:20	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:19	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:18	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:17	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:16	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:15	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:14	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:13	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:12	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:11	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:10	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:09	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:08	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:07	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:06	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:05	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:04	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:03	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:02	Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 16:01	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	6/10/2024 6:39 Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 6:38 Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 6:37 Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 6:36 Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 6:35 Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 6:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/10/2024 6:33 CONFIG	PID	SC23030602B4		