



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85	X	>85		S 9 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	06/12/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time Onsite: 06:30 Time Offsite: 17:15</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza / Thomas Jensen WSP (Environmental oversight) – Tim Williams ECD (Sheet-Pile Installation) Capital/KFS (Contractor) Cascade/ECA (ISS Contractor) Bradford (Plumbing/SSDS Contractor)</p> <p>Equipment On Site: DustTrak (x3), PID (x3), Pile Rig</p>
---	--

Scope of Work: Deploy three (3) CAMP stations; Capital to excavate within remaining grids, hotspots, and spill area to day-light sheet-piles; ECD to weld day-lighted sheet-piles within spill area; Cascade / ECA to continue with ISS equipment mobilization; Capital to excavate test-pits at treatment area to day-light tie-backs; Bradford to begin lay-out of sewer piping within trenches.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells for de-watering purposes;
- Cascade and ECA continued with ISS equipment mobilization, Batch Plant encountered technical issues and a test run of the ISS system was not able to be performed;
- Bradford began laying out sewer pipe within trenches at the south building;
- National Grid continued with gas pipeline work along sidewalk on Nevins Street, CAMP Downwind Unit 1 was located on sidewalk;
- Six (6) truckloads of concrete were disposed of offsite to PPark Facility;
- Five (5) truckloads of material were disposed of offsite to the Bay Shore Facility;
- Excavation of Hot Spot SB-14 to 11' bsg, and EP-38 to 12' bsg. Refer to Alpha Numeric Grid map for hot spot locations;
- De-watering from excavation in SB-14 and EP-38;
- ECD continued excavation (6' excavation bsg) at Spill 2308807 area with a smaller excavator to remove backfill/soil for bracing installation of sheet piles, preemptive odor suppression was implemented via ATMOS foam to ensure no odors emitting off site, PID screenings were performed around excavation area and along Nevins/Union street;

- Low flow sampling of sentinel wells began, the following wells were sampled: MW-20A, MW-21A&B, HRP-MW-1, 3, 5A&B, NMAW-2A&B;
- Soil sampling: HS-SB-14-Bottom, Sidewalls-North, South, East, West; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks;

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.067_ mg/m³ @ 06:45
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.671_ mg/m³ @ 10:51
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.063_ mg/m³ @ 08:44
- High Conditions (Downwind 2) – PID = _0.1_ ppm @ 09:48, Dust = _0.096_ mg/m³ @ 16:17

Notable Site Conditions:

- Dusty conditions, dust suppression was implemented.

Planned Activities for the Next Day/Week:

- Cascade to perform test runs of ISS equipment;
- ISS Pilot Test;
- KFS and Capital to continue with rebar fabrication, footing construction and vapor barrier installation;
- Bradford to continue with sewer piping layout within trenches at south building;
- ECD to further excavate within spill area to day-light sheet-piles, then weld sheets together; and
- Excavation of EP-90 spill area.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of dust
suppression of
truck roadway.



Photo 2 –
Representative
photo of tire
washing over
track pad.



Photo 3 –
Representative photo of preemptive odor suppression of Spill 2308807 area via ATMOS foam and Hydro Carbon Spray.



Photo 4 –
Representative photo of SB-14 excavation.



Photo 5 –
Representative
photo of EP-38
excavation.



Photo 6 –
Representative
photo of 6' auger
attached to ISS
rig.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



A B C D E F G H I J K L M N O

GOWANUS CANAL


GOWANUS CANAL



Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND

- PROPERTY LINE
- TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
- POTENTIAL OIL/WATER SEPARATOR IDENTIFIED DURING THE SEPTEMBER GPR SURVEY

**FIGURE 3:
REMEDIAL INVESTIGATION
SAMPLE LOCATION MAP**

<p style="text-align: center;">318 Nevins Street Brooklyn, New York</p>	<p>Figure No: 03</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="font-size: 8px;">PROJECT NO.</td><td>89740</td></tr> <tr><td style="font-size: 8px;">ISSUED BY:</td><td>AA</td></tr> <tr><td style="font-size: 8px;">DRAWN BY:</td><td>AA</td></tr> <tr><td style="font-size: 8px;">CHECKED BY:</td><td>CP</td></tr> <tr><td style="font-size: 8px;">DATE:</td><td>11/02/22</td></tr> <tr><td style="font-size: 8px;">SCALE:</td><td>1" = 40'</td></tr> <tr><td style="font-size: 8px;">REVISED:</td><td></td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> <tr><td style="font-size: 8px;"> </td><td> </td></tr> </table>	PROJECT NO.	89740	ISSUED BY:	AA	DRAWN BY:	AA	CHECKED BY:	CP	DATE:	11/02/22	SCALE:	1" = 40'	REVISED:															
PROJECT NO.	89740																												
ISSUED BY:	AA																												
DRAWN BY:	AA																												
CHECKED BY:	CP																												
DATE:	11/02/22																												
SCALE:	1" = 40'																												
REVISED:																													

UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:45:42 AM
Test Start Date	6/12/2024
Test Length [D:H:M]	0:10:24
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.02
Mass Minimum [mg/m3]	-0.005
Mass Maximum [mg/m3]	0.671
Mass TWA [mg/m3]	0.024
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	624

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:45:42 AM	0.067		
6:46:42 AM	0.024		
6:47:42 AM	0.025		
6:48:42 AM	0.021		
6:49:42 AM	0.021		
6:50:42 AM	0.02		
6:51:42 AM	0.021		
6:52:42 AM	0.022		
6:53:42 AM	0.023		
6:54:42 AM	0.022		
6:55:42 AM	0.022		
6:56:42 AM	0.021		
6:57:42 AM	0.021		
6:58:42 AM	0.021		
6:59:42 AM	0.022		
7:00:42 AM	0.02		
7:01:42 AM	0.02		
7:02:42 AM	0.02		
7:03:42 AM	0.02		
7:04:42 AM	0.021		
7:05:42 AM	0.021		
7:06:42 AM	0.022		
7:07:42 AM	0.021		
7:08:42 AM	0.022		

7:09:42 AM	0.021
7:10:42 AM	0.093
7:11:42 AM	0.022
7:12:42 AM	0.021
7:13:42 AM	0.021
7:14:42 AM	0.022
7:15:42 AM	0.024
7:16:42 AM	0.024
7:17:42 AM	0.023
7:18:42 AM	0.023
7:19:42 AM	0.022
7:20:42 AM	0.02
7:21:42 AM	0.019
7:22:42 AM	0.019
7:23:42 AM	0.018
7:24:42 AM	0.017
7:25:42 AM	0.015
7:26:42 AM	0.014
7:27:42 AM	0.019
7:28:42 AM	0.02
7:29:42 AM	0.021
7:30:42 AM	0.025
7:31:42 AM	0.024
7:32:42 AM	0.03
7:33:42 AM	0.028
7:34:42 AM	0.03
7:35:42 AM	0.029
7:36:42 AM	0.025
7:37:42 AM	0.024
7:38:42 AM	0.023
7:39:42 AM	0.023
7:40:42 AM	0.024
7:41:42 AM	0.029
7:42:42 AM	0.024
7:43:42 AM	0.022
7:44:42 AM	0.029
7:45:42 AM	0.026
7:46:42 AM	0.062
7:47:42 AM	0.032
7:48:42 AM	0.025
7:49:42 AM	0.024
7:50:42 AM	0.024
7:51:42 AM	0.023
7:52:42 AM	0.022

7:53:42 AM	0.022
7:54:42 AM	0.024
7:55:42 AM	0.025
7:56:42 AM	0.024
7:57:42 AM	0.026
7:58:42 AM	0.022
7:59:42 AM	0.025
8:00:42 AM	0.021
8:01:42 AM	0.022
8:02:42 AM	0.025
8:03:42 AM	0.022
8:04:42 AM	0.024
8:05:42 AM	0.023
8:06:42 AM	0.023
8:07:42 AM	0.022
8:08:42 AM	0.022
8:09:42 AM	0.021
8:10:42 AM	0.019
8:11:42 AM	0.022
8:12:42 AM	0.026
8:13:42 AM	0.021
8:14:42 AM	0.018
8:15:42 AM	0.018
8:16:42 AM	0.019
8:17:42 AM	0.019
8:18:42 AM	0.021
8:19:42 AM	0.024
8:20:42 AM	0.021
8:21:42 AM	0.022
8:22:42 AM	0.021
8:23:42 AM	0.021
8:24:42 AM	0.02
8:25:42 AM	0.02
8:26:42 AM	0.021
8:27:42 AM	0.02
8:28:42 AM	0.021
8:29:42 AM	0.019
8:30:42 AM	0.019
8:31:42 AM	0.019
8:32:42 AM	0.018
8:33:42 AM	0.019
8:34:42 AM	0.021
8:35:42 AM	0.027
8:36:42 AM	0.02

8:37:42 AM	0.018
8:38:42 AM	0.018
8:39:42 AM	0.019
8:40:42 AM	0.017
8:41:42 AM	0.015
8:42:42 AM	0.019
8:43:42 AM	0.023
8:44:42 AM	0.112
8:45:42 AM	0.083
8:46:42 AM	0.038
8:47:42 AM	0.027
8:48:42 AM	0.022
8:49:42 AM	0.019
8:50:42 AM	0.019
8:51:42 AM	0.021
8:52:42 AM	0.022
8:53:42 AM	0.025
8:54:42 AM	0.021
8:55:42 AM	0.02
8:56:42 AM	0.021
8:57:42 AM	0.023
8:58:42 AM	0.023
8:59:42 AM	0.021
9:00:42 AM	0.025
9:01:42 AM	0.023
9:02:42 AM	0.023
9:03:42 AM	0.023
9:04:42 AM	0.021
9:05:42 AM	0.021
9:06:42 AM	0.022
9:07:42 AM	0.022
9:08:42 AM	0.027
9:09:42 AM	0.021
9:10:42 AM	0.021
9:11:42 AM	0.027
9:12:42 AM	0.023
9:13:42 AM	0.029
9:14:42 AM	0.025
9:15:42 AM	0.026
9:16:42 AM	0.023
9:17:42 AM	0.037
9:18:42 AM	0.047
9:19:42 AM	0.015
9:20:42 AM	0.016

9:21:42 AM	0.018
9:22:42 AM	0.016
9:23:42 AM	0.02
9:24:42 AM	0.024
9:25:42 AM	0.02
9:26:42 AM	0.02
9:27:42 AM	0.018
9:28:42 AM	0.031
9:29:42 AM	0.051
9:30:42 AM	0.019
9:31:42 AM	0.021
9:32:42 AM	0.018
9:33:42 AM	0.016
9:34:42 AM	0.015
9:35:42 AM	0.015
9:36:42 AM	0.045
9:37:42 AM	0.033
9:38:42 AM	0.03
9:39:42 AM	0.021
9:40:42 AM	0.03
9:41:42 AM	0.024
9:42:42 AM	0.024
9:43:42 AM	0.017
9:44:42 AM	0.018
9:45:42 AM	0.06
9:46:42 AM	0.032
9:47:42 AM	0.036
9:48:42 AM	0.019
9:49:42 AM	0.015
9:50:42 AM	0.011
9:51:42 AM	0.02
9:52:42 AM	0.015
9:53:42 AM	0.021
9:54:42 AM	0.017
9:55:42 AM	0.013
9:56:42 AM	0.011
9:57:42 AM	0.011
9:58:42 AM	0.012
9:59:42 AM	0.012
10:00:42 AM	0.012
10:01:42 AM	0.013
10:02:42 AM	0.015
10:03:42 AM	0.016
10:04:42 AM	0.018

10:05:42 AM	0.012
10:06:42 AM	0.013
10:07:42 AM	0.014
10:08:42 AM	0.014
10:09:42 AM	0.013
10:10:42 AM	0.018
10:11:42 AM	0.019
10:12:42 AM	0.014
10:13:42 AM	0.015
10:14:42 AM	0.015
10:15:42 AM	0.014
10:16:42 AM	0.015
10:17:42 AM	0.016
10:18:42 AM	0.015
10:19:42 AM	0.015
10:20:42 AM	0.014
10:21:42 AM	0.014
10:22:42 AM	0.018
10:23:42 AM	0.014
10:24:42 AM	0.015
10:25:42 AM	0.015
10:26:42 AM	0.015
10:27:42 AM	0.014
10:28:42 AM	0.021
10:29:42 AM	0.015
10:30:42 AM	0.015
10:31:42 AM	0.028
10:32:42 AM	0.017
10:33:42 AM	0.015
10:34:42 AM	0.016
10:35:42 AM	0.018
10:36:42 AM	0.014
10:37:42 AM	0.016
10:38:42 AM	0.017
10:39:42 AM	0.033
10:40:42 AM	0.022
10:41:42 AM	0.036
10:42:42 AM	0.039
10:43:42 AM	0.049
10:44:42 AM	0.032
10:45:42 AM	0.03
10:46:42 AM	0.082
10:47:42 AM	0.142
10:48:42 AM	0.063

10:49:42 AM	0.037
10:50:42 AM	0.47
10:51:42 AM	0.671
10:52:42 AM	0.042
10:53:42 AM	0.191
10:54:42 AM	0.025
10:55:42 AM	0.052
10:56:42 AM	0.033
10:57:42 AM	0.032
10:58:42 AM	0.014
10:59:42 AM	0.013
11:00:42 AM	0.016
11:01:42 AM	0.018
11:02:42 AM	0.022
11:03:42 AM	0.022
11:04:42 AM	0.028
11:05:42 AM	0.017
11:06:42 AM	0.017
11:07:42 AM	0.022
11:08:42 AM	0.019
11:09:42 AM	0.019
11:10:42 AM	0.019
11:11:42 AM	0.025
11:12:42 AM	0.02
11:13:42 AM	0.015
11:14:42 AM	0.02
11:15:42 AM	0.026
11:16:42 AM	0.017
11:17:42 AM	0.024
11:18:42 AM	0.032
11:19:42 AM	0.015
11:20:42 AM	0.01
11:21:42 AM	0.013
11:22:42 AM	0.038
11:23:42 AM	0.02
11:24:42 AM	0.028
11:25:42 AM	0.043
11:26:42 AM	0.043
11:27:42 AM	0.044
11:28:42 AM	0.029
11:29:42 AM	0.027
11:30:42 AM	0.023
11:31:42 AM	0.017
11:32:42 AM	0.018

11:33:42 AM	0.02
11:34:42 AM	0.032
11:35:42 AM	0.021
11:36:42 AM	0.042
11:37:42 AM	0.128
11:38:42 AM	0.045
11:39:42 AM	0.088
11:40:42 AM	0.188
11:41:42 AM	0.037
11:42:42 AM	0.029
11:43:42 AM	0.02
11:44:42 AM	0.02
11:45:42 AM	0.016
11:46:42 AM	0.038
11:47:42 AM	0.061
11:48:42 AM	0.024
11:49:42 AM	0.016
11:50:42 AM	0.029
11:51:42 AM	0.044
11:52:42 AM	0.034
11:53:42 AM	0.084
11:54:42 AM	0.017
11:55:42 AM	0.02
11:56:42 AM	0.028
11:57:42 AM	0.086
11:58:42 AM	0.078
11:59:42 AM	0.053
12:00:42 PM	0.03
12:01:42 PM	0.024
12:02:42 PM	0.02
12:03:42 PM	0.024
12:04:42 PM	0.036
12:05:42 PM	0.071
12:06:42 PM	0.028
12:07:42 PM	0.028
12:08:42 PM	0.048
12:09:42 PM	0.029
12:10:42 PM	0.166
12:11:42 PM	0.027
12:12:42 PM	0.038
12:13:42 PM	0.051
12:14:42 PM	0.03
12:15:42 PM	0.026
12:16:42 PM	0.031

12:17:42 PM	0.038
12:18:42 PM	0.018
12:19:42 PM	0.016
12:20:42 PM	0.018
12:21:42 PM	0.041
12:22:42 PM	0.027
12:23:42 PM	0.027
12:24:42 PM	0.035
12:25:42 PM	0.037
12:26:42 PM	0.019
12:27:42 PM	0.057
12:28:42 PM	0.014
12:29:42 PM	0.067
12:30:42 PM	0.045
12:31:42 PM	0.01
12:32:42 PM	0.009
12:33:42 PM	0.009
12:34:42 PM	0.008
12:35:42 PM	0.01
12:36:42 PM	0.01
12:37:42 PM	0.01
12:38:42 PM	0.017
12:39:42 PM	0.026
12:40:42 PM	0.014
12:41:42 PM	0.008
12:42:42 PM	0.008
12:43:42 PM	0.009
12:44:42 PM	0.008
12:45:42 PM	0.01
12:46:42 PM	0.008
12:47:42 PM	0.01
12:48:42 PM	0.013
12:49:42 PM	0.012
12:50:42 PM	0.012
12:51:42 PM	0.011
12:52:42 PM	0.012
12:53:42 PM	0.021
12:54:42 PM	0.026
12:55:42 PM	0.061
12:56:42 PM	0.018
12:57:42 PM	0.01
12:58:42 PM	0.01
12:59:42 PM	0.008
1:00:42 PM	0.011

1:01:42 PM	0.007
1:02:42 PM	0.01
1:03:42 PM	0.008
1:04:42 PM	0.007
1:05:42 PM	0.007
1:06:42 PM	0.007
1:07:42 PM	0.006
1:08:42 PM	0.006
1:09:42 PM	0.007
1:10:42 PM	0.008
1:11:42 PM	0.007
1:12:42 PM	0.009
1:13:42 PM	0.052
1:14:42 PM	0.01
1:15:42 PM	0.01
1:16:42 PM	0.004
1:17:42 PM	0.004
1:18:42 PM	0.004
1:19:42 PM	0.004
1:20:42 PM	0.005
1:21:42 PM	0.004
1:22:42 PM	0.005
1:23:42 PM	0.004
1:24:42 PM	0.005
1:25:42 PM	0.004
1:26:42 PM	0.003
1:27:42 PM	0.004
1:28:42 PM	0.003
1:29:42 PM	0.002
1:30:42 PM	0.007
1:31:42 PM	0.003
1:32:42 PM	0.001
1:33:42 PM	0.003
1:34:42 PM	0.005
1:35:42 PM	0.003
1:36:42 PM	0.005
1:37:42 PM	0.001
1:38:42 PM	0.001
1:39:42 PM	0.002
1:40:42 PM	0
1:41:42 PM	0
1:42:42 PM	0
1:43:42 PM	0
1:44:42 PM	0.015

1:45:42 PM	0.001
1:46:42 PM	0.001
1:47:42 PM	0.001
1:48:42 PM	0.001
1:49:42 PM	0
1:50:42 PM	0
1:51:42 PM	0
1:52:42 PM	0.001
1:53:42 PM	0
1:54:42 PM	0
1:55:42 PM	0
1:56:42 PM	-0.001
1:57:42 PM	0
1:58:42 PM	0
1:59:42 PM	-0.001
2:00:42 PM	0.009
2:01:42 PM	0.003
2:02:42 PM	0.009
2:03:42 PM	0.004
2:04:42 PM	-0.002
2:05:42 PM	0
2:06:42 PM	0.004
2:07:42 PM	0.002
2:08:42 PM	0.001
2:09:42 PM	-0.004
2:10:42 PM	-0.003
2:11:42 PM	-0.004
2:12:42 PM	-0.002
2:13:42 PM	-0.002
2:14:42 PM	-0.002
2:15:42 PM	-0.005
2:16:42 PM	-0.004
2:17:42 PM	-0.004
2:18:42 PM	-0.004
2:19:42 PM	-0.003
2:20:42 PM	-0.001
2:21:42 PM	-0.003
2:22:42 PM	-0.005
2:23:42 PM	0
2:24:42 PM	-0.003
2:25:42 PM	-0.002
2:26:42 PM	-0.004
2:27:42 PM	-0.004
2:28:42 PM	0.043

2:29:42 PM	0.01
2:30:42 PM	0.004
2:31:42 PM	-0.001
2:32:42 PM	0.001
2:33:42 PM	-0.003
2:34:42 PM	0
2:35:42 PM	0.001
2:36:42 PM	0.001
2:37:42 PM	0.018
2:38:42 PM	0.001
2:39:42 PM	-0.002
2:40:42 PM	-0.003
2:41:42 PM	-0.001
2:42:42 PM	-0.003
2:43:42 PM	-0.003
2:44:42 PM	-0.003
2:45:42 PM	-0.001
2:46:42 PM	0
2:47:42 PM	-0.002
2:48:42 PM	0.004
2:49:42 PM	-0.001
2:50:42 PM	-0.002
2:51:42 PM	-0.002
2:52:42 PM	0
2:53:42 PM	0
2:54:42 PM	-0.001
2:55:42 PM	-0.002
2:56:42 PM	-0.001
2:57:42 PM	0
2:58:42 PM	-0.002
2:59:42 PM	0
3:00:42 PM	-0.004
3:01:42 PM	-0.003
3:02:42 PM	0
3:03:42 PM	-0.004
3:04:42 PM	-0.005
3:05:42 PM	0.015
3:06:42 PM	0.004
3:07:42 PM	-0.001
3:08:42 PM	0
3:09:42 PM	-0.001
3:10:42 PM	0.006
3:11:42 PM	0
3:12:42 PM	0.03

3:13:42 PM	0.123
3:14:42 PM	0.048
3:15:42 PM	0.112
3:16:42 PM	0.088
3:17:42 PM	0.019
3:18:42 PM	0.007
3:19:42 PM	0.013
3:20:42 PM	0.007
3:21:42 PM	0.002
3:22:42 PM	0.007
3:23:42 PM	0.002
3:24:42 PM	0.013
3:25:42 PM	0.009
3:26:42 PM	0.014
3:27:42 PM	0.002
3:28:42 PM	0.001
3:29:42 PM	0.001
3:30:42 PM	0.002
3:31:42 PM	0
3:32:42 PM	-0.001
3:33:42 PM	-0.001
3:34:42 PM	-0.001
3:35:42 PM	-0.001
3:36:42 PM	-0.002
3:37:42 PM	-0.002
3:38:42 PM	0
3:39:42 PM	-0.002
3:40:42 PM	-0.001
3:41:42 PM	0
3:42:42 PM	0
3:43:42 PM	0
3:44:42 PM	0
3:45:42 PM	0
3:46:42 PM	0
3:47:42 PM	0.005
3:48:42 PM	0.004
3:49:42 PM	0.001
3:50:42 PM	0
3:51:42 PM	0.001
3:52:42 PM	0.004
3:53:42 PM	0.002
3:54:42 PM	0.016
3:55:42 PM	0.031
3:56:42 PM	0

3:57:42 PM	-0.001
3:58:42 PM	0.003
3:59:42 PM	-0.001
4:00:42 PM	0
4:01:42 PM	0
4:02:42 PM	0
4:03:42 PM	0
4:04:42 PM	0
4:05:42 PM	0
4:06:42 PM	0
4:07:42 PM	0.003
4:08:42 PM	0.003
4:09:42 PM	0
4:10:42 PM	0.003
4:11:42 PM	0.004
4:12:42 PM	0
4:13:42 PM	0.001
4:14:42 PM	0
4:15:42 PM	0
4:16:42 PM	0
4:17:42 PM	0.001
4:18:42 PM	0.002
4:19:42 PM	0.003
4:20:42 PM	0.002
4:21:42 PM	0
4:22:42 PM	0
4:23:42 PM	0
4:24:42 PM	0.003
4:25:42 PM	0.001
4:26:42 PM	0
4:27:42 PM	0.011
4:28:42 PM	0.014
4:29:42 PM	0.016
4:30:42 PM	0.088
4:31:42 PM	0.019
4:32:42 PM	0
4:33:42 PM	0
4:34:42 PM	0
4:35:42 PM	0.009
4:36:42 PM	0.005
4:37:42 PM	0.003
4:38:42 PM	0.003
4:39:42 PM	0.015
4:40:42 PM	0.011

4:41:42 PM	0.018
4:42:42 PM	0.013
4:43:42 PM	0.003
4:44:42 PM	0
4:45:42 PM	0.002
4:46:42 PM	0.002
4:47:42 PM	0.002
4:48:42 PM	0.012
4:49:42 PM	0.01
4:50:42 PM	0
4:51:42 PM	0.005
4:52:42 PM	0.003
4:53:42 PM	0.003
4:54:42 PM	0.007
4:55:42 PM	0.027
4:56:42 PM	0.008
4:57:42 PM	0.012
4:58:42 PM	0.004
4:59:42 PM	0.006
5:00:42 PM	0.041
5:01:42 PM	0.002
5:02:42 PM	0
5:03:42 PM	-0.001
5:04:42 PM	-0.001
5:05:42 PM	0
5:06:42 PM	0.003
5:07:42 PM	0.006
5:08:42 PM	0

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	6/12/2024 17:21	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:20	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:19	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:18	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:17	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:16	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:15	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:14	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:13	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:12	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:11	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:10	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:09	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:08	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:07	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:06	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:05	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:04	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:03	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:02	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 17:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 16:50	Readings	PID	SC23030449A8	Normal	0

592-600853	6/12/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:11	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:10	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:09	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:08	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:07	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:06	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:05	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:04	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 10:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:50	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:49	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:48	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:44	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:43	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:42	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 9:41	Readings	PID	SC23030449A8	Normal	0

592-600853	6/12/2024 8:01 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 8:00 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:59 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:58 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:57 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:56 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:55 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:54 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:52 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:51 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:50 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:49 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:48 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:47 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:29 Readings	PID	SC23030449A8	Normal	0

592-600853	6/12/2024 7:28	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:27	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:26	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:25	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:24	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:23	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:22	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:21	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:20	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:19	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:14	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:13	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:12	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:11	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:10	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:09	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:08	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:07	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:06	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:05	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:04	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:03	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:02	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 7:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 6:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 6:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 6:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 6:56	CONFIG	PID	SC23030449A8		0

592-600853	6/12/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	6/12/2024 6:52 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_003
Test Start Time	7:29:27 AM
Test Start Date	6/12/2024
Test Length [D:H:M]	0:09:45
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.063
Mass TWA [mg/m3]	0.01
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	585

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:29:27 AM	0.018		
7:30:27 AM	0.013		
7:31:27 AM	0.015		
7:32:27 AM	0.014		
7:33:27 AM	0.012		
7:34:27 AM	0.011		
7:35:27 AM	0.012		
7:36:27 AM	0.012		
7:37:27 AM	0.013		
7:38:27 AM	0.014		
7:39:27 AM	0.012		
7:40:27 AM	0.013		
7:41:27 AM	0.013		
7:42:27 AM	0.014		
7:43:27 AM	0.014		
7:44:27 AM	0.018		
7:45:27 AM	0.015		
7:46:27 AM	0.013		
7:47:27 AM	0.012		
7:48:27 AM	0.012		
7:49:27 AM	0.012		
7:50:27 AM	0.012		
7:51:27 AM	0.012		
7:52:27 AM	0.012		

7:53:27 AM	0.012
7:54:27 AM	0.015
7:55:27 AM	0.016
7:56:27 AM	0.015
7:57:27 AM	0.013
7:58:27 AM	0.012
7:59:27 AM	0.011
8:00:27 AM	0.011
8:01:27 AM	0.011
8:02:27 AM	0.011
8:03:27 AM	0.013
8:04:27 AM	0.014
8:05:27 AM	0.014
8:06:27 AM	0.016
8:07:27 AM	0.02
8:08:27 AM	0.018
8:09:27 AM	0.019
8:10:27 AM	0.016
8:11:27 AM	0.016
8:12:27 AM	0.023
8:13:27 AM	0.011
8:14:27 AM	0.01
8:15:27 AM	0.01
8:16:27 AM	0.01
8:17:27 AM	0.013
8:18:27 AM	0.012
8:19:27 AM	0.012
8:20:27 AM	0.011
8:21:27 AM	0.011
8:22:27 AM	0.012
8:23:27 AM	0.01
8:24:27 AM	0.011
8:25:27 AM	0.014
8:26:27 AM	0.01
8:27:27 AM	0.01
8:28:27 AM	0.01
8:29:27 AM	0.01
8:30:27 AM	0.013
8:31:27 AM	0.011
8:32:27 AM	0.01
8:33:27 AM	0.01
8:34:27 AM	0.01
8:35:27 AM	0.01
8:36:27 AM	0.015

8:37:27 AM	0.013
8:38:27 AM	0.01
8:39:27 AM	0.009
8:40:27 AM	0.014
8:41:27 AM	0.016
8:42:27 AM	0.011
8:43:27 AM	0.02
8:44:27 AM	0.063
8:45:27 AM	0.018
8:46:27 AM	0.015
8:47:27 AM	0.014
8:48:27 AM	0.013
8:49:27 AM	0.013
8:50:27 AM	0.01
8:51:27 AM	0.011
8:52:27 AM	0.011
8:53:27 AM	0.016
8:54:27 AM	0.012
8:55:27 AM	0.012
8:56:27 AM	0.014
8:57:27 AM	0.011
8:58:27 AM	0.014
8:59:27 AM	0.01
9:00:27 AM	0.009
9:01:27 AM	0.011
9:02:27 AM	0.011
9:03:27 AM	0.015
9:04:27 AM	0.012
9:05:27 AM	0.012
9:06:27 AM	0.016
9:07:27 AM	0.017
9:08:27 AM	0.013
9:09:27 AM	0.011
9:10:27 AM	0.016
9:11:27 AM	0.019
9:12:27 AM	0.015
9:13:27 AM	0.013
9:14:27 AM	0.011
9:15:27 AM	0.014
9:16:27 AM	0.026
9:17:27 AM	0.018
9:18:27 AM	0.016
9:19:27 AM	0.012
9:20:27 AM	0.01

9:21:27 AM	0.009
9:22:27 AM	0.007
9:23:27 AM	0.007
9:24:27 AM	0.009
9:25:27 AM	0.012
9:26:27 AM	0.014
9:27:27 AM	0.009
9:28:27 AM	0.013
9:29:27 AM	0.008
9:30:27 AM	0.01
9:31:27 AM	0.013
9:32:27 AM	0.011
9:33:27 AM	0.01
9:34:27 AM	0.011
9:35:27 AM	0.009
9:36:27 AM	0.008
9:37:27 AM	0.008
9:38:27 AM	0.01
9:39:27 AM	0.009
9:40:27 AM	0.009
9:41:27 AM	0.008
9:42:27 AM	0.008
9:43:27 AM	0.01
9:44:27 AM	0.013
9:45:27 AM	0.012
9:46:27 AM	0.011
9:47:27 AM	0.014
9:48:27 AM	0.017
9:49:27 AM	0.014
9:50:27 AM	0.01
9:51:27 AM	0.01
9:52:27 AM	0.01
9:53:27 AM	0.008
9:54:27 AM	0.007
9:55:27 AM	0.008
9:56:27 AM	0.008
9:57:27 AM	0.008
9:58:27 AM	0.008
9:59:27 AM	0.008
10:00:27 AM	0.008
10:01:27 AM	0.008
10:02:27 AM	0.009
10:03:27 AM	0.008
10:04:27 AM	0.007

10:05:27 AM	0.01
10:06:27 AM	0.01
10:07:27 AM	0.011
10:08:27 AM	0.01
10:09:27 AM	0.01
10:10:27 AM	0.009
10:11:27 AM	0.009
10:12:27 AM	0.01
10:13:27 AM	0.008
10:14:27 AM	0.008
10:15:27 AM	0.008
10:16:27 AM	0.007
10:17:27 AM	0.011
10:18:27 AM	0.009
10:19:27 AM	0.01
10:20:27 AM	0.008
10:21:27 AM	0.009
10:22:27 AM	0.008
10:23:27 AM	0.007
10:24:27 AM	0.008
10:25:27 AM	0.012
10:26:27 AM	0.008
10:27:27 AM	0.008
10:28:27 AM	0.008
10:29:27 AM	0.008
10:30:27 AM	0.007
10:31:27 AM	0.007
10:32:27 AM	0.006
10:33:27 AM	0.007
10:34:27 AM	0.007
10:35:27 AM	0.007
10:36:27 AM	0.009
10:37:27 AM	0.012
10:38:27 AM	0.009
10:39:27 AM	0.009
10:40:27 AM	0.009
10:41:27 AM	0.012
10:42:27 AM	0.01
10:43:27 AM	0.008
10:44:27 AM	0.011
10:45:27 AM	0.017
10:46:27 AM	0.015
10:47:27 AM	0.013
10:48:27 AM	0.012

10:49:27 AM	0.009
10:50:27 AM	0.01
10:51:27 AM	0.01
10:52:27 AM	0.008
10:53:27 AM	0.008
10:54:27 AM	0.012
10:55:27 AM	0.012
10:56:27 AM	0.012
10:57:27 AM	0.013
10:58:27 AM	0.011
10:59:27 AM	0.007
11:00:27 AM	0.011
11:01:27 AM	0.015
11:02:27 AM	0.019
11:03:27 AM	0.018
11:04:27 AM	0.016
11:05:27 AM	0.016
11:06:27 AM	0.013
11:07:27 AM	0.011
11:08:27 AM	0.026
11:09:27 AM	0.017
11:10:27 AM	0.012
11:11:27 AM	0.013
11:12:27 AM	0.01
11:13:27 AM	0.01
11:14:27 AM	0.018
11:15:27 AM	0.019
11:16:27 AM	0.016
11:17:27 AM	0.01
11:18:27 AM	0.01
11:19:27 AM	0.012
11:20:27 AM	0.011
11:21:27 AM	0.011
11:22:27 AM	0.012
11:23:27 AM	0.012
11:24:27 AM	0.015
11:25:27 AM	0.008
11:26:27 AM	0.01
11:27:27 AM	0.01
11:28:27 AM	0.013
11:29:27 AM	0.014
11:30:27 AM	0.011
11:31:27 AM	0.011
11:32:27 AM	0.017

11:33:27 AM	0.014
11:34:27 AM	0.019
11:35:27 AM	0.014
11:36:27 AM	0.011
11:37:27 AM	0.009
11:38:27 AM	0.008
11:39:27 AM	0.01
11:40:27 AM	0.01
11:41:27 AM	0.012
11:42:27 AM	0.012
11:43:27 AM	0.011
11:44:27 AM	0.01
11:45:27 AM	0.008
11:46:27 AM	0.007
11:47:27 AM	0.009
11:48:27 AM	0.01
11:49:27 AM	0.01
11:50:27 AM	0.01
11:51:27 AM	0.009
11:52:27 AM	0.011
11:53:27 AM	0.011
11:54:27 AM	0.013
11:55:27 AM	0.012
11:56:27 AM	0.019
11:57:27 AM	0.016
11:58:27 AM	0.016
11:59:27 AM	0.016
12:00:27 PM	0.014
12:01:27 PM	0.013
12:02:27 PM	0.011
12:03:27 PM	0.012
12:04:27 PM	0.01
12:05:27 PM	0.007
12:06:27 PM	0.008
12:07:27 PM	0.007
12:08:27 PM	0.007
12:09:27 PM	0.007
12:10:27 PM	0.009
12:11:27 PM	0.008
12:12:27 PM	0.012
12:13:27 PM	0.023
12:14:27 PM	0.02
12:15:27 PM	0.01
12:16:27 PM	0.008

12:17:27 PM	0.006
12:18:27 PM	0.007
12:19:27 PM	0.008
12:20:27 PM	0.008
12:21:27 PM	0.006
12:22:27 PM	0.005
12:23:27 PM	0.015
12:24:27 PM	0.013
12:25:27 PM	0.007
12:26:27 PM	0.008
12:27:27 PM	0.011
12:28:27 PM	0.012
12:29:27 PM	0.009
12:30:27 PM	0.008
12:31:27 PM	0.006
12:32:27 PM	0.007
12:33:27 PM	0.01
12:34:27 PM	0.008
12:35:27 PM	0.009
12:36:27 PM	0.008
12:37:27 PM	0.007
12:38:27 PM	0.008
12:39:27 PM	0.008
12:40:27 PM	0.007
12:41:27 PM	0.008
12:42:27 PM	0.007
12:43:27 PM	0.006
12:44:27 PM	0.005
12:45:27 PM	0.005
12:46:27 PM	0.005
12:47:27 PM	0.006
12:48:27 PM	0.005
12:49:27 PM	0.007
12:50:27 PM	0.011
12:51:27 PM	0.007
12:52:27 PM	0.006
12:53:27 PM	0.005
12:54:27 PM	0.007
12:55:27 PM	0.009
12:56:27 PM	0.006
12:57:27 PM	0.006
12:58:27 PM	0.006
12:59:27 PM	0.007
1:00:27 PM	0.005

1:01:27 PM	0.007
1:02:27 PM	0.005
1:03:27 PM	0.005
1:04:27 PM	0.006
1:05:27 PM	0.007
1:06:27 PM	0.008
1:07:27 PM	0.006
1:08:27 PM	0.005
1:09:27 PM	0.005
1:10:27 PM	0.005
1:11:27 PM	0.006
1:12:27 PM	0.008
1:13:27 PM	0.006
1:14:27 PM	0.007
1:15:27 PM	0.008
1:16:27 PM	0.007
1:17:27 PM	0.005
1:18:27 PM	0.006
1:19:27 PM	0.005
1:20:27 PM	0.007
1:21:27 PM	0.007
1:22:27 PM	0.007
1:23:27 PM	0.007
1:24:27 PM	0.007
1:25:27 PM	0.004
1:26:27 PM	0.004
1:27:27 PM	0.004
1:28:27 PM	0.005
1:29:27 PM	0.005
1:30:27 PM	0.005
1:31:27 PM	0.004
1:32:27 PM	0.005
1:33:27 PM	0.005
1:34:27 PM	0.004
1:35:27 PM	0.005
1:36:27 PM	0.005
1:37:27 PM	0.004
1:38:27 PM	0.004
1:39:27 PM	0.005
1:40:27 PM	0.005
1:41:27 PM	0.004
1:42:27 PM	0.005
1:43:27 PM	0.006
1:44:27 PM	0.006

1:45:27 PM	0.006
1:46:27 PM	0.006
1:47:27 PM	0.003
1:48:27 PM	0.004
1:49:27 PM	0.003
1:50:27 PM	0.003
1:51:27 PM	0.003
1:52:27 PM	0.003
1:53:27 PM	0.003
1:54:27 PM	0.006
1:55:27 PM	0.004
1:56:27 PM	0.006
1:57:27 PM	0.004
1:58:27 PM	0.003
1:59:27 PM	0.003
2:00:27 PM	0.004
2:01:27 PM	0.003
2:02:27 PM	0.004
2:03:27 PM	0.003
2:04:27 PM	0.005
2:05:27 PM	0.007
2:06:27 PM	0.008
2:07:27 PM	0.007
2:08:27 PM	0.005
2:09:27 PM	0.005
2:10:27 PM	0.003
2:11:27 PM	0.003
2:12:27 PM	0.003
2:13:27 PM	0.003
2:14:27 PM	0.004
2:15:27 PM	0.004
2:16:27 PM	0.004
2:17:27 PM	0.003
2:18:27 PM	0.004
2:19:27 PM	0.004
2:20:27 PM	0.003
2:21:27 PM	0.004
2:22:27 PM	0.004
2:23:27 PM	0.005
2:24:27 PM	0.005
2:25:27 PM	0.006
2:26:27 PM	0.005
2:27:27 PM	0.005
2:28:27 PM	0.008

2:29:27 PM	0.007
2:30:27 PM	0.006
2:31:27 PM	0.006
2:32:27 PM	0.005
2:33:27 PM	0.006
2:34:27 PM	0.008
2:35:27 PM	0.007
2:36:27 PM	0.006
2:37:27 PM	0.004
2:38:27 PM	0.004
2:39:27 PM	0.004
2:40:27 PM	0.004
2:41:27 PM	0.004
2:42:27 PM	0.004
2:43:27 PM	0.004
2:44:27 PM	0.006
2:45:27 PM	0.009
2:46:27 PM	0.009
2:47:27 PM	0.007
2:48:27 PM	0.007
2:49:27 PM	0.005
2:50:27 PM	0.005
2:51:27 PM	0.005
2:52:27 PM	0.004
2:53:27 PM	0.005
2:54:27 PM	0.006
2:55:27 PM	0.005
2:56:27 PM	0.005
2:57:27 PM	0.004
2:58:27 PM	0.004
2:59:27 PM	0.004
3:00:27 PM	0.004
3:01:27 PM	0.005
3:02:27 PM	0.006
3:03:27 PM	0.007
3:04:27 PM	0.008
3:05:27 PM	0.006
3:06:27 PM	0.005
3:07:27 PM	0.007
3:08:27 PM	0.008
3:09:27 PM	0.008
3:10:27 PM	0.01
3:11:27 PM	0.011
3:12:27 PM	0.007

3:13:27 PM	0.006
3:14:27 PM	0.006
3:15:27 PM	0.01
3:16:27 PM	0.016
3:17:27 PM	0.013
3:18:27 PM	0.012
3:19:27 PM	0.007
3:20:27 PM	0.006
3:21:27 PM	0.007
3:22:27 PM	0.007
3:23:27 PM	0.009
3:24:27 PM	0.007
3:25:27 PM	0.006
3:26:27 PM	0.006
3:27:27 PM	0.007
3:28:27 PM	0.011
3:29:27 PM	0.007
3:30:27 PM	0.007
3:31:27 PM	0.009
3:32:27 PM	0.009
3:33:27 PM	0.007
3:34:27 PM	0.008
3:35:27 PM	0.007
3:36:27 PM	0.006
3:37:27 PM	0.006
3:38:27 PM	0.006
3:39:27 PM	0.008
3:40:27 PM	0.007
3:41:27 PM	0.013
3:42:27 PM	0.009
3:43:27 PM	0.008
3:44:27 PM	0.009
3:45:27 PM	0.007
3:46:27 PM	0.007
3:47:27 PM	0.006
3:48:27 PM	0.011
3:49:27 PM	0.008
3:50:27 PM	0.006
3:51:27 PM	0.008
3:52:27 PM	0.009
3:53:27 PM	0.007
3:54:27 PM	0.006
3:55:27 PM	0.01
3:56:27 PM	0.007

3:57:27 PM	0.009
3:58:27 PM	0.009
3:59:27 PM	0.009
4:00:27 PM	0.007
4:01:27 PM	0.007
4:02:27 PM	0.006
4:03:27 PM	0.006
4:04:27 PM	0.007
4:05:27 PM	0.008
4:06:27 PM	0.006
4:07:27 PM	0.006
4:08:27 PM	0.006
4:09:27 PM	0.009
4:10:27 PM	0.008
4:11:27 PM	0.008
4:12:27 PM	0.007
4:13:27 PM	0.007
4:14:27 PM	0.006
4:15:27 PM	0.006
4:16:27 PM	0.006
4:17:27 PM	0.007
4:18:27 PM	0.007
4:19:27 PM	0.007
4:20:27 PM	0.006
4:21:27 PM	0.008
4:22:27 PM	0.007
4:23:27 PM	0.006
4:24:27 PM	0.006
4:25:27 PM	0.006
4:26:27 PM	0.007
4:27:27 PM	0.006
4:28:27 PM	0.007
4:29:27 PM	0.006
4:30:27 PM	0.006
4:31:27 PM	0.006
4:32:27 PM	0.006
4:33:27 PM	0.007
4:34:27 PM	0.006
4:35:27 PM	0.006
4:36:27 PM	0.006
4:37:27 PM	0.006
4:38:27 PM	0.007
4:39:27 PM	0.006
4:40:27 PM	0.006

4:41:27 PM	0.006
4:42:27 PM	0.006
4:43:27 PM	0.006
4:44:27 PM	0.006
4:45:27 PM	0.006
4:46:27 PM	0.006
4:47:27 PM	0.006
4:48:27 PM	0.006
4:49:27 PM	0.006
4:50:27 PM	0.006
4:51:27 PM	0.006
4:52:27 PM	0.006
4:53:27 PM	0.006
4:54:27 PM	0.006
4:55:27 PM	0.006
4:56:27 PM	0.006
4:57:27 PM	0.006
4:58:27 PM	0.005
4:59:27 PM	0.005
5:00:27 PM	0.006
5:01:27 PM	0.005
5:02:27 PM	0.005
5:03:27 PM	0.005
5:04:27 PM	0.005
5:05:27 PM	0.005
5:06:27 PM	0.005
5:07:27 PM	0.005
5:08:27 PM	0.005
5:09:27 PM	0.005
5:10:27 PM	0.005
5:11:27 PM	0.005
5:12:27 PM	0.005
5:13:27 PM	0.005

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/12/2024 16:45	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:44	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:43	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:42	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:41	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:40	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:39	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:38	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:37	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:36	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:35	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:34	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:33	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:32	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:31	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:30	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:29	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:28	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:27	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:26	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:25	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:24	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:23	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:21	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:20	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:19	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:16	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 16:14	Readings	PID	SC23030124AA	Normal	0

592-908641	6/12/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:46	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:43	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:42	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:41	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:40	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:39	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 9:38	Readings	PID	SC23030124AA	Normal	0

592-908641	6/12/2024 8:31	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:30	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:29	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:28	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:27	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:26	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:25	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:24	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:23	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:21	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:20	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:19	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:16	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:14	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:13	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:12	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:11	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 8:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 7:59	Readings	PID	SC23030124AA	Normal	0

592-908641	6/12/2024 6:52	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:51	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:50	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:49	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:48	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:47	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:46	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:45	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:44	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:43	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:42	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:41	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:40	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:39	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:38	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:37	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:36	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:35	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:34	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:33	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:32	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:31	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:30	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:29	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:28	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:27	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:26	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:25	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:24	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:23	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/12/2024 6:21	CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	6:53:07 AM
Test Start Date	6/12/2024
Test Length [D:H:M]	0:09:38
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.096
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	578

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53:07 AM	0.013		
6:54:07 AM	0.008		
6:55:07 AM	0.006		
6:56:07 AM	0.005		
6:57:07 AM	0.004		
6:58:07 AM	0.003		
6:59:07 AM	0.002		
7:00:07 AM	0.002		
7:01:07 AM	0.001		
7:02:07 AM	0.001		
7:03:07 AM	0.001		
7:04:07 AM	0.001		
7:05:07 AM	0.001		
7:06:07 AM	0.001		
7:07:07 AM	0.001		
7:08:07 AM	0.001		
7:09:07 AM	0.001		
7:10:07 AM	0.001		
7:11:07 AM	0.001		
7:12:07 AM	0.001		
7:13:07 AM	0.001		
7:14:07 AM	0.001		
7:15:07 AM	0.001		
7:16:07 AM	0.001		

7:17:07 AM	0.001
7:18:07 AM	0.001
7:19:07 AM	0.001
7:20:07 AM	0.001
7:21:07 AM	0.001
7:22:07 AM	0.001
7:23:07 AM	0.001
7:24:07 AM	0.001
7:25:07 AM	0.001
7:26:07 AM	0.001
7:27:07 AM	0.094
7:28:07 AM	0.019
7:29:07 AM	0.017
7:30:07 AM	0.016
7:31:07 AM	0.013
7:32:07 AM	0.017
7:33:07 AM	0.012
7:34:07 AM	0.011
7:35:07 AM	0.011
7:36:07 AM	0.012
7:37:07 AM	0.012
7:38:07 AM	0.014
7:39:07 AM	0.012
7:40:07 AM	0.012
7:41:07 AM	0.013
7:42:07 AM	0.014
7:43:07 AM	0.014
7:44:07 AM	0.012
7:45:07 AM	0.013
7:46:07 AM	0.013
7:47:07 AM	0.012
7:48:07 AM	0.013
7:49:07 AM	0.014
7:50:07 AM	0.013
7:51:07 AM	0.012
7:52:07 AM	0.013
7:53:07 AM	0.012
7:54:07 AM	0.012
7:55:07 AM	0.011
7:56:07 AM	0.011
7:57:07 AM	0.012
7:58:07 AM	0.011
7:59:07 AM	0.011
8:00:07 AM	0.011

8:01:07 AM	0.012
8:02:07 AM	0.014
8:03:07 AM	0.014
8:04:07 AM	0.012
8:05:07 AM	0.013
8:06:07 AM	0.012
8:07:07 AM	0.011
8:08:07 AM	0.011
8:09:07 AM	0.011
8:10:07 AM	0.011
8:11:07 AM	0.01
8:12:07 AM	0.01
8:13:07 AM	0.01
8:14:07 AM	0.01
8:15:07 AM	0.011
8:16:07 AM	0.011
8:17:07 AM	0.011
8:18:07 AM	0.011
8:19:07 AM	0.011
8:20:07 AM	0.012
8:21:07 AM	0.011
8:22:07 AM	0.011
8:23:07 AM	0.011
8:24:07 AM	0.01
8:25:07 AM	0.011
8:26:07 AM	0.011
8:27:07 AM	0.013
8:28:07 AM	0.011
8:29:07 AM	0.014
8:30:07 AM	0.048
8:31:07 AM	0.015
8:32:07 AM	0.011
8:33:07 AM	0.012
8:34:07 AM	0.01
8:35:07 AM	0.01
8:36:07 AM	0.01
8:37:07 AM	0.012
8:38:07 AM	0.01
8:39:07 AM	0.01
8:40:07 AM	0.01
8:41:07 AM	0.015
8:42:07 AM	0.019
8:43:07 AM	0.013
8:44:07 AM	0.012

8:45:07 AM	0.012
8:46:07 AM	0.015
8:47:07 AM	0.01
8:48:07 AM	0.01
8:49:07 AM	0.009
8:50:07 AM	0.009
8:51:07 AM	0.009
8:52:07 AM	0.01
8:53:07 AM	0.011
8:54:07 AM	0.01
8:55:07 AM	0.01
8:56:07 AM	0.011
8:57:07 AM	0.01
8:58:07 AM	0.012
8:59:07 AM	0.011
9:00:07 AM	0.011
9:01:07 AM	0.01
9:02:07 AM	0.011
9:03:07 AM	0.024
9:04:07 AM	0.015
9:05:07 AM	0.012
9:06:07 AM	0.012
9:07:07 AM	0.012
9:08:07 AM	0.013
9:09:07 AM	0.014
9:10:07 AM	0.012
9:11:07 AM	0.013
9:12:07 AM	0.012
9:13:07 AM	0.012
9:14:07 AM	0.011
9:15:07 AM	0.021
9:16:07 AM	0.013
9:17:07 AM	0.01
9:18:07 AM	0.01
9:19:07 AM	0.011
9:20:07 AM	0.011
9:21:07 AM	0.01
9:22:07 AM	0.009
9:23:07 AM	0.009
9:24:07 AM	0.009
9:25:07 AM	0.011
9:26:07 AM	0.012
9:27:07 AM	0.013
9:28:07 AM	0.01

9:29:07 AM	0.012
9:30:07 AM	0.017
9:31:07 AM	0.013
9:32:07 AM	0.016
9:33:07 AM	0.012
9:34:07 AM	0.011
9:35:07 AM	0.031
9:36:07 AM	0.016
9:37:07 AM	0.011
9:38:07 AM	0.01
9:39:07 AM	0.01
9:40:07 AM	0.011
9:41:07 AM	0.01
9:42:07 AM	0.009
9:43:07 AM	0.013
9:44:07 AM	0.011
9:45:07 AM	0.011
9:46:07 AM	0.012
9:47:07 AM	0.009
9:48:07 AM	0.01
9:49:07 AM	0.009
9:50:07 AM	0.01
9:51:07 AM	0.009
9:52:07 AM	0.009
9:53:07 AM	0.01
9:54:07 AM	0.012
9:55:07 AM	0.01
9:56:07 AM	0.018
9:57:07 AM	0.009
9:58:07 AM	0.01
9:59:07 AM	0.012
10:00:07 AM	0.009
10:01:07 AM	0.011
10:02:07 AM	0.01
10:03:07 AM	0.01
10:04:07 AM	0.01
10:05:07 AM	0.009
10:06:07 AM	0.01
10:07:07 AM	0.01
10:08:07 AM	0.013
10:09:07 AM	0.012
10:10:07 AM	0.011
10:11:07 AM	0.01
10:12:07 AM	0.01

10:13:07 AM	0.01
10:14:07 AM	0.012
10:15:07 AM	0.012
10:16:07 AM	0.011
10:17:07 AM	0.01
10:18:07 AM	0.012
10:19:07 AM	0.012
10:20:07 AM	0.011
10:21:07 AM	0.011
10:22:07 AM	0.012
10:23:07 AM	0.01
10:24:07 AM	0.02
10:25:07 AM	0.031
10:26:07 AM	0.016
10:27:07 AM	0.017
10:28:07 AM	0.012
10:29:07 AM	0.01
10:30:07 AM	0.012
10:31:07 AM	0.012
10:32:07 AM	0.011
10:33:07 AM	0.011
10:34:07 AM	0.011
10:35:07 AM	0.012
10:36:07 AM	0.012
10:37:07 AM	0.012
10:38:07 AM	0.012
10:39:07 AM	0.013
10:40:07 AM	0.013
10:41:07 AM	0.011
10:42:07 AM	0.012
10:43:07 AM	0.013
10:44:07 AM	0.012
10:45:07 AM	0.012
10:46:07 AM	0.012
10:47:07 AM	0.014
10:48:07 AM	0.014
10:49:07 AM	0.012
10:50:07 AM	0.014
10:51:07 AM	0.012
10:52:07 AM	0.012
10:53:07 AM	0.012
10:54:07 AM	0.013
10:55:07 AM	0.019
10:56:07 AM	0.015

10:57:07 AM	0.016
10:58:07 AM	0.016
10:59:07 AM	0.014
11:00:07 AM	0.013
11:01:07 AM	0.014
11:02:07 AM	0.02
11:03:07 AM	0.021
11:04:07 AM	0.021
11:05:07 AM	0.016
11:06:07 AM	0.015
11:07:07 AM	0.018
11:08:07 AM	0.024
11:09:07 AM	0.027
11:10:07 AM	0.03
11:11:07 AM	0.017
11:12:07 AM	0.015
11:13:07 AM	0.014
11:14:07 AM	0.018
11:15:07 AM	0.022
11:16:07 AM	0.023
11:17:07 AM	0.017
11:18:07 AM	0.016
11:19:07 AM	0.015
11:20:07 AM	0.013
11:21:07 AM	0.013
11:22:07 AM	0.024
11:23:07 AM	0.014
11:24:07 AM	0.013
11:25:07 AM	0.021
11:26:07 AM	0.017
11:27:07 AM	0.015
11:28:07 AM	0.014
11:29:07 AM	0.014
11:30:07 AM	0.014
11:31:07 AM	0.013
11:32:07 AM	0.017
11:33:07 AM	0.016
11:34:07 AM	0.017
11:35:07 AM	0.013
11:36:07 AM	0.013
11:37:07 AM	0.013
11:38:07 AM	0.014
11:39:07 AM	0.013
11:40:07 AM	0.014

11:41:07 AM	0.014
11:42:07 AM	0.014
11:43:07 AM	0.017
11:44:07 AM	0.013
11:45:07 AM	0.013
11:46:07 AM	0.014
11:47:07 AM	0.014
11:48:07 AM	0.013
11:49:07 AM	0.013
11:50:07 AM	0.013
11:51:07 AM	0.013
11:52:07 AM	0.014
11:53:07 AM	0.014
11:54:07 AM	0.015
11:55:07 AM	0.014
11:56:07 AM	0.013
11:57:07 AM	0.016
11:58:07 AM	0.021
11:59:07 AM	0.021
12:00:07 PM	0.019
12:01:07 PM	0.019
12:02:07 PM	0.015
12:03:07 PM	0.017
12:04:07 PM	0.019
12:05:07 PM	0.016
12:06:07 PM	0.015
12:07:07 PM	0.016
12:08:07 PM	0.017
12:09:07 PM	0.014
12:10:07 PM	0.016
12:11:07 PM	0.016
12:12:07 PM	0.018
12:13:07 PM	0.024
12:14:07 PM	0.037
12:15:07 PM	0.024
12:16:07 PM	0.018
12:17:07 PM	0.013
12:18:07 PM	0.013
12:19:07 PM	0.013
12:20:07 PM	0.013
12:21:07 PM	0.013
12:22:07 PM	0.014
12:23:07 PM	0.013
12:24:07 PM	0.016

12:25:07 PM	0.022
12:26:07 PM	0.015
12:27:07 PM	0.02
12:28:07 PM	0.018
12:29:07 PM	0.014
12:30:07 PM	0.014
12:31:07 PM	0.016
12:32:07 PM	0.013
12:33:07 PM	0.014
12:34:07 PM	0.018
12:35:07 PM	0.015
12:36:07 PM	0.014
12:37:07 PM	0.012
12:38:07 PM	0.012
12:39:07 PM	0.012
12:40:07 PM	0.012
12:41:07 PM	0.013
12:42:07 PM	0.015
12:43:07 PM	0.013
12:44:07 PM	0.011
12:45:07 PM	0.012
12:46:07 PM	0.012
12:47:07 PM	0.011
12:48:07 PM	0.012
12:49:07 PM	0.012
12:50:07 PM	0.011
12:51:07 PM	0.012
12:52:07 PM	0.014
12:53:07 PM	0.011
12:54:07 PM	0.012
12:55:07 PM	0.013
12:56:07 PM	0.012
12:57:07 PM	0.012
12:58:07 PM	0.011
12:59:07 PM	0.013
1:00:07 PM	0.011
1:01:07 PM	0.011
1:02:07 PM	0.011
1:03:07 PM	0.014
1:04:07 PM	0.012
1:05:07 PM	0.014
1:06:07 PM	0.013
1:07:07 PM	0.011
1:08:07 PM	0.011

1:09:07 PM	0.011
1:10:07 PM	0.014
1:11:07 PM	0.014
1:12:07 PM	0.012
1:13:07 PM	0.012
1:14:07 PM	0.012
1:15:07 PM	0.012
1:16:07 PM	0.011
1:17:07 PM	0.014
1:18:07 PM	0.013
1:19:07 PM	0.012
1:20:07 PM	0.023
1:21:07 PM	0.013
1:22:07 PM	0.013
1:23:07 PM	0.014
1:24:07 PM	0.012
1:25:07 PM	0.013
1:26:07 PM	0.011
1:27:07 PM	0.011
1:28:07 PM	0.011
1:29:07 PM	0.012
1:30:07 PM	0.011
1:31:07 PM	0.01
1:32:07 PM	0.011
1:33:07 PM	0.012
1:34:07 PM	0.011
1:35:07 PM	0.011
1:36:07 PM	0.01
1:37:07 PM	0.012
1:38:07 PM	0.012
1:39:07 PM	0.012
1:40:07 PM	0.011
1:41:07 PM	0.01
1:42:07 PM	0.01
1:43:07 PM	0.01
1:44:07 PM	0.011
1:45:07 PM	0.011
1:46:07 PM	0.011
1:47:07 PM	0.011
1:48:07 PM	0.011
1:49:07 PM	0.011
1:50:07 PM	0.011
1:51:07 PM	0.01
1:52:07 PM	0.011

1:53:07 PM	0.01
1:54:07 PM	0.011
1:55:07 PM	0.01
1:56:07 PM	0.01
1:57:07 PM	0.011
1:58:07 PM	0.01
1:59:07 PM	0.01
2:00:07 PM	0.01
2:01:07 PM	0.01
2:02:07 PM	0.01
2:03:07 PM	0.01
2:04:07 PM	0.011
2:05:07 PM	0.016
2:06:07 PM	0.017
2:07:07 PM	0.018
2:08:07 PM	0.013
2:09:07 PM	0.015
2:10:07 PM	0.011
2:11:07 PM	0.011
2:12:07 PM	0.012
2:13:07 PM	0.012
2:14:07 PM	0.011
2:15:07 PM	0.011
2:16:07 PM	0.013
2:17:07 PM	0.012
2:18:07 PM	0.013
2:19:07 PM	0.011
2:20:07 PM	0.012
2:21:07 PM	0.012
2:22:07 PM	0.011
2:23:07 PM	0.01
2:24:07 PM	0.011
2:25:07 PM	0.013
2:26:07 PM	0.014
2:27:07 PM	0.019
2:28:07 PM	0.011
2:29:07 PM	0.012
2:30:07 PM	0.012
2:31:07 PM	0.012
2:32:07 PM	0.012
2:33:07 PM	0.012
2:34:07 PM	0.012
2:35:07 PM	0.012
2:36:07 PM	0.012

2:37:07 PM	0.011
2:38:07 PM	0.011
2:39:07 PM	0.011
2:40:07 PM	0.011
2:41:07 PM	0.011
2:42:07 PM	0.011
2:43:07 PM	0.013
2:44:07 PM	0.012
2:45:07 PM	0.014
2:46:07 PM	0.02
2:47:07 PM	0.013
2:48:07 PM	0.013
2:49:07 PM	0.014
2:50:07 PM	0.012
2:51:07 PM	0.014
2:52:07 PM	0.013
2:53:07 PM	0.012
2:54:07 PM	0.013
2:55:07 PM	0.012
2:56:07 PM	0.012
2:57:07 PM	0.012
2:58:07 PM	0.012
2:59:07 PM	0.012
3:00:07 PM	0.012
3:01:07 PM	0.012
3:02:07 PM	0.012
3:03:07 PM	0.012
3:04:07 PM	0.012
3:05:07 PM	0.012
3:06:07 PM	0.012
3:07:07 PM	0.013
3:08:07 PM	0.013
3:09:07 PM	0.012
3:10:07 PM	0.012
3:11:07 PM	0.012
3:12:07 PM	0.012
3:13:07 PM	0.012
3:14:07 PM	0.012
3:15:07 PM	0.012
3:16:07 PM	0.012
3:17:07 PM	0.013
3:18:07 PM	0.014
3:19:07 PM	0.013
3:20:07 PM	0.014

3:21:07 PM	0.013
3:22:07 PM	0.013
3:23:07 PM	0.02
3:24:07 PM	0.018
3:25:07 PM	0.013
3:26:07 PM	0.014
3:27:07 PM	0.012
3:28:07 PM	0.013
3:29:07 PM	0.014
3:30:07 PM	0.012
3:31:07 PM	0.012
3:32:07 PM	0.013
3:33:07 PM	0.013
3:34:07 PM	0.012
3:35:07 PM	0.015
3:36:07 PM	0.014
3:37:07 PM	0.013
3:38:07 PM	0.013
3:39:07 PM	0.013
3:40:07 PM	0.013
3:41:07 PM	0.013
3:42:07 PM	0.014
3:43:07 PM	0.013
3:44:07 PM	0.013
3:45:07 PM	0.013
3:46:07 PM	0.013
3:47:07 PM	0.013
3:48:07 PM	0.013
3:49:07 PM	0.014
3:50:07 PM	0.014
3:51:07 PM	0.013
3:52:07 PM	0.013
3:53:07 PM	0.016
3:54:07 PM	0.014
3:55:07 PM	0.013
3:56:07 PM	0.013
3:57:07 PM	0.013
3:58:07 PM	0.013
3:59:07 PM	0.013
4:00:07 PM	0.013
4:01:07 PM	0.013
4:02:07 PM	0.013
4:03:07 PM	0.013
4:04:07 PM	0.013

4:05:07 PM	0.013
4:06:07 PM	0.013
4:07:07 PM	0.013
4:08:07 PM	0.014
4:09:07 PM	0.014
4:10:07 PM	0.013
4:11:07 PM	0.013
4:12:07 PM	0.014
4:13:07 PM	0.014
4:14:07 PM	0.013
4:15:07 PM	0.014
4:16:07 PM	0.014
4:17:07 PM	0.096
4:18:07 PM	0.012
4:19:07 PM	0.009
4:20:07 PM	0.011
4:21:07 PM	0.007
4:22:07 PM	0.012
4:23:07 PM	0.007
4:24:07 PM	0.004
4:25:07 PM	0.006
4:26:07 PM	0.003
4:27:07 PM	0.002
4:28:07 PM	0.001
4:29:07 PM	0.001
4:30:07 PM	0.001

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/12/2024 17:27	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:26	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:25	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:24	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:23	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:22	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:21	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:20	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:19	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:18	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:17	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:16	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:15	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:14	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:13	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:12	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:11	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:10	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:09	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:08	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:07	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:06	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:05	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:04	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:03	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:02	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:01	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 17:00	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 16:59	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 16:58	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 16:57	Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 16:56	Readings	PID	SC23030602B4	Normal	0

592-602176	6/12/2024 10:19 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:18 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:17 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:14 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:13 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:06 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:05 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:04 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:03 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:02 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:01 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 10:00 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:59 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:58 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:57 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:56 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:55 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:53 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:52 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:51 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:50 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:49 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 9:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/12/2024 9:47 Readings	PID	SC23030602B4	Normal	0

592-602176	6/12/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/12/2024 7:06 CONFIG	PID	SC23030602B4		