

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	W 5 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	06/13/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:30

Time Offsite: 16:00

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas / Victor Barraza / Thomas Jensen / Bill Chaky

WSP (Environmental oversight) – Tim Williams

ECD (Sheet-Pile Installation)

Capital/KFS (Contractor)

Cascade/ECA (ISS Contractor)

Bradford (Plumbing/SSDS Contractor)

Control Point (Licensed Surveyor)

NYDEC-Aaron Fischer

Equipment On Site: DustTrak (x3), PID (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations; Capital to excavate within remaining grids, hotspots, and spill area to day-light sheet-piles; ECD to weld day-lighted sheet-piles within spill area; Cascade / ECA to continue with ISS equipment mobilization; Capital to excavate test-pits at treatment area to day-light tie-backs; Bradford to begin lay-out of sewer piping within trenches.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities; ‘
- IEC gauged depth to water (DTW) at all 14 sentinel wells and 2 EP-90 spill wells for de-watering purposes;
- Cascade and ECA continued with ISS equipment mobilization, Batch Plant encountered technical issues requires a placement of the load cell, which will arrive tomorrow (6/14/24) morning;
- Control Point surveys and stakes ISS Pilot Column locations;
- Relocation of ISS ATMOS unit to Pilot Test location area;
- Bradford began laying out sewer pipe within trenches at the south building;
- National Grid continued with gas pipeline work along sidewalk on Nevins Street, it should be noted that Downwind Unit 1 (CAMP) was located on sidewalk;
- Two (2) truckloads of concrete were disposed of offsite to PPark Facility;
- Five (5) truckloads of material were disposed of offsite to Bay Shore Facility;
- Dewatering active in EP-38;
- ECD continued excavation (6’ excavation bsg) at Spill 2308807 area with a smaller excavator to remove backfill/soil for bracing installation of sheet piles, preemptive odor suppression was implemented via

ATMOS foam to ensure no odors emitting off site, PID screenings were performed around excavation area and along Nevins/Union street;

- Continued low flow sentinel well gw sampling, the following wells were sampled: MW-20B, MW-19A&B, GW-17B, MW-22, & MW-23;
- Soil sampling: EP-38 (12').
- IEC gauged depth to water (DTW) at all 14 sentinel wells and 2 EP-90 spill wells for de-watering purposes; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.131_ mg/m³ @ 06:39
- High Conditions (Upwind) – PID = _0.7_ ppm @ 06:54, Dust = _0.723_ mg/m³ @ 10:11
- High Conditions (Downwind 1) – PID = _1.9_ ppm @ 09:23, Dust = _0.391_ mg/m³ @ 08:18
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.258_ mg/m³ @ 06:44

Notable Site Conditions:

- Dusty conditions, dust suppression was implemented.
- Downwind 2 PID battery issue, IEC contacted PINE regarding a replacement as it would not hold backup battery charge.

Planned Activities for the Next Day/Week:

- Cascade to perform test runs of ISS equipment/Pilot test start;
- Continued low flow sentinel well sampling;
- KFS and Capital to continue with rebar fabrication, footing construction and vapor barrier installation;
- Bradford to continue with sewer piping layout within trenches at south building;
- ECD to further excavate within Spill 2308807 area to expose sheet-piles, then weld sheets together;
- Spill area excavation.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of dust suppression of truck roadway.



Photo 2 –

Representative photo of ECD bracing installation of sheet pile.



Photo 3 –
Representative
photo of
dewatering
active in grid H3.



Photo 4 –
Representative
photo of
concrete load
out.



Photo 5 –
Representative
photo of ISS Pilot
test area.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:39:23 AM
Test Start Date	6/13/2024
Test Length [D:H:M]	0:09:06
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.033
Mass Minimum [mg/m3]	-0.01
Mass Maximum [mg/m3]	0.723
Mass TWA [mg/m3]	0.035
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	546

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:39:23 AM	0.131		
6:40:23 AM	0.083		
6:41:23 AM	0.09		
6:42:23 AM	0.079		
6:43:23 AM	0.078		
6:44:23 AM	0.077		
6:45:23 AM	0.075		
6:46:23 AM	0.077		
6:47:23 AM	0.077		
6:48:23 AM	0.078		
6:49:23 AM	0.077		
6:50:23 AM	0.082		
6:51:23 AM	0.075		
6:52:23 AM	0.073		
6:53:23 AM	0.073		
6:54:23 AM	0.075		
6:55:23 AM	0.074		
6:56:23 AM	0.073		
6:57:23 AM	0.07		
6:58:23 AM	0.071		
6:59:23 AM	0.085		
7:00:23 AM	0.127		
7:01:23 AM	0.101		
7:02:23 AM	0.088		

7:03:23 AM	0.075
7:04:23 AM	0.08
7:05:23 AM	0.078
7:06:23 AM	0.139
7:07:23 AM	0.106
7:08:23 AM	0.631
7:09:23 AM	0.168
7:10:23 AM	0.109
7:11:23 AM	0.091
7:12:23 AM	0.072
7:13:23 AM	0.072
7:14:23 AM	0.074
7:15:23 AM	0.07
7:16:23 AM	0.068
7:17:23 AM	0.07
7:18:23 AM	0.095
7:19:23 AM	0.094
7:20:23 AM	0.09
7:21:23 AM	0.069
7:22:23 AM	0.069
7:23:23 AM	0.093
7:24:23 AM	0.078
7:25:23 AM	0.069
7:26:23 AM	0.067
7:27:23 AM	0.071
7:28:23 AM	0.074
7:29:23 AM	0.067
7:30:23 AM	0.099
7:31:23 AM	0.091
7:32:23 AM	0.061
7:33:23 AM	0.064
7:34:23 AM	0.062
7:35:23 AM	0.065
7:36:23 AM	0.062
7:37:23 AM	0.066
7:38:23 AM	0.066
7:39:23 AM	0.112
7:40:23 AM	0.083
7:41:23 AM	0.071
7:42:23 AM	0.071
7:43:23 AM	0.071
7:44:23 AM	0.069
7:45:23 AM	0.068
7:46:23 AM	0.07

7:47:23 AM	0.071
7:48:23 AM	0.07
7:49:23 AM	0.069
7:50:23 AM	0.069
7:51:23 AM	0.07
7:52:23 AM	0.069
7:53:23 AM	0.068
7:54:23 AM	0.068
7:55:23 AM	0.064
7:56:23 AM	0.064
7:57:23 AM	0.063
7:58:23 AM	0.062
7:59:23 AM	0.063
8:00:23 AM	0.06
8:01:23 AM	0.059
8:02:23 AM	0.061
8:03:23 AM	0.059
8:04:23 AM	0.064
8:05:23 AM	0.061
8:06:23 AM	0.069
8:07:23 AM	0.056
8:08:23 AM	0.056
8:09:23 AM	0.056
8:10:23 AM	0.055
8:11:23 AM	0.054
8:12:23 AM	0.055
8:13:23 AM	0.054
8:14:23 AM	0.056
8:15:23 AM	0.055
8:16:23 AM	0.054
8:17:23 AM	0.053
8:18:23 AM	0.055
8:19:23 AM	0.054
8:20:23 AM	0.055
8:21:23 AM	0.068
8:22:23 AM	0.051
8:23:23 AM	0.05
8:24:23 AM	0.049
8:25:23 AM	0.05
8:26:23 AM	0.049
8:27:23 AM	0.054
8:28:23 AM	0.046
8:29:23 AM	0.045
8:30:23 AM	0.049

8:31:23 AM	0.046
8:32:23 AM	0.048
8:33:23 AM	0.098
8:34:23 AM	0.059
8:35:23 AM	0.046
8:36:23 AM	0.057
8:37:23 AM	0.092
8:38:23 AM	0.064
8:39:23 AM	0.047
8:40:23 AM	0.048
8:41:23 AM	0.052
8:42:23 AM	0.043
8:43:23 AM	0.041
8:44:23 AM	0.042
8:45:23 AM	0.046
8:46:23 AM	0.054
8:47:23 AM	0.043
8:48:23 AM	0.045
8:49:23 AM	0.049
8:50:23 AM	0.067
8:51:23 AM	0.038
8:52:23 AM	0.038
8:53:23 AM	0.064
8:54:23 AM	0.063
8:55:23 AM	0.037
8:56:23 AM	0.039
8:57:23 AM	0.036
8:58:23 AM	0.043
8:59:23 AM	0.044
9:00:23 AM	0.047
9:01:23 AM	0.044
9:02:23 AM	0.042
9:03:23 AM	0.039
9:04:23 AM	0.037
9:05:23 AM	0.044
9:06:23 AM	0.036
9:07:23 AM	0.041
9:08:23 AM	0.036
9:09:23 AM	0.041
9:10:23 AM	0.04
9:11:23 AM	0.039
9:12:23 AM	0.05
9:13:23 AM	0.042
9:14:23 AM	0.039

9:15:23 AM	0.036
9:16:23 AM	0.042
9:17:23 AM	0.043
9:18:23 AM	0.032
9:19:23 AM	0.032
9:20:23 AM	0.038
9:21:23 AM	0.037
9:22:23 AM	0.034
9:23:23 AM	0.034
9:24:23 AM	0.034
9:25:23 AM	0.046
9:26:23 AM	0.06
9:27:23 AM	0.154
9:28:23 AM	0.169
9:29:23 AM	0.068
9:30:23 AM	0.069
9:31:23 AM	0.057
9:32:23 AM	0.035
9:33:23 AM	0.043
9:34:23 AM	0.041
9:35:23 AM	0.036
9:36:23 AM	0.041
9:37:23 AM	0.042
9:38:23 AM	0.045
9:39:23 AM	0.044
9:40:23 AM	0.04
9:41:23 AM	0.038
9:42:23 AM	0.063
9:43:23 AM	0.038
9:44:23 AM	0.036
9:45:23 AM	0.024
9:46:23 AM	0.047
9:47:23 AM	0.075
9:48:23 AM	0.056
9:49:23 AM	0.03
9:50:23 AM	0.035
9:51:23 AM	0.022
9:52:23 AM	0.022
9:53:23 AM	0.028
9:54:23 AM	0.022
9:55:23 AM	0.024
9:56:23 AM	0.13
9:57:23 AM	0.053
9:58:23 AM	0.032

9:59:23 AM	0.031
10:00:23 AM	0.041
10:01:23 AM	0.029
10:02:23 AM	0.033
10:03:23 AM	0.035
10:04:23 AM	0.042
10:05:23 AM	0.088
10:06:23 AM	0.106
10:07:23 AM	0.124
10:08:23 AM	0.03
10:09:23 AM	0.029
10:10:23 AM	0.084
10:11:23 AM	0.723
10:12:23 AM	0.228
10:13:23 AM	0.068
10:14:23 AM	0.025
10:15:23 AM	0.021
10:16:23 AM	0.026
10:17:23 AM	0.018
10:18:23 AM	0.018
10:19:23 AM	0.029
10:20:23 AM	0.014
10:21:23 AM	0.015
10:22:23 AM	0.017
10:23:23 AM	0.019
10:24:23 AM	0.036
10:25:23 AM	0.013
10:26:23 AM	0.011
10:27:23 AM	0.013
10:28:23 AM	0.014
10:29:23 AM	0.014
10:30:23 AM	0.02
10:31:23 AM	0.017
10:32:23 AM	0.016
10:33:23 AM	0.015
10:34:23 AM	0.014
10:35:23 AM	0.017
10:36:23 AM	0.015
10:37:23 AM	0.014
10:38:23 AM	0.014
10:39:23 AM	0.02
10:40:23 AM	0.074
10:41:23 AM	0.048
10:42:23 AM	0.016

10:43:23 AM	0.012
10:44:23 AM	0.011
10:45:23 AM	0.009
10:46:23 AM	0.009
10:47:23 AM	0.009
10:48:23 AM	0.008
10:49:23 AM	0.008
10:50:23 AM	0.007
10:51:23 AM	0.008
10:52:23 AM	0.013
10:53:23 AM	0.023
10:54:23 AM	0.06
10:55:23 AM	0.02
10:56:23 AM	0.013
10:57:23 AM	0.011
10:58:23 AM	0.01
10:59:23 AM	0.009
11:00:23 AM	0.008
11:01:23 AM	0.009
11:02:23 AM	0.009
11:03:23 AM	0.009
11:04:23 AM	0.008
11:05:23 AM	0.008
11:06:23 AM	0.005
11:07:23 AM	0.005
11:08:23 AM	0.005
11:09:23 AM	0.007
11:10:23 AM	0.018
11:11:23 AM	0.014
11:12:23 AM	0.008
11:13:23 AM	0.007
11:14:23 AM	0.005
11:15:23 AM	0.021
11:16:23 AM	0.005
11:17:23 AM	0.003
11:18:23 AM	0.003
11:19:23 AM	0.015
11:20:23 AM	0.009
11:21:23 AM	0.009
11:22:23 AM	0.008
11:23:23 AM	0.003
11:24:23 AM	0.002
11:25:23 AM	0.002
11:26:23 AM	0.002

11:27:23 AM	0.005
11:28:23 AM	0.01
11:29:23 AM	0.008
11:30:23 AM	0.004
11:31:23 AM	0.006
11:32:23 AM	0.008
11:33:23 AM	0.005
11:34:23 AM	0.005
11:35:23 AM	0.002
11:36:23 AM	0.004
11:37:23 AM	0.004
11:38:23 AM	0.003
11:39:23 AM	0.002
11:40:23 AM	0.002
11:41:23 AM	0.002
11:42:23 AM	0.001
11:43:23 AM	0.003
11:44:23 AM	0.008
11:45:23 AM	0
11:46:23 AM	0.003
11:47:23 AM	0.013
11:48:23 AM	0.009
11:49:23 AM	0.009
11:50:23 AM	0
11:51:23 AM	0.016
11:52:23 AM	0.003
11:53:23 AM	0.003
11:54:23 AM	0.001
11:55:23 AM	0
11:56:23 AM	0
11:57:23 AM	0
11:58:23 AM	0
11:59:23 AM	-0.001
12:00:23 PM	0
12:01:23 PM	0
12:02:23 PM	0.007
12:03:23 PM	0.001
12:04:23 PM	0.009
12:05:23 PM	0.001
12:06:23 PM	0
12:07:23 PM	0.002
12:08:23 PM	-0.001
12:09:23 PM	0
12:10:23 PM	-0.002

12:11:23 PM	-0.002
12:12:23 PM	0.005
12:13:23 PM	-0.002
12:14:23 PM	0.002
12:15:23 PM	0
12:16:23 PM	-0.002
12:17:23 PM	0
12:18:23 PM	-0.004
12:19:23 PM	-0.004
12:20:23 PM	0.005
12:21:23 PM	0.007
12:22:23 PM	0.002
12:23:23 PM	-0.002
12:24:23 PM	-0.003
12:25:23 PM	-0.005
12:26:23 PM	-0.003
12:27:23 PM	-0.003
12:28:23 PM	-0.006
12:29:23 PM	-0.004
12:30:23 PM	0.004
12:31:23 PM	0.001
12:32:23 PM	0.002
12:33:23 PM	0
12:34:23 PM	-0.004
12:35:23 PM	-0.004
12:36:23 PM	-0.001
12:37:23 PM	0.006
12:38:23 PM	-0.005
12:39:23 PM	-0.006
12:40:23 PM	-0.008
12:41:23 PM	-0.006
12:42:23 PM	-0.005
12:43:23 PM	-0.004
12:44:23 PM	-0.008
12:45:23 PM	0.004
12:46:23 PM	0.004
12:47:23 PM	0.005
12:48:23 PM	0.01
12:49:23 PM	-0.002
12:50:23 PM	-0.007
12:51:23 PM	0
12:52:23 PM	0.004
12:53:23 PM	0.017
12:54:23 PM	0.105

12:55:23 PM	0.003
12:56:23 PM	0.003
12:57:23 PM	0.048
12:58:23 PM	0
12:59:23 PM	-0.003
1:00:23 PM	-0.001
1:01:23 PM	0.004
1:02:23 PM	-0.003
1:03:23 PM	0
1:04:23 PM	-0.001
1:05:23 PM	0
1:06:23 PM	-0.001
1:07:23 PM	-0.002
1:08:23 PM	-0.004
1:09:23 PM	-0.003
1:10:23 PM	-0.002
1:11:23 PM	-0.003
1:12:23 PM	0
1:13:23 PM	-0.002
1:14:23 PM	0
1:15:23 PM	0.028
1:16:23 PM	-0.002
1:17:23 PM	-0.002
1:18:23 PM	-0.003
1:19:23 PM	-0.003
1:20:23 PM	-0.001
1:21:23 PM	-0.002
1:22:23 PM	0.008
1:23:23 PM	-0.001
1:24:23 PM	0.004
1:25:23 PM	0
1:26:23 PM	0
1:27:23 PM	0
1:28:23 PM	-0.002
1:29:23 PM	-0.003
1:30:23 PM	-0.003
1:31:23 PM	0.034
1:32:23 PM	-0.003
1:33:23 PM	-0.002
1:34:23 PM	-0.004
1:35:23 PM	-0.003
1:36:23 PM	0.001
1:37:23 PM	0.007
1:38:23 PM	0.01

1:39:23 PM	0
1:40:23 PM	0.006
1:41:23 PM	0.038
1:42:23 PM	0
1:43:23 PM	-0.001
1:44:23 PM	-0.001
1:45:23 PM	0.012
1:46:23 PM	0.042
1:47:23 PM	0.025
1:48:23 PM	0.001
1:49:23 PM	0.012
1:50:23 PM	0.002
1:51:23 PM	0
1:52:23 PM	0.023
1:53:23 PM	0.019
1:54:23 PM	0.013
1:55:23 PM	0.095
1:56:23 PM	0.133
1:57:23 PM	0.01
1:58:23 PM	0.004
1:59:23 PM	0.012
2:00:23 PM	0.002
2:01:23 PM	0.024
2:02:23 PM	0
2:03:23 PM	0.067
2:04:23 PM	0.068
2:05:23 PM	0.009
2:06:23 PM	0.015
2:07:23 PM	0
2:08:23 PM	0.001
2:09:23 PM	-0.003
2:10:23 PM	0.005
2:11:23 PM	0.007
2:12:23 PM	-0.002
2:13:23 PM	0.014
2:14:23 PM	0.005
2:15:23 PM	0.002
2:16:23 PM	-0.002
2:17:23 PM	0.004
2:18:23 PM	0.003
2:19:23 PM	0.008
2:20:23 PM	0.004
2:21:23 PM	0.003
2:22:23 PM	0.018

2:23:23 PM	0.002
2:24:23 PM	0.086
2:25:23 PM	0.01
2:26:23 PM	0.026
2:27:23 PM	0.023
2:28:23 PM	0.007
2:29:23 PM	0.009
2:30:23 PM	0.022
2:31:23 PM	0.027
2:32:23 PM	0.014
2:33:23 PM	0.005
2:34:23 PM	0.022
2:35:23 PM	0.091
2:36:23 PM	0.02
2:37:23 PM	0.004
2:38:23 PM	0.004
2:39:23 PM	-0.003
2:40:23 PM	0
2:41:23 PM	0.009
2:42:23 PM	0.028
2:43:23 PM	-0.006
2:44:23 PM	0.122
2:45:23 PM	0.004
2:46:23 PM	-0.003
2:47:23 PM	-0.007
2:48:23 PM	-0.006
2:49:23 PM	0
2:50:23 PM	-0.006
2:51:23 PM	-0.001
2:52:23 PM	0.055
2:53:23 PM	-0.007
2:54:23 PM	-0.005
2:55:23 PM	0
2:56:23 PM	-0.005
2:57:23 PM	0.018
2:58:23 PM	0.018
2:59:23 PM	-0.002
3:00:23 PM	-0.005
3:01:23 PM	0
3:02:23 PM	0.009
3:03:23 PM	-0.002
3:04:23 PM	0.042
3:05:23 PM	0
3:06:23 PM	0.111

3:07:23 PM	0.008
3:08:23 PM	-0.005
3:09:23 PM	-0.007
3:10:23 PM	-0.005
3:11:23 PM	0.016
3:12:23 PM	0.009
3:13:23 PM	-0.007
3:14:23 PM	0.019
3:15:23 PM	0
3:16:23 PM	0.044
3:17:23 PM	-0.002
3:18:23 PM	0.014
3:19:23 PM	0.005
3:20:23 PM	0.055
3:21:23 PM	0.154
3:22:23 PM	-0.003
3:23:23 PM	0.005
3:24:23 PM	0.019
3:25:23 PM	-0.005
3:26:23 PM	-0.007
3:27:23 PM	0.039
3:28:23 PM	-0.008
3:29:23 PM	-0.008
3:30:23 PM	-0.007
3:31:23 PM	0.044
3:32:23 PM	0.026
3:33:23 PM	0.065
3:34:23 PM	-0.004
3:35:23 PM	0.017
3:36:23 PM	-0.004
3:37:23 PM	-0.007
3:38:23 PM	-0.008
3:39:23 PM	-0.01
3:40:23 PM	-0.009
3:41:23 PM	-0.007
3:42:23 PM	-0.002
3:43:23 PM	-0.003
3:44:23 PM	-0.002

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	6/13/2024 15:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:50	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:49	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:48	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:47	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:46	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:45	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:44	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 15:27	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	6/13/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:28 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/13/2024 7:22 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:21 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:20 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 7:13 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/13/2024 7:12 Readings	PID	SC23030449A8	Normal	0.1

592-600853	6/13/2024 7:11 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/13/2024 7:10 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/13/2024 7:09 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/13/2024 7:08 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 7:07 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/13/2024 7:06 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/13/2024 7:05 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/13/2024 7:04 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 7:03 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/13/2024 7:02 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 7:01 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 7:00 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/13/2024 6:59 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/13/2024 6:58 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 6:57 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/13/2024 6:56 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/13/2024 6:55 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 6:54 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/13/2024 6:53 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/13/2024 6:52 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/13/2024 6:51 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/13/2024 6:50 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/13/2024 6:49 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/13/2024 6:48 CONFIG	PID	SC23030449A8		
592-600853	6/13/2024 6:47 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 6:46 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 6:45 Readings	PID	SC23030449A8	Normal	0
592-600853	6/13/2024 6:44 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_004
Test Start Time	6:49:16 AM
Test Start Date	6/13/2024
Test Length [D:H:M]	0:08:59
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.047
Mass Minimum [mg/m3]	0.018
Mass Maximum [mg/m3]	0.391
Mass TWA [mg/m3]	0.05
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	539

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:49:16 AM	0.081		
6:50:16 AM	0.042		
6:51:16 AM	0.041		
6:52:16 AM	0.041		
6:53:16 AM	0.04		
6:54:16 AM	0.04		
6:55:16 AM	0.04		
6:56:16 AM	0.039		
6:57:16 AM	0.039		
6:58:16 AM	0.04		
6:59:16 AM	0.039		
7:00:16 AM	0.08		
7:01:16 AM	0.066		
7:02:16 AM	0.092		
7:03:16 AM	0.093		
7:04:16 AM	0.054		
7:05:16 AM	0.041		
7:06:16 AM	0.042		
7:07:16 AM	0.042		
7:08:16 AM	0.042		
7:09:16 AM	0.043		
7:10:16 AM	0.042		
7:11:16 AM	0.041		
7:12:16 AM	0.041		

7:13:16 AM	0.041
7:14:16 AM	0.042
7:15:16 AM	0.042
7:16:16 AM	0.042
7:17:16 AM	0.042
7:18:16 AM	0.042
7:19:16 AM	0.042
7:20:16 AM	0.043
7:21:16 AM	0.044
7:22:16 AM	0.045
7:23:16 AM	0.043
7:24:16 AM	0.044
7:25:16 AM	0.044
7:26:16 AM	0.044
7:27:16 AM	0.044
7:28:16 AM	0.042
7:29:16 AM	0.042
7:30:16 AM	0.043
7:31:16 AM	0.042
7:32:16 AM	0.041
7:33:16 AM	0.042
7:34:16 AM	0.045
7:35:16 AM	0.046
7:36:16 AM	0.05
7:37:16 AM	0.045
7:38:16 AM	0.044
7:39:16 AM	0.044
7:40:16 AM	0.045
7:41:16 AM	0.046
7:42:16 AM	0.049
7:43:16 AM	0.047
7:44:16 AM	0.047
7:45:16 AM	0.054
7:46:16 AM	0.07
7:47:16 AM	0.076
7:48:16 AM	0.074
7:49:16 AM	0.053
7:50:16 AM	0.054
7:51:16 AM	0.08
7:52:16 AM	0.076
7:53:16 AM	0.061
7:54:16 AM	0.05
7:55:16 AM	0.07
7:56:16 AM	0.053

7:57:16 AM	0.057
7:58:16 AM	0.048
7:59:16 AM	0.047
8:00:16 AM	0.045
8:01:16 AM	0.046
8:02:16 AM	0.051
8:03:16 AM	0.055
8:04:16 AM	0.05
8:05:16 AM	0.066
8:06:16 AM	0.059
8:07:16 AM	0.076
8:08:16 AM	0.073
8:09:16 AM	0.062
8:10:16 AM	0.058
8:11:16 AM	0.084
8:12:16 AM	0.08
8:13:16 AM	0.058
8:14:16 AM	0.114
8:15:16 AM	0.091
8:16:16 AM	0.08
8:17:16 AM	0.082
8:18:16 AM	0.391
8:19:16 AM	0.254
8:20:16 AM	0.182
8:21:16 AM	0.16
8:22:16 AM	0.112
8:23:16 AM	0.098
8:24:16 AM	0.08
8:25:16 AM	0.068
8:26:16 AM	0.054
8:27:16 AM	0.049
8:28:16 AM	0.071
8:29:16 AM	0.081
8:30:16 AM	0.079
8:31:16 AM	0.143
8:32:16 AM	0.179
8:33:16 AM	0.097
8:34:16 AM	0.102
8:35:16 AM	0.115
8:36:16 AM	0.066
8:37:16 AM	0.058
8:38:16 AM	0.058
8:39:16 AM	0.095
8:40:16 AM	0.089

8:41:16 AM	0.107
8:42:16 AM	0.104
8:43:16 AM	0.043
8:44:16 AM	0.09
8:45:16 AM	0.08
8:46:16 AM	0.082
8:47:16 AM	0.093
8:48:16 AM	0.102
8:49:16 AM	0.145
8:50:16 AM	0.168
8:51:16 AM	0.173
8:52:16 AM	0.131
8:53:16 AM	0.057
8:54:16 AM	0.058
8:55:16 AM	0.117
8:56:16 AM	0.077
8:57:16 AM	0.044
8:58:16 AM	0.073
8:59:16 AM	0.094
9:00:16 AM	0.117
9:01:16 AM	0.061
9:02:16 AM	0.047
9:03:16 AM	0.062
9:04:16 AM	0.115
9:05:16 AM	0.056
9:06:16 AM	0.089
9:07:16 AM	0.057
9:08:16 AM	0.204
9:09:16 AM	0.078
9:10:16 AM	0.105
9:11:16 AM	0.109
9:12:16 AM	0.076
9:13:16 AM	0.042
9:14:16 AM	0.05
9:15:16 AM	0.095
9:16:16 AM	0.112
9:17:16 AM	0.096
9:18:16 AM	0.066
9:19:16 AM	0.05
9:20:16 AM	0.038
9:21:16 AM	0.046
9:22:16 AM	0.054
9:23:16 AM	0.073
9:24:16 AM	0.087

9:25:16 AM	0.072
9:26:16 AM	0.152
9:27:16 AM	0.138
9:28:16 AM	0.058
9:29:16 AM	0.055
9:30:16 AM	0.081
9:31:16 AM	0.096
9:32:16 AM	0.079
9:33:16 AM	0.064
9:34:16 AM	0.172
9:35:16 AM	0.059
9:36:16 AM	0.056
9:37:16 AM	0.101
9:38:16 AM	0.074
9:39:16 AM	0.063
9:40:16 AM	0.105
9:41:16 AM	0.072
9:42:16 AM	0.063
9:43:16 AM	0.051
9:44:16 AM	0.04
9:45:16 AM	0.04
9:46:16 AM	0.036
9:47:16 AM	0.043
9:48:16 AM	0.066
9:49:16 AM	0.043
9:50:16 AM	0.038
9:51:16 AM	0.064
9:52:16 AM	0.1
9:53:16 AM	0.085
9:54:16 AM	0.121
9:55:16 AM	0.181
9:56:16 AM	0.139
9:57:16 AM	0.055
9:58:16 AM	0.041
9:59:16 AM	0.042
10:00:16 AM	0.039
10:01:16 AM	0.041
10:02:16 AM	0.044
10:03:16 AM	0.038
10:04:16 AM	0.036
10:05:16 AM	0.06
10:06:16 AM	0.045
10:07:16 AM	0.036
10:08:16 AM	0.035

10:09:16 AM	0.038
10:10:16 AM	0.04
10:11:16 AM	0.04
10:12:16 AM	0.038
10:13:16 AM	0.039
10:14:16 AM	0.039
10:15:16 AM	0.04
10:16:16 AM	0.038
10:17:16 AM	0.038
10:18:16 AM	0.036
10:19:16 AM	0.038
10:20:16 AM	0.046
10:21:16 AM	0.041
10:22:16 AM	0.042
10:23:16 AM	0.039
10:24:16 AM	0.033
10:25:16 AM	0.036
10:26:16 AM	0.034
10:27:16 AM	0.034
10:28:16 AM	0.034
10:29:16 AM	0.062
10:30:16 AM	0.13
10:31:16 AM	0.113
10:32:16 AM	0.053
10:33:16 AM	0.036
10:34:16 AM	0.037
10:35:16 AM	0.044
10:36:16 AM	0.053
10:37:16 AM	0.044
10:38:16 AM	0.036
10:39:16 AM	0.034
10:40:16 AM	0.034
10:41:16 AM	0.034
10:42:16 AM	0.036
10:43:16 AM	0.045
10:44:16 AM	0.04
10:45:16 AM	0.034
10:46:16 AM	0.039
10:47:16 AM	0.036
10:48:16 AM	0.035
10:49:16 AM	0.034
10:50:16 AM	0.036
10:51:16 AM	0.033
10:52:16 AM	0.036

10:53:16 AM	0.036
10:54:16 AM	0.036
10:55:16 AM	0.04
10:56:16 AM	0.033
10:57:16 AM	0.034
10:58:16 AM	0.032
10:59:16 AM	0.036
11:00:16 AM	0.032
11:01:16 AM	0.032
11:02:16 AM	0.034
11:03:16 AM	0.04
11:04:16 AM	0.032
11:05:16 AM	0.047
11:06:16 AM	0.035
11:07:16 AM	0.033
11:08:16 AM	0.034
11:09:16 AM	0.036
11:10:16 AM	0.036
11:11:16 AM	0.033
11:12:16 AM	0.04
11:13:16 AM	0.039
11:14:16 AM	0.037
11:15:16 AM	0.034
11:16:16 AM	0.036
11:17:16 AM	0.039
11:18:16 AM	0.039
11:19:16 AM	0.037
11:20:16 AM	0.04
11:21:16 AM	0.042
11:22:16 AM	0.038
11:23:16 AM	0.039
11:24:16 AM	0.042
11:25:16 AM	0.037
11:26:16 AM	0.039
11:27:16 AM	0.032
11:28:16 AM	0.049
11:29:16 AM	0.046
11:30:16 AM	0.037
11:31:16 AM	0.036
11:32:16 AM	0.033
11:33:16 AM	0.031
11:34:16 AM	0.038
11:35:16 AM	0.033
11:36:16 AM	0.033

11:37:16 AM	0.034
11:38:16 AM	0.036
11:39:16 AM	0.035
11:40:16 AM	0.028
11:41:16 AM	0.036
11:42:16 AM	0.047
11:43:16 AM	0.053
11:44:16 AM	0.051
11:45:16 AM	0.045
11:46:16 AM	0.033
11:47:16 AM	0.032
11:48:16 AM	0.03
11:49:16 AM	0.03
11:50:16 AM	0.031
11:51:16 AM	0.032
11:52:16 AM	0.034
11:53:16 AM	0.033
11:54:16 AM	0.04
11:55:16 AM	0.039
11:56:16 AM	0.034
11:57:16 AM	0.037
11:58:16 AM	0.044
11:59:16 AM	0.036
12:00:16 PM	0.037
12:01:16 PM	0.04
12:02:16 PM	0.035
12:03:16 PM	0.037
12:04:16 PM	0.032
12:05:16 PM	0.031
12:06:16 PM	0.032
12:07:16 PM	0.033
12:08:16 PM	0.034
12:09:16 PM	0.03
12:10:16 PM	0.029
12:11:16 PM	0.031
12:12:16 PM	0.032
12:13:16 PM	0.029
12:14:16 PM	0.03
12:15:16 PM	0.03
12:16:16 PM	0.028
12:17:16 PM	0.027
12:18:16 PM	0.03
12:19:16 PM	0.029
12:20:16 PM	0.032

12:21:16 PM	0.03
12:22:16 PM	0.028
12:23:16 PM	0.029
12:24:16 PM	0.031
12:25:16 PM	0.033
12:26:16 PM	0.037
12:27:16 PM	0.108
12:28:16 PM	0.035
12:29:16 PM	0.03
12:30:16 PM	0.027
12:31:16 PM	0.029
12:32:16 PM	0.03
12:33:16 PM	0.03
12:34:16 PM	0.027
12:35:16 PM	0.026
12:36:16 PM	0.023
12:37:16 PM	0.025
12:38:16 PM	0.025
12:39:16 PM	0.024
12:40:16 PM	0.024
12:41:16 PM	0.022
12:42:16 PM	0.023
12:43:16 PM	0.028
12:44:16 PM	0.024
12:45:16 PM	0.023
12:46:16 PM	0.026
12:47:16 PM	0.025
12:48:16 PM	0.026
12:49:16 PM	0.028
12:50:16 PM	0.028
12:51:16 PM	0.028
12:52:16 PM	0.04
12:53:16 PM	0.03
12:54:16 PM	0.027
12:55:16 PM	0.026
12:56:16 PM	0.025
12:57:16 PM	0.032
12:58:16 PM	0.03
12:59:16 PM	0.033
1:00:16 PM	0.029
1:01:16 PM	0.029
1:02:16 PM	0.033
1:03:16 PM	0.029
1:04:16 PM	0.027

1:05:16 PM	0.035
1:06:16 PM	0.031
1:07:16 PM	0.03
1:08:16 PM	0.031
1:09:16 PM	0.035
1:10:16 PM	0.028
1:11:16 PM	0.03
1:12:16 PM	0.038
1:13:16 PM	0.03
1:14:16 PM	0.029
1:15:16 PM	0.034
1:16:16 PM	0.03
1:17:16 PM	0.028
1:18:16 PM	0.029
1:19:16 PM	0.027
1:20:16 PM	0.03
1:21:16 PM	0.034
1:22:16 PM	0.038
1:23:16 PM	0.031
1:24:16 PM	0.028
1:25:16 PM	0.028
1:26:16 PM	0.031
1:27:16 PM	0.03
1:28:16 PM	0.029
1:29:16 PM	0.028
1:30:16 PM	0.027
1:31:16 PM	0.026
1:32:16 PM	0.027
1:33:16 PM	0.027
1:34:16 PM	0.024
1:35:16 PM	0.026
1:36:16 PM	0.028
1:37:16 PM	0.026
1:38:16 PM	0.027
1:39:16 PM	0.031
1:40:16 PM	0.029
1:41:16 PM	0.029
1:42:16 PM	0.03
1:43:16 PM	0.029
1:44:16 PM	0.028
1:45:16 PM	0.027
1:46:16 PM	0.028
1:47:16 PM	0.032
1:48:16 PM	0.029

1:49:16 PM	0.028
1:50:16 PM	0.029
1:51:16 PM	0.03
1:52:16 PM	0.03
1:53:16 PM	0.028
1:54:16 PM	0.028
1:55:16 PM	0.037
1:56:16 PM	0.034
1:57:16 PM	0.037
1:58:16 PM	0.032
1:59:16 PM	0.028
2:00:16 PM	0.026
2:01:16 PM	0.028
2:02:16 PM	0.029
2:03:16 PM	0.033
2:04:16 PM	0.035
2:05:16 PM	0.03
2:06:16 PM	0.027
2:07:16 PM	0.031
2:08:16 PM	0.027
2:09:16 PM	0.027
2:10:16 PM	0.029
2:11:16 PM	0.027
2:12:16 PM	0.029
2:13:16 PM	0.038
2:14:16 PM	0.032
2:15:16 PM	0.027
2:16:16 PM	0.028
2:17:16 PM	0.028
2:18:16 PM	0.028
2:19:16 PM	0.027
2:20:16 PM	0.03
2:21:16 PM	0.025
2:22:16 PM	0.025
2:23:16 PM	0.024
2:24:16 PM	0.024
2:25:16 PM	0.027
2:26:16 PM	0.027
2:27:16 PM	0.026
2:28:16 PM	0.027
2:29:16 PM	0.035
2:30:16 PM	0.029
2:31:16 PM	0.026
2:32:16 PM	0.029

2:33:16 PM	0.029
2:34:16 PM	0.026
2:35:16 PM	0.042
2:36:16 PM	0.03
2:37:16 PM	0.025
2:38:16 PM	0.032
2:39:16 PM	0.027
2:40:16 PM	0.077
2:41:16 PM	0.025
2:42:16 PM	0.032
2:43:16 PM	0.073
2:44:16 PM	0.022
2:45:16 PM	0.021
2:46:16 PM	0.025
2:47:16 PM	0.031
2:48:16 PM	0.039
2:49:16 PM	0.038
2:50:16 PM	0.032
2:51:16 PM	0.025
2:52:16 PM	0.03
2:53:16 PM	0.021
2:54:16 PM	0.023
2:55:16 PM	0.054
2:56:16 PM	0.029
2:57:16 PM	0.024
2:58:16 PM	0.024
2:59:16 PM	0.024
3:00:16 PM	0.023
3:01:16 PM	0.026
3:02:16 PM	0.031
3:03:16 PM	0.033
3:04:16 PM	0.028
3:05:16 PM	0.024
3:06:16 PM	0.024
3:07:16 PM	0.04
3:08:16 PM	0.032
3:09:16 PM	0.026
3:10:16 PM	0.023
3:11:16 PM	0.023
3:12:16 PM	0.027
3:13:16 PM	0.025
3:14:16 PM	0.022
3:15:16 PM	0.025
3:16:16 PM	0.024

3:17:16 PM	0.033
3:18:16 PM	0.024
3:19:16 PM	0.029
3:20:16 PM	0.023
3:21:16 PM	0.021
3:22:16 PM	0.021
3:23:16 PM	0.065
3:24:16 PM	0.035
3:25:16 PM	0.023
3:26:16 PM	0.023
3:27:16 PM	0.025
3:28:16 PM	0.027
3:29:16 PM	0.033
3:30:16 PM	0.027
3:31:16 PM	0.052
3:32:16 PM	0.03
3:33:16 PM	0.021
3:34:16 PM	0.033
3:35:16 PM	0.022
3:36:16 PM	0.022
3:37:16 PM	0.023
3:38:16 PM	0.023
3:39:16 PM	0.023
3:40:16 PM	0.023
3:41:16 PM	0.025
3:42:16 PM	0.018
3:43:16 PM	0.021
3:44:16 PM	0.018
3:45:16 PM	0.018
3:46:16 PM	0.02
3:47:16 PM	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/13/2024 15:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:16	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:14	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:13	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:12	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:11	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:03	Readings	PID	SC23030124AA	Normal	0.1
592-908641	6/13/2024 15:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 15:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:55	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:54	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:53	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:52	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:51	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:50	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:49	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:48	Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 14:47	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	6/13/2024 10:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:21 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:20 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:19 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:50 Readings	PID	SC23030124AA	Normal	0

592-908641	6/13/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:36 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:35 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:34 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:23 Readings	PID	SC23030124AA	Normal	1.9
592-908641	6/13/2024 9:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:21 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:20 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:19 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 9:17 Readings	PID	SC23030124AA	Normal	0

[illegible]

592-908641	6/13/2024 8:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:36 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:35 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:34 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:21 Readings	PID	SC23030124AA	Normal	0.2
592-908641	6/13/2024 8:20 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:19 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:16 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 8:11 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	6/13/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:21 Readings	PID	SC23030124AA	Normal	0
592-908641	6/13/2024 6:20 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_003
Test Start Time	6:44:33 AM
Test Start Date	6/13/2024
Test Length [D:H:M]	0:09:03
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.04
Mass Minimum [mg/m3]	0.02
Mass Maximum [mg/m3]	0.258
Mass TWA [mg/m3]	0.042
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	543

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:44:33 AM	0.258		
6:45:33 AM	0.044		
6:46:33 AM	0.041		
6:47:33 AM	0.042		
6:48:33 AM	0.042		
6:49:33 AM	0.041		
6:50:33 AM	0.045		
6:51:33 AM	0.043		
6:52:33 AM	0.042		
6:53:33 AM	0.041		
6:54:33 AM	0.039		
6:55:33 AM	0.04		
6:56:33 AM	0.039		
6:57:33 AM	0.04		
6:58:33 AM	0.04		
6:59:33 AM	0.044		
7:00:33 AM	0.042		
7:01:33 AM	0.041		
7:02:33 AM	0.04		
7:03:33 AM	0.042		
7:04:33 AM	0.042		
7:05:33 AM	0.042		
7:06:33 AM	0.042		
7:07:33 AM	0.044		

7:08:33 AM	0.048
7:09:33 AM	0.048
7:10:33 AM	0.048
7:11:33 AM	0.041
7:12:33 AM	0.042
7:13:33 AM	0.044
7:14:33 AM	0.05
7:15:33 AM	0.048
7:16:33 AM	0.048
7:17:33 AM	0.048
7:18:33 AM	0.043
7:19:33 AM	0.123
7:20:33 AM	0.049
7:21:33 AM	0.048
7:22:33 AM	0.047
7:23:33 AM	0.044
7:24:33 AM	0.044
7:25:33 AM	0.044
7:26:33 AM	0.043
7:27:33 AM	0.043
7:28:33 AM	0.044
7:29:33 AM	0.044
7:30:33 AM	0.049
7:31:33 AM	0.046
7:32:33 AM	0.042
7:33:33 AM	0.041
7:34:33 AM	0.045
7:35:33 AM	0.042
7:36:33 AM	0.04
7:37:33 AM	0.045
7:38:33 AM	0.05
7:39:33 AM	0.047
7:40:33 AM	0.048
7:41:33 AM	0.05
7:42:33 AM	0.045
7:43:33 AM	0.045
7:44:33 AM	0.05
7:45:33 AM	0.05
7:46:33 AM	0.049
7:47:33 AM	0.05
7:48:33 AM	0.055
7:49:33 AM	0.056
7:50:33 AM	0.052
7:51:33 AM	0.053

7:52:33 AM	0.051
7:53:33 AM	0.053
7:54:33 AM	0.05
7:55:33 AM	0.05
7:56:33 AM	0.046
7:57:33 AM	0.046
7:58:33 AM	0.047
7:59:33 AM	0.046
8:00:33 AM	0.052
8:01:33 AM	0.05
8:02:33 AM	0.052
8:03:33 AM	0.049
8:04:33 AM	0.046
8:05:33 AM	0.048
8:06:33 AM	0.055
8:07:33 AM	0.047
8:08:33 AM	0.054
8:09:33 AM	0.053
8:10:33 AM	0.054
8:11:33 AM	0.053
8:12:33 AM	0.05
8:13:33 AM	0.047
8:14:33 AM	0.053
8:15:33 AM	0.05
8:16:33 AM	0.047
8:17:33 AM	0.045
8:18:33 AM	0.046
8:19:33 AM	0.047
8:20:33 AM	0.048
8:21:33 AM	0.045
8:22:33 AM	0.046
8:23:33 AM	0.044
8:24:33 AM	0.05
8:25:33 AM	0.048
8:26:33 AM	0.043
8:27:33 AM	0.04
8:28:33 AM	0.045
8:29:33 AM	0.05
8:30:33 AM	0.049
8:31:33 AM	0.047
8:32:33 AM	0.046
8:33:33 AM	0.045
8:34:33 AM	0.047
8:35:33 AM	0.046

8:36:33 AM	0.043
8:37:33 AM	0.042
8:38:33 AM	0.042
8:39:33 AM	0.045
8:40:33 AM	0.042
8:41:33 AM	0.043
8:42:33 AM	0.044
8:43:33 AM	0.049
8:44:33 AM	0.044
8:45:33 AM	0.044
8:46:33 AM	0.046
8:47:33 AM	0.043
8:48:33 AM	0.045
8:49:33 AM	0.046
8:50:33 AM	0.043
8:51:33 AM	0.043
8:52:33 AM	0.045
8:53:33 AM	0.04
8:54:33 AM	0.039
8:55:33 AM	0.04
8:56:33 AM	0.038
8:57:33 AM	0.039
8:58:33 AM	0.039
8:59:33 AM	0.041
9:00:33 AM	0.041
9:01:33 AM	0.041
9:02:33 AM	0.043
9:03:33 AM	0.043
9:04:33 AM	0.042
9:05:33 AM	0.042
9:06:33 AM	0.042
9:07:33 AM	0.039
9:08:33 AM	0.042
9:09:33 AM	0.043
9:10:33 AM	0.042
9:11:33 AM	0.043
9:12:33 AM	0.042
9:13:33 AM	0.045
9:14:33 AM	0.041
9:15:33 AM	0.042
9:16:33 AM	0.04
9:17:33 AM	0.042
9:18:33 AM	0.042
9:19:33 AM	0.04

9:20:33 AM	0.039
9:21:33 AM	0.037
9:22:33 AM	0.038
9:23:33 AM	0.045
9:24:33 AM	0.042
9:25:33 AM	0.043
9:26:33 AM	0.039
9:27:33 AM	0.039
9:28:33 AM	0.036
9:29:33 AM	0.042
9:30:33 AM	0.037
9:31:33 AM	0.039
9:32:33 AM	0.04
9:33:33 AM	0.042
9:34:33 AM	0.039
9:35:33 AM	0.039
9:36:33 AM	0.036
9:37:33 AM	0.036
9:38:33 AM	0.039
9:39:33 AM	0.038
9:40:33 AM	0.037
9:41:33 AM	0.037
9:42:33 AM	0.038
9:43:33 AM	0.039
9:44:33 AM	0.039
9:45:33 AM	0.043
9:46:33 AM	0.045
9:47:33 AM	0.043
9:48:33 AM	0.04
9:49:33 AM	0.037
9:50:33 AM	0.035
9:51:33 AM	0.035
9:52:33 AM	0.037
9:53:33 AM	0.042
9:54:33 AM	0.039
9:55:33 AM	0.042
9:56:33 AM	0.044
9:57:33 AM	0.044
9:58:33 AM	0.046
9:59:33 AM	0.044
10:00:33 AM	0.042
10:01:33 AM	0.05
10:02:33 AM	0.054
10:03:33 AM	0.05

10:04:33 AM	0.048
10:05:33 AM	0.046
10:06:33 AM	0.053
10:07:33 AM	0.044
10:08:33 AM	0.044
10:09:33 AM	0.045
10:10:33 AM	0.042
10:11:33 AM	0.044
10:12:33 AM	0.041
10:13:33 AM	0.038
10:14:33 AM	0.037
10:15:33 AM	0.036
10:16:33 AM	0.037
10:17:33 AM	0.036
10:18:33 AM	0.034
10:19:33 AM	0.035
10:20:33 AM	0.04
10:21:33 AM	0.044
10:22:33 AM	0.042
10:23:33 AM	0.036
10:24:33 AM	0.037
10:25:33 AM	0.034
10:26:33 AM	0.034
10:27:33 AM	0.034
10:28:33 AM	0.035
10:29:33 AM	0.036
10:30:33 AM	0.035
10:31:33 AM	0.036
10:32:33 AM	0.038
10:33:33 AM	0.036
10:34:33 AM	0.036
10:35:33 AM	0.033
10:36:33 AM	0.036
10:37:33 AM	0.033
10:38:33 AM	0.033
10:39:33 AM	0.032
10:40:33 AM	0.032
10:41:33 AM	0.034
10:42:33 AM	0.037
10:43:33 AM	0.035
10:44:33 AM	0.039
10:45:33 AM	0.034
10:46:33 AM	0.036
10:47:33 AM	0.034

10:48:33 AM	0.035
10:49:33 AM	0.033
10:50:33 AM	0.033
10:51:33 AM	0.033
10:52:33 AM	0.032
10:53:33 AM	0.031
10:54:33 AM	0.033
10:55:33 AM	0.032
10:56:33 AM	0.032
10:57:33 AM	0.034
10:58:33 AM	0.035
10:59:33 AM	0.034
11:00:33 AM	0.04
11:01:33 AM	0.034
11:02:33 AM	0.035
11:03:33 AM	0.035
11:04:33 AM	0.036
11:05:33 AM	0.036
11:06:33 AM	0.037
11:07:33 AM	0.035
11:08:33 AM	0.033
11:09:33 AM	0.052
11:10:33 AM	0.065
11:11:33 AM	0.037
11:12:33 AM	0.047
11:13:33 AM	0.052
11:14:33 AM	0.042
11:15:33 AM	0.045
11:16:33 AM	0.053
11:17:33 AM	0.046
11:18:33 AM	0.066
11:19:33 AM	0.061
11:20:33 AM	0.054
11:21:33 AM	0.054
11:22:33 AM	0.037
11:23:33 AM	0.038
11:24:33 AM	0.036
11:25:33 AM	0.034
11:26:33 AM	0.03
11:27:33 AM	0.033
11:28:33 AM	0.033
11:29:33 AM	0.033
11:30:33 AM	0.031
11:31:33 AM	0.032

11:32:33 AM	0.029
11:33:33 AM	0.029
11:34:33 AM	0.031
11:35:33 AM	0.035
11:36:33 AM	0.167
11:37:33 AM	0.035
11:38:33 AM	0.041
11:39:33 AM	0.041
11:40:33 AM	0.069
11:41:33 AM	0.072
11:42:33 AM	0.07
11:43:33 AM	0.048
11:44:33 AM	0.116
11:45:33 AM	0.064
11:46:33 AM	0.038
11:47:33 AM	0.039
11:48:33 AM	0.041
11:49:33 AM	0.04
11:50:33 AM	0.035
11:51:33 AM	0.04
11:52:33 AM	0.039
11:53:33 AM	0.041
11:54:33 AM	0.045
11:55:33 AM	0.04
11:56:33 AM	0.034
11:57:33 AM	0.062
11:58:33 AM	0.058
11:59:33 AM	0.043
12:00:33 PM	0.043
12:01:33 PM	0.034
12:02:33 PM	0.035
12:03:33 PM	0.033
12:04:33 PM	0.033
12:05:33 PM	0.032
12:06:33 PM	0.038
12:07:33 PM	0.033
12:08:33 PM	0.035
12:09:33 PM	0.044
12:10:33 PM	0.041
12:11:33 PM	0.036
12:12:33 PM	0.033
12:13:33 PM	0.03
12:14:33 PM	0.033
12:15:33 PM	0.032

12:16:33 PM	0.036
12:17:33 PM	0.031
12:18:33 PM	0.033
12:19:33 PM	0.042
12:20:33 PM	0.086
12:21:33 PM	0.056
12:22:33 PM	0.067
12:23:33 PM	0.081
12:24:33 PM	0.12
12:25:33 PM	0.049
12:26:33 PM	0.047
12:27:33 PM	0.072
12:28:33 PM	0.092
12:29:33 PM	0.064
12:30:33 PM	0.056
12:31:33 PM	0.034
12:32:33 PM	0.033
12:33:33 PM	0.041
12:34:33 PM	0.043
12:35:33 PM	0.038
12:36:33 PM	0.03
12:37:33 PM	0.024
12:38:33 PM	0.03
12:39:33 PM	0.027
12:40:33 PM	0.037
12:41:33 PM	0.025
12:42:33 PM	0.023
12:43:33 PM	0.023
12:44:33 PM	0.032
12:45:33 PM	0.058
12:46:33 PM	0.046
12:47:33 PM	0.03
12:48:33 PM	0.027
12:49:33 PM	0.033
12:50:33 PM	0.026
12:51:33 PM	0.024
12:52:33 PM	0.029
12:53:33 PM	0.027
12:54:33 PM	0.031
12:55:33 PM	0.028
12:56:33 PM	0.025
12:57:33 PM	0.027
12:58:33 PM	0.027
12:59:33 PM	0.028

1:00:33 PM	0.029
1:01:33 PM	0.028
1:02:33 PM	0.029
1:03:33 PM	0.032
1:04:33 PM	0.03
1:05:33 PM	0.029
1:06:33 PM	0.029
1:07:33 PM	0.031
1:08:33 PM	0.032
1:09:33 PM	0.032
1:10:33 PM	0.032
1:11:33 PM	0.029
1:12:33 PM	0.027
1:13:33 PM	0.033
1:14:33 PM	0.029
1:15:33 PM	0.031
1:16:33 PM	0.033
1:17:33 PM	0.032
1:18:33 PM	0.031
1:19:33 PM	0.03
1:20:33 PM	0.031
1:21:33 PM	0.03
1:22:33 PM	0.03
1:23:33 PM	0.031
1:24:33 PM	0.034
1:25:33 PM	0.032
1:26:33 PM	0.03
1:27:33 PM	0.032
1:28:33 PM	0.03
1:29:33 PM	0.043
1:30:33 PM	0.032
1:31:33 PM	0.03
1:32:33 PM	0.029
1:33:33 PM	0.029
1:34:33 PM	0.027
1:35:33 PM	0.028
1:36:33 PM	0.03
1:37:33 PM	0.031
1:38:33 PM	0.028
1:39:33 PM	0.028
1:40:33 PM	0.028
1:41:33 PM	0.029
1:42:33 PM	0.028
1:43:33 PM	0.028

1:44:33 PM	0.028
1:45:33 PM	0.027
1:46:33 PM	0.027
1:47:33 PM	0.027
1:48:33 PM	0.026
1:49:33 PM	0.027
1:50:33 PM	0.027
1:51:33 PM	0.025
1:52:33 PM	0.026
1:53:33 PM	0.085
1:54:33 PM	0.156
1:55:33 PM	0.181
1:56:33 PM	0.035
1:57:33 PM	0.028
1:58:33 PM	0.032
1:59:33 PM	0.03
2:00:33 PM	0.028
2:01:33 PM	0.029
2:02:33 PM	0.027
2:03:33 PM	0.027
2:04:33 PM	0.027
2:05:33 PM	0.038
2:06:33 PM	0.038
2:07:33 PM	0.027
2:08:33 PM	0.027
2:09:33 PM	0.026
2:10:33 PM	0.026
2:11:33 PM	0.026
2:12:33 PM	0.028
2:13:33 PM	0.027
2:14:33 PM	0.028
2:15:33 PM	0.029
2:16:33 PM	0.025
2:17:33 PM	0.024
2:18:33 PM	0.025
2:19:33 PM	0.025
2:20:33 PM	0.025
2:21:33 PM	0.024
2:22:33 PM	0.024
2:23:33 PM	0.025
2:24:33 PM	0.025
2:25:33 PM	0.024
2:26:33 PM	0.024
2:27:33 PM	0.025

2:28:33 PM	0.025
2:29:33 PM	0.025
2:30:33 PM	0.025
2:31:33 PM	0.024
2:32:33 PM	0.025
2:33:33 PM	0.026
2:34:33 PM	0.026
2:35:33 PM	0.024
2:36:33 PM	0.025
2:37:33 PM	0.027
2:38:33 PM	0.024
2:39:33 PM	0.024
2:40:33 PM	0.023
2:41:33 PM	0.025
2:42:33 PM	0.023
2:43:33 PM	0.023
2:44:33 PM	0.023
2:45:33 PM	0.023
2:46:33 PM	0.023
2:47:33 PM	0.022
2:48:33 PM	0.023
2:49:33 PM	0.024
2:50:33 PM	0.026
2:51:33 PM	0.023
2:52:33 PM	0.024
2:53:33 PM	0.023
2:54:33 PM	0.024
2:55:33 PM	0.022
2:56:33 PM	0.022
2:57:33 PM	0.022
2:58:33 PM	0.024
2:59:33 PM	0.024
3:00:33 PM	0.024
3:01:33 PM	0.026
3:02:33 PM	0.025
3:03:33 PM	0.023
3:04:33 PM	0.026
3:05:33 PM	0.025
3:06:33 PM	0.025
3:07:33 PM	0.024
3:08:33 PM	0.023
3:09:33 PM	0.023
3:10:33 PM	0.022
3:11:33 PM	0.023

3:12:33 PM	0.021
3:13:33 PM	0.021
3:14:33 PM	0.023
3:15:33 PM	0.03
3:16:33 PM	0.028
3:17:33 PM	0.028
3:18:33 PM	0.026
3:19:33 PM	0.023
3:20:33 PM	0.022
3:21:33 PM	0.024
3:22:33 PM	0.023
3:23:33 PM	0.021
3:24:33 PM	0.02
3:25:33 PM	0.022
3:26:33 PM	0.021
3:27:33 PM	0.022
3:28:33 PM	0.022
3:29:33 PM	0.021
3:30:33 PM	0.021
3:31:33 PM	0.021
3:32:33 PM	0.022
3:33:33 PM	0.021
3:34:33 PM	0.022
3:35:33 PM	0.02
3:36:33 PM	0.02
3:37:33 PM	0.02
3:38:33 PM	0.02
3:39:33 PM	0.02
3:40:33 PM	0.02
3:41:33 PM	0.02
3:42:33 PM	0.02
3:43:33 PM	0.02
3:44:33 PM	0.021
3:45:33 PM	0.024
3:46:33 PM	0.02

Device Serial No	Log Time	Log Type	Log Interval	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/13/2024 12:06	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 12:05	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 12:04	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 12:03	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 12:02	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 12:01	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 12:00	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:59	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:58	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:57	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:56	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:55	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:54	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:53	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 11:52	CONFIG	60	PID	SC23030602B4		
592-602176	6/13/2024 9:57	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:56	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:55	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:54	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:53	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:52	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:51	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:50	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:49	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:48	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:47	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:46	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:45	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:44	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:43	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:42	Readings		PID	SC23030602B4	Normal	0
592-602176	6/13/2024 9:41	Readings		PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

592-602176	6/13/2024 8:01 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:29 Readings	PID	SC23030602B4	Normal	0

592-602176	6/13/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:02 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:01 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 7:00 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 6:59 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 6:58 Readings	PID	SC23030602B4	Normal	0
592-602176	6/13/2024 6:57 CONFIG	60 PID	SC23030602B4		