



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	N 5 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	06/14/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time Onsite: 06:30 Time Offsite: 18:00</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza / Thomas Jensen / Bill Chaky WSP (Environmental oversight) – Tim Williams ECD (Sheet-Pile Installation) Capital/KFS (Contractor) Cascade/ECA (ISS Contractor) Bradford (Plumbing/SSDS Contractor)</p> <p>Equipment On Site: DustTrak (x3), PID (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations; hotspots, and spill area excavation; ECD to weld exposed sheet piles within spill area; Cascade / ECA to continue with batch plant technical issue; KFS to continue fabrication of pile caps and foundations; Bradford to begin lay-out of sewer piping within trenches.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells and 2 EP-90 spill wells for de-watering purposes;
- Cascade works on Batch Plant due to technical issues which require a placement of the load cell, repairs remain unfinished and ISS pilot test was unable to take place;
- Bradford began laying out sewer pipe within trenches at the south building;
- National Grid continued with gas pipeline work along sidewalk on Nevins Street, CAMP Downwind Unit 1 was located on sidewalk;
- Three (3) truckloads of material were disposed of offsite to the Bay Shore Facility;
- Dewatering active in grid E6;
- ECD continued bracing installation of sheet piles in Spill 2308807 area;
- KFS continues foundational work in the south building, vapor barriers are inspected to ensure proper application.
- Completed low flow sampling of groundwater sentinel wells, sample collected from GW-17A; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.115_ mg/m³ @ 06:48
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.186_ mg/m³ @ 12:57
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.16_ mg/m³ @ 14:33
- High Conditions (Downwind 2) – PID = _0.2_ ppm @15:27, Dust = _0.158_ mg/m³ @ 13:21

Notable Site Conditions:

- Dusty conditions, dust suppression was implemented;
- ISS Batch Plant encountered technical issues requiring a placement of the load cell, repairs remain unfinished and ISS pilot test was unable to take place.

Planned Activities for the Next Day/Week:

- Cascade to perform test runs of ISS equipment/Pilot test start;
- KFS and Capital to continue with rebar fabrication, footing construction and vapor barrier installation;
- Bradford to continue with sewer piping layout within trenches at south building;
- ECD to further excavate within spill area to day-light sheet-piles, then weld sheets together; and
- Excavation of Spill 2308807 area.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of dust
suppression of
truck roadway.



Photo 2 –
Representative
photo of National
Grid gas line
work along
Nevins Street.



Photo 3 –
Representative
photo of
foundation work
and vapor barrier
installation.



Photo 4 –
Representative
photo of soil load
out.



Photo 5 –
Representative
photo of Sentinel
well gauging.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



A B C D E F G H I J K L M N O

GOWANUS CANAL


GOWANUS CANAL



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_004
Test Start Time	6:48:24 AM
Test Start Date	6/14/2024
Test Length [D:H:M]	0:10:58
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.037
Mass Minimum [mg/m3]	0.016
Mass Maximum [mg/m3]	0.186
Mass TWA [mg/m3]	0.04
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	658

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48:24 AM	0.115		
6:49:24 AM	0.058		
6:50:24 AM	0.055		
6:51:24 AM	0.054		
6:52:24 AM	0.053		
6:53:24 AM	0.052		
6:54:24 AM	0.052		
6:55:24 AM	0.055		
6:56:24 AM	0.054		
6:57:24 AM	0.054		
6:58:24 AM	0.054		
6:59:24 AM	0.061		
7:00:24 AM	0.052		
7:01:24 AM	0.052		
7:02:24 AM	0.049		
7:03:24 AM	0.049		
7:04:24 AM	0.05		
7:05:24 AM	0.048		
7:06:24 AM	0.048		
7:07:24 AM	0.052		
7:08:24 AM	0.051		
7:09:24 AM	0.048		
7:10:24 AM	0.049		
7:11:24 AM	0.054		

7:12:24 AM	0.056
7:13:24 AM	0.057
7:14:24 AM	0.052
7:15:24 AM	0.051
7:16:24 AM	0.053
7:17:24 AM	0.051
7:18:24 AM	0.053
7:19:24 AM	0.059
7:20:24 AM	0.055
7:21:24 AM	0.06
7:22:24 AM	0.066
7:23:24 AM	0.064
7:24:24 AM	0.061
7:25:24 AM	0.06
7:26:24 AM	0.055
7:27:24 AM	0.063
7:28:24 AM	0.056
7:29:24 AM	0.055
7:30:24 AM	0.048
7:31:24 AM	0.052
7:32:24 AM	0.047
7:33:24 AM	0.047
7:34:24 AM	0.049
7:35:24 AM	0.051
7:36:24 AM	0.049
7:37:24 AM	0.049
7:38:24 AM	0.049
7:39:24 AM	0.047
7:40:24 AM	0.049
7:41:24 AM	0.057
7:42:24 AM	0.062
7:43:24 AM	0.062
7:44:24 AM	0.056
7:45:24 AM	0.052
7:46:24 AM	0.047
7:47:24 AM	0.048
7:48:24 AM	0.053
7:49:24 AM	0.045
7:50:24 AM	0.05
7:51:24 AM	0.049
7:52:24 AM	0.048
7:53:24 AM	0.049
7:54:24 AM	0.05
7:55:24 AM	0.05

7:56:24 AM	0.051
7:57:24 AM	0.057
7:58:24 AM	0.056
7:59:24 AM	0.054
8:00:24 AM	0.054
8:01:24 AM	0.053
8:02:24 AM	0.061
8:03:24 AM	0.093
8:04:24 AM	0.074
8:05:24 AM	0.067
8:06:24 AM	0.073
8:07:24 AM	0.067
8:08:24 AM	0.062
8:09:24 AM	0.058
8:10:24 AM	0.054
8:11:24 AM	0.046
8:12:24 AM	0.044
8:13:24 AM	0.044
8:14:24 AM	0.049
8:15:24 AM	0.042
8:16:24 AM	0.039
8:17:24 AM	0.048
8:18:24 AM	0.049
8:19:24 AM	0.043
8:20:24 AM	0.073
8:21:24 AM	0.053
8:22:24 AM	0.044
8:23:24 AM	0.041
8:24:24 AM	0.041
8:25:24 AM	0.041
8:26:24 AM	0.039
8:27:24 AM	0.038
8:28:24 AM	0.041
8:29:24 AM	0.043
8:30:24 AM	0.042
8:31:24 AM	0.044
8:32:24 AM	0.045
8:33:24 AM	0.045
8:34:24 AM	0.047
8:35:24 AM	0.056
8:36:24 AM	0.066
8:37:24 AM	0.061
8:38:24 AM	0.055
8:39:24 AM	0.044

8:40:24 AM	0.043
8:41:24 AM	0.041
8:42:24 AM	0.04
8:43:24 AM	0.041
8:44:24 AM	0.035
8:45:24 AM	0.034
8:46:24 AM	0.04
8:47:24 AM	0.034
8:48:24 AM	0.038
8:49:24 AM	0.036
8:50:24 AM	0.04
8:51:24 AM	0.045
8:52:24 AM	0.042
8:53:24 AM	0.053
8:54:24 AM	0.044
8:55:24 AM	0.037
8:56:24 AM	0.04
8:57:24 AM	0.043
8:58:24 AM	0.046
8:59:24 AM	0.045
9:00:24 AM	0.043
9:01:24 AM	0.036
9:02:24 AM	0.037
9:03:24 AM	0.039
9:04:24 AM	0.04
9:05:24 AM	0.033
9:06:24 AM	0.033
9:07:24 AM	0.036
9:08:24 AM	0.04
9:09:24 AM	0.043
9:10:24 AM	0.043
9:11:24 AM	0.046
9:12:24 AM	0.055
9:13:24 AM	0.062
9:14:24 AM	0.042
9:15:24 AM	0.039
9:16:24 AM	0.039
9:17:24 AM	0.037
9:18:24 AM	0.034
9:19:24 AM	0.035
9:20:24 AM	0.04
9:21:24 AM	0.039
9:22:24 AM	0.04
9:23:24 AM	0.043

9:24:24 AM	0.04
9:25:24 AM	0.041
9:26:24 AM	0.04
9:27:24 AM	0.04
9:28:24 AM	0.038
9:29:24 AM	0.037
9:30:24 AM	0.036
9:31:24 AM	0.039
9:32:24 AM	0.036
9:33:24 AM	0.037
9:34:24 AM	0.047
9:35:24 AM	0.056
9:36:24 AM	0.05
9:37:24 AM	0.043
9:38:24 AM	0.04
9:39:24 AM	0.039
9:40:24 AM	0.041
9:41:24 AM	0.04
9:42:24 AM	0.041
9:43:24 AM	0.038
9:44:24 AM	0.033
9:45:24 AM	0.038
9:46:24 AM	0.043
9:47:24 AM	0.048
9:48:24 AM	0.047
9:49:24 AM	0.042
9:50:24 AM	0.041
9:51:24 AM	0.037
9:52:24 AM	0.034
9:53:24 AM	0.039
9:54:24 AM	0.044
9:55:24 AM	0.046
9:56:24 AM	0.046
9:57:24 AM	0.034
9:58:24 AM	0.036
9:59:24 AM	0.044
10:00:24 AM	0.032
10:01:24 AM	0.03
10:02:24 AM	0.037
10:03:24 AM	0.038
10:04:24 AM	0.033
10:05:24 AM	0.037
10:06:24 AM	0.041
10:07:24 AM	0.038

10:08:24 AM	0.038
10:09:24 AM	0.036
10:10:24 AM	0.034
10:11:24 AM	0.047
10:12:24 AM	0.034
10:13:24 AM	0.035
10:14:24 AM	0.033
10:15:24 AM	0.034
10:16:24 AM	0.033
10:17:24 AM	0.046
10:18:24 AM	0.049
10:19:24 AM	0.045
10:20:24 AM	0.038
10:21:24 AM	0.038
10:22:24 AM	0.035
10:23:24 AM	0.034
10:24:24 AM	0.04
10:25:24 AM	0.037
10:26:24 AM	0.035
10:27:24 AM	0.033
10:28:24 AM	0.028
10:29:24 AM	0.029
10:30:24 AM	0.027
10:31:24 AM	0.029
10:32:24 AM	0.03
10:33:24 AM	0.041
10:34:24 AM	0.043
10:35:24 AM	0.097
10:36:24 AM	0.067
10:37:24 AM	0.051
10:38:24 AM	0.045
10:39:24 AM	0.037
10:40:24 AM	0.035
10:41:24 AM	0.033
10:42:24 AM	0.041
10:43:24 AM	0.04
10:44:24 AM	0.034
10:45:24 AM	0.051
10:46:24 AM	0.031
10:47:24 AM	0.03
10:48:24 AM	0.033
10:49:24 AM	0.03
10:50:24 AM	0.03
10:51:24 AM	0.035

10:52:24 AM	0.041
10:53:24 AM	0.033
10:54:24 AM	0.034
10:55:24 AM	0.031
10:56:24 AM	0.033
10:57:24 AM	0.031
10:58:24 AM	0.027
10:59:24 AM	0.03
11:00:24 AM	0.032
11:01:24 AM	0.036
11:02:24 AM	0.035
11:03:24 AM	0.034
11:04:24 AM	0.036
11:05:24 AM	0.039
11:06:24 AM	0.035
11:07:24 AM	0.038
11:08:24 AM	0.036
11:09:24 AM	0.035
11:10:24 AM	0.03
11:11:24 AM	0.032
11:12:24 AM	0.031
11:13:24 AM	0.03
11:14:24 AM	0.03
11:15:24 AM	0.034
11:16:24 AM	0.03
11:17:24 AM	0.032
11:18:24 AM	0.032
11:19:24 AM	0.031
11:20:24 AM	0.029
11:21:24 AM	0.032
11:22:24 AM	0.061
11:23:24 AM	0.059
11:24:24 AM	0.035
11:25:24 AM	0.031
11:26:24 AM	0.03
11:27:24 AM	0.028
11:28:24 AM	0.032
11:29:24 AM	0.029
11:30:24 AM	0.031
11:31:24 AM	0.039
11:32:24 AM	0.029
11:33:24 AM	0.034
11:34:24 AM	0.035
11:35:24 AM	0.031

11:36:24 AM	0.032
11:37:24 AM	0.035
11:38:24 AM	0.036
11:39:24 AM	0.033
11:40:24 AM	0.027
11:41:24 AM	0.027
11:42:24 AM	0.026
11:43:24 AM	0.02
11:44:24 AM	0.021
11:45:24 AM	0.026
11:46:24 AM	0.026
11:47:24 AM	0.047
11:48:24 AM	0.036
11:49:24 AM	0.038
11:50:24 AM	0.048
11:51:24 AM	0.027
11:52:24 AM	0.03
11:53:24 AM	0.037
11:54:24 AM	0.075
11:55:24 AM	0.06
11:56:24 AM	0.036
11:57:24 AM	0.034
11:58:24 AM	0.021
11:59:24 AM	0.03
12:00:24 PM	0.023
12:01:24 PM	0.032
12:02:24 PM	0.023
12:03:24 PM	0.018
12:04:24 PM	0.022
12:05:24 PM	0.021
12:06:24 PM	0.021
12:07:24 PM	0.02
12:08:24 PM	0.018
12:09:24 PM	0.016
12:10:24 PM	0.021
12:11:24 PM	0.039
12:12:24 PM	0.034
12:13:24 PM	0.054
12:14:24 PM	0.049
12:15:24 PM	0.035
12:16:24 PM	0.037
12:17:24 PM	0.021
12:18:24 PM	0.024
12:19:24 PM	0.023

12:20:24 PM	0.028
12:21:24 PM	0.023
12:22:24 PM	0.019
12:23:24 PM	0.027
12:24:24 PM	0.024
12:25:24 PM	0.039
12:26:24 PM	0.046
12:27:24 PM	0.047
12:28:24 PM	0.03
12:29:24 PM	0.033
12:30:24 PM	0.041
12:31:24 PM	0.104
12:32:24 PM	0.023
12:33:24 PM	0.03
12:34:24 PM	0.038
12:35:24 PM	0.05
12:36:24 PM	0.069
12:37:24 PM	0.121
12:38:24 PM	0.034
12:39:24 PM	0.042
12:40:24 PM	0.048
12:41:24 PM	0.026
12:42:24 PM	0.033
12:43:24 PM	0.025
12:44:24 PM	0.032
12:45:24 PM	0.053
12:46:24 PM	0.041
12:47:24 PM	0.039
12:48:24 PM	0.041
12:49:24 PM	0.047
12:50:24 PM	0.04
12:51:24 PM	0.06
12:52:24 PM	0.035
12:53:24 PM	0.039
12:54:24 PM	0.068
12:55:24 PM	0.053
12:56:24 PM	0.125
12:57:24 PM	0.186
12:58:24 PM	0.051
12:59:24 PM	0.05
1:00:24 PM	0.052
1:01:24 PM	0.036
1:02:24 PM	0.023
1:03:24 PM	0.086

1:04:24 PM	0.055
1:05:24 PM	0.035
1:06:24 PM	0.035
1:07:24 PM	0.04
1:08:24 PM	0.027
1:09:24 PM	0.025
1:10:24 PM	0.024
1:11:24 PM	0.025
1:12:24 PM	0.027
1:13:24 PM	0.032
1:14:24 PM	0.029
1:15:24 PM	0.029
1:16:24 PM	0.03
1:17:24 PM	0.037
1:18:24 PM	0.049
1:19:24 PM	0.04
1:20:24 PM	0.027
1:21:24 PM	0.031
1:22:24 PM	0.025
1:23:24 PM	0.024
1:24:24 PM	0.029
1:25:24 PM	0.028
1:26:24 PM	0.025
1:27:24 PM	0.023
1:28:24 PM	0.022
1:29:24 PM	0.023
1:30:24 PM	0.022
1:31:24 PM	0.023
1:32:24 PM	0.028
1:33:24 PM	0.031
1:34:24 PM	0.025
1:35:24 PM	0.025
1:36:24 PM	0.026
1:37:24 PM	0.035
1:38:24 PM	0.035
1:39:24 PM	0.025
1:40:24 PM	0.029
1:41:24 PM	0.025
1:42:24 PM	0.024
1:43:24 PM	0.024
1:44:24 PM	0.024
1:45:24 PM	0.024
1:46:24 PM	0.023
1:47:24 PM	0.023

1:48:24 PM	0.027
1:49:24 PM	0.025
1:50:24 PM	0.024
1:51:24 PM	0.025
1:52:24 PM	0.025
1:53:24 PM	0.03
1:54:24 PM	0.029
1:55:24 PM	0.028
1:56:24 PM	0.028
1:57:24 PM	0.027
1:58:24 PM	0.035
1:59:24 PM	0.027
2:00:24 PM	0.029
2:01:24 PM	0.03
2:02:24 PM	0.027
2:03:24 PM	0.028
2:04:24 PM	0.028
2:05:24 PM	0.03
2:06:24 PM	0.033
2:07:24 PM	0.029
2:08:24 PM	0.03
2:09:24 PM	0.033
2:10:24 PM	0.028
2:11:24 PM	0.026
2:12:24 PM	0.029
2:13:24 PM	0.03
2:14:24 PM	0.034
2:15:24 PM	0.033
2:16:24 PM	0.033
2:17:24 PM	0.03
2:18:24 PM	0.03
2:19:24 PM	0.029
2:20:24 PM	0.028
2:21:24 PM	0.028
2:22:24 PM	0.03
2:23:24 PM	0.032
2:24:24 PM	0.031
2:25:24 PM	0.035
2:26:24 PM	0.038
2:27:24 PM	0.038
2:28:24 PM	0.037
2:29:24 PM	0.034
2:30:24 PM	0.033
2:31:24 PM	0.031

2:32:24 PM	0.029
2:33:24 PM	0.027
2:34:24 PM	0.029
2:35:24 PM	0.03
2:36:24 PM	0.029
2:37:24 PM	0.03
2:38:24 PM	0.029
2:39:24 PM	0.033
2:40:24 PM	0.03
2:41:24 PM	0.028
2:42:24 PM	0.03
2:43:24 PM	0.032
2:44:24 PM	0.032
2:45:24 PM	0.03
2:46:24 PM	0.031
2:47:24 PM	0.032
2:48:24 PM	0.03
2:49:24 PM	0.034
2:50:24 PM	0.037
2:51:24 PM	0.034
2:52:24 PM	0.034
2:53:24 PM	0.035
2:54:24 PM	0.043
2:55:24 PM	0.042
2:56:24 PM	0.041
2:57:24 PM	0.055
2:58:24 PM	0.033
2:59:24 PM	0.04
3:00:24 PM	0.048
3:01:24 PM	0.054
3:02:24 PM	0.051
3:03:24 PM	0.037
3:04:24 PM	0.034
3:05:24 PM	0.034
3:06:24 PM	0.035
3:07:24 PM	0.035
3:08:24 PM	0.032
3:09:24 PM	0.032
3:10:24 PM	0.031
3:11:24 PM	0.032
3:12:24 PM	0.032
3:13:24 PM	0.033
3:14:24 PM	0.034
3:15:24 PM	0.029

3:16:24 PM	0.03
3:17:24 PM	0.031
3:18:24 PM	0.032
3:19:24 PM	0.032
3:20:24 PM	0.033
3:21:24 PM	0.032
3:22:24 PM	0.033
3:23:24 PM	0.032
3:24:24 PM	0.029
3:25:24 PM	0.033
3:26:24 PM	0.028
3:27:24 PM	0.028
3:28:24 PM	0.028
3:29:24 PM	0.028
3:30:24 PM	0.029
3:31:24 PM	0.028
3:32:24 PM	0.03
3:33:24 PM	0.029
3:34:24 PM	0.029
3:35:24 PM	0.028
3:36:24 PM	0.028
3:37:24 PM	0.027
3:38:24 PM	0.029
3:39:24 PM	0.029
3:40:24 PM	0.03
3:41:24 PM	0.028
3:42:24 PM	0.028
3:43:24 PM	0.032
3:44:24 PM	0.041
3:45:24 PM	0.03
3:46:24 PM	0.033
3:47:24 PM	0.034
3:48:24 PM	0.03
3:49:24 PM	0.027
3:50:24 PM	0.027
3:51:24 PM	0.026
3:52:24 PM	0.03
3:53:24 PM	0.027
3:54:24 PM	0.026
3:55:24 PM	0.027
3:56:24 PM	0.026
3:57:24 PM	0.026
3:58:24 PM	0.026
3:59:24 PM	0.026

4:00:24 PM	0.027
4:01:24 PM	0.025
4:02:24 PM	0.025
4:03:24 PM	0.025
4:04:24 PM	0.026
4:05:24 PM	0.027
4:06:24 PM	0.027
4:07:24 PM	0.026
4:08:24 PM	0.026
4:09:24 PM	0.025
4:10:24 PM	0.025
4:11:24 PM	0.027
4:12:24 PM	0.024
4:13:24 PM	0.024
4:14:24 PM	0.025
4:15:24 PM	0.025
4:16:24 PM	0.027
4:17:24 PM	0.028
4:18:24 PM	0.025
4:19:24 PM	0.025
4:20:24 PM	0.025
4:21:24 PM	0.027
4:22:24 PM	0.025
4:23:24 PM	0.024
4:24:24 PM	0.025
4:25:24 PM	0.025
4:26:24 PM	0.026
4:27:24 PM	0.025
4:28:24 PM	0.025
4:29:24 PM	0.027
4:30:24 PM	0.025
4:31:24 PM	0.025
4:32:24 PM	0.024
4:33:24 PM	0.024
4:34:24 PM	0.024
4:35:24 PM	0.024
4:36:24 PM	0.026
4:37:24 PM	0.025
4:38:24 PM	0.025
4:39:24 PM	0.027
4:40:24 PM	0.025
4:41:24 PM	0.028
4:42:24 PM	0.026
4:43:24 PM	0.025

4:44:24 PM	0.025
4:45:24 PM	0.027
4:46:24 PM	0.027
4:47:24 PM	0.026
4:48:24 PM	0.025
4:49:24 PM	0.025
4:50:24 PM	0.024
4:51:24 PM	0.025
4:52:24 PM	0.026
4:53:24 PM	0.024
4:54:24 PM	0.024
4:55:24 PM	0.026
4:56:24 PM	0.03
4:57:24 PM	0.025
4:58:24 PM	0.027
4:59:24 PM	0.027
5:00:24 PM	0.026
5:01:24 PM	0.025
5:02:24 PM	0.024
5:03:24 PM	0.024
5:04:24 PM	0.024
5:05:24 PM	0.024
5:06:24 PM	0.025
5:07:24 PM	0.025
5:08:24 PM	0.025
5:09:24 PM	0.024
5:10:24 PM	0.025
5:11:24 PM	0.024
5:12:24 PM	0.025
5:13:24 PM	0.025
5:14:24 PM	0.026
5:15:24 PM	0.025
5:16:24 PM	0.026
5:17:24 PM	0.025
5:18:24 PM	0.025
5:19:24 PM	0.024
5:20:24 PM	0.024
5:21:24 PM	0.024
5:22:24 PM	0.024
5:23:24 PM	0.024
5:24:24 PM	0.024
5:25:24 PM	0.025
5:26:24 PM	0.025
5:27:24 PM	0.024

5:28:24 PM	0.024
5:29:24 PM	0.024
5:30:24 PM	0.033
5:31:24 PM	0.024
5:32:24 PM	0.024
5:33:24 PM	0.023
5:34:24 PM	0.023
5:35:24 PM	0.024
5:36:24 PM	0.036
5:37:24 PM	0.024
5:38:24 PM	0.024
5:39:24 PM	0.024
5:40:24 PM	0.024
5:41:24 PM	0.023
5:42:24 PM	0.022
5:43:24 PM	0.026
5:44:24 PM	0.025
5:45:24 PM	0.031

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	6/14/2024 17:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:50	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:49	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:48	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:47	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:46	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:45	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:44	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:43	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:42	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:41	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:40	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:39	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:38	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:37	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:36	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:35	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:34	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:33	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:32	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:31	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:30	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:29	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 17:28	Readings	PID	SC23030449A8	Normal	0

592-600853	6/14/2024 10:18	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:17	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:16	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:15	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:14	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:11	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:10	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:09	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:08	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:07	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:06	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:05	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:04	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 10:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:50	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:49	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:48	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 9:46	Readings	PID	SC23030449A8	Normal	0

592-600853	6/14/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	6/14/2024 6:55 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_005
Test Start Time	6:51:10 AM
Test Start Date	6/14/2024
Test Length [D:H:M]	0:11:01
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.041
Mass Minimum [mg/m3]	0.024
Mass Maximum [mg/m3]	0.16
Mass TWA [mg/m3]	0.045
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	661

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:51:10 AM	0.07		
6:52:10 AM	0.027		
6:53:10 AM	0.027		
6:54:10 AM	0.026		
6:55:10 AM	0.026		
6:56:10 AM	0.024		
6:57:10 AM	0.024		
6:58:10 AM	0.025		
6:59:10 AM	0.027		
7:00:10 AM	0.028		
7:01:10 AM	0.035		
7:02:10 AM	0.031		
7:03:10 AM	0.055		
7:04:10 AM	0.043		
7:05:10 AM	0.029		
7:06:10 AM	0.029		
7:07:10 AM	0.031		
7:08:10 AM	0.027		
7:09:10 AM	0.031		
7:10:10 AM	0.027		
7:11:10 AM	0.03		
7:12:10 AM	0.027		
7:13:10 AM	0.032		
7:14:10 AM	0.054		

7:15:10 AM	0.04
7:16:10 AM	0.036
7:17:10 AM	0.028
7:18:10 AM	0.028
7:19:10 AM	0.028
7:20:10 AM	0.029
7:21:10 AM	0.028
7:22:10 AM	0.028
7:23:10 AM	0.032
7:24:10 AM	0.03
7:25:10 AM	0.029
7:26:10 AM	0.031
7:27:10 AM	0.044
7:28:10 AM	0.033
7:29:10 AM	0.04
7:30:10 AM	0.028
7:31:10 AM	0.028
7:32:10 AM	0.026
7:33:10 AM	0.028
7:34:10 AM	0.027
7:35:10 AM	0.033
7:36:10 AM	0.033
7:37:10 AM	0.034
7:38:10 AM	0.039
7:39:10 AM	0.063
7:40:10 AM	0.034
7:41:10 AM	0.046
7:42:10 AM	0.043
7:43:10 AM	0.048
7:44:10 AM	0.037
7:45:10 AM	0.033
7:46:10 AM	0.048
7:47:10 AM	0.033
7:48:10 AM	0.03
7:49:10 AM	0.029
7:50:10 AM	0.034
7:51:10 AM	0.036
7:52:10 AM	0.032
7:53:10 AM	0.036
7:54:10 AM	0.041
7:55:10 AM	0.038
7:56:10 AM	0.051
7:57:10 AM	0.029
7:58:10 AM	0.032

7:59:10 AM	0.032
8:00:10 AM	0.039
8:01:10 AM	0.047
8:02:10 AM	0.03
8:03:10 AM	0.03
8:04:10 AM	0.035
8:05:10 AM	0.056
8:06:10 AM	0.05
8:07:10 AM	0.041
8:08:10 AM	0.04
8:09:10 AM	0.035
8:10:10 AM	0.034
8:11:10 AM	0.03
8:12:10 AM	0.029
8:13:10 AM	0.03
8:14:10 AM	0.031
8:15:10 AM	0.035
8:16:10 AM	0.052
8:17:10 AM	0.039
8:18:10 AM	0.04
8:19:10 AM	0.04
8:20:10 AM	0.034
8:21:10 AM	0.032
8:22:10 AM	0.032
8:23:10 AM	0.03
8:24:10 AM	0.027
8:25:10 AM	0.027
8:26:10 AM	0.028
8:27:10 AM	0.069
8:28:10 AM	0.039
8:29:10 AM	0.061
8:30:10 AM	0.053
8:31:10 AM	0.038
8:32:10 AM	0.069
8:33:10 AM	0.045
8:34:10 AM	0.032
8:35:10 AM	0.039
8:36:10 AM	0.045
8:37:10 AM	0.033
8:38:10 AM	0.032
8:39:10 AM	0.033
8:40:10 AM	0.033
8:41:10 AM	0.031
8:42:10 AM	0.032

8:43:10 AM	0.029
8:44:10 AM	0.032
8:45:10 AM	0.03
8:46:10 AM	0.031
8:47:10 AM	0.06
8:48:10 AM	0.048
8:49:10 AM	0.029
8:50:10 AM	0.042
8:51:10 AM	0.032
8:52:10 AM	0.033
8:53:10 AM	0.031
8:54:10 AM	0.029
8:55:10 AM	0.034
8:56:10 AM	0.073
8:57:10 AM	0.115
8:58:10 AM	0.038
8:59:10 AM	0.073
9:00:10 AM	0.039
9:01:10 AM	0.037
9:02:10 AM	0.029
9:03:10 AM	0.028
9:04:10 AM	0.027
9:05:10 AM	0.029
9:06:10 AM	0.029
9:07:10 AM	0.03
9:08:10 AM	0.029
9:09:10 AM	0.029
9:10:10 AM	0.036
9:11:10 AM	0.033
9:12:10 AM	0.031
9:13:10 AM	0.039
9:14:10 AM	0.035
9:15:10 AM	0.033
9:16:10 AM	0.042
9:17:10 AM	0.043
9:18:10 AM	0.034
9:19:10 AM	0.049
9:20:10 AM	0.034
9:21:10 AM	0.034
9:22:10 AM	0.035
9:23:10 AM	0.033
9:24:10 AM	0.041
9:25:10 AM	0.04
9:26:10 AM	0.031

9:27:10 AM	0.033
9:28:10 AM	0.032
9:29:10 AM	0.054
9:30:10 AM	0.033
9:31:10 AM	0.029
9:32:10 AM	0.029
9:33:10 AM	0.039
9:34:10 AM	0.036
9:35:10 AM	0.032
9:36:10 AM	0.037
9:37:10 AM	0.04
9:38:10 AM	0.031
9:39:10 AM	0.035
9:40:10 AM	0.046
9:41:10 AM	0.042
9:42:10 AM	0.036
9:43:10 AM	0.038
9:44:10 AM	0.039
9:45:10 AM	0.039
9:46:10 AM	0.033
9:47:10 AM	0.031
9:48:10 AM	0.036
9:49:10 AM	0.038
9:50:10 AM	0.033
9:51:10 AM	0.032
9:52:10 AM	0.041
9:53:10 AM	0.041
9:54:10 AM	0.051
9:55:10 AM	0.036
9:56:10 AM	0.042
9:57:10 AM	0.033
9:58:10 AM	0.029
9:59:10 AM	0.03
10:00:10 AM	0.029
10:01:10 AM	0.029
10:02:10 AM	0.028
10:03:10 AM	0.029
10:04:10 AM	0.035
10:05:10 AM	0.037
10:06:10 AM	0.034
10:07:10 AM	0.033
10:08:10 AM	0.036
10:09:10 AM	0.047
10:10:10 AM	0.035

10:11:10 AM	0.033
10:12:10 AM	0.03
10:13:10 AM	0.028
10:14:10 AM	0.031
10:15:10 AM	0.033
10:16:10 AM	0.029
10:17:10 AM	0.03
10:18:10 AM	0.029
10:19:10 AM	0.029
10:20:10 AM	0.031
10:21:10 AM	0.033
10:22:10 AM	0.045
10:23:10 AM	0.032
10:24:10 AM	0.046
10:25:10 AM	0.069
10:26:10 AM	0.081
10:27:10 AM	0.051
10:28:10 AM	0.076
10:29:10 AM	0.115
10:30:10 AM	0.062
10:31:10 AM	0.052
10:32:10 AM	0.037
10:33:10 AM	0.032
10:34:10 AM	0.047
10:35:10 AM	0.074
10:36:10 AM	0.046
10:37:10 AM	0.04
10:38:10 AM	0.034
10:39:10 AM	0.035
10:40:10 AM	0.036
10:41:10 AM	0.041
10:42:10 AM	0.033
10:43:10 AM	0.034
10:44:10 AM	0.037
10:45:10 AM	0.031
10:46:10 AM	0.034
10:47:10 AM	0.049
10:48:10 AM	0.039
10:49:10 AM	0.043
10:50:10 AM	0.051
10:51:10 AM	0.034
10:52:10 AM	0.036
10:53:10 AM	0.038
10:54:10 AM	0.039

10:55:10 AM	0.04
10:56:10 AM	0.046
10:57:10 AM	0.081
10:58:10 AM	0.072
10:59:10 AM	0.039
11:00:10 AM	0.042
11:01:10 AM	0.034
11:02:10 AM	0.037
11:03:10 AM	0.034
11:04:10 AM	0.033
11:05:10 AM	0.036
11:06:10 AM	0.057
11:07:10 AM	0.04
11:08:10 AM	0.036
11:09:10 AM	0.045
11:10:10 AM	0.048
11:11:10 AM	0.049
11:12:10 AM	0.093
11:13:10 AM	0.049
11:14:10 AM	0.042
11:15:10 AM	0.046
11:16:10 AM	0.057
11:17:10 AM	0.068
11:18:10 AM	0.065
11:19:10 AM	0.078
11:20:10 AM	0.076
11:21:10 AM	0.035
11:22:10 AM	0.04
11:23:10 AM	0.035
11:24:10 AM	0.035
11:25:10 AM	0.048
11:26:10 AM	0.039
11:27:10 AM	0.038
11:28:10 AM	0.034
11:29:10 AM	0.044
11:30:10 AM	0.069
11:31:10 AM	0.041
11:32:10 AM	0.051
11:33:10 AM	0.065
11:34:10 AM	0.051
11:35:10 AM	0.041
11:36:10 AM	0.033
11:37:10 AM	0.057
11:38:10 AM	0.088

11:39:10 AM	0.077
11:40:10 AM	0.066
11:41:10 AM	0.047
11:42:10 AM	0.087
11:43:10 AM	0.045
11:44:10 AM	0.051
11:45:10 AM	0.09
11:46:10 AM	0.04
11:47:10 AM	0.086
11:48:10 AM	0.055
11:49:10 AM	0.058
11:50:10 AM	0.037
11:51:10 AM	0.043
11:52:10 AM	0.041
11:53:10 AM	0.1
11:54:10 AM	0.053
11:55:10 AM	0.059
11:56:10 AM	0.081
11:57:10 AM	0.042
11:58:10 AM	0.04
11:59:10 AM	0.036
12:00:10 PM	0.035
12:01:10 PM	0.047
12:02:10 PM	0.111
12:03:10 PM	0.093
12:04:10 PM	0.085
12:05:10 PM	0.073
12:06:10 PM	0.036
12:07:10 PM	0.038
12:08:10 PM	0.038
12:09:10 PM	0.051
12:10:10 PM	0.039
12:11:10 PM	0.042
12:12:10 PM	0.035
12:13:10 PM	0.037
12:14:10 PM	0.035
12:15:10 PM	0.036
12:16:10 PM	0.035
12:17:10 PM	0.035
12:18:10 PM	0.034
12:19:10 PM	0.035
12:20:10 PM	0.04
12:21:10 PM	0.035
12:22:10 PM	0.065

12:23:10 PM	0.118
12:24:10 PM	0.056
12:25:10 PM	0.036
12:26:10 PM	0.05
12:27:10 PM	0.061
12:28:10 PM	0.045
12:29:10 PM	0.035
12:30:10 PM	0.037
12:31:10 PM	0.049
12:32:10 PM	0.055
12:33:10 PM	0.076
12:34:10 PM	0.046
12:35:10 PM	0.061
12:36:10 PM	0.042
12:37:10 PM	0.038
12:38:10 PM	0.041
12:39:10 PM	0.063
12:40:10 PM	0.058
12:41:10 PM	0.071
12:42:10 PM	0.072
12:43:10 PM	0.07
12:44:10 PM	0.052
12:45:10 PM	0.053
12:46:10 PM	0.083
12:47:10 PM	0.091
12:48:10 PM	0.042
12:49:10 PM	0.061
12:50:10 PM	0.054
12:51:10 PM	0.038
12:52:10 PM	0.033
12:53:10 PM	0.071
12:54:10 PM	0.13
12:55:10 PM	0.072
12:56:10 PM	0.042
12:57:10 PM	0.046
12:58:10 PM	0.04
12:59:10 PM	0.035
1:00:10 PM	0.05
1:01:10 PM	0.041
1:02:10 PM	0.037
1:03:10 PM	0.039
1:04:10 PM	0.045
1:05:10 PM	0.033
1:06:10 PM	0.034

1:07:10 PM	0.033
1:08:10 PM	0.035
1:09:10 PM	0.037
1:10:10 PM	0.04
1:11:10 PM	0.037
1:12:10 PM	0.033
1:13:10 PM	0.033
1:14:10 PM	0.033
1:15:10 PM	0.035
1:16:10 PM	0.038
1:17:10 PM	0.032
1:18:10 PM	0.041
1:19:10 PM	0.037
1:20:10 PM	0.067
1:21:10 PM	0.048
1:22:10 PM	0.044
1:23:10 PM	0.037
1:24:10 PM	0.037
1:25:10 PM	0.035
1:26:10 PM	0.036
1:27:10 PM	0.033
1:28:10 PM	0.035
1:29:10 PM	0.035
1:30:10 PM	0.035
1:31:10 PM	0.036
1:32:10 PM	0.038
1:33:10 PM	0.034
1:34:10 PM	0.034
1:35:10 PM	0.035
1:36:10 PM	0.036
1:37:10 PM	0.034
1:38:10 PM	0.033
1:39:10 PM	0.033
1:40:10 PM	0.034
1:41:10 PM	0.041
1:42:10 PM	0.034
1:43:10 PM	0.035
1:44:10 PM	0.033
1:45:10 PM	0.032
1:46:10 PM	0.033
1:47:10 PM	0.034
1:48:10 PM	0.035
1:49:10 PM	0.036
1:50:10 PM	0.034

1:51:10 PM	0.033
1:52:10 PM	0.033
1:53:10 PM	0.034
1:54:10 PM	0.042
1:55:10 PM	0.036
1:56:10 PM	0.032
1:57:10 PM	0.035
1:58:10 PM	0.032
1:59:10 PM	0.036
2:00:10 PM	0.034
2:01:10 PM	0.034
2:02:10 PM	0.084
2:03:10 PM	0.049
2:04:10 PM	0.038
2:05:10 PM	0.038
2:06:10 PM	0.152
2:07:10 PM	0.056
2:08:10 PM	0.046
2:09:10 PM	0.034
2:10:10 PM	0.035
2:11:10 PM	0.035
2:12:10 PM	0.034
2:13:10 PM	0.06
2:14:10 PM	0.051
2:15:10 PM	0.095
2:16:10 PM	0.038
2:17:10 PM	0.038
2:18:10 PM	0.064
2:19:10 PM	0.095
2:20:10 PM	0.131
2:21:10 PM	0.145
2:22:10 PM	0.075
2:23:10 PM	0.052
2:24:10 PM	0.111
2:25:10 PM	0.075
2:26:10 PM	0.127
2:27:10 PM	0.038
2:28:10 PM	0.033
2:29:10 PM	0.039
2:30:10 PM	0.06
2:31:10 PM	0.066
2:32:10 PM	0.135
2:33:10 PM	0.16
2:34:10 PM	0.043

2:35:10 PM	0.077
2:36:10 PM	0.036
2:37:10 PM	0.104
2:38:10 PM	0.085
2:39:10 PM	0.052
2:40:10 PM	0.035
2:41:10 PM	0.031
2:42:10 PM	0.058
2:43:10 PM	0.07
2:44:10 PM	0.061
2:45:10 PM	0.102
2:46:10 PM	0.049
2:47:10 PM	0.071
2:48:10 PM	0.047
2:49:10 PM	0.038
2:50:10 PM	0.071
2:51:10 PM	0.102
2:52:10 PM	0.117
2:53:10 PM	0.077
2:54:10 PM	0.049
2:55:10 PM	0.055
2:56:10 PM	0.074
2:57:10 PM	0.068
2:58:10 PM	0.043
2:59:10 PM	0.057
3:00:10 PM	0.039
3:01:10 PM	0.036
3:02:10 PM	0.038
3:03:10 PM	0.038
3:04:10 PM	0.039
3:05:10 PM	0.038
3:06:10 PM	0.036
3:07:10 PM	0.035
3:08:10 PM	0.035
3:09:10 PM	0.037
3:10:10 PM	0.037
3:11:10 PM	0.035
3:12:10 PM	0.035
3:13:10 PM	0.034
3:14:10 PM	0.033
3:15:10 PM	0.034
3:16:10 PM	0.032
3:17:10 PM	0.035
3:18:10 PM	0.047

3:19:10 PM	0.04
3:20:10 PM	0.035
3:21:10 PM	0.034
3:22:10 PM	0.034
3:23:10 PM	0.032
3:24:10 PM	0.032
3:25:10 PM	0.033
3:26:10 PM	0.033
3:27:10 PM	0.033
3:28:10 PM	0.035
3:29:10 PM	0.032
3:30:10 PM	0.033
3:31:10 PM	0.033
3:32:10 PM	0.031
3:33:10 PM	0.032
3:34:10 PM	0.032
3:35:10 PM	0.031
3:36:10 PM	0.031
3:37:10 PM	0.032
3:38:10 PM	0.032
3:39:10 PM	0.03
3:40:10 PM	0.032
3:41:10 PM	0.032
3:42:10 PM	0.032
3:43:10 PM	0.032
3:44:10 PM	0.03
3:45:10 PM	0.031
3:46:10 PM	0.03
3:47:10 PM	0.031
3:48:10 PM	0.031
3:49:10 PM	0.03
3:50:10 PM	0.029
3:51:10 PM	0.03
3:52:10 PM	0.03
3:53:10 PM	0.032
3:54:10 PM	0.03
3:55:10 PM	0.03
3:56:10 PM	0.03
3:57:10 PM	0.03
3:58:10 PM	0.03
3:59:10 PM	0.029
4:00:10 PM	0.033
4:01:10 PM	0.029
4:02:10 PM	0.033

4:03:10 PM	0.031
4:04:10 PM	0.028
4:05:10 PM	0.029
4:06:10 PM	0.028
4:07:10 PM	0.028
4:08:10 PM	0.028
4:09:10 PM	0.037
4:10:10 PM	0.03
4:11:10 PM	0.029
4:12:10 PM	0.028
4:13:10 PM	0.028
4:14:10 PM	0.027
4:15:10 PM	0.027
4:16:10 PM	0.027
4:17:10 PM	0.027
4:18:10 PM	0.028
4:19:10 PM	0.028
4:20:10 PM	0.028
4:21:10 PM	0.027
4:22:10 PM	0.027
4:23:10 PM	0.026
4:24:10 PM	0.025
4:25:10 PM	0.026
4:26:10 PM	0.025
4:27:10 PM	0.026
4:28:10 PM	0.026
4:29:10 PM	0.025
4:30:10 PM	0.026
4:31:10 PM	0.026
4:32:10 PM	0.025
4:33:10 PM	0.025
4:34:10 PM	0.026
4:35:10 PM	0.025
4:36:10 PM	0.025
4:37:10 PM	0.026
4:38:10 PM	0.026
4:39:10 PM	0.026
4:40:10 PM	0.026
4:41:10 PM	0.027
4:42:10 PM	0.027
4:43:10 PM	0.026
4:44:10 PM	0.027
4:45:10 PM	0.027
4:46:10 PM	0.027

4:47:10 PM	0.026
4:48:10 PM	0.026
4:49:10 PM	0.026
4:50:10 PM	0.027
4:51:10 PM	0.027
4:52:10 PM	0.028
4:53:10 PM	0.027
4:54:10 PM	0.026
4:55:10 PM	0.026
4:56:10 PM	0.026
4:57:10 PM	0.034
4:58:10 PM	0.031
4:59:10 PM	0.03
5:00:10 PM	0.035
5:01:10 PM	0.027
5:02:10 PM	0.027
5:03:10 PM	0.027
5:04:10 PM	0.028
5:05:10 PM	0.028
5:06:10 PM	0.029
5:07:10 PM	0.029
5:08:10 PM	0.033
5:09:10 PM	0.03
5:10:10 PM	0.029
5:11:10 PM	0.074
5:12:10 PM	0.029
5:13:10 PM	0.029
5:14:10 PM	0.028
5:15:10 PM	0.028
5:16:10 PM	0.028
5:17:10 PM	0.028
5:18:10 PM	0.029
5:19:10 PM	0.029
5:20:10 PM	0.03
5:21:10 PM	0.029
5:22:10 PM	0.029
5:23:10 PM	0.041
5:24:10 PM	0.03
5:25:10 PM	0.028
5:26:10 PM	0.033
5:27:10 PM	0.03
5:28:10 PM	0.028
5:29:10 PM	0.028
5:30:10 PM	0.028

5:31:10 PM	0.028
5:32:10 PM	0.031
5:33:10 PM	0.028
5:34:10 PM	0.029
5:35:10 PM	0.028
5:36:10 PM	0.028
5:37:10 PM	0.028
5:38:10 PM	0.03
5:39:10 PM	0.029
5:40:10 PM	0.031
5:41:10 PM	0.029
5:42:10 PM	0.03
5:43:10 PM	0.029
5:44:10 PM	0.029
5:45:10 PM	0.028
5:46:10 PM	0.028
5:47:10 PM	0.028
5:48:10 PM	0.029
5:49:10 PM	0.028
5:50:10 PM	0.028
5:51:10 PM	0.028

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/14/2024 17:23	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:21	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:20	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:19	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:16	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:14	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:13	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:12	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:11	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 17:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:55	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:54	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:53	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 16:52	Readings	PID	SC23030124AA	Normal	0

592-908641	6/14/2024 10:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:14	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:13	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:12	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:11	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:46	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 9:43	Readings	PID	SC23030124AA	Normal	0

592-908641	6/14/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/14/2024 6:22 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	7:01:12 AM
Test Start Date	6/14/2024
Test Length [D:H:M]	0:09:58
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.038
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.158
Mass TWA [mg/m3]	0.039
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	598

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:01:12 AM	0.101		
7:02:12 AM	0.032		
7:03:12 AM	0.036		
7:04:12 AM	0.044		
7:05:12 AM	0.026		
7:06:12 AM	0.026		
7:07:12 AM	0.055		
7:08:12 AM	0.029		
7:09:12 AM	0.03		
7:10:12 AM	0.03		
7:11:12 AM	0.031		
7:12:12 AM	0.029		
7:13:12 AM	0.028		
7:14:12 AM	0.029		
7:15:12 AM	0.027		
7:16:12 AM	0.028		
7:17:12 AM	0.027		
7:18:12 AM	0.027		
7:19:12 AM	0.028		
7:20:12 AM	0.027		
7:21:12 AM	0.028		
7:22:12 AM	0.029		
7:23:12 AM	0.03		
7:24:12 AM	0.032		

7:25:12 AM	0.029
7:26:12 AM	0.03
7:27:12 AM	0.031
7:28:12 AM	0.031
7:29:12 AM	0.03
7:30:12 AM	0.028
7:31:12 AM	0.028
7:32:12 AM	0.029
7:33:12 AM	0.029
7:34:12 AM	0.027
7:35:12 AM	0.038
7:36:12 AM	0.035
7:37:12 AM	0.032
7:38:12 AM	0.03
7:39:12 AM	0.03
7:40:12 AM	0.034
7:41:12 AM	0.032
7:42:12 AM	0.031
7:43:12 AM	0.039
7:44:12 AM	0.034
7:45:12 AM	0.03
7:46:12 AM	0.031
7:47:12 AM	0.031
7:48:12 AM	0.03
7:49:12 AM	0.032
7:50:12 AM	0.028
7:51:12 AM	0.029
7:52:12 AM	0.029
7:53:12 AM	0.031
7:54:12 AM	0.031
7:55:12 AM	0.029
7:56:12 AM	0.029
7:57:12 AM	0.028
7:58:12 AM	0.033
7:59:12 AM	0.034
8:00:12 AM	0.031
8:01:12 AM	0.031
8:02:12 AM	0.034
8:03:12 AM	0.03
8:04:12 AM	0.03
8:05:12 AM	0.037
8:06:12 AM	0.039
8:07:12 AM	0.035
8:08:12 AM	0.035

8:09:12 AM	0.033
8:10:12 AM	0.038
8:11:12 AM	0.033
8:12:12 AM	0.033
8:13:12 AM	0.03
8:14:12 AM	0.033
8:15:12 AM	0.034
8:16:12 AM	0.038
8:17:12 AM	0.036
8:18:12 AM	0.035
8:19:12 AM	0.035
8:20:12 AM	0.033
8:21:12 AM	0.03
8:22:12 AM	0.032
8:23:12 AM	0.033
8:24:12 AM	0.028
8:25:12 AM	0.029
8:26:12 AM	0.028
8:27:12 AM	0.028
8:28:12 AM	0.028
8:29:12 AM	0.031
8:30:12 AM	0.029
8:31:12 AM	0.03
8:32:12 AM	0.035
8:33:12 AM	0.036
8:34:12 AM	0.035
8:35:12 AM	0.035
8:36:12 AM	0.032
8:37:12 AM	0.032
8:38:12 AM	0.032
8:39:12 AM	0.038
8:40:12 AM	0.038
8:41:12 AM	0.034
8:42:12 AM	0.032
8:43:12 AM	0.031
8:44:12 AM	0.03
8:45:12 AM	0.033
8:46:12 AM	0.034
8:47:12 AM	0.042
8:48:12 AM	0.036
8:49:12 AM	0.032
8:50:12 AM	0.03
8:51:12 AM	0.03
8:52:12 AM	0.032

8:53:12 AM	0.033
8:54:12 AM	0.032
8:55:12 AM	0.035
8:56:12 AM	0.032
8:57:12 AM	0.034
8:58:12 AM	0.08
8:59:12 AM	0.047
9:00:12 AM	0.036
9:01:12 AM	0.038
9:02:12 AM	0.036
9:03:12 AM	0.033
9:04:12 AM	0.032
9:05:12 AM	0.032
9:06:12 AM	0.032
9:07:12 AM	0.033
9:08:12 AM	0.033
9:09:12 AM	0.033
9:10:12 AM	0.034
9:11:12 AM	0.034
9:12:12 AM	0.036
9:13:12 AM	0.04
9:14:12 AM	0.039
9:15:12 AM	0.033
9:16:12 AM	0.034
9:17:12 AM	0.037
9:18:12 AM	0.034
9:19:12 AM	0.033
9:20:12 AM	0.037
9:21:12 AM	0.035
9:22:12 AM	0.037
9:23:12 AM	0.036
9:24:12 AM	0.065
9:25:12 AM	0.077
9:26:12 AM	0.048
9:27:12 AM	0.036
9:28:12 AM	0.037
9:29:12 AM	0.073
9:30:12 AM	0.034
9:31:12 AM	0.033
9:32:12 AM	0.033
9:33:12 AM	0.037
9:34:12 AM	0.036
9:35:12 AM	0.037
9:36:12 AM	0.04

9:37:12 AM	0.044
9:38:12 AM	0.034
9:39:12 AM	0.036
9:40:12 AM	0.038
9:41:12 AM	0.034
9:42:12 AM	0.035
9:43:12 AM	0.04
9:44:12 AM	0.035
9:45:12 AM	0.035
9:46:12 AM	0.037
9:47:12 AM	0.04
9:48:12 AM	0.036
9:49:12 AM	0.036
9:50:12 AM	0.035
9:51:12 AM	0.035
9:52:12 AM	0.037
9:53:12 AM	0.038
9:54:12 AM	0.049
9:55:12 AM	0.042
9:56:12 AM	0.042
9:57:12 AM	0.037
9:58:12 AM	0.034
9:59:12 AM	0.034
10:00:12 AM	0.033
10:01:12 AM	0.033
10:02:12 AM	0.033
10:03:12 AM	0.033
10:04:12 AM	0.034
10:05:12 AM	0.041
10:06:12 AM	0.042
10:07:12 AM	0.04
10:08:12 AM	0.04
10:09:12 AM	0.035
10:10:12 AM	0.036
10:11:12 AM	0.034
10:12:12 AM	0.035
10:13:12 AM	0.034
10:14:12 AM	0.034
10:15:12 AM	0.04
10:16:12 AM	0.034
10:17:12 AM	0.035
10:18:12 AM	0.035
10:19:12 AM	0.038
10:20:12 AM	0.035

10:21:12 AM	0.037
10:22:12 AM	0.038
10:23:12 AM	0.038
10:24:12 AM	0.037
10:25:12 AM	0.042
10:26:12 AM	0.044
10:27:12 AM	0.043
10:28:12 AM	0.038
10:29:12 AM	0.039
10:30:12 AM	0.038
10:31:12 AM	0.038
10:32:12 AM	0.036
10:33:12 AM	0.037
10:34:12 AM	0.04
10:35:12 AM	0.041
10:36:12 AM	0.04
10:37:12 AM	0.044
10:38:12 AM	0.041
10:39:12 AM	0.039
10:40:12 AM	0.038
10:41:12 AM	0.038
10:42:12 AM	0.037
10:43:12 AM	0.038
10:44:12 AM	0.043
10:45:12 AM	0.039
10:46:12 AM	0.038
10:47:12 AM	0.04
10:48:12 AM	0.039
10:49:12 AM	0.037
10:50:12 AM	0.037
10:51:12 AM	0.039
10:52:12 AM	0.041
10:53:12 AM	0.042
10:54:12 AM	0.042
10:55:12 AM	0.045
10:56:12 AM	0.04
10:57:12 AM	0.041
10:58:12 AM	0.044
10:59:12 AM	0.04
11:00:12 AM	0.038
11:01:12 AM	0.038
11:02:12 AM	0.038
11:03:12 AM	0.039
11:04:12 AM	0.038

11:05:12 AM	0.038
11:06:12 AM	0.041
11:07:12 AM	0.043
11:08:12 AM	0.043
11:09:12 AM	0.041
11:10:12 AM	0.05
11:11:12 AM	0.045
11:12:12 AM	0.042
11:13:12 AM	0.055
11:14:12 AM	0.038
11:15:12 AM	0.037
11:16:12 AM	0.045
11:17:12 AM	0.045
11:18:12 AM	0.042
11:19:12 AM	0.039
11:20:12 AM	0.04
11:21:12 AM	0.04
11:22:12 AM	0.039
11:23:12 AM	0.037
11:24:12 AM	0.039
11:25:12 AM	0.038
11:26:12 AM	0.038
11:27:12 AM	0.047
11:28:12 AM	0.039
11:29:12 AM	0.042
11:30:12 AM	0.044
11:31:12 AM	0.045
11:32:12 AM	0.041
11:33:12 AM	0.044
11:34:12 AM	0.051
11:35:12 AM	0.041
11:36:12 AM	0.044
11:37:12 AM	0.043
11:38:12 AM	0.04
11:39:12 AM	0.044
11:40:12 AM	0.072
11:41:12 AM	0.053
11:42:12 AM	0.055
11:43:12 AM	0.042
11:44:12 AM	0.039
11:45:12 AM	0.039
11:46:12 AM	0.039
11:47:12 AM	0.041
11:48:12 AM	0.04

11:49:12 AM	0.04
11:50:12 AM	0.042
11:51:12 AM	0.041
11:52:12 AM	0.04
11:53:12 AM	0.04
11:54:12 AM	0.043
11:55:12 AM	0.042
11:56:12 AM	0.039
11:57:12 AM	0.042
11:58:12 AM	0.041
11:59:12 AM	0.044
12:00:12 PM	0.04
12:01:12 PM	0.039
12:02:12 PM	0.038
12:03:12 PM	0.039
12:04:12 PM	0.039
12:05:12 PM	0.038
12:06:12 PM	0.04
12:07:12 PM	0.038
12:08:12 PM	0.04
12:09:12 PM	0.068
12:10:12 PM	0.043
12:11:12 PM	0.047
12:12:12 PM	0.043
12:13:12 PM	0.041
12:14:12 PM	0.04
12:15:12 PM	0.039
12:16:12 PM	0.04
12:17:12 PM	0.04
12:18:12 PM	0.04
12:19:12 PM	0.041
12:20:12 PM	0.038
12:21:12 PM	0.041
12:22:12 PM	0.039
12:23:12 PM	0.039
12:24:12 PM	0.041
12:25:12 PM	0.041
12:26:12 PM	0.053
12:27:12 PM	0.044
12:28:12 PM	0.044
12:29:12 PM	0.042
12:30:12 PM	0.04
12:31:12 PM	0.045
12:32:12 PM	0.049

12:33:12 PM	0.048
12:34:12 PM	0.049
12:35:12 PM	0.042
12:36:12 PM	0.04
12:37:12 PM	0.039
12:38:12 PM	0.045
12:39:12 PM	0.042
12:40:12 PM	0.044
12:41:12 PM	0.044
12:42:12 PM	0.038
12:43:12 PM	0.041
12:44:12 PM	0.038
12:45:12 PM	0.039
12:46:12 PM	0.039
12:47:12 PM	0.039
12:48:12 PM	0.041
12:49:12 PM	0.039
12:50:12 PM	0.04
12:51:12 PM	0.039
12:52:12 PM	0.039
12:53:12 PM	0.038
12:54:12 PM	0.036
12:55:12 PM	0.037
12:56:12 PM	0.046
12:57:12 PM	0.048
12:58:12 PM	0.041
12:59:12 PM	0.039
1:00:12 PM	0.039
1:01:12 PM	0.041
1:02:12 PM	0.044
1:03:12 PM	0.043
1:04:12 PM	0.039
1:05:12 PM	0.036
1:06:12 PM	0.043
1:07:12 PM	0.037
1:08:12 PM	0.038
1:09:12 PM	0.043
1:10:12 PM	0.036
1:11:12 PM	0.037
1:12:12 PM	0.037
1:13:12 PM	0.038
1:14:12 PM	0.038
1:15:12 PM	0.038
1:16:12 PM	0.043

1:17:12 PM	0.036
1:18:12 PM	0.041
1:19:12 PM	0.04
1:20:12 PM	0.039
1:21:12 PM	0.158
1:22:12 PM	0.047
1:23:12 PM	0.039
1:24:12 PM	0.039
1:25:12 PM	0.043
1:26:12 PM	0.043
1:27:12 PM	0.044
1:28:12 PM	0.039
1:29:12 PM	0.038
1:30:12 PM	0.04
1:31:12 PM	0.039
1:32:12 PM	0.041
1:33:12 PM	0.04
1:34:12 PM	0.04
1:35:12 PM	0.04
1:36:12 PM	0.039
1:37:12 PM	0.039
1:38:12 PM	0.039
1:39:12 PM	0.037
1:40:12 PM	0.038
1:41:12 PM	0.05
1:42:12 PM	0.04
1:43:12 PM	0.039
1:44:12 PM	0.038
1:45:12 PM	0.037
1:46:12 PM	0.038
1:47:12 PM	0.042
1:48:12 PM	0.043
1:49:12 PM	0.042
1:50:12 PM	0.041
1:51:12 PM	0.038
1:52:12 PM	0.039
1:53:12 PM	0.04
1:54:12 PM	0.037
1:55:12 PM	0.036
1:56:12 PM	0.034
1:57:12 PM	0.038
1:58:12 PM	0.035
1:59:12 PM	0.038
2:00:12 PM	0.036

2:01:12 PM	0.037
2:02:12 PM	0.036
2:03:12 PM	0.038
2:04:12 PM	0.037
2:05:12 PM	0.039
2:06:12 PM	0.038
2:07:12 PM	0.039
2:08:12 PM	0.039
2:09:12 PM	0.038
2:10:12 PM	0.038
2:11:12 PM	0.037
2:12:12 PM	0.04
2:13:12 PM	0.038
2:14:12 PM	0.038
2:15:12 PM	0.044
2:16:12 PM	0.045
2:17:12 PM	0.05
2:18:12 PM	0.051
2:19:12 PM	0.043
2:20:12 PM	0.038
2:21:12 PM	0.038
2:22:12 PM	0.044
2:23:12 PM	0.053
2:24:12 PM	0.038
2:25:12 PM	0.038
2:26:12 PM	0.037
2:27:12 PM	0.036
2:28:12 PM	0.037
2:29:12 PM	0.039
2:30:12 PM	0.039
2:31:12 PM	0.04
2:32:12 PM	0.037
2:33:12 PM	0.036
2:34:12 PM	0.037
2:35:12 PM	0.036
2:36:12 PM	0.036
2:37:12 PM	0.036
2:38:12 PM	0.045
2:39:12 PM	0.086
2:40:12 PM	0.046
2:41:12 PM	0.039
2:42:12 PM	0.036
2:43:12 PM	0.038
2:44:12 PM	0.107

2:45:12 PM	0.093
2:46:12 PM	0.038
2:47:12 PM	0.041
2:48:12 PM	0.045
2:49:12 PM	0.042
2:50:12 PM	0.037
2:51:12 PM	0.039
2:52:12 PM	0.039
2:53:12 PM	0.041
2:54:12 PM	0.039
2:55:12 PM	0.037
2:56:12 PM	0.041
2:57:12 PM	0.039
2:58:12 PM	0.039
2:59:12 PM	0.037
3:00:12 PM	0.038
3:01:12 PM	0.039
3:02:12 PM	0.037
3:03:12 PM	0.039
3:04:12 PM	0.042
3:05:12 PM	0.043
3:06:12 PM	0.044
3:07:12 PM	0.037
3:08:12 PM	0.04
3:09:12 PM	0.039
3:10:12 PM	0.04
3:11:12 PM	0.038
3:12:12 PM	0.038
3:13:12 PM	0.038
3:14:12 PM	0.037
3:15:12 PM	0.035
3:16:12 PM	0.035
3:17:12 PM	0.038
3:18:12 PM	0.052
3:19:12 PM	0.048
3:20:12 PM	0.037
3:21:12 PM	0.036
3:22:12 PM	0.039
3:23:12 PM	0.036
3:24:12 PM	0.036
3:25:12 PM	0.036
3:26:12 PM	0.036
3:27:12 PM	0.035
3:28:12 PM	0.035

3:29:12 PM	0.035
3:30:12 PM	0.036
3:31:12 PM	0.036
3:32:12 PM	0.037
3:33:12 PM	0.035
3:34:12 PM	0.037
3:35:12 PM	0.036
3:36:12 PM	0.035
3:37:12 PM	0.04
3:38:12 PM	0.036
3:39:12 PM	0.037
3:40:12 PM	0.036
3:41:12 PM	0.034
3:42:12 PM	0.035
3:43:12 PM	0.037
3:44:12 PM	0.035
3:45:12 PM	0.035
3:46:12 PM	0.034
3:47:12 PM	0.034
3:48:12 PM	0.033
3:49:12 PM	0.035
3:50:12 PM	0.032
3:51:12 PM	0.032
3:52:12 PM	0.034
3:53:12 PM	0.033
3:54:12 PM	0.033
3:55:12 PM	0.032
3:56:12 PM	0.033
3:57:12 PM	0.034
3:58:12 PM	0.034
3:59:12 PM	0.033
4:00:12 PM	0.034
4:01:12 PM	0.037
4:02:12 PM	0.035
4:03:12 PM	0.033
4:04:12 PM	0.032
4:05:12 PM	0.031
4:06:12 PM	0.031
4:07:12 PM	0.031
4:08:12 PM	0.032
4:09:12 PM	0.032
4:10:12 PM	0.031
4:11:12 PM	0.031
4:12:12 PM	0.032

4:13:12 PM	0.031	
4:14:12 PM	0.03	
4:15:12 PM	0.03	
4:16:12 PM	0.029	
4:17:12 PM	0.029	
4:18:12 PM	0.03	
4:19:12 PM	0.031	
4:20:12 PM	0.032	
4:21:12 PM	0.03	
4:22:12 PM	0.029	
4:23:12 PM	0.029	
4:24:12 PM	0.029	
4:25:12 PM	0.029	
4:26:12 PM	0.029	
4:27:12 PM	0.03	
4:28:12 PM	0.029	
4:29:12 PM	0.028	
4:30:12 PM	0.03	
4:31:12 PM	0.029	
4:32:12 PM	0.029	
4:33:12 PM	0.029	
4:34:12 PM	0.029	
4:35:12 PM	0.029	
4:36:12 PM	0.029	
4:37:12 PM	0.029	
4:38:12 PM	0.029	
4:39:12 PM	0.029	
4:40:12 PM	0.029	
4:41:12 PM	0.029	
4:42:12 PM	0.03	
4:43:12 PM	0.029	
4:44:12 PM	0.03	
4:45:12 PM	0.03	
4:46:12 PM	0.026	
4:47:12 PM	0.031	Flow Error
4:48:12 PM	0.024	Flow Error
4:49:12 PM	0.012	Flow Error
4:50:12 PM	0.027	Flow Error
4:51:12 PM	0.023	Flow Error
4:52:12 PM	0.013	Flow Error
4:53:12 PM	0.01	Flow Error
4:54:12 PM	0.014	Flow Error
4:55:12 PM	0.01	Flow Error
4:56:12 PM	0.019	Flow Error

4:57:12 PM	0.011	Flow Error
4:58:12 PM	0.027	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/14/2024 17:59	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:58	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:57	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:56	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:55	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:54	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:53	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:52	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:51	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:50	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:49	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:48	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:47	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:46	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:45	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:44	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:43	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:42	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:41	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:40	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:39	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:38	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:37	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:36	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:35	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:34	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:33	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:32	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:31	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:30	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:29	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 17:28	Readings	PID	SC23030602B4	Normal	0

592-602176	6/14/2024 10:18	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:17	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:16	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:15	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:14	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:13	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:12	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:11	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:10	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:09	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:08	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:07	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:06	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:05	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:04	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:03	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:02	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:01	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 10:00	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:59	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:58	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:57	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:56	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:55	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:54	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:53	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:52	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:51	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:50	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:49	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:48	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:47	Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 9:46	Readings	PID	SC23030602B4	Normal	0

592-602176	6/14/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/14/2024 7:14 CONFIG	PID	SC23030602B4		