

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	N 3 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	06/17/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:30

Time Offsite: 16:20

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas / Victor Barraza

WSP (Environmental oversight) – Tim Williams

ECD (Sheet-Pile Installation)

Capital/KFS (Contractor)

Cascade/ECA (ISS Contractor)

Bradford (Plumbing/SSDS Contractor)

Equipment On Site: DustTrak (x3), PID (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations; hotspots, and spill area excavation; ECD to weld exposed sheet piles within spill area; Cascade / ECA to continue with batch plant technical issue; KFS to continue fabrication of pile caps and foundations as well as concrete pouring of foundations; Bradford to begin lay-out of sewer piping within trenches.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells and both wells recently installed proximal to the Spill 2308807 area (MW-22 and MW-23);
- Cascade continues to work on Batch Plant due to technical issues with computer chip, Cascade was unable to troubleshoot;
- Bradford began laying out sewer pipe within trenches at the south building;
- National Grid continued with gas pipeline work along sidewalk on Nevins Street, CAMP Downwind Unit 1 was located on sidewalk;
- Partial Excavation of Spill 2308807 area to 6' bsg to prep for excavation work within this area tomorrow, ATMOS foam was sprayed during and after excavation, no odors or PID readings were detected during this work;
- ECD continued bracing installation of sheet piles in Spill 2308807 area;
- KFS continues foundational work in the south building, vapor barriers are inspected to ensure proper application.
- KFS concrete pour of approved foundations; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.099_ mg/m³ @ 06:48
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.241_ mg/m³ @ 11:34
- High Conditions (Downwind 1) – PID = _4.8_ ppm @ 09:21, Dust = _0.242_ mg/m³ @ 06:49
- High Conditions (Downwind 2) – PID = _4.9_ ppm @ 08:01, Dust = _0.244_ mg/m³ @ 06:47

Notable Site Conditions:

- Dusty conditions, dust suppression was implemented;
- ISS Batch Plant continued to encounter technical issues related to the batch plant computer chip, repairs remain unfinished and ISS pilot test was unable to take place.

Planned Activities for the Next Day/Week:

- Cascade to continue ISS equipment repairs;
- KFS and Capital to continue with rebar fabrication, footing construction and vapor barrier installation;
- Bradford to continue with sewer piping layout within trenches at south building;
- ECD to further excavate within spill area to day-light sheet-piles, then weld sheets together; and
- Excavation of Spill 2308807 area.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of vehicle being washed down over track pad prior to exiting the Site.



Photo 2 –

Representative photo of concrete pour.



Photo 3 –
Representative
photo of welding
sheeting.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	6:48:09 AM
Test Start Date	6/17/2024
Test Length [D:H:M]	0:09:29
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.019
Mass Minimum [mg/m3]	-0.004
Mass Maximum [mg/m3]	0.241
Mass TWA [mg/m3]	0.021
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	569

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48:09 AM	0.099		
6:49:09 AM	0.056		
6:50:09 AM	0.041		
6:51:09 AM	0.037		
6:52:09 AM	0.037		
6:53:09 AM	0.04		
6:54:09 AM	0.039		
6:55:09 AM	0.037		
6:56:09 AM	0.038		
6:57:09 AM	0.041		
6:58:09 AM	0.04		
6:59:09 AM	0.04		
7:00:09 AM	0.036		
7:01:09 AM	0.036		
7:02:09 AM	0.035		
7:03:09 AM	0.034		
7:04:09 AM	0.034		
7:05:09 AM	0.035		
7:06:09 AM	0.034		
7:07:09 AM	0.034		
7:08:09 AM	0.039		
7:09:09 AM	0.074		
7:10:09 AM	0.06		
7:11:09 AM	0.039		

7:12:09 AM	0.04
7:13:09 AM	0.041
7:14:09 AM	0.034
7:15:09 AM	0.032
7:16:09 AM	0.038
7:17:09 AM	0.068
7:18:09 AM	0.044
7:19:09 AM	0.041
7:20:09 AM	0.04
7:21:09 AM	0.04
7:22:09 AM	0.049
7:23:09 AM	0.042
7:24:09 AM	0.034
7:25:09 AM	0.03
7:26:09 AM	0.031
7:27:09 AM	0.039
7:28:09 AM	0.037
7:29:09 AM	0.052
7:30:09 AM	0.051
7:31:09 AM	0.042
7:32:09 AM	0.036
7:33:09 AM	0.044
7:34:09 AM	0.059
7:35:09 AM	0.053
7:36:09 AM	0.053
7:37:09 AM	0.042
7:38:09 AM	0.028
7:39:09 AM	0.026
7:40:09 AM	0.025
7:41:09 AM	0.026
7:42:09 AM	0.025
7:43:09 AM	0.026
7:44:09 AM	0.027
7:45:09 AM	0.031
7:46:09 AM	0.029
7:47:09 AM	0.027
7:48:09 AM	0.028
7:49:09 AM	0.032
7:50:09 AM	0.037
7:51:09 AM	0.037
7:52:09 AM	0.038
7:53:09 AM	0.044
7:54:09 AM	0.038
7:55:09 AM	0.043

7:56:09 AM	0.04
7:57:09 AM	0.051
7:58:09 AM	0.056
7:59:09 AM	0.047
8:00:09 AM	0.049
8:01:09 AM	0.044
8:02:09 AM	0.037
8:03:09 AM	0.037
8:04:09 AM	0.048
8:05:09 AM	0.05
8:06:09 AM	0.051
8:07:09 AM	0.046
8:08:09 AM	0.042
8:09:09 AM	0.043
8:10:09 AM	0.055
8:11:09 AM	0.048
8:12:09 AM	0.037
8:13:09 AM	0.038
8:14:09 AM	0.037
8:15:09 AM	0.039
8:16:09 AM	0.05
8:17:09 AM	0.06
8:18:09 AM	0.04
8:19:09 AM	0.042
8:20:09 AM	0.039
8:21:09 AM	0.042
8:22:09 AM	0.043
8:23:09 AM	0.041
8:24:09 AM	0.035
8:25:09 AM	0.048
8:26:09 AM	0.054
8:27:09 AM	0.046
8:28:09 AM	0.04
8:29:09 AM	0.036
8:30:09 AM	0.031
8:31:09 AM	0.03
8:32:09 AM	0.031
8:33:09 AM	0.031
8:34:09 AM	0.043
8:35:09 AM	0.037
8:36:09 AM	0.027
8:37:09 AM	0.024
8:38:09 AM	0.024
8:39:09 AM	0.028

8:40:09 AM	0.026
8:41:09 AM	0.027
8:42:09 AM	0.036
8:43:09 AM	0.032
8:44:09 AM	0.042
8:45:09 AM	0.034
8:46:09 AM	0.027
8:47:09 AM	0.025
8:48:09 AM	0.023
8:49:09 AM	0.02
8:50:09 AM	0.024
8:51:09 AM	0.021
8:52:09 AM	0.025
8:53:09 AM	0.028
8:54:09 AM	0.032
8:55:09 AM	0.034
8:56:09 AM	0.03
8:57:09 AM	0.028
8:58:09 AM	0.025
8:59:09 AM	0.03
9:00:09 AM	0.038
9:01:09 AM	0.037
9:02:09 AM	0.037
9:03:09 AM	0.032
9:04:09 AM	0.044
9:05:09 AM	0.039
9:06:09 AM	0.035
9:07:09 AM	0.032
9:08:09 AM	0.025
9:09:09 AM	0.024
9:10:09 AM	0.02
9:11:09 AM	0.022
9:12:09 AM	0.026
9:13:09 AM	0.02
9:14:09 AM	0.012
9:15:09 AM	0.023
9:16:09 AM	0.024
9:17:09 AM	0.023
9:18:09 AM	0.02
9:19:09 AM	0.02
9:20:09 AM	0.023
9:21:09 AM	0.035
9:22:09 AM	0.033
9:23:09 AM	0.031

9:24:09 AM	0.033
9:25:09 AM	0.023
9:26:09 AM	0.019
9:27:09 AM	0.018
9:28:09 AM	0.021
9:29:09 AM	0.022
9:30:09 AM	0.023
9:31:09 AM	0.039
9:32:09 AM	0.024
9:33:09 AM	0.015
9:34:09 AM	0.014
9:35:09 AM	0.022
9:36:09 AM	0.015
9:37:09 AM	0.049
9:38:09 AM	0.022
9:39:09 AM	0.033
9:40:09 AM	0.031
9:41:09 AM	0.013
9:42:09 AM	0.01
9:43:09 AM	0.01
9:44:09 AM	0.01
9:45:09 AM	0.018
9:46:09 AM	0.019
9:47:09 AM	0.02
9:48:09 AM	0.013
9:49:09 AM	0.013
9:50:09 AM	0.039
9:51:09 AM	0.026
9:52:09 AM	0.03
9:53:09 AM	0.028
9:54:09 AM	0.017
9:55:09 AM	0.016
9:56:09 AM	0.012
9:57:09 AM	0.012
9:58:09 AM	0.016
9:59:09 AM	0.014
10:00:09 AM	0.014
10:01:09 AM	0.017
10:02:09 AM	0.013
10:03:09 AM	0.011
10:04:09 AM	0.013
10:05:09 AM	0.013
10:06:09 AM	0.012
10:07:09 AM	0.016

10:08:09 AM	0.013
10:09:09 AM	0.011
10:10:09 AM	0.014
10:11:09 AM	0.02
10:12:09 AM	0.012
10:13:09 AM	0.013
10:14:09 AM	0.014
10:15:09 AM	0.013
10:16:09 AM	0.012
10:17:09 AM	0.013
10:18:09 AM	0.013
10:19:09 AM	0.015
10:20:09 AM	0.018
10:21:09 AM	0.02
10:22:09 AM	0.012
10:23:09 AM	0.015
10:24:09 AM	0.011
10:25:09 AM	0.01
10:26:09 AM	0.012
10:27:09 AM	0.012
10:28:09 AM	0.016
10:29:09 AM	0.023
10:30:09 AM	0.035
10:31:09 AM	0.026
10:32:09 AM	0.026
10:33:09 AM	0.025
10:34:09 AM	0.019
10:35:09 AM	0.018
10:36:09 AM	0.018
10:37:09 AM	0.019
10:38:09 AM	0.013
10:39:09 AM	0.012
10:40:09 AM	0.011
10:41:09 AM	0.012
10:42:09 AM	0.01
10:43:09 AM	0.024
10:44:09 AM	0.02
10:45:09 AM	0.009
10:46:09 AM	0.017
10:47:09 AM	0.011
10:48:09 AM	0.009
10:49:09 AM	0.007
10:50:09 AM	0.008
10:51:09 AM	0.01

10:52:09 AM	0.026
10:53:09 AM	0.011
10:54:09 AM	0.012
10:55:09 AM	0.007
10:56:09 AM	0.007
10:57:09 AM	0.008
10:58:09 AM	0.007
10:59:09 AM	0.009
11:00:09 AM	0.014
11:01:09 AM	0.015
11:02:09 AM	0.021
11:03:09 AM	0.01
11:04:09 AM	0.007
11:05:09 AM	0.005
11:06:09 AM	0.009
11:07:09 AM	0.011
11:08:09 AM	0.01
11:09:09 AM	0.008
11:10:09 AM	0.012
11:11:09 AM	0.011
11:12:09 AM	0.01
11:13:09 AM	0.04
11:14:09 AM	0.021
11:15:09 AM	0.006
11:16:09 AM	0.003
11:17:09 AM	0.008
11:18:09 AM	0.017
11:19:09 AM	0.011
11:20:09 AM	0.038
11:21:09 AM	0.02
11:22:09 AM	0.024
11:23:09 AM	0.023
11:24:09 AM	0.016
11:25:09 AM	0.034
11:26:09 AM	0.042
11:27:09 AM	0.028
11:28:09 AM	0.062
11:29:09 AM	0.027
11:30:09 AM	0.02
11:31:09 AM	0.008
11:32:09 AM	0.007
11:33:09 AM	0.104
11:34:09 AM	0.241
11:35:09 AM	0.028

11:36:09 AM	0.092
11:37:09 AM	0.097
11:38:09 AM	0.039
11:39:09 AM	0.033
11:40:09 AM	0.059
11:41:09 AM	0.03
11:42:09 AM	0.017
11:43:09 AM	0.064
11:44:09 AM	0.086
11:45:09 AM	0.058
11:46:09 AM	0.051
11:47:09 AM	0.028
11:48:09 AM	0.081
11:49:09 AM	0.075
11:50:09 AM	0.046
11:51:09 AM	0.085
11:52:09 AM	0.042
11:53:09 AM	0.024
11:54:09 AM	0.031
11:55:09 AM	0.056
11:56:09 AM	0.023
11:57:09 AM	0.066
11:58:09 AM	0.025
11:59:09 AM	0.024
12:00:09 PM	0.048
12:01:09 PM	0.028
12:02:09 PM	0.019
12:03:09 PM	0.006
12:04:09 PM	0.016
12:05:09 PM	0.022
12:06:09 PM	0.01
12:07:09 PM	0.041
12:08:09 PM	0.009
12:09:09 PM	0.005
12:10:09 PM	0.001
12:11:09 PM	0.001
12:12:09 PM	0.002
12:13:09 PM	0.003
12:14:09 PM	0.005
12:15:09 PM	0.003
12:16:09 PM	0
12:17:09 PM	0.002
12:18:09 PM	0.003
12:19:09 PM	0.004

12:20:09 PM	0.002
12:21:09 PM	0.006
12:22:09 PM	0.003
12:23:09 PM	0.014
12:24:09 PM	0.008
12:25:09 PM	0.017
12:26:09 PM	0.016
12:27:09 PM	0.006
12:28:09 PM	0.02
12:29:09 PM	0.012
12:30:09 PM	0.02
12:31:09 PM	0.001
12:32:09 PM	0.005
12:33:09 PM	0.002
12:34:09 PM	0.001
12:35:09 PM	0.001
12:36:09 PM	0
12:37:09 PM	0
12:38:09 PM	0
12:39:09 PM	0
12:40:09 PM	0
12:41:09 PM	0.001
12:42:09 PM	0
12:43:09 PM	0.003
12:44:09 PM	0
12:45:09 PM	0
12:46:09 PM	0.002
12:47:09 PM	0.006
12:48:09 PM	0.031
12:49:09 PM	0.031
12:50:09 PM	0.002
12:51:09 PM	0.019
12:52:09 PM	0.012
12:53:09 PM	0.061
12:54:09 PM	0.016
12:55:09 PM	0.021
12:56:09 PM	0.017
12:57:09 PM	0.001
12:58:09 PM	0.001
12:59:09 PM	0.001
1:00:09 PM	0.001
1:01:09 PM	0.001
1:02:09 PM	0.002
1:03:09 PM	0.002

1:04:09 PM	0.003
1:05:09 PM	0.007
1:06:09 PM	0
1:07:09 PM	0.001
1:08:09 PM	0.006
1:09:09 PM	0.013
1:10:09 PM	0.002
1:11:09 PM	0
1:12:09 PM	0.001
1:13:09 PM	0
1:14:09 PM	0
1:15:09 PM	0
1:16:09 PM	0.002
1:17:09 PM	0.001
1:18:09 PM	0.001
1:19:09 PM	0.012
1:20:09 PM	0.008
1:21:09 PM	0.003
1:22:09 PM	0
1:23:09 PM	0.001
1:24:09 PM	0
1:25:09 PM	0
1:26:09 PM	0
1:27:09 PM	0.004
1:28:09 PM	0
1:29:09 PM	0
1:30:09 PM	0
1:31:09 PM	0
1:32:09 PM	0
1:33:09 PM	0.002
1:34:09 PM	0.007
1:35:09 PM	0.002
1:36:09 PM	0
1:37:09 PM	0
1:38:09 PM	0.001
1:39:09 PM	-0.002
1:40:09 PM	0
1:41:09 PM	0
1:42:09 PM	0
1:43:09 PM	-0.001
1:44:09 PM	-0.001
1:45:09 PM	-0.001
1:46:09 PM	-0.001
1:47:09 PM	-0.001

1:48:09 PM	-0.001
1:49:09 PM	-0.001
1:50:09 PM	-0.001
1:51:09 PM	-0.001
1:52:09 PM	0
1:53:09 PM	0.004
1:54:09 PM	-0.001
1:55:09 PM	-0.001
1:56:09 PM	-0.002
1:57:09 PM	0.002
1:58:09 PM	0
1:59:09 PM	0
2:00:09 PM	0
2:01:09 PM	-0.003
2:02:09 PM	-0.003
2:03:09 PM	-0.003
2:04:09 PM	-0.001
2:05:09 PM	-0.004
2:06:09 PM	-0.002
2:07:09 PM	-0.002
2:08:09 PM	-0.002
2:09:09 PM	-0.001
2:10:09 PM	-0.003
2:11:09 PM	-0.002
2:12:09 PM	0
2:13:09 PM	0
2:14:09 PM	0.01
2:15:09 PM	0
2:16:09 PM	0.004
2:17:09 PM	-0.002
2:18:09 PM	0.002
2:19:09 PM	0
2:20:09 PM	-0.002
2:21:09 PM	0
2:22:09 PM	0
2:23:09 PM	0.001
2:24:09 PM	0.007
2:25:09 PM	0.004
2:26:09 PM	0.001
2:27:09 PM	0.003
2:28:09 PM	0.01
2:29:09 PM	0.006
2:30:09 PM	0.007
2:31:09 PM	0.004

2:32:09 PM	0.001
2:33:09 PM	0
2:34:09 PM	0.001
2:35:09 PM	0
2:36:09 PM	0.001
2:37:09 PM	0.004
2:38:09 PM	0.002
2:39:09 PM	0.002
2:40:09 PM	0.001
2:41:09 PM	0
2:42:09 PM	0
2:43:09 PM	0
2:44:09 PM	0.001
2:45:09 PM	0.002
2:46:09 PM	0.007
2:47:09 PM	0.003
2:48:09 PM	0.002
2:49:09 PM	0.005
2:50:09 PM	0.003
2:51:09 PM	0.005
2:52:09 PM	0.007
2:53:09 PM	0.007
2:54:09 PM	0.005
2:55:09 PM	0.005
2:56:09 PM	0.005
2:57:09 PM	0.005
2:58:09 PM	0.007
2:59:09 PM	0.007
3:00:09 PM	0.007
3:01:09 PM	0.011
3:02:09 PM	0.007
3:03:09 PM	0.006
3:04:09 PM	0.006
3:05:09 PM	0.008
3:06:09 PM	0.008
3:07:09 PM	0.005
3:08:09 PM	0.007
3:09:09 PM	0.007
3:10:09 PM	0.011
3:11:09 PM	0.008
3:12:09 PM	0.007
3:13:09 PM	0.009
3:14:09 PM	0.007
3:15:09 PM	0.007

3:16:09 PM	0.007
3:17:09 PM	0.008
3:18:09 PM	0.01
3:19:09 PM	0.007
3:20:09 PM	0.007
3:21:09 PM	0.008
3:22:09 PM	0.009
3:23:09 PM	0.007
3:24:09 PM	0.007
3:25:09 PM	0.006
3:26:09 PM	0.006
3:27:09 PM	0.009
3:28:09 PM	0.01
3:29:09 PM	0.007
3:30:09 PM	0.008
3:31:09 PM	0.012
3:32:09 PM	0.007
3:33:09 PM	0.006
3:34:09 PM	0.005
3:35:09 PM	0.006
3:36:09 PM	0.008
3:37:09 PM	0.005
3:38:09 PM	0.005
3:39:09 PM	0.005
3:40:09 PM	0.005
3:41:09 PM	0.004
3:42:09 PM	0.005
3:43:09 PM	0.004
3:44:09 PM	0.006
3:45:09 PM	0.003
3:46:09 PM	0.004
3:47:09 PM	0.003
3:48:09 PM	0.009
3:49:09 PM	0.004
3:50:09 PM	0.007
3:51:09 PM	0.006
3:52:09 PM	0.007
3:53:09 PM	0.006
3:54:09 PM	0.004
3:55:09 PM	0.005
3:56:09 PM	0.006
3:57:09 PM	0.004
3:58:09 PM	0.004
3:59:09 PM	0.007

4:00:09 PM	0.006
4:01:09 PM	0.004
4:02:09 PM	0.003
4:03:09 PM	0.003
4:04:09 PM	0.003
4:05:09 PM	0.003
4:06:09 PM	0.004
4:07:09 PM	0.003
4:08:09 PM	0.003
4:09:09 PM	0.003
4:10:09 PM	0.003
4:11:09 PM	0.004
4:12:09 PM	0.003
4:13:09 PM	0.002
4:14:09 PM	0.002
4:15:09 PM	0.002
4:16:09 PM	0.004

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	6/17/2024 16:30	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:29	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:28	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:27	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:26	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:25	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:24	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:23	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:22	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:21	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:17	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:16	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:15	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:14	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:13	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:12	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:11	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:10	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:09	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:08	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:07	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:06	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:05	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:04	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:03	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:02	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 16:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 15:59	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	6/17/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 7:02 CONFIG	PID	SC23030449A8		
592-600853	6/17/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	6/17/2024 6:55 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_006
Test Start Time	6:49:10 AM
Test Start Date	6/17/2024
Test Length [D:H:M]	0:09:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.037
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	0.242
Mass TWA [mg/m3]	0.039
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	566

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:49:10 AM	0.242		
6:50:10 AM	0.019		
6:51:10 AM	0.017		
6:52:10 AM	0.019		
6:53:10 AM	0.017		
6:54:10 AM	0.018		
6:55:10 AM	0.018		
6:56:10 AM	0.018		
6:57:10 AM	0.017		
6:58:10 AM	0.018		
6:59:10 AM	0.018		
7:00:10 AM	0.018		
7:01:10 AM	0.018		
7:02:10 AM	0.018		
7:03:10 AM	0.018		
7:04:10 AM	0.017		
7:05:10 AM	0.018		
7:06:10 AM	0.017		
7:07:10 AM	0.016		
7:08:10 AM	0.017		
7:09:10 AM	0.016		
7:10:10 AM	0.016		
7:11:10 AM	0.016		
7:12:10 AM	0.017		

7:13:10 AM	0.017
7:14:10 AM	0.017
7:15:10 AM	0.017
7:16:10 AM	0.017
7:17:10 AM	0.017
7:18:10 AM	0.017
7:19:10 AM	0.016
7:20:10 AM	0.017
7:21:10 AM	0.017
7:22:10 AM	0.019
7:23:10 AM	0.018
7:24:10 AM	0.016
7:25:10 AM	0.016
7:26:10 AM	0.017
7:27:10 AM	0.018
7:28:10 AM	0.017
7:29:10 AM	0.017
7:30:10 AM	0.023
7:31:10 AM	0.045
7:32:10 AM	0.054
7:33:10 AM	0.095
7:34:10 AM	0.058
7:35:10 AM	0.035
7:36:10 AM	0.025
7:37:10 AM	0.064
7:38:10 AM	0.029
7:39:10 AM	0.022
7:40:10 AM	0.02
7:41:10 AM	0.021
7:42:10 AM	0.021
7:43:10 AM	0.019
7:44:10 AM	0.02
7:45:10 AM	0.018
7:46:10 AM	0.019
7:47:10 AM	0.02
7:48:10 AM	0.019
7:49:10 AM	0.019
7:50:10 AM	0.051
7:51:10 AM	0.043
7:52:10 AM	0.067
7:53:10 AM	0.073
7:54:10 AM	0.154
7:55:10 AM	0.087
7:56:10 AM	0.079

7:57:10 AM	0.081
7:58:10 AM	0.083
7:59:10 AM	0.058
8:00:10 AM	0.116
8:01:10 AM	0.035
8:02:10 AM	0.029
8:03:10 AM	0.083
8:04:10 AM	0.037
8:05:10 AM	0.028
8:06:10 AM	0.031
8:07:10 AM	0.047
8:08:10 AM	0.113
8:09:10 AM	0.075
8:10:10 AM	0.108
8:11:10 AM	0.057
8:12:10 AM	0.089
8:13:10 AM	0.053
8:14:10 AM	0.06
8:15:10 AM	0.121
8:16:10 AM	0.092
8:17:10 AM	0.064
8:18:10 AM	0.043
8:19:10 AM	0.034
8:20:10 AM	0.049
8:21:10 AM	0.1
8:22:10 AM	0.094
8:23:10 AM	0.098
8:24:10 AM	0.078
8:25:10 AM	0.03
8:26:10 AM	0.045
8:27:10 AM	0.048
8:28:10 AM	0.035
8:29:10 AM	0.024
8:30:10 AM	0.03
8:31:10 AM	0.028
8:32:10 AM	0.094
8:33:10 AM	0.041
8:34:10 AM	0.037
8:35:10 AM	0.06
8:36:10 AM	0.038
8:37:10 AM	0.037
8:38:10 AM	0.038
8:39:10 AM	0.048
8:40:10 AM	0.069

8:41:10 AM	0.073
8:42:10 AM	0.06
8:43:10 AM	0.076
8:44:10 AM	0.159
8:45:10 AM	0.036
8:46:10 AM	0.089
8:47:10 AM	0.04
8:48:10 AM	0.052
8:49:10 AM	0.026
8:50:10 AM	0.09
8:51:10 AM	0.022
8:52:10 AM	0.023
8:53:10 AM	0.022
8:54:10 AM	0.019
8:55:10 AM	0.021
8:56:10 AM	0.033
8:57:10 AM	0.07
8:58:10 AM	0.116
8:59:10 AM	0.091
9:00:10 AM	0.022
9:01:10 AM	0.022
9:02:10 AM	0.025
9:03:10 AM	0.022
9:04:10 AM	0.049
9:05:10 AM	0.094
9:06:10 AM	0.079
9:07:10 AM	0.09
9:08:10 AM	0.034
9:09:10 AM	0.02
9:10:10 AM	0.03
9:11:10 AM	0.022
9:12:10 AM	0.02
9:13:10 AM	0.024
9:14:10 AM	0.026
9:15:10 AM	0.025
9:16:10 AM	0.022
9:17:10 AM	0.104
9:18:10 AM	0.054
9:19:10 AM	0.023
9:20:10 AM	0.03
9:21:10 AM	0.039
9:22:10 AM	0.036
9:23:10 AM	0.065
9:24:10 AM	0.063

9:25:10 AM	0.085
9:26:10 AM	0.053
9:27:10 AM	0.063
9:28:10 AM	0.078
9:29:10 AM	0.072
9:30:10 AM	0.134
9:31:10 AM	0.08
9:32:10 AM	0.119
9:33:10 AM	0.057
9:34:10 AM	0.019
9:35:10 AM	0.018
9:36:10 AM	0.07
9:37:10 AM	0.065
9:38:10 AM	0.064
9:39:10 AM	0.03
9:40:10 AM	0.051
9:41:10 AM	0.066
9:42:10 AM	0.065
9:43:10 AM	0.055
9:44:10 AM	0.019
9:45:10 AM	0.018
9:46:10 AM	0.022
9:47:10 AM	0.023
9:48:10 AM	0.022
9:49:10 AM	0.035
9:50:10 AM	0.026
9:51:10 AM	0.038
9:52:10 AM	0.055
9:53:10 AM	0.038
9:54:10 AM	0.041
9:55:10 AM	0.072
9:56:10 AM	0.039
9:57:10 AM	0.032
9:58:10 AM	0.024
9:59:10 AM	0.018
10:00:10 AM	0.019
10:01:10 AM	0.02
10:02:10 AM	0.019
10:03:10 AM	0.021
10:04:10 AM	0.019
10:05:10 AM	0.018
10:06:10 AM	0.019
10:07:10 AM	0.018
10:08:10 AM	0.018

10:09:10 AM	0.017
10:10:10 AM	0.017
10:11:10 AM	0.017
10:12:10 AM	0.017
10:13:10 AM	0.022
10:14:10 AM	0.02
10:15:10 AM	0.017
10:16:10 AM	0.017
10:17:10 AM	0.017
10:18:10 AM	0.017
10:19:10 AM	0.02
10:20:10 AM	0.019
10:21:10 AM	0.018
10:22:10 AM	0.017
10:23:10 AM	0.017
10:24:10 AM	0.017
10:25:10 AM	0.021
10:26:10 AM	0.019
10:27:10 AM	0.033
10:28:10 AM	0.025
10:29:10 AM	0.036
10:30:10 AM	0.055
10:31:10 AM	0.034
10:32:10 AM	0.059
10:33:10 AM	0.081
10:34:10 AM	0.047
10:35:10 AM	0.047
10:36:10 AM	0.052
10:37:10 AM	0.028
10:38:10 AM	0.045
10:39:10 AM	0.036
10:40:10 AM	0.023
10:41:10 AM	0.047
10:42:10 AM	0.083
10:43:10 AM	0.019
10:44:10 AM	0.024
10:45:10 AM	0.03
10:46:10 AM	0.022
10:47:10 AM	0.056
10:48:10 AM	0.036
10:49:10 AM	0.038
10:50:10 AM	0.04
10:51:10 AM	0.104
10:52:10 AM	0.073

10:53:10 AM	0.057
10:54:10 AM	0.051
10:55:10 AM	0.037
10:56:10 AM	0.025
10:57:10 AM	0.017
10:58:10 AM	0.018
10:59:10 AM	0.024
11:00:10 AM	0.022
11:01:10 AM	0.02
11:02:10 AM	0.045
11:03:10 AM	0.027
11:04:10 AM	0.018
11:05:10 AM	0.039
11:06:10 AM	0.041
11:07:10 AM	0.045
11:08:10 AM	0.039
11:09:10 AM	0.029
11:10:10 AM	0.029
11:11:10 AM	0.048
11:12:10 AM	0.04
11:13:10 AM	0.042
11:14:10 AM	0.074
11:15:10 AM	0.061
11:16:10 AM	0.039
11:17:10 AM	0.019
11:18:10 AM	0.029
11:19:10 AM	0.065
11:20:10 AM	0.024
11:21:10 AM	0.028
11:22:10 AM	0.028
11:23:10 AM	0.048
11:24:10 AM	0.032
11:25:10 AM	0.043
11:26:10 AM	0.046
11:27:10 AM	0.038
11:28:10 AM	0.04
11:29:10 AM	0.047
11:30:10 AM	0.037
11:31:10 AM	0.024
11:32:10 AM	0.03
11:33:10 AM	0.039
11:34:10 AM	0.098
11:35:10 AM	0.037
11:36:10 AM	0.061

11:37:10 AM	0.067
11:38:10 AM	0.084
11:39:10 AM	0.06
11:40:10 AM	0.046
11:41:10 AM	0.063
11:42:10 AM	0.051
11:43:10 AM	0.035
11:44:10 AM	0.027
11:45:10 AM	0.03
11:46:10 AM	0.039
11:47:10 AM	0.059
11:48:10 AM	0.02
11:49:10 AM	0.022
11:50:10 AM	0.035
11:51:10 AM	0.034
11:52:10 AM	0.019
11:53:10 AM	0.022
11:54:10 AM	0.029
11:55:10 AM	0.043
11:56:10 AM	0.047
11:57:10 AM	0.078
11:58:10 AM	0.087
11:59:10 AM	0.061
12:00:10 PM	0.072
12:01:10 PM	0.049
12:02:10 PM	0.032
12:03:10 PM	0.016
12:04:10 PM	0.019
12:05:10 PM	0.026
12:06:10 PM	0.023
12:07:10 PM	0.018
12:08:10 PM	0.017
12:09:10 PM	0.039
12:10:10 PM	0.029
12:11:10 PM	0.029
12:12:10 PM	0.018
12:13:10 PM	0.023
12:14:10 PM	0.019
12:15:10 PM	0.019
12:16:10 PM	0.045
12:17:10 PM	0.016
12:18:10 PM	0.017
12:19:10 PM	0.037
12:20:10 PM	0.044

12:21:10 PM	0.022
12:22:10 PM	0.047
12:23:10 PM	0.019
12:24:10 PM	0.025
12:25:10 PM	0.022
12:26:10 PM	0.075
12:27:10 PM	0.096
12:28:10 PM	0.03
12:29:10 PM	0.072
12:30:10 PM	0.053
12:31:10 PM	0.024
12:32:10 PM	0.045
12:33:10 PM	0.067
12:34:10 PM	0.121
12:35:10 PM	0.079
12:36:10 PM	0.086
12:37:10 PM	0.036
12:38:10 PM	0.037
12:39:10 PM	0.018
12:40:10 PM	0.021
12:41:10 PM	0.053
12:42:10 PM	0.055
12:43:10 PM	0.019
12:44:10 PM	0.018
12:45:10 PM	0.031
12:46:10 PM	0.023
12:47:10 PM	0.019
12:48:10 PM	0.016
12:49:10 PM	0.017
12:50:10 PM	0.018
12:51:10 PM	0.033
12:52:10 PM	0.035
12:53:10 PM	0.084
12:54:10 PM	0.042
12:55:10 PM	0.062
12:56:10 PM	0.048
12:57:10 PM	0.032
12:58:10 PM	0.041
12:59:10 PM	0.128
1:00:10 PM	0.062
1:01:10 PM	0.027
1:02:10 PM	0.042
1:03:10 PM	0.033
1:04:10 PM	0.02

1:05:10 PM	0.029
1:06:10 PM	0.042
1:07:10 PM	0.019
1:08:10 PM	0.017
1:09:10 PM	0.025
1:10:10 PM	0.055
1:11:10 PM	0.036
1:12:10 PM	0.046
1:13:10 PM	0.023
1:14:10 PM	0.033
1:15:10 PM	0.039
1:16:10 PM	0.02
1:17:10 PM	0.017
1:18:10 PM	0.023
1:19:10 PM	0.035
1:20:10 PM	0.037
1:21:10 PM	0.094
1:22:10 PM	0.112
1:23:10 PM	0.043
1:24:10 PM	0.018
1:25:10 PM	0.015
1:26:10 PM	0.016
1:27:10 PM	0.02
1:28:10 PM	0.016
1:29:10 PM	0.017
1:30:10 PM	0.022
1:31:10 PM	0.015
1:32:10 PM	0.018
1:33:10 PM	0.016
1:34:10 PM	0.015
1:35:10 PM	0.016
1:36:10 PM	0.017
1:37:10 PM	0.017
1:38:10 PM	0.018
1:39:10 PM	0.017
1:40:10 PM	0.017
1:41:10 PM	0.016
1:42:10 PM	0.018
1:43:10 PM	0.016
1:44:10 PM	0.018
1:45:10 PM	0.018
1:46:10 PM	0.017
1:47:10 PM	0.02
1:48:10 PM	0.017

1:49:10 PM	0.018
1:50:10 PM	0.018
1:51:10 PM	0.019
1:52:10 PM	0.019
1:53:10 PM	0.033
1:54:10 PM	0.025
1:55:10 PM	0.021
1:56:10 PM	0.021
1:57:10 PM	0.022
1:58:10 PM	0.027
1:59:10 PM	0.023
2:00:10 PM	0.032
2:01:10 PM	0.027
2:02:10 PM	0.02
2:03:10 PM	0.018
2:04:10 PM	0.019
2:05:10 PM	0.02
2:06:10 PM	0.021
2:07:10 PM	0.021
2:08:10 PM	0.025
2:09:10 PM	0.017
2:10:10 PM	0.02
2:11:10 PM	0.022
2:12:10 PM	0.038
2:13:10 PM	0.037
2:14:10 PM	0.027
2:15:10 PM	0.026
2:16:10 PM	0.034
2:17:10 PM	0.042
2:18:10 PM	0.047
2:19:10 PM	0.021
2:20:10 PM	0.021
2:21:10 PM	0.037
2:22:10 PM	0.049
2:23:10 PM	0.034
2:24:10 PM	0.03
2:25:10 PM	0.112
2:26:10 PM	0.093
2:27:10 PM	0.053
2:28:10 PM	0.037
2:29:10 PM	0.033
2:30:10 PM	0.039
2:31:10 PM	0.053
2:32:10 PM	0.042

2:33:10 PM	0.024
2:34:10 PM	0.019
2:35:10 PM	0.044
2:36:10 PM	0.073
2:37:10 PM	0.043
2:38:10 PM	0.021
2:39:10 PM	0.039
2:40:10 PM	0.037
2:41:10 PM	0.054
2:42:10 PM	0.027
2:43:10 PM	0.022
2:44:10 PM	0.02
2:45:10 PM	0.037
2:46:10 PM	0.029
2:47:10 PM	0.032
2:48:10 PM	0.035
2:49:10 PM	0.032
2:50:10 PM	0.041
2:51:10 PM	0.021
2:52:10 PM	0.046
2:53:10 PM	0.035
2:54:10 PM	0.016
2:55:10 PM	0.018
2:56:10 PM	0.013
2:57:10 PM	0.016
2:58:10 PM	0.019
2:59:10 PM	0.019
3:00:10 PM	0.036
3:01:10 PM	0.03
3:02:10 PM	0.015
3:03:10 PM	0.013
3:04:10 PM	0.015
3:05:10 PM	0.017
3:06:10 PM	0.027
3:07:10 PM	0.017
3:08:10 PM	0.013
3:09:10 PM	0.018
3:10:10 PM	0.016
3:11:10 PM	0.014
3:12:10 PM	0.014
3:13:10 PM	0.015
3:14:10 PM	0.015
3:15:10 PM	0.015
3:16:10 PM	0.014

3:17:10 PM	0.016
3:18:10 PM	0.033
3:19:10 PM	0.052
3:20:10 PM	0.027
3:21:10 PM	0.048
3:22:10 PM	0.025
3:23:10 PM	0.015
3:24:10 PM	0.021
3:25:10 PM	0.021
3:26:10 PM	0.019
3:27:10 PM	0.021
3:28:10 PM	0.042
3:29:10 PM	0.02
3:30:10 PM	0.049
3:31:10 PM	0.028
3:32:10 PM	0.021
3:33:10 PM	0.021
3:34:10 PM	0.013
3:35:10 PM	0.013
3:36:10 PM	0.013
3:37:10 PM	0.013
3:38:10 PM	0.013
3:39:10 PM	0.013
3:40:10 PM	0.016
3:41:10 PM	0.016
3:42:10 PM	0.02
3:43:10 PM	0.015
3:44:10 PM	0.028
3:45:10 PM	0.013
3:46:10 PM	0.013
3:47:10 PM	0.064
3:48:10 PM	0.155
3:49:10 PM	0.013
3:50:10 PM	0.013
3:51:10 PM	0.012
3:52:10 PM	0.012
3:53:10 PM	0.012
3:54:10 PM	0.089
3:55:10 PM	0.025
3:56:10 PM	0.014
3:57:10 PM	0.014
3:58:10 PM	0.014
3:59:10 PM	0.016
4:00:10 PM	0.013

4:01:10 PM	0.033
4:02:10 PM	0.023
4:03:10 PM	0.02
4:04:10 PM	0.023
4:05:10 PM	0.059
4:06:10 PM	0.018
4:07:10 PM	0.014
4:08:10 PM	0.015
4:09:10 PM	0.014
4:10:10 PM	0.013
4:11:10 PM	0.017
4:12:10 PM	0.04
4:13:10 PM	0.025
4:14:10 PM	0.036

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/17/2024 15:47	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:46	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:45	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:44	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:43	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:42	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:41	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:40	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:39	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:38	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:37	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:36	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:35	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:34	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:33	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:32	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:31	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:30	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:29	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:28	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:27	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:26	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:25	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:24	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:23	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:21	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:20	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:19	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 15:16	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	6/17/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:46 Readings	PID	SC23030124AA	Normal	0

592-908641	6/17/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:36 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:35 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:34 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:28 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:24 Readings	PID	SC23030124AA	Normal	0.3
592-908641	6/17/2024 9:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:22 Readings	PID	SC23030124AA	Normal	1.6
592-908641	6/17/2024 9:21 Readings	PID	SC23030124AA	Normal	4.8
592-908641	6/17/2024 9:20 Readings	PID	SC23030124AA	Normal	1.1
592-908641	6/17/2024 9:19 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:18 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:17 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:16 Readings	PID	SC23030124AA	Normal	2.3
592-908641	6/17/2024 9:15 Readings	PID	SC23030124AA	Normal	0.5
592-908641	6/17/2024 9:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:13 Readings	PID	SC23030124AA	Normal	2.2

592-908641	6/17/2024 9:12 Readings	PID	SC23030124AA	Normal	1
592-908641	6/17/2024 9:11 Readings	PID	SC23030124AA	Normal	2.1
592-908641	6/17/2024 9:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:05 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 9:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 8:40 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	6/17/2024 7:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:59 Readings	PID	SC23030124AA	Normal	0.3
592-908641	6/17/2024 6:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:54 Readings	PID	SC23030124AA	Normal	0.3
592-908641	6/17/2024 6:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:48 Readings	PID	SC23030124AA	Normal	0.3
592-908641	6/17/2024 6:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:41 Readings	PID	SC23030124AA	Normal	0.1
592-908641	6/17/2024 6:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:30 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:29 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:28 Readings	PID	SC23030124AA	Normal	0

592-908641	6/17/2024 6:27 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:26 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:25 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:24 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:23 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:22 Readings	PID	SC23030124AA	Normal	0
592-908641	6/17/2024 6:21 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_005
Test Start Time	6:47:31 AM
Test Start Date	6/17/2024
Test Length [D:H:M]	0:09:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.023
Mass Minimum [mg/m3]	0.016
Mass Maximum [mg/m3]	0.244
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	570

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:47:31 AM	0.244		
6:48:31 AM	0.017		
6:49:31 AM	0.017		
6:50:31 AM	0.018		
6:51:31 AM	0.017		
6:52:31 AM	0.016		
6:53:31 AM	0.02		
6:54:31 AM	0.017		
6:55:31 AM	0.018		
6:56:31 AM	0.018		
6:57:31 AM	0.018		
6:58:31 AM	0.018		
6:59:31 AM	0.019		
7:00:31 AM	0.018		
7:01:31 AM	0.018		
7:02:31 AM	0.018		
7:03:31 AM	0.018		
7:04:31 AM	0.018		
7:05:31 AM	0.018		
7:06:31 AM	0.017		
7:07:31 AM	0.017		
7:08:31 AM	0.018		
7:09:31 AM	0.016		
7:10:31 AM	0.017		

7:11:31 AM	0.018
7:12:31 AM	0.017
7:13:31 AM	0.018
7:14:31 AM	0.018
7:15:31 AM	0.017
7:16:31 AM	0.017
7:17:31 AM	0.017
7:18:31 AM	0.017
7:19:31 AM	0.018
7:20:31 AM	0.019
7:21:31 AM	0.024
7:22:31 AM	0.016
7:23:31 AM	0.017
7:24:31 AM	0.017
7:25:31 AM	0.016
7:26:31 AM	0.017
7:27:31 AM	0.018
7:28:31 AM	0.016
7:29:31 AM	0.016
7:30:31 AM	0.02
7:31:31 AM	0.018
7:32:31 AM	0.016
7:33:31 AM	0.016
7:34:31 AM	0.017
7:35:31 AM	0.018
7:36:31 AM	0.018
7:37:31 AM	0.019
7:38:31 AM	0.018
7:39:31 AM	0.017
7:40:31 AM	0.018
7:41:31 AM	0.019
7:42:31 AM	0.021
7:43:31 AM	0.02
7:44:31 AM	0.018
7:45:31 AM	0.019
7:46:31 AM	0.019
7:47:31 AM	0.021
7:48:31 AM	0.021
7:49:31 AM	0.022
7:50:31 AM	0.021
7:51:31 AM	0.036
7:52:31 AM	0.023
7:53:31 AM	0.024
7:54:31 AM	0.025

7:55:31 AM	0.025
7:56:31 AM	0.025
7:57:31 AM	0.039
7:58:31 AM	0.026
7:59:31 AM	0.025
8:00:31 AM	0.027
8:01:31 AM	0.026
8:02:31 AM	0.028
8:03:31 AM	0.026
8:04:31 AM	0.032
8:05:31 AM	0.027
8:06:31 AM	0.026
8:07:31 AM	0.027
8:08:31 AM	0.022
8:09:31 AM	0.023
8:10:31 AM	0.023
8:11:31 AM	0.03
8:12:31 AM	0.025
8:13:31 AM	0.023
8:14:31 AM	0.019
8:15:31 AM	0.023
8:16:31 AM	0.025
8:17:31 AM	0.026
8:18:31 AM	0.031
8:19:31 AM	0.032
8:20:31 AM	0.026
8:21:31 AM	0.026
8:22:31 AM	0.03
8:23:31 AM	0.028
8:24:31 AM	0.02
8:25:31 AM	0.023
8:26:31 AM	0.037
8:27:31 AM	0.03
8:28:31 AM	0.029
8:29:31 AM	0.024
8:30:31 AM	0.047
8:31:31 AM	0.022
8:32:31 AM	0.021
8:33:31 AM	0.024
8:34:31 AM	0.025
8:35:31 AM	0.025
8:36:31 AM	0.026
8:37:31 AM	0.026
8:38:31 AM	0.019

8:39:31 AM	0.018
8:40:31 AM	0.019
8:41:31 AM	0.021
8:42:31 AM	0.02
8:43:31 AM	0.022
8:44:31 AM	0.025
8:45:31 AM	0.029
8:46:31 AM	0.021
8:47:31 AM	0.026
8:48:31 AM	0.028
8:49:31 AM	0.053
8:50:31 AM	0.024
8:51:31 AM	0.039
8:52:31 AM	0.033
8:53:31 AM	0.021
8:54:31 AM	0.021
8:55:31 AM	0.021
8:56:31 AM	0.023
8:57:31 AM	0.024
8:58:31 AM	0.019
8:59:31 AM	0.019
9:00:31 AM	0.02
9:01:31 AM	0.024
9:02:31 AM	0.026
9:03:31 AM	0.023
9:04:31 AM	0.027
9:05:31 AM	0.031
9:06:31 AM	0.042
9:07:31 AM	0.033
9:08:31 AM	0.025
9:09:31 AM	0.022
9:10:31 AM	0.025
9:11:31 AM	0.024
9:12:31 AM	0.021
9:13:31 AM	0.027
9:14:31 AM	0.028
9:15:31 AM	0.026
9:16:31 AM	0.022
9:17:31 AM	0.018
9:18:31 AM	0.021
9:19:31 AM	0.022
9:20:31 AM	0.021
9:21:31 AM	0.025
9:22:31 AM	0.026

9:23:31 AM	0.031
9:24:31 AM	0.038
9:25:31 AM	0.027
9:26:31 AM	0.025
9:27:31 AM	0.021
9:28:31 AM	0.019
9:29:31 AM	0.022
9:30:31 AM	0.024
9:31:31 AM	0.028
9:32:31 AM	0.028
9:33:31 AM	0.021
9:34:31 AM	0.018
9:35:31 AM	0.018
9:36:31 AM	0.022
9:37:31 AM	0.018
9:38:31 AM	0.022
9:39:31 AM	0.023
9:40:31 AM	0.022
9:41:31 AM	0.019
9:42:31 AM	0.022
9:43:31 AM	0.017
9:44:31 AM	0.018
9:45:31 AM	0.017
9:46:31 AM	0.025
9:47:31 AM	0.023
9:48:31 AM	0.022
9:49:31 AM	0.024
9:50:31 AM	0.022
9:51:31 AM	0.022
9:52:31 AM	0.024
9:53:31 AM	0.024
9:54:31 AM	0.022
9:55:31 AM	0.021
9:56:31 AM	0.022
9:57:31 AM	0.023
9:58:31 AM	0.025
9:59:31 AM	0.02
10:00:31 AM	0.021
10:01:31 AM	0.02
10:02:31 AM	0.02
10:03:31 AM	0.02
10:04:31 AM	0.019
10:05:31 AM	0.019
10:06:31 AM	0.018

10:07:31 AM	0.019
10:08:31 AM	0.018
10:09:31 AM	0.018
10:10:31 AM	0.021
10:11:31 AM	0.025
10:12:31 AM	0.017
10:13:31 AM	0.017
10:14:31 AM	0.021
10:15:31 AM	0.017
10:16:31 AM	0.018
10:17:31 AM	0.018
10:18:31 AM	0.018
10:19:31 AM	0.021
10:20:31 AM	0.02
10:21:31 AM	0.02
10:22:31 AM	0.019
10:23:31 AM	0.018
10:24:31 AM	0.019
10:25:31 AM	0.021
10:26:31 AM	0.017
10:27:31 AM	0.019
10:28:31 AM	0.032
10:29:31 AM	0.023
10:30:31 AM	0.024
10:31:31 AM	0.027
10:32:31 AM	0.023
10:33:31 AM	0.024
10:34:31 AM	0.024
10:35:31 AM	0.025
10:36:31 AM	0.021
10:37:31 AM	0.034
10:38:31 AM	0.018
10:39:31 AM	0.017
10:40:31 AM	0.017
10:41:31 AM	0.018
10:42:31 AM	0.019
10:43:31 AM	0.018
10:44:31 AM	0.018
10:45:31 AM	0.018
10:46:31 AM	0.017
10:47:31 AM	0.016
10:48:31 AM	0.017
10:49:31 AM	0.019
10:50:31 AM	0.029

10:51:31 AM	0.026
10:52:31 AM	0.024
10:53:31 AM	0.02
10:54:31 AM	0.036
10:55:31 AM	0.027
10:56:31 AM	0.024
10:57:31 AM	0.018
10:58:31 AM	0.019
10:59:31 AM	0.023
11:00:31 AM	0.023
11:01:31 AM	0.021
11:02:31 AM	0.021
11:03:31 AM	0.024
11:04:31 AM	0.019
11:05:31 AM	0.019
11:06:31 AM	0.018
11:07:31 AM	0.021
11:08:31 AM	0.019
11:09:31 AM	0.024
11:10:31 AM	0.029
11:11:31 AM	0.023
11:12:31 AM	0.017
11:13:31 AM	0.018
11:14:31 AM	0.021
11:15:31 AM	0.025
11:16:31 AM	0.019
11:17:31 AM	0.021
11:18:31 AM	0.02
11:19:31 AM	0.026
11:20:31 AM	0.021
11:21:31 AM	0.02
11:22:31 AM	0.021
11:23:31 AM	0.025
11:24:31 AM	0.022
11:25:31 AM	0.021
11:26:31 AM	0.028
11:27:31 AM	0.029
11:28:31 AM	0.031
11:29:31 AM	0.028
11:30:31 AM	0.025
11:31:31 AM	0.031
11:32:31 AM	0.021
11:33:31 AM	0.022
11:34:31 AM	0.03

11:35:31 AM	0.027
11:36:31 AM	0.036
11:37:31 AM	0.032
11:38:31 AM	0.028
11:39:31 AM	0.048
11:40:31 AM	0.025
11:41:31 AM	0.02
11:42:31 AM	0.019
11:43:31 AM	0.021
11:44:31 AM	0.021
11:45:31 AM	0.022
11:46:31 AM	0.019
11:47:31 AM	0.023
11:48:31 AM	0.024
11:49:31 AM	0.022
11:50:31 AM	0.022
11:51:31 AM	0.024
11:52:31 AM	0.024
11:53:31 AM	0.024
11:54:31 AM	0.025
11:55:31 AM	0.025
11:56:31 AM	0.027
11:57:31 AM	0.024
11:58:31 AM	0.026
11:59:31 AM	0.025
12:00:31 PM	0.022
12:01:31 PM	0.023
12:02:31 PM	0.02
12:03:31 PM	0.019
12:04:31 PM	0.025
12:05:31 PM	0.051
12:06:31 PM	0.019
12:07:31 PM	0.019
12:08:31 PM	0.02
12:09:31 PM	0.041
12:10:31 PM	0.036
12:11:31 PM	0.02
12:12:31 PM	0.019
12:13:31 PM	0.02
12:14:31 PM	0.022
12:15:31 PM	0.02
12:16:31 PM	0.019
12:17:31 PM	0.019
12:18:31 PM	0.02

12:19:31 PM	0.018
12:20:31 PM	0.019
12:21:31 PM	0.021
12:22:31 PM	0.02
12:23:31 PM	0.02
12:24:31 PM	0.019
12:25:31 PM	0.026
12:26:31 PM	0.052
12:27:31 PM	0.023
12:28:31 PM	0.021
12:29:31 PM	0.02
12:30:31 PM	0.018
12:31:31 PM	0.023
12:32:31 PM	0.026
12:33:31 PM	0.022
12:34:31 PM	0.021
12:35:31 PM	0.021
12:36:31 PM	0.02
12:37:31 PM	0.022
12:38:31 PM	0.025
12:39:31 PM	0.022
12:40:31 PM	0.02
12:41:31 PM	0.047
12:42:31 PM	0.048
12:43:31 PM	0.034
12:44:31 PM	0.025
12:45:31 PM	0.027
12:46:31 PM	0.026
12:47:31 PM	0.027
12:48:31 PM	0.018
12:49:31 PM	0.023
12:50:31 PM	0.02
12:51:31 PM	0.023
12:52:31 PM	0.026
12:53:31 PM	0.024
12:54:31 PM	0.019
12:55:31 PM	0.021
12:56:31 PM	0.018
12:57:31 PM	0.023
12:58:31 PM	0.021
12:59:31 PM	0.021
1:00:31 PM	0.02
1:01:31 PM	0.021
1:02:31 PM	0.022

1:03:31 PM	0.021
1:04:31 PM	0.019
1:05:31 PM	0.019
1:06:31 PM	0.022
1:07:31 PM	0.019
1:08:31 PM	0.02
1:09:31 PM	0.019
1:10:31 PM	0.02
1:11:31 PM	0.025
1:12:31 PM	0.021
1:13:31 PM	0.024
1:14:31 PM	0.024
1:15:31 PM	0.019
1:16:31 PM	0.019
1:17:31 PM	0.023
1:18:31 PM	0.02
1:19:31 PM	0.021
1:20:31 PM	0.019
1:21:31 PM	0.021
1:22:31 PM	0.021
1:23:31 PM	0.02
1:24:31 PM	0.02
1:25:31 PM	0.019
1:26:31 PM	0.02
1:27:31 PM	0.021
1:28:31 PM	0.02
1:29:31 PM	0.018
1:30:31 PM	0.02
1:31:31 PM	0.02
1:32:31 PM	0.018
1:33:31 PM	0.019
1:34:31 PM	0.018
1:35:31 PM	0.019
1:36:31 PM	0.019
1:37:31 PM	0.022
1:38:31 PM	0.02
1:39:31 PM	0.021
1:40:31 PM	0.02
1:41:31 PM	0.022
1:42:31 PM	0.021
1:43:31 PM	0.022
1:44:31 PM	0.02
1:45:31 PM	0.02
1:46:31 PM	0.021

1:47:31 PM	0.021
1:48:31 PM	0.022
1:49:31 PM	0.021
1:50:31 PM	0.019
1:51:31 PM	0.02
1:52:31 PM	0.019
1:53:31 PM	0.029
1:54:31 PM	0.023
1:55:31 PM	0.022
1:56:31 PM	0.031
1:57:31 PM	0.025
1:58:31 PM	0.031
1:59:31 PM	0.033
2:00:31 PM	0.026
2:01:31 PM	0.02
2:02:31 PM	0.019
2:03:31 PM	0.02
2:04:31 PM	0.024
2:05:31 PM	0.02
2:06:31 PM	0.02
2:07:31 PM	0.029
2:08:31 PM	0.027
2:09:31 PM	0.019
2:10:31 PM	0.023
2:11:31 PM	0.022
2:12:31 PM	0.032
2:13:31 PM	0.043
2:14:31 PM	0.024
2:15:31 PM	0.032
2:16:31 PM	0.024
2:17:31 PM	0.02
2:18:31 PM	0.02
2:19:31 PM	0.018
2:20:31 PM	0.022
2:21:31 PM	0.034
2:22:31 PM	0.024
2:23:31 PM	0.019
2:24:31 PM	0.019
2:25:31 PM	0.05
2:26:31 PM	0.032
2:27:31 PM	0.021
2:28:31 PM	0.019
2:29:31 PM	0.018
2:30:31 PM	0.018

2:31:31 PM	0.019
2:32:31 PM	0.033
2:33:31 PM	0.035
2:34:31 PM	0.021
2:35:31 PM	0.018
2:36:31 PM	0.023
2:37:31 PM	0.028
2:38:31 PM	0.03
2:39:31 PM	0.029
2:40:31 PM	0.024
2:41:31 PM	0.021
2:42:31 PM	0.024
2:43:31 PM	0.036
2:44:31 PM	0.023
2:45:31 PM	0.022
2:46:31 PM	0.023
2:47:31 PM	0.025
2:48:31 PM	0.02
2:49:31 PM	0.029
2:50:31 PM	0.021
2:51:31 PM	0.019
2:52:31 PM	0.018
2:53:31 PM	0.022
2:54:31 PM	0.023
2:55:31 PM	0.019
2:56:31 PM	0.022
2:57:31 PM	0.036
2:58:31 PM	0.026
2:59:31 PM	0.022
3:00:31 PM	0.024
3:01:31 PM	0.02
3:02:31 PM	0.018
3:03:31 PM	0.017
3:04:31 PM	0.018
3:05:31 PM	0.021
3:06:31 PM	0.022
3:07:31 PM	0.019
3:08:31 PM	0.02
3:09:31 PM	0.021
3:10:31 PM	0.02
3:11:31 PM	0.031
3:12:31 PM	0.021
3:13:31 PM	0.016
3:14:31 PM	0.018

3:15:31 PM	0.017
3:16:31 PM	0.018
3:17:31 PM	0.021
3:18:31 PM	0.021
3:19:31 PM	0.02
3:20:31 PM	0.02
3:21:31 PM	0.017
3:22:31 PM	0.018
3:23:31 PM	0.02
3:24:31 PM	0.02
3:25:31 PM	0.018
3:26:31 PM	0.019
3:27:31 PM	0.017
3:28:31 PM	0.017
3:29:31 PM	0.018
3:30:31 PM	0.017
3:31:31 PM	0.019
3:32:31 PM	0.017
3:33:31 PM	0.018
3:34:31 PM	0.024
3:35:31 PM	0.019
3:36:31 PM	0.019
3:37:31 PM	0.017
3:38:31 PM	0.02
3:39:31 PM	0.019
3:40:31 PM	0.021
3:41:31 PM	0.017
3:42:31 PM	0.027
3:43:31 PM	0.033
3:44:31 PM	0.019
3:45:31 PM	0.018
3:46:31 PM	0.017
3:47:31 PM	0.017
3:48:31 PM	0.016
3:49:31 PM	0.017
3:50:31 PM	0.017
3:51:31 PM	0.017
3:52:31 PM	0.017
3:53:31 PM	0.016
3:54:31 PM	0.017
3:55:31 PM	0.017
3:56:31 PM	0.019
3:57:31 PM	0.019
3:58:31 PM	0.019

3:59:31 PM	0.018
4:00:31 PM	0.02
4:01:31 PM	0.019
4:02:31 PM	0.018
4:03:31 PM	0.019
4:04:31 PM	0.018
4:05:31 PM	0.019
4:06:31 PM	0.018
4:07:31 PM	0.018
4:08:31 PM	0.018
4:09:31 PM	0.017
4:10:31 PM	0.018
4:11:31 PM	0.016
4:12:31 PM	0.016
4:13:31 PM	0.017
4:14:31 PM	0.017
4:15:31 PM	0.019
4:16:31 PM	0.018

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/17/2024 16:31	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:30	Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 16:29	Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 16:28	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:27	Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 16:26	Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 16:25	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:24	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:23	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:22	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:21	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:20	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:19	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:18	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:17	Readings	PID	SC23030602B4	Normal	0.9
592-602176	6/17/2024 16:16	Readings	PID	SC23030602B4	Normal	0.9
592-602176	6/17/2024 16:15	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:14	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:13	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:12	Readings	PID	SC23030602B4	Normal	0.9
592-602176	6/17/2024 16:11	Readings	PID	SC23030602B4	Normal	0.9
592-602176	6/17/2024 16:10	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:09	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:08	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:07	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:06	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:05	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:04	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:03	Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 16:02	Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 16:01	Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 16:00	Readings	PID	SC23030602B4	Normal	0.7

[illegible]

592-602176	6/17/2024 15:26 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:25 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:24 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:23 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:22 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:21 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:20 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:19 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:18 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:17 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:16 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:15 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:14 Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 15:13 Readings	PID	SC23030602B4	Normal	0.8
592-602176	6/17/2024 15:12 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:11 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:10 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:09 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:08 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 15:07 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:06 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:05 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:04 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:03 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:02 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:01 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 15:00 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 14:59 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:58 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 14:57 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:56 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:55 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:54 Readings	PID	SC23030602B4	Normal	0.6

592-602176	6/17/2024 14:53 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:52 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:51 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:50 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:48 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:47 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:46 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:45 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:44 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:43 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:42 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:41 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:40 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:39 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:38 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:37 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:36 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:35 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:34 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:33 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:32 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:31 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:30 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:29 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:28 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:27 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:26 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:25 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:24 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:23 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:22 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 14:21 Readings	PID	SC23030602B4	Normal	0.5

592-602176	6/17/2024 14:20 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:19 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:18 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 14:17 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:16 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 14:15 Readings	PID	SC23030602B4	Normal	0.7
592-602176	6/17/2024 14:14 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:13 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:12 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:11 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:10 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:09 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:08 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:07 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:06 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:05 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 14:04 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:03 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:02 Readings	PID	SC23030602B4	Normal	0.4
592-602176	6/17/2024 14:01 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 14:00 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:59 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:58 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:57 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:56 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:55 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:54 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:53 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:52 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:51 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	6/17/2024 13:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 13:48 Readings	PID	SC23030602B4	Normal	0.5

[illegible]

592-602176	6/17/2024 13:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:11 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 13:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 13:07 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 13:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 13:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 13:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 12:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 12:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 12:45 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 12:43 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:42 Readings	PID	SC23030602B4	Normal	0.2

592-602176	6/17/2024 12:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 12:40 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:39 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:38 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:37 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 12:35 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:32 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:30 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:29 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:24 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:23 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:22 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:21 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:20 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:19 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:18 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:17 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:14 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:13 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 12:09 Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

592-602176	6/17/2024 11:02 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 11:01 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 11:00 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:59 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:58 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:57 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:56 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:55 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:53 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:52 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:51 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:50 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:49 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:48 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:47 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:46 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:45 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:44 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:43 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:42 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:41 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:40 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:39 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:38 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:37 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 10:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 10:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:32 Readings	PID	SC23030602B4	Normal	0.6
592-602176	6/17/2024 10:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:30 Readings	PID	SC23030602B4	Normal	0

592-602176	6/17/2024 10:29 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:24 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:23 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 10:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 10:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 10:19 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 10:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 10:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:14 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 10:13 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 10:10 Readings	PID	SC23030602B4	Normal	1
592-602176	6/17/2024 10:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 10:08 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 10:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:06 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:05 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:04 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 10:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 10:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 10:01 Readings	PID	SC23030602B4	Normal	4.3
592-602176	6/17/2024 10:00 Readings	PID	SC23030602B4	Normal	1.9
592-602176	6/17/2024 9:59 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:58 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:57 Readings	PID	SC23030602B4	Normal	3.6

592-602176	6/17/2024 9:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 9:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/17/2024 9:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:53 Readings	PID	SC23030602B4	Normal	4.4
592-602176	6/17/2024 9:52 Readings	PID	SC23030602B4	Normal	0.5
592-602176	6/17/2024 9:51 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	6/17/2024 9:49 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:48 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:47 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:46 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:45 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:44 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:43 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:42 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:41 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:40 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:39 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:38 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:37 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:36 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:35 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:32 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:30 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:29 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 9:24 Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

592-602176	6/17/2024 8:17 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:16 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:15 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:14 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:13 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:12 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:04 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:02 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 8:01 Readings	PID	SC23030602B4	Normal	4.9
592-602176	6/17/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:59 Readings	PID	SC23030602B4	Normal	1.2
592-602176	6/17/2024 7:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	6/17/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:45 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	6/17/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:02 Readings	PID	SC23030602B4	Normal	0
592-602176	6/17/2024 7:01 CONFIG	PID	SC23030602B4		