

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	E 9 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	06/24/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:20

Time Offsite: 18:30

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas / Victor Barazza

WSP (Environmental oversight) – Tim Williams

Capital/KFS (Contractor)

Cascade/ECA (ISS Contractor)

Bradford (Plumbing/SSDS Contractor)

Triumvirate (Pump Truck)

Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations according to wind direction; KFS to continue fabrication of pile caps and foundations at south building; IEC to inspect vapor barriers for proper installation; Cascade / ECA to continue with batch plant assembly and deployment for ISS equipment; Capital to excavate soil at south building cellar, then load out stockpiled waste soil for disposal at Bayshore; excavate soil from Spill 2308807 and live load for disposal at Bayshore; apply ATMOS foam and aromatic mist to Spill 2308807 during excavation activities; IEC to gauge all site wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEC gauged depth to water (DTW) at all 14 sentinel wells;
- KFS continued foundation fabrication at the south building, and installation of vapor barriers;
- IEC inspected vapor barriers to ensure proper application;
- Capital/KFS continued excavation of foundation at the south building cellar;
- Fifteen (15) truckloads of material were loaded offsite for disposal at the Conestoga facility;
- Cascade continued with assembling batch-plant for ISS equipment deployment, electrician arrived and installed grounding rod;
- Bradford continued with installation of sewer system;
- Excavation continued in Spill area 2308807; minor periodic odors and elevated VOCs detected via handheld PID with highest reading of 20 ppm not sustained; an offsite odor complaint was received at around 10:30 from Jacon's/DEP-following the complaint work was slowed to better control odors; ATMOS and HCM aromatic mist were applied during excavation activities and during soil load out. Five (5) trucks were live

loaded for disposal at the Bayshore facility; CAMP Downwind Unit 2 was located near the northeast corner of the Site;

- Dewatering system was active with water pumped from Spill area excavation;
- Triumvirate pumps out ~1,000 gallons from the Truck Wash holding tank; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.068_ mg/m³ @ 06:37
- High Conditions (Upwind) – PID = _1.1_ ppm @ 07:27, Dust = _0.887_ mg/m³ @ 14:33
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.466_ mg/m³ @ 17:41
- High Conditions (Downwind 2) – PID = _3.6_ ppm @ 09:51, Dust = _0.914_ mg/m³ @ 06:51

Notable Site Conditions:

- Dusty conditions; dust suppression was implemented when necessary;
- Staff from Jacob's/DEP approached the corner of Nevins Street and Union Street and reported an odor complaint. Multiple VOCs screening of the area VIA handheld PID reported readings of 0.0 ppm. Odors were near minimal.
- +20 mph Winds, 40 mph gust, beginning late afternoon.

Planned Activities for the Next Day/Week:

- Cascade to continue ISS with batch plant assembly and equipment deployment, electrician to be onsite again tomorrow (6/25/24) in order to make connections to the batch plant. ISS Pilot Test scheduled to begin 6/27/24;
- KFS to continue with rebar fabrication, footing construction and vapor barrier installation;
- Bradford to continue with sewer piping installation;
- Capital to continue with excavation at south building cellar;
- Capital to further excavate within Spill area 2308807 and live load for offsite disposal at Bayshore.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of tarp strap down and tire washing of truck loaded with Spill 2308807 material.



Photo 2 –

Representative photo of dust suppression of truck roadway.



Photo 3 –

Representative photo of south building cellar excavation.



Photo 4 –
Representative
photo of
Triumvirate
pumping out
truck wash tank.



Photo 5 –
Representative
photo of
excavation of
Spill 2308807
area material,
ATMOS odor
suppressant
applied to
excavation.



Photo 6 –

Representative photo ATMOS odor suppressant applied to truck load.



Photo 7 –

Representative photo Spill 2308807 area at the end of day, ATMOS foam was applied and poly sheeting was placed over and secured in place.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:55:45 AM
Test Start Date	6/24/2024
Test Length [D:H:M]	0:10:46
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.11
Mass Minimum [mg/m3]	-0.016
Mass Maximum [mg/m3]	0.887
Mass TWA [mg/m3]	0.078
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	646

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:55:45 AM	0.068		
6:56:45 AM	0.022		
6:57:45 AM	0.023		
6:58:45 AM	0.023		
6:59:45 AM	0.048		
7:00:45 AM	0.021		
7:01:45 AM	0.024		
7:02:45 AM	0.022		
7:03:45 AM	0.027		
7:04:45 AM	0.025		
7:05:45 AM	0.029		
7:06:45 AM	0.172		
7:07:45 AM	0.057		
7:08:45 AM	0.034		
7:09:45 AM	0.031		
7:10:45 AM	0.025		
7:11:45 AM	0.028		
7:12:45 AM	0.024		
7:13:45 AM	0.02		
7:14:45 AM	0.018		
7:15:45 AM	0.075		
7:16:45 AM	0.075		
7:17:45 AM	0.152		
7:18:45 AM	0.07		

7:19:45 AM	0.029
7:20:45 AM	0.021
7:21:45 AM	0.024
7:22:45 AM	0.034
7:23:45 AM	0.029
7:24:45 AM	0.05
7:25:45 AM	0.063
7:26:45 AM	0.045
7:27:45 AM	0.024
7:28:45 AM	0.051
7:29:45 AM	0.024
7:30:45 AM	0.109
7:31:45 AM	0.106
7:32:45 AM	0.022
7:33:45 AM	0.024
7:34:45 AM	0.023
7:35:45 AM	0.154
7:36:45 AM	0.02
7:37:45 AM	0.017
7:38:45 AM	0.013
7:39:45 AM	0.027
7:40:45 AM	0.021
7:41:45 AM	0.018
7:42:45 AM	0.016
7:43:45 AM	0.013
7:44:45 AM	0.022
7:45:45 AM	0.012
7:46:45 AM	0.031
7:47:45 AM	0.36
7:48:45 AM	0.017
7:49:45 AM	0.024
7:50:45 AM	0.013
7:51:45 AM	0.059
7:52:45 AM	0.023
7:53:45 AM	0.007
7:54:45 AM	0.007
7:55:45 AM	0.007
7:56:45 AM	0.015
7:57:45 AM	0.026
7:58:45 AM	0.086
7:59:45 AM	0.101
8:00:45 AM	0.018
8:01:45 AM	0.009
8:02:45 AM	0.018

8:03:45 AM	0.007
8:04:45 AM	0.032
8:05:45 AM	0.198
8:06:45 AM	0.048
8:07:45 AM	0.006
8:08:45 AM	0.007
8:09:45 AM	0.004
8:10:45 AM	0.106
8:11:45 AM	0.013
8:12:45 AM	0.312
8:13:45 AM	0.014
8:14:45 AM	0.009
8:15:45 AM	0.009
8:16:45 AM	0.836
8:17:45 AM	0.075
8:18:45 AM	0.005
8:19:45 AM	0.006
8:20:45 AM	0.013
8:21:45 AM	0.015
8:22:45 AM	0.002
8:23:45 AM	0.364
8:24:45 AM	0.052
8:25:45 AM	0.007
8:26:45 AM	0.003
8:27:45 AM	0.014
8:28:45 AM	0.022
8:29:45 AM	0.002
8:30:45 AM	0.042
8:31:45 AM	0.045
8:32:45 AM	0.004
8:33:45 AM	0.054
8:34:45 AM	0.02
8:35:45 AM	0.023
8:36:45 AM	0.019
8:37:45 AM	0.004
8:38:45 AM	0.001
8:39:45 AM	0.003
8:40:45 AM	0.004
8:41:45 AM	0.007
8:42:45 AM	0.329
8:43:45 AM	0.138
8:44:45 AM	0.151
8:45:45 AM	0.058
8:46:45 AM	0.265

8:47:45 AM	0.058
8:48:45 AM	0.053
8:49:45 AM	0.009
8:50:45 AM	0.006
8:51:45 AM	0.001
8:52:45 AM	0.143
8:53:45 AM	0.11
8:54:45 AM	0.006
8:55:45 AM	0.01
8:56:45 AM	0.137
8:57:45 AM	0.003
8:58:45 AM	0.216
8:59:45 AM	0.122
9:00:45 AM	0.294
9:01:45 AM	0.03
9:02:45 AM	0.009
9:03:45 AM	0.005
9:04:45 AM	0.108
9:05:45 AM	0.016
9:06:45 AM	0.013
9:07:45 AM	0.008
9:08:45 AM	0.002
9:09:45 AM	0.031
9:10:45 AM	0.012
9:11:45 AM	0.123
9:12:45 AM	0.1
9:13:45 AM	0.004
9:14:45 AM	0.002
9:15:45 AM	0.015
9:16:45 AM	0.045
9:17:45 AM	0.007
9:18:45 AM	0.024
9:19:45 AM	0.028
9:20:45 AM	0.079
9:21:45 AM	0.027
9:22:45 AM	0.009
9:23:45 AM	0.004
9:24:45 AM	0.041
9:25:45 AM	0
9:26:45 AM	0.109
9:27:45 AM	0.121
9:28:45 AM	0.417
9:29:45 AM	0.009
9:30:45 AM	0

9:31:45 AM	-0.006
9:32:45 AM	-0.002
9:33:45 AM	0.013
9:34:45 AM	0.01
9:35:45 AM	0.001
9:36:45 AM	-0.005
9:37:45 AM	-0.001
9:38:45 AM	0.002
9:39:45 AM	-0.005
9:40:45 AM	-0.007
9:41:45 AM	-0.003
9:42:45 AM	-0.005
9:43:45 AM	-0.001
9:44:45 AM	0.04
9:45:45 AM	-0.002
9:46:45 AM	0.004
9:47:45 AM	0.202
9:48:45 AM	0.043
9:49:45 AM	-0.003
9:50:45 AM	-0.005
9:51:45 AM	-0.007
9:52:45 AM	-0.007
9:53:45 AM	-0.006
9:54:45 AM	-0.006
9:55:45 AM	-0.005
9:56:45 AM	0.012
9:57:45 AM	0.017
9:58:45 AM	0.046
9:59:45 AM	0.005
10:00:45 AM	0.161
10:01:45 AM	0.021
10:02:45 AM	-0.008
10:03:45 AM	0.104
10:04:45 AM	0.247
10:05:45 AM	0.006
10:06:45 AM	0.012
10:07:45 AM	-0.012
10:08:45 AM	-0.007
10:09:45 AM	-0.006
10:10:45 AM	-0.005
10:11:45 AM	-0.007
10:12:45 AM	-0.01
10:13:45 AM	0.004
10:14:45 AM	0.001

10:15:45 AM	0.009
10:16:45 AM	0.005
10:17:45 AM	0.083
10:18:45 AM	0.018
10:19:45 AM	0.018
10:20:45 AM	0.019
10:21:45 AM	0.005
10:22:45 AM	0.083
10:23:45 AM	0.018
10:24:45 AM	0.005
10:25:45 AM	0.029
10:26:45 AM	0.005
10:27:45 AM	0.005
10:28:45 AM	0.005
10:29:45 AM	0.125
10:30:45 AM	0.005
10:31:45 AM	0.005
10:32:45 AM	0.005
10:33:45 AM	0.005
10:34:45 AM	0.005
10:35:45 AM	0.009
10:36:45 AM	0.058
10:37:45 AM	0.043
10:38:45 AM	0.071
10:39:45 AM	0.403
10:40:45 AM	0.837
10:41:45 AM	0.271
10:42:45 AM	-0.003
10:43:45 AM	0
10:44:45 AM	0.143
10:45:45 AM	0.007
10:46:45 AM	-0.008
10:47:45 AM	0.152
10:48:45 AM	0.255
10:49:45 AM	0.004
10:50:45 AM	0.096
10:51:45 AM	0.007
10:52:45 AM	-0.004
10:53:45 AM	0.093
10:54:45 AM	0
10:55:45 AM	0.054
10:56:45 AM	0.086
10:57:45 AM	0.108
10:58:45 AM	0.088

10:59:45 AM	0
11:00:45 AM	0.02
11:01:45 AM	0
11:02:45 AM	0.002
11:03:45 AM	0.062
11:04:45 AM	0.016
11:05:45 AM	0.062
11:06:45 AM	0.024
11:07:45 AM	0.062
11:08:45 AM	0.042
11:09:45 AM	0.003
11:10:45 AM	0.011
11:11:45 AM	0.101
11:12:45 AM	0.056
11:13:45 AM	0.056
11:14:45 AM	0.318
11:15:45 AM	0.038
11:16:45 AM	-0.006
11:17:45 AM	0.083
11:18:45 AM	0.005
11:19:45 AM	-0.007
11:20:45 AM	-0.012
11:21:45 AM	-0.015
11:22:45 AM	-0.011
11:23:45 AM	-0.012
11:24:45 AM	-0.014
11:25:45 AM	-0.011
11:26:45 AM	-0.008
11:27:45 AM	0
11:28:45 AM	-0.01
11:29:45 AM	-0.01
11:30:45 AM	-0.005
11:31:45 AM	-0.009
11:32:45 AM	0.003
11:33:45 AM	0.422
11:34:45 AM	0.053
11:35:45 AM	-0.008
11:36:45 AM	0.108
11:37:45 AM	0.128
11:38:45 AM	0.076
11:39:45 AM	0.255
11:40:45 AM	-0.003
11:41:45 AM	-0.01
11:42:45 AM	-0.011

11:43:45 AM	0.446
11:44:45 AM	0.009
11:45:45 AM	-0.011
11:46:45 AM	-0.008
11:47:45 AM	0.006
11:48:45 AM	0.021
11:49:45 AM	0
11:50:45 AM	0.048
11:51:45 AM	-0.004
11:52:45 AM	-0.007
11:53:45 AM	-0.011
11:54:45 AM	-0.009
11:55:45 AM	-0.014
11:56:45 AM	-0.013
11:57:45 AM	0.09
11:58:45 AM	-0.008
11:59:45 AM	-0.014
12:00:45 PM	-0.016
12:01:45 PM	-0.011
12:02:45 PM	-0.013
12:03:45 PM	-0.012
12:04:45 PM	-0.006
12:05:45 PM	-0.014
12:06:45 PM	0.01
12:07:45 PM	0.395
12:08:45 PM	-0.009
12:09:45 PM	-0.014
12:10:45 PM	-0.014
12:11:45 PM	-0.012
12:12:45 PM	-0.014
12:13:45 PM	-0.009
12:14:45 PM	-0.012
12:15:45 PM	-0.008
12:16:45 PM	-0.004
12:17:45 PM	-0.011
12:18:45 PM	-0.015
12:19:45 PM	-0.003
12:20:45 PM	-0.007
12:21:45 PM	-0.009
12:22:45 PM	-0.011
12:23:45 PM	-0.001
12:24:45 PM	-0.009
12:25:45 PM	-0.009
12:26:45 PM	0.014

12:27:45 PM	0.002
12:28:45 PM	0.16
12:29:45 PM	0.035
12:30:45 PM	-0.005
12:31:45 PM	0
12:32:45 PM	-0.006
12:33:45 PM	-0.003
12:34:45 PM	0.006
12:35:45 PM	-0.009
12:36:45 PM	-0.008
12:37:45 PM	-0.004
12:38:45 PM	-0.007
12:39:45 PM	-0.01
12:40:45 PM	-0.008
12:41:45 PM	-0.012
12:42:45 PM	-0.013
12:43:45 PM	-0.012
12:44:45 PM	-0.011
12:45:45 PM	0.005
12:46:45 PM	0.002
12:47:45 PM	-0.015
12:48:45 PM	-0.015
12:49:45 PM	-0.01
12:50:45 PM	-0.01
12:51:45 PM	-0.014
12:52:45 PM	-0.014
12:53:45 PM	-0.012
12:54:45 PM	-0.01
12:55:45 PM	0.002
12:56:45 PM	0.842
12:57:45 PM	0.018
12:58:45 PM	0.027
12:59:45 PM	0.002
1:00:45 PM	0.013
1:01:45 PM	-0.004
1:02:45 PM	-0.006
1:03:45 PM	0.236
1:04:45 PM	0.009
1:05:45 PM	-0.008
1:06:45 PM	0.007
1:07:45 PM	-0.003
1:08:45 PM	0.079
1:09:45 PM	0.04
1:10:45 PM	0.005

1:11:45 PM	0.01
1:12:45 PM	0.003
1:13:45 PM	-0.005
1:14:45 PM	0
1:15:45 PM	-0.004
1:16:45 PM	-0.012
1:17:45 PM	-0.005
1:18:45 PM	-0.001
1:19:45 PM	-0.007
1:20:45 PM	0.058
1:21:45 PM	0.038
1:22:45 PM	0
1:23:45 PM	0.003
1:24:45 PM	-0.007
1:25:45 PM	0.013
1:26:45 PM	0.007
1:27:45 PM	-0.009
1:28:45 PM	-0.013
1:29:45 PM	-0.01
1:30:45 PM	0.007
1:31:45 PM	0.032
1:32:45 PM	-0.009
1:33:45 PM	-0.01
1:34:45 PM	-0.007
1:35:45 PM	-0.001
1:36:45 PM	-0.002
1:37:45 PM	-0.001
1:38:45 PM	-0.003
1:39:45 PM	-0.005
1:40:45 PM	0.012
1:41:45 PM	0
1:42:45 PM	-0.002
1:43:45 PM	-0.001
1:44:45 PM	0.069
1:45:45 PM	0.015
1:46:45 PM	0
1:47:45 PM	0.016
1:48:45 PM	0.101
1:49:45 PM	0.068
1:50:45 PM	0.009
1:51:45 PM	0
1:52:45 PM	-0.002
1:53:45 PM	-0.003
1:54:45 PM	-0.005

1:55:45 PM	-0.005
1:56:45 PM	0.003
1:57:45 PM	0
1:58:45 PM	-0.002
1:59:45 PM	-0.005
2:00:45 PM	0
2:01:45 PM	0.003
2:02:45 PM	0
2:03:45 PM	-0.008
2:04:45 PM	-0.008
2:05:45 PM	0
2:06:45 PM	-0.005
2:07:45 PM	0.029
2:08:45 PM	-0.001
2:09:45 PM	0.017
2:10:45 PM	-0.004
2:11:45 PM	0.002
2:12:45 PM	0.001
2:13:45 PM	0
2:14:45 PM	-0.004
2:15:45 PM	-0.005
2:16:45 PM	0
2:17:45 PM	0.01
2:18:45 PM	0.004
2:19:45 PM	0.082
2:20:45 PM	0.006
2:21:45 PM	0.031
2:22:45 PM	0.008
2:23:45 PM	0.209
2:24:45 PM	0.095
2:25:45 PM	0.01
2:26:45 PM	-0.004
2:27:45 PM	-0.003
2:28:45 PM	0.037
2:29:45 PM	0.134
2:30:45 PM	0.096
2:31:45 PM	0.02
2:32:45 PM	0.003
2:33:45 PM	0.887
2:34:45 PM	0.078
2:35:45 PM	0.065
2:36:45 PM	0.018
2:37:45 PM	0.002
2:38:45 PM	0.007

2:39:45 PM	0.003
2:40:45 PM	0.227
2:41:45 PM	0.024
2:42:45 PM	0.001
2:43:45 PM	0
2:44:45 PM	-0.004
2:45:45 PM	0.013
2:46:45 PM	0.081
2:47:45 PM	0.034
2:48:45 PM	0.005
2:49:45 PM	0.004
2:50:45 PM	0.109
2:51:45 PM	0.067
2:52:45 PM	0.013
2:53:45 PM	0.176
2:54:45 PM	0.104
2:55:45 PM	0.08
2:56:45 PM	0.052
2:57:45 PM	0.034
2:58:45 PM	0.29
2:59:45 PM	0.021
3:00:45 PM	0.074
3:01:45 PM	0.005
3:02:45 PM	0.085
3:03:45 PM	0.147
3:04:45 PM	0.066
3:05:45 PM	0.035
3:06:45 PM	0.052
3:07:45 PM	0.181
3:08:45 PM	0.053
3:09:45 PM	0.01
3:10:45 PM	0.016
3:11:45 PM	0.051
3:12:45 PM	0.004
3:13:45 PM	0.13
3:14:45 PM	0.009
3:15:45 PM	0.137
3:16:45 PM	0.175
3:17:45 PM	0.193
3:18:45 PM	0.042
3:19:45 PM	0.024
3:20:45 PM	0.013
3:21:45 PM	0.006
3:22:45 PM	0.065

3:23:45 PM	0.221
3:24:45 PM	0.044
3:25:45 PM	0.007
3:26:45 PM	0.043
3:27:45 PM	0.017
3:28:45 PM	0.136
3:29:45 PM	0.103
3:30:45 PM	0.011
3:31:45 PM	0.007
3:32:45 PM	0.417
3:33:45 PM	0.899
3:34:45 PM	0.046
3:35:45 PM	0.113
3:36:45 PM	0.075
3:37:45 PM	0.042
3:38:45 PM	0.005
3:39:45 PM	0.027
3:40:45 PM	0.007
3:41:45 PM	0.055
3:42:45 PM	0.031
3:43:45 PM	0.01
3:44:45 PM	-0.003
3:45:45 PM	0.043
3:46:45 PM	0.025
3:47:45 PM	0.01
3:48:45 PM	0.002
3:49:45 PM	0.007
3:50:45 PM	0.109
3:51:45 PM	0.073
3:52:45 PM	0.028
3:53:45 PM	0.011
3:54:45 PM	0.008
3:55:45 PM	0.124
3:56:45 PM	0.031
3:57:45 PM	0.01
3:58:45 PM	0.004
3:59:45 PM	0.009
4:00:45 PM	0.017
4:01:45 PM	0.029
4:02:45 PM	0.014
4:03:45 PM	0.002
4:04:45 PM	0.88
4:05:45 PM	0.028
4:06:45 PM	0.029

4:07:45 PM	0.002
4:08:45 PM	0.316
4:09:45 PM	0.092
4:10:45 PM	0.19
4:11:45 PM	0.058
4:12:45 PM	0.068
4:13:45 PM	0.024
4:14:45 PM	0.036
4:15:45 PM	0.038
4:16:45 PM	0.107
4:17:45 PM	0.05
4:18:45 PM	0.048
4:19:45 PM	0
4:20:45 PM	0.013
4:21:45 PM	0.026
4:22:45 PM	0.015
4:23:45 PM	0.036
4:24:45 PM	0.036
4:25:45 PM	0.003
4:26:45 PM	0
4:27:45 PM	0
4:28:45 PM	0.119
4:29:45 PM	0.004
4:30:45 PM	0.003
4:31:45 PM	0.002
4:32:45 PM	0.012
4:33:45 PM	0.009
4:34:45 PM	0.121
4:35:45 PM	0.043
4:36:45 PM	0.014
4:37:45 PM	0.027
4:38:45 PM	0.019
4:39:45 PM	0.259
4:40:45 PM	0.134
4:41:45 PM	0.039
4:42:45 PM	0.005
4:43:45 PM	0.002
4:44:45 PM	0.017
4:45:45 PM	0.083
4:46:45 PM	0.072
4:47:45 PM	0.091
4:48:45 PM	0.156
4:49:45 PM	0.011
4:50:45 PM	0.007

4:51:45 PM	0.003
4:52:45 PM	0.043
4:53:45 PM	0.035
4:54:45 PM	0.001
4:55:45 PM	0.035
4:56:45 PM	0.036
4:57:45 PM	0.011
4:58:45 PM	2
4:59:45 PM	0.226
5:00:45 PM	0.31
5:01:45 PM	0.051
5:02:45 PM	0.015
5:03:45 PM	0.028
5:04:45 PM	0.005
5:05:45 PM	0.018
5:06:45 PM	0.004
5:07:45 PM	0.011
5:08:45 PM	0.003
5:09:45 PM	0.25
5:10:45 PM	0.087
5:11:45 PM	0.017
5:12:45 PM	0.003
5:13:45 PM	0.005
5:14:45 PM	0.032
5:15:45 PM	0.148
5:16:45 PM	0.103
5:17:45 PM	0.064
5:18:45 PM	0.061
5:19:45 PM	0.058
5:20:45 PM	0.196
5:21:45 PM	0.05
5:22:45 PM	0.055
5:23:45 PM	0.002
5:24:45 PM	0.074
5:25:45 PM	0.159
5:26:45 PM	0.092
5:27:45 PM	0.098
5:28:45 PM	0.049
5:29:45 PM	0.011
5:30:45 PM	0.005
5:31:45 PM	0.01
5:32:45 PM	0.009
5:33:45 PM	0.122
5:34:45 PM	0.089

5:35:45 PM	0.144
5:36:45 PM	0.063
5:37:45 PM	0.106
5:38:45 PM	0.1055
5:39:45 PM	0.064
5:40:45 PM	0.222

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	6/24/2024 18:01	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 18:00	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:59	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:58	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:57	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:56	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:55	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:54	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:53	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:52	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:51	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:50	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:49	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:48	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:47	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:46	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:45	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:44	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:43	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:42	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:41	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:40	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:39	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:38	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:37	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:36	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:35	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:34	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:33	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:32	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:31	Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 17:30	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	6/24/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 9:48 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

592-600853	6/24/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:33 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:32 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:30 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:29 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:28 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:27 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:26 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:25 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:24 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 8:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	6/24/2024 8:09 Readings	PID	SC23030449A8	Normal	0.1

592-600853	6/24/2024 8:08 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:07 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:06 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:05 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:04 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:03 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:02 Readings	PID	SC23030449A8	Normal	0.2
592-600853	6/24/2024 8:01 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 8:00 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:59 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:58 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:57 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:56 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:55 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:54 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:53 Readings	PID	SC23030449A8	Normal	0.3
592-600853	6/24/2024 7:52 Readings	PID	SC23030449A8	Normal	0.4
592-600853	6/24/2024 7:51 Readings	PID	SC23030449A8	Normal	0.4
592-600853	6/24/2024 7:50 Readings	PID	SC23030449A8	Normal	0.4
592-600853	6/24/2024 7:49 Readings	PID	SC23030449A8	Normal	0.4
592-600853	6/24/2024 7:48 Readings	PID	SC23030449A8	Normal	0.4
592-600853	6/24/2024 7:47 Readings	PID	SC23030449A8	Normal	0.4
592-600853	6/24/2024 7:46 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/24/2024 7:45 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/24/2024 7:44 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/24/2024 7:43 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/24/2024 7:42 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/24/2024 7:41 Readings	PID	SC23030449A8	Normal	0.5
592-600853	6/24/2024 7:40 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/24/2024 7:39 Readings	PID	SC23030449A8	Normal	0.6
592-600853	6/24/2024 7:38 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/24/2024 7:37 Readings	PID	SC23030449A8	Normal	0.7
592-600853	6/24/2024 7:36 Readings	PID	SC23030449A8	Normal	0.7

592-600853	6/24/2024 7:35 Readings	PID	SC23030449A8	Normal	0.8
592-600853	6/24/2024 7:34 Readings	PID	SC23030449A8	Normal	0.9
592-600853	6/24/2024 7:33 Readings	PID	SC23030449A8	Normal	0.9
592-600853	6/24/2024 7:32 Readings	PID	SC23030449A8	Normal	0.9
592-600853	6/24/2024 7:31 Readings	PID	SC23030449A8	Normal	1
592-600853	6/24/2024 7:30 Readings	PID	SC23030449A8	Normal	1
592-600853	6/24/2024 7:29 Readings	PID	SC23030449A8	Normal	1.1
592-600853	6/24/2024 7:28 Readings	PID	SC23030449A8	Normal	1.1
592-600853	6/24/2024 7:27 Readings	PID	SC23030449A8	Normal	1.1
592-600853	6/24/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:22 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:21 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:20 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	6/24/2024 7:15 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_003
Test Start Time	6:57:59 AM
Test Start Date	6/24/2024
Test Length [D:H:M]	0:10:51
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.023
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.466
Mass TWA [mg/m3]	0.02
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	651

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:57:59 AM	0.127		
6:58:59 AM	0.018		
6:59:59 AM	0.013		
7:00:59 AM	0.015		
7:01:59 AM	0.018		
7:02:59 AM	0.016		
7:03:59 AM	0.091		
7:04:59 AM	0.015		
7:05:59 AM	0.01		
7:06:59 AM	0.011		
7:07:59 AM	0.017		
7:08:59 AM	0.025		
7:09:59 AM	0.019		
7:10:59 AM	0.014		
7:11:59 AM	0.12		
7:12:59 AM	0.018		
7:13:59 AM	0.028		
7:14:59 AM	0.025		
7:15:59 AM	0.028		
7:16:59 AM	0.017		
7:17:59 AM	0.014		
7:18:59 AM	0.027		
7:19:59 AM	0.012		
7:20:59 AM	0.017		

7:21:59 AM	0.025
7:22:59 AM	0.025
7:23:59 AM	0.023
7:24:59 AM	0.024
7:25:59 AM	0.012
7:26:59 AM	0.016
7:27:59 AM	0.013
7:28:59 AM	0.013
7:29:59 AM	0.015
7:30:59 AM	0.028
7:31:59 AM	0.019
7:32:59 AM	0.017
7:33:59 AM	0.012
7:34:59 AM	0.016
7:35:59 AM	0.016
7:36:59 AM	0.028
7:37:59 AM	0.025
7:38:59 AM	0.017
7:39:59 AM	0.011
7:40:59 AM	0.013
7:41:59 AM	0.011
7:42:59 AM	0.009
7:43:59 AM	0.012
7:44:59 AM	0.015
7:45:59 AM	0.016
7:46:59 AM	0.014
7:47:59 AM	0.016
7:48:59 AM	0.034
7:49:59 AM	0.014
7:50:59 AM	0.015
7:51:59 AM	0.018
7:52:59 AM	0.016
7:53:59 AM	0.016
7:54:59 AM	0.019
7:55:59 AM	0.012
7:56:59 AM	0.014
7:57:59 AM	0.018
7:58:59 AM	0.025
7:59:59 AM	0.014
8:00:59 AM	0.021
8:01:59 AM	0.018
8:02:59 AM	0.014
8:03:59 AM	0.041
8:04:59 AM	0.023

8:05:59 AM	0.014
8:06:59 AM	0.013
8:07:59 AM	0.014
8:08:59 AM	0.019
8:09:59 AM	0.027
8:10:59 AM	0.015
8:11:59 AM	0.017
8:12:59 AM	0.016
8:13:59 AM	0.014
8:14:59 AM	0.017
8:15:59 AM	0.017
8:16:59 AM	0.017
8:17:59 AM	0.014
8:18:59 AM	0.063
8:19:59 AM	0.011
8:20:59 AM	0.011
8:21:59 AM	0.013
8:22:59 AM	0.047
8:23:59 AM	0.022
8:24:59 AM	0.011
8:25:59 AM	0.012
8:26:59 AM	0.015
8:27:59 AM	0.009
8:28:59 AM	0.022
8:29:59 AM	0.014
8:30:59 AM	0.011
8:31:59 AM	0.008
8:32:59 AM	0.009
8:33:59 AM	0.01
8:34:59 AM	0.015
8:35:59 AM	0.043
8:36:59 AM	0.014
8:37:59 AM	0.01
8:38:59 AM	0.011
8:39:59 AM	0.013
8:40:59 AM	0.013
8:41:59 AM	0.014
8:42:59 AM	0.02
8:43:59 AM	0.014
8:44:59 AM	0.009
8:45:59 AM	0.011
8:46:59 AM	0.014
8:47:59 AM	0.012
8:48:59 AM	0.014

8:49:59 AM	0.021
8:50:59 AM	0.02
8:51:59 AM	0.011
8:52:59 AM	0.015
8:53:59 AM	0.054
8:54:59 AM	0.027
8:55:59 AM	0.02
8:56:59 AM	0.014
8:57:59 AM	0.017
8:58:59 AM	0.017
8:59:59 AM	0.018
9:00:59 AM	0.023
9:01:59 AM	0.025
9:02:59 AM	0.012
9:03:59 AM	0.012
9:04:59 AM	0.017
9:05:59 AM	0.025
9:06:59 AM	0.043
9:07:59 AM	0.027
9:08:59 AM	0.018
9:09:59 AM	0.019
9:10:59 AM	0.018
9:11:59 AM	0.014
9:12:59 AM	0.014
9:13:59 AM	0.01
9:14:59 AM	0.013
9:15:59 AM	0.011
9:16:59 AM	0.01
9:17:59 AM	0.026
9:18:59 AM	0.014
9:19:59 AM	0.012
9:20:59 AM	0.012
9:21:59 AM	0.045
9:22:59 AM	0.014
9:23:59 AM	0.011
9:24:59 AM	0.012
9:25:59 AM	0.012
9:26:59 AM	0.014
9:27:59 AM	0.014
9:28:59 AM	0.011
9:29:59 AM	0.016
9:30:59 AM	0.01
9:31:59 AM	0.02
9:32:59 AM	0.029

9:33:59 AM	0.011
9:34:59 AM	0.014
9:35:59 AM	0.01
9:36:59 AM	0.011
9:37:59 AM	0.03
9:38:59 AM	0.01
9:39:59 AM	0.01
9:40:59 AM	0.009
9:41:59 AM	0.01
9:42:59 AM	0.009
9:43:59 AM	0.016
9:44:59 AM	0.01
9:45:59 AM	0.008
9:46:59 AM	0.009
9:47:59 AM	0.014
9:48:59 AM	0.011
9:49:59 AM	0.017
9:50:59 AM	0.019
9:51:59 AM	0.014
9:52:59 AM	0.011
9:53:59 AM	0.015
9:54:59 AM	0.013
9:55:59 AM	0.011
9:56:59 AM	0.011
9:57:59 AM	0.01
9:58:59 AM	0.012
9:59:59 AM	0.01
10:00:59 AM	0.011
10:01:59 AM	0.013
10:02:59 AM	0.015
10:03:59 AM	0.025
10:04:59 AM	0.019
10:05:59 AM	0.018
10:06:59 AM	0.015
10:07:59 AM	0.016
10:08:59 AM	0.04
10:09:59 AM	0.023
10:10:59 AM	0.02
10:11:59 AM	0.03
10:12:59 AM	0.019
10:13:59 AM	0.015
10:14:59 AM	0.013
10:15:59 AM	0.015
10:16:59 AM	0.014

10:17:59 AM	0.011
10:18:59 AM	0.019
10:19:59 AM	0.017
10:20:59 AM	0.012
10:21:59 AM	0.016
10:22:59 AM	0.01
10:23:59 AM	0.015
10:24:59 AM	0.01
10:25:59 AM	0.012
10:26:59 AM	0.011
10:27:59 AM	0.011
10:28:59 AM	0.011
10:29:59 AM	0.013
10:30:59 AM	0.011
10:31:59 AM	0.015
10:32:59 AM	0.015
10:33:59 AM	0.011
10:34:59 AM	0.016
10:35:59 AM	0.011
10:36:59 AM	0.015
10:37:59 AM	0.015
10:38:59 AM	0.011
10:39:59 AM	0.01
10:40:59 AM	0.014
10:41:59 AM	0.017
10:42:59 AM	0.012
10:43:59 AM	0.014
10:44:59 AM	0.014
10:45:59 AM	0.158
10:46:59 AM	0.013
10:47:59 AM	0.025
10:48:59 AM	0.025
10:49:59 AM	0.015
10:50:59 AM	0.018
10:51:59 AM	0.027
10:52:59 AM	0.017
10:53:59 AM	0.032
10:54:59 AM	0.016
10:55:59 AM	0.019
10:56:59 AM	0.018
10:57:59 AM	0.016
10:58:59 AM	0.016
10:59:59 AM	0.024
11:00:59 AM	0.012

11:01:59 AM	0.021
11:02:59 AM	0.065
11:03:59 AM	0.01
11:04:59 AM	0.014
11:05:59 AM	0.016
11:06:59 AM	0.015
11:07:59 AM	0.021
11:08:59 AM	0.014
11:09:59 AM	0.013
11:10:59 AM	0.012
11:11:59 AM	0.027
11:12:59 AM	0.029
11:13:59 AM	0.014
11:14:59 AM	0.021
11:15:59 AM	0.011
11:16:59 AM	0.011
11:17:59 AM	0.014
11:18:59 AM	0.014
11:19:59 AM	0.078
11:20:59 AM	0.026
11:21:59 AM	0.011
11:22:59 AM	0.089
11:23:59 AM	0.038
11:24:59 AM	0.017
11:25:59 AM	0.013
11:26:59 AM	0.014
11:27:59 AM	0.015
11:28:59 AM	0.01
11:29:59 AM	0.018
11:30:59 AM	0.009
11:31:59 AM	0.01
11:32:59 AM	0.012
11:33:59 AM	0.017
11:34:59 AM	0.016
11:35:59 AM	0.014
11:36:59 AM	0.012
11:37:59 AM	0.013
11:38:59 AM	0.049
11:39:59 AM	0.02
11:40:59 AM	0.017
11:41:59 AM	0.039
11:42:59 AM	0.056
11:43:59 AM	0.02
11:44:59 AM	0.041

11:45:59 AM	0.016
11:46:59 AM	0.01
11:47:59 AM	0.01
11:48:59 AM	0.017
11:49:59 AM	0.028
11:50:59 AM	0.032
11:51:59 AM	0.014
11:52:59 AM	0.013
11:53:59 AM	0.008
11:54:59 AM	0.014
11:55:59 AM	0.02
11:56:59 AM	0.015
11:57:59 AM	0.011
11:58:59 AM	0.01
11:59:59 AM	0.014
12:00:59 PM	0.017
12:01:59 PM	0.014
12:02:59 PM	0.015
12:03:59 PM	0.012
12:04:59 PM	0.017
12:05:59 PM	0.008
12:06:59 PM	0.007
12:07:59 PM	0.007
12:08:59 PM	0.007
12:09:59 PM	0.006
12:10:59 PM	0.017
12:11:59 PM	0.015
12:12:59 PM	0.01
12:13:59 PM	0.042
12:14:59 PM	0.016
12:15:59 PM	0.009
12:16:59 PM	0.035
12:17:59 PM	0.064
12:18:59 PM	0.018
12:19:59 PM	0.015
12:20:59 PM	0.011
12:21:59 PM	0.013
12:22:59 PM	0.021
12:23:59 PM	0.012
12:24:59 PM	0.018
12:25:59 PM	0.015
12:26:59 PM	0.012
12:27:59 PM	0.012
12:28:59 PM	0.014

12:29:59 PM	0.029
12:30:59 PM	0.02
12:31:59 PM	0.012
12:32:59 PM	0.021
12:33:59 PM	0.01
12:34:59 PM	0.033
12:35:59 PM	0.083
12:36:59 PM	0.018
12:37:59 PM	0.013
12:38:59 PM	0.02
12:39:59 PM	0.021
12:40:59 PM	0.038
12:41:59 PM	0.031
12:42:59 PM	0.021
12:43:59 PM	0.016
12:44:59 PM	0.019
12:45:59 PM	0.02
12:46:59 PM	0.014
12:47:59 PM	0.041
12:48:59 PM	0.014
12:49:59 PM	0.022
12:50:59 PM	0.054
12:51:59 PM	0.03
12:52:59 PM	0.012
12:53:59 PM	0.009
12:54:59 PM	0.01
12:55:59 PM	0.016
12:56:59 PM	0.018
12:57:59 PM	0.012
12:58:59 PM	0.012
12:59:59 PM	0.014
1:00:59 PM	0.014
1:01:59 PM	0.051
1:02:59 PM	0.118
1:03:59 PM	0.041
1:04:59 PM	0.017
1:05:59 PM	0.019
1:06:59 PM	0.01
1:07:59 PM	0.011
1:08:59 PM	0.009
1:09:59 PM	0.013
1:10:59 PM	0.015
1:11:59 PM	0.016
1:12:59 PM	0.027

1:13:59 PM	0.008
1:14:59 PM	0.009
1:15:59 PM	0.017
1:16:59 PM	0.018
1:17:59 PM	0.009
1:18:59 PM	0.011
1:19:59 PM	0.009
1:20:59 PM	0.007
1:21:59 PM	0.01
1:22:59 PM	0.022
1:23:59 PM	0.015
1:24:59 PM	0.01
1:25:59 PM	0.013
1:26:59 PM	0.022
1:27:59 PM	0.029
1:28:59 PM	0.034
1:29:59 PM	0.012
1:30:59 PM	0.008
1:31:59 PM	0.018
1:32:59 PM	0.023
1:33:59 PM	0.013
1:34:59 PM	0.015
1:35:59 PM	0.035
1:36:59 PM	0.014
1:37:59 PM	0.021
1:38:59 PM	0.012
1:39:59 PM	0.012
1:40:59 PM	0.066
1:41:59 PM	0.019
1:42:59 PM	0.021
1:43:59 PM	0.126
1:44:59 PM	0.03
1:45:59 PM	0.033
1:46:59 PM	0.03
1:47:59 PM	0.018
1:48:59 PM	0.087
1:49:59 PM	0.03
1:50:59 PM	0.018
1:51:59 PM	0.014
1:52:59 PM	0.015
1:53:59 PM	0.031
1:54:59 PM	0.046
1:55:59 PM	0.038
1:56:59 PM	0.015

1:57:59 PM	0.012
1:58:59 PM	0.016
1:59:59 PM	0.02
2:00:59 PM	0.016
2:01:59 PM	0.013
2:02:59 PM	0.02
2:03:59 PM	0.017
2:04:59 PM	0.022
2:05:59 PM	0.022
2:06:59 PM	0.029
2:07:59 PM	0.024
2:08:59 PM	0.019
2:09:59 PM	0.025
2:10:59 PM	0.047
2:11:59 PM	0.019
2:12:59 PM	0.015
2:13:59 PM	0.021
2:14:59 PM	0.015
2:15:59 PM	0.017
2:16:59 PM	0.016
2:17:59 PM	0.018
2:18:59 PM	0.018
2:19:59 PM	0.03
2:20:59 PM	0.018
2:21:59 PM	0.014
2:22:59 PM	0.012
2:23:59 PM	0.03
2:24:59 PM	0.069
2:25:59 PM	0.019
2:26:59 PM	0.018
2:27:59 PM	0.014
2:28:59 PM	0.062
2:29:59 PM	0.02
2:30:59 PM	0.018
2:31:59 PM	0.016
2:32:59 PM	0.015
2:33:59 PM	0.009
2:34:59 PM	0.011
2:35:59 PM	0.012
2:36:59 PM	0.05
2:37:59 PM	0.016
2:38:59 PM	0.012
2:39:59 PM	0.014
2:40:59 PM	0.023

2:41:59 PM	0.019
2:42:59 PM	0.017
2:43:59 PM	0.014
2:44:59 PM	0.02
2:45:59 PM	0.019
2:46:59 PM	0.044
2:47:59 PM	0.047
2:48:59 PM	0.014
2:49:59 PM	0.013
2:50:59 PM	0.008
2:51:59 PM	0.073
2:52:59 PM	0.015
2:53:59 PM	0.011
2:54:59 PM	0.011
2:55:59 PM	0.014
2:56:59 PM	0.052
2:57:59 PM	0.016
2:58:59 PM	0.012
2:59:59 PM	0.047
3:00:59 PM	0.016
3:01:59 PM	0.022
3:02:59 PM	0.065
3:03:59 PM	0.18
3:04:59 PM	0.079
3:05:59 PM	0.027
3:06:59 PM	0.022
3:07:59 PM	0.017
3:08:59 PM	0.053
3:09:59 PM	0.033
3:10:59 PM	0.061
3:11:59 PM	0.221
3:12:59 PM	0.054
3:13:59 PM	0.045
3:14:59 PM	0.017
3:15:59 PM	0.03
3:16:59 PM	0.022
3:17:59 PM	0.014
3:18:59 PM	0.011
3:19:59 PM	0.058
3:20:59 PM	0.014
3:21:59 PM	0.041
3:22:59 PM	0.071
3:23:59 PM	0.022
3:24:59 PM	0.021

3:25:59 PM	0.013
3:26:59 PM	0.009
3:27:59 PM	0.011
3:28:59 PM	0.032
3:29:59 PM	0.016
3:30:59 PM	0.015
3:31:59 PM	0.013
3:32:59 PM	0.009
3:33:59 PM	0.01
3:34:59 PM	0.021
3:35:59 PM	0.017
3:36:59 PM	0.017
3:37:59 PM	0.036
3:38:59 PM	0.037
3:39:59 PM	0.028
3:40:59 PM	0.126
3:41:59 PM	0.029
3:42:59 PM	0.053
3:43:59 PM	0.011
3:44:59 PM	0.025
3:45:59 PM	0.018
3:46:59 PM	0.044
3:47:59 PM	0.04
3:48:59 PM	0.01
3:49:59 PM	0.009
3:50:59 PM	0.011
3:51:59 PM	0.039
3:52:59 PM	0.037
3:53:59 PM	0.009
3:54:59 PM	0.013
3:55:59 PM	0.034
3:56:59 PM	0.019
3:57:59 PM	0.027
3:58:59 PM	0.022
3:59:59 PM	0.012
4:00:59 PM	0.019
4:01:59 PM	0.017
4:02:59 PM	0.01
4:03:59 PM	0.013
4:04:59 PM	0.011
4:05:59 PM	0.013
4:06:59 PM	0.022
4:07:59 PM	0.013
4:08:59 PM	0.011

4:09:59 PM	0.018
4:10:59 PM	0.042
4:11:59 PM	0.034
4:12:59 PM	0.037
4:13:59 PM	0.015
4:14:59 PM	0.061
4:15:59 PM	0.041
4:16:59 PM	0.015
4:17:59 PM	0.028
4:18:59 PM	0.011
4:19:59 PM	0.02
4:20:59 PM	0.023
4:21:59 PM	0.044
4:22:59 PM	0.057
4:23:59 PM	0.012
4:24:59 PM	0.017
4:25:59 PM	0.017
4:26:59 PM	0.008
4:27:59 PM	0.009
4:28:59 PM	0.037
4:29:59 PM	0.025
4:30:59 PM	0.023
4:31:59 PM	0.008
4:32:59 PM	0.008
4:33:59 PM	0.028
4:34:59 PM	0.007
4:35:59 PM	0.01
4:36:59 PM	0.009
4:37:59 PM	0.009
4:38:59 PM	0.008
4:39:59 PM	0.015
4:40:59 PM	0.028
4:41:59 PM	0.013
4:42:59 PM	0.008
4:43:59 PM	0.009
4:44:59 PM	0.011
4:45:59 PM	0.021
4:46:59 PM	0.027
4:47:59 PM	0.017
4:48:59 PM	0.01
4:49:59 PM	0.01
4:50:59 PM	0.01
4:51:59 PM	0.046
4:52:59 PM	0.192

4:53:59 PM	0.021
4:54:59 PM	0.012
4:55:59 PM	0.01
4:56:59 PM	0.011
4:57:59 PM	0.01
4:58:59 PM	0.017
4:59:59 PM	0.015
5:00:59 PM	0.009
5:01:59 PM	0.011
5:02:59 PM	0.009
5:03:59 PM	0.024
5:04:59 PM	0.061
5:05:59 PM	0.016
5:06:59 PM	0.021
5:07:59 PM	0.017
5:08:59 PM	0.01
5:09:59 PM	0.008
5:10:59 PM	0.011
5:11:59 PM	0.01
5:12:59 PM	0.011
5:13:59 PM	0.01
5:14:59 PM	0.013
5:15:59 PM	0.073
5:16:59 PM	0.013
5:17:59 PM	0.01
5:18:59 PM	0.008
5:19:59 PM	0.009
5:20:59 PM	0.012
5:21:59 PM	0.036
5:22:59 PM	0.031
5:23:59 PM	0.026
5:24:59 PM	0.014
5:25:59 PM	0.017
5:26:59 PM	0.014
5:27:59 PM	0.05
5:28:59 PM	0.013
5:29:59 PM	0.01
5:30:59 PM	0.013
5:31:59 PM	0.031
5:32:59 PM	0.036
5:33:59 PM	0.02
5:34:59 PM	0.014
5:35:59 PM	0.011
5:36:59 PM	0.01

5:37:59 PM	0.014
5:38:59 PM	0.012
5:39:59 PM	0.044
5:40:59 PM	0.057
5:41:59 PM	0.466
5:42:59 PM	0.075
5:43:59 PM	0.074
5:44:59 PM	0.067
5:45:59 PM	0.017
5:46:59 PM	0.023
5:47:59 PM	0.022

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	6/24/2024 17:22	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:21	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:20	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:19	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:18	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:17	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:16	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:15	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:14	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:13	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:12	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:11	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:10	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:09	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:08	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:07	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:06	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:05	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:04	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:03	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:02	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:01	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 17:00	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:59	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:58	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:57	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:56	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:55	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:54	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:53	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:52	Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 16:51	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	6/24/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 9:42 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	6/24/2024 6:56 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:55 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:54 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:53 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:52 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:51 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:50 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:49 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:48 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:47 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:46 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:45 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:44 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:43 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:42 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:41 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:40 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:39 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:38 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:37 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:36 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:35 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:33 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	6/24/2024 6:31 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_003
Test Start Time	6:51:51 AM
Test Start Date	6/24/2024
Test Length [D:H:M]	0:10:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.914
Mass TWA [mg/m3]	0.015
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	605

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:51:51 AM	0.914		
6:52:51 AM	0.01		
6:53:51 AM	0.01		
6:54:51 AM	0.01		
6:55:51 AM	0.009		
6:56:51 AM	0.009		
6:57:51 AM	0.01		
6:58:51 AM	0.021		
6:59:51 AM	0.012		
7:00:51 AM	0.011		
7:01:51 AM	0.01		
7:02:51 AM	0.014		
7:03:51 AM	0.01		
7:04:51 AM	0.01		
7:05:51 AM	0.009		
7:06:51 AM	0.009		
7:07:51 AM	0.009		
7:08:51 AM	0.009		
7:09:51 AM	0.01		
7:10:51 AM	0.009		
7:11:51 AM	0.01		
7:12:51 AM	0.01		
7:13:51 AM	0.01		
7:14:51 AM	0.01		

7:15:51 AM	0.01
7:16:51 AM	0.01
7:17:51 AM	0.012
7:18:51 AM	0.013
7:19:51 AM	0.011
7:20:51 AM	0.012
7:21:51 AM	0.011
7:22:51 AM	0.014
7:23:51 AM	0.017
7:24:51 AM	0.021
7:25:51 AM	0.019
7:26:51 AM	0.012
7:27:51 AM	0.017
7:28:51 AM	0.015
7:29:51 AM	0.013
7:30:51 AM	0.011
7:31:51 AM	0.01
7:32:51 AM	0.011
7:33:51 AM	0.011
7:34:51 AM	0.03
7:35:51 AM	0.016
7:36:51 AM	0.011
7:37:51 AM	0.011
7:38:51 AM	0.011
7:39:51 AM	0.013
7:40:51 AM	0.009
7:41:51 AM	0.009
7:42:51 AM	0.008
7:43:51 AM	0.008
7:44:51 AM	0.009
7:45:51 AM	0.008
7:46:51 AM	0.01
7:47:51 AM	0.012
7:48:51 AM	0.009
7:49:51 AM	0.022
7:50:51 AM	0.009
7:51:51 AM	0.014
7:52:51 AM	0.015
7:53:51 AM	0.01
7:54:51 AM	0.01
7:55:51 AM	0.015
7:56:51 AM	0.018
7:57:51 AM	0.017
7:58:51 AM	0.013

7:59:51 AM	0.016
8:00:51 AM	0.013
8:01:51 AM	0.017
8:02:51 AM	0.012
8:03:51 AM	0.013
8:04:51 AM	0.012
8:05:51 AM	0.014
8:06:51 AM	0.021
8:07:51 AM	0.012
8:08:51 AM	0.011
8:09:51 AM	0.011
8:10:51 AM	0.01
8:11:51 AM	0.01
8:12:51 AM	0.009
8:13:51 AM	0.012
8:14:51 AM	0.01
8:15:51 AM	0.009
8:16:51 AM	0.013
8:17:51 AM	0.008
8:18:51 AM	0.008
8:19:51 AM	0.008
8:20:51 AM	0.008
8:21:51 AM	0.008
8:22:51 AM	0.008
8:23:51 AM	0.008
8:24:51 AM	0.008
8:25:51 AM	0.008
8:26:51 AM	0.008
8:27:51 AM	0.007
8:28:51 AM	0.007
8:29:51 AM	0.007
8:30:51 AM	0.016
8:31:51 AM	0.009
8:32:51 AM	0.007
8:33:51 AM	0.007
8:34:51 AM	0.009
8:35:51 AM	0.009
8:36:51 AM	0.009
8:37:51 AM	0.007
8:38:51 AM	0.01
8:39:51 AM	0.014
8:40:51 AM	0.019
8:41:51 AM	0.009
8:42:51 AM	0.008

8:43:51 AM	0.011
8:44:51 AM	0.009
8:45:51 AM	0.022
8:46:51 AM	0.008
8:47:51 AM	0.009
8:48:51 AM	0.047
8:49:51 AM	0.027
8:50:51 AM	0.033
8:51:51 AM	0.021
8:52:51 AM	0.012
8:53:51 AM	0.013
8:54:51 AM	0.012
8:55:51 AM	0.015
8:56:51 AM	0.013
8:57:51 AM	0.01
8:58:51 AM	0.011
8:59:51 AM	0.011
9:00:51 AM	0.009
9:01:51 AM	0.01
9:02:51 AM	0.016
9:03:51 AM	0.016
9:04:51 AM	0.015
9:05:51 AM	0.011
9:06:51 AM	0.011
9:07:51 AM	0.011
9:08:51 AM	0.01
9:09:51 AM	0.022
9:10:51 AM	0.017
9:11:51 AM	0.014
9:12:51 AM	0.009
9:13:51 AM	0.008
9:14:51 AM	0.012
9:15:51 AM	0.008
9:16:51 AM	0.01
9:17:51 AM	0.009
9:18:51 AM	0.009
9:19:51 AM	0.009
9:20:51 AM	0.01
9:21:51 AM	0.014
9:22:51 AM	0.011
9:23:51 AM	0.009
9:24:51 AM	0.01
9:25:51 AM	0.021
9:26:51 AM	0.018

9:27:51 AM	0.01
9:28:51 AM	0.008
9:29:51 AM	0.01
9:30:51 AM	0.009
9:31:51 AM	0.008
9:32:51 AM	0.009
9:33:51 AM	0.008
9:34:51 AM	0.031
9:35:51 AM	0.025
9:36:51 AM	0.016
9:37:51 AM	0.027
9:38:51 AM	0.013
9:39:51 AM	0.01
9:40:51 AM	0.012
9:41:51 AM	0.016
9:42:51 AM	0.01
9:43:51 AM	0.008
9:44:51 AM	0.008
9:45:51 AM	0.008
9:46:51 AM	0.011
9:47:51 AM	0.013
9:48:51 AM	0.02
9:49:51 AM	0.027
9:50:51 AM	0.038
9:51:51 AM	0.014
9:52:51 AM	0.018
9:53:51 AM	0.026
9:54:51 AM	0.015
9:55:51 AM	0.018
9:56:51 AM	0.016
9:57:51 AM	0.015
9:58:51 AM	0.023
9:59:51 AM	0.016
10:00:51 AM	0.017
10:01:51 AM	0.017
10:02:51 AM	0.018
10:03:51 AM	0.021
10:04:51 AM	0.022
10:05:51 AM	0.014
10:06:51 AM	0.016
10:07:51 AM	0.011
10:08:51 AM	0.008
10:09:51 AM	0.008
10:10:51 AM	0.009

10:11:51 AM	0.008
10:12:51 AM	0.01
10:13:51 AM	0.017
10:14:51 AM	0.015
10:15:51 AM	0.015
10:16:51 AM	0.014
10:17:51 AM	0.016
10:18:51 AM	0.014
10:19:51 AM	0.018
10:20:51 AM	0.017
10:21:51 AM	0.02
10:22:51 AM	0.024
10:23:51 AM	0.011
10:24:51 AM	0.009
10:25:51 AM	0.009
10:26:51 AM	0.042
10:27:51 AM	0.015
10:28:51 AM	0.011
10:29:51 AM	0.01
10:30:51 AM	0.012
10:31:51 AM	0.01
10:32:51 AM	0.011
10:33:51 AM	0.023
10:34:51 AM	0.015
10:35:51 AM	0.016
10:36:51 AM	0.018
10:37:51 AM	0.019
10:38:51 AM	0.02
10:39:51 AM	0.026
10:40:51 AM	0.021
10:41:51 AM	0.022
10:42:51 AM	0.021
10:43:51 AM	0.018
10:44:51 AM	0.031
10:45:51 AM	0.02
10:46:51 AM	0.018
10:47:51 AM	0.025
10:48:51 AM	0.019
10:49:51 AM	0.022
10:50:51 AM	0.016
10:51:51 AM	0.02
10:52:51 AM	0.019
10:53:51 AM	0.023
10:54:51 AM	0.057

10:55:51 AM	0.018
10:56:51 AM	0.018
10:57:51 AM	0.033
10:58:51 AM	0.016
10:59:51 AM	0.012
11:00:51 AM	0.013
11:01:51 AM	0.011
11:02:51 AM	0.014
11:03:51 AM	0.012
11:04:51 AM	0.017
11:05:51 AM	0.012
11:06:51 AM	0.014
11:07:51 AM	0.014
11:08:51 AM	0.01
11:09:51 AM	0.008
11:10:51 AM	0.009
11:11:51 AM	0.009
11:12:51 AM	0.008
11:13:51 AM	0.009
11:14:51 AM	0.01
11:15:51 AM	0.009
11:16:51 AM	0.012
11:17:51 AM	0.012
11:18:51 AM	0.01
11:19:51 AM	0.008
11:20:51 AM	0.014
11:21:51 AM	0.012
11:22:51 AM	0.011
11:23:51 AM	0.015
11:24:51 AM	0.013
11:25:51 AM	0.009
11:26:51 AM	0.009
11:27:51 AM	0.007
11:28:51 AM	0.008
11:29:51 AM	0.008
11:30:51 AM	0.009
11:31:51 AM	0.009
11:32:51 AM	0.007
11:33:51 AM	0.009
11:34:51 AM	0.011
11:35:51 AM	0.01
11:36:51 AM	0.009
11:37:51 AM	0.01
11:38:51 AM	0.01

11:39:51 AM	0.017
11:40:51 AM	0.017
11:41:51 AM	0.054
11:42:51 AM	0.045
11:43:51 AM	0.018
11:44:51 AM	0.011
11:45:51 AM	0.011
11:46:51 AM	0.009
11:47:51 AM	0.008
11:48:51 AM	0.008
11:49:51 AM	0.011
11:50:51 AM	0.011
11:51:51 AM	0.009
11:52:51 AM	0.008
11:53:51 AM	0.007
11:54:51 AM	0.008
11:55:51 AM	0.013
11:56:51 AM	0.017
11:57:51 AM	0.012
11:58:51 AM	0.01
11:59:51 AM	0.011
12:00:51 PM	0.015
12:01:51 PM	0.012
12:02:51 PM	0.013
12:03:51 PM	0.029
12:04:51 PM	0.009
12:05:51 PM	0.009
12:06:51 PM	0.008
12:07:51 PM	0.007
12:08:51 PM	0.008
12:09:51 PM	0.009
12:10:51 PM	0.007
12:11:51 PM	0.008
12:12:51 PM	0.022
12:13:51 PM	0.022
12:14:51 PM	0.012
12:15:51 PM	0.012
12:16:51 PM	0.011
12:17:51 PM	0.066
12:18:51 PM	0.018
12:19:51 PM	0.017
12:20:51 PM	0.013
12:21:51 PM	0.008
12:22:51 PM	0.009

12:23:51 PM	0.011
12:24:51 PM	0.01
12:25:51 PM	0.012
12:26:51 PM	0.01
12:27:51 PM	0.009
12:28:51 PM	0.01
12:29:51 PM	0.015
12:30:51 PM	0.018
12:31:51 PM	0.007
12:32:51 PM	0.008
12:33:51 PM	0.007
12:34:51 PM	0.013
12:35:51 PM	0.01
12:36:51 PM	0.007
12:37:51 PM	0.009
12:38:51 PM	0.015
12:39:51 PM	0.02
12:40:51 PM	0.015
12:41:51 PM	0.014
12:42:51 PM	0.017
12:43:51 PM	0.028
12:44:51 PM	0.011
12:45:51 PM	0.012
12:46:51 PM	0.018
12:47:51 PM	0.01
12:48:51 PM	0.013
12:49:51 PM	0.01
12:50:51 PM	0.01
12:51:51 PM	0.007
12:52:51 PM	0.009
12:53:51 PM	0.01
12:54:51 PM	0.008
12:55:51 PM	0.008
12:56:51 PM	0.008
12:57:51 PM	0.008
12:58:51 PM	0.009
12:59:51 PM	0.008
1:00:51 PM	0.008
1:01:51 PM	0.009
1:02:51 PM	0.026
1:03:51 PM	0.022
1:04:51 PM	0.008
1:05:51 PM	0.011
1:06:51 PM	0.007

1:07:51 PM	0.008
1:08:51 PM	0.008
1:09:51 PM	0.008
1:10:51 PM	0.008
1:11:51 PM	0.008
1:12:51 PM	0.01
1:13:51 PM	0.007
1:14:51 PM	0.007
1:15:51 PM	0.007
1:16:51 PM	0.007
1:17:51 PM	0.008
1:18:51 PM	0.006
1:19:51 PM	0.007
1:20:51 PM	0.006
1:21:51 PM	0.007
1:22:51 PM	0.008
1:23:51 PM	0.009
1:24:51 PM	0.008
1:25:51 PM	0.01
1:26:51 PM	0.017
1:27:51 PM	0.008
1:28:51 PM	0.034
1:29:51 PM	0.012
1:30:51 PM	0.008
1:31:51 PM	0.007
1:32:51 PM	0.016
1:33:51 PM	0.012
1:34:51 PM	0.011
1:35:51 PM	0.018
1:36:51 PM	0.015
1:37:51 PM	0.015
1:38:51 PM	0.027
1:39:51 PM	0.012
1:40:51 PM	0.011
1:41:51 PM	0.013
1:42:51 PM	0.015
1:43:51 PM	0.016
1:44:51 PM	0.018
1:45:51 PM	0.016
1:46:51 PM	0.021
1:47:51 PM	0.014
1:48:51 PM	0.009
1:49:51 PM	0.02
1:50:51 PM	0.012

1:51:51 PM	0.009
1:52:51 PM	0.01
1:53:51 PM	0.015
1:54:51 PM	0.016
1:55:51 PM	0.011
1:56:51 PM	0.009
1:57:51 PM	0.01
1:58:51 PM	0.008
1:59:51 PM	0.008
2:00:51 PM	0.009
2:01:51 PM	0.008
2:02:51 PM	0.009
2:03:51 PM	0.013
2:04:51 PM	0.019
2:05:51 PM	0.015
2:06:51 PM	0.012
2:07:51 PM	0.012
2:08:51 PM	0.01
2:09:51 PM	0.012
2:10:51 PM	0.017
2:11:51 PM	0.014
2:12:51 PM	0.009
2:13:51 PM	0.013
2:14:51 PM	0.014
2:15:51 PM	0.014
2:16:51 PM	0.013
2:17:51 PM	0.011
2:18:51 PM	0.01
2:19:51 PM	0.01
2:20:51 PM	0.015
2:21:51 PM	0.009
2:22:51 PM	0.011
2:23:51 PM	0.011
2:24:51 PM	0.011
2:25:51 PM	0.026
2:26:51 PM	0.013
2:27:51 PM	0.01
2:28:51 PM	0.012
2:29:51 PM	0.014
2:30:51 PM	0.01
2:31:51 PM	0.009
2:32:51 PM	0.008
2:33:51 PM	0.008
2:34:51 PM	0.009

2:35:51 PM	0.009
2:36:51 PM	0.008
2:37:51 PM	0.01
2:38:51 PM	0.008
2:39:51 PM	0.01
2:40:51 PM	0.039
2:41:51 PM	0.019
2:42:51 PM	0.112
2:43:51 PM	0.021
2:44:51 PM	0.015
2:45:51 PM	0.01
2:46:51 PM	0.012
2:47:51 PM	0.01
2:48:51 PM	0.009
2:49:51 PM	0.009
2:50:51 PM	0.009
2:51:51 PM	0.012
2:52:51 PM	0.015
2:53:51 PM	0.008
2:54:51 PM	0.008
2:55:51 PM	0.009
2:56:51 PM	0.008
2:57:51 PM	0.012
2:58:51 PM	0.01
2:59:51 PM	0.01
3:00:51 PM	0.013
3:01:51 PM	0.01
3:02:51 PM	0.009
3:03:51 PM	0.011
3:04:51 PM	0.016
3:05:51 PM	0.015
3:06:51 PM	0.01
3:07:51 PM	0.009
3:08:51 PM	0.01
3:09:51 PM	0.018
3:10:51 PM	0.015
3:11:51 PM	0.067
3:12:51 PM	0.101
3:13:51 PM	0.012
3:14:51 PM	0.061
3:15:51 PM	0.009
3:16:51 PM	0.009
3:17:51 PM	0.009
3:18:51 PM	0.007

3:19:51 PM	0.007
3:20:51 PM	0.007
3:21:51 PM	0.014
3:22:51 PM	0.01
3:23:51 PM	0.01
3:24:51 PM	0.008
3:25:51 PM	0.008
3:26:51 PM	0.007
3:27:51 PM	0.007
3:28:51 PM	0.014
3:29:51 PM	0.016
3:30:51 PM	0.011
3:31:51 PM	0.01
3:32:51 PM	0.009
3:33:51 PM	0.009
3:34:51 PM	0.008
3:35:51 PM	0.012
3:36:51 PM	0.009
3:37:51 PM	0.013
3:38:51 PM	0.018
3:39:51 PM	0.013
3:40:51 PM	0.008
3:41:51 PM	0.02
3:42:51 PM	0.011
3:43:51 PM	0.009
3:44:51 PM	0.008
3:45:51 PM	0.01
3:46:51 PM	0.008
3:47:51 PM	0.01
3:48:51 PM	0.012
3:49:51 PM	0.011
3:50:51 PM	0.007
3:51:51 PM	0.007
3:52:51 PM	0.009
3:53:51 PM	0.008
3:54:51 PM	0.008
3:55:51 PM	0.008
3:56:51 PM	0.011
3:57:51 PM	0.011
3:58:51 PM	0.009
3:59:51 PM	0.008
4:00:51 PM	0.009
4:01:51 PM	0.009
4:02:51 PM	0.008

4:03:51 PM	0.009	
4:04:51 PM	0.008	
4:05:51 PM	0.009	
4:06:51 PM	0.038	
4:07:51 PM	0.011	
4:08:51 PM	0.011	
4:09:51 PM	0.008	
4:10:51 PM	0.016	
4:11:51 PM	0.014	
4:12:51 PM	0.009	
4:13:51 PM	0.009	
4:14:51 PM	0.009	
4:15:51 PM	0.011	
4:16:51 PM	0.009	
4:17:51 PM	0.009	
4:18:51 PM	0.009	
4:19:51 PM	0.008	
4:20:51 PM	0.009	
4:21:51 PM	0.011	
4:22:51 PM	0.011	
4:23:51 PM	0.011	
4:24:51 PM	0.008	
4:25:51 PM	0.008	
4:26:51 PM	0.008	
4:27:51 PM	0.008	
4:28:51 PM	0.007	
4:29:51 PM	0.007	
4:30:51 PM	0.01	
4:31:51 PM	0.008	
4:32:51 PM	0.007	
4:33:51 PM	0.008	
4:34:51 PM	0.008	
4:35:51 PM	0.007	
4:36:51 PM	0.008	
4:37:51 PM	0.008	
4:38:51 PM	0.008	
4:39:51 PM	0.008	
4:40:51 PM	0.009	
4:41:51 PM	0.009	
4:42:51 PM	0.009	
4:43:51 PM	0.009	Flow Error
4:44:51 PM	0.009	Flow Error
4:45:51 PM	0.01	Flow Error
4:46:51 PM	0.006	Flow Error

4:47:51 PM	0.009	Flow Error
4:48:51 PM	0.009	Flow Error
4:49:51 PM	0.008	Flow Error
4:50:51 PM	0.006	Flow Error
4:51:51 PM	0.005	Flow Error
4:52:51 PM	0.01	Flow Error
4:53:51 PM	0.009	Flow Error
4:54:51 PM	0.008	Flow Error
4:55:51 PM	0.016	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	6/24/2024 18:09	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:08	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:07	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:06	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:05	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:04	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:03	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:02	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:01	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 18:00	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:59	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:58	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:57	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:56	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:55	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:54	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:53	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:52	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:51	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:50	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:49	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:48	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:47	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:46	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:45	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:44	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:43	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:42	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:41	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:40	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:39	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 17:38	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	6/24/2024 11:01	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 11:00	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:59	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:58	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:57	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:56	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:55	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:54	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:53	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:52	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:51	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:50	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:49	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:48	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:47	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:46	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:45	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:44	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:43	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:42	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:41	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:40	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:39	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:38	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:37	Readings	PID	SC23030602B4	Normal	1.2
592-602176	6/24/2024 10:36	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:35	Readings	PID	SC23030602B4	Normal	0.3
592-602176	6/24/2024 10:34	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:33	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:32	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:31	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:30	Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 10:29	Readings	PID	SC23030602B4	Normal	0.8

592-602176	6/24/2024 9:55 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:54 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:53 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:52 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:51 Readings	PID	SC23030602B4	Normal	3.6
592-602176	6/24/2024 9:50 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:49 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:48 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:47 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:46 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:45 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:44 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:43 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:42 Readings	PID	SC23030602B4	Normal	3.4
592-602176	6/24/2024 9:41 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:40 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:39 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:38 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:37 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:36 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:35 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:34 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:33 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:32 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:31 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:30 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:29 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:28 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:27 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:26 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:25 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:24 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 9:23 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	6/24/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	6/24/2024 7:07 CONFIG	PID	SC23030602B4		