



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	N/NE 4 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/09/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time Onsite: 06:40 Time Offsite: 18:10</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Bill Chaky WSP (Environmental oversight) – Tim Williams / Chuck Capital/KFS (Contractor) Cascade (ISS Contractor) Bradford (SSDS Contractor)</p> <p>Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations according to wind direction; KSF working on foundation elements; excavation and live loading of Spill 2308807 material for offsite disposal; and IEEG to gauge all site wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS working on rebar and vapor barrier installation for the south building, inspections of vapor barrier were conducted to ensure proper application;
- Bradford lays out plumbing in the south building;
- Five (5) truckloads of approved imported backfill were delivered on site in the southern building;
- One (1) truckload of material was live loaded for offsite disposal to the Bayshore facility;
 - All material was from the Spill 2308807 area, periodic odors and VOCs detected via a handheld PID during excavation, with the highest reading 18 ppm. Work was halted due to the second Atmos unit malfunctioning at approximately 8:30 am. Servicing was attempted throughout the day and will continue until tomorrow;
- Dewatering system was active in EP-90 excavation; an additional pump was added in EP-90 later in the afternoon; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks;

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.032_ mg/m³ @ 07:02
- High Conditions (Upwind) – PID = _4.7_ ppm @ 7:27, Dust = _0.164_ mg/m³ @ 11:24
- High Conditions (Downwind 1) – PID = _3.7_ ppm @ 07:37, Dust = _0.107_ mg/m³ @ 16:53
- High Conditions (Downwind 2) – PID = _0.2_ ppm @ 07:08, Dust = _0.061_ mg/m³ @ 11:01

Notable Site Conditions:

- Dust suppression was implemented throughout day;
- Work was halted in the Spill 2308807 area at approximately 8:30 due to one (1) of the Atmos spraying units malfunctioning. Per a DEC directive, work will not resume in this area until there are two (2) operable Atmos foam units.

Planned Activities for the Next Day/Week:

- Continuation of rebar work on the southern portion of the Site; and
- Maintenance of broken down ATMOS unit, ATMOS technician to come to Site Thursday (7/11/24) as well

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of
concrete pouring
in the south
building.



Photo 2 –

Representative photo of ATMOS foam and HMA being sprayed in Spill 2308807 during live loading. It should be noted that only one (1) load was live loaded out prior to work being shut down in the spill area.



Photo 3 –

Representative photo of Spill 2308807 excavation area sprayed with foam and covered with poly after work ceased in this area.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com











A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



1
2
3
4
5
6
7
8

-  = 2' Excavation
-  = 4' Excavation
-  = 6' Excavation
-  = 7-8' Excavation
-  = 9' Excavation
-  = 10' Excavation
-  = 11' Excavation
-  = 19' Excavation

Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND

- PROPERTY LINE
- TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
- POTENTIAL OIL/WATER SEPARATOR IDENTIFIED DURING THE SEPTEMBER GPR SURVEY

**FIGURE 3:
REMEDIAL INVESTIGATION
SAMPLE LOCATION MAP**

<i>318 Nevins Street Brooklyn, New York</i>	Figure No: 03
PROJECT NO:	DATE:
DESIGNED BY:	DATE:
DRAWN BY:	DATE:
CHECKED BY:	DATE:
SCALE:	1" = 10'
REVISION:	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (831) 289-8800
FAX (831) 289-1599

UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_007
Test Start Time	7:05:47 AM
Test Start Date	7/9/2024
Test Length [D:H:M]	0:10:48
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.022
Mass Minimum [mg/m3]	0.015
Mass Maximum [mg/m3]	0.164
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	648

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02:47 AM	0.032		
7:03:47 AM	0.028		
7:04:47 AM	0.028		
7:05:47 AM	0.026		
7:06:47 AM	0.026		
7:07:47 AM	0.025		
7:08:47 AM	0.025		
7:09:47 AM	0.025		
7:10:47 AM	0.025		
7:11:47 AM	0.025		
7:12:47 AM	0.025		
7:13:47 AM	0.025		
7:14:47 AM	0.026		
7:15:47 AM	0.026		
7:16:47 AM	0.026		
7:17:47 AM	0.026		
7:18:47 AM	0.026		
7:19:47 AM	0.026		
7:20:47 AM	0.025		
7:21:47 AM	0.025		
7:22:47 AM	0.025		
7:23:47 AM	0.025		
7:24:47 AM	0.024		
7:25:47 AM	0.024		

7:26:47 AM	0.023
7:27:47 AM	0.023
7:28:47 AM	0.023
7:29:47 AM	0.022
7:30:47 AM	0.021
7:31:47 AM	0.021
7:32:47 AM	0.021
7:33:47 AM	0.02
7:34:47 AM	0.02
7:35:47 AM	0.022
7:36:47 AM	0.024
7:37:47 AM	0.023
7:38:47 AM	0.023
7:39:47 AM	0.022
7:40:47 AM	0.021
7:41:47 AM	0.021
7:42:47 AM	0.021
7:43:47 AM	0.02
7:44:47 AM	0.02
7:45:47 AM	0.019
7:46:47 AM	0.019
7:47:47 AM	0.019
7:48:47 AM	0.019
7:49:47 AM	0.019
7:50:47 AM	0.018
7:51:47 AM	0.018
7:52:47 AM	0.017
7:53:47 AM	0.017
7:54:47 AM	0.018
7:55:47 AM	0.018
7:56:47 AM	0.019
7:57:47 AM	0.021
7:58:47 AM	0.019
7:59:47 AM	0.018
8:00:47 AM	0.018
8:01:47 AM	0.018
8:02:47 AM	0.017
8:03:47 AM	0.017
8:04:47 AM	0.018
8:05:47 AM	0.018
8:06:47 AM	0.018
8:07:47 AM	0.019
8:08:47 AM	0.02
8:09:47 AM	0.019

8:10:47 AM	0.019
8:11:47 AM	0.02
8:12:47 AM	0.018
8:13:47 AM	0.018
8:14:47 AM	0.017
8:15:47 AM	0.018
8:16:47 AM	0.018
8:17:47 AM	0.017
8:18:47 AM	0.017
8:19:47 AM	0.018
8:20:47 AM	0.018
8:21:47 AM	0.019
8:22:47 AM	0.019
8:23:47 AM	0.02
8:24:47 AM	0.019
8:25:47 AM	0.019
8:26:47 AM	0.019
8:27:47 AM	0.02
8:28:47 AM	0.018
8:29:47 AM	0.019
8:30:47 AM	0.019
8:31:47 AM	0.018
8:32:47 AM	0.019
8:33:47 AM	0.021
8:34:47 AM	0.022
8:35:47 AM	0.021
8:36:47 AM	0.022
8:37:47 AM	0.021
8:38:47 AM	0.021
8:39:47 AM	0.02
8:40:47 AM	0.02
8:41:47 AM	0.02
8:42:47 AM	0.019
8:43:47 AM	0.02
8:44:47 AM	0.021
8:45:47 AM	0.021
8:46:47 AM	0.022
8:47:47 AM	0.023
8:48:47 AM	0.023
8:49:47 AM	0.022
8:50:47 AM	0.021
8:51:47 AM	0.022
8:52:47 AM	0.022
8:53:47 AM	0.022

8:54:47 AM	0.022
8:55:47 AM	0.023
8:56:47 AM	0.023
8:57:47 AM	0.024
8:58:47 AM	0.023
8:59:47 AM	0.024
9:00:47 AM	0.026
9:01:47 AM	0.023
9:02:47 AM	0.022
9:03:47 AM	0.022
9:04:47 AM	0.021
9:05:47 AM	0.022
9:06:47 AM	0.021
9:07:47 AM	0.021
9:08:47 AM	0.023
9:09:47 AM	0.027
9:10:47 AM	0.028
9:11:47 AM	0.026
9:12:47 AM	0.023
9:13:47 AM	0.023
9:14:47 AM	0.021
9:15:47 AM	0.022
9:16:47 AM	0.023
9:17:47 AM	0.023
9:18:47 AM	0.026
9:19:47 AM	0.026
9:20:47 AM	0.025
9:21:47 AM	0.025
9:22:47 AM	0.025
9:23:47 AM	0.028
9:24:47 AM	0.026
9:25:47 AM	0.025
9:26:47 AM	0.028
9:27:47 AM	0.025
9:28:47 AM	0.024
9:29:47 AM	0.023
9:30:47 AM	0.023
9:31:47 AM	0.024
9:32:47 AM	0.023
9:33:47 AM	0.023
9:34:47 AM	0.022
9:35:47 AM	0.022
9:36:47 AM	0.022
9:37:47 AM	0.023

9:38:47 AM	0.023
9:39:47 AM	0.023
9:40:47 AM	0.025
9:41:47 AM	0.025
9:42:47 AM	0.025
9:43:47 AM	0.024
9:44:47 AM	0.024
9:45:47 AM	0.024
9:46:47 AM	0.023
9:47:47 AM	0.024
9:48:47 AM	0.023
9:49:47 AM	0.022
9:50:47 AM	0.023
9:51:47 AM	0.022
9:52:47 AM	0.021
9:53:47 AM	0.022
9:54:47 AM	0.021
9:55:47 AM	0.021
9:56:47 AM	0.022
9:57:47 AM	0.021
9:58:47 AM	0.021
9:59:47 AM	0.021
10:00:47 AM	0.021
10:01:47 AM	0.021
10:02:47 AM	0.02
10:03:47 AM	0.021
10:04:47 AM	0.024
10:05:47 AM	0.021
10:06:47 AM	0.02
10:07:47 AM	0.02
10:08:47 AM	0.02
10:09:47 AM	0.02
10:10:47 AM	0.02
10:11:47 AM	0.019
10:12:47 AM	0.021
10:13:47 AM	0.02
10:14:47 AM	0.021
10:15:47 AM	0.02
10:16:47 AM	0.02
10:17:47 AM	0.019
10:18:47 AM	0.02
10:19:47 AM	0.02
10:20:47 AM	0.023
10:21:47 AM	0.018

10:22:47 AM	0.021
10:23:47 AM	0.019
10:24:47 AM	0.026
10:25:47 AM	0.02
10:26:47 AM	0.021
10:27:47 AM	0.02
10:28:47 AM	0.018
10:29:47 AM	0.019
10:30:47 AM	0.018
10:31:47 AM	0.019
10:32:47 AM	0.019
10:33:47 AM	0.017
10:34:47 AM	0.016
10:35:47 AM	0.017
10:36:47 AM	0.017
10:37:47 AM	0.017
10:38:47 AM	0.016
10:39:47 AM	0.017
10:40:47 AM	0.017
10:41:47 AM	0.016
10:42:47 AM	0.016
10:43:47 AM	0.017
10:44:47 AM	0.018
10:45:47 AM	0.019
10:46:47 AM	0.02
10:47:47 AM	0.019
10:48:47 AM	0.019
10:49:47 AM	0.019
10:50:47 AM	0.02
10:51:47 AM	0.019
10:52:47 AM	0.019
10:53:47 AM	0.022
10:54:47 AM	0.024
10:55:47 AM	0.029
10:56:47 AM	0.028
10:57:47 AM	0.026
10:58:47 AM	0.024
10:59:47 AM	0.024
11:00:47 AM	0.024
11:01:47 AM	0.023
11:02:47 AM	0.023
11:03:47 AM	0.023
11:04:47 AM	0.027
11:05:47 AM	0.026

11:06:47 AM	0.024
11:07:47 AM	0.023
11:08:47 AM	0.025
11:09:47 AM	0.025
11:10:47 AM	0.023
11:11:47 AM	0.024
11:12:47 AM	0.023
11:13:47 AM	0.023
11:14:47 AM	0.024
11:15:47 AM	0.023
11:16:47 AM	0.027
11:17:47 AM	0.022
11:18:47 AM	0.023
11:19:47 AM	0.022
11:20:47 AM	0.022
11:21:47 AM	0.021
11:22:47 AM	0.02
11:23:47 AM	0.022
11:24:47 AM	0.164
11:25:47 AM	0.046
11:26:47 AM	0.046
11:27:47 AM	0.051
11:28:47 AM	0.05
11:29:47 AM	0.02
11:30:47 AM	0.024
11:31:47 AM	0.04
11:32:47 AM	0.023
11:33:47 AM	0.021
11:34:47 AM	0.02
11:35:47 AM	0.019
11:36:47 AM	0.018
11:37:47 AM	0.019
11:38:47 AM	0.019
11:39:47 AM	0.022
11:40:47 AM	0.017
11:41:47 AM	0.019
11:42:47 AM	0.031
11:43:47 AM	0.049
11:44:47 AM	0.021
11:45:47 AM	0.022
11:46:47 AM	0.036
11:47:47 AM	0.019
11:48:47 AM	0.021
11:49:47 AM	0.027

11:50:47 AM	0.042
11:51:47 AM	0.138
11:52:47 AM	0.034
11:53:47 AM	0.049
11:54:47 AM	0.045
11:55:47 AM	0.031
11:56:47 AM	0.025
11:57:47 AM	0.032
11:58:47 AM	0.02
11:59:47 AM	0.023
12:00:47 PM	0.032
12:01:47 PM	0.032
12:02:47 PM	0.057
12:03:47 PM	0.029
12:04:47 PM	0.051
12:05:47 PM	0.031
12:06:47 PM	0.044
12:07:47 PM	0.025
12:08:47 PM	0.023
12:09:47 PM	0.031
12:10:47 PM	0.03
12:11:47 PM	0.023
12:12:47 PM	0.029
12:13:47 PM	0.027
12:14:47 PM	0.018
12:15:47 PM	0.021
12:16:47 PM	0.02
12:17:47 PM	0.025
12:18:47 PM	0.018
12:19:47 PM	0.016
12:20:47 PM	0.016
12:21:47 PM	0.017
12:22:47 PM	0.017
12:23:47 PM	0.016
12:24:47 PM	0.016
12:25:47 PM	0.016
12:26:47 PM	0.02
12:27:47 PM	0.02
12:28:47 PM	0.023
12:29:47 PM	0.026
12:30:47 PM	0.051
12:31:47 PM	0.029
12:32:47 PM	0.018
12:33:47 PM	0.024

12:34:47 PM	0.016
12:35:47 PM	0.017
12:36:47 PM	0.02
12:37:47 PM	0.017
12:38:47 PM	0.016
12:39:47 PM	0.016
12:40:47 PM	0.016
12:41:47 PM	0.017
12:42:47 PM	0.017
12:43:47 PM	0.017
12:44:47 PM	0.018
12:45:47 PM	0.018
12:46:47 PM	0.017
12:47:47 PM	0.018
12:48:47 PM	0.018
12:49:47 PM	0.018
12:50:47 PM	0.019
12:51:47 PM	0.02
12:52:47 PM	0.021
12:53:47 PM	0.02
12:54:47 PM	0.019
12:55:47 PM	0.019
12:56:47 PM	0.02
12:57:47 PM	0.019
12:58:47 PM	0.02
12:59:47 PM	0.022
1:00:47 PM	0.021
1:01:47 PM	0.023
1:02:47 PM	0.022
1:03:47 PM	0.021
1:04:47 PM	0.02
1:05:47 PM	0.027
1:06:47 PM	0.02
1:07:47 PM	0.02
1:08:47 PM	0.02
1:09:47 PM	0.023
1:10:47 PM	0.025
1:11:47 PM	0.02
1:12:47 PM	0.02
1:13:47 PM	0.023
1:14:47 PM	0.018
1:15:47 PM	0.02
1:16:47 PM	0.021
1:17:47 PM	0.021

1:18:47 PM	0.02
1:19:47 PM	0.019
1:20:47 PM	0.02
1:21:47 PM	0.019
1:22:47 PM	0.022
1:23:47 PM	0.019
1:24:47 PM	0.019
1:25:47 PM	0.019
1:26:47 PM	0.018
1:27:47 PM	0.018
1:28:47 PM	0.017
1:29:47 PM	0.019
1:30:47 PM	0.018
1:31:47 PM	0.017
1:32:47 PM	0.017
1:33:47 PM	0.017
1:34:47 PM	0.017
1:35:47 PM	0.019
1:36:47 PM	0.018
1:37:47 PM	0.018
1:38:47 PM	0.018
1:39:47 PM	0.02
1:40:47 PM	0.018
1:41:47 PM	0.017
1:42:47 PM	0.019
1:43:47 PM	0.019
1:44:47 PM	0.019
1:45:47 PM	0.019
1:46:47 PM	0.018
1:47:47 PM	0.02
1:48:47 PM	0.021
1:49:47 PM	0.02
1:50:47 PM	0.018
1:51:47 PM	0.018
1:52:47 PM	0.018
1:53:47 PM	0.018
1:54:47 PM	0.018
1:55:47 PM	0.019
1:56:47 PM	0.019
1:57:47 PM	0.019
1:58:47 PM	0.018
1:59:47 PM	0.019
2:00:47 PM	0.021
2:01:47 PM	0.02

2:02:47 PM	0.018
2:03:47 PM	0.019
2:04:47 PM	0.018
2:05:47 PM	0.018
2:06:47 PM	0.018
2:07:47 PM	0.02
2:08:47 PM	0.019
2:09:47 PM	0.018
2:10:47 PM	0.018
2:11:47 PM	0.018
2:12:47 PM	0.018
2:13:47 PM	0.019
2:14:47 PM	0.022
2:15:47 PM	0.022
2:16:47 PM	0.022
2:17:47 PM	0.028
2:18:47 PM	0.022
2:19:47 PM	0.021
2:20:47 PM	0.022
2:21:47 PM	0.022
2:22:47 PM	0.022
2:23:47 PM	0.021
2:24:47 PM	0.022
2:25:47 PM	0.022
2:26:47 PM	0.022
2:27:47 PM	0.021
2:28:47 PM	0.021
2:29:47 PM	0.021
2:30:47 PM	0.026
2:31:47 PM	0.024
2:32:47 PM	0.023
2:33:47 PM	0.023
2:34:47 PM	0.023
2:35:47 PM	0.026
2:36:47 PM	0.024
2:37:47 PM	0.024
2:38:47 PM	0.023
2:39:47 PM	0.023
2:40:47 PM	0.023
2:41:47 PM	0.024
2:42:47 PM	0.022
2:43:47 PM	0.023
2:44:47 PM	0.023
2:45:47 PM	0.024

2:46:47 PM	0.023
2:47:47 PM	0.023
2:48:47 PM	0.023
2:49:47 PM	0.023
2:50:47 PM	0.023
2:51:47 PM	0.023
2:52:47 PM	0.024
2:53:47 PM	0.023
2:54:47 PM	0.023
2:55:47 PM	0.024
2:56:47 PM	0.023
2:57:47 PM	0.023
2:58:47 PM	0.022
2:59:47 PM	0.023
3:00:47 PM	0.023
3:01:47 PM	0.023
3:02:47 PM	0.024
3:03:47 PM	0.026
3:04:47 PM	0.025
3:05:47 PM	0.024
3:06:47 PM	0.025
3:07:47 PM	0.024
3:08:47 PM	0.024
3:09:47 PM	0.024
3:10:47 PM	0.024
3:11:47 PM	0.024
3:12:47 PM	0.024
3:13:47 PM	0.024
3:14:47 PM	0.023
3:15:47 PM	0.024
3:16:47 PM	0.023
3:17:47 PM	0.023
3:18:47 PM	0.023
3:19:47 PM	0.024
3:20:47 PM	0.024
3:21:47 PM	0.025
3:22:47 PM	0.025
3:23:47 PM	0.025
3:24:47 PM	0.025
3:25:47 PM	0.026
3:26:47 PM	0.026
3:27:47 PM	0.026
3:28:47 PM	0.026
3:29:47 PM	0.026

3:30:47 PM	0.026
3:31:47 PM	0.027
3:32:47 PM	0.028
3:33:47 PM	0.026
3:34:47 PM	0.026
3:35:47 PM	0.026
3:36:47 PM	0.026
3:37:47 PM	0.026
3:38:47 PM	0.026
3:39:47 PM	0.026
3:40:47 PM	0.026
3:41:47 PM	0.026
3:42:47 PM	0.026
3:43:47 PM	0.026
3:44:47 PM	0.026
3:45:47 PM	0.026
3:46:47 PM	0.026
3:47:47 PM	0.025
3:48:47 PM	0.026
3:49:47 PM	0.026
3:50:47 PM	0.026
3:51:47 PM	0.025
3:52:47 PM	0.025
3:53:47 PM	0.027
3:54:47 PM	0.028
3:55:47 PM	0.024
3:56:47 PM	0.024
3:57:47 PM	0.026
3:58:47 PM	0.025
3:59:47 PM	0.024
4:00:47 PM	0.024
4:01:47 PM	0.025
4:02:47 PM	0.023
4:03:47 PM	0.022
4:04:47 PM	0.022
4:05:47 PM	0.023
4:06:47 PM	0.023
4:07:47 PM	0.022
4:08:47 PM	0.022
4:09:47 PM	0.022
4:10:47 PM	0.022
4:11:47 PM	0.021
4:12:47 PM	0.021
4:13:47 PM	0.021

4:14:47 PM	0.02
4:15:47 PM	0.02
4:16:47 PM	0.02
4:17:47 PM	0.02
4:18:47 PM	0.021
4:19:47 PM	0.019
4:20:47 PM	0.019
4:21:47 PM	0.019
4:22:47 PM	0.018
4:23:47 PM	0.018
4:24:47 PM	0.019
4:25:47 PM	0.019
4:26:47 PM	0.018
4:27:47 PM	0.017
4:28:47 PM	0.017
4:29:47 PM	0.017
4:30:47 PM	0.017
4:31:47 PM	0.016
4:32:47 PM	0.016
4:33:47 PM	0.017
4:34:47 PM	0.021
4:35:47 PM	0.018
4:36:47 PM	0.016
4:37:47 PM	0.017
4:38:47 PM	0.019
4:39:47 PM	0.019
4:40:47 PM	0.027
4:41:47 PM	0.019
4:42:47 PM	0.017
4:43:47 PM	0.016
4:44:47 PM	0.016
4:45:47 PM	0.016
4:46:47 PM	0.016
4:47:47 PM	0.016
4:48:47 PM	0.016
4:49:47 PM	0.017
4:50:47 PM	0.017
4:51:47 PM	0.016
4:52:47 PM	0.016
4:53:47 PM	0.017
4:54:47 PM	0.017
4:55:47 PM	0.021
4:56:47 PM	0.017
4:57:47 PM	0.016

4:58:47 PM	0.015
4:59:47 PM	0.015
5:00:47 PM	0.015
5:01:47 PM	0.016
5:02:47 PM	0.016
5:03:47 PM	0.016
5:04:47 PM	0.016
5:05:47 PM	0.016
5:06:47 PM	0.016
5:07:47 PM	0.015
5:08:47 PM	0.016
5:09:47 PM	0.015
5:10:47 PM	0.016
5:11:47 PM	0.016
5:12:47 PM	0.016
5:13:47 PM	0.016
5:14:47 PM	0.016
5:15:47 PM	0.017
5:16:47 PM	0.017
5:17:47 PM	0.016
5:18:47 PM	0.017
5:19:47 PM	0.017
5:20:47 PM	0.017
5:21:47 PM	0.017
5:22:47 PM	0.016
5:23:47 PM	0.017
5:24:47 PM	0.017
5:25:47 PM	0.018
5:26:47 PM	0.017
5:27:47 PM	0.017
5:28:47 PM	0.018
5:29:47 PM	0.018
5:30:47 PM	0.017
5:31:47 PM	0.018
5:32:47 PM	0.017
5:33:47 PM	0.017
5:34:47 PM	0.017
5:35:47 PM	0.017
5:36:47 PM	0.017
5:37:47 PM	0.017
5:38:47 PM	0.018
5:39:47 PM	0.021
5:40:47 PM	0.018
5:41:47 PM	0.018

5:42:47 PM	0.018
5:43:47 PM	0.018
5:44:47 PM	0.021
5:45:47 PM	0.018
5:46:47 PM	0.019
5:47:47 PM	0.021
5:48:47 PM	0.026
5:49:47 PM	0.024

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/9/2024 18:07	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:06	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:03	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 18:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:59	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:58	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:57	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:49	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:48	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:47	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:46	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:45	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:44	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:43	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:42	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:41	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:40	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:39	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:38	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:37	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 17:36	Readings	PID	SC23030449A8	Normal	0

592-600853	7/9/2024 12:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 12:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 12:03	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 12:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 12:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 12:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:59	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:58	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:57	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:49	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:48	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:47	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:46	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:44	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:43	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 11:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:40	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:36	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:33	Readings	PID	SC23030449A8	Normal	0.1

592-600853	7/9/2024 11:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:28	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:27	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:26	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/9/2024 11:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:08	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 11:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:06	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 11:05	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 11:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 11:01	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 11:00	Readings	PID	SC23030449A8	Normal	0.3

592-600853	7/9/2024 10:59	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:58	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:57	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:56	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 10:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 10:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 10:52	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:51	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 10:49	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:48	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:47	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	7/9/2024 10:45	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:44	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:43	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:42	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:41	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:40	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:39	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:38	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:37	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:36	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:35	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:34	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:33	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:32	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:31	Readings	PID	SC23030449A8	Normal	0.4
592-600853	7/9/2024 10:30	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:29	Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/9/2024 10:28	Readings	PID	SC23030449A8	Normal	0.5
592-600853	7/9/2024 10:27	Readings	PID	SC23030449A8	Normal	0.5

592-600853	7/9/2024 10:26	Readings	PID	SC23030449A8	Normal	0.5
592-600853	7/9/2024 10:25	Readings	PID	SC23030449A8	Normal	0.5
592-600853	7/9/2024 10:24	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:23	Readings	PID	SC23030449A8	Normal	0.5
592-600853	7/9/2024 10:22	Readings	PID	SC23030449A8	Normal	0.5
592-600853	7/9/2024 10:21	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:20	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:19	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:18	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:17	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:16	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:15	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:14	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:13	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:12	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:11	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:10	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:09	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 10:08	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 10:07	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:06	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:05	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 10:04	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:03	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 10:02	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 10:01	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 10:00	Readings	PID	SC23030449A8	Normal	0.6
592-600853	7/9/2024 9:59	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:58	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:57	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:56	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:55	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:54	Readings	PID	SC23030449A8	Normal	0.7

592-600853	7/9/2024 9:53	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:52	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:51	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:50	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:49	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:48	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:47	Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/9/2024 9:46	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:45	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:44	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:43	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:42	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:41	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:40	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:39	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:38	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:37	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:36	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:35	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:34	Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/9/2024 9:33	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 9:32	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:31	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:30	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:29	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:28	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:27	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:26	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:25	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:24	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:23	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:22	Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:21	Readings	PID	SC23030449A8	Normal	1

592-600853	7/9/2024 9:20 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/9/2024 9:19 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/9/2024 9:18 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:17 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:16 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:15 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:14 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:13 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:12 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:11 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:10 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:09 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:08 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/9/2024 9:07 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/9/2024 9:06 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:05 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/9/2024 9:04 Readings	PID	SC23030449A8	Normal	1
592-600853	7/9/2024 9:03 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/9/2024 9:02 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/9/2024 9:01 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/9/2024 9:00 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/9/2024 8:59 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/9/2024 8:58 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/9/2024 8:57 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/9/2024 8:56 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/9/2024 8:55 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/9/2024 8:54 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/9/2024 8:53 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/9/2024 8:52 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/9/2024 8:51 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/9/2024 8:50 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/9/2024 8:49 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/9/2024 8:48 Readings	PID	SC23030449A8	Normal	1.4

592-600853	7/9/2024 8:47	Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/9/2024 8:46	Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/9/2024 8:45	Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/9/2024 8:44	Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/9/2024 8:43	Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/9/2024 8:42	Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/9/2024 8:41	Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/9/2024 8:40	Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/9/2024 8:39	Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/9/2024 8:38	Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/9/2024 8:37	Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/9/2024 8:36	Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/9/2024 8:35	Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/9/2024 8:34	Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/9/2024 8:33	Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/9/2024 8:32	Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/9/2024 8:31	Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/9/2024 8:30	Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/9/2024 8:29	Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/9/2024 8:28	Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/9/2024 8:27	Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/9/2024 8:26	Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/9/2024 8:25	Readings	PID	SC23030449A8	Normal	2
592-600853	7/9/2024 8:24	Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/9/2024 8:23	Readings	PID	SC23030449A8	Normal	2
592-600853	7/9/2024 8:22	Readings	PID	SC23030449A8	Normal	2
592-600853	7/9/2024 8:21	Readings	PID	SC23030449A8	Normal	2.1
592-600853	7/9/2024 8:20	Readings	PID	SC23030449A8	Normal	2.1
592-600853	7/9/2024 8:19	Readings	PID	SC23030449A8	Normal	2.1
592-600853	7/9/2024 8:18	Readings	PID	SC23030449A8	Normal	2.1
592-600853	7/9/2024 8:17	Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:16	Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:15	Readings	PID	SC23030449A8	Normal	2.2

592-600853	7/9/2024 8:14 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:13 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:12 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:11 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:10 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/9/2024 8:09 Readings	PID	SC23030449A8	Normal	2.3
592-600853	7/9/2024 8:08 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:07 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:06 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:05 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:04 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:03 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:02 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/9/2024 8:01 Readings	PID	SC23030449A8	Normal	2.6
592-600853	7/9/2024 8:00 Readings	PID	SC23030449A8	Normal	2.6
592-600853	7/9/2024 7:59 Readings	PID	SC23030449A8	Normal	2.7
592-600853	7/9/2024 7:58 Readings	PID	SC23030449A8	Normal	2.7
592-600853	7/9/2024 7:57 Readings	PID	SC23030449A8	Normal	2.7
592-600853	7/9/2024 7:56 Readings	PID	SC23030449A8	Normal	2.8
592-600853	7/9/2024 7:55 Readings	PID	SC23030449A8	Normal	2.7
592-600853	7/9/2024 7:54 Readings	PID	SC23030449A8	Normal	2.7
592-600853	7/9/2024 7:53 Readings	PID	SC23030449A8	Normal	2.9
592-600853	7/9/2024 7:52 Readings	PID	SC23030449A8	Normal	3
592-600853	7/9/2024 7:51 Readings	PID	SC23030449A8	Normal	3
592-600853	7/9/2024 7:50 Readings	PID	SC23030449A8	Normal	3.1
592-600853	7/9/2024 7:49 Readings	PID	SC23030449A8	Normal	3.1
592-600853	7/9/2024 7:48 Readings	PID	SC23030449A8	Normal	3.2
592-600853	7/9/2024 7:47 Readings	PID	SC23030449A8	Normal	3.2
592-600853	7/9/2024 7:46 Readings	PID	SC23030449A8	Normal	3.3
592-600853	7/9/2024 7:45 Readings	PID	SC23030449A8	Normal	3.3
592-600853	7/9/2024 7:44 Readings	PID	SC23030449A8	Normal	3.4
592-600853	7/9/2024 7:43 Readings	PID	SC23030449A8	Normal	3.5
592-600853	7/9/2024 7:42 Readings	PID	SC23030449A8	Normal	3.7

592-600853	7/9/2024 7:41	Readings	PID	SC23030449A8	Normal	3.7
592-600853	7/9/2024 7:40	Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/9/2024 7:39	Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/9/2024 7:38	Readings	PID	SC23030449A8	Normal	3.9
592-600853	7/9/2024 7:37	Readings	PID	SC23030449A8	Normal	4.1
592-600853	7/9/2024 7:36	Readings	PID	SC23030449A8	Normal	4.2
592-600853	7/9/2024 7:35	Readings	PID	SC23030449A8	Normal	4.3
592-600853	7/9/2024 7:34	Readings	PID	SC23030449A8	Normal	4.3
592-600853	7/9/2024 7:33	Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/9/2024 7:32	Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/9/2024 7:31	Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/9/2024 7:30	Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/9/2024 7:29	Readings	PID	SC23030449A8	Normal	4.6
592-600853	7/9/2024 7:28	Readings	PID	SC23030449A8	Normal	4.6
592-600853	7/9/2024 7:27	Readings	PID	SC23030449A8	Normal	4.7
592-600853	7/9/2024 7:26	Readings	PID	SC23030449A8	Normal	4.6
592-600853	7/9/2024 7:25	Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/9/2024 7:24	Readings	PID	SC23030449A8	Normal	4.2
592-600853	7/9/2024 7:23	Readings	PID	SC23030449A8	Normal	3.9
592-600853	7/9/2024 7:22	Readings	PID	SC23030449A8	Normal	3.5
592-600853	7/9/2024 7:21	Readings	PID	SC23030449A8	Normal	2.9
592-600853	7/9/2024 7:20	Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/9/2024 7:19	Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/9/2024 7:18	CONFIG	PID	SC23030449A8		
592-600853	7/9/2024 7:18	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 7:17	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 7:16	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 7:15	Readings	PID	SC23030449A8	Normal	0
592-600853	7/9/2024 7:14	CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_006
Test Start Time	6:53:17 AM
Test Start Date	7/9/2024
Test Length [D:H:M]	0:11:03
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.036
Mass Minimum [mg/m3]	0.026
Mass Maximum [mg/m3]	0.107
Mass TWA [mg/m3]	0.036
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	663

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53:17 AM	0.059		
6:54:17 AM	0.033		
6:55:17 AM	0.032		
6:56:17 AM	0.032		
6:57:17 AM	0.033		
6:58:17 AM	0.033		
6:59:17 AM	0.033		
7:00:17 AM	0.035		
7:01:17 AM	0.035		
7:02:17 AM	0.035		
7:03:17 AM	0.032		
7:04:17 AM	0.032		
7:05:17 AM	0.03		
7:06:17 AM	0.036		
7:07:17 AM	0.033		
7:08:17 AM	0.032		
7:09:17 AM	0.032		
7:10:17 AM	0.034		
7:11:17 AM	0.034		
7:12:17 AM	0.035		
7:13:17 AM	0.036		
7:14:17 AM	0.036		
7:15:17 AM	0.035		
7:16:17 AM	0.037		

7:17:17 AM	0.035
7:18:17 AM	0.035
7:19:17 AM	0.037
7:20:17 AM	0.044
7:21:17 AM	0.034
7:22:17 AM	0.034
7:23:17 AM	0.035
7:24:17 AM	0.038
7:25:17 AM	0.035
7:26:17 AM	0.032
7:27:17 AM	0.034
7:28:17 AM	0.033
7:29:17 AM	0.032
7:30:17 AM	0.032
7:31:17 AM	0.033
7:32:17 AM	0.035
7:33:17 AM	0.032
7:34:17 AM	0.031
7:35:17 AM	0.032
7:36:17 AM	0.029
7:37:17 AM	0.032
7:38:17 AM	0.033
7:39:17 AM	0.032
7:40:17 AM	0.03
7:41:17 AM	0.029
7:42:17 AM	0.03
7:43:17 AM	0.028
7:44:17 AM	0.032
7:45:17 AM	0.03
7:46:17 AM	0.029
7:47:17 AM	0.034
7:48:17 AM	0.031
7:49:17 AM	0.029
7:50:17 AM	0.03
7:51:17 AM	0.028
7:52:17 AM	0.028
7:53:17 AM	0.027
7:54:17 AM	0.026
7:55:17 AM	0.027
7:56:17 AM	0.027
7:57:17 AM	0.028
7:58:17 AM	0.03
7:59:17 AM	0.03
8:00:17 AM	0.04

8:01:17 AM	0.038
8:02:17 AM	0.03
8:03:17 AM	0.029
8:04:17 AM	0.037
8:05:17 AM	0.034
8:06:17 AM	0.034
8:07:17 AM	0.036
8:08:17 AM	0.031
8:09:17 AM	0.037
8:10:17 AM	0.029
8:11:17 AM	0.031
8:12:17 AM	0.03
8:13:17 AM	0.03
8:14:17 AM	0.028
8:15:17 AM	0.027
8:16:17 AM	0.028
8:17:17 AM	0.028
8:18:17 AM	0.028
8:19:17 AM	0.028
8:20:17 AM	0.027
8:21:17 AM	0.028
8:22:17 AM	0.031
8:23:17 AM	0.029
8:24:17 AM	0.027
8:25:17 AM	0.031
8:26:17 AM	0.033
8:27:17 AM	0.03
8:28:17 AM	0.031
8:29:17 AM	0.03
8:30:17 AM	0.032
8:31:17 AM	0.035
8:32:17 AM	0.034
8:33:17 AM	0.034
8:34:17 AM	0.031
8:35:17 AM	0.031
8:36:17 AM	0.033
8:37:17 AM	0.034
8:38:17 AM	0.036
8:39:17 AM	0.035
8:40:17 AM	0.034
8:41:17 AM	0.032
8:42:17 AM	0.033
8:43:17 AM	0.032
8:44:17 AM	0.035

8:45:17 AM	0.035
8:46:17 AM	0.039
8:47:17 AM	0.033
8:48:17 AM	0.033
8:49:17 AM	0.034
8:50:17 AM	0.031
8:51:17 AM	0.031
8:52:17 AM	0.04
8:53:17 AM	0.038
8:54:17 AM	0.042
8:55:17 AM	0.042
8:56:17 AM	0.042
8:57:17 AM	0.039
8:58:17 AM	0.042
8:59:17 AM	0.037
9:00:17 AM	0.039
9:01:17 AM	0.039
9:02:17 AM	0.038
9:03:17 AM	0.036
9:04:17 AM	0.036
9:05:17 AM	0.039
9:06:17 AM	0.036
9:07:17 AM	0.038
9:08:17 AM	0.039
9:09:17 AM	0.037
9:10:17 AM	0.036
9:11:17 AM	0.035
9:12:17 AM	0.035
9:13:17 AM	0.039
9:14:17 AM	0.038
9:15:17 AM	0.037
9:16:17 AM	0.036
9:17:17 AM	0.039
9:18:17 AM	0.038
9:19:17 AM	0.042
9:20:17 AM	0.043
9:21:17 AM	0.052
9:22:17 AM	0.044
9:23:17 AM	0.045
9:24:17 AM	0.041
9:25:17 AM	0.038
9:26:17 AM	0.039
9:27:17 AM	0.036
9:28:17 AM	0.042

9:29:17 AM	0.039
9:30:17 AM	0.039
9:31:17 AM	0.043
9:32:17 AM	0.045
9:33:17 AM	0.038
9:34:17 AM	0.039
9:35:17 AM	0.037
9:36:17 AM	0.039
9:37:17 AM	0.038
9:38:17 AM	0.036
9:39:17 AM	0.038
9:40:17 AM	0.037
9:41:17 AM	0.039
9:42:17 AM	0.04
9:43:17 AM	0.039
9:44:17 AM	0.038
9:45:17 AM	0.04
9:46:17 AM	0.042
9:47:17 AM	0.045
9:48:17 AM	0.041
9:49:17 AM	0.04
9:50:17 AM	0.041
9:51:17 AM	0.039
9:52:17 AM	0.037
9:53:17 AM	0.037
9:54:17 AM	0.035
9:55:17 AM	0.036
9:56:17 AM	0.039
9:57:17 AM	0.041
9:58:17 AM	0.04
9:59:17 AM	0.038
10:00:17 AM	0.037
10:01:17 AM	0.04
10:02:17 AM	0.036
10:03:17 AM	0.039
10:04:17 AM	0.037
10:05:17 AM	0.036
10:06:17 AM	0.034
10:07:17 AM	0.037
10:08:17 AM	0.037
10:09:17 AM	0.037
10:10:17 AM	0.034
10:11:17 AM	0.036
10:12:17 AM	0.032

10:13:17 AM	0.032
10:14:17 AM	0.034
10:15:17 AM	0.036
10:16:17 AM	0.035
10:17:17 AM	0.035
10:18:17 AM	0.037
10:19:17 AM	0.034
10:20:17 AM	0.036
10:21:17 AM	0.036
10:22:17 AM	0.034
10:23:17 AM	0.035
10:24:17 AM	0.032
10:25:17 AM	0.034
10:26:17 AM	0.039
10:27:17 AM	0.033
10:28:17 AM	0.031
10:29:17 AM	0.031
10:30:17 AM	0.031
10:31:17 AM	0.03
10:32:17 AM	0.031
10:33:17 AM	0.036
10:34:17 AM	0.033
10:35:17 AM	0.03
10:36:17 AM	0.031
10:37:17 AM	0.029
10:38:17 AM	0.03
10:39:17 AM	0.032
10:40:17 AM	0.031
10:41:17 AM	0.029
10:42:17 AM	0.034
10:43:17 AM	0.031
10:44:17 AM	0.033
10:45:17 AM	0.032
10:46:17 AM	0.03
10:47:17 AM	0.039
10:48:17 AM	0.033
10:49:17 AM	0.037
10:50:17 AM	0.038
10:51:17 AM	0.032
10:52:17 AM	0.034
10:53:17 AM	0.043
10:54:17 AM	0.056
10:55:17 AM	0.042
10:56:17 AM	0.039

10:57:17 AM	0.048
10:58:17 AM	0.045
10:59:17 AM	0.039
11:00:17 AM	0.044
11:01:17 AM	0.045
11:02:17 AM	0.041
11:03:17 AM	0.04
11:04:17 AM	0.039
11:05:17 AM	0.039
11:06:17 AM	0.037
11:07:17 AM	0.036
11:08:17 AM	0.041
11:09:17 AM	0.04
11:10:17 AM	0.042
11:11:17 AM	0.039
11:12:17 AM	0.037
11:13:17 AM	0.039
11:14:17 AM	0.043
11:15:17 AM	0.043
11:16:17 AM	0.039
11:17:17 AM	0.037
11:18:17 AM	0.04
11:19:17 AM	0.043
11:20:17 AM	0.038
11:21:17 AM	0.037
11:22:17 AM	0.035
11:23:17 AM	0.037
11:24:17 AM	0.033
11:25:17 AM	0.037
11:26:17 AM	0.035
11:27:17 AM	0.041
11:28:17 AM	0.036
11:29:17 AM	0.035
11:30:17 AM	0.039
11:31:17 AM	0.038
11:32:17 AM	0.035
11:33:17 AM	0.032
11:34:17 AM	0.033
11:35:17 AM	0.035
11:36:17 AM	0.033
11:37:17 AM	0.032
11:38:17 AM	0.034
11:39:17 AM	0.033
11:40:17 AM	0.032

11:41:17 AM	0.032
11:42:17 AM	0.033
11:43:17 AM	0.032
11:44:17 AM	0.034
11:45:17 AM	0.045
11:46:17 AM	0.036
11:47:17 AM	0.036
11:48:17 AM	0.039
11:49:17 AM	0.037
11:50:17 AM	0.032
11:51:17 AM	0.029
11:52:17 AM	0.031
11:53:17 AM	0.04
11:54:17 AM	0.035
11:55:17 AM	0.039
11:56:17 AM	0.039
11:57:17 AM	0.036
11:58:17 AM	0.035
11:59:17 AM	0.031
12:00:17 PM	0.036
12:01:17 PM	0.036
12:02:17 PM	0.044
12:03:17 PM	0.033
12:04:17 PM	0.039
12:05:17 PM	0.037
12:06:17 PM	0.036
12:07:17 PM	0.035
12:08:17 PM	0.038
12:09:17 PM	0.034
12:10:17 PM	0.038
12:11:17 PM	0.033
12:12:17 PM	0.038
12:13:17 PM	0.036
12:14:17 PM	0.042
12:15:17 PM	0.036
12:16:17 PM	0.037
12:17:17 PM	0.035
12:18:17 PM	0.032
12:19:17 PM	0.031
12:20:17 PM	0.032
12:21:17 PM	0.032
12:22:17 PM	0.033
12:23:17 PM	0.034
12:24:17 PM	0.032

12:25:17 PM	0.032
12:26:17 PM	0.032
12:27:17 PM	0.034
12:28:17 PM	0.033
12:29:17 PM	0.032
12:30:17 PM	0.032
12:31:17 PM	0.034
12:32:17 PM	0.033
12:33:17 PM	0.032
12:34:17 PM	0.032
12:35:17 PM	0.032
12:36:17 PM	0.032
12:37:17 PM	0.033
12:38:17 PM	0.035
12:39:17 PM	0.033
12:40:17 PM	0.034
12:41:17 PM	0.033
12:42:17 PM	0.042
12:43:17 PM	0.036
12:44:17 PM	0.035
12:45:17 PM	0.036
12:46:17 PM	0.041
12:47:17 PM	0.037
12:48:17 PM	0.034
12:49:17 PM	0.037
12:50:17 PM	0.036
12:51:17 PM	0.035
12:52:17 PM	0.035
12:53:17 PM	0.034
12:54:17 PM	0.034
12:55:17 PM	0.036
12:56:17 PM	0.038
12:57:17 PM	0.036
12:58:17 PM	0.034
12:59:17 PM	0.033
1:00:17 PM	0.033
1:01:17 PM	0.032
1:02:17 PM	0.035
1:03:17 PM	0.034
1:04:17 PM	0.033
1:05:17 PM	0.035
1:06:17 PM	0.033
1:07:17 PM	0.034
1:08:17 PM	0.034

1:09:17 PM	0.034
1:10:17 PM	0.035
1:11:17 PM	0.036
1:12:17 PM	0.035
1:13:17 PM	0.036
1:14:17 PM	0.035
1:15:17 PM	0.035
1:16:17 PM	0.035
1:17:17 PM	0.036
1:18:17 PM	0.036
1:19:17 PM	0.037
1:20:17 PM	0.036
1:21:17 PM	0.105
1:22:17 PM	0.043
1:23:17 PM	0.039
1:24:17 PM	0.037
1:25:17 PM	0.037
1:26:17 PM	0.034
1:27:17 PM	0.033
1:28:17 PM	0.056
1:29:17 PM	0.049
1:30:17 PM	0.035
1:31:17 PM	0.033
1:32:17 PM	0.033
1:33:17 PM	0.034
1:34:17 PM	0.034
1:35:17 PM	0.04
1:36:17 PM	0.033
1:37:17 PM	0.039
1:38:17 PM	0.034
1:39:17 PM	0.035
1:40:17 PM	0.034
1:41:17 PM	0.036
1:42:17 PM	0.034
1:43:17 PM	0.033
1:44:17 PM	0.052
1:45:17 PM	0.037
1:46:17 PM	0.033
1:47:17 PM	0.066
1:48:17 PM	0.038
1:49:17 PM	0.034
1:50:17 PM	0.033
1:51:17 PM	0.033
1:52:17 PM	0.033

1:53:17 PM	0.042
1:54:17 PM	0.051
1:55:17 PM	0.045
1:56:17 PM	0.046
1:57:17 PM	0.043
1:58:17 PM	0.038
1:59:17 PM	0.034
2:00:17 PM	0.034
2:01:17 PM	0.035
2:02:17 PM	0.034
2:03:17 PM	0.033
2:04:17 PM	0.033
2:05:17 PM	0.035
2:06:17 PM	0.034
2:07:17 PM	0.036
2:08:17 PM	0.036
2:09:17 PM	0.036
2:10:17 PM	0.035
2:11:17 PM	0.033
2:12:17 PM	0.033
2:13:17 PM	0.039
2:14:17 PM	0.044
2:15:17 PM	0.045
2:16:17 PM	0.042
2:17:17 PM	0.084
2:18:17 PM	0.039
2:19:17 PM	0.039
2:20:17 PM	0.037
2:21:17 PM	0.036
2:22:17 PM	0.035
2:23:17 PM	0.036
2:24:17 PM	0.037
2:25:17 PM	0.051
2:26:17 PM	0.038
2:27:17 PM	0.037
2:28:17 PM	0.038
2:29:17 PM	0.037
2:30:17 PM	0.036
2:31:17 PM	0.037
2:32:17 PM	0.04
2:33:17 PM	0.042
2:34:17 PM	0.08
2:35:17 PM	0.037
2:36:17 PM	0.036

2:37:17 PM	0.056
2:38:17 PM	0.045
2:39:17 PM	0.055
2:40:17 PM	0.036
2:41:17 PM	0.036
2:42:17 PM	0.036
2:43:17 PM	0.036
2:44:17 PM	0.037
2:45:17 PM	0.037
2:46:17 PM	0.066
2:47:17 PM	0.038
2:48:17 PM	0.039
2:49:17 PM	0.035
2:50:17 PM	0.036
2:51:17 PM	0.033
2:52:17 PM	0.033
2:53:17 PM	0.034
2:54:17 PM	0.039
2:55:17 PM	0.041
2:56:17 PM	0.049
2:57:17 PM	0.05
2:58:17 PM	0.037
2:59:17 PM	0.034
3:00:17 PM	0.032
3:01:17 PM	0.043
3:02:17 PM	0.033
3:03:17 PM	0.033
3:04:17 PM	0.033
3:05:17 PM	0.032
3:06:17 PM	0.033
3:07:17 PM	0.032
3:08:17 PM	0.034
3:09:17 PM	0.032
3:10:17 PM	0.035
3:11:17 PM	0.034
3:12:17 PM	0.037
3:13:17 PM	0.038
3:14:17 PM	0.035
3:15:17 PM	0.035
3:16:17 PM	0.032
3:17:17 PM	0.033
3:18:17 PM	0.036
3:19:17 PM	0.082
3:20:17 PM	0.067

3:21:17 PM	0.036
3:22:17 PM	0.034
3:23:17 PM	0.07
3:24:17 PM	0.044
3:25:17 PM	0.044
3:26:17 PM	0.05
3:27:17 PM	0.056
3:28:17 PM	0.039
3:29:17 PM	0.039
3:30:17 PM	0.038
3:31:17 PM	0.037
3:32:17 PM	0.036
3:33:17 PM	0.037
3:34:17 PM	0.034
3:35:17 PM	0.034
3:36:17 PM	0.034
3:37:17 PM	0.036
3:38:17 PM	0.046
3:39:17 PM	0.05
3:40:17 PM	0.039
3:41:17 PM	0.034
3:42:17 PM	0.037
3:43:17 PM	0.041
3:44:17 PM	0.036
3:45:17 PM	0.033
3:46:17 PM	0.034
3:47:17 PM	0.035
3:48:17 PM	0.033
3:49:17 PM	0.033
3:50:17 PM	0.033
3:51:17 PM	0.036
3:52:17 PM	0.038
3:53:17 PM	0.034
3:54:17 PM	0.034
3:55:17 PM	0.032
3:56:17 PM	0.032
3:57:17 PM	0.041
3:58:17 PM	0.04
3:59:17 PM	0.031
4:00:17 PM	0.03
4:01:17 PM	0.031
4:02:17 PM	0.031
4:03:17 PM	0.03
4:04:17 PM	0.033

4:05:17 PM	0.03
4:06:17 PM	0.03
4:07:17 PM	0.03
4:08:17 PM	0.036
4:09:17 PM	0.041
4:10:17 PM	0.033
4:11:17 PM	0.034
4:12:17 PM	0.048
4:13:17 PM	0.036
4:14:17 PM	0.031
4:15:17 PM	0.034
4:16:17 PM	0.03
4:17:17 PM	0.031
4:18:17 PM	0.032
4:19:17 PM	0.028
4:20:17 PM	0.029
4:21:17 PM	0.031
4:22:17 PM	0.033
4:23:17 PM	0.029
4:24:17 PM	0.03
4:25:17 PM	0.037
4:26:17 PM	0.034
4:27:17 PM	0.028
4:28:17 PM	0.028
4:29:17 PM	0.029
4:30:17 PM	0.034
4:31:17 PM	0.055
4:32:17 PM	0.046
4:33:17 PM	0.031
4:34:17 PM	0.032
4:35:17 PM	0.029
4:36:17 PM	0.03
4:37:17 PM	0.028
4:38:17 PM	0.028
4:39:17 PM	0.037
4:40:17 PM	0.039
4:41:17 PM	0.029
4:42:17 PM	0.027
4:43:17 PM	0.028
4:44:17 PM	0.032
4:45:17 PM	0.03
4:46:17 PM	0.03
4:47:17 PM	0.053
4:48:17 PM	0.029

4:49:17 PM	0.028
4:50:17 PM	0.03
4:51:17 PM	0.036
4:52:17 PM	0.037
4:53:17 PM	0.107
4:54:17 PM	0.033
4:55:17 PM	0.032
4:56:17 PM	0.036
4:57:17 PM	0.028
4:58:17 PM	0.028
4:59:17 PM	0.027
5:00:17 PM	0.027
5:01:17 PM	0.027
5:02:17 PM	0.031
5:03:17 PM	0.027
5:04:17 PM	0.031
5:05:17 PM	0.028
5:06:17 PM	0.028
5:07:17 PM	0.027
5:08:17 PM	0.026
5:09:17 PM	0.027
5:10:17 PM	0.026
5:11:17 PM	0.027
5:12:17 PM	0.027
5:13:17 PM	0.026
5:14:17 PM	0.027
5:15:17 PM	0.064
5:16:17 PM	0.032
5:17:17 PM	0.028
5:18:17 PM	0.028
5:19:17 PM	0.028
5:20:17 PM	0.028
5:21:17 PM	0.031
5:22:17 PM	0.033
5:23:17 PM	0.053
5:24:17 PM	0.057
5:25:17 PM	0.043
5:26:17 PM	0.029
5:27:17 PM	0.028
5:28:17 PM	0.029
5:29:17 PM	0.029
5:30:17 PM	0.033
5:31:17 PM	0.029
5:32:17 PM	0.029

5:33:17 PM	0.029
5:34:17 PM	0.029
5:35:17 PM	0.029
5:36:17 PM	0.029
5:37:17 PM	0.029
5:38:17 PM	0.031
5:39:17 PM	0.031
5:40:17 PM	0.031
5:41:17 PM	0.034
5:42:17 PM	0.032
5:43:17 PM	0.037
5:44:17 PM	0.035
5:45:17 PM	0.031
5:46:17 PM	0.032
5:47:17 PM	0.031
5:48:17 PM	0.033
5:49:17 PM	0.039
5:50:17 PM	0.032
5:51:17 PM	0.031
5:52:17 PM	0.033
5:53:17 PM	0.031
5:54:17 PM	0.033
5:55:17 PM	0.032

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/9/2024 17:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:02	Readings	PID	SC23030124AA	Normal	0

592-908641	7/9/2024 17:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 17:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 16:29	Readings	PID	SC23030124AA	Normal	0

592-908641	7/9/2024 10:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:53	Readings	PID	SC23030124AA	Normal	0

592-908641	7/9/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:20	Readings	PID	SC23030124AA	Normal	0

592-908641	7/9/2024 9:19 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:18 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:17 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:16 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:15 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:14 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:13 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:12 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:11 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:10 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:09 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:08 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/9/2024 9:07 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:06 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:05 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:04 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:03 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:02 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 9:00 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:59 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:58 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:57 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:56 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:55 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:54 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:53 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:52 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:51 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:50 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:49 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:48 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 8:47 Readings	PID	SC23030124AA	Normal	0

592-908641	7/9/2024 7:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:37	Readings	PID	SC23030124AA	Normal	3.7
592-908641	7/9/2024 7:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 7:08	Readings	PID	SC23030124AA	Normal	0

592-908641	7/9/2024 6:34 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 6:33 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 6:32 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 6:31 Readings	PID	SC23030124AA	Normal	0
592-908641	7/9/2024 6:30 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_006
Test Start Time	6:56:36 AM
Test Start Date	7/9/2024
Test Length [D:H:M]	0:10:20
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.061
Mass TWA [mg/m3]	0.035
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	620

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:56:36 AM	0.058		
6:57:36 AM	0.037		
6:58:36 AM	0.034		
6:59:36 AM	0.035		
7:00:36 AM	0.045		
7:01:36 AM	0.036		
7:02:36 AM	0.038		
7:03:36 AM	0.035		
7:04:36 AM	0.033		
7:05:36 AM	0.033		
7:06:36 AM	0.032		
7:07:36 AM	0.034		
7:08:36 AM	0.043		
7:09:36 AM	0.034		
7:10:36 AM	0.032		
7:11:36 AM	0.032		
7:12:36 AM	0.039		
7:13:36 AM	0.04		
7:14:36 AM	0.034		
7:15:36 AM	0.037		
7:16:36 AM	0.041		
7:17:36 AM	0.036		
7:18:36 AM	0.035		
7:19:36 AM	0.036		

7:20:36 AM	0.035
7:21:36 AM	0.037
7:22:36 AM	0.034
7:23:36 AM	0.033
7:24:36 AM	0.033
7:25:36 AM	0.03
7:26:36 AM	0.033
7:27:36 AM	0.03
7:28:36 AM	0.032
7:29:36 AM	0.033
7:30:36 AM	0.034
7:31:36 AM	0.047
7:32:36 AM	0.028
7:33:36 AM	0.029
7:34:36 AM	0.03
7:35:36 AM	0.028
7:36:36 AM	0.031
7:37:36 AM	0.033
7:38:36 AM	0.029
7:39:36 AM	0.026
7:40:36 AM	0.026
7:41:36 AM	0.025
7:42:36 AM	0.026
7:43:36 AM	0.026
7:44:36 AM	0.024
7:45:36 AM	0.025
7:46:36 AM	0.027
7:47:36 AM	0.026
7:48:36 AM	0.024
7:49:36 AM	0.025
7:50:36 AM	0.024
7:51:36 AM	0.023
7:52:36 AM	0.023
7:53:36 AM	0.023
7:54:36 AM	0.024
7:55:36 AM	0.025
7:56:36 AM	0.023
7:57:36 AM	0.022
7:58:36 AM	0.023
7:59:36 AM	0.022
8:00:36 AM	0.024
8:01:36 AM	0.025
8:02:36 AM	0.028
8:03:36 AM	0.025

8:04:36 AM	0.026
8:05:36 AM	0.027
8:06:36 AM	0.026
8:07:36 AM	0.024
8:08:36 AM	0.025
8:09:36 AM	0.023
8:10:36 AM	0.023
8:11:36 AM	0.025
8:12:36 AM	0.025
8:13:36 AM	0.025
8:14:36 AM	0.024
8:15:36 AM	0.023
8:16:36 AM	0.025
8:17:36 AM	0.025
8:18:36 AM	0.025
8:19:36 AM	0.024
8:20:36 AM	0.025
8:21:36 AM	0.029
8:22:36 AM	0.026
8:23:36 AM	0.024
8:24:36 AM	0.023
8:25:36 AM	0.025
8:26:36 AM	0.025
8:27:36 AM	0.026
8:28:36 AM	0.026
8:29:36 AM	0.031
8:30:36 AM	0.03
8:31:36 AM	0.029
8:32:36 AM	0.025
8:33:36 AM	0.024
8:34:36 AM	0.024
8:35:36 AM	0.025
8:36:36 AM	0.025
8:37:36 AM	0.026
8:38:36 AM	0.026
8:39:36 AM	0.028
8:40:36 AM	0.031
8:41:36 AM	0.029
8:42:36 AM	0.027
8:43:36 AM	0.029
8:44:36 AM	0.036
8:45:36 AM	0.032
8:46:36 AM	0.031
8:47:36 AM	0.033

8:48:36 AM	0.03
8:49:36 AM	0.027
8:50:36 AM	0.024
8:51:36 AM	0.025
8:52:36 AM	0.03
8:53:36 AM	0.033
8:54:36 AM	0.031
8:55:36 AM	0.033
8:56:36 AM	0.032
8:57:36 AM	0.034
8:58:36 AM	0.037
8:59:36 AM	0.034
9:00:36 AM	0.033
9:01:36 AM	0.03
9:02:36 AM	0.03
9:03:36 AM	0.03
9:04:36 AM	0.03
9:05:36 AM	0.03
9:06:36 AM	0.03
9:07:36 AM	0.029
9:08:36 AM	0.033
9:09:36 AM	0.032
9:10:36 AM	0.031
9:11:36 AM	0.032
9:12:36 AM	0.031
9:13:36 AM	0.031
9:14:36 AM	0.032
9:15:36 AM	0.033
9:16:36 AM	0.032
9:17:36 AM	0.032
9:18:36 AM	0.031
9:19:36 AM	0.032
9:20:36 AM	0.039
9:21:36 AM	0.047
9:22:36 AM	0.046
9:23:36 AM	0.039
9:24:36 AM	0.036
9:25:36 AM	0.038
9:26:36 AM	0.032
9:27:36 AM	0.034
9:28:36 AM	0.037
9:29:36 AM	0.043
9:30:36 AM	0.037
9:31:36 AM	0.034

9:32:36 AM	0.033
9:33:36 AM	0.029
9:34:36 AM	0.029
9:35:36 AM	0.03
9:36:36 AM	0.031
9:37:36 AM	0.031
9:38:36 AM	0.034
9:39:36 AM	0.037
9:40:36 AM	0.036
9:41:36 AM	0.034
9:42:36 AM	0.033
9:43:36 AM	0.041
9:44:36 AM	0.036
9:45:36 AM	0.036
9:46:36 AM	0.039
9:47:36 AM	0.039
9:48:36 AM	0.038
9:49:36 AM	0.036
9:50:36 AM	0.036
9:51:36 AM	0.037
9:52:36 AM	0.032
9:53:36 AM	0.03
9:54:36 AM	0.03
9:55:36 AM	0.03
9:56:36 AM	0.029
9:57:36 AM	0.031
9:58:36 AM	0.031
9:59:36 AM	0.032
10:00:36 AM	0.031
10:01:36 AM	0.03
10:02:36 AM	0.032
10:03:36 AM	0.031
10:04:36 AM	0.029
10:05:36 AM	0.032
10:06:36 AM	0.031
10:07:36 AM	0.032
10:08:36 AM	0.032
10:09:36 AM	0.031
10:10:36 AM	0.032
10:11:36 AM	0.031
10:12:36 AM	0.031
10:13:36 AM	0.03
10:14:36 AM	0.029
10:15:36 AM	0.032

10:16:36 AM	0.031
10:17:36 AM	0.031
10:18:36 AM	0.038
10:19:36 AM	0.04
10:20:36 AM	0.029
10:21:36 AM	0.029
10:22:36 AM	0.045
10:23:36 AM	0.033
10:24:36 AM	0.042
10:25:36 AM	0.03
10:26:36 AM	0.032
10:27:36 AM	0.04
10:28:36 AM	0.033
10:29:36 AM	0.034
10:30:36 AM	0.03
10:31:36 AM	0.035
10:32:36 AM	0.031
10:33:36 AM	0.037
10:34:36 AM	0.029
10:35:36 AM	0.026
10:36:36 AM	0.027
10:37:36 AM	0.026
10:38:36 AM	0.029
10:39:36 AM	0.04
10:40:36 AM	0.038
10:41:36 AM	0.03
10:42:36 AM	0.029
10:43:36 AM	0.031
10:44:36 AM	0.03
10:45:36 AM	0.033
10:46:36 AM	0.032
10:47:36 AM	0.031
10:48:36 AM	0.029
10:49:36 AM	0.03
10:50:36 AM	0.031
10:51:36 AM	0.034
10:52:36 AM	0.035
10:53:36 AM	0.032
10:54:36 AM	0.04
10:55:36 AM	0.047
10:56:36 AM	0.042
10:57:36 AM	0.035
10:58:36 AM	0.037
10:59:36 AM	0.039

11:00:36 AM	0.046
11:01:36 AM	0.061
11:02:36 AM	0.039
11:03:36 AM	0.039
11:04:36 AM	0.04
11:05:36 AM	0.037
11:06:36 AM	0.036
11:07:36 AM	0.036
11:08:36 AM	0.036
11:09:36 AM	0.039
11:10:36 AM	0.039
11:11:36 AM	0.037
11:12:36 AM	0.036
11:13:36 AM	0.038
11:14:36 AM	0.055
11:15:36 AM	0.044
11:16:36 AM	0.038
11:17:36 AM	0.038
11:18:36 AM	0.037
11:19:36 AM	0.038
11:20:36 AM	0.034
11:21:36 AM	0.034
11:22:36 AM	0.033
11:23:36 AM	0.032
11:24:36 AM	0.031
11:25:36 AM	0.031
11:26:36 AM	0.032
11:27:36 AM	0.031
11:28:36 AM	0.031
11:29:36 AM	0.032
11:30:36 AM	0.033
11:31:36 AM	0.032
11:32:36 AM	0.032
11:33:36 AM	0.032
11:34:36 AM	0.033
11:35:36 AM	0.038
11:36:36 AM	0.035
11:37:36 AM	0.032
11:38:36 AM	0.032
11:39:36 AM	0.032
11:40:36 AM	0.031
11:41:36 AM	0.03
11:42:36 AM	0.03
11:43:36 AM	0.03

11:44:36 AM	0.03
11:45:36 AM	0.031
11:46:36 AM	0.039
11:47:36 AM	0.035
11:48:36 AM	0.038
11:49:36 AM	0.038
11:50:36 AM	0.032
11:51:36 AM	0.029
11:52:36 AM	0.028
11:53:36 AM	0.032
11:54:36 AM	0.036
11:55:36 AM	0.035
11:56:36 AM	0.04
11:57:36 AM	0.031
11:58:36 AM	0.031
11:59:36 AM	0.033
12:00:36 PM	0.03
12:01:36 PM	0.031
12:02:36 PM	0.031
12:03:36 PM	0.038
12:04:36 PM	0.04
12:05:36 PM	0.038
12:06:36 PM	0.039
12:07:36 PM	0.037
12:08:36 PM	0.035
12:09:36 PM	0.035
12:10:36 PM	0.034
12:11:36 PM	0.033
12:12:36 PM	0.034
12:13:36 PM	0.033
12:14:36 PM	0.036
12:15:36 PM	0.035
12:16:36 PM	0.035
12:17:36 PM	0.034
12:18:36 PM	0.034
12:19:36 PM	0.033
12:20:36 PM	0.033
12:21:36 PM	0.033
12:22:36 PM	0.034
12:23:36 PM	0.034
12:24:36 PM	0.034
12:25:36 PM	0.033
12:26:36 PM	0.033
12:27:36 PM	0.034

12:28:36 PM	0.035
12:29:36 PM	0.034
12:30:36 PM	0.034
12:31:36 PM	0.034
12:32:36 PM	0.034
12:33:36 PM	0.033
12:34:36 PM	0.034
12:35:36 PM	0.033
12:36:36 PM	0.033
12:37:36 PM	0.033
12:38:36 PM	0.034
12:39:36 PM	0.034
12:40:36 PM	0.033
12:41:36 PM	0.035
12:42:36 PM	0.036
12:43:36 PM	0.035
12:44:36 PM	0.037
12:45:36 PM	0.036
12:46:36 PM	0.035
12:47:36 PM	0.034
12:48:36 PM	0.035
12:49:36 PM	0.037
12:50:36 PM	0.038
12:51:36 PM	0.038
12:52:36 PM	0.038
12:53:36 PM	0.037
12:54:36 PM	0.039
12:55:36 PM	0.037
12:56:36 PM	0.038
12:57:36 PM	0.038
12:58:36 PM	0.037
12:59:36 PM	0.035
1:00:36 PM	0.036
1:01:36 PM	0.036
1:02:36 PM	0.037
1:03:36 PM	0.037
1:04:36 PM	0.038
1:05:36 PM	0.036
1:06:36 PM	0.036
1:07:36 PM	0.037
1:08:36 PM	0.037
1:09:36 PM	0.037
1:10:36 PM	0.038
1:11:36 PM	0.039

1:12:36 PM	0.038
1:13:36 PM	0.039
1:14:36 PM	0.04
1:15:36 PM	0.04
1:16:36 PM	0.039
1:17:36 PM	0.04
1:18:36 PM	0.041
1:19:36 PM	0.039
1:20:36 PM	0.04
1:21:36 PM	0.041
1:22:36 PM	0.053
1:23:36 PM	0.048
1:24:36 PM	0.043
1:25:36 PM	0.042
1:26:36 PM	0.041
1:27:36 PM	0.038
1:28:36 PM	0.038
1:29:36 PM	0.05
1:30:36 PM	0.042
1:31:36 PM	0.038
1:32:36 PM	0.036
1:33:36 PM	0.037
1:34:36 PM	0.036
1:35:36 PM	0.039
1:36:36 PM	0.036
1:37:36 PM	0.035
1:38:36 PM	0.035
1:39:36 PM	0.042
1:40:36 PM	0.042
1:41:36 PM	0.037
1:42:36 PM	0.037
1:43:36 PM	0.037
1:44:36 PM	0.037
1:45:36 PM	0.039
1:46:36 PM	0.039
1:47:36 PM	0.037
1:48:36 PM	0.044
1:49:36 PM	0.041
1:50:36 PM	0.038
1:51:36 PM	0.038
1:52:36 PM	0.038
1:53:36 PM	0.04
1:54:36 PM	0.042
1:55:36 PM	0.046

1:56:36 PM	0.044
1:57:36 PM	0.042
1:58:36 PM	0.042
1:59:36 PM	0.04
2:00:36 PM	0.039
2:01:36 PM	0.039
2:02:36 PM	0.038
2:03:36 PM	0.038
2:04:36 PM	0.038
2:05:36 PM	0.037
2:06:36 PM	0.038
2:07:36 PM	0.04
2:08:36 PM	0.04
2:09:36 PM	0.043
2:10:36 PM	0.04
2:11:36 PM	0.04
2:12:36 PM	0.038
2:13:36 PM	0.039
2:14:36 PM	0.051
2:15:36 PM	0.052
2:16:36 PM	0.047
2:17:36 PM	0.052
2:18:36 PM	0.046
2:19:36 PM	0.047
2:20:36 PM	0.045
2:21:36 PM	0.049
2:22:36 PM	0.047
2:23:36 PM	0.041
2:24:36 PM	0.042
2:25:36 PM	0.047
2:26:36 PM	0.042
2:27:36 PM	0.041
2:28:36 PM	0.04
2:29:36 PM	0.04
2:30:36 PM	0.04
2:31:36 PM	0.042
2:32:36 PM	0.045
2:33:36 PM	0.044
2:34:36 PM	0.043
2:35:36 PM	0.061
2:36:36 PM	0.042
2:37:36 PM	0.043
2:38:36 PM	0.052
2:39:36 PM	0.041

2:40:36 PM	0.039
2:41:36 PM	0.04
2:42:36 PM	0.041
2:43:36 PM	0.042
2:44:36 PM	0.042
2:45:36 PM	0.04
2:46:36 PM	0.041
2:47:36 PM	0.044
2:48:36 PM	0.043
2:49:36 PM	0.044
2:50:36 PM	0.041
2:51:36 PM	0.039
2:52:36 PM	0.04
2:53:36 PM	0.042
2:54:36 PM	0.046
2:55:36 PM	0.046
2:56:36 PM	0.051
2:57:36 PM	0.052
2:58:36 PM	0.045
2:59:36 PM	0.044
3:00:36 PM	0.044
3:01:36 PM	0.055
3:02:36 PM	0.05
3:03:36 PM	0.04
3:04:36 PM	0.04
3:05:36 PM	0.039
3:06:36 PM	0.04
3:07:36 PM	0.039
3:08:36 PM	0.042
3:09:36 PM	0.041
3:10:36 PM	0.04
3:11:36 PM	0.04
3:12:36 PM	0.038
3:13:36 PM	0.043
3:14:36 PM	0.04
3:15:36 PM	0.04
3:16:36 PM	0.039
3:17:36 PM	0.039
3:18:36 PM	0.043
3:19:36 PM	0.043
3:20:36 PM	0.053
3:21:36 PM	0.043
3:22:36 PM	0.042
3:23:36 PM	0.048

3:24:36 PM	0.045
3:25:36 PM	0.048
3:26:36 PM	0.046
3:27:36 PM	0.047
3:28:36 PM	0.044
3:29:36 PM	0.045
3:30:36 PM	0.045
3:31:36 PM	0.044
3:32:36 PM	0.044
3:33:36 PM	0.043
3:34:36 PM	0.045
3:35:36 PM	0.043
3:36:36 PM	0.044
3:37:36 PM	0.046
3:38:36 PM	0.041
3:39:36 PM	0.04
3:40:36 PM	0.041
3:41:36 PM	0.042
3:42:36 PM	0.041
3:43:36 PM	0.04
3:44:36 PM	0.044
3:45:36 PM	0.042
3:46:36 PM	0.041
3:47:36 PM	0.05
3:48:36 PM	0.044
3:49:36 PM	0.038
3:50:36 PM	0.04
3:51:36 PM	0.042
3:52:36 PM	0.042
3:53:36 PM	0.042
3:54:36 PM	0.04
3:55:36 PM	0.039
3:56:36 PM	0.038
3:57:36 PM	0.038
3:58:36 PM	0.049
3:59:36 PM	0.04
4:00:36 PM	0.039
4:01:36 PM	0.038
4:02:36 PM	0.039
4:03:36 PM	0.039
4:04:36 PM	0.037
4:05:36 PM	0.039
4:06:36 PM	0.036
4:07:36 PM	0.036

4:08:36 PM	0.036
4:09:36 PM	0.036
4:10:36 PM	0.038
4:11:36 PM	0.04
4:12:36 PM	0.039
4:13:36 PM	0.041
4:14:36 PM	0.038
4:15:36 PM	0.037
4:16:36 PM	0.035
4:17:36 PM	0.038
4:18:36 PM	0.035
4:19:36 PM	0.035
4:20:36 PM	0.034
4:21:36 PM	0.053
4:22:36 PM	0.04
4:23:36 PM	0.037
4:24:36 PM	0.035
4:25:36 PM	0.037
4:26:36 PM	0.041
4:27:36 PM	0.035
4:28:36 PM	0.033
4:29:36 PM	0.033
4:30:36 PM	0.033
4:31:36 PM	0.037
4:32:36 PM	0.056
4:33:36 PM	0.037
4:34:36 PM	0.031
4:35:36 PM	0.036
4:36:36 PM	0.037
4:37:36 PM	0.034
4:38:36 PM	0.032
4:39:36 PM	0.032
4:40:36 PM	0.035
4:41:36 PM	0.038
4:42:36 PM	0.032
4:43:36 PM	0.035
4:44:36 PM	0.038
4:45:36 PM	0.032
4:46:36 PM	0.032
4:47:36 PM	0.042
4:48:36 PM	0.041
4:49:36 PM	0.04
4:50:36 PM	0.044
4:51:36 PM	0.042

4:52:36 PM	0.041	
4:53:36 PM	0.05	
4:54:36 PM	0.044	
4:55:36 PM	0.038	
4:56:36 PM	0.04	
4:57:36 PM	0.042	
4:58:36 PM	0.033	
4:59:36 PM	0.033	
5:00:36 PM	0.037	
5:01:36 PM	0.021	
5:02:36 PM	0.021	
5:03:36 PM	0.029	Flow Error
5:04:36 PM	0.021	Flow Error
5:05:36 PM	0.01	Flow Error
5:06:36 PM	0.007	Flow Error
5:07:36 PM	0.003	Flow Error
5:08:36 PM	0.001	Flow Error
5:09:36 PM	0.001	Flow Error
5:10:36 PM	0.001	Flow Error
5:11:36 PM	0.001	Flow Error
5:12:36 PM	0.001	Flow Error
5:13:36 PM	0.001	Flow Error
5:14:36 PM	0.001	Flow Error
5:15:36 PM	0.001	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-919956	7/9/2024 18:03	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 18:02	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 18:01	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 18:00	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:59	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:58	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:57	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:56	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:55	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:54	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:53	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:52	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:51	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:50	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:49	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:48	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:47	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:46	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:45	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:44	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:43	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:42	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:41	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:40	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:39	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:38	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:37	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:36	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:35	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:34	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:33	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 17:32	Readings	PID	SC23030222U2	Normal	0

592-919956	7/9/2024 12:01	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 12:00	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:59	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:58	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:57	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:56	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:55	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:54	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:53	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:52	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:51	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:50	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:49	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:48	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:47	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:46	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:45	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:44	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:43	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:42	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:41	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:40	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:39	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:38	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:37	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:36	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:35	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:34	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:33	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:32	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:31	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:30	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 11:29	Readings	PID	SC23030222U2	Normal	0

592-919956	7/9/2024 10:22 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:21 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:20 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:19 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:18 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:17 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:16 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:15 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:14 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:13 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:12 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:11 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:10 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:09 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:08 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:07 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:06 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:05 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:04 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:03 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:02 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:01 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 10:00 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:59 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:58 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:57 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:56 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:55 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:54 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:53 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:52 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:51 Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 9:50 Readings	PID	SC23030222U2	Normal	0

592-919956	7/9/2024 8:43	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:42	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:41	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:40	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:39	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:38	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:37	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:36	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:35	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:34	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:33	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:32	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:31	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:30	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:29	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:28	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:27	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:26	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:25	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:24	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:23	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:22	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:21	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:20	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:19	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:18	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:17	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:16	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:15	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 8:14	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:13	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:12	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 8:11	Readings	PID	SC23030222U2	Normal	0

592-919956	7/9/2024 7:37	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:36	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:35	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:34	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:33	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:32	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:31	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:30	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:29	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:28	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:27	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:26	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:25	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:24	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:23	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:22	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:21	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:20	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:19	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:18	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:17	Readings	PID	SC23030222U2	Normal	0
592-919956	7/9/2024 7:16	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:15	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:14	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:13	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:12	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:11	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:10	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:09	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:08	Readings	PID	SC23030222U2	Normal	0.2
592-919956	7/9/2024 7:07	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:06	Readings	PID	SC23030222U2	Normal	0.1
592-919956	7/9/2024 7:05	CONFIG	PID	SC23030222U2		