

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain	X	Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	N/NE 10 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/12/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:40

Time Offsite: 18:00

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas / Victor Barraza

WSP (Environmental oversight) – Tim Williams

Capital/KFS (Contractor)

Cascade (ISS Contractor)

Bradford (SSDS Contractor)

Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations according to wind direction; KSF working on foundation elements; import of approved backfill; plumbing laid in south building; a and gauge all site wells.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS working on rebar and vapor barrier installation in the south building, vapor barriers were inspected to ensure proper application;
- Bradford continues to lay out plumbing in the south building;
- Ten (10) truckloads of approved imported backfill were delivered on site in the southern building area for placement;
- Five (5) truckloads of material from Spill area were live loaded on trucks and disposed of off-Site to Bayshore Facility. Handheld PID was used to monitor VOC levels during excavation, no odors or VOCs were detected during excavation. Two units of ATMOS and a HMA mister were extensively used for odor suppression throughout work within this area;
- Three samples were obtained in the Spill 2308807 area: EP-89 (A) 10' bsg, Sidewall-2 8' bsg, & Sidewall-3 10' bsg;
- Replacement trash pump placed in EP-90, poly was peeled back and pump was placed in spill area; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks;

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _1.8_ ppm @ 06:54, Dust = _0.021_ mg/m³ @ 07:02
- High Conditions (Upwind) – PID = _4.8_ ppm @ 07:25, Dust = _0.301_ mg/m³ @ 11:35
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.079_ mg/m³ @ 08:51
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.3215_ mg/m³ @ 06:59

Notable Site Conditions:

- Dust suppression was implemented throughout day;

Planned Activities for the Next Day/Week:

- Continuation of vapor barrier and rebar work on the southern portion of the Site; and
- Excavation and live loading of Spill 2308807 area.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of Spill 2308807 excavation and live loading, with odor suppression implemented.



Photo 2 –

Representative photo of truck tire washing prior to departing Site.



Photo 3 –

Representative photo of vapor barrier and rebar installation.



Photo 4 –

Representative photo of Spill 2308807 area sprayed with ATMOS and covered with poly at the end of day.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_011
Test Start Time	7:02:37 AM
Test Start Date	7/12/2024
Test Length [D:H:M]	0:10:59
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.008
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.301
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	659

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02:37 AM	0.021		
7:03:37 AM	0.019		
7:04:37 AM	0.022		
7:05:37 AM	0.02		
7:06:37 AM	0.015		
7:07:37 AM	0		
7:08:37 AM	0.015		
7:09:37 AM	0.015		
7:10:37 AM	0.014		
7:11:37 AM	0.014		
7:12:37 AM	0.016		
7:13:37 AM	0.015		
7:14:37 AM	0.016		
7:15:37 AM	0.018		
7:16:37 AM	0.024		
7:17:37 AM	0.017		
7:18:37 AM	0.014		
7:19:37 AM	0.013		
7:20:37 AM	0.014		
7:21:37 AM	0.013		
7:22:37 AM	0.012		
7:23:37 AM	0.012		
7:24:37 AM	0.012		
7:25:37 AM	0.014		

7:26:37 AM	0.014
7:27:37 AM	0.014
7:28:37 AM	0.012
7:29:37 AM	0.012
7:30:37 AM	0.012
7:31:37 AM	0.012
7:32:37 AM	0.012
7:33:37 AM	0.013
7:34:37 AM	0.013
7:35:37 AM	0.013
7:36:37 AM	0.014
7:37:37 AM	0.013
7:38:37 AM	0.012
7:39:37 AM	0.012
7:40:37 AM	0.012
7:41:37 AM	0.012
7:42:37 AM	0.011
7:43:37 AM	0.011
7:44:37 AM	0.012
7:45:37 AM	0.012
7:46:37 AM	0.012
7:47:37 AM	0.013
7:48:37 AM	0.013
7:49:37 AM	0.013
7:50:37 AM	0.013
7:51:37 AM	0.013
7:52:37 AM	0.014
7:53:37 AM	0.014
7:54:37 AM	0.013
7:55:37 AM	0.014
7:56:37 AM	0.015
7:57:37 AM	0.017
7:58:37 AM	0.014
7:59:37 AM	0.014
8:00:37 AM	0.013
8:01:37 AM	0.012
8:02:37 AM	0.013
8:03:37 AM	0.013
8:04:37 AM	0.013
8:05:37 AM	0.013
8:06:37 AM	0.013
8:07:37 AM	0.013
8:08:37 AM	0.012
8:09:37 AM	0.012

8:10:37 AM	0.012
8:11:37 AM	0.012
8:12:37 AM	0.011
8:13:37 AM	0.014
8:14:37 AM	0.014
8:15:37 AM	0.013
8:16:37 AM	0.012
8:17:37 AM	0.012
8:18:37 AM	0.012
8:19:37 AM	0.012
8:20:37 AM	0.011
8:21:37 AM	0.011
8:22:37 AM	0.012
8:23:37 AM	0.012
8:24:37 AM	0.013
8:25:37 AM	0.012
8:26:37 AM	0.011
8:27:37 AM	0.011
8:28:37 AM	0.01
8:29:37 AM	0.011
8:30:37 AM	0.011
8:31:37 AM	0.011
8:32:37 AM	0.01
8:33:37 AM	0.011
8:34:37 AM	0.012
8:35:37 AM	0.011
8:36:37 AM	0.011
8:37:37 AM	0.01
8:38:37 AM	0.01
8:39:37 AM	0.011
8:40:37 AM	0.011
8:41:37 AM	0.011
8:42:37 AM	0.01
8:43:37 AM	0.011
8:44:37 AM	0.011
8:45:37 AM	0.011
8:46:37 AM	0.01
8:47:37 AM	0.009
8:48:37 AM	0.009
8:49:37 AM	0.009
8:50:37 AM	0.009
8:51:37 AM	0.009
8:52:37 AM	0.011
8:53:37 AM	0.01

8:54:37 AM	0.012
8:55:37 AM	0.011
8:56:37 AM	0.01
8:57:37 AM	0.009
8:58:37 AM	0.012
8:59:37 AM	0.01
9:00:37 AM	0.01
9:01:37 AM	0.009
9:02:37 AM	0.01
9:03:37 AM	0.01
9:04:37 AM	0.009
9:05:37 AM	0.008
9:06:37 AM	0.009
9:07:37 AM	0.008
9:08:37 AM	0.008
9:09:37 AM	0.008
9:10:37 AM	0.008
9:11:37 AM	0.007
9:12:37 AM	0.007
9:13:37 AM	0.007
9:14:37 AM	0.011
9:15:37 AM	0.012
9:16:37 AM	0.01
9:17:37 AM	0.01
9:18:37 AM	0.007
9:19:37 AM	0.007
9:20:37 AM	0.008
9:21:37 AM	0.007
9:22:37 AM	0.011
9:23:37 AM	0.011
9:24:37 AM	0.008
9:25:37 AM	0.008
9:26:37 AM	0.008
9:27:37 AM	0.009
9:28:37 AM	0.009
9:29:37 AM	0.009
9:30:37 AM	0.022
9:31:37 AM	0.01
9:32:37 AM	0.009
9:33:37 AM	0.009
9:34:37 AM	0.009
9:35:37 AM	0.008
9:36:37 AM	0.008
9:37:37 AM	0.009

9:38:37 AM	0.008
9:39:37 AM	0.009
9:40:37 AM	0.01
9:41:37 AM	0.009
9:42:37 AM	0.009
9:43:37 AM	0.01
9:44:37 AM	0.01
9:45:37 AM	0.009
9:46:37 AM	0.009
9:47:37 AM	0.01
9:48:37 AM	0.012
9:49:37 AM	0.01
9:50:37 AM	0.01
9:51:37 AM	0.009
9:52:37 AM	0.009
9:53:37 AM	0.009
9:54:37 AM	0.01
9:55:37 AM	0.009
9:56:37 AM	0.009
9:57:37 AM	0.008
9:58:37 AM	0.009
9:59:37 AM	0.012
10:00:37 AM	0.012
10:01:37 AM	0.012
10:02:37 AM	0.02
10:03:37 AM	0.016
10:04:37 AM	0.015
10:05:37 AM	0.015
10:06:37 AM	0.012
10:07:37 AM	0.011
10:08:37 AM	0.01
10:09:37 AM	0.009
10:10:37 AM	0.008
10:11:37 AM	0.008
10:12:37 AM	0.007
10:13:37 AM	0.008
10:14:37 AM	0.007
10:15:37 AM	0.007
10:16:37 AM	0.008
10:17:37 AM	0.009
10:18:37 AM	0.007
10:19:37 AM	0.007
10:20:37 AM	0.008
10:21:37 AM	0.008

10:22:37 AM	0.01
10:23:37 AM	0.007
10:24:37 AM	0.006
10:25:37 AM	0.008
10:26:37 AM	0.006
10:27:37 AM	0.007
10:28:37 AM	0.007
10:29:37 AM	0.008
10:30:37 AM	0.008
10:31:37 AM	0.012
10:32:37 AM	0.009
10:33:37 AM	0.008
10:34:37 AM	0.007
10:35:37 AM	0.007
10:36:37 AM	0.007
10:37:37 AM	0.007
10:38:37 AM	0.006
10:39:37 AM	0.006
10:40:37 AM	0.006
10:41:37 AM	0.006
10:42:37 AM	0.006
10:43:37 AM	0.008
10:44:37 AM	0.007
10:45:37 AM	0.007
10:46:37 AM	0.008
10:47:37 AM	0.008
10:48:37 AM	0.008
10:49:37 AM	0.008
10:50:37 AM	0.007
10:51:37 AM	0.006
10:52:37 AM	0.006
10:53:37 AM	0.006
10:54:37 AM	0.006
10:55:37 AM	0.006
10:56:37 AM	0.007
10:57:37 AM	0.006
10:58:37 AM	0.007
10:59:37 AM	0.007
11:00:37 AM	0.017
11:01:37 AM	0.008
11:02:37 AM	0.006
11:03:37 AM	0.007
11:04:37 AM	0.007
11:05:37 AM	0.006

11:06:37 AM	0.005
11:07:37 AM	0.006
11:08:37 AM	0.007
11:09:37 AM	0.016
11:10:37 AM	0.046
11:11:37 AM	0.018
11:12:37 AM	0.011
11:13:37 AM	0.037
11:14:37 AM	0.016
11:15:37 AM	0.032
11:16:37 AM	0.021
11:17:37 AM	0.017
11:18:37 AM	0.016
11:19:37 AM	0.014
11:20:37 AM	0.018
11:21:37 AM	0.038
11:22:37 AM	0.016
11:23:37 AM	0.017
11:24:37 AM	0.014
11:25:37 AM	0.015
11:26:37 AM	0.021
11:27:37 AM	0.008
11:28:37 AM	0.006
11:29:37 AM	0.026
11:30:37 AM	0.028
11:31:37 AM	0.009
11:32:37 AM	0.01
11:33:37 AM	0.024
11:34:37 AM	0.178
11:35:37 AM	0.301
11:36:37 AM	0.078
11:37:37 AM	0.04
11:38:37 AM	0.066
11:39:37 AM	0.057
11:40:37 AM	0.082
11:41:37 AM	0.018
11:42:37 AM	0.01
11:43:37 AM	0.014
11:44:37 AM	0.014
11:45:37 AM	0.014
11:46:37 AM	0.021
11:47:37 AM	0.011
11:48:37 AM	0.015
11:49:37 AM	0.008

11:50:37 AM	0.006
11:51:37 AM	0.009
11:52:37 AM	0.009
11:53:37 AM	0.101
11:54:37 AM	0.021
11:55:37 AM	0.011
11:56:37 AM	0.012
11:57:37 AM	0.032
11:58:37 AM	0.03
11:59:37 AM	0.052
12:00:37 PM	0.038
12:01:37 PM	0.037
12:02:37 PM	0.024
12:03:37 PM	0.013
12:04:37 PM	0.042
12:05:37 PM	0.024
12:06:37 PM	0.026
12:07:37 PM	0.013
12:08:37 PM	0.012
12:09:37 PM	0.011
12:10:37 PM	0.011
12:11:37 PM	0.007
12:12:37 PM	0.012
12:13:37 PM	0.006
12:14:37 PM	0.005
12:15:37 PM	0.004
12:16:37 PM	0.005
12:17:37 PM	0.009
12:18:37 PM	0.008
12:19:37 PM	0.005
12:20:37 PM	0.004
12:21:37 PM	0.003
12:22:37 PM	0.003
12:23:37 PM	0.002
12:24:37 PM	0.004
12:25:37 PM	0.003
12:26:37 PM	0.002
12:27:37 PM	0.002
12:28:37 PM	0.003
12:29:37 PM	0.003
12:30:37 PM	0.001
12:31:37 PM	0.001
12:32:37 PM	0.001
12:33:37 PM	0.002

12:34:37 PM	0.002
12:35:37 PM	0.001
12:36:37 PM	0.001
12:37:37 PM	0.001
12:38:37 PM	0.002
12:39:37 PM	0.005
12:40:37 PM	0.002
12:41:37 PM	0
12:42:37 PM	0
12:43:37 PM	0.001
12:44:37 PM	0.001
12:45:37 PM	0.001
12:46:37 PM	0.001
12:47:37 PM	0.005
12:48:37 PM	0.004
12:49:37 PM	0.003
12:50:37 PM	0.002
12:51:37 PM	0.003
12:52:37 PM	0.006
12:53:37 PM	0.01
12:54:37 PM	0.007
12:55:37 PM	0.004
12:56:37 PM	0.004
12:57:37 PM	0.004
12:58:37 PM	0.01
12:59:37 PM	0.003
1:00:37 PM	0.004
1:01:37 PM	0.002
1:02:37 PM	0.002
1:03:37 PM	0.003
1:04:37 PM	0.004
1:05:37 PM	0.004
1:06:37 PM	0.005
1:07:37 PM	0.007
1:08:37 PM	0.007
1:09:37 PM	0.006
1:10:37 PM	0.006
1:11:37 PM	0.004
1:12:37 PM	0.002
1:13:37 PM	0.004
1:14:37 PM	0.003
1:15:37 PM	0.005
1:16:37 PM	0.005
1:17:37 PM	0.004

1:18:37 PM	0.004
1:19:37 PM	0.02
1:20:37 PM	0.007
1:21:37 PM	0.003
1:22:37 PM	0.002
1:23:37 PM	0.001
1:24:37 PM	0
1:25:37 PM	0
1:26:37 PM	0
1:27:37 PM	0.001
1:28:37 PM	0.001
1:29:37 PM	0.001
1:30:37 PM	0
1:31:37 PM	0
1:32:37 PM	0
1:33:37 PM	0
1:34:37 PM	0
1:35:37 PM	0
1:36:37 PM	0.002
1:37:37 PM	0.002
1:38:37 PM	0.001
1:39:37 PM	0.001
1:40:37 PM	0.004
1:41:37 PM	0.001
1:42:37 PM	0.001
1:43:37 PM	0
1:44:37 PM	0
1:45:37 PM	0.001
1:46:37 PM	0
1:47:37 PM	0
1:48:37 PM	0
1:49:37 PM	0
1:50:37 PM	0
1:51:37 PM	0
1:52:37 PM	0.018
1:53:37 PM	0.006
1:54:37 PM	0.002
1:55:37 PM	0
1:56:37 PM	0.001
1:57:37 PM	0
1:58:37 PM	0
1:59:37 PM	0.001
2:00:37 PM	0
2:01:37 PM	0

2:02:37 PM	0
2:03:37 PM	0
2:04:37 PM	0
2:05:37 PM	0
2:06:37 PM	0
2:07:37 PM	0.001
2:08:37 PM	0.009
2:09:37 PM	0.003
2:10:37 PM	0.001
2:11:37 PM	0.001
2:12:37 PM	0.001
2:13:37 PM	0.001
2:14:37 PM	0.003
2:15:37 PM	0.002
2:16:37 PM	0.002
2:17:37 PM	0.002
2:18:37 PM	0.002
2:19:37 PM	0.001
2:20:37 PM	0.001
2:21:37 PM	0.002
2:22:37 PM	0.002
2:23:37 PM	0.001
2:24:37 PM	0.008
2:25:37 PM	0.006
2:26:37 PM	0.002
2:27:37 PM	0
2:28:37 PM	0.001
2:29:37 PM	0
2:30:37 PM	0.001
2:31:37 PM	0
2:32:37 PM	0
2:33:37 PM	0
2:34:37 PM	0
2:35:37 PM	0.004
2:36:37 PM	0.011
2:37:37 PM	0.024
2:38:37 PM	0.01
2:39:37 PM	0.005
2:40:37 PM	0.002
2:41:37 PM	0.001
2:42:37 PM	0.003
2:43:37 PM	0
2:44:37 PM	0
2:45:37 PM	0.001

2:46:37 PM	0.001
2:47:37 PM	0.001
2:48:37 PM	0.001
2:49:37 PM	0.001
2:50:37 PM	0.027
2:51:37 PM	0.007
2:52:37 PM	0.005
2:53:37 PM	0.005
2:54:37 PM	0.01
2:55:37 PM	0.014
2:56:37 PM	0.004
2:57:37 PM	0.002
2:58:37 PM	0.001
2:59:37 PM	0.001
3:00:37 PM	0
3:01:37 PM	0.001
3:02:37 PM	0.003
3:03:37 PM	0.003
3:04:37 PM	0
3:05:37 PM	0
3:06:37 PM	0.001
3:07:37 PM	0
3:08:37 PM	0
3:09:37 PM	0
3:10:37 PM	0
3:11:37 PM	0
3:12:37 PM	0.001
3:13:37 PM	0
3:14:37 PM	0
3:15:37 PM	0
3:16:37 PM	0.008
3:17:37 PM	0.011
3:18:37 PM	0.002
3:19:37 PM	0
3:20:37 PM	0
3:21:37 PM	0
3:22:37 PM	0
3:23:37 PM	0
3:24:37 PM	0
3:25:37 PM	0
3:26:37 PM	0
3:27:37 PM	0
3:28:37 PM	0
3:29:37 PM	0

3:30:37 PM	0
3:31:37 PM	0
3:32:37 PM	0
3:33:37 PM	0
3:34:37 PM	0
3:35:37 PM	0
3:36:37 PM	0
3:37:37 PM	0
3:38:37 PM	0
3:39:37 PM	0
3:40:37 PM	0
3:41:37 PM	0
3:42:37 PM	0
3:43:37 PM	0
3:44:37 PM	0
3:45:37 PM	0
3:46:37 PM	0.001
3:47:37 PM	0
3:48:37 PM	0
3:49:37 PM	0
3:50:37 PM	0
3:51:37 PM	0
3:52:37 PM	0
3:53:37 PM	0
3:54:37 PM	0.001
3:55:37 PM	0.001
3:56:37 PM	0
3:57:37 PM	0
3:58:37 PM	0.001
3:59:37 PM	0.002
4:00:37 PM	0
4:01:37 PM	0.001
4:02:37 PM	0.001
4:03:37 PM	0.001
4:04:37 PM	0.003
4:05:37 PM	0.003
4:06:37 PM	0.001
4:07:37 PM	0
4:08:37 PM	0.001
4:09:37 PM	0.01
4:10:37 PM	0
4:11:37 PM	0
4:12:37 PM	0
4:13:37 PM	0

4:14:37 PM	0.001
4:15:37 PM	0.001
4:16:37 PM	0
4:17:37 PM	0
4:18:37 PM	0
4:19:37 PM	0
4:20:37 PM	0
4:21:37 PM	0
4:22:37 PM	0
4:23:37 PM	0
4:24:37 PM	0
4:25:37 PM	0
4:26:37 PM	0.001
4:27:37 PM	0.001
4:28:37 PM	0
4:29:37 PM	0
4:30:37 PM	0
4:31:37 PM	0.007
4:32:37 PM	0
4:33:37 PM	0
4:34:37 PM	0.001
4:35:37 PM	0
4:36:37 PM	0
4:37:37 PM	0
4:38:37 PM	0
4:39:37 PM	0
4:40:37 PM	0
4:41:37 PM	0
4:42:37 PM	0
4:43:37 PM	0
4:44:37 PM	0
4:45:37 PM	0
4:46:37 PM	0
4:47:37 PM	0
4:48:37 PM	0
4:49:37 PM	0
4:50:37 PM	0
4:51:37 PM	0
4:52:37 PM	0
4:53:37 PM	0
4:54:37 PM	0
4:55:37 PM	0
4:56:37 PM	0
4:57:37 PM	0

4:58:37 PM	0
4:59:37 PM	0
5:00:37 PM	0
5:01:37 PM	0
5:02:37 PM	0
5:03:37 PM	0
5:04:37 PM	0
5:05:37 PM	0
5:06:37 PM	0
5:07:37 PM	0
5:08:37 PM	0
5:09:37 PM	0
5:10:37 PM	0
5:11:37 PM	0
5:12:37 PM	0
5:13:37 PM	0
5:14:37 PM	0
5:15:37 PM	0
5:16:37 PM	0
5:17:37 PM	0
5:18:37 PM	0
5:19:37 PM	0
5:20:37 PM	0
5:21:37 PM	0
5:22:37 PM	0
5:23:37 PM	0
5:24:37 PM	0
5:25:37 PM	0
5:26:37 PM	0
5:27:37 PM	0
5:28:37 PM	0
5:29:37 PM	0
5:30:37 PM	0
5:31:37 PM	0
5:32:37 PM	0
5:33:37 PM	0
5:34:37 PM	0
5:35:37 PM	0
5:36:37 PM	0
5:37:37 PM	0
5:38:37 PM	0
5:39:37 PM	0
5:40:37 PM	0
5:41:37 PM	0

5:42:37 PM	0
5:43:37 PM	0.001
5:44:37 PM	0
5:45:37 PM	0
5:46:37 PM	0.001
5:47:37 PM	0
5:48:37 PM	0
5:49:37 PM	0.002
5:50:37 PM	0.004
5:51:37 PM	0.001
5:52:37 PM	0.001
5:53:37 PM	0.001
5:54:37 PM	0.003
5:55:37 PM	0.004
5:56:37 PM	0.001
5:57:37 PM	0.001
5:58:37 PM	0.001
5:59:37 PM	0.002
6:00:37 PM	0.002

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/12/2024 18:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 18:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 18:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:59	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:58	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:57	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:49	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:48	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:47	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:46	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:45	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:44	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:43	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:42	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:41	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:40	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:39	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:38	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:37	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:36	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:35	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:34	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:33	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:32	Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 17:31	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	7/12/2024 10:54 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:53 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:52 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:51 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:50 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:49 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:48 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:47 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:46 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:45 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:44 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:43 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:42 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:41 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:40 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:39 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:38 Readings	PID	SC23030449A8	Normal	0
592-600853	7/12/2024 10:37 Readings	PID	SC23030449A8	Normal	0.4
592-600853	7/12/2024 10:36 Readings	PID	SC23030449A8	Normal	0.4
592-600853	7/12/2024 10:35 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 10:34 Readings	PID	SC23030449A8	Normal	3.7
592-600853	7/12/2024 10:33 Readings	PID	SC23030449A8	Normal	3.5
592-600853	7/12/2024 10:32 Readings	PID	SC23030449A8	Normal	3.4
592-600853	7/12/2024 10:31 Readings	PID	SC23030449A8	Normal	4.7
592-600853	7/12/2024 10:30 Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/12/2024 10:29 Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/12/2024 10:28 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:27 Readings	PID	SC23030449A8	Normal	1
592-600853	7/12/2024 10:26 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 10:25 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 10:24 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 10:23 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:22 Readings	PID	SC23030449A8	Normal	1.7

592-600853	7/12/2024 10:21 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 10:20 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 10:19 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 10:18 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 10:17 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:16 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 10:15 Readings	PID	SC23030449A8	Normal	3.7
592-600853	7/12/2024 10:14 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 10:13 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 10:12 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:11 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 10:10 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 10:09 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:08 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:07 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:06 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 10:05 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 10:04 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 10:03 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 10:02 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 10:01 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 10:00 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:59 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:58 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:57 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:56 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:55 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 9:54 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:53 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 9:52 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 9:51 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:50 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:49 Readings	PID	SC23030449A8	Normal	1.2

592-600853	7/12/2024 9:48 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:47 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:46 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:45 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:44 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:43 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:42 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:41 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:40 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 9:39 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:38 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:37 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:36 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 9:35 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 9:34 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:33 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 9:32 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:31 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 9:30 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:29 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:28 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:27 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:26 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:25 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:24 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:23 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:22 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 9:21 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:20 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:19 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:18 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:17 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:16 Readings	PID	SC23030449A8	Normal	1.2

592-600853	7/12/2024 9:15 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 9:14 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 9:13 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 9:12 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:11 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:10 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:09 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:08 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 9:07 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:06 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 9:05 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:04 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 9:03 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 9:02 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 9:01 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 9:00 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:59 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:58 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:57 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 8:56 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 8:55 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 8:54 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:53 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:52 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:51 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:50 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:49 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:48 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:47 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:46 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:45 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:44 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:43 Readings	PID	SC23030449A8	Normal	1.1

592-600853	7/12/2024 8:42 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:41 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:40 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:39 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:38 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:37 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/12/2024 8:36 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:35 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:34 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:33 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:32 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 8:31 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:30 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:29 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:28 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:27 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:26 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 8:25 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 8:24 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:23 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 8:22 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:21 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:20 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:19 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:18 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/12/2024 8:17 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:16 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 8:15 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 8:14 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 8:13 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:12 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 8:11 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:10 Readings	PID	SC23030449A8	Normal	1

592-600853	7/12/2024 8:09 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:08 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:07 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:06 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:05 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 8:04 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:03 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 8:02 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 8:01 Readings	PID	SC23030449A8	Normal	1
592-600853	7/12/2024 8:00 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 7:59 Readings	PID	SC23030449A8	Normal	1.9
592-600853	7/12/2024 7:58 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 7:57 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 7:56 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 7:55 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/12/2024 7:54 Readings	PID	SC23030449A8	Normal	1.1
592-600853	7/12/2024 7:53 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 7:52 Readings	PID	SC23030449A8	Normal	0.7
592-600853	7/12/2024 7:51 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/12/2024 7:50 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 7:49 Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/12/2024 7:48 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/12/2024 7:47 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 7:46 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 7:45 Readings	PID	SC23030449A8	Normal	1.7
592-600853	7/12/2024 7:44 Readings	PID	SC23030449A8	Normal	2.5
592-600853	7/12/2024 7:43 Readings	PID	SC23030449A8	Normal	2.5
592-600853	7/12/2024 7:42 Readings	PID	SC23030449A8	Normal	2.5
592-600853	7/12/2024 7:41 Readings	PID	SC23030449A8	Normal	2.3
592-600853	7/12/2024 7:40 Readings	PID	SC23030449A8	Normal	3.2
592-600853	7/12/2024 7:39 Readings	PID	SC23030449A8	Normal	3.9
592-600853	7/12/2024 7:38 Readings	PID	SC23030449A8	Normal	3.4
592-600853	7/12/2024 7:37 Readings	PID	SC23030449A8	Normal	3.2

592-600853	7/12/2024 7:36 Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/12/2024 7:35 Readings	PID	SC23030449A8	Normal	4.2
592-600853	7/12/2024 7:34 Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/12/2024 7:33 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:32 Readings	PID	SC23030449A8	Normal	4.7
592-600853	7/12/2024 7:31 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:30 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:29 Readings	PID	SC23030449A8	Normal	3.7
592-600853	7/12/2024 7:28 Readings	PID	SC23030449A8	Normal	3.7
592-600853	7/12/2024 7:27 Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/12/2024 7:26 Readings	PID	SC23030449A8	Normal	3.1
592-600853	7/12/2024 7:25 Readings	PID	SC23030449A8	Normal	4.8
592-600853	7/12/2024 7:24 Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/12/2024 7:23 Readings	PID	SC23030449A8	Normal	4.6
592-600853	7/12/2024 7:22 Readings	PID	SC23030449A8	Normal	4.3
592-600853	7/12/2024 7:21 Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/12/2024 7:20 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:19 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:18 Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/12/2024 7:17 Readings	PID	SC23030449A8	Normal	4.6
592-600853	7/12/2024 7:16 Readings	PID	SC23030449A8	Normal	4.7
592-600853	7/12/2024 7:15 Readings	PID	SC23030449A8	Normal	4.5
592-600853	7/12/2024 7:14 Readings	PID	SC23030449A8	Normal	4.1
592-600853	7/12/2024 7:13 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:12 Readings	PID	SC23030449A8	Normal	4.3
592-600853	7/12/2024 7:11 Readings	PID	SC23030449A8	Normal	4.6
592-600853	7/12/2024 7:10 Readings	PID	SC23030449A8	Normal	5
592-600853	7/12/2024 7:09 Readings	PID	SC23030449A8	Normal	4.1
592-600853	7/12/2024 7:08 Readings	PID	SC23030449A8	Normal	4.4
592-600853	7/12/2024 7:07 CONFIG	PID	SC23030449A8		
592-600853	7/12/2024 7:02 Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/12/2024 7:01 Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/12/2024 7:00 Readings	PID	SC23030449A8	Normal	0.7

592-600853	7/12/2024 6:59 Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/12/2024 6:58 Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/12/2024 6:57 Readings	PID	SC23030449A8	Normal	0.9
592-600853	7/12/2024 6:56 Readings	PID	SC23030449A8	Normal	1
592-600853	7/12/2024 6:55 Readings	PID	SC23030449A8	Normal	1.2
592-600853	7/12/2024 6:54 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/12/2024 6:53 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_009
Test Start Time	6:57:08 AM
Test Start Date	7/12/2024
Test Length [D:H:M]	0:11:03
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.079
Mass TWA [mg/m3]	0.015
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	663

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:57:08 AM	0.061		
6:58:08 AM	0.03		
6:59:08 AM	0.02		
7:00:08 AM	0.019		
7:01:08 AM	0.018		
7:02:08 AM	0.017		
7:03:08 AM	0.017		
7:04:08 AM	0.016		
7:05:08 AM	0.016		
7:06:08 AM	0.017		
7:07:08 AM	0.018		
7:08:08 AM	0.017		
7:09:08 AM	0.016		
7:10:08 AM	0.02		
7:11:08 AM	0.018		
7:12:08 AM	0.017		
7:13:08 AM	0.017		
7:14:08 AM	0.016		
7:15:08 AM	0.016		
7:16:08 AM	0.017		
7:17:08 AM	0.018		
7:18:08 AM	0.017		
7:19:08 AM	0.018		
7:20:08 AM	0.018		

7:21:08 AM	0.02
7:22:08 AM	0.021
7:23:08 AM	0.026
7:24:08 AM	0.029
7:25:08 AM	0.026
7:26:08 AM	0.02
7:27:08 AM	0.024
7:28:08 AM	0.039
7:29:08 AM	0.023
7:30:08 AM	0.021
7:31:08 AM	0.02
7:32:08 AM	0.022
7:33:08 AM	0.02
7:34:08 AM	0.022
7:35:08 AM	0.022
7:36:08 AM	0.022
7:37:08 AM	0.024
7:38:08 AM	0.024
7:39:08 AM	0.023
7:40:08 AM	0.023
7:41:08 AM	0.023
7:42:08 AM	0.02
7:43:08 AM	0.022
7:44:08 AM	0.021
7:45:08 AM	0.02
7:46:08 AM	0.021
7:47:08 AM	0.02
7:48:08 AM	0.021
7:49:08 AM	0.022
7:50:08 AM	0.02
7:51:08 AM	0.019
7:52:08 AM	0.019
7:53:08 AM	0.021
7:54:08 AM	0.021
7:55:08 AM	0.02
7:56:08 AM	0.022
7:57:08 AM	0.023
7:58:08 AM	0.023
7:59:08 AM	0.023
8:00:08 AM	0.025
8:01:08 AM	0.024
8:02:08 AM	0.023
8:03:08 AM	0.022
8:04:08 AM	0.023

8:05:08 AM	0.024
8:06:08 AM	0.022
8:07:08 AM	0.023
8:08:08 AM	0.023
8:09:08 AM	0.021
8:10:08 AM	0.021
8:11:08 AM	0.018
8:12:08 AM	0.017
8:13:08 AM	0.018
8:14:08 AM	0.019
8:15:08 AM	0.019
8:16:08 AM	0.021
8:17:08 AM	0.025
8:18:08 AM	0.024
8:19:08 AM	0.032
8:20:08 AM	0.02
8:21:08 AM	0.022
8:22:08 AM	0.021
8:23:08 AM	0.023
8:24:08 AM	0.02
8:25:08 AM	0.017
8:26:08 AM	0.017
8:27:08 AM	0.018
8:28:08 AM	0.02
8:29:08 AM	0.018
8:30:08 AM	0.017
8:31:08 AM	0.016
8:32:08 AM	0.016
8:33:08 AM	0.018
8:34:08 AM	0.016
8:35:08 AM	0.018
8:36:08 AM	0.018
8:37:08 AM	0.017
8:38:08 AM	0.018
8:39:08 AM	0.019
8:40:08 AM	0.018
8:41:08 AM	0.025
8:42:08 AM	0.022
8:43:08 AM	0.026
8:44:08 AM	0.047
8:45:08 AM	0.051
8:46:08 AM	0.075
8:47:08 AM	0.045
8:48:08 AM	0.04

8:49:08 AM	0.042
8:50:08 AM	0.066
8:51:08 AM	0.079
8:52:08 AM	0.034
8:53:08 AM	0.016
8:54:08 AM	0.014
8:55:08 AM	0.017
8:56:08 AM	0.017
8:57:08 AM	0.015
8:58:08 AM	0.017
8:59:08 AM	0.016
9:00:08 AM	0.018
9:01:08 AM	0.017
9:02:08 AM	0.016
9:03:08 AM	0.017
9:04:08 AM	0.016
9:05:08 AM	0.017
9:06:08 AM	0.017
9:07:08 AM	0.015
9:08:08 AM	0.014
9:09:08 AM	0.021
9:10:08 AM	0.014
9:11:08 AM	0.013
9:12:08 AM	0.013
9:13:08 AM	0.012
9:14:08 AM	0.012
9:15:08 AM	0.013
9:16:08 AM	0.015
9:17:08 AM	0.015
9:18:08 AM	0.015
9:19:08 AM	0.014
9:20:08 AM	0.013
9:21:08 AM	0.014
9:22:08 AM	0.014
9:23:08 AM	0.015
9:24:08 AM	0.014
9:25:08 AM	0.014
9:26:08 AM	0.014
9:27:08 AM	0.014
9:28:08 AM	0.014
9:29:08 AM	0.013
9:30:08 AM	0.019
9:31:08 AM	0.015
9:32:08 AM	0.014

9:33:08 AM	0.016
9:34:08 AM	0.018
9:35:08 AM	0.017
9:36:08 AM	0.018
9:37:08 AM	0.018
9:38:08 AM	0.017
9:39:08 AM	0.016
9:40:08 AM	0.016
9:41:08 AM	0.016
9:42:08 AM	0.018
9:43:08 AM	0.017
9:44:08 AM	0.018
9:45:08 AM	0.018
9:46:08 AM	0.018
9:47:08 AM	0.018
9:48:08 AM	0.018
9:49:08 AM	0.017
9:50:08 AM	0.016
9:51:08 AM	0.017
9:52:08 AM	0.016
9:53:08 AM	0.016
9:54:08 AM	0.02
9:55:08 AM	0.016
9:56:08 AM	0.017
9:57:08 AM	0.019
9:58:08 AM	0.018
9:59:08 AM	0.018
10:00:08 AM	0.018
10:01:08 AM	0.016
10:02:08 AM	0.017
10:03:08 AM	0.019
10:04:08 AM	0.021
10:05:08 AM	0.02
10:06:08 AM	0.017
10:07:08 AM	0.015
10:08:08 AM	0.016
10:09:08 AM	0.016
10:10:08 AM	0.017
10:11:08 AM	0.016
10:12:08 AM	0.017
10:13:08 AM	0.023
10:14:08 AM	0.017
10:15:08 AM	0.015
10:16:08 AM	0.015

10:17:08 AM	0.015
10:18:08 AM	0.016
10:19:08 AM	0.015
10:20:08 AM	0.014
10:21:08 AM	0.014
10:22:08 AM	0.014
10:23:08 AM	0.015
10:24:08 AM	0.014
10:25:08 AM	0.015
10:26:08 AM	0.015
10:27:08 AM	0.014
10:28:08 AM	0.016
10:29:08 AM	0.014
10:30:08 AM	0.014
10:31:08 AM	0.014
10:32:08 AM	0.013
10:33:08 AM	0.014
10:34:08 AM	0.013
10:35:08 AM	0.013
10:36:08 AM	0.015
10:37:08 AM	0.014
10:38:08 AM	0.016
10:39:08 AM	0.021
10:40:08 AM	0.016
10:41:08 AM	0.02
10:42:08 AM	0.016
10:43:08 AM	0.018
10:44:08 AM	0.015
10:45:08 AM	0.015
10:46:08 AM	0.015
10:47:08 AM	0.017
10:48:08 AM	0.018
10:49:08 AM	0.02
10:50:08 AM	0.016
10:51:08 AM	0.014
10:52:08 AM	0.02
10:53:08 AM	0.017
10:54:08 AM	0.019
10:55:08 AM	0.016
10:56:08 AM	0.017
10:57:08 AM	0.018
10:58:08 AM	0.017
10:59:08 AM	0.016
11:00:08 AM	0.015

11:01:08 AM	0.015
11:02:08 AM	0.016
11:03:08 AM	0.02
11:04:08 AM	0.018
11:05:08 AM	0.018
11:06:08 AM	0.014
11:07:08 AM	0.014
11:08:08 AM	0.014
11:09:08 AM	0.015
11:10:08 AM	0.018
11:11:08 AM	0.014
11:12:08 AM	0.018
11:13:08 AM	0.017
11:14:08 AM	0.018
11:15:08 AM	0.016
11:16:08 AM	0.016
11:17:08 AM	0.017
11:18:08 AM	0.014
11:19:08 AM	0.014
11:20:08 AM	0.019
11:21:08 AM	0.018
11:22:08 AM	0.017
11:23:08 AM	0.015
11:24:08 AM	0.014
11:25:08 AM	0.014
11:26:08 AM	0.013
11:27:08 AM	0.015
11:28:08 AM	0.016
11:29:08 AM	0.016
11:30:08 AM	0.012
11:31:08 AM	0.014
11:32:08 AM	0.014
11:33:08 AM	0.015
11:34:08 AM	0.012
11:35:08 AM	0.012
11:36:08 AM	0.012
11:37:08 AM	0.012
11:38:08 AM	0.011
11:39:08 AM	0.012
11:40:08 AM	0.014
11:41:08 AM	0.015
11:42:08 AM	0.013
11:43:08 AM	0.015
11:44:08 AM	0.012

11:45:08 AM	0.013
11:46:08 AM	0.014
11:47:08 AM	0.015
11:48:08 AM	0.016
11:49:08 AM	0.016
11:50:08 AM	0.015
11:51:08 AM	0.015
11:52:08 AM	0.014
11:53:08 AM	0.014
11:54:08 AM	0.013
11:55:08 AM	0.012
11:56:08 AM	0.012
11:57:08 AM	0.011
11:58:08 AM	0.013
11:59:08 AM	0.015
12:00:08 PM	0.022
12:01:08 PM	0.015
12:02:08 PM	0.015
12:03:08 PM	0.012
12:04:08 PM	0.012
12:05:08 PM	0.011
12:06:08 PM	0.011
12:07:08 PM	0.011
12:08:08 PM	0.011
12:09:08 PM	0.011
12:10:08 PM	0.011
12:11:08 PM	0.011
12:12:08 PM	0.01
12:13:08 PM	0.01
12:14:08 PM	0.01
12:15:08 PM	0.013
12:16:08 PM	0.011
12:17:08 PM	0.012
12:18:08 PM	0.01
12:19:08 PM	0.01
12:20:08 PM	0.01
12:21:08 PM	0.01
12:22:08 PM	0.01
12:23:08 PM	0.009
12:24:08 PM	0.009
12:25:08 PM	0.009
12:26:08 PM	0.009
12:27:08 PM	0.009
12:28:08 PM	0.009

12:29:08 PM	0.009
12:30:08 PM	0.008
12:31:08 PM	0.007
12:32:08 PM	0.007
12:33:08 PM	0.008
12:34:08 PM	0.008
12:35:08 PM	0.007
12:36:08 PM	0.007
12:37:08 PM	0.009
12:38:08 PM	0.009
12:39:08 PM	0.008
12:40:08 PM	0.007
12:41:08 PM	0.007
12:42:08 PM	0.008
12:43:08 PM	0.007
12:44:08 PM	0.007
12:45:08 PM	0.008
12:46:08 PM	0.008
12:47:08 PM	0.01
12:48:08 PM	0.009
12:49:08 PM	0.009
12:50:08 PM	0.009
12:51:08 PM	0.009
12:52:08 PM	0.01
12:53:08 PM	0.013
12:54:08 PM	0.012
12:55:08 PM	0.01
12:56:08 PM	0.012
12:57:08 PM	0.012
12:58:08 PM	0.01
12:59:08 PM	0.011
1:00:08 PM	0.009
1:01:08 PM	0.009
1:02:08 PM	0.009
1:03:08 PM	0.009
1:04:08 PM	0.01
1:05:08 PM	0.01
1:06:08 PM	0.011
1:07:08 PM	0.011
1:08:08 PM	0.011
1:09:08 PM	0.011
1:10:08 PM	0.009
1:11:08 PM	0.01
1:12:08 PM	0.012

1:13:08 PM	0.01
1:14:08 PM	0.017
1:15:08 PM	0.011
1:16:08 PM	0.013
1:17:08 PM	0.012
1:18:08 PM	0.011
1:19:08 PM	0.011
1:20:08 PM	0.01
1:21:08 PM	0.01
1:22:08 PM	0.008
1:23:08 PM	0.009
1:24:08 PM	0.008
1:25:08 PM	0.008
1:26:08 PM	0.007
1:27:08 PM	0.007
1:28:08 PM	0.007
1:29:08 PM	0.007
1:30:08 PM	0.007
1:31:08 PM	0.007
1:32:08 PM	0.007
1:33:08 PM	0.007
1:34:08 PM	0.006
1:35:08 PM	0.006
1:36:08 PM	0.006
1:37:08 PM	0.006
1:38:08 PM	0.008
1:39:08 PM	0.007
1:40:08 PM	0.007
1:41:08 PM	0.007
1:42:08 PM	0.01
1:43:08 PM	0.006
1:44:08 PM	0.007
1:45:08 PM	0.012
1:46:08 PM	0.008
1:47:08 PM	0.007
1:48:08 PM	0.006
1:49:08 PM	0.008
1:50:08 PM	0.004
1:51:08 PM	0.005
1:52:08 PM	0.007
1:53:08 PM	0.007
1:54:08 PM	0.006
1:55:08 PM	0.006
1:56:08 PM	0.007

1:57:08 PM	0.008
1:58:08 PM	0.009
1:59:08 PM	0.007
2:00:08 PM	0.008
2:01:08 PM	0.008
2:02:08 PM	0.009
2:03:08 PM	0.01
2:04:08 PM	0.008
2:05:08 PM	0.007
2:06:08 PM	0.01
2:07:08 PM	0.008
2:08:08 PM	0.009
2:09:08 PM	0.007
2:10:08 PM	0.009
2:11:08 PM	0.008
2:12:08 PM	0.009
2:13:08 PM	0.009
2:14:08 PM	0.007
2:15:08 PM	0.009
2:16:08 PM	0.008
2:17:08 PM	0.011
2:18:08 PM	0.009
2:19:08 PM	0.009
2:20:08 PM	0.009
2:21:08 PM	0.008
2:22:08 PM	0.01
2:23:08 PM	0.008
2:24:08 PM	0.008
2:25:08 PM	0.009
2:26:08 PM	0.008
2:27:08 PM	0.007
2:28:08 PM	0.008
2:29:08 PM	0.008
2:30:08 PM	0.007
2:31:08 PM	0.006
2:32:08 PM	0.009
2:33:08 PM	0.007
2:34:08 PM	0.007
2:35:08 PM	0.008
2:36:08 PM	0.006
2:37:08 PM	0.013
2:38:08 PM	0.012
2:39:08 PM	0.007
2:40:08 PM	0.006

2:41:08 PM	0.007
2:42:08 PM	0.007
2:43:08 PM	0.008
2:44:08 PM	0.009
2:45:08 PM	0.007
2:46:08 PM	0.008
2:47:08 PM	0.007
2:48:08 PM	0.006
2:49:08 PM	0.008
2:50:08 PM	0.007
2:51:08 PM	0.009
2:52:08 PM	0.007
2:53:08 PM	0.008
2:54:08 PM	0.009
2:55:08 PM	0.011
2:56:08 PM	0.01
2:57:08 PM	0.008
2:58:08 PM	0.007
2:59:08 PM	0.008
3:00:08 PM	0.008
3:01:08 PM	0.007
3:02:08 PM	0.006
3:03:08 PM	0.008
3:04:08 PM	0.007
3:05:08 PM	0.004
3:06:08 PM	0.005
3:07:08 PM	0.005
3:08:08 PM	0.005
3:09:08 PM	0.005
3:10:08 PM	0.005
3:11:08 PM	0.005
3:12:08 PM	0.005
3:13:08 PM	0.006
3:14:08 PM	0.005
3:15:08 PM	0.006
3:16:08 PM	0.007
3:17:08 PM	0.007
3:18:08 PM	0.006
3:19:08 PM	0.005
3:20:08 PM	0.005
3:21:08 PM	0.005
3:22:08 PM	0.005
3:23:08 PM	0.006
3:24:08 PM	0.005

3:25:08 PM	0.006
3:26:08 PM	0.005
3:27:08 PM	0.006
3:28:08 PM	0.008
3:29:08 PM	0.006
3:30:08 PM	0.005
3:31:08 PM	0.007
3:32:08 PM	0.005
3:33:08 PM	0.006
3:34:08 PM	0.006
3:35:08 PM	0.005
3:36:08 PM	0.005
3:37:08 PM	0.005
3:38:08 PM	0.005
3:39:08 PM	0.005
3:40:08 PM	0.005
3:41:08 PM	0.005
3:42:08 PM	0.006
3:43:08 PM	0.008
3:44:08 PM	0.007
3:45:08 PM	0.006
3:46:08 PM	0.005
3:47:08 PM	0.006
3:48:08 PM	0.007
3:49:08 PM	0.007
3:50:08 PM	0.006
3:51:08 PM	0.006
3:52:08 PM	0.007
3:53:08 PM	0.007
3:54:08 PM	0.007
3:55:08 PM	0.006
3:56:08 PM	0.006
3:57:08 PM	0.006
3:58:08 PM	0.006
3:59:08 PM	0.006
4:00:08 PM	0.007
4:01:08 PM	0.007
4:02:08 PM	0.006
4:03:08 PM	0.006
4:04:08 PM	0.006
4:05:08 PM	0.006
4:06:08 PM	0.007
4:07:08 PM	0.006
4:08:08 PM	0.006

4:09:08 PM	0.006
4:10:08 PM	0.007
4:11:08 PM	0.006
4:12:08 PM	0.006
4:13:08 PM	0.007
4:14:08 PM	0.007
4:15:08 PM	0.006
4:16:08 PM	0.006
4:17:08 PM	0.006
4:18:08 PM	0.006
4:19:08 PM	0.006
4:20:08 PM	0.006
4:21:08 PM	0.005
4:22:08 PM	0.005
4:23:08 PM	0.006
4:24:08 PM	0.006
4:25:08 PM	0.006
4:26:08 PM	0.006
4:27:08 PM	0.006
4:28:08 PM	0.005
4:29:08 PM	0.006
4:30:08 PM	0.005
4:31:08 PM	0.006
4:32:08 PM	0.007
4:33:08 PM	0.012
4:34:08 PM	0.008
4:35:08 PM	0.008
4:36:08 PM	0.008
4:37:08 PM	0.007
4:38:08 PM	0.006
4:39:08 PM	0.007
4:40:08 PM	0.006
4:41:08 PM	0.005
4:42:08 PM	0.005
4:43:08 PM	0.005
4:44:08 PM	0.011
4:45:08 PM	0.011
4:46:08 PM	0.008
4:47:08 PM	0.007
4:48:08 PM	0.006
4:49:08 PM	0.006
4:50:08 PM	0.006
4:51:08 PM	0.006
4:52:08 PM	0.006

4:53:08 PM	0.006
4:54:08 PM	0.006
4:55:08 PM	0.006
4:56:08 PM	0.006
4:57:08 PM	0.006
4:58:08 PM	0.007
4:59:08 PM	0.006
5:00:08 PM	0.008
5:01:08 PM	0.006
5:02:08 PM	0.007
5:03:08 PM	0.007
5:04:08 PM	0.007
5:05:08 PM	0.006
5:06:08 PM	0.007
5:07:08 PM	0.007
5:08:08 PM	0.006
5:09:08 PM	0.006
5:10:08 PM	0.006
5:11:08 PM	0.006
5:12:08 PM	0.006
5:13:08 PM	0.006
5:14:08 PM	0.008
5:15:08 PM	0.009
5:16:08 PM	0.009
5:17:08 PM	0.006
5:18:08 PM	0.008
5:19:08 PM	0.007
5:20:08 PM	0.008
5:21:08 PM	0.006
5:22:08 PM	0.006
5:23:08 PM	0.006
5:24:08 PM	0.006
5:25:08 PM	0.005
5:26:08 PM	0.005
5:27:08 PM	0.005
5:28:08 PM	0.006
5:29:08 PM	0.005
5:30:08 PM	0.005
5:31:08 PM	0.006
5:32:08 PM	0.006
5:33:08 PM	0.006
5:34:08 PM	0.006
5:35:08 PM	0.006
5:36:08 PM	0.006

5:37:08 PM	0.006
5:38:08 PM	0.006
5:39:08 PM	0.006
5:40:08 PM	0.006
5:41:08 PM	0.006
5:42:08 PM	0.009
5:43:08 PM	0.006
5:44:08 PM	0.007
5:45:08 PM	0.007
5:46:08 PM	0.007
5:47:08 PM	0.007
5:48:08 PM	0.007
5:49:08 PM	0.008
5:50:08 PM	0.008
5:51:08 PM	0.008
5:52:08 PM	0.007
5:53:08 PM	0.007
5:54:08 PM	0.007
5:55:08 PM	0.008
5:56:08 PM	0.007
5:57:08 PM	0.007
5:58:08 PM	0.007
5:59:08 PM	0.008

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/12/2024 18:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 18:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 17:30	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	7/12/2024 10:20 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:19 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 9:48 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	7/12/2024 7:02 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 7:01 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 7:00 Readings	PID	SC23030124AA	Normal	0
592-908641	7/12/2024 6:59 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_009
Test Start Time	6:59:40 AM
Test Start Date	7/12/2024
Test Length [D:H:M]	0:11:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.321
Mass TWA [mg/m3]	0.018
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	660

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.321		
120	0.019		
180	0.017		
240	0.018		
300	0.017		
360	0.017		
420	0.017		
480	0.017		
540	0.017		
600	0.017		
660	0.017		
720	0.017		
780	0.018		
840	0.018		
900	0.017		
960	0.017		
1020	0.017		
1080	0.018		
1140	0.017		
1200	0.017		
1260	0.017		
1320	0.018		
1380	0.02		
1440	0.019		

1500	0.017
1560	0.018
1620	0.019
1680	0.018
1740	0.019
1800	0.018
1860	0.02
1920	0.019
1980	0.019
2040	0.031
2100	0.035
2160	0.036
2220	0.022
2280	0.02
2340	0.022
2400	0.024
2460	0.025
2520	0.023
2580	0.022
2640	0.02
2700	0.021
2760	0.022
2820	0.022
2880	0.023
2940	0.023
3000	0.022
3060	0.022
3120	0.02
3180	0.021
3240	0.021
3300	0.021
3360	0.021
3420	0.02
3480	0.022
3540	0.021
3600	0.022
3660	0.024
3720	0.023
3780	0.024
3840	0.024
3900	0.023
3960	0.023
4020	0.024
4080	0.024

4140	0.024
4200	0.024
4260	0.029
4320	0.035
4380	0.03
4440	0.022
4500	0.02
4560	0.025
4620	0.025
4680	0.022
4740	0.023
4800	0.021
4860	0.021
4920	0.022
4980	0.021
5040	0.021
5100	0.021
5160	0.022
5220	0.019
5280	0.018
5340	0.025
5400	0.023
5460	0.026
5520	0.023
5580	0.032
5640	0.026
5700	0.026
5760	0.062
5820	0.026
5880	0.027
5940	0.022
6000	0.023
6060	0.017
6120	0.018
6180	0.019
6240	0.022
6300	0.023
6360	0.018
6420	0.038
6480	0.102
6540	0.085
6600	0.113
6660	0.169
6720	0.077

6780	0.095
6840	0.057
6900	0.027
6960	0.019
7020	0.017
7080	0.019
7140	0.026
7200	0.019
7260	0.022
7320	0.018
7380	0.018
7440	0.021
7500	0.018
7560	0.019
7620	0.019
7680	0.021
7740	0.041
7800	0.018
7860	0.025
7920	0.021
7980	0.016
8040	0.017
8100	0.017
8160	0.018
8220	0.018
8280	0.016
8340	0.015
8400	0.014
8460	0.018
8520	0.014
8580	0.015
8640	0.015
8700	0.013
8760	0.013
8820	0.013
8880	0.013
8940	0.013
9000	0.013
9060	0.013
9120	0.013
9180	0.014
9240	0.013
9300	0.015
9360	0.017

9420	0.018
9480	0.017
9540	0.019
9600	0.015
9660	0.015
9720	0.016
9780	0.017
9840	0.018
9900	0.018
9960	0.016
10020	0.017
10080	0.018
10140	0.017
10200	0.018
10260	0.023
10320	0.019
10380	0.021
10440	0.023
10500	0.019
10560	0.022
10620	0.021
10680	0.02
10740	0.023
10800	0.025
10860	0.022
10920	0.023
10980	0.023
11040	0.019
11100	0.025
11160	0.023
11220	0.022
11280	0.021
11340	0.016
11400	0.014
11460	0.014
11520	0.015
11580	0.016
11640	0.015
11700	0.016
11760	0.015
11820	0.014
11880	0.015
11940	0.015
12000	0.014

12060	0.014
12120	0.013
12180	0.013
12240	0.014
12300	0.015
12360	0.015
12420	0.016
12480	0.032
12540	0.019
12600	0.016
12660	0.015
12720	0.014
12780	0.016
12840	0.015
12900	0.013
12960	0.013
13020	0.013
13080	0.013
13140	0.017
13200	0.014
13260	0.015
13320	0.017
13380	0.017
13440	0.016
13500	0.014
13560	0.015
13620	0.02
13680	0.016
13740	0.017
13800	0.018
13860	0.017
13920	0.022
13980	0.019
14040	0.018
14100	0.018
14160	0.019
14220	0.024
14280	0.028
14340	0.016
14400	0.017
14460	0.016
14520	0.017
14580	0.017
14640	0.016

14700	0.016
14760	0.018
14820	0.017
14880	0.017
14940	0.018
15000	0.016
15060	0.018
15120	0.026
15180	0.019
15240	0.017
15300	0.017
15360	0.017
15420	0.014
15480	0.014
15540	0.014
15600	0.016
15660	0.024
15720	0.034
15780	0.023
15840	0.016
15900	0.014
15960	0.014
16020	0.015
16080	0.015
16140	0.016
16200	0.017
16260	0.019
16320	0.015
16380	0.016
16440	0.015
16500	0.012
16560	0.012
16620	0.014
16680	0.012
16740	0.012
16800	0.012
16860	0.014
16920	0.018
16980	0.018
17040	0.013
17100	0.015
17160	0.017
17220	0.015
17280	0.018

17340	0.022
17400	0.019
17460	0.018
17520	0.015
17580	0.016
17640	0.017
17700	0.017
17760	0.026
17820	0.023
17880	0.017
17940	0.015
18000	0.015
18060	0.013
18120	0.014
18180	0.014
18240	0.013
18300	0.015
18360	0.012
18420	0.013
18480	0.017
18540	0.011
18600	0.012
18660	0.012
18720	0.013
18780	0.014
18840	0.015
18900	0.016
18960	0.013
19020	0.015
19080	0.013
19140	0.011
19200	0.011
19260	0.012
19320	0.014
19380	0.013
19440	0.01
19500	0.01
19560	0.018
19620	0.012
19680	0.01
19740	0.009
19800	0.01
19860	0.013
19920	0.011

19980	0.01
20040	0.009
20100	0.009
20160	0.012
20220	0.016
20280	0.014
20340	0.01
20400	0.012
20460	0.012
20520	0.01
20580	0.013
20640	0.01
20700	0.008
20760	0.008
20820	0.013
20880	0.012
20940	0.011
21000	0.012
21060	0.019
21120	0.015
21180	0.01
21240	0.012
21300	0.013
21360	0.016
21420	0.013
21480	0.014
21540	0.011
21600	0.012
21660	0.011
21720	0.011
21780	0.01
21840	0.01
21900	0.011
21960	0.016
22020	0.013
22080	0.02
22140	0.02
22200	0.016
22260	0.017
22320	0.014
22380	0.012
22440	0.014
22500	0.013
22560	0.015

22620	0.016
22680	0.014
22740	0.012
22800	0.011
22860	0.011
22920	0.012
22980	0.012
23040	0.012
23100	0.01
23160	0.013
23220	0.011
23280	0.01
23340	0.01
23400	0.008
23460	0.008
23520	0.012
23580	0.017
23640	0.01
23700	0.009
23760	0.01
23820	0.011
23880	0.007
23940	0.009
24000	0.01
24060	0.009
24120	0.012
24180	0.011
24240	0.013
24300	0.012
24360	0.008
24420	0.011
24480	0.013
24540	0.01
24600	0.008
24660	0.008
24720	0.007
24780	0.008
24840	0.008
24900	0.01
24960	0.01
25020	0.008
25080	0.009
25140	0.01
25200	0.012

25260	0.01
25320	0.011
25380	0.01
25440	0.011
25500	0.01
25560	0.011
25620	0.01
25680	0.01
25740	0.012
25800	0.012
25860	0.013
25920	0.014
25980	0.013
26040	0.011
26100	0.011
26160	0.011
26220	0.014
26280	0.012
26340	0.017
26400	0.013
26460	0.012
26520	0.013
26580	0.013
26640	0.012
26700	0.009
26760	0.009
26820	0.01
26880	0.014
26940	0.012
27000	0.017
27060	0.018
27120	0.013
27180	0.015
27240	0.011
27300	0.014
27360	0.012
27420	0.011
27480	0.01
27540	0.009
27600	0.015
27660	0.018
27720	0.01
27780	0.012
27840	0.01

27900	0.01
27960	0.011
28020	0.01
28080	0.01
28140	0.01
28200	0.009
28260	0.009
28320	0.01
28380	0.011
28440	0.016
28500	0.012
28560	0.011
28620	0.012
28680	0.014
28740	0.012
28800	0.011
28860	0.01
28920	0.011
28980	0.01
29040	0.009
29100	0.01
29160	0.009
29220	0.009
29280	0.008
29340	0.008
29400	0.007
29460	0.007
29520	0.009
29580	0.008
29640	0.008
29700	0.011
29760	0.011
29820	0.011
29880	0.008
29940	0.009
30000	0.01
30060	0.011
30120	0.009
30180	0.008
30240	0.007
30300	0.007
30360	0.008
30420	0.008
30480	0.006

30540	0.019
30600	0.017
30660	0.01
30720	0.016
30780	0.01
30840	0.019
30900	0.008
30960	0.008
31020	0.011
31080	0.02
31140	0.009
31200	0.007
31260	0.01
31320	0.009
31380	0.008
31440	0.008
31500	0.013
31560	0.009
31620	0.008
31680	0.008
31740	0.008
31800	0.009
31860	0.008
31920	0.008
31980	0.009
32040	0.01
32100	0.01
32160	0.008
32220	0.011
32280	0.008
32340	0.013
32400	0.008
32460	0.008
32520	0.009
32580	0.009
32640	0.01
32700	0.01
32760	0.008
32820	0.008
32880	0.017
32940	0.022
33000	0.015
33060	0.011
33120	0.01

33180	0.009
33240	0.009
33300	0.009
33360	0.009
33420	0.009
33480	0.008
33540	0.009
33600	0.008
33660	0.008
33720	0.007
33780	0.008
33840	0.007
33900	0.008
33960	0.007
34020	0.007
34080	0.008
34140	0.009
34200	0.008
34260	0.009
34320	0.008
34380	0.008
34440	0.007
34500	0.009
34560	0.007
34620	0.008
34680	0.009
34740	0.008
34800	0.039
34860	0.01
34920	0.009
34980	0.009
35040	0.011
35100	0.011
35160	0.009
35220	0.011
35280	0.009
35340	0.009
35400	0.008
35460	0.008
35520	0.009
35580	0.009
35640	0.008
35700	0.008
35760	0.008

35820	0.007
35880	0.008
35940	0.008
36000	0.008
36060	0.009
36120	0.01
36180	0.01
36240	0.008
36300	0.008
36360	0.008
36420	0.008
36480	0.008
36540	0.009
36600	0.008
36660	0.008
36720	0.008
36780	0.008
36840	0.008
36900	0.008
36960	0.009
37020	0.011
37080	0.012
37140	0.008
37200	0.009
37260	0.008
37320	0.008
37380	0.008
37440	0.009
37500	0.008
37560	0.008
37620	0.008
37680	0.007
37740	0.007
37800	0.008
37860	0.007
37920	0.006
37980	0.007
38040	0.007
38100	0.007
38160	0.008
38220	0.008
38280	0.008
38340	0.008
38400	0.008

38460	0.007
38520	0.008
38580	0.008
38640	0.008
38700	0.008
38760	0.008
38820	0.008
38880	0.009
38940	0.009
39000	0.009
39060	0.012
39120	0.011
39180	0.007
39240	0.005
39300	0.003
39360	0.002
39420	0.001
39480	0.002
39540	0.002
39600	0.002

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	7/12/2024 18:04	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 18:03	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 18:02	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 18:01	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 18:00	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:59	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:58	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:57	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:56	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:55	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:54	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:53	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:52	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:51	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:50	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:49	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:48	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:47	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:46	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:45	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:44	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:43	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:42	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:41	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:40	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:39	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:38	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:37	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:36	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:35	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:34	Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 17:33	Readings	PID	SC23030186C8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602806	7/12/2024 10:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:22 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:21 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:20 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:19 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:16 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:15 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:14 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:13 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:12 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:11 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:10 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:09 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:08 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:07 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:06 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:05 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:04 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:03 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:02 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:01 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 10:00 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:59 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:58 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:57 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:56 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:55 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:54 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:53 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:52 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 9:51 Readings	PID	SC23030186C8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-602806	7/12/2024 7:38 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:37 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:36 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:35 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:34 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:33 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:32 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:31 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:30 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:29 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:28 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:27 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:26 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:25 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:24 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:22 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:21 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:20 CONFIG	PID	SC23030186C8		
592-602806	7/12/2024 7:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:16 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:15 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:14 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:13 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:12 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:11 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:10 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:09 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:08 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:07 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:06 CONFIG	PID	SC23030186C8		
592-602806	7/12/2024 7:04 Readings	PID	SC23030186C8	Normal	0

592-602806	7/12/2024 7:03 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:02 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:01 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 7:00 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 6:59 Readings	PID	SC23030186C8	Normal	0
592-602806	7/12/2024 6:58 CONFIG	PID	SC23030186C8		