

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	E 7 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/16/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:45

Time Offsite: 16:00

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas / Victor Barraza

WSP (Environmental oversight) – Tim Williams

Capital/KFS (Contractor)

Bradford (SSDS Contractor)

Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations according to wind direction; IEEG to gauge all site wells; Bradford to continue with sewer and drain pipe installation at south building cellar; KFS to pour concrete in foundations, vapor-barrier installation and foundation construction at south building; and de-water EP-90 spill area,

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS continued with rebar fabrication and vapor-barrier installation, and poured concrete into constructed foundation at the south building, Vapor barrier inspections were performed to ensure proper application;
- Bradford continued with installation of sewer and SSDS pipe installation at south building cellar, installed SSDS pipes were backfilled with gravel. It should be noted that SSDS work is being performed 'at risk';
- BCG continued with de-watering EP-90 excavation, one (1) sump was excavated an additional 4' to place a water pump (2 pumps total), ATMOS and HMA was sprayed to suppress odors and VOC readings, no readings or noticeable nor were odors were detected;
- The following sidewall samples were taken in the Spill #2308807 area: SW-5 & SW-6 (12'), soil screening was conducted via a handheld PID and all readings were at 0.0 ppm;
- Capital continues excavating in EP-38, soil is stockpiled on and then covered with poly sheeting;
- Three (3) truckloads of material were disposed of off-site to the Conestoga Facility;
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.042_ mg/m³ @ 06:52
- High Conditions (Upwind) – PID = _4.8_ ppm @ 07:23, Dust = _0.645_ mg/m³ @ 10:58
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.123_ mg/m³ @ 07:35
- High Conditions (Downwind 2) – PID = _1.8_ ppm @ 09:40, Dust = _0.067_ mg/m³ @ 11:00

Notable Site Conditions:

- Dust suppression was implemented periodically during work activities.

Planned Activities for the Next Day/Week:

- KFS to continue rebar fabrication and vapor barrier installation at the south building;
- Bradford to continue sewer and drainpipe installation;
- Capital to de-water EP-90 and EP-38 excavations, then continue soil excavation.
- QA/QC Coring via split spoon methodology of ISS columns to begin 7/17.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of truck being washed prior to departing the Site.



Photo 2 –

Representative photo of EP-90 being sprayed and covered with Atmos foam.



Photo 3 –
Representative
photo of sump
installation in EP-
90.



Photo 4 –
Representative
photo of
concrete pour in
the south
building.



Photo 5 –

Representative
photo of spill
2308807 area
covered with
poly at the end of
day.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_001
Test Start Time	6:52:43 AM
Test Start Date	7/16/2024
Test Length [D:H:M]	0:08:40
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.03
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.645
Mass TWA [mg/m3]	0.03
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	520

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:52:43 AM	0.042		
6:53:43 AM	0.044		
6:54:43 AM	0.052		
6:55:43 AM	0.041		
6:56:43 AM	0.039		
6:57:43 AM	0.04		
6:58:43 AM	0.04		
6:59:43 AM	0.038		
7:00:43 AM	0.042		
7:01:43 AM	0.041		
7:02:43 AM	0.037		
7:03:43 AM	0.046		
7:04:43 AM	0.063		
7:05:43 AM	0.063		
7:06:43 AM	0.063		
7:07:43 AM	0.042		
7:08:43 AM	0.044		
7:09:43 AM	0.037		
7:10:43 AM	0.039		
7:11:43 AM	0.037		
7:12:43 AM	0.037		
7:13:43 AM	0.037		
7:14:43 AM	0.04		
7:15:43 AM	0.042		

7:16:43 AM	0.04
7:17:43 AM	0.039
7:18:43 AM	0.039
7:19:43 AM	0.042
7:20:43 AM	0.041
7:21:43 AM	0.039
7:22:43 AM	0.044
7:23:43 AM	0.04
7:24:43 AM	0.039
7:25:43 AM	0.039
7:26:43 AM	0.038
7:27:43 AM	0.038
7:28:43 AM	0.037
7:29:43 AM	0.038
7:30:43 AM	0.039
7:31:43 AM	0.039
7:32:43 AM	0.044
7:33:43 AM	0.044
7:34:43 AM	0.04
7:35:43 AM	0.04
7:36:43 AM	0.04
7:37:43 AM	0.046
7:38:43 AM	0.044
7:39:43 AM	0.042
7:40:43 AM	0.041
7:41:43 AM	0.038
7:42:43 AM	0.038
7:43:43 AM	0.038
7:44:43 AM	0.039
7:45:43 AM	0.036
7:46:43 AM	0.036
7:47:43 AM	0.036
7:48:43 AM	0.035
7:49:43 AM	0.036
7:50:43 AM	0.036
7:51:43 AM	0.035
7:52:43 AM	0.036
7:53:43 AM	0.038
7:54:43 AM	0.06
7:55:43 AM	0.056
7:56:43 AM	0.034
7:57:43 AM	0.049
7:58:43 AM	0.038
7:59:43 AM	0.035

8:00:43 AM	0.042
8:01:43 AM	0.05
8:02:43 AM	0.039
8:03:43 AM	0.032
8:04:43 AM	0.032
8:05:43 AM	0.03
8:06:43 AM	0.03
8:07:43 AM	0.03
8:08:43 AM	0.031
8:09:43 AM	0.03
8:10:43 AM	0.029
8:11:43 AM	0.037
8:12:43 AM	0.028
8:13:43 AM	0.031
8:14:43 AM	0.032
8:15:43 AM	0.035
8:16:43 AM	0.031
8:17:43 AM	0.031
8:18:43 AM	0.032
8:19:43 AM	0.034
8:20:43 AM	0.031
8:21:43 AM	0.03
8:22:43 AM	0.027
8:23:43 AM	0.026
8:24:43 AM	0.025
8:25:43 AM	0.028
8:26:43 AM	0.027
8:27:43 AM	0.034
8:28:43 AM	0.027
8:29:43 AM	0.022
8:30:43 AM	0.031
8:31:43 AM	0.024
8:32:43 AM	0.022
8:33:43 AM	0.021
8:34:43 AM	0.024
8:35:43 AM	0.028
8:36:43 AM	0.022
8:37:43 AM	0.018
8:38:43 AM	0.019
8:39:43 AM	0.02
8:40:43 AM	0.024
8:41:43 AM	0.017
8:42:43 AM	0.018
8:43:43 AM	0.015

8:44:43 AM	0.015
8:45:43 AM	0.014
8:46:43 AM	0.012
8:47:43 AM	0.012
8:48:43 AM	0.012
8:49:43 AM	0.094
8:50:43 AM	0.064
8:51:43 AM	0.013
8:52:43 AM	0.01
8:53:43 AM	0.011
8:54:43 AM	0.013
8:55:43 AM	0.01
8:56:43 AM	0.007
8:57:43 AM	0.01
8:58:43 AM	0.007
8:59:43 AM	0.005
9:00:43 AM	0.015
9:01:43 AM	0.021
9:02:43 AM	0.012
9:03:43 AM	0.014
9:04:43 AM	0.009
9:05:43 AM	0.006
9:06:43 AM	0.007
9:07:43 AM	0.009
9:08:43 AM	0.008
9:09:43 AM	0.012
9:10:43 AM	0.017
9:11:43 AM	0.022
9:12:43 AM	0.041
9:13:43 AM	0.036
9:14:43 AM	0.026
9:15:43 AM	0.052
9:16:43 AM	0.31
9:17:43 AM	0.061
9:18:43 AM	0.008
9:19:43 AM	0.008
9:20:43 AM	0.008
9:21:43 AM	0.014
9:22:43 AM	0.009
9:23:43 AM	0.009
9:24:43 AM	0.009
9:25:43 AM	0.01
9:26:43 AM	0.023
9:27:43 AM	0.018

9:28:43 AM	0.013
9:29:43 AM	0.012
9:30:43 AM	0.01
9:31:43 AM	0.007
9:32:43 AM	0.007
9:33:43 AM	0.008
9:34:43 AM	0.005
9:35:43 AM	0.025
9:36:43 AM	0.13
9:37:43 AM	0.03
9:38:43 AM	0.01
9:39:43 AM	0.01
9:40:43 AM	0.009
9:41:43 AM	0.008
9:42:43 AM	0.012
9:43:43 AM	0.014
9:44:43 AM	0.016
9:45:43 AM	0.028
9:46:43 AM	0.012
9:47:43 AM	0.008
9:48:43 AM	0.104
9:49:43 AM	0.047
9:50:43 AM	0.047
9:51:43 AM	0.014
9:52:43 AM	0.012
9:53:43 AM	0.009
9:54:43 AM	0.009
9:55:43 AM	0.012
9:56:43 AM	0.01
9:57:43 AM	0.014
9:58:43 AM	0.007
9:59:43 AM	0.006
10:00:43 AM	0.008
10:01:43 AM	0.007
10:02:43 AM	0.008
10:03:43 AM	0.084
10:04:43 AM	0.049
10:05:43 AM	0.014
10:06:43 AM	0.011
10:07:43 AM	0.01
10:08:43 AM	0.012
10:09:43 AM	0.015
10:10:43 AM	0.01
10:11:43 AM	0.011

10:12:43 AM	0.014
10:13:43 AM	0.239
10:14:43 AM	0.22
10:15:43 AM	0.012
10:16:43 AM	0.011
10:17:43 AM	0.013
10:18:43 AM	0.012
10:19:43 AM	0.013
10:20:43 AM	0.013
10:21:43 AM	0.013
10:22:43 AM	0.013
10:23:43 AM	0.014
10:24:43 AM	0.014
10:25:43 AM	0.012
10:26:43 AM	0.011
10:27:43 AM	0.01
10:28:43 AM	0.019
10:29:43 AM	0.013
10:30:43 AM	0.012
10:31:43 AM	0.013
10:32:43 AM	0.013
10:33:43 AM	0.012
10:34:43 AM	0.012
10:35:43 AM	0.012
10:36:43 AM	0.545
10:37:43 AM	0.031
10:38:43 AM	0.011
10:39:43 AM	0.011
10:40:43 AM	0.012
10:41:43 AM	0.014
10:42:43 AM	0.018
10:43:43 AM	0.009
10:44:43 AM	0.008
10:45:43 AM	0.01
10:46:43 AM	0.012
10:47:43 AM	0.012
10:48:43 AM	0.01
10:49:43 AM	0.009
10:50:43 AM	0.01
10:51:43 AM	0.012
10:52:43 AM	0.012
10:53:43 AM	0.01
10:54:43 AM	0.011
10:55:43 AM	0.009

10:56:43 AM	0.01
10:57:43 AM	0.013
10:58:43 AM	0.645
10:59:43 AM	0.088
11:00:43 AM	0.014
11:01:43 AM	0.014
11:02:43 AM	0.011
11:03:43 AM	0.009
11:04:43 AM	0.009
11:05:43 AM	0.008
11:06:43 AM	0.019
11:07:43 AM	0.007
11:08:43 AM	0.006
11:09:43 AM	0.006
11:10:43 AM	0.006
11:11:43 AM	0.006
11:12:43 AM	0.01
11:13:43 AM	0.015
11:14:43 AM	0.007
11:15:43 AM	0.006
11:16:43 AM	0.005
11:17:43 AM	0.005
11:18:43 AM	0.005
11:19:43 AM	0.021
11:20:43 AM	0.007
11:21:43 AM	0.036
11:22:43 AM	0.085
11:23:43 AM	0.009
11:24:43 AM	0.003
11:25:43 AM	0.002
11:26:43 AM	0.001
11:27:43 AM	0.007
11:28:43 AM	0.003
11:29:43 AM	0.07
11:30:43 AM	0.008
11:31:43 AM	0.132
11:32:43 AM	0.06
11:33:43 AM	0.002
11:34:43 AM	0.04
11:35:43 AM	0.01
11:36:43 AM	0.001
11:37:43 AM	0.003
11:38:43 AM	0.003
11:39:43 AM	0.004

11:40:43 AM	0.003
11:41:43 AM	0.002
11:42:43 AM	1.22
11:43:43 AM	0.064
11:44:43 AM	0.013
11:45:43 AM	0.004
11:46:43 AM	0.003
11:47:43 AM	0.005
11:48:43 AM	0.002
11:49:43 AM	0.013
11:50:43 AM	0.011
11:51:43 AM	0.005
11:52:43 AM	0.006
11:53:43 AM	0.008
11:54:43 AM	0.007
11:55:43 AM	0.008
11:56:43 AM	0.008
11:57:43 AM	0.007
11:58:43 AM	0.007
11:59:43 AM	0.008
12:00:43 PM	0.008
12:01:43 PM	0.009
12:02:43 PM	0.01
12:03:43 PM	0.309
12:04:43 PM	0.238
12:05:43 PM	0.012
12:06:43 PM	0.013
12:07:43 PM	0.02
12:08:43 PM	0.022
12:09:43 PM	0.016
12:10:43 PM	0.051
12:11:43 PM	0.011
12:12:43 PM	0.013
12:13:43 PM	0.014
12:14:43 PM	0.091
12:15:43 PM	0.04
12:16:43 PM	0.012
12:17:43 PM	0.015
12:18:43 PM	0.014
12:19:43 PM	0.015
12:20:43 PM	0.014
12:21:43 PM	0.016
12:22:43 PM	0.018
12:23:43 PM	0.018

12:24:43 PM	0.044
12:25:43 PM	0.018
12:26:43 PM	0.014
12:27:43 PM	0.015
12:28:43 PM	0.017
12:29:43 PM	0.028
12:30:43 PM	0.015
12:31:43 PM	0.012
12:32:43 PM	0.02
12:33:43 PM	0.175
12:34:43 PM	0.017
12:35:43 PM	0.016
12:36:43 PM	0.014
12:37:43 PM	0.013
12:38:43 PM	0.013
12:39:43 PM	0.013
12:40:43 PM	0.012
12:41:43 PM	0.011
12:42:43 PM	0.012
12:43:43 PM	0.013
12:44:43 PM	0.071
12:45:43 PM	0.017
12:46:43 PM	0.016
12:47:43 PM	0.02
12:48:43 PM	0.014
12:49:43 PM	0.05
12:50:43 PM	0.013
12:51:43 PM	0.011
12:52:43 PM	0.009
12:53:43 PM	0.009
12:54:43 PM	0.009
12:55:43 PM	0.009
12:56:43 PM	0.01
12:57:43 PM	0.01
12:58:43 PM	0.008
12:59:43 PM	0.008
1:00:43 PM	0.008
1:01:43 PM	0.009
1:02:43 PM	0.01
1:03:43 PM	0.009
1:04:43 PM	0.01
1:05:43 PM	0.008
1:06:43 PM	0.009
1:07:43 PM	0.008

1:08:43 PM	0.009
1:09:43 PM	0.01
1:10:43 PM	0.142
1:11:43 PM	0.016
1:12:43 PM	0.009
1:13:43 PM	0.008
1:14:43 PM	0.008
1:15:43 PM	0.009
1:16:43 PM	0.015
1:17:43 PM	0.01
1:18:43 PM	0.02
1:19:43 PM	0.043
1:20:43 PM	0.153
1:21:43 PM	0.028
1:22:43 PM	0.011
1:23:43 PM	0.01
1:24:43 PM	0.041
1:25:43 PM	0.011
1:26:43 PM	0.012
1:27:43 PM	0.009
1:28:43 PM	0.01
1:29:43 PM	0.011
1:30:43 PM	0.01
1:31:43 PM	0.011
1:32:43 PM	0.009
1:33:43 PM	0.01
1:34:43 PM	0.009
1:35:43 PM	0.009
1:36:43 PM	0.01
1:37:43 PM	0.01
1:38:43 PM	0.012
1:39:43 PM	0.092
1:40:43 PM	0.011
1:41:43 PM	0.01
1:42:43 PM	0.009
1:43:43 PM	0.01
1:44:43 PM	0.011
1:45:43 PM	0.009
1:46:43 PM	0.01
1:47:43 PM	0.014
1:48:43 PM	0.013
1:49:43 PM	0.011
1:50:43 PM	0.01
1:51:43 PM	0.012

1:52:43 PM	0.01
1:53:43 PM	0.01
1:54:43 PM	0.011
1:55:43 PM	0.018
1:56:43 PM	0.012
1:57:43 PM	0.015
1:58:43 PM	0.012
1:59:43 PM	0.013
2:00:43 PM	0.013
2:01:43 PM	0.011
2:02:43 PM	0.258
2:03:43 PM	0.159
2:04:43 PM	0.015
2:05:43 PM	0.011
2:06:43 PM	0.013
2:07:43 PM	0.014
2:08:43 PM	0.02
2:09:43 PM	0.014
2:10:43 PM	0.014
2:11:43 PM	0.012
2:12:43 PM	0.012
2:13:43 PM	0.013
2:14:43 PM	0.012
2:15:43 PM	0.015
2:16:43 PM	0.017
2:17:43 PM	0.015
2:18:43 PM	0.012
2:19:43 PM	0.036
2:20:43 PM	0.023
2:21:43 PM	0.07
2:22:43 PM	0.011
2:23:43 PM	0.011
2:24:43 PM	0.012
2:25:43 PM	0.013
2:26:43 PM	0.012
2:27:43 PM	0.011
2:28:43 PM	0.012
2:29:43 PM	0.01
2:30:43 PM	0.011
2:31:43 PM	0.011
2:32:43 PM	0.012
2:33:43 PM	0.025
2:34:43 PM	0.012
2:35:43 PM	0.013

2:36:43 PM	0.012
2:37:43 PM	0.013
2:38:43 PM	0.015
2:39:43 PM	0.042
2:40:43 PM	0.015
2:41:43 PM	0.016
2:42:43 PM	0.016
2:43:43 PM	0.014
2:44:43 PM	0.014
2:45:43 PM	0.014
2:46:43 PM	0.042
2:47:43 PM	0.015
2:48:43 PM	0.05
2:49:43 PM	0.039
2:50:43 PM	0.018
2:51:43 PM	0.017
2:52:43 PM	0.03
2:53:43 PM	0.045
2:54:43 PM	0.016
2:55:43 PM	0.015
2:56:43 PM	0.04
2:57:43 PM	0.017
2:58:43 PM	0.024
2:59:43 PM	0.023
3:00:43 PM	0.022
3:01:43 PM	0.025
3:02:43 PM	0.022
3:03:43 PM	0.017
3:04:43 PM	0.019
3:05:43 PM	0.018
3:06:43 PM	0.019
3:07:43 PM	0.021
3:08:43 PM	0.034
3:09:43 PM	0.018
3:10:43 PM	0.019
3:11:43 PM	0.021
3:12:43 PM	0.02
3:13:43 PM	0.031
3:14:43 PM	0.026
3:15:43 PM	0.02
3:16:43 PM	0.019
3:17:43 PM	0.019
3:18:43 PM	0.02
3:19:43 PM	0.027

3:20:43 PM	0.024
3:21:43 PM	0.026
3:22:43 PM	0.019
3:23:43 PM	0.02
3:24:43 PM	0.019
3:25:43 PM	0.035
3:26:43 PM	0.02
3:27:43 PM	0.054
3:28:43 PM	0.088
3:29:43 PM	0.021
3:30:43 PM	0.03
3:31:43 PM	0.025

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/16/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:27	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:26	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:25	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:24	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:23	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:22	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:21	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:20	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:19	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:18	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:17	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:16	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:15	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:14	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:13	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:12	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:11	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:10	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:09	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:08	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:07	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:06	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 15:03	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	7/16/2024 7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:52 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:51 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:50 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:49 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:48 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:47 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:28 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 7:24 Readings	PID	SC23030449A8	Normal	0.8
592-600853	7/16/2024 7:23 Readings	PID	SC23030449A8	Normal	4.8
592-600853	7/16/2024 7:22 Readings	PID	SC23030449A8	Normal	1.3
592-600853	7/16/2024 7:21 Readings	PID	SC23030449A8	Normal	1.6

592-600853	7/16/2024 7:20 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/16/2024 7:19 Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/16/2024 7:18 Readings	PID	SC23030449A8	Normal	3.4
592-600853	7/16/2024 7:17 Readings	PID	SC23030449A8	Normal	3.4
592-600853	7/16/2024 7:16 Readings	PID	SC23030449A8	Normal	1.6
592-600853	7/16/2024 7:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	7/16/2024 7:14 Readings	PID	SC23030449A8	Normal	4.3
592-600853	7/16/2024 7:13 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/16/2024 7:12 Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/16/2024 7:11 Readings	PID	SC23030449A8	Normal	3.5
592-600853	7/16/2024 7:10 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/16/2024 7:09 Readings	PID	SC23030449A8	Normal	1.5
592-600853	7/16/2024 7:08 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/16/2024 7:07 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/16/2024 7:06 Readings	PID	SC23030449A8	Normal	2.4
592-600853	7/16/2024 7:05 Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/16/2024 7:04 Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/16/2024 7:03 Readings	PID	SC23030449A8	Normal	3.3
592-600853	7/16/2024 7:02 Readings	PID	SC23030449A8	Normal	3.8
592-600853	7/16/2024 7:01 Readings	PID	SC23030449A8	Normal	2.2
592-600853	7/16/2024 7:00 Readings	PID	SC23030449A8	Normal	2.9
592-600853	7/16/2024 6:59 Readings	PID	SC23030449A8	Normal	1.8
592-600853	7/16/2024 6:58 Readings	PID	SC23030449A8	Normal	3.3
592-600853	7/16/2024 6:57 Readings	PID	SC23030449A8	Normal	1.4
592-600853	7/16/2024 6:56 Readings	PID	SC23030449A8	Normal	0.3
592-600853	7/16/2024 6:55 CONFIG	PID	SC23030449A8		
592-600853	7/16/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 6:51 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 6:50 Readings	PID	SC23030449A8	Normal	0
592-600853	7/16/2024 6:49 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_002
Test Start Time	7:05:11 AM
Test Start Date	7/16/2024
Test Length [D:H:M]	0:08:29
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.033
Mass Minimum [mg/m3]	0.013
Mass Maximum [mg/m3]	0.123
Mass TWA [mg/m3]	0.033
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	509

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:05:11 AM	0.116		
7:06:11 AM	0.056		
7:07:11 AM	0.052		
7:08:11 AM	0.053		
7:09:11 AM	0.052		
7:10:11 AM	0.052		
7:11:11 AM	0.052		
7:12:11 AM	0.052		
7:13:11 AM	0.058		
7:14:11 AM	0.058		
7:15:11 AM	0.057		
7:16:11 AM	0.056		
7:17:11 AM	0.052		
7:18:11 AM	0.055		
7:19:11 AM	0.055		
7:20:11 AM	0.058		
7:21:11 AM	0.056		
7:22:11 AM	0.066		
7:23:11 AM	0.061		
7:24:11 AM	0.055		
7:25:11 AM	0.051		
7:26:11 AM	0.051		
7:27:11 AM	0.052		
7:28:11 AM	0.052		

7:29:11 AM	0.05
7:30:11 AM	0.052
7:31:11 AM	0.052
7:32:11 AM	0.059
7:33:11 AM	0.057
7:34:11 AM	0.065
7:35:11 AM	0.123
7:36:11 AM	0.055
7:37:11 AM	0.055
7:38:11 AM	0.057
7:39:11 AM	0.057
7:40:11 AM	0.057
7:41:11 AM	0.056
7:42:11 AM	0.056
7:43:11 AM	0.059
7:44:11 AM	0.052
7:45:11 AM	0.053
7:46:11 AM	0.059
7:47:11 AM	0.052
7:48:11 AM	0.051
7:49:11 AM	0.052
7:50:11 AM	0.052
7:51:11 AM	0.052
7:52:11 AM	0.053
7:53:11 AM	0.051
7:54:11 AM	0.05
7:55:11 AM	0.051
7:56:11 AM	0.052
7:57:11 AM	0.049
7:58:11 AM	0.048
7:59:11 AM	0.047
8:00:11 AM	0.047
8:01:11 AM	0.051
8:02:11 AM	0.051
8:03:11 AM	0.051
8:04:11 AM	0.047
8:05:11 AM	0.045
8:06:11 AM	0.044
8:07:11 AM	0.056
8:08:11 AM	0.049
8:09:11 AM	0.043
8:10:11 AM	0.068
8:11:11 AM	0.041
8:12:11 AM	0.04

8:13:11 AM	0.04
8:14:11 AM	0.042
8:15:11 AM	0.043
8:16:11 AM	0.042
8:17:11 AM	0.058
8:18:11 AM	0.041
8:19:11 AM	0.042
8:20:11 AM	0.043
8:21:11 AM	0.047
8:22:11 AM	0.039
8:23:11 AM	0.035
8:24:11 AM	0.044
8:25:11 AM	0.045
8:26:11 AM	0.042
8:27:11 AM	0.044
8:28:11 AM	0.04
8:29:11 AM	0.042
8:30:11 AM	0.038
8:31:11 AM	0.043
8:32:11 AM	0.037
8:33:11 AM	0.051
8:34:11 AM	0.047
8:35:11 AM	0.032
8:36:11 AM	0.054
8:37:11 AM	0.04
8:38:11 AM	0.039
8:39:11 AM	0.034
8:40:11 AM	0.038
8:41:11 AM	0.042
8:42:11 AM	0.025
8:43:11 AM	0.032
8:44:11 AM	0.044
8:45:11 AM	0.025
8:46:11 AM	0.025
8:47:11 AM	0.024
8:48:11 AM	0.023
8:49:11 AM	0.023
8:50:11 AM	0.02
8:51:11 AM	0.021
8:52:11 AM	0.023
8:53:11 AM	0.022
8:54:11 AM	0.023
8:55:11 AM	0.018
8:56:11 AM	0.015

8:57:11 AM	0.017
8:58:11 AM	0.023
8:59:11 AM	0.021
9:00:11 AM	0.016
9:01:11 AM	0.016
9:02:11 AM	0.014
9:03:11 AM	0.018
9:04:11 AM	0.015
9:05:11 AM	0.013
9:06:11 AM	0.013
9:07:11 AM	0.019
9:08:11 AM	0.021
9:09:11 AM	0.026
9:10:11 AM	0.022
9:11:11 AM	0.023
9:12:11 AM	0.032
9:13:11 AM	0.034
9:14:11 AM	0.021
9:15:11 AM	0.022
9:16:11 AM	0.029
9:17:11 AM	0.026
9:18:11 AM	0.02
9:19:11 AM	0.023
9:20:11 AM	0.02
9:21:11 AM	0.021
9:22:11 AM	0.022
9:23:11 AM	0.022
9:24:11 AM	0.022
9:25:11 AM	0.026
9:26:11 AM	0.023
9:27:11 AM	0.023
9:28:11 AM	0.024
9:29:11 AM	0.022
9:30:11 AM	0.023
9:31:11 AM	0.02
9:32:11 AM	0.019
9:33:11 AM	0.02
9:34:11 AM	0.018
9:35:11 AM	0.017
9:36:11 AM	0.02
9:37:11 AM	0.019
9:38:11 AM	0.021
9:39:11 AM	0.026
9:40:11 AM	0.02

9:41:11 AM	0.02
9:42:11 AM	0.021
9:43:11 AM	0.019
9:44:11 AM	0.023
9:45:11 AM	0.023
9:46:11 AM	0.023
9:47:11 AM	0.023
9:48:11 AM	0.025
9:49:11 AM	0.026
9:50:11 AM	0.022
9:51:11 AM	0.022
9:52:11 AM	0.024
9:53:11 AM	0.027
9:54:11 AM	0.026
9:55:11 AM	0.025
9:56:11 AM	0.024
9:57:11 AM	0.02
9:58:11 AM	0.023
9:59:11 AM	0.02
10:00:11 AM	0.022
10:01:11 AM	0.021
10:02:11 AM	0.022
10:03:11 AM	0.021
10:04:11 AM	0.021
10:05:11 AM	0.021
10:06:11 AM	0.023
10:07:11 AM	0.025
10:08:11 AM	0.025
10:09:11 AM	0.027
10:10:11 AM	0.025
10:11:11 AM	0.027
10:12:11 AM	0.026
10:13:11 AM	0.027
10:14:11 AM	0.031
10:15:11 AM	0.037
10:16:11 AM	0.027
10:17:11 AM	0.027
10:18:11 AM	0.029
10:19:11 AM	0.028
10:20:11 AM	0.029
10:21:11 AM	0.029
10:22:11 AM	0.031
10:23:11 AM	0.031
10:24:11 AM	0.031

10:25:11 AM	0.03
10:26:11 AM	0.028
10:27:11 AM	0.027
10:28:11 AM	0.028
10:29:11 AM	0.028
10:30:11 AM	0.03
10:31:11 AM	0.031
10:32:11 AM	0.034
10:33:11 AM	0.031
10:34:11 AM	0.031
10:35:11 AM	0.031
10:36:11 AM	0.032
10:37:11 AM	0.034
10:38:11 AM	0.032
10:39:11 AM	0.03
10:40:11 AM	0.031
10:41:11 AM	0.037
10:42:11 AM	0.041
10:43:11 AM	0.033
10:44:11 AM	0.028
10:45:11 AM	0.03
10:46:11 AM	0.029
10:47:11 AM	0.034
10:48:11 AM	0.028
10:49:11 AM	0.028
10:50:11 AM	0.029
10:51:11 AM	0.028
10:52:11 AM	0.035
10:53:11 AM	0.048
10:54:11 AM	0.091
10:55:11 AM	0.036
10:56:11 AM	0.039
10:57:11 AM	0.031
10:58:11 AM	0.031
10:59:11 AM	0.03
11:00:11 AM	0.029
11:01:11 AM	0.027
11:02:11 AM	0.033
11:03:11 AM	0.035
11:04:11 AM	0.026
11:05:11 AM	0.052
11:06:11 AM	0.042
11:07:11 AM	0.026
11:08:11 AM	0.024

11:09:11 AM	0.025
11:10:11 AM	0.036
11:11:11 AM	0.034
11:12:11 AM	0.038
11:13:11 AM	0.028
11:14:11 AM	0.028
11:15:11 AM	0.034
11:16:11 AM	0.027
11:17:11 AM	0.027
11:18:11 AM	0.027
11:19:11 AM	0.027
11:20:11 AM	0.025
11:21:11 AM	0.023
11:22:11 AM	0.031
11:23:11 AM	0.025
11:24:11 AM	0.021
11:25:11 AM	0.018
11:26:11 AM	0.054
11:27:11 AM	0.031
11:28:11 AM	0.027
11:29:11 AM	0.025
11:30:11 AM	0.022
11:31:11 AM	0.019
11:32:11 AM	0.021
11:33:11 AM	0.018
11:34:11 AM	0.02
11:35:11 AM	0.024
11:36:11 AM	0.03
11:37:11 AM	0.027
11:38:11 AM	0.023
11:39:11 AM	0.02
11:40:11 AM	0.019
11:41:11 AM	0.024
11:42:11 AM	0.023
11:43:11 AM	0.019
11:44:11 AM	0.024
11:45:11 AM	0.023
11:46:11 AM	0.022
11:47:11 AM	0.03
11:48:11 AM	0.022
11:49:11 AM	0.031
11:50:11 AM	0.044
11:51:11 AM	0.032
11:52:11 AM	0.025

11:53:11 AM	0.025
11:54:11 AM	0.03
11:55:11 AM	0.036
11:56:11 AM	0.04
11:57:11 AM	0.038
11:58:11 AM	0.032
11:59:11 AM	0.029
12:00:11 PM	0.027
12:01:11 PM	0.037
12:02:11 PM	0.048
12:03:11 PM	0.037
12:04:11 PM	0.03
12:05:11 PM	0.03
12:06:11 PM	0.031
12:07:11 PM	0.033
12:08:11 PM	0.032
12:09:11 PM	0.031
12:10:11 PM	0.03
12:11:11 PM	0.036
12:12:11 PM	0.038
12:13:11 PM	0.032
12:14:11 PM	0.03
12:15:11 PM	0.029
12:16:11 PM	0.029
12:17:11 PM	0.04
12:18:11 PM	0.032
12:19:11 PM	0.034
12:20:11 PM	0.031
12:21:11 PM	0.035
12:22:11 PM	0.039
12:23:11 PM	0.034
12:24:11 PM	0.032
12:25:11 PM	0.035
12:26:11 PM	0.033
12:27:11 PM	0.032
12:28:11 PM	0.031
12:29:11 PM	0.037
12:30:11 PM	0.034
12:31:11 PM	0.032
12:32:11 PM	0.04
12:33:11 PM	0.034
12:34:11 PM	0.032
12:35:11 PM	0.036
12:36:11 PM	0.032

12:37:11 PM	0.034
12:38:11 PM	0.033
12:39:11 PM	0.054
12:40:11 PM	0.037
12:41:11 PM	0.03
12:42:11 PM	0.032
12:43:11 PM	0.034
12:44:11 PM	0.03
12:45:11 PM	0.027
12:46:11 PM	0.038
12:47:11 PM	0.039
12:48:11 PM	0.027
12:49:11 PM	0.035
12:50:11 PM	0.031
12:51:11 PM	0.053
12:52:11 PM	0.028
12:53:11 PM	0.025
12:54:11 PM	0.026
12:55:11 PM	0.025
12:56:11 PM	0.023
12:57:11 PM	0.023
12:58:11 PM	0.024
12:59:11 PM	0.022
1:00:11 PM	0.025
1:01:11 PM	0.024
1:02:11 PM	0.03
1:03:11 PM	0.028
1:04:11 PM	0.037
1:05:11 PM	0.028
1:06:11 PM	0.027
1:07:11 PM	0.028
1:08:11 PM	0.024
1:09:11 PM	0.025
1:10:11 PM	0.025
1:11:11 PM	0.025
1:12:11 PM	0.023
1:13:11 PM	0.023
1:14:11 PM	0.022
1:15:11 PM	0.023
1:16:11 PM	0.024
1:17:11 PM	0.026
1:18:11 PM	0.028
1:19:11 PM	0.026
1:20:11 PM	0.023

1:21:11 PM	0.023
1:22:11 PM	0.025
1:23:11 PM	0.038
1:24:11 PM	0.026
1:25:11 PM	0.024
1:26:11 PM	0.026
1:27:11 PM	0.025
1:28:11 PM	0.024
1:29:11 PM	0.023
1:30:11 PM	0.03
1:31:11 PM	0.024
1:32:11 PM	0.033
1:33:11 PM	0.027
1:34:11 PM	0.025
1:35:11 PM	0.028
1:36:11 PM	0.026
1:37:11 PM	0.023
1:38:11 PM	0.032
1:39:11 PM	0.033
1:40:11 PM	0.028
1:41:11 PM	0.026
1:42:11 PM	0.034
1:43:11 PM	0.027
1:44:11 PM	0.024
1:45:11 PM	0.023
1:46:11 PM	0.023
1:47:11 PM	0.024
1:48:11 PM	0.024
1:49:11 PM	0.027
1:50:11 PM	0.027
1:51:11 PM	0.027
1:52:11 PM	0.029
1:53:11 PM	0.027
1:54:11 PM	0.03
1:55:11 PM	0.025
1:56:11 PM	0.027
1:57:11 PM	0.03
1:58:11 PM	0.026
1:59:11 PM	0.027
2:00:11 PM	0.027
2:01:11 PM	0.028
2:02:11 PM	0.026
2:03:11 PM	0.026
2:04:11 PM	0.027

2:05:11 PM	0.028
2:06:11 PM	0.032
2:07:11 PM	0.029
2:08:11 PM	0.029
2:09:11 PM	0.031
2:10:11 PM	0.03
2:11:11 PM	0.038
2:12:11 PM	0.03
2:13:11 PM	0.032
2:14:11 PM	0.028
2:15:11 PM	0.032
2:16:11 PM	0.033
2:17:11 PM	0.033
2:18:11 PM	0.044
2:19:11 PM	0.028
2:20:11 PM	0.047
2:21:11 PM	0.029
2:22:11 PM	0.031
2:23:11 PM	0.032
2:24:11 PM	0.077
2:25:11 PM	0.03
2:26:11 PM	0.028
2:27:11 PM	0.055
2:28:11 PM	0.032
2:29:11 PM	0.027
2:30:11 PM	0.027
2:31:11 PM	0.027
2:32:11 PM	0.026
2:33:11 PM	0.027
2:34:11 PM	0.027
2:35:11 PM	0.028
2:36:11 PM	0.034
2:37:11 PM	0.032
2:38:11 PM	0.031
2:39:11 PM	0.028
2:40:11 PM	0.028
2:41:11 PM	0.028
2:42:11 PM	0.035
2:43:11 PM	0.029
2:44:11 PM	0.028
2:45:11 PM	0.029
2:46:11 PM	0.028
2:47:11 PM	0.028
2:48:11 PM	0.028

2:49:11 PM	0.035
2:50:11 PM	0.031
2:51:11 PM	0.033
2:52:11 PM	0.031
2:53:11 PM	0.03
2:54:11 PM	0.037
2:55:11 PM	0.03
2:56:11 PM	0.031
2:57:11 PM	0.031
2:58:11 PM	0.031
2:59:11 PM	0.032
3:00:11 PM	0.036
3:01:11 PM	0.036
3:02:11 PM	0.034
3:03:11 PM	0.035
3:04:11 PM	0.034
3:05:11 PM	0.035
3:06:11 PM	0.032
3:07:11 PM	0.033
3:08:11 PM	0.033
3:09:11 PM	0.033
3:10:11 PM	0.032
3:11:11 PM	0.033
3:12:11 PM	0.039
3:13:11 PM	0.033
3:14:11 PM	0.033
3:15:11 PM	0.035
3:16:11 PM	0.036
3:17:11 PM	0.034
3:18:11 PM	0.035
3:19:11 PM	0.034
3:20:11 PM	0.036
3:21:11 PM	0.034
3:22:11 PM	0.035
3:23:11 PM	0.04
3:24:11 PM	0.036
3:25:11 PM	0.035
3:26:11 PM	0.035
3:27:11 PM	0.035
3:28:11 PM	0.035
3:29:11 PM	0.038
3:30:11 PM	0.035
3:31:11 PM	0.043
3:32:11 PM	0.041

3:33:11 PM

0.044

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/16/2024 15:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 15:05	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	7/16/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 9:00 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:59 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:58 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:57 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:56 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:55 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:54 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:53 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:52 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:51 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:50 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:49 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:48 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:47 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:46 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:45 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:44 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:43 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:42 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:41 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:40 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:39 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:38 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:37 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:36 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:35 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:34 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:33 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:32 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:31 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:30 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 8:29 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

592-908641	7/16/2024 7:22 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:21 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:20 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:19 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:18 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:17 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:16 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:15 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:14 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:13 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:12 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:11 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:10 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:09 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:08 Readings	PID	SC23030124AA	Normal	0
592-908641	7/16/2024 7:07 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	6:53:46 AM
Test Start Date	7/16/2024
Test Length [D:H:M]	0:08:37
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.036
Mass Minimum [mg/m3]	0.014
Mass Maximum [mg/m3]	0.067
Mass TWA [mg/m3]	0.035
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	517

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53:46 AM	0.058		
6:54:46 AM	0.053		
6:55:46 AM	0.048		
6:56:46 AM	0.046		
6:57:46 AM	0.045		
6:58:46 AM	0.045		
6:59:46 AM	0.048		
7:00:46 AM	0.047		
7:01:46 AM	0.047		
7:02:46 AM	0.046		
7:03:46 AM	0.047		
7:04:46 AM	0.046		
7:05:46 AM	0.047		
7:06:46 AM	0.052		
7:07:46 AM	0.05		
7:08:46 AM	0.049		
7:09:46 AM	0.05		
7:10:46 AM	0.051		
7:11:46 AM	0.056		
7:12:46 AM	0.055		
7:13:46 AM	0.055		
7:14:46 AM	0.061		
7:15:46 AM	0.059		
7:16:46 AM	0.058		

7:17:46 AM	0.055
7:18:46 AM	0.054
7:19:46 AM	0.054
7:20:46 AM	0.054
7:21:46 AM	0.053
7:22:46 AM	0.053
7:23:46 AM	0.053
7:24:46 AM	0.054
7:25:46 AM	0.054
7:26:46 AM	0.054
7:27:46 AM	0.053
7:28:46 AM	0.054
7:29:46 AM	0.055
7:30:46 AM	0.054
7:31:46 AM	0.053
7:32:46 AM	0.056
7:33:46 AM	0.056
7:34:46 AM	0.059
7:35:46 AM	0.06
7:36:46 AM	0.063
7:37:46 AM	0.061
7:38:46 AM	0.062
7:39:46 AM	0.06
7:40:46 AM	0.06
7:41:46 AM	0.058
7:42:46 AM	0.055
7:43:46 AM	0.055
7:44:46 AM	0.058
7:45:46 AM	0.058
7:46:46 AM	0.058
7:47:46 AM	0.057
7:48:46 AM	0.055
7:49:46 AM	0.053
7:50:46 AM	0.058
7:51:46 AM	0.052
7:52:46 AM	0.052
7:53:46 AM	0.052
7:54:46 AM	0.057
7:55:46 AM	0.057
7:56:46 AM	0.053
7:57:46 AM	0.053
7:58:46 AM	0.052
7:59:46 AM	0.049
8:00:46 AM	0.047

8:01:46 AM	0.062
8:02:46 AM	0.056
8:03:46 AM	0.047
8:04:46 AM	0.05
8:05:46 AM	0.052
8:06:46 AM	0.045
8:07:46 AM	0.049
8:08:46 AM	0.047
8:09:46 AM	0.045
8:10:46 AM	0.047
8:11:46 AM	0.049
8:12:46 AM	0.045
8:13:46 AM	0.044
8:14:46 AM	0.048
8:15:46 AM	0.049
8:16:46 AM	0.047
8:17:46 AM	0.046
8:18:46 AM	0.046
8:19:46 AM	0.045
8:20:46 AM	0.044
8:21:46 AM	0.044
8:22:46 AM	0.038
8:23:46 AM	0.035
8:24:46 AM	0.034
8:25:46 AM	0.038
8:26:46 AM	0.04
8:27:46 AM	0.039
8:28:46 AM	0.039
8:29:46 AM	0.038
8:30:46 AM	0.034
8:31:46 AM	0.032
8:32:46 AM	0.032
8:33:46 AM	0.033
8:34:46 AM	0.033
8:35:46 AM	0.033
8:36:46 AM	0.033
8:37:46 AM	0.035
8:38:46 AM	0.033
8:39:46 AM	0.033
8:40:46 AM	0.029
8:41:46 AM	0.029
8:42:46 AM	0.03
8:43:46 AM	0.031
8:44:46 AM	0.028

8:45:46 AM	0.027
8:46:46 AM	0.023
8:47:46 AM	0.024
8:48:46 AM	0.049
8:49:46 AM	0.037
8:50:46 AM	0.03
8:51:46 AM	0.029
8:52:46 AM	0.025
8:53:46 AM	0.025
8:54:46 AM	0.02
8:55:46 AM	0.018
8:56:46 AM	0.021
8:57:46 AM	0.014
8:58:46 AM	0.02
8:59:46 AM	0.023
9:00:46 AM	0.026
9:01:46 AM	0.017
9:02:46 AM	0.022
9:03:46 AM	0.02
9:04:46 AM	0.024
9:05:46 AM	0.025
9:06:46 AM	0.031
9:07:46 AM	0.018
9:08:46 AM	0.018
9:09:46 AM	0.019
9:10:46 AM	0.017
9:11:46 AM	0.018
9:12:46 AM	0.022
9:13:46 AM	0.026
9:14:46 AM	0.023
9:15:46 AM	0.025
9:16:46 AM	0.023
9:17:46 AM	0.021
9:18:46 AM	0.019
9:19:46 AM	0.021
9:20:46 AM	0.022
9:21:46 AM	0.021
9:22:46 AM	0.026
9:23:46 AM	0.025
9:24:46 AM	0.029
9:25:46 AM	0.034
9:26:46 AM	0.027
9:27:46 AM	0.026
9:28:46 AM	0.022

9:29:46 AM	0.023
9:30:46 AM	0.023
9:31:46 AM	0.021
9:32:46 AM	0.021
9:33:46 AM	0.02
9:34:46 AM	0.02
9:35:46 AM	0.02
9:36:46 AM	0.022
9:37:46 AM	0.021
9:38:46 AM	0.019
9:39:46 AM	0.024
9:40:46 AM	0.024
9:41:46 AM	0.022
9:42:46 AM	0.019
9:43:46 AM	0.019
9:44:46 AM	0.019
9:45:46 AM	0.02
9:46:46 AM	0.02
9:47:46 AM	0.021
9:48:46 AM	0.022
9:49:46 AM	0.024
9:50:46 AM	0.022
9:51:46 AM	0.023
9:52:46 AM	0.03
9:53:46 AM	0.03
9:54:46 AM	0.031
9:55:46 AM	0.033
9:56:46 AM	0.026
9:57:46 AM	0.026
9:58:46 AM	0.029
9:59:46 AM	0.022
10:00:46 AM	0.019
10:01:46 AM	0.027
10:02:46 AM	0.022
10:03:46 AM	0.022
10:04:46 AM	0.024
10:05:46 AM	0.022
10:06:46 AM	0.022
10:07:46 AM	0.025
10:08:46 AM	0.04
10:09:46 AM	0.047
10:10:46 AM	0.027
10:11:46 AM	0.03
10:12:46 AM	0.036

10:13:46 AM	0.038
10:14:46 AM	0.032
10:15:46 AM	0.035
10:16:46 AM	0.044
10:17:46 AM	0.031
10:18:46 AM	0.031
10:19:46 AM	0.029
10:20:46 AM	0.029
10:21:46 AM	0.032
10:22:46 AM	0.031
10:23:46 AM	0.034
10:24:46 AM	0.032
10:25:46 AM	0.03
10:26:46 AM	0.047
10:27:46 AM	0.039
10:28:46 AM	0.03
10:29:46 AM	0.03
10:30:46 AM	0.03
10:31:46 AM	0.036
10:32:46 AM	0.033
10:33:46 AM	0.032
10:34:46 AM	0.037
10:35:46 AM	0.035
10:36:46 AM	0.03
10:37:46 AM	0.031
10:38:46 AM	0.044
10:39:46 AM	0.037
10:40:46 AM	0.032
10:41:46 AM	0.03
10:42:46 AM	0.035
10:43:46 AM	0.033
10:44:46 AM	0.03
10:45:46 AM	0.029
10:46:46 AM	0.029
10:47:46 AM	0.029
10:48:46 AM	0.029
10:49:46 AM	0.028
10:50:46 AM	0.028
10:51:46 AM	0.032
10:52:46 AM	0.031
10:53:46 AM	0.034
10:54:46 AM	0.028
10:55:46 AM	0.044
10:56:46 AM	0.033

10:57:46 AM	0.031
10:58:46 AM	0.031
10:59:46 AM	0.035
11:00:46 AM	0.067
11:01:46 AM	0.03
11:02:46 AM	0.031
11:03:46 AM	0.032
11:04:46 AM	0.031
11:05:46 AM	0.028
11:06:46 AM	0.029
11:07:46 AM	0.028
11:08:46 AM	0.039
11:09:46 AM	0.029
11:10:46 AM	0.027
11:11:46 AM	0.026
11:12:46 AM	0.027
11:13:46 AM	0.026
11:14:46 AM	0.029
11:15:46 AM	0.028
11:16:46 AM	0.03
11:17:46 AM	0.026
11:18:46 AM	0.025
11:19:46 AM	0.026
11:20:46 AM	0.027
11:21:46 AM	0.024
11:22:46 AM	0.024
11:23:46 AM	0.022
11:24:46 AM	0.019
11:25:46 AM	0.033
11:26:46 AM	0.019
11:27:46 AM	0.021
11:28:46 AM	0.03
11:29:46 AM	0.028
11:30:46 AM	0.025
11:31:46 AM	0.019
11:32:46 AM	0.021
11:33:46 AM	0.025
11:34:46 AM	0.023
11:35:46 AM	0.024
11:36:46 AM	0.02
11:37:46 AM	0.022
11:38:46 AM	0.024
11:39:46 AM	0.024
11:40:46 AM	0.023

11:41:46 AM	0.022
11:42:46 AM	0.022
11:43:46 AM	0.023
11:44:46 AM	0.025
11:45:46 AM	0.022
11:46:46 AM	0.027
11:47:46 AM	0.029
11:48:46 AM	0.023
11:49:46 AM	0.024
11:50:46 AM	0.027
11:51:46 AM	0.023
11:52:46 AM	0.023
11:53:46 AM	0.028
11:54:46 AM	0.032
11:55:46 AM	0.029
11:56:46 AM	0.033
11:57:46 AM	0.03
11:58:46 AM	0.03
11:59:46 AM	0.033
12:00:46 PM	0.03
12:01:46 PM	0.043
12:02:46 PM	0.041
12:03:46 PM	0.038
12:04:46 PM	0.039
12:05:46 PM	0.032
12:06:46 PM	0.033
12:07:46 PM	0.032
12:08:46 PM	0.034
12:09:46 PM	0.031
12:10:46 PM	0.032
12:11:46 PM	0.032
12:12:46 PM	0.032
12:13:46 PM	0.032
12:14:46 PM	0.042
12:15:46 PM	0.037
12:16:46 PM	0.035
12:17:46 PM	0.039
12:18:46 PM	0.033
12:19:46 PM	0.034
12:20:46 PM	0.034
12:21:46 PM	0.034
12:22:46 PM	0.036
12:23:46 PM	0.036
12:24:46 PM	0.037

12:25:46 PM	0.036
12:26:46 PM	0.037
12:27:46 PM	0.035
12:28:46 PM	0.036
12:29:46 PM	0.034
12:30:46 PM	0.036
12:31:46 PM	0.037
12:32:46 PM	0.037
12:33:46 PM	0.037
12:34:46 PM	0.037
12:35:46 PM	0.036
12:36:46 PM	0.038
12:37:46 PM	0.035
12:38:46 PM	0.036
12:39:46 PM	0.036
12:40:46 PM	0.034
12:41:46 PM	0.041
12:42:46 PM	0.035
12:43:46 PM	0.034
12:44:46 PM	0.035
12:45:46 PM	0.034
12:46:46 PM	0.036
12:47:46 PM	0.037
12:48:46 PM	0.033
12:49:46 PM	0.031
12:50:46 PM	0.03
12:51:46 PM	0.031
12:52:46 PM	0.032
12:53:46 PM	0.031
12:54:46 PM	0.031
12:55:46 PM	0.031
12:56:46 PM	0.029
12:57:46 PM	0.029
12:58:46 PM	0.03
12:59:46 PM	0.03
1:00:46 PM	0.028
1:01:46 PM	0.031
1:02:46 PM	0.03
1:03:46 PM	0.031
1:04:46 PM	0.031
1:05:46 PM	0.032
1:06:46 PM	0.031
1:07:46 PM	0.031
1:08:46 PM	0.032

1:09:46 PM	0.032
1:10:46 PM	0.034
1:11:46 PM	0.039
1:12:46 PM	0.039
1:13:46 PM	0.034
1:14:46 PM	0.03
1:15:46 PM	0.029
1:16:46 PM	0.03
1:17:46 PM	0.034
1:18:46 PM	0.03
1:19:46 PM	0.03
1:20:46 PM	0.033
1:21:46 PM	0.033
1:22:46 PM	0.031
1:23:46 PM	0.033
1:24:46 PM	0.033
1:25:46 PM	0.033
1:26:46 PM	0.035
1:27:46 PM	0.035
1:28:46 PM	0.033
1:29:46 PM	0.033
1:30:46 PM	0.038
1:31:46 PM	0.031
1:32:46 PM	0.04
1:33:46 PM	0.034
1:34:46 PM	0.036
1:35:46 PM	0.037
1:36:46 PM	0.032
1:37:46 PM	0.031
1:38:46 PM	0.047
1:39:46 PM	0.038
1:40:46 PM	0.044
1:41:46 PM	0.036
1:42:46 PM	0.035
1:43:46 PM	0.042
1:44:46 PM	0.038
1:45:46 PM	0.055
1:46:46 PM	0.035
1:47:46 PM	0.035
1:48:46 PM	0.035
1:49:46 PM	0.034
1:50:46 PM	0.036
1:51:46 PM	0.035
1:52:46 PM	0.035

1:53:46 PM	0.037
1:54:46 PM	0.032
1:55:46 PM	0.033
1:56:46 PM	0.032
1:57:46 PM	0.033
1:58:46 PM	0.032
1:59:46 PM	0.032
2:00:46 PM	0.034
2:01:46 PM	0.034
2:02:46 PM	0.036
2:03:46 PM	0.034
2:04:46 PM	0.034
2:05:46 PM	0.034
2:06:46 PM	0.036
2:07:46 PM	0.042
2:08:46 PM	0.038
2:09:46 PM	0.037
2:10:46 PM	0.034
2:11:46 PM	0.034
2:12:46 PM	0.051
2:13:46 PM	0.043
2:14:46 PM	0.038
2:15:46 PM	0.035
2:16:46 PM	0.042
2:17:46 PM	0.041
2:18:46 PM	0.057
2:19:46 PM	0.04
2:20:46 PM	0.036
2:21:46 PM	0.035
2:22:46 PM	0.044
2:23:46 PM	0.046
2:24:46 PM	0.046
2:25:46 PM	0.041
2:26:46 PM	0.037
2:27:46 PM	0.035
2:28:46 PM	0.035
2:29:46 PM	0.034
2:30:46 PM	0.034
2:31:46 PM	0.034
2:32:46 PM	0.035
2:33:46 PM	0.038
2:34:46 PM	0.035
2:35:46 PM	0.036
2:36:46 PM	0.038

2:37:46 PM	0.04
2:38:46 PM	0.038
2:39:46 PM	0.037
2:40:46 PM	0.038
2:41:46 PM	0.036
2:42:46 PM	0.036
2:43:46 PM	0.035
2:44:46 PM	0.036
2:45:46 PM	0.036
2:46:46 PM	0.037
2:47:46 PM	0.035
2:48:46 PM	0.037
2:49:46 PM	0.035
2:50:46 PM	0.037
2:51:46 PM	0.042
2:52:46 PM	0.041
2:53:46 PM	0.04
2:54:46 PM	0.04
2:55:46 PM	0.041
2:56:46 PM	0.039
2:57:46 PM	0.039
2:58:46 PM	0.038
2:59:46 PM	0.043
3:00:46 PM	0.042
3:01:46 PM	0.065
3:02:46 PM	0.046
3:03:46 PM	0.041
3:04:46 PM	0.041
3:05:46 PM	0.043
3:06:46 PM	0.042
3:07:46 PM	0.042
3:08:46 PM	0.041
3:09:46 PM	0.041
3:10:46 PM	0.043
3:11:46 PM	0.044
3:12:46 PM	0.049
3:13:46 PM	0.043
3:14:46 PM	0.042
3:15:46 PM	0.041
3:16:46 PM	0.047
3:17:46 PM	0.042
3:18:46 PM	0.041
3:19:46 PM	0.042
3:20:46 PM	0.044

3:21:46 PM	0.042
3:22:46 PM	0.042
3:23:46 PM	0.041
3:24:46 PM	0.043
3:25:46 PM	0.041
3:26:46 PM	0.042
3:27:46 PM	0.048
3:28:46 PM	0.042
3:29:46 PM	0.045

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	7/16/2024 15:36	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:35	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:34	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:33	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:32	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:31	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:30	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:29	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:28	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:27	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:26	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:25	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:24	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:23	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:22	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:21	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:20	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:19	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:18	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:17	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:16	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:15	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:14	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:13	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:12	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:11	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:10	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:09	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:08	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:07	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:06	Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 15:05	Readings	PID	SC23030186C8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602806	7/16/2024 10:07 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:06 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:05 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:04 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:03 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:02 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:01 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 10:00 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:59 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:58 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/16/2024 9:57 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:56 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:55 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:54 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:53 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:52 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:51 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:50 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:49 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:48 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:47 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:46 Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/16/2024 9:45 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:44 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:43 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/16/2024 9:42 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/16/2024 9:41 Readings	PID	SC23030186C8	Normal	1.3
592-602806	7/16/2024 9:40 Readings	PID	SC23030186C8	Normal	1.8
592-602806	7/16/2024 9:39 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/16/2024 9:38 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:37 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:36 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:35 Readings	PID	SC23030186C8	Normal	0

592-602806	7/16/2024 9:34 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:33 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:32 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:31 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:30 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:29 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:28 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:27 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:26 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:25 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:24 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:22 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:21 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:20 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:19 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:16 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:15 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:14 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:13 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/16/2024 9:12 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:11 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:10 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:09 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:08 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:07 Readings	PID	SC23030186C8	Normal	0.7
592-602806	7/16/2024 9:06 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:05 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:04 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:03 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:02 Readings	PID	SC23030186C8	Normal	0

592-602806	7/16/2024 9:01 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 9:00 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:59 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:58 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:57 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:56 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:55 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:54 Readings	PID	SC23030186C8	Normal	0.6
592-602806	7/16/2024 8:53 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:52 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:51 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:50 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:49 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:48 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:47 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:46 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:45 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:44 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:43 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:42 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:41 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:40 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:39 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:38 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:37 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:36 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:35 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:34 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:33 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:32 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:31 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:30 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 8:29 Readings	PID	SC23030186C8	Normal	0

[illegible]

592-602806	7/16/2024 7:55 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:54 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:53 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:52 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:51 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:50 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:49 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:48 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:47 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:46 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:45 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:44 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:43 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:42 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:41 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:40 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:39 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:38 CONFIG	PID	SC23030186C8		
592-602806	7/16/2024 7:36 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:35 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:34 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:33 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:32 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:31 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:30 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:29 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:28 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:27 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:26 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:25 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:24 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:22 Readings	PID	SC23030186C8	Normal	0

592-602806	7/16/2024 7:21 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:20 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:19 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:16 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:15 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:14 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:13 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:12 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:11 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:10 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:09 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:08 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:07 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:06 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:05 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:04 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 7:03 CONFIG	PID	SC23030186C8		
592-602806	7/16/2024 7:00 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/16/2024 6:59 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 6:58 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 6:57 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 6:56 Readings	PID	SC23030186C8	Normal	0
592-602806	7/16/2024 6:55 CONFIG	PID	SC23030186C8		