



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	E/SE 6 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/18/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time Onsite: 06:45 Time Offsite: 16:30</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza WSP (Environmental oversight) – Tim Williams Capital/KFS (Contractor) Bradford (SSDS Contractor) Cascade (ISS Contractor) ATS (Drillers) ECS (dewatering)</p> <p>Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations according to wind direction; IEEG to gauge all sentinel wells; Bradford to continue with sewer and drain pipe installation at south building cellar; continued ISS QA/QC coring of ISS pilot columns; KFS to continue vapor-barrier installation and foundation construction at south building; and de-water EP-90 spill area.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS continued with rebar fabrication and vapor-barrier installation;
- ATS performs QA/QC coring via split spoon method of ISS Pilot Columns, mix A: columns A1-A2 overlap was up drilled to 21.5', completion of A1-A2 core to terminal depth will continue tomorrow;
- Bradford continued with installation of sewer and SSDS pipe installation at south building cellar, installed SSDS pipes were backfilled with approved gravel. It should be noted that SSDS work is being performed 'at risk';
- Active dewatering in EP-90 excavation area;
- ATMOS was sprayed on EP-90 excavation area to suppress any odors;
- Capital continues excavating in EP-38, soil is stockpiled on and then covered with poly sheeting;
- Ten (10) truckloads of approved material (crushed limestone) were unloaded on site.
- Three (3) truckloads of material were disposed of off-site to the Bayshore Facility; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.026_ mg/m³ @ 06:59
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.028_ mg/m³ @ 07:22
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.398_ mg/m³ @ 07:14
- High Conditions (Downwind 2) – PID = _4.7_ ppm @ 12:02, Dust = _0.072_ mg/m³ @ 08:29

Notable Site Conditions:

- Dust suppression was implemented periodically during work activities.

Planned Activities for the Next Day/Week:

- KFS to continue rebar fabrication and vapor barrier installation at the south building;
- Bradford to continue sewer and drainpipe installation;
- Capital to de-water EP-90 and EP-38 excavations, then continue soil excavation.
- Continued QA/QC Coring via split spoon methodology of ISS columns.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative photo of truck being washed prior to departing the Site.



Photo 2 –
Representative photo of approved crushed limestone being unloaded onto site.



Photo 3 –
Representative
photo of EP-38
excavation.



Photo 4 –
Representative
photo ATMOS
being applied to
spill area.



Photo 5 –
Representative
photo of spill
2308807 area
covered with
poly at the end of
day.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com




A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



1
2
3
4
5
6
7
8



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_003
Test Start Time	6:59:35 AM
Test Start Date	7/18/2024
Test Length [D:H:M]	0:09:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.028
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	545

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:59:35 AM	0.026		
7:00:35 AM	0.025		
7:01:35 AM	0.024		
7:02:35 AM	0.024		
7:03:35 AM	0.023		
7:04:35 AM	0.023		
7:05:35 AM	0.022		
7:06:35 AM	0.022		
7:07:35 AM	0.022		
7:08:35 AM	0.021		
7:09:35 AM	0.021		
7:10:35 AM	0.021		
7:11:35 AM	0.021		
7:12:35 AM	0.02		
7:13:35 AM	0.021		
7:14:35 AM	0.02		
7:15:35 AM	0.02		
7:16:35 AM	0.021		
7:17:35 AM	0.02		
7:18:35 AM	0.02		
7:19:35 AM	0.019		
7:20:35 AM	0.02		
7:21:35 AM	0.026		
7:22:35 AM	0.028		

7:23:35 AM	0.025
7:24:35 AM	0.02
7:25:35 AM	0.02
7:26:35 AM	0.021
7:27:35 AM	0.021
7:28:35 AM	0.019
7:29:35 AM	0.018
7:30:35 AM	0.017
7:31:35 AM	0.017
7:32:35 AM	0.018
7:33:35 AM	0.017
7:34:35 AM	0.018
7:35:35 AM	0.018
7:36:35 AM	0.018
7:37:35 AM	0.018
7:38:35 AM	0.018
7:39:35 AM	0.019
7:40:35 AM	0.019
7:41:35 AM	0.018
7:42:35 AM	0.017
7:43:35 AM	0.017
7:44:35 AM	0.016
7:45:35 AM	0.015
7:46:35 AM	0.015
7:47:35 AM	0.016
7:48:35 AM	0.016
7:49:35 AM	0.016
7:50:35 AM	0.016
7:51:35 AM	0.016
7:52:35 AM	0.016
7:53:35 AM	0.015
7:54:35 AM	0.015
7:55:35 AM	0.015
7:56:35 AM	0.015
7:57:35 AM	0.015
7:58:35 AM	0.015
7:59:35 AM	0.015
8:00:35 AM	0.014
8:01:35 AM	0.015
8:02:35 AM	0.015
8:03:35 AM	0.014
8:04:35 AM	0.015
8:05:35 AM	0.015
8:06:35 AM	0.015

8:07:35 AM	0.015
8:08:35 AM	0.016
8:09:35 AM	0.016
8:10:35 AM	0.015
8:11:35 AM	0.015
8:12:35 AM	0.015
8:13:35 AM	0.015
8:14:35 AM	0.015
8:15:35 AM	0.015
8:16:35 AM	0.015
8:17:35 AM	0.015
8:18:35 AM	0.014
8:19:35 AM	0.014
8:20:35 AM	0.014
8:21:35 AM	0.014
8:22:35 AM	0.014
8:23:35 AM	0.014
8:24:35 AM	0.028
8:25:35 AM	0.014
8:26:35 AM	0.014
8:27:35 AM	0.016
8:28:35 AM	0.015
8:29:35 AM	0.014
8:30:35 AM	0.014
8:31:35 AM	0.014
8:32:35 AM	0.014
8:33:35 AM	0.014
8:34:35 AM	0.014
8:35:35 AM	0.014
8:36:35 AM	0.014
8:37:35 AM	0.014
8:38:35 AM	0.014
8:39:35 AM	0.015
8:40:35 AM	0.018
8:41:35 AM	0.018
8:42:35 AM	0.018
8:43:35 AM	0.018
8:44:35 AM	0.017
8:45:35 AM	0.017
8:46:35 AM	0.017
8:47:35 AM	0.018
8:48:35 AM	0.016
8:49:35 AM	0.017
8:50:35 AM	0.016

8:51:35 AM	0.016
8:52:35 AM	0.016
8:53:35 AM	0.016
8:54:35 AM	0.015
8:55:35 AM	0.015
8:56:35 AM	0.015
8:57:35 AM	0.015
8:58:35 AM	0.017
8:59:35 AM	0.016
9:00:35 AM	0.015
9:01:35 AM	0.014
9:02:35 AM	0.015
9:03:35 AM	0.015
9:04:35 AM	0.015
9:05:35 AM	0.014
9:06:35 AM	0.014
9:07:35 AM	0.014
9:08:35 AM	0.015
9:09:35 AM	0.015
9:10:35 AM	0.015
9:11:35 AM	0.014
9:12:35 AM	0.016
9:13:35 AM	0.015
9:14:35 AM	0.014
9:15:35 AM	0.017
9:16:35 AM	0.017
9:17:35 AM	0.017
9:18:35 AM	0.016
9:19:35 AM	0.016
9:20:35 AM	0.016
9:21:35 AM	0.015
9:22:35 AM	0.014
9:23:35 AM	0.014
9:24:35 AM	0.014
9:25:35 AM	0.014
9:26:35 AM	0.014
9:27:35 AM	0.014
9:28:35 AM	0.014
9:29:35 AM	0.014
9:30:35 AM	0.014
9:31:35 AM	0.013
9:32:35 AM	0.014
9:33:35 AM	0.013
9:34:35 AM	0.014

9:35:35 AM	0.014
9:36:35 AM	0.014
9:37:35 AM	0.013
9:38:35 AM	0.015
9:39:35 AM	0.014
9:40:35 AM	0.013
9:41:35 AM	0.013
9:42:35 AM	0.013
9:43:35 AM	0.013
9:44:35 AM	0.014
9:45:35 AM	0.014
9:46:35 AM	0.013
9:47:35 AM	0.013
9:48:35 AM	0.013
9:49:35 AM	0.013
9:50:35 AM	0.013
9:51:35 AM	0.013
9:52:35 AM	0.014
9:53:35 AM	0.015
9:54:35 AM	0.013
9:55:35 AM	0.014
9:56:35 AM	0.012
9:57:35 AM	0.013
9:58:35 AM	0.014
9:59:35 AM	0.014
10:00:35 AM	0.013
10:01:35 AM	0.014
10:02:35 AM	0.012
10:03:35 AM	0.014
10:04:35 AM	0.013
10:05:35 AM	0.012
10:06:35 AM	0.012
10:07:35 AM	0.013
10:08:35 AM	0.014
10:09:35 AM	0.016
10:10:35 AM	0.011
10:11:35 AM	0.013
10:12:35 AM	0.012
10:13:35 AM	0.013
10:14:35 AM	0.011
10:15:35 AM	0.011
10:16:35 AM	0.013
10:17:35 AM	0.014
10:18:35 AM	0.011

10:19:35 AM	0.011
10:20:35 AM	0.014
10:21:35 AM	0.013
10:22:35 AM	0.011
10:23:35 AM	0.011
10:24:35 AM	0.013
10:25:35 AM	0.012
10:26:35 AM	0.012
10:27:35 AM	0.012
10:28:35 AM	0.012
10:29:35 AM	0.011
10:30:35 AM	0.011
10:31:35 AM	0.011
10:32:35 AM	0.013
10:33:35 AM	0.012
10:34:35 AM	0.012
10:35:35 AM	0.012
10:36:35 AM	0.012
10:37:35 AM	0.012
10:38:35 AM	0.013
10:39:35 AM	0.012
10:40:35 AM	0.013
10:41:35 AM	0.012
10:42:35 AM	0.014
10:43:35 AM	0.014
10:44:35 AM	0.012
10:45:35 AM	0.011
10:46:35 AM	0.012
10:47:35 AM	0.012
10:48:35 AM	0.012
10:49:35 AM	0.012
10:50:35 AM	0.013
10:51:35 AM	0.012
10:52:35 AM	0.011
10:53:35 AM	0.01
10:54:35 AM	0.011
10:55:35 AM	0.014
10:56:35 AM	0.012
10:57:35 AM	0.011
10:58:35 AM	0.012
10:59:35 AM	0.013
11:00:35 AM	0.011
11:01:35 AM	0.012
11:02:35 AM	0.012

11:03:35 AM	0.011
11:04:35 AM	0.01
11:05:35 AM	0.01
11:06:35 AM	0.01
11:07:35 AM	0.011
11:08:35 AM	0.011
11:09:35 AM	0.012
11:10:35 AM	0.012
11:11:35 AM	0.01
11:12:35 AM	0.01
11:13:35 AM	0.011
11:14:35 AM	0.011
11:15:35 AM	0.011
11:16:35 AM	0.01
11:17:35 AM	0.01
11:18:35 AM	0.009
11:19:35 AM	0.01
11:20:35 AM	0.012
11:21:35 AM	0.012
11:22:35 AM	0.012
11:23:35 AM	0.011
11:24:35 AM	0.011
11:25:35 AM	0.015
11:26:35 AM	0.013
11:27:35 AM	0.01
11:28:35 AM	0.012
11:29:35 AM	0.013
11:30:35 AM	0.01
11:31:35 AM	0.01
11:32:35 AM	0.01
11:33:35 AM	0.011
11:34:35 AM	0.01
11:35:35 AM	0.009
11:36:35 AM	0.009
11:37:35 AM	0.01
11:38:35 AM	0.009
11:39:35 AM	0.009
11:40:35 AM	0.009
11:41:35 AM	0.009
11:42:35 AM	0.009
11:43:35 AM	0.009
11:44:35 AM	0.008
11:45:35 AM	0.008
11:46:35 AM	0.009

11:47:35 AM	0.009
11:48:35 AM	0.01
11:49:35 AM	0.009
11:50:35 AM	0.009
11:51:35 AM	0.009
11:52:35 AM	0.009
11:53:35 AM	0.009
11:54:35 AM	0.009
11:55:35 AM	0.009
11:56:35 AM	0.009
11:57:35 AM	0.009
11:58:35 AM	0.008
11:59:35 AM	0.009
12:00:35 PM	0.01
12:01:35 PM	0.009
12:02:35 PM	0.008
12:03:35 PM	0.008
12:04:35 PM	0.009
12:05:35 PM	0.008
12:06:35 PM	0.008
12:07:35 PM	0.008
12:08:35 PM	0.007
12:09:35 PM	0.008
12:10:35 PM	0.007
12:11:35 PM	0.008
12:12:35 PM	0.007
12:13:35 PM	0.008
12:14:35 PM	0.008
12:15:35 PM	0.01
12:16:35 PM	0.009
12:17:35 PM	0.009
12:18:35 PM	0.008
12:19:35 PM	0.008
12:20:35 PM	0.008
12:21:35 PM	0.008
12:22:35 PM	0.008
12:23:35 PM	0.008
12:24:35 PM	0.008
12:25:35 PM	0.008
12:26:35 PM	0.009
12:27:35 PM	0.007
12:28:35 PM	0.008
12:29:35 PM	0.008
12:30:35 PM	0.008

12:31:35 PM	0.009
12:32:35 PM	0.008
12:33:35 PM	0.008
12:34:35 PM	0.008
12:35:35 PM	0.008
12:36:35 PM	0.009
12:37:35 PM	0.009
12:38:35 PM	0.008
12:39:35 PM	0.009
12:40:35 PM	0.008
12:41:35 PM	0.008
12:42:35 PM	0.008
12:43:35 PM	0.008
12:44:35 PM	0.008
12:45:35 PM	0.008
12:46:35 PM	0.009
12:47:35 PM	0.01
12:48:35 PM	0.008
12:49:35 PM	0.007
12:50:35 PM	0.009
12:51:35 PM	0.008
12:52:35 PM	0.009
12:53:35 PM	0.01
12:54:35 PM	0.008
12:55:35 PM	0.009
12:56:35 PM	0.008
12:57:35 PM	0.008
12:58:35 PM	0.007
12:59:35 PM	0.007
1:00:35 PM	0.007
1:01:35 PM	0.007
1:02:35 PM	0.008
1:03:35 PM	0.007
1:04:35 PM	0.007
1:05:35 PM	0.006
1:06:35 PM	0.006
1:07:35 PM	0.008
1:08:35 PM	0.007
1:09:35 PM	0.006
1:10:35 PM	0.007
1:11:35 PM	0.008
1:12:35 PM	0.015
1:13:35 PM	0.008
1:14:35 PM	0.006

1:15:35 PM	0.007
1:16:35 PM	0.007
1:17:35 PM	0.007
1:18:35 PM	0.007
1:19:35 PM	0.006
1:20:35 PM	0.006
1:21:35 PM	0.006
1:22:35 PM	0.007
1:23:35 PM	0.008
1:24:35 PM	0.009
1:25:35 PM	0.009
1:26:35 PM	0.007
1:27:35 PM	0.007
1:28:35 PM	0.007
1:29:35 PM	0.007
1:30:35 PM	0.007
1:31:35 PM	0.008
1:32:35 PM	0.008
1:33:35 PM	0.008
1:34:35 PM	0.008
1:35:35 PM	0.008
1:36:35 PM	0.008
1:37:35 PM	0.008
1:38:35 PM	0.008
1:39:35 PM	0.008
1:40:35 PM	0.008
1:41:35 PM	0.007
1:42:35 PM	0.007
1:43:35 PM	0.007
1:44:35 PM	0.008
1:45:35 PM	0.008
1:46:35 PM	0.007
1:47:35 PM	0.007
1:48:35 PM	0.008
1:49:35 PM	0.007
1:50:35 PM	0.007
1:51:35 PM	0.009
1:52:35 PM	0.007
1:53:35 PM	0.007
1:54:35 PM	0.008
1:55:35 PM	0.009
1:56:35 PM	0.009
1:57:35 PM	0.008
1:58:35 PM	0.007

1:59:35 PM	0.007
2:00:35 PM	0.007
2:01:35 PM	0.007
2:02:35 PM	0.007
2:03:35 PM	0.007
2:04:35 PM	0.007
2:05:35 PM	0.007
2:06:35 PM	0.007
2:07:35 PM	0.008
2:08:35 PM	0.008
2:09:35 PM	0.008
2:10:35 PM	0.01
2:11:35 PM	0.01
2:12:35 PM	0.009
2:13:35 PM	0.009
2:14:35 PM	0.01
2:15:35 PM	0.009
2:16:35 PM	0.009
2:17:35 PM	0.009
2:18:35 PM	0.008
2:19:35 PM	0.01
2:20:35 PM	0.01
2:21:35 PM	0.009
2:22:35 PM	0.009
2:23:35 PM	0.008
2:24:35 PM	0.008
2:25:35 PM	0.008
2:26:35 PM	0.008
2:27:35 PM	0.009
2:28:35 PM	0.009
2:29:35 PM	0.009
2:30:35 PM	0.008
2:31:35 PM	0.008
2:32:35 PM	0.011
2:33:35 PM	0.01
2:34:35 PM	0.01
2:35:35 PM	0.01
2:36:35 PM	0.011
2:37:35 PM	0.01
2:38:35 PM	0.011
2:39:35 PM	0.01
2:40:35 PM	0.011
2:41:35 PM	0.012
2:42:35 PM	0.011

2:43:35 PM	0.01
2:44:35 PM	0.01
2:45:35 PM	0.01
2:46:35 PM	0.011
2:47:35 PM	0.011
2:48:35 PM	0.011
2:49:35 PM	0.011
2:50:35 PM	0.011
2:51:35 PM	0.011
2:52:35 PM	0.011
2:53:35 PM	0.011
2:54:35 PM	0.011
2:55:35 PM	0.011
2:56:35 PM	0.011
2:57:35 PM	0.011
2:58:35 PM	0.011
2:59:35 PM	0.011
3:00:35 PM	0.011
3:01:35 PM	0.01
3:02:35 PM	0.011
3:03:35 PM	0.01
3:04:35 PM	0.01
3:05:35 PM	0.011
3:06:35 PM	0.011
3:07:35 PM	0.01
3:08:35 PM	0.01
3:09:35 PM	0.01
3:10:35 PM	0.01
3:11:35 PM	0.011
3:12:35 PM	0.011
3:13:35 PM	0.011
3:14:35 PM	0.01
3:15:35 PM	0.01
3:16:35 PM	0.011
3:17:35 PM	0.011
3:18:35 PM	0.01
3:19:35 PM	0.01
3:20:35 PM	0.01
3:21:35 PM	0.01
3:22:35 PM	0.009
3:23:35 PM	0.01
3:24:35 PM	0.009
3:25:35 PM	0.009
3:26:35 PM	0.01

3:27:35 PM	0.01
3:28:35 PM	0.01
3:29:35 PM	0.01
3:30:35 PM	0.01
3:31:35 PM	0.011
3:32:35 PM	0.012
3:33:35 PM	0.011
3:34:35 PM	0.011
3:35:35 PM	0.012
3:36:35 PM	0.011
3:37:35 PM	0.009
3:38:35 PM	0.009
3:39:35 PM	0.009
3:40:35 PM	0.009
3:41:35 PM	0.009
3:42:35 PM	0.01
3:43:35 PM	0.01
3:44:35 PM	0.01
3:45:35 PM	0.023
3:46:35 PM	0.012
3:47:35 PM	0.009
3:48:35 PM	0.009
3:49:35 PM	0.01
3:50:35 PM	0.009
3:51:35 PM	0.009
3:52:35 PM	0.009
3:53:35 PM	0.008
3:54:35 PM	0.008
3:55:35 PM	0.008
3:56:35 PM	0.008
3:57:35 PM	0.009
3:58:35 PM	0.011
3:59:35 PM	0.008
4:00:35 PM	0.008
4:01:35 PM	0.008
4:02:35 PM	0.008
4:03:35 PM	0.008

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/18/2024 16:06	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 16:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 16:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 16:03	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 16:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 16:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 16:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:59	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:58	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:57	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:49	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:48	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:47	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:46	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:45	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:44	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 15:35	Readings	PID	SC23030449A8	Normal	0

592-600853	7/18/2024 9:31	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:30	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:29	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:28	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:27	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:26	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:25	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:24	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:23	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:22	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:21	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:20	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:19	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:18	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:17	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:16	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:15	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:14	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:13	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:12	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:11	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:10	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:09	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:08	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:07	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:06	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:03	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 9:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 8:59	Readings	PID	SC23030449A8	Normal	0

592-600853	7/18/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	7/18/2024 7:03 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_004
Test Start Time	7:01:41 AM
Test Start Date	7/18/2024
Test Length [D:H:M]	0:09:02
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.017
Mass Maximum [mg/m3]	0.398
Mass TWA [mg/m3]	0.024
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	542

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:01:41 AM	0.033		
7:02:41 AM	0.027		
7:03:41 AM	0.028		
7:04:41 AM	0.038		
7:05:41 AM	0.026		
7:06:41 AM	0.03		
7:07:41 AM	0.031		
7:08:41 AM	0.03		
7:09:41 AM	0.047		
7:10:41 AM	0.028		
7:11:41 AM	0.026		
7:12:41 AM	0.027		
7:13:41 AM	0.027		
7:14:41 AM	0.398		
7:15:41 AM	0.027		
7:16:41 AM	0.029		
7:17:41 AM	0.027		
7:18:41 AM	0.029		
7:19:41 AM	0.027		
7:20:41 AM	0.024		
7:21:41 AM	0.025		
7:22:41 AM	0.026		
7:23:41 AM	0.025		
7:24:41 AM	0.029		

7:25:41 AM	0.028
7:26:41 AM	0.028
7:27:41 AM	0.026
7:28:41 AM	0.027
7:29:41 AM	0.027
7:30:41 AM	0.024
7:31:41 AM	0.027
7:32:41 AM	0.025
7:33:41 AM	0.025
7:34:41 AM	0.028
7:35:41 AM	0.027
7:36:41 AM	0.025
7:37:41 AM	0.027
7:38:41 AM	0.029
7:39:41 AM	0.029
7:40:41 AM	0.026
7:41:41 AM	0.028
7:42:41 AM	0.026
7:43:41 AM	0.023
7:44:41 AM	0.023
7:45:41 AM	0.024
7:46:41 AM	0.026
7:47:41 AM	0.023
7:48:41 AM	0.022
7:49:41 AM	0.023
7:50:41 AM	0.024
7:51:41 AM	0.023
7:52:41 AM	0.023
7:53:41 AM	0.022
7:54:41 AM	0.021
7:55:41 AM	0.021
7:56:41 AM	0.021
7:57:41 AM	0.021
7:58:41 AM	0.022
7:59:41 AM	0.021
8:00:41 AM	0.021
8:01:41 AM	0.022
8:02:41 AM	0.022
8:03:41 AM	0.021
8:04:41 AM	0.022
8:05:41 AM	0.023
8:06:41 AM	0.022
8:07:41 AM	0.022
8:08:41 AM	0.023

8:09:41 AM	0.022
8:10:41 AM	0.023
8:11:41 AM	0.023
8:12:41 AM	0.023
8:13:41 AM	0.021
8:14:41 AM	0.021
8:15:41 AM	0.021
8:16:41 AM	0.021
8:17:41 AM	0.023
8:18:41 AM	0.022
8:19:41 AM	0.022
8:20:41 AM	0.022
8:21:41 AM	0.022
8:22:41 AM	0.024
8:23:41 AM	0.022
8:24:41 AM	0.022
8:25:41 AM	0.023
8:26:41 AM	0.022
8:27:41 AM	0.023
8:28:41 AM	0.023
8:29:41 AM	0.022
8:30:41 AM	0.021
8:31:41 AM	0.023
8:32:41 AM	0.023
8:33:41 AM	0.023
8:34:41 AM	0.022
8:35:41 AM	0.021
8:36:41 AM	0.021
8:37:41 AM	0.021
8:38:41 AM	0.021
8:39:41 AM	0.021
8:40:41 AM	0.031
8:41:41 AM	0.024
8:42:41 AM	0.026
8:43:41 AM	0.029
8:44:41 AM	0.023
8:45:41 AM	0.025
8:46:41 AM	0.024
8:47:41 AM	0.023
8:48:41 AM	0.024
8:49:41 AM	0.023
8:50:41 AM	0.024
8:51:41 AM	0.022
8:52:41 AM	0.023

8:53:41 AM	0.024
8:54:41 AM	0.027
8:55:41 AM	0.025
8:56:41 AM	0.023
8:57:41 AM	0.021
8:58:41 AM	0.023
8:59:41 AM	0.027
9:00:41 AM	0.024
9:01:41 AM	0.023
9:02:41 AM	0.024
9:03:41 AM	0.024
9:04:41 AM	0.024
9:05:41 AM	0.022
9:06:41 AM	0.022
9:07:41 AM	0.021
9:08:41 AM	0.023
9:09:41 AM	0.022
9:10:41 AM	0.022
9:11:41 AM	0.022
9:12:41 AM	0.024
9:13:41 AM	0.023
9:14:41 AM	0.022
9:15:41 AM	0.021
9:16:41 AM	0.021
9:17:41 AM	0.024
9:18:41 AM	0.021
9:19:41 AM	0.021
9:20:41 AM	0.022
9:21:41 AM	0.023
9:22:41 AM	0.021
9:23:41 AM	0.021
9:24:41 AM	0.022
9:25:41 AM	0.023
9:26:41 AM	0.023
9:27:41 AM	0.022
9:28:41 AM	0.021
9:29:41 AM	0.021
9:30:41 AM	0.022
9:31:41 AM	0.022
9:32:41 AM	0.022
9:33:41 AM	0.023
9:34:41 AM	0.023
9:35:41 AM	0.021
9:36:41 AM	0.021

9:37:41 AM	0.021
9:38:41 AM	0.022
9:39:41 AM	0.022
9:40:41 AM	0.02
9:41:41 AM	0.02
9:42:41 AM	0.021
9:43:41 AM	0.021
9:44:41 AM	0.022
9:45:41 AM	0.021
9:46:41 AM	0.021
9:47:41 AM	0.021
9:48:41 AM	0.021
9:49:41 AM	0.021
9:50:41 AM	0.021
9:51:41 AM	0.021
9:52:41 AM	0.021
9:53:41 AM	0.022
9:54:41 AM	0.02
9:55:41 AM	0.019
9:56:41 AM	0.024
9:57:41 AM	0.021
9:58:41 AM	0.02
9:59:41 AM	0.021
10:00:41 AM	0.02
10:01:41 AM	0.019
10:02:41 AM	0.032
10:03:41 AM	0.022
10:04:41 AM	0.02
10:05:41 AM	0.021
10:06:41 AM	0.019
10:07:41 AM	0.028
10:08:41 AM	0.02
10:09:41 AM	0.019
10:10:41 AM	0.019
10:11:41 AM	0.023
10:12:41 AM	0.023
10:13:41 AM	0.021
10:14:41 AM	0.022
10:15:41 AM	0.021
10:16:41 AM	0.021
10:17:41 AM	0.022
10:18:41 AM	0.022
10:19:41 AM	0.019
10:20:41 AM	0.019

10:21:41 AM	0.019
10:22:41 AM	0.02
10:23:41 AM	0.019
10:24:41 AM	0.02
10:25:41 AM	0.02
10:26:41 AM	0.02
10:27:41 AM	0.022
10:28:41 AM	0.026
10:29:41 AM	0.023
10:30:41 AM	0.022
10:31:41 AM	0.021
10:32:41 AM	0.023
10:33:41 AM	0.023
10:34:41 AM	0.021
10:35:41 AM	0.022
10:36:41 AM	0.022
10:37:41 AM	0.023
10:38:41 AM	0.023
10:39:41 AM	0.024
10:40:41 AM	0.022
10:41:41 AM	0.023
10:42:41 AM	0.023
10:43:41 AM	0.024
10:44:41 AM	0.022
10:45:41 AM	0.023
10:46:41 AM	0.022
10:47:41 AM	0.022
10:48:41 AM	0.023
10:49:41 AM	0.025
10:50:41 AM	0.023
10:51:41 AM	0.022
10:52:41 AM	0.021
10:53:41 AM	0.021
10:54:41 AM	0.027
10:55:41 AM	0.023
10:56:41 AM	0.022
10:57:41 AM	0.021
10:58:41 AM	0.022
10:59:41 AM	0.023
11:00:41 AM	0.023
11:01:41 AM	0.02
11:02:41 AM	0.021
11:03:41 AM	0.021
11:04:41 AM	0.02

11:05:41 AM	0.021
11:06:41 AM	0.023
11:07:41 AM	0.023
11:08:41 AM	0.025
11:09:41 AM	0.029
11:10:41 AM	0.028
11:11:41 AM	0.024
11:12:41 AM	0.029
11:13:41 AM	0.024
11:14:41 AM	0.021
11:15:41 AM	0.023
11:16:41 AM	0.023
11:17:41 AM	0.022
11:18:41 AM	0.02
11:19:41 AM	0.02
11:20:41 AM	0.021
11:21:41 AM	0.028
11:22:41 AM	0.024
11:23:41 AM	0.028
11:24:41 AM	0.027
11:25:41 AM	0.086
11:26:41 AM	0.033
11:27:41 AM	0.042
11:28:41 AM	0.021
11:29:41 AM	0.021
11:30:41 AM	0.021
11:31:41 AM	0.021
11:32:41 AM	0.022
11:33:41 AM	0.022
11:34:41 AM	0.021
11:35:41 AM	0.02
11:36:41 AM	0.02
11:37:41 AM	0.022
11:38:41 AM	0.02
11:39:41 AM	0.02
11:40:41 AM	0.02
11:41:41 AM	0.02
11:42:41 AM	0.02
11:43:41 AM	0.02
11:44:41 AM	0.019
11:45:41 AM	0.02
11:46:41 AM	0.02
11:47:41 AM	0.02
11:48:41 AM	0.02

11:49:41 AM	0.022
11:50:41 AM	0.022
11:51:41 AM	0.02
11:52:41 AM	0.021
11:53:41 AM	0.019
11:54:41 AM	0.02
11:55:41 AM	0.019
11:56:41 AM	0.02
11:57:41 AM	0.022
11:58:41 AM	0.024
11:59:41 AM	0.02
12:00:41 PM	0.02
12:01:41 PM	0.021
12:02:41 PM	0.019
12:03:41 PM	0.023
12:04:41 PM	0.022
12:05:41 PM	0.046
12:06:41 PM	0.02
12:07:41 PM	0.022
12:08:41 PM	0.021
12:09:41 PM	0.021
12:10:41 PM	0.035
12:11:41 PM	0.018
12:12:41 PM	0.019
12:13:41 PM	0.019
12:14:41 PM	0.019
12:15:41 PM	0.019
12:16:41 PM	0.021
12:17:41 PM	0.019
12:18:41 PM	0.019
12:19:41 PM	0.019
12:20:41 PM	0.021
12:21:41 PM	0.019
12:22:41 PM	0.019
12:23:41 PM	0.019
12:24:41 PM	0.019
12:25:41 PM	0.019
12:26:41 PM	0.019
12:27:41 PM	0.018
12:28:41 PM	0.019
12:29:41 PM	0.019
12:30:41 PM	0.019
12:31:41 PM	0.019
12:32:41 PM	0.019

12:33:41 PM	0.019
12:34:41 PM	0.02
12:35:41 PM	0.022
12:36:41 PM	0.022
12:37:41 PM	0.02
12:38:41 PM	0.02
12:39:41 PM	0.022
12:40:41 PM	0.021
12:41:41 PM	0.021
12:42:41 PM	0.019
12:43:41 PM	0.02
12:44:41 PM	0.045
12:45:41 PM	0.023
12:46:41 PM	0.02
12:47:41 PM	0.021
12:48:41 PM	0.023
12:49:41 PM	0.021
12:50:41 PM	0.02
12:51:41 PM	0.02
12:52:41 PM	0.019
12:53:41 PM	0.02
12:54:41 PM	0.019
12:55:41 PM	0.022
12:56:41 PM	0.051
12:57:41 PM	0.022
12:58:41 PM	0.022
12:59:41 PM	0.024
1:00:41 PM	0.02
1:01:41 PM	0.02
1:02:41 PM	0.021
1:03:41 PM	0.02
1:04:41 PM	0.021
1:05:41 PM	0.021
1:06:41 PM	0.019
1:07:41 PM	0.017
1:08:41 PM	0.018
1:09:41 PM	0.018
1:10:41 PM	0.018
1:11:41 PM	0.018
1:12:41 PM	0.018
1:13:41 PM	0.019
1:14:41 PM	0.02
1:15:41 PM	0.02
1:16:41 PM	0.019

1:17:41 PM	0.019
1:18:41 PM	0.019
1:19:41 PM	0.018
1:20:41 PM	0.019
1:21:41 PM	0.019
1:22:41 PM	0.019
1:23:41 PM	0.018
1:24:41 PM	0.017
1:25:41 PM	0.018
1:26:41 PM	0.018
1:27:41 PM	0.027
1:28:41 PM	0.024
1:29:41 PM	0.024
1:30:41 PM	0.02
1:31:41 PM	0.024
1:32:41 PM	0.025
1:33:41 PM	0.025
1:34:41 PM	0.02
1:35:41 PM	0.023
1:36:41 PM	0.023
1:37:41 PM	0.025
1:38:41 PM	0.024
1:39:41 PM	0.022
1:40:41 PM	0.033
1:41:41 PM	0.028
1:42:41 PM	0.03
1:43:41 PM	0.038
1:44:41 PM	0.02
1:45:41 PM	0.022
1:46:41 PM	0.021
1:47:41 PM	0.019
1:48:41 PM	0.019
1:49:41 PM	0.02
1:50:41 PM	0.02
1:51:41 PM	0.019
1:52:41 PM	0.021
1:53:41 PM	0.02
1:54:41 PM	0.019
1:55:41 PM	0.021
1:56:41 PM	0.021
1:57:41 PM	0.027
1:58:41 PM	0.025
1:59:41 PM	0.021
2:00:41 PM	0.019

2:01:41 PM	0.02
2:02:41 PM	0.024
2:03:41 PM	0.02
2:04:41 PM	0.019
2:05:41 PM	0.018
2:06:41 PM	0.019
2:07:41 PM	0.02
2:08:41 PM	0.021
2:09:41 PM	0.02
2:10:41 PM	0.021
2:11:41 PM	0.021
2:12:41 PM	0.024
2:13:41 PM	0.024
2:14:41 PM	0.023
2:15:41 PM	0.021
2:16:41 PM	0.021
2:17:41 PM	0.021
2:18:41 PM	0.021
2:19:41 PM	0.02
2:20:41 PM	0.022
2:21:41 PM	0.021
2:22:41 PM	0.025
2:23:41 PM	0.064
2:24:41 PM	0.055
2:25:41 PM	0.019
2:26:41 PM	0.022
2:27:41 PM	0.023
2:28:41 PM	0.02
2:29:41 PM	0.021
2:30:41 PM	0.021
2:31:41 PM	0.022
2:32:41 PM	0.025
2:33:41 PM	0.022
2:34:41 PM	0.023
2:35:41 PM	0.023
2:36:41 PM	0.024
2:37:41 PM	0.024
2:38:41 PM	0.024
2:39:41 PM	0.022
2:40:41 PM	0.022
2:41:41 PM	0.024
2:42:41 PM	0.023
2:43:41 PM	0.023
2:44:41 PM	0.023

2:45:41 PM	0.024
2:46:41 PM	0.025
2:47:41 PM	0.025
2:48:41 PM	0.025
2:49:41 PM	0.026
2:50:41 PM	0.029
2:51:41 PM	0.025
2:52:41 PM	0.024
2:53:41 PM	0.024
2:54:41 PM	0.023
2:55:41 PM	0.024
2:56:41 PM	0.023
2:57:41 PM	0.023
2:58:41 PM	0.025
2:59:41 PM	0.026
3:00:41 PM	0.026
3:01:41 PM	0.025
3:02:41 PM	0.025
3:03:41 PM	0.024
3:04:41 PM	0.023
3:05:41 PM	0.026
3:06:41 PM	0.027
3:07:41 PM	0.025
3:08:41 PM	0.024
3:09:41 PM	0.024
3:10:41 PM	0.023
3:11:41 PM	0.024
3:12:41 PM	0.025
3:13:41 PM	0.026
3:14:41 PM	0.025
3:15:41 PM	0.026
3:16:41 PM	0.023
3:17:41 PM	0.024
3:18:41 PM	0.023
3:19:41 PM	0.022
3:20:41 PM	0.024
3:21:41 PM	0.023
3:22:41 PM	0.022
3:23:41 PM	0.023
3:24:41 PM	0.023
3:25:41 PM	0.022
3:26:41 PM	0.022
3:27:41 PM	0.026
3:28:41 PM	0.023

3:29:41 PM	0.027
3:30:41 PM	0.028
3:31:41 PM	0.027
3:32:41 PM	0.023
3:33:41 PM	0.027
3:34:41 PM	0.026
3:35:41 PM	0.024
3:36:41 PM	0.025
3:37:41 PM	0.024
3:38:41 PM	0.023
3:39:41 PM	0.027
3:40:41 PM	0.022
3:41:41 PM	0.023
3:42:41 PM	0.025
3:43:41 PM	0.022
3:44:41 PM	0.024
3:45:41 PM	0.027
3:46:41 PM	0.026
3:47:41 PM	0.022
3:48:41 PM	0.022
3:49:41 PM	0.024
3:50:41 PM	0.057
3:51:41 PM	0.027
3:52:41 PM	0.027
3:53:41 PM	0.032
3:54:41 PM	0.027
3:55:41 PM	0.023
3:56:41 PM	0.02
3:57:41 PM	0.021
3:58:41 PM	0.022
3:59:41 PM	0.023
4:00:41 PM	0.02
4:01:41 PM	0.019
4:02:41 PM	0.02

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/18/2024 16:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 16:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 16:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 16:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 16:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 16:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 16:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 15:35	Readings	PID	SC23030124AA	Normal	0

592-908641	7/18/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:32	Readings	PID	SC23030124AA	Normal	0

592-908641	7/18/2024 9:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 9:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 8:59	Readings	PID	SC23030124AA	Normal	0

592-908641	7/18/2024 7:19 Readings	PID	SC23030124AA	Normal	0
592-908641	7/18/2024 7:18 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	7:05:07 AM
Test Start Date	7/18/2024
Test Length [D:H:M]	0:08:56
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.026
Mass Minimum [mg/m3]	0.019
Mass Maximum [mg/m3]	0.072
Mass TWA [mg/m3]	0.025
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	536

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:05:07 AM	0.025		
7:06:07 AM	0.025		
7:07:07 AM	0.025		
7:08:07 AM	0.024		
7:09:07 AM	0.024		
7:10:07 AM	0.025		
7:11:07 AM	0.026		
7:12:07 AM	0.024		
7:13:07 AM	0.024		
7:14:07 AM	0.024		
7:15:07 AM	0.024		
7:16:07 AM	0.024		
7:17:07 AM	0.025		
7:18:07 AM	0.025		
7:19:07 AM	0.025		
7:20:07 AM	0.027		
7:21:07 AM	0.027		
7:22:07 AM	0.027		
7:23:07 AM	0.027		
7:24:07 AM	0.025		
7:25:07 AM	0.024		
7:26:07 AM	0.024		
7:27:07 AM	0.024		
7:28:07 AM	0.024		

7:29:07 AM	0.024
7:30:07 AM	0.024
7:31:07 AM	0.024
7:32:07 AM	0.025
7:33:07 AM	0.026
7:34:07 AM	0.025
7:35:07 AM	0.025
7:36:07 AM	0.025
7:37:07 AM	0.025
7:38:07 AM	0.024
7:39:07 AM	0.025
7:40:07 AM	0.027
7:41:07 AM	0.025
7:42:07 AM	0.024
7:43:07 AM	0.024
7:44:07 AM	0.025
7:45:07 AM	0.025
7:46:07 AM	0.026
7:47:07 AM	0.023
7:48:07 AM	0.022
7:49:07 AM	0.023
7:50:07 AM	0.022
7:51:07 AM	0.023
7:52:07 AM	0.023
7:53:07 AM	0.022
7:54:07 AM	0.022
7:55:07 AM	0.023
7:56:07 AM	0.022
7:57:07 AM	0.023
7:58:07 AM	0.022
7:59:07 AM	0.023
8:00:07 AM	0.023
8:01:07 AM	0.025
8:02:07 AM	0.024
8:03:07 AM	0.023
8:04:07 AM	0.023
8:05:07 AM	0.022
8:06:07 AM	0.023
8:07:07 AM	0.023
8:08:07 AM	0.024
8:09:07 AM	0.024
8:10:07 AM	0.022
8:11:07 AM	0.021
8:12:07 AM	0.023

8:13:07 AM	0.024
8:14:07 AM	0.022
8:15:07 AM	0.022
8:16:07 AM	0.023
8:17:07 AM	0.025
8:18:07 AM	0.027
8:19:07 AM	0.027
8:20:07 AM	0.026
8:21:07 AM	0.025
8:22:07 AM	0.027
8:23:07 AM	0.024
8:24:07 AM	0.025
8:25:07 AM	0.025
8:26:07 AM	0.023
8:27:07 AM	0.061
8:28:07 AM	0.024
8:29:07 AM	0.072
8:30:07 AM	0.023
8:31:07 AM	0.021
8:32:07 AM	0.022
8:33:07 AM	0.022
8:34:07 AM	0.022
8:35:07 AM	0.022
8:36:07 AM	0.023
8:37:07 AM	0.024
8:38:07 AM	0.023
8:39:07 AM	0.023
8:40:07 AM	0.024
8:41:07 AM	0.035
8:42:07 AM	0.025
8:43:07 AM	0.026
8:44:07 AM	0.026
8:45:07 AM	0.025
8:46:07 AM	0.024
8:47:07 AM	0.024
8:48:07 AM	0.024
8:49:07 AM	0.026
8:50:07 AM	0.026
8:51:07 AM	0.025
8:52:07 AM	0.027
8:53:07 AM	0.029
8:54:07 AM	0.026
8:55:07 AM	0.026
8:56:07 AM	0.027

8:57:07 AM	0.026
8:58:07 AM	0.026
8:59:07 AM	0.024
9:00:07 AM	0.023
9:01:07 AM	0.023
9:02:07 AM	0.022
9:03:07 AM	0.024
9:04:07 AM	0.024
9:05:07 AM	0.023
9:06:07 AM	0.024
9:07:07 AM	0.023
9:08:07 AM	0.023
9:09:07 AM	0.024
9:10:07 AM	0.023
9:11:07 AM	0.023
9:12:07 AM	0.022
9:13:07 AM	0.021
9:14:07 AM	0.021
9:15:07 AM	0.022
9:16:07 AM	0.021
9:17:07 AM	0.023
9:18:07 AM	0.03
9:19:07 AM	0.032
9:20:07 AM	0.026
9:21:07 AM	0.022
9:22:07 AM	0.021
9:23:07 AM	0.022
9:24:07 AM	0.024
9:25:07 AM	0.023
9:26:07 AM	0.023
9:27:07 AM	0.023
9:28:07 AM	0.021
9:29:07 AM	0.023
9:30:07 AM	0.023
9:31:07 AM	0.023
9:32:07 AM	0.023
9:33:07 AM	0.022
9:34:07 AM	0.023
9:35:07 AM	0.022
9:36:07 AM	0.022
9:37:07 AM	0.022
9:38:07 AM	0.021
9:39:07 AM	0.047
9:40:07 AM	0.024

9:41:07 AM	0.023
9:42:07 AM	0.022
9:43:07 AM	0.022
9:44:07 AM	0.022
9:45:07 AM	0.022
9:46:07 AM	0.023
9:47:07 AM	0.023
9:48:07 AM	0.023
9:49:07 AM	0.023
9:50:07 AM	0.023
9:51:07 AM	0.022
9:52:07 AM	0.02
9:53:07 AM	0.02
9:54:07 AM	0.021
9:55:07 AM	0.022
9:56:07 AM	0.021
9:57:07 AM	0.021
9:58:07 AM	0.024
9:59:07 AM	0.021
10:00:07 AM	0.022
10:01:07 AM	0.021
10:02:07 AM	0.02
10:03:07 AM	0.037
10:04:07 AM	0.021
10:05:07 AM	0.021
10:06:07 AM	0.022
10:07:07 AM	0.02
10:08:07 AM	0.027
10:09:07 AM	0.021
10:10:07 AM	0.019
10:11:07 AM	0.02
10:12:07 AM	0.021
10:13:07 AM	0.02
10:14:07 AM	0.027
10:15:07 AM	0.024
10:16:07 AM	0.021
10:17:07 AM	0.02
10:18:07 AM	0.02
10:19:07 AM	0.02
10:20:07 AM	0.021
10:21:07 AM	0.021
10:22:07 AM	0.022
10:23:07 AM	0.024
10:24:07 AM	0.024

10:25:07 AM	0.026
10:26:07 AM	0.026
10:27:07 AM	0.023
10:28:07 AM	0.023
10:29:07 AM	0.025
10:30:07 AM	0.023
10:31:07 AM	0.022
10:32:07 AM	0.022
10:33:07 AM	0.023
10:34:07 AM	0.024
10:35:07 AM	0.025
10:36:07 AM	0.026
10:37:07 AM	0.024
10:38:07 AM	0.024
10:39:07 AM	0.025
10:40:07 AM	0.023
10:41:07 AM	0.023
10:42:07 AM	0.023
10:43:07 AM	0.023
10:44:07 AM	0.025
10:45:07 AM	0.029
10:46:07 AM	0.027
10:47:07 AM	0.022
10:48:07 AM	0.022
10:49:07 AM	0.022
10:50:07 AM	0.021
10:51:07 AM	0.027
10:52:07 AM	0.023
10:53:07 AM	0.024
10:54:07 AM	0.022
10:55:07 AM	0.022
10:56:07 AM	0.022
10:57:07 AM	0.023
10:58:07 AM	0.024
10:59:07 AM	0.022
11:00:07 AM	0.025
11:01:07 AM	0.027
11:02:07 AM	0.025
11:03:07 AM	0.023
11:04:07 AM	0.024
11:05:07 AM	0.025
11:06:07 AM	0.027
11:07:07 AM	0.029
11:08:07 AM	0.026

11:09:07 AM	0.026
11:10:07 AM	0.025
11:11:07 AM	0.023
11:12:07 AM	0.023
11:13:07 AM	0.023
11:14:07 AM	0.023
11:15:07 AM	0.025
11:16:07 AM	0.024
11:17:07 AM	0.023
11:18:07 AM	0.023
11:19:07 AM	0.025
11:20:07 AM	0.025
11:21:07 AM	0.029
11:22:07 AM	0.023
11:23:07 AM	0.024
11:24:07 AM	0.022
11:25:07 AM	0.022
11:26:07 AM	0.022
11:27:07 AM	0.023
11:28:07 AM	0.022
11:29:07 AM	0.021
11:30:07 AM	0.022
11:31:07 AM	0.023
11:32:07 AM	0.023
11:33:07 AM	0.023
11:34:07 AM	0.024
11:35:07 AM	0.024
11:36:07 AM	0.024
11:37:07 AM	0.025
11:38:07 AM	0.024
11:39:07 AM	0.023
11:40:07 AM	0.023
11:41:07 AM	0.025
11:42:07 AM	0.021
11:43:07 AM	0.023
11:44:07 AM	0.026
11:45:07 AM	0.026
11:46:07 AM	0.025
11:47:07 AM	0.027
11:48:07 AM	0.026
11:49:07 AM	0.027
11:50:07 AM	0.025
11:51:07 AM	0.023
11:52:07 AM	0.025

11:53:07 AM	0.023
11:54:07 AM	0.022
11:55:07 AM	0.023
11:56:07 AM	0.022
11:57:07 AM	0.022
11:58:07 AM	0.021
11:59:07 AM	0.02
12:00:07 PM	0.021
12:01:07 PM	0.022
12:02:07 PM	0.021
12:03:07 PM	0.023
12:04:07 PM	0.022
12:05:07 PM	0.021
12:06:07 PM	0.022
12:07:07 PM	0.022
12:08:07 PM	0.022
12:09:07 PM	0.021
12:10:07 PM	0.027
12:11:07 PM	0.023
12:12:07 PM	0.025
12:13:07 PM	0.022
12:14:07 PM	0.022
12:15:07 PM	0.022
12:16:07 PM	0.023
12:17:07 PM	0.023
12:18:07 PM	0.023
12:19:07 PM	0.024
12:20:07 PM	0.024
12:21:07 PM	0.024
12:22:07 PM	0.022
12:23:07 PM	0.022
12:24:07 PM	0.024
12:25:07 PM	0.022
12:26:07 PM	0.023
12:27:07 PM	0.022
12:28:07 PM	0.022
12:29:07 PM	0.024
12:30:07 PM	0.023
12:31:07 PM	0.023
12:32:07 PM	0.022
12:33:07 PM	0.022
12:34:07 PM	0.024
12:35:07 PM	0.023
12:36:07 PM	0.023

12:37:07 PM	0.023
12:38:07 PM	0.024
12:39:07 PM	0.028
12:40:07 PM	0.028
12:41:07 PM	0.03
12:42:07 PM	0.026
12:43:07 PM	0.024
12:44:07 PM	0.026
12:45:07 PM	0.023
12:46:07 PM	0.023
12:47:07 PM	0.022
12:48:07 PM	0.024
12:49:07 PM	0.024
12:50:07 PM	0.023
12:51:07 PM	0.023
12:52:07 PM	0.023
12:53:07 PM	0.024
12:54:07 PM	0.023
12:55:07 PM	0.023
12:56:07 PM	0.024
12:57:07 PM	0.027
12:58:07 PM	0.024
12:59:07 PM	0.023
1:00:07 PM	0.024
1:01:07 PM	0.022
1:02:07 PM	0.022
1:03:07 PM	0.021
1:04:07 PM	0.023
1:05:07 PM	0.022
1:06:07 PM	0.025
1:07:07 PM	0.024
1:08:07 PM	0.023
1:09:07 PM	0.022
1:10:07 PM	0.025
1:11:07 PM	0.024
1:12:07 PM	0.024
1:13:07 PM	0.022
1:14:07 PM	0.021
1:15:07 PM	0.022
1:16:07 PM	0.022
1:17:07 PM	0.023
1:18:07 PM	0.022
1:19:07 PM	0.022
1:20:07 PM	0.022

1:21:07 PM	0.022
1:22:07 PM	0.022
1:23:07 PM	0.022
1:24:07 PM	0.023
1:25:07 PM	0.025
1:26:07 PM	0.026
1:27:07 PM	0.026
1:28:07 PM	0.034
1:29:07 PM	0.027
1:30:07 PM	0.025
1:31:07 PM	0.025
1:32:07 PM	0.026
1:33:07 PM	0.025
1:34:07 PM	0.028
1:35:07 PM	0.039
1:36:07 PM	0.027
1:37:07 PM	0.027
1:38:07 PM	0.031
1:39:07 PM	0.026
1:40:07 PM	0.028
1:41:07 PM	0.026
1:42:07 PM	0.027
1:43:07 PM	0.029
1:44:07 PM	0.026
1:45:07 PM	0.029
1:46:07 PM	0.027
1:47:07 PM	0.026
1:48:07 PM	0.027
1:49:07 PM	0.031
1:50:07 PM	0.027
1:51:07 PM	0.024
1:52:07 PM	0.032
1:53:07 PM	0.028
1:54:07 PM	0.027
1:55:07 PM	0.032
1:56:07 PM	0.03
1:57:07 PM	0.031
1:58:07 PM	0.029
1:59:07 PM	0.03
2:00:07 PM	0.027
2:01:07 PM	0.026
2:02:07 PM	0.027
2:03:07 PM	0.03
2:04:07 PM	0.027

2:05:07 PM	0.027
2:06:07 PM	0.027
2:07:07 PM	0.031
2:08:07 PM	0.028
2:09:07 PM	0.029
2:10:07 PM	0.028
2:11:07 PM	0.033
2:12:07 PM	0.033
2:13:07 PM	0.027
2:14:07 PM	0.027
2:15:07 PM	0.031
2:16:07 PM	0.029
2:17:07 PM	0.027
2:18:07 PM	0.031
2:19:07 PM	0.032
2:20:07 PM	0.028
2:21:07 PM	0.027
2:22:07 PM	0.029
2:23:07 PM	0.028
2:24:07 PM	0.027
2:25:07 PM	0.029
2:26:07 PM	0.028
2:27:07 PM	0.031
2:28:07 PM	0.029
2:29:07 PM	0.029
2:30:07 PM	0.031
2:31:07 PM	0.033
2:32:07 PM	0.032
2:33:07 PM	0.046
2:34:07 PM	0.033
2:35:07 PM	0.031
2:36:07 PM	0.028
2:37:07 PM	0.029
2:38:07 PM	0.03
2:39:07 PM	0.029
2:40:07 PM	0.032
2:41:07 PM	0.037
2:42:07 PM	0.032
2:43:07 PM	0.034
2:44:07 PM	0.033
2:45:07 PM	0.033
2:46:07 PM	0.033
2:47:07 PM	0.039
2:48:07 PM	0.031

2:49:07 PM	0.037
2:50:07 PM	0.037
2:51:07 PM	0.035
2:52:07 PM	0.048
2:53:07 PM	0.045
2:54:07 PM	0.037
2:55:07 PM	0.033
2:56:07 PM	0.032
2:57:07 PM	0.034
2:58:07 PM	0.032
2:59:07 PM	0.032
3:00:07 PM	0.031
3:01:07 PM	0.029
3:02:07 PM	0.029
3:03:07 PM	0.03
3:04:07 PM	0.03
3:05:07 PM	0.031
3:06:07 PM	0.037
3:07:07 PM	0.045
3:08:07 PM	0.03
3:09:07 PM	0.034
3:10:07 PM	0.032
3:11:07 PM	0.032
3:12:07 PM	0.032
3:13:07 PM	0.033
3:14:07 PM	0.03
3:15:07 PM	0.029
3:16:07 PM	0.029
3:17:07 PM	0.03
3:18:07 PM	0.029
3:19:07 PM	0.031
3:20:07 PM	0.036
3:21:07 PM	0.038
3:22:07 PM	0.05
3:23:07 PM	0.035
3:24:07 PM	0.032
3:25:07 PM	0.032
3:26:07 PM	0.033
3:27:07 PM	0.03
3:28:07 PM	0.028
3:29:07 PM	0.03
3:30:07 PM	0.03
3:31:07 PM	0.03
3:32:07 PM	0.035

3:33:07 PM	0.03
3:34:07 PM	0.028
3:35:07 PM	0.035
3:36:07 PM	0.029
3:37:07 PM	0.031
3:38:07 PM	0.033
3:39:07 PM	0.03
3:40:07 PM	0.029
3:41:07 PM	0.029
3:42:07 PM	0.031
3:43:07 PM	0.032
3:44:07 PM	0.029
3:45:07 PM	0.034
3:46:07 PM	0.032
3:47:07 PM	0.033
3:48:07 PM	0.031
3:49:07 PM	0.029
3:50:07 PM	0.032
3:51:07 PM	0.031
3:52:07 PM	0.028
3:53:07 PM	0.026
3:54:07 PM	0.027
3:55:07 PM	0.028
3:56:07 PM	0.026
3:57:07 PM	0.025
3:58:07 PM	0.026
3:59:07 PM	0.027
4:00:07 PM	0.03

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	1
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0.9
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:12	Readings	PID	SC23030186C8	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	1
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0.9
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:11	Readings	PID	SC23030186C8	Normal	0
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	1
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0.8
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 16:10	Readings	PID	SC23030124AA	Normal	0

592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	1.4
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	1.2
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:53 Readings	PID	SC23030186C8	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	1.5
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	1
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:52 Readings	PID	SC23030186C8	Normal	0
592-602806	7/18/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 9:51 Readings	PID	SC23030124AA	Normal	1.4
592-602806	7/18/2024 9:51 Readings	PID	SC23030124AA	Normal	1.4

592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	1.3
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0.5
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:58	Readings	PID	SC23030186C8	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	1.2
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0.7
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:57	Readings	PID	SC23030186C8	Normal	0
592-602806	7/18/2024 8:56	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:56	Readings	PID	SC23030124AA	Normal	0
592-602806	7/18/2024 8:56	Readings	PID	SC23030124AA	Normal	1.3
592-602806	7/18/2024 8:56	Readings	PID	SC23030124AA	Normal	0.8

