

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	S 6 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/19/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:45

Time Offsite: 16:15

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas / Victor Barraza

WSP (Environmental oversight) – Tim Williams

Capital/KFS (Contractor)

Bradford (SSDS Contractor)

Cascade (ISS Contractor)

ADS (Drillers)

ECS (dewatering)

Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations according to wind direction; IEEG to gauge all sentinel wells; Bradford to continue with sewer and drain pipe installation at south building cellar; continued ISS QA/QC coring of ISS pilot columns; KFS to continue vapor-barrier installation and foundation construction at south building; and de-water EP-90 spill area.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS continued with rebar fabrication and vapor-barrier installation;
- ADS performs QA/QC coring via split spoon method of ISS Pilot Columns, mix A: columns A1-A2 and A1 Center overlap was completed, completion of C1-C2 overlap to terminal depth will continue Monday (7/22/24);
- Bradford continued with installation of sewer and SSDS pipe installation at south building cellar, installed SSDS pipes were backfilled with approved gravel. It should be noted that SSDS work is being performed 'at risk';
- Active dewatering in EP-90/EP-38 excavation area;
- Six (6) loads of approved fill (crushed limestone) was unloaded/backfilled on site;
- Six (6) loads of soil were disposed off site to Bayshore facility
 - One (1) truckload was live loaded in the Spill #2308807 /EP-90 area and disposed of at the Bayshore facility, ATMOS and HMA was extensively sprayed to suppress odors, screening via a PID reached a maximum reading of 2.5 ppm;
- Endpoint sample EP-38 (13') collected; and

- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.04_ mg/m³ @ 06:59
- High Conditions (Upwind) – PID = _1.8_ ppm @ 08:12, Dust = _0.111_ mg/m³ @ 10:23
- High Conditions (Downwind 1) – PID = _4.4_ ppm @ 11:35, Dust = _0.177_ mg/m³ @ 07:06
- High Conditions (Downwind 2) – PID = _0.6_ ppm @ 14:00, Dust = _0.07_ mg/m³ @ 15:48

Notable Site Conditions:

- Dust suppression was implemented periodically during work activities.

Planned Activities for the Next Day/Week:

- KFS to continue rebar fabrication and vapor barrier installation at the south building;
- Bradford to continue sewer and drainpipe installation;
- Control Point to survey sample locations
- Continued QA/QC Coring via split spoon methodology of ISS columns.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of truck being washed prior to departing the Site.



Photo 2 –

Representative photo of soil load out.



Photo 3 –

Representative
photo of live
loading truck in
EP-90, spill area.



Photo 4 –

Representative
photo ATMOS
being applied to
spill area.



Photo 5 –

Representative
photo of spill
2308807 area
covered with
poly at the end of
day.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_012
Test Start Time	6:59:52 AM
Test Start Date	7/19/2024
Test Length [D:H:M]	0:08:46
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.015
Mass Maximum [mg/m3]	0.111
Mass TWA [mg/m3]	0.034
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	526

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:59:52 AM	0.04		
7:00:52 AM	0.041		
7:01:52 AM	0.04		
7:02:52 AM	0.039		
7:03:52 AM	0.038		
7:04:52 AM	0.037		
7:05:52 AM	0.038		
7:06:52 AM	0.038		
7:07:52 AM	0.036		
7:08:52 AM	0.034		
7:09:52 AM	0.034		
7:10:52 AM	0.032		
7:11:52 AM	0.032		
7:12:52 AM	0.034		
7:13:52 AM	0.032		
7:14:52 AM	0.031		
7:15:52 AM	0.03		
7:16:52 AM	0.03		
7:17:52 AM	0.029		
7:18:52 AM	0.029		
7:19:52 AM	0.029		
7:20:52 AM	0.028		
7:21:52 AM	0.027		
7:22:52 AM	0.027		

7:23:52 AM	0.027
7:24:52 AM	0.027
7:25:52 AM	0.028
7:26:52 AM	0.026
7:27:52 AM	0.027
7:28:52 AM	0.03
7:29:52 AM	0.026
7:30:52 AM	0.025
7:31:52 AM	0.024
7:32:52 AM	0.026
7:33:52 AM	0.025
7:34:52 AM	0.023
7:35:52 AM	0.024
7:36:52 AM	0.022
7:37:52 AM	0.022
7:38:52 AM	0.022
7:39:52 AM	0.021
7:40:52 AM	0.021
7:41:52 AM	0.022
7:42:52 AM	0.021
7:43:52 AM	0.02
7:44:52 AM	0.018
7:45:52 AM	0.019
7:46:52 AM	0.018
7:47:52 AM	0.018
7:48:52 AM	0.018
7:49:52 AM	0.016
7:50:52 AM	0.015
7:51:52 AM	0.016
7:52:52 AM	0.016
7:53:52 AM	0.017
7:54:52 AM	0.015
7:55:52 AM	0.015
7:56:52 AM	0.018
7:57:52 AM	0.019
7:58:52 AM	0.019
7:59:52 AM	0.019
8:00:52 AM	0.018
8:01:52 AM	0.017
8:02:52 AM	0.017
8:03:52 AM	0.017
8:04:52 AM	0.016
8:05:52 AM	0.016
8:06:52 AM	0.015

8:07:52 AM	0.016
8:08:52 AM	0.017
8:09:52 AM	0.019
8:10:52 AM	0.021
8:11:52 AM	0.019
8:12:52 AM	0.019
8:13:52 AM	0.018
8:14:52 AM	0.018
8:15:52 AM	0.017
8:16:52 AM	0.017
8:17:52 AM	0.017
8:18:52 AM	0.016
8:19:52 AM	0.017
8:20:52 AM	0.017
8:21:52 AM	0.017
8:22:52 AM	0.017
8:23:52 AM	0.017
8:24:52 AM	0.017
8:25:52 AM	0.017
8:26:52 AM	0.017
8:27:52 AM	0.018
8:28:52 AM	0.018
8:29:52 AM	0.018
8:30:52 AM	0.018
8:31:52 AM	0.019
8:32:52 AM	0.019
8:33:52 AM	0.019
8:34:52 AM	0.019
8:35:52 AM	0.019
8:36:52 AM	0.019
8:37:52 AM	0.018
8:38:52 AM	0.019
8:39:52 AM	0.018
8:40:52 AM	0.018
8:41:52 AM	0.019
8:42:52 AM	0.018
8:43:52 AM	0.018
8:44:52 AM	0.028
8:45:52 AM	0.071
8:46:52 AM	0.036
8:47:52 AM	0.02
8:48:52 AM	0.023
8:49:52 AM	0.045
8:50:52 AM	0.074

8:51:52 AM	0.02
8:52:52 AM	0.021
8:53:52 AM	0.022
8:54:52 AM	0.023
8:55:52 AM	0.029
8:56:52 AM	0.02
8:57:52 AM	0.019
8:58:52 AM	0.019
8:59:52 AM	0.019
9:00:52 AM	0.019
9:01:52 AM	0.019
9:02:52 AM	0.019
9:03:52 AM	0.02
9:04:52 AM	0.02
9:05:52 AM	0.02
9:06:52 AM	0.02
9:07:52 AM	0.02
9:08:52 AM	0.02
9:09:52 AM	0.021
9:10:52 AM	0.022
9:11:52 AM	0.021
9:12:52 AM	0.02
9:13:52 AM	0.021
9:14:52 AM	0.022
9:15:52 AM	0.023
9:16:52 AM	0.023
9:17:52 AM	0.022
9:18:52 AM	0.022
9:19:52 AM	0.022
9:20:52 AM	0.024
9:21:52 AM	0.022
9:22:52 AM	0.021
9:23:52 AM	0.021
9:24:52 AM	0.021
9:25:52 AM	0.021
9:26:52 AM	0.021
9:27:52 AM	0.022
9:28:52 AM	0.022
9:29:52 AM	0.022
9:30:52 AM	0.022
9:31:52 AM	0.021
9:32:52 AM	0.022
9:33:52 AM	0.024
9:34:52 AM	0.023

9:35:52 AM	0.024
9:36:52 AM	0.024
9:37:52 AM	0.024
9:38:52 AM	0.026
9:39:52 AM	0.025
9:40:52 AM	0.025
9:41:52 AM	0.026
9:42:52 AM	0.027
9:43:52 AM	0.032
9:44:52 AM	0.027
9:45:52 AM	0.033
9:46:52 AM	0.041
9:47:52 AM	0.034
9:48:52 AM	0.029
9:49:52 AM	0.028
9:50:52 AM	0.028
9:51:52 AM	0.029
9:52:52 AM	0.037
9:53:52 AM	0.034
9:54:52 AM	0.032
9:55:52 AM	0.03
9:56:52 AM	0.029
9:57:52 AM	0.029
9:58:52 AM	0.029
9:59:52 AM	0.039
10:00:52 AM	0.054
10:01:52 AM	0.039
10:02:52 AM	0.031
10:03:52 AM	0.029
10:04:52 AM	0.029
10:05:52 AM	0.029
10:06:52 AM	0.029
10:07:52 AM	0.03
10:08:52 AM	0.031
10:09:52 AM	0.033
10:10:52 AM	0.03
10:11:52 AM	0.038
10:12:52 AM	0.051
10:13:52 AM	0.037
10:14:52 AM	0.029
10:15:52 AM	0.03
10:16:52 AM	0.029
10:17:52 AM	0.029
10:18:52 AM	0.03

10:19:52 AM	0.032
10:20:52 AM	0.033
10:21:52 AM	0.036
10:22:52 AM	0.036
10:23:52 AM	0.111
10:24:52 AM	0.033
10:25:52 AM	0.033
10:26:52 AM	0.031
10:27:52 AM	0.032
10:28:52 AM	0.033
10:29:52 AM	0.032
10:30:52 AM	0.033
10:31:52 AM	0.034
10:32:52 AM	0.034
10:33:52 AM	0.035
10:34:52 AM	0.036
10:35:52 AM	0.036
10:36:52 AM	0.037
10:37:52 AM	0.04
10:38:52 AM	0.039
10:39:52 AM	0.039
10:40:52 AM	0.041
10:41:52 AM	0.055
10:42:52 AM	0.04
10:43:52 AM	0.038
10:44:52 AM	0.039
10:45:52 AM	0.039
10:46:52 AM	0.039
10:47:52 AM	0.038
10:48:52 AM	0.037
10:49:52 AM	0.037
10:50:52 AM	0.037
10:51:52 AM	0.037
10:52:52 AM	0.038
10:53:52 AM	0.041
10:54:52 AM	0.037
10:55:52 AM	0.037
10:56:52 AM	0.037
10:57:52 AM	0.037
10:58:52 AM	0.038
10:59:52 AM	0.039
11:00:52 AM	0.038
11:01:52 AM	0.037
11:02:52 AM	0.042

11:03:52 AM	0.041
11:04:52 AM	0.04
11:05:52 AM	0.041
11:06:52 AM	0.045
11:07:52 AM	0.098
11:08:52 AM	0.046
11:09:52 AM	0.045
11:10:52 AM	0.042
11:11:52 AM	0.04
11:12:52 AM	0.041
11:13:52 AM	0.042
11:14:52 AM	0.044
11:15:52 AM	0.043
11:16:52 AM	0.043
11:17:52 AM	0.044
11:18:52 AM	0.044
11:19:52 AM	0.042
11:20:52 AM	0.048
11:21:52 AM	0.046
11:22:52 AM	0.044
11:23:52 AM	0.052
11:24:52 AM	0.048
11:25:52 AM	0.042
11:26:52 AM	0.045
11:27:52 AM	0.042
11:28:52 AM	0.044
11:29:52 AM	0.042
11:30:52 AM	0.043
11:31:52 AM	0.044
11:32:52 AM	0.044
11:33:52 AM	0.043
11:34:52 AM	0.044
11:35:52 AM	0.045
11:36:52 AM	0.045
11:37:52 AM	0.044
11:38:52 AM	0.046
11:39:52 AM	0.049
11:40:52 AM	0.044
11:41:52 AM	0.079
11:42:52 AM	0.062
11:43:52 AM	0.044
11:44:52 AM	0.043
11:45:52 AM	0.042
11:46:52 AM	0.047

11:47:52 AM	0.046
11:48:52 AM	0.044
11:49:52 AM	0.045
11:50:52 AM	0.043
11:51:52 AM	0.044
11:52:52 AM	0.045
11:53:52 AM	0.042
11:54:52 AM	0.041
11:55:52 AM	0.04
11:56:52 AM	0.04
11:57:52 AM	0.04
11:58:52 AM	0.041
11:59:52 AM	0.041
12:00:52 PM	0.039
12:01:52 PM	0.039
12:02:52 PM	0.04
12:03:52 PM	0.04
12:04:52 PM	0.041
12:05:52 PM	0.04
12:06:52 PM	0.04
12:07:52 PM	0.039
12:08:52 PM	0.039
12:09:52 PM	0.074
12:10:52 PM	0.042
12:11:52 PM	0.042
12:12:52 PM	0.043
12:13:52 PM	0.043
12:14:52 PM	0.044
12:15:52 PM	0.042
12:16:52 PM	0.044
12:17:52 PM	0.043
12:18:52 PM	0.044
12:19:52 PM	0.045
12:20:52 PM	0.044
12:21:52 PM	0.046
12:22:52 PM	0.044
12:23:52 PM	0.051
12:24:52 PM	0.047
12:25:52 PM	0.044
12:26:52 PM	0.045
12:27:52 PM	0.046
12:28:52 PM	0.046
12:29:52 PM	0.047
12:30:52 PM	0.045

12:31:52 PM	0.044
12:32:52 PM	0.043
12:33:52 PM	0.044
12:34:52 PM	0.044
12:35:52 PM	0.044
12:36:52 PM	0.043
12:37:52 PM	0.043
12:38:52 PM	0.044
12:39:52 PM	0.042
12:40:52 PM	0.041
12:41:52 PM	0.042
12:42:52 PM	0.046
12:43:52 PM	0.046
12:44:52 PM	0.045
12:45:52 PM	0.042
12:46:52 PM	0.04
12:47:52 PM	0.042
12:48:52 PM	0.045
12:49:52 PM	0.045
12:50:52 PM	0.044
12:51:52 PM	0.044
12:52:52 PM	0.043
12:53:52 PM	0.043
12:54:52 PM	0.043
12:55:52 PM	0.041
12:56:52 PM	0.04
12:57:52 PM	0.041
12:58:52 PM	0.043
12:59:52 PM	0.042
1:00:52 PM	0.041
1:01:52 PM	0.043
1:02:52 PM	0.044
1:03:52 PM	0.044
1:04:52 PM	0.042
1:05:52 PM	0.041
1:06:52 PM	0.039
1:07:52 PM	0.039
1:08:52 PM	0.04
1:09:52 PM	0.039
1:10:52 PM	0.039
1:11:52 PM	0.038
1:12:52 PM	0.038
1:13:52 PM	0.038
1:14:52 PM	0.038

1:15:52 PM	0.04
1:16:52 PM	0.039
1:17:52 PM	0.039
1:18:52 PM	0.039
1:19:52 PM	0.037
1:20:52 PM	0.037
1:21:52 PM	0.037
1:22:52 PM	0.039
1:23:52 PM	0.042
1:24:52 PM	0.041
1:25:52 PM	0.041
1:26:52 PM	0.041
1:27:52 PM	0.042
1:28:52 PM	0.041
1:29:52 PM	0.041
1:30:52 PM	0.041
1:31:52 PM	0.04
1:32:52 PM	0.04
1:33:52 PM	0.04
1:34:52 PM	0.039
1:35:52 PM	0.039
1:36:52 PM	0.039
1:37:52 PM	0.038
1:38:52 PM	0.039
1:39:52 PM	0.039
1:40:52 PM	0.038
1:41:52 PM	0.04
1:42:52 PM	0.04
1:43:52 PM	0.039
1:44:52 PM	0.041
1:45:52 PM	0.04
1:46:52 PM	0.04
1:47:52 PM	0.04
1:48:52 PM	0.039
1:49:52 PM	0.039
1:50:52 PM	0.038
1:51:52 PM	0.039
1:52:52 PM	0.038
1:53:52 PM	0.038
1:54:52 PM	0.038
1:55:52 PM	0.038
1:56:52 PM	0.038
1:57:52 PM	0.038
1:58:52 PM	0.038

1:59:52 PM	0.039
2:00:52 PM	0.04
2:01:52 PM	0.043
2:02:52 PM	0.039
2:03:52 PM	0.039
2:04:52 PM	0.039
2:05:52 PM	0.042
2:06:52 PM	0.039
2:07:52 PM	0.038
2:08:52 PM	0.037
2:09:52 PM	0.038
2:10:52 PM	0.039
2:11:52 PM	0.041
2:12:52 PM	0.038
2:13:52 PM	0.037
2:14:52 PM	0.038
2:15:52 PM	0.039
2:16:52 PM	0.039
2:17:52 PM	0.04
2:18:52 PM	0.038
2:19:52 PM	0.037
2:20:52 PM	0.038
2:21:52 PM	0.037
2:22:52 PM	0.038
2:23:52 PM	0.037
2:24:52 PM	0.036
2:25:52 PM	0.036
2:26:52 PM	0.036
2:27:52 PM	0.036
2:28:52 PM	0.036
2:29:52 PM	0.034
2:30:52 PM	0.034
2:31:52 PM	0.036
2:32:52 PM	0.036
2:33:52 PM	0.035
2:34:52 PM	0.035
2:35:52 PM	0.035
2:36:52 PM	0.036
2:37:52 PM	0.036
2:38:52 PM	0.036
2:39:52 PM	0.036
2:40:52 PM	0.037
2:41:52 PM	0.036
2:42:52 PM	0.036

2:43:52 PM	0.036
2:44:52 PM	0.046
2:45:52 PM	0.053
2:46:52 PM	0.038
2:47:52 PM	0.037
2:48:52 PM	0.059
2:49:52 PM	0.055
2:50:52 PM	0.039
2:51:52 PM	0.047
2:52:52 PM	0.041
2:53:52 PM	0.05
2:54:52 PM	0.057
2:55:52 PM	0.046
2:56:52 PM	0.042
2:57:52 PM	0.043
2:58:52 PM	0.039
2:59:52 PM	0.04
3:00:52 PM	0.041
3:01:52 PM	0.045
3:02:52 PM	0.041
3:03:52 PM	0.043
3:04:52 PM	0.039
3:05:52 PM	0.044
3:06:52 PM	0.045
3:07:52 PM	0.043
3:08:52 PM	0.036
3:09:52 PM	0.037
3:10:52 PM	0.039
3:11:52 PM	0.035
3:12:52 PM	0.035
3:13:52 PM	0.036
3:14:52 PM	0.035
3:15:52 PM	0.037
3:16:52 PM	0.036
3:17:52 PM	0.036
3:18:52 PM	0.035
3:19:52 PM	0.036
3:20:52 PM	0.038
3:21:52 PM	0.037
3:22:52 PM	0.036
3:23:52 PM	0.035
3:24:52 PM	0.035
3:25:52 PM	0.035
3:26:52 PM	0.035

3:27:52 PM	0.035
3:28:52 PM	0.035
3:29:52 PM	0.035
3:30:52 PM	0.036
3:31:52 PM	0.036
3:32:52 PM	0.035
3:33:52 PM	0.035
3:34:52 PM	0.035
3:35:52 PM	0.035
3:36:52 PM	0.036
3:37:52 PM	0.036
3:38:52 PM	0.036
3:39:52 PM	0.035
3:40:52 PM	0.042
3:41:52 PM	0.036
3:42:52 PM	0.036
3:43:52 PM	0.036

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/19/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:49	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:48	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:47	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:46	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:45	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:44	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:27	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:26	Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 15:25	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	7/19/2024 10:41 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:41 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:40 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:40 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:39 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:39 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:38 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:38 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:37 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:37 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:36 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:36 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:35 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:35 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:34 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:34 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:33 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:33 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:32 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:32 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:31 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:31 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:30 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:30 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:29 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:29 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:28 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:28 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:27 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:27 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:26 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:26 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:25 Readings	PID	SC23030124AA	Normal	0

592-600853	7/19/2024 10:25 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:24 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:24 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:23 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:23 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:22 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:22 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:21 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:21 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:20 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:19 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:18 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:17 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:16 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:15 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:14 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:13 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 10:10 Readings	PID	SC23030124AA	Normal	0

[illegible]

592-600853	7/19/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:51 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:50 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:49 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:49 Readings	PID	SC23030124AA	Normal	0

592-600853	7/19/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:48 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:47 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:46 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:45 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:44 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:43 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:42 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:42 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:41 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:41 Readings	PID	SC23030449A8	Normal	0

592-600853	7/19/2024 9:40 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:40 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:40 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:39 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:39 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:39 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:39 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:38 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:38 Readings	PID	SC23030124AA	Normal	0.2
592-600853	7/19/2024 9:38 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:38 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:37 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:37 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:37 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:37 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:36 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:36 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:36 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:36 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:35 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:35 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:35 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:34 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:34 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:34 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:33 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:33 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:33 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:33 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:32 Readings	PID	SC23030124AA	Normal	0

592-600853	7/19/2024 9:32 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:32 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:32 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:31 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:31 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:31 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:30 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:30 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:30 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:30 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:29 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:29 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:29 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:29 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:28 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:28 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:28 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:28 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:27 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:27 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:27 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:27 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:26 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:26 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:26 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:25 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:25 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:25 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:25 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:24 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:24 Readings	PID	SC23030124AA	Normal	0.3

592-600853	7/19/2024 9:24 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:23 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:23 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:23 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:22 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:22 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:22 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:22 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:21 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:21 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:21 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:20 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:20 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:20 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:20 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:19 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:19 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:19 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:19 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:18 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:18 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:18 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:18 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:17 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:17 Readings	PID	SC23030124AA	Normal	0.5
592-600853	7/19/2024 9:17 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:17 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:16 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:16 Readings	PID	SC23030124AA	Normal	0.3
592-600853	7/19/2024 9:16 Readings	PID	SC23030124AA	Normal	0

592-600853	7/19/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:15 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:15 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:15 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:14 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:14 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:14 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:13 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:13 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:13 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:12 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:12 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:12 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:11 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:11 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:11 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:10 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:10 Readings	PID	SC23030124AA	Normal	0.5
592-600853	7/19/2024 9:10 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:09 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:09 Readings	PID	SC23030124AA	Normal	0.4
592-600853	7/19/2024 9:09 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:09 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:08 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:08 Readings	PID	SC23030124AA	Normal	0.9
592-600853	7/19/2024 9:08 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:08 Readings	PID	SC23030449A8	Normal	0

592-600853	7/19/2024 9:07 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:07 Readings	PID	SC23030124AA	Normal	0.6
592-600853	7/19/2024 9:07 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:07 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:06 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:06 Readings	PID	SC23030124AA	Normal	0.6
592-600853	7/19/2024 9:06 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:06 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:05 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:05 Readings	PID	SC23030124AA	Normal	0.7
592-600853	7/19/2024 9:05 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:05 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:04 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:04 Readings	PID	SC23030124AA	Normal	0.5
592-600853	7/19/2024 9:04 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:04 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:03 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:03 Readings	PID	SC23030124AA	Normal	0.7
592-600853	7/19/2024 9:03 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:03 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:03 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:02 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:02 Readings	PID	SC23030124AA	Normal	0.6
592-600853	7/19/2024 9:02 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:02 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:02 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:02 Readings	PID	SC23030449A8	Normal	0
592-600853	7/19/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:01 Readings	PID	SC23030124AA	Normal	0.6
592-600853	7/19/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:01 Readings	PID	SC23030124AA	Normal	0
592-600853	7/19/2024 9:01 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853

7/19/2024 6:54 CONFIG PID

SC23030449A8

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_005
Test Start Time	7:06:14 AM
Test Start Date	7/19/2024
Test Length [D:H:M]	0:08:40
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.177
Mass TWA [mg/m3]	0.013
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	520

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:06:14 AM	0.177		
7:07:14 AM	0.017		
7:08:14 AM	0.019		
7:09:14 AM	0.017		
7:10:14 AM	0.02		
7:11:14 AM	0.019		
7:12:14 AM	0.014		
7:13:14 AM	0.012		
7:14:14 AM	0.012		
7:15:14 AM	0.012		
7:16:14 AM	0.013		
7:17:14 AM	0.023		
7:18:14 AM	0.022		
7:19:14 AM	0.045		
7:20:14 AM	0.018		
7:21:14 AM	0.017		
7:22:14 AM	0.018		
7:23:14 AM	0.021		
7:24:14 AM	0.017		
7:25:14 AM	0.015		
7:26:14 AM	0.147		
7:27:14 AM	0.131		
7:28:14 AM	0.03		
7:29:14 AM	0.019		

7:30:14 AM	0.018
7:31:14 AM	0.016
7:32:14 AM	0.017
7:33:14 AM	0.014
7:34:14 AM	0.013
7:35:14 AM	0.012
7:36:14 AM	0.011
7:37:14 AM	0.012
7:38:14 AM	0.016
7:39:14 AM	0.022
7:40:14 AM	0.025
7:41:14 AM	0.025
7:42:14 AM	0.02
7:43:14 AM	0.019
7:44:14 AM	0.014
7:45:14 AM	0.013
7:46:14 AM	0.012
7:47:14 AM	0.018
7:48:14 AM	0.013
7:49:14 AM	0.02
7:50:14 AM	0.013
7:51:14 AM	0.012
7:52:14 AM	0.011
7:53:14 AM	0.016
7:54:14 AM	0.015
7:55:14 AM	0.014
7:56:14 AM	0.016
7:57:14 AM	0.018
7:58:14 AM	0.013
7:59:14 AM	0.011
8:00:14 AM	0.013
8:01:14 AM	0.031
8:02:14 AM	0.018
8:03:14 AM	0.015
8:04:14 AM	0.017
8:05:14 AM	0.011
8:06:14 AM	0.011
8:07:14 AM	0.011
8:08:14 AM	0.015
8:09:14 AM	0.02
8:10:14 AM	0.138
8:11:14 AM	0.014
8:12:14 AM	0.012
8:13:14 AM	0.011

8:14:14 AM	0.015
8:15:14 AM	0.014
8:16:14 AM	0.02
8:17:14 AM	0.011
8:18:14 AM	0.011
8:19:14 AM	0.011
8:20:14 AM	0.01
8:21:14 AM	0.01
8:22:14 AM	0.011
8:23:14 AM	0.012
8:24:14 AM	0.012
8:25:14 AM	0.013
8:26:14 AM	0.01
8:27:14 AM	0.008
8:28:14 AM	0.011
8:29:14 AM	0.014
8:30:14 AM	0.019
8:31:14 AM	0.011
8:32:14 AM	0.014
8:33:14 AM	0.011
8:34:14 AM	0.011
8:35:14 AM	0.01
8:36:14 AM	0.01
8:37:14 AM	0.009
8:38:14 AM	0.012
8:39:14 AM	0.011
8:40:14 AM	0.01
8:41:14 AM	0.01
8:42:14 AM	0.019
8:43:14 AM	0.013
8:44:14 AM	0.011
8:45:14 AM	0.011
8:46:14 AM	0.011
8:47:14 AM	0.013
8:48:14 AM	0.012
8:49:14 AM	0.012
8:50:14 AM	0.012
8:51:14 AM	0.023
8:52:14 AM	0.021
8:53:14 AM	0.013
8:54:14 AM	0.011
8:55:14 AM	0.01
8:56:14 AM	0.012
8:57:14 AM	0.013

8:58:14 AM	0.012
8:59:14 AM	0.014
9:00:14 AM	0.015
9:01:14 AM	0.012
9:02:14 AM	0.01
9:03:14 AM	0.01
9:04:14 AM	0.014
9:05:14 AM	0.017
9:06:14 AM	0.011
9:07:14 AM	0.011
9:08:14 AM	0.009
9:09:14 AM	0.009
9:10:14 AM	0.011
9:11:14 AM	0.052
9:12:14 AM	0.018
9:13:14 AM	0.015
9:14:14 AM	0.009
9:15:14 AM	0.009
9:16:14 AM	0.01
9:17:14 AM	0.011
9:18:14 AM	0.016
9:19:14 AM	0.011
9:20:14 AM	0.01
9:21:14 AM	0.009
9:22:14 AM	0.013
9:23:14 AM	0.018
9:24:14 AM	0.018
9:25:14 AM	0.012
9:26:14 AM	0.008
9:27:14 AM	0.009
9:28:14 AM	0.009
9:29:14 AM	0.008
9:30:14 AM	0.009
9:31:14 AM	0.008
9:32:14 AM	0.013
9:33:14 AM	0.009
9:34:14 AM	0.025
9:35:14 AM	0.01
9:36:14 AM	0.008
9:37:14 AM	0.009
9:38:14 AM	0.011
9:39:14 AM	0.013
9:40:14 AM	0.016
9:41:14 AM	0.011

9:42:14 AM	0.016
9:43:14 AM	0.125
9:44:14 AM	0.126
9:45:14 AM	0.01
9:46:14 AM	0.008
9:47:14 AM	0.01
9:48:14 AM	0.013
9:49:14 AM	0.012
9:50:14 AM	0.012
9:51:14 AM	0.01
9:52:14 AM	0.01
9:53:14 AM	0.014
9:54:14 AM	0.012
9:55:14 AM	0.01
9:56:14 AM	0.008
9:57:14 AM	0.01
9:58:14 AM	0.011
9:59:14 AM	0.008
10:00:14 AM	0.008
10:01:14 AM	0.009
10:02:14 AM	0.01
10:03:14 AM	0.01
10:04:14 AM	0.009
10:05:14 AM	0.008
10:06:14 AM	0.012
10:07:14 AM	0.01
10:08:14 AM	0.008
10:09:14 AM	0.007
10:10:14 AM	0.009
10:11:14 AM	0.014
10:12:14 AM	0.009
10:13:14 AM	0.01
10:14:14 AM	0.009
10:15:14 AM	0.01
10:16:14 AM	0.012
10:17:14 AM	0.032
10:18:14 AM	0.032
10:19:14 AM	0.012
10:20:14 AM	0.007
10:21:14 AM	0.008
10:22:14 AM	0.008
10:23:14 AM	0.008
10:24:14 AM	0.01
10:25:14 AM	0.008

10:26:14 AM	0.01
10:27:14 AM	0.116
10:28:14 AM	0.014
10:29:14 AM	0.008
10:30:14 AM	0.013
10:31:14 AM	0.012
10:32:14 AM	0.045
10:33:14 AM	0.008
10:34:14 AM	0.013
10:35:14 AM	0.012
10:36:14 AM	0.013
10:37:14 AM	0.008
10:38:14 AM	0.008
10:39:14 AM	0.01
10:40:14 AM	0.017
10:41:14 AM	0.012
10:42:14 AM	0.008
10:43:14 AM	0.006
10:44:14 AM	0.008
10:45:14 AM	0.013
10:46:14 AM	0.037
10:47:14 AM	0.019
10:48:14 AM	0.018
10:49:14 AM	0.01
10:50:14 AM	0.014
10:51:14 AM	0.025
10:52:14 AM	0.008
10:53:14 AM	0.021
10:54:14 AM	0.016
10:55:14 AM	0.012
10:56:14 AM	0.011
10:57:14 AM	0.012
10:58:14 AM	0.01
10:59:14 AM	0.009
11:00:14 AM	0.014
11:01:14 AM	0.02
11:02:14 AM	0.017
11:03:14 AM	0.017
11:04:14 AM	0.013
11:05:14 AM	0.011
11:06:14 AM	0.015
11:07:14 AM	0.014
11:08:14 AM	0.017
11:09:14 AM	0.01

11:10:14 AM	0.01
11:11:14 AM	0.013
11:12:14 AM	0.017
11:13:14 AM	0.011
11:14:14 AM	0.015
11:15:14 AM	0.01
11:16:14 AM	0.009
11:17:14 AM	0.008
11:18:14 AM	0.034
11:19:14 AM	0.015
11:20:14 AM	0.014
11:21:14 AM	0.022
11:22:14 AM	0.023
11:23:14 AM	0.013
11:24:14 AM	0.025
11:25:14 AM	0.032
11:26:14 AM	0.009
11:27:14 AM	0.011
11:28:14 AM	0.025
11:29:14 AM	0.008
11:30:14 AM	0.011
11:31:14 AM	0.005
11:32:14 AM	0.007
11:33:14 AM	0.014
11:34:14 AM	0.011
11:35:14 AM	0.011
11:36:14 AM	0.01
11:37:14 AM	0.014
11:38:14 AM	0.009
11:39:14 AM	0.007
11:40:14 AM	0.008
11:41:14 AM	0.008
11:42:14 AM	0.011
11:43:14 AM	0.007
11:44:14 AM	0.005
11:45:14 AM	0.012
11:46:14 AM	0.013
11:47:14 AM	0.008
11:48:14 AM	0.011
11:49:14 AM	0.006
11:50:14 AM	0.013
11:51:14 AM	0.014
11:52:14 AM	0.006
11:53:14 AM	0.007

11:54:14 AM	0.007
11:55:14 AM	0.018
11:56:14 AM	0.012
11:57:14 AM	0.007
11:58:14 AM	0.006
11:59:14 AM	0.006
12:00:14 PM	0.005
12:01:14 PM	0.01
12:02:14 PM	0.007
12:03:14 PM	0.012
12:04:14 PM	0.043
12:05:14 PM	0.029
12:06:14 PM	0.017
12:07:14 PM	0.008
12:08:14 PM	0.005
12:09:14 PM	0.007
12:10:14 PM	0.006
12:11:14 PM	0.009
12:12:14 PM	0.007
12:13:14 PM	0.009
12:14:14 PM	0.007
12:15:14 PM	0.006
12:16:14 PM	0.005
12:17:14 PM	0.004
12:18:14 PM	0.004
12:19:14 PM	0.005
12:20:14 PM	0.009
12:21:14 PM	0.007
12:22:14 PM	0.005
12:23:14 PM	0.006
12:24:14 PM	0.008
12:25:14 PM	0.008
12:26:14 PM	0.009
12:27:14 PM	0.006
12:28:14 PM	0.005
12:29:14 PM	0.004
12:30:14 PM	0.004
12:31:14 PM	0.005
12:32:14 PM	0.006
12:33:14 PM	0.009
12:34:14 PM	0.009
12:35:14 PM	0.005
12:36:14 PM	0.005
12:37:14 PM	0.008

12:38:14 PM	0.008
12:39:14 PM	0.007
12:40:14 PM	0.011
12:41:14 PM	0.006
12:42:14 PM	0.004
12:43:14 PM	0.005
12:44:14 PM	0.01
12:45:14 PM	0.006
12:46:14 PM	0.016
12:47:14 PM	0.008
12:48:14 PM	0.011
12:49:14 PM	0.008
12:50:14 PM	0.006
12:51:14 PM	0.016
12:52:14 PM	0.014
12:53:14 PM	0.013
12:54:14 PM	0.01
12:55:14 PM	0.009
12:56:14 PM	0.005
12:57:14 PM	0.004
12:58:14 PM	0.006
12:59:14 PM	0.005
1:00:14 PM	0.006
1:01:14 PM	0.006
1:02:14 PM	0.005
1:03:14 PM	0.005
1:04:14 PM	0.006
1:05:14 PM	0.005
1:06:14 PM	0.005
1:07:14 PM	0.004
1:08:14 PM	0.004
1:09:14 PM	0.01
1:10:14 PM	0.012
1:11:14 PM	0.009
1:12:14 PM	0.009
1:13:14 PM	0.023
1:14:14 PM	0.006
1:15:14 PM	0.005
1:16:14 PM	0.005
1:17:14 PM	0.008
1:18:14 PM	0.006
1:19:14 PM	0.011
1:20:14 PM	0.011
1:21:14 PM	0.022

1:22:14 PM	0.006
1:23:14 PM	0.007
1:24:14 PM	0.007
1:25:14 PM	0.004
1:26:14 PM	0.01
1:27:14 PM	0.005
1:28:14 PM	0.004
1:29:14 PM	0.004
1:30:14 PM	0.004
1:31:14 PM	0.003
1:32:14 PM	0.005
1:33:14 PM	0.005
1:34:14 PM	0.009
1:35:14 PM	0.012
1:36:14 PM	0.008
1:37:14 PM	0.006
1:38:14 PM	0.005
1:39:14 PM	0.007
1:40:14 PM	0.004
1:41:14 PM	0.006
1:42:14 PM	0.006
1:43:14 PM	0.006
1:44:14 PM	0.013
1:45:14 PM	0.008
1:46:14 PM	0.005
1:47:14 PM	0.006
1:48:14 PM	0.006
1:49:14 PM	0.015
1:50:14 PM	0.004
1:51:14 PM	0.004
1:52:14 PM	0.005
1:53:14 PM	0.004
1:54:14 PM	0.007
1:55:14 PM	0.009
1:56:14 PM	0.005
1:57:14 PM	0.005
1:58:14 PM	0.005
1:59:14 PM	0.004
2:00:14 PM	0.005
2:01:14 PM	0.005
2:02:14 PM	0.005
2:03:14 PM	0.006
2:04:14 PM	0.006
2:05:14 PM	0.005

2:06:14 PM	0.005
2:07:14 PM	0.006
2:08:14 PM	0.005
2:09:14 PM	0.005
2:10:14 PM	0.015
2:11:14 PM	0.008
2:12:14 PM	0.005
2:13:14 PM	0.005
2:14:14 PM	0.005
2:15:14 PM	0.004
2:16:14 PM	0.004
2:17:14 PM	0.005
2:18:14 PM	0.005
2:19:14 PM	0.009
2:20:14 PM	0.012
2:21:14 PM	0.007
2:22:14 PM	0.005
2:23:14 PM	0.006
2:24:14 PM	0.007
2:25:14 PM	0.005
2:26:14 PM	0.023
2:27:14 PM	0.008
2:28:14 PM	0.007
2:29:14 PM	0.013
2:30:14 PM	0.014
2:31:14 PM	0.024
2:32:14 PM	0.013
2:33:14 PM	0.006
2:34:14 PM	0.006
2:35:14 PM	0.004
2:36:14 PM	0.005
2:37:14 PM	0.006
2:38:14 PM	0.005
2:39:14 PM	0.005
2:40:14 PM	0.006
2:41:14 PM	0.008
2:42:14 PM	0.008
2:43:14 PM	0.007
2:44:14 PM	0.009
2:45:14 PM	0.007
2:46:14 PM	0.008
2:47:14 PM	0.006
2:48:14 PM	0.063
2:49:14 PM	0.01

2:50:14 PM	0.005
2:51:14 PM	0.004
2:52:14 PM	0.004
2:53:14 PM	0.013
2:54:14 PM	0.007
2:55:14 PM	0.007
2:56:14 PM	0.006
2:57:14 PM	0.005
2:58:14 PM	0.006
2:59:14 PM	0.007
3:00:14 PM	0.005
3:01:14 PM	0.006
3:02:14 PM	0.01
3:03:14 PM	0.02
3:04:14 PM	0.011
3:05:14 PM	0.008
3:06:14 PM	0.007
3:07:14 PM	0.008
3:08:14 PM	0.007
3:09:14 PM	0.006
3:10:14 PM	0.005
3:11:14 PM	0.007
3:12:14 PM	0.006
3:13:14 PM	0.007
3:14:14 PM	0.011
3:15:14 PM	0.007
3:16:14 PM	0.007
3:17:14 PM	0.007
3:18:14 PM	0.007
3:19:14 PM	0.007
3:20:14 PM	0.006
3:21:14 PM	0.007
3:22:14 PM	0.006
3:23:14 PM	0.015
3:24:14 PM	0.008
3:25:14 PM	0.01
3:26:14 PM	0.012
3:27:14 PM	0.008
3:28:14 PM	0.007
3:29:14 PM	0.006
3:30:14 PM	0.007
3:31:14 PM	0.008
3:32:14 PM	0.024
3:33:14 PM	0.008

3:34:14 PM	0.007
3:35:14 PM	0.008
3:36:14 PM	0.008
3:37:14 PM	0.022
3:38:14 PM	0.012
3:39:14 PM	0.01
3:40:14 PM	0.008
3:41:14 PM	0.01
3:42:14 PM	0.008
3:43:14 PM	0.013
3:44:14 PM	0.01
3:45:14 PM	0.01

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/19/2024 15:53	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:52	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:51	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:50	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:49	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:48	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:47	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:46	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:45	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:44	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:43	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:42	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:41	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:40	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 15:39	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:38	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:37	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:36	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:35	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:34	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:33	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:32	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:31	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 15:30	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:29	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:28	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:27	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:26	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:25	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 15:24	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:23	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:22	Readings	PID	SC23030124AA	Normal	0.9

592-908641	7/19/2024 15:21 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:20 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:19 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:18 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:17 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:16 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:15 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:14 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:13 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 15:12 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:11 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:10 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:09 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:08 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:07 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 15:06 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:05 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 15:04 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 15:03 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 15:02 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 15:01 Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 15:00 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:59 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:58 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:57 Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 14:56 Readings	PID	SC23030124AA	Normal	1.8
592-908641	7/19/2024 14:55 Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 14:54 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:53 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 14:52 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:51 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:50 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:49 Readings	PID	SC23030124AA	Normal	1

592-908641	7/19/2024 14:48	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:47	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:46	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:45	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:44	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:43	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:42	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:41	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 14:40	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:39	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:38	Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:37	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 14:36	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 14:35	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:34	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:33	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:32	Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 14:31	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:30	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:29	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 14:28	Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 14:27	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:26	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:25	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:24	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:23	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:22	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:21	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:20	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 14:19	Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:18	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:17	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:16	Readings	PID	SC23030124AA	Normal	0.8

592-908641	7/19/2024 14:15 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:14 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:13 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:12 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:11 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 14:10 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:09 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:08 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:07 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:06 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 14:05 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:04 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:03 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 14:02 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:01 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 14:00 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:59 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 13:58 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:57 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:56 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:55 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:54 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:53 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:52 Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 13:51 Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 13:50 Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 13:49 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 13:48 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 13:47 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:46 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:45 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:44 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:43 Readings	PID	SC23030124AA	Normal	0.7

592-908641	7/19/2024 13:42	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:41	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:40	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:39	Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 13:38	Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 13:37	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:36	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:35	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:34	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 13:33	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:32	Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 13:31	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:30	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 13:29	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:28	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 13:27	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 13:26	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:25	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:24	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:23	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:22	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:21	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:20	Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 13:19	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:18	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:17	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:16	Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 13:15	Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 13:14	Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 13:13	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 13:12	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 13:11	Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 13:10	Readings	PID	SC23030124AA	Normal	1.1

592-908641	7/19/2024 13:09	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 13:08	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:07	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:06	Readings	PID	SC23030124AA	Normal	2.7
592-908641	7/19/2024 13:05	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 13:04	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 13:03	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:02	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 13:01	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 13:00	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:59	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 12:58	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:57	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 12:56	Readings	PID	SC23030124AA	Normal	3.1
592-908641	7/19/2024 12:55	Readings	PID	SC23030124AA	Normal	1.9
592-908641	7/19/2024 12:54	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:53	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:52	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:51	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:50	Readings	PID	SC23030124AA	Normal	1.9
592-908641	7/19/2024 12:49	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 12:48	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:47	Readings	PID	SC23030124AA	Normal	2.6
592-908641	7/19/2024 12:46	Readings	PID	SC23030124AA	Normal	1.8
592-908641	7/19/2024 12:45	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:44	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:43	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 12:42	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:41	Readings	PID	SC23030124AA	Normal	2.2
592-908641	7/19/2024 12:40	Readings	PID	SC23030124AA	Normal	2.7
592-908641	7/19/2024 12:39	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:38	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:37	Readings	PID	SC23030124AA	Normal	1.4

592-908641	7/19/2024 12:36	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 12:35	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:34	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 12:33	Readings	PID	SC23030124AA	Normal	2.3
592-908641	7/19/2024 12:32	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 12:31	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 12:30	Readings	PID	SC23030124AA	Normal	2.4
592-908641	7/19/2024 12:29	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:28	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:27	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:26	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 12:25	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 12:24	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 12:23	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:22	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 12:21	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:20	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:19	Readings	PID	SC23030124AA	Normal	1.9
592-908641	7/19/2024 12:18	Readings	PID	SC23030124AA	Normal	3.9
592-908641	7/19/2024 12:17	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:16	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:15	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:14	Readings	PID	SC23030124AA	Normal	1.8
592-908641	7/19/2024 12:13	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 12:12	Readings	PID	SC23030124AA	Normal	2.3
592-908641	7/19/2024 12:11	Readings	PID	SC23030124AA	Normal	3.3
592-908641	7/19/2024 12:10	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:09	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:08	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:07	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 12:06	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:05	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 12:04	Readings	PID	SC23030124AA	Normal	2.9

592-908641	7/19/2024 12:03	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 12:02	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 12:01	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 12:00	Readings	PID	SC23030124AA	Normal	1.8
592-908641	7/19/2024 11:59	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:58	Readings	PID	SC23030124AA	Normal	1.8
592-908641	7/19/2024 11:57	Readings	PID	SC23030124AA	Normal	2.6
592-908641	7/19/2024 11:56	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 11:55	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:54	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:53	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:52	Readings	PID	SC23030124AA	Normal	2.4
592-908641	7/19/2024 11:51	Readings	PID	SC23030124AA	Normal	2.2
592-908641	7/19/2024 11:50	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:49	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:48	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:47	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:46	Readings	PID	SC23030124AA	Normal	2.1
592-908641	7/19/2024 11:45	Readings	PID	SC23030124AA	Normal	3.4
592-908641	7/19/2024 11:44	Readings	PID	SC23030124AA	Normal	3.2
592-908641	7/19/2024 11:43	Readings	PID	SC23030124AA	Normal	2.8
592-908641	7/19/2024 11:42	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:41	Readings	PID	SC23030124AA	Normal	2.5
592-908641	7/19/2024 11:40	Readings	PID	SC23030124AA	Normal	2.5
592-908641	7/19/2024 11:39	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:38	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:37	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 11:36	Readings	PID	SC23030124AA	Normal	2.7
592-908641	7/19/2024 11:35	Readings	PID	SC23030124AA	Normal	4.4
592-908641	7/19/2024 11:34	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:33	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:32	Readings	PID	SC23030124AA	Normal	2.9
592-908641	7/19/2024 11:31	Readings	PID	SC23030124AA	Normal	1.8

592-908641	7/19/2024 11:30	Readings	PID	SC23030124AA	Normal	3.1
592-908641	7/19/2024 11:29	Readings	PID	SC23030124AA	Normal	2.3
592-908641	7/19/2024 11:28	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:27	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:26	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 11:25	Readings	PID	SC23030124AA	Normal	2
592-908641	7/19/2024 11:24	Readings	PID	SC23030124AA	Normal	2.5
592-908641	7/19/2024 11:23	Readings	PID	SC23030124AA	Normal	2.1
592-908641	7/19/2024 11:22	Readings	PID	SC23030124AA	Normal	1.8
592-908641	7/19/2024 11:21	Readings	PID	SC23030124AA	Normal	2.5
592-908641	7/19/2024 11:20	Readings	PID	SC23030124AA	Normal	5
592-908641	7/19/2024 11:19	Readings	PID	SC23030124AA	Normal	2.2
592-908641	7/19/2024 11:18	Readings	PID	SC23030124AA	Normal	3
592-908641	7/19/2024 11:17	Readings	PID	SC23030124AA	Normal	2.8
592-908641	7/19/2024 11:16	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:15	Readings	PID	SC23030124AA	Normal	4.2
592-908641	7/19/2024 11:14	Readings	PID	SC23030124AA	Normal	3.2
592-908641	7/19/2024 11:13	Readings	PID	SC23030124AA	Normal	2.5
592-908641	7/19/2024 11:12	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:11	Readings	PID	SC23030124AA	Normal	2.1
592-908641	7/19/2024 11:10	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:09	Readings	PID	SC23030124AA	Normal	3.7
592-908641	7/19/2024 11:08	Readings	PID	SC23030124AA	Normal	4.2
592-908641	7/19/2024 11:07	Readings	PID	SC23030124AA	Normal	3.7
592-908641	7/19/2024 11:06	Readings	PID	SC23030124AA	Normal	3.6
592-908641	7/19/2024 11:05	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 11:04	Readings	PID	SC23030124AA	Normal	3.7
592-908641	7/19/2024 11:03	Readings	PID	SC23030124AA	Normal	3.2
592-908641	7/19/2024 11:02	Readings	PID	SC23030124AA	Normal	3.3
592-908641	7/19/2024 11:01	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 11:00	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:59	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:58	Readings	PID	SC23030124AA	Normal	1.7

592-908641	7/19/2024 10:57	Readings	PID	SC23030124AA	Normal	3.5
592-908641	7/19/2024 10:56	Readings	PID	SC23030124AA	Normal	2.7
592-908641	7/19/2024 10:55	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 10:54	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:53	Readings	PID	SC23030124AA	Normal	4.2
592-908641	7/19/2024 10:52	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 10:51	Readings	PID	SC23030124AA	Normal	2.1
592-908641	7/19/2024 10:50	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 10:49	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 10:48	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:47	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:46	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:45	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:44	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:43	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:42	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:41	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:40	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 10:39	Readings	PID	SC23030124AA	Normal	3.3
592-908641	7/19/2024 10:38	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:37	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:36	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:35	Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 10:34	Readings	PID	SC23030124AA	Normal	2.2
592-908641	7/19/2024 10:33	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:32	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:31	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:30	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:29	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:28	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:27	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:26	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:25	Readings	PID	SC23030124AA	Normal	1.4

592-908641	7/19/2024 10:24	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 10:23	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:22	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:21	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:20	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:19	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:18	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:17	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:16	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 10:15	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:14	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:13	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:12	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 10:11	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:10	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 10:09	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 10:08	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:07	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 10:06	Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 10:05	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:04	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:03	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:02	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 10:01	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 10:00	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 9:59	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 9:58	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 9:57	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 9:56	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 9:55	Readings	PID	SC23030124AA	Normal	1.5
592-908641	7/19/2024 9:54	Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 9:53	Readings	PID	SC23030124AA	Normal	1.4
592-908641	7/19/2024 9:52	Readings	PID	SC23030124AA	Normal	1.2

592-908641	7/19/2024 9:51 Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 9:50 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:49 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 9:48 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:47 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:46 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:45 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:44 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:43 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:42 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:41 Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/19/2024 9:40 Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 9:39 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:38 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 9:37 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:36 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:35 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:34 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:33 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:32 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 9:31 Readings	PID	SC23030124AA	Normal	1.2
592-908641	7/19/2024 9:30 Readings	PID	SC23030124AA	Normal	1.3
592-908641	7/19/2024 9:29 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:28 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:27 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:26 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:25 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:24 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:23 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:22 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:21 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:20 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:19 Readings	PID	SC23030124AA	Normal	0.9

592-908641	7/19/2024 9:18 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:17 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:16 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 9:15 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:14 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:13 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:12 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:11 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:10 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:09 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:08 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:07 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:06 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:05 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 9:04 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:03 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:02 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 9:01 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 9:00 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 8:59 Readings	PID	SC23030124AA	Normal	1
592-908641	7/19/2024 8:58 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:57 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:56 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:55 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:54 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:53 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:52 Readings	PID	SC23030124AA	Normal	0.6
592-908641	7/19/2024 8:51 Readings	PID	SC23030124AA	Normal	0.7
592-908641	7/19/2024 8:50 Readings	PID	SC23030124AA	Normal	0.8
592-908641	7/19/2024 8:49 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:48 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:47 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:46 Readings	PID	SC23030124AA	Normal	0.4

592-908641	7/19/2024 8:45 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:44 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:43 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:42 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:41 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:40 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:39 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:38 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:37 Readings	PID	SC23030124AA	Normal	0.6
592-908641	7/19/2024 8:36 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:35 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:34 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:33 Readings	PID	SC23030124AA	Normal	0.6
592-908641	7/19/2024 8:32 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/19/2024 8:31 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 8:30 Readings	PID	SC23030124AA	Normal	0.5
592-908641	7/19/2024 8:29 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 8:28 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 8:27 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 8:26 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:25 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:24 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:23 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:22 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:21 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 8:20 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:19 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:18 Readings	PID	SC23030124AA	Normal	0.2
592-908641	7/19/2024 8:17 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:16 Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/19/2024 8:15 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:14 Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/19/2024 8:13 Readings	PID	SC23030124AA	Normal	0

592-908641	7/19/2024 8:12 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:11 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:10 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:09 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:08 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:07 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:06 Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/19/2024 8:05 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 8:04 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 8:03 Readings	PID	SC23030124AA	Normal	1.6
592-908641	7/19/2024 8:02 Readings	PID	SC23030124AA	Normal	1.1
592-908641	7/19/2024 8:01 Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/19/2024 8:00 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:59 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:58 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:57 Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/19/2024 7:56 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:55 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:54 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:53 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:52 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:51 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:50 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:49 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:48 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:47 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:46 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:45 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:44 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:43 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:42 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:41 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:40 Readings	PID	SC23030124AA	Normal	0

592-908641	7/19/2024 7:39 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:38 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:37 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:36 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:35 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:34 Readings	PID	SC23030124AA	Normal	0.3
592-908641	7/19/2024 7:33 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:32 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:31 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:30 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:29 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:28 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:27 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:26 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:25 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:24 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:23 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:22 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:21 Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/19/2024 7:20 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:19 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:18 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:17 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:16 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:15 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:14 Readings	PID	SC23030124AA	Normal	0
592-908641	7/19/2024 7:13 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_005
Test Start Time	7:02:23 AM
Test Start Date	7/19/2024
Test Length [D:H:M]	0:08:47
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.07
Mass TWA [mg/m3]	0.013
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	527

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02:23 AM	0.031		
7:03:23 AM	0.015		
7:04:23 AM	0.011		
7:05:23 AM	0.013		
7:06:23 AM	0.016		
7:07:23 AM	0.015		
7:08:23 AM	0.012		
7:09:23 AM	0.013		
7:10:23 AM	0.013		
7:11:23 AM	0.013		
7:12:23 AM	0.016		
7:13:23 AM	0.015		
7:14:23 AM	0.013		
7:15:23 AM	0.011		
7:16:23 AM	0.014		
7:17:23 AM	0.013		
7:18:23 AM	0.013		
7:19:23 AM	0.016		
7:20:23 AM	0.013		
7:21:23 AM	0.015		
7:22:23 AM	0.014		
7:23:23 AM	0.015		
7:24:23 AM	0.017		
7:25:23 AM	0.014		

7:26:23 AM	0.011
7:27:23 AM	0.011
7:28:23 AM	0.012
7:29:23 AM	0.014
7:30:23 AM	0.012
7:31:23 AM	0.015
7:32:23 AM	0.018
7:33:23 AM	0.014
7:34:23 AM	0.012
7:35:23 AM	0.011
7:36:23 AM	0.011
7:37:23 AM	0.011
7:38:23 AM	0.016
7:39:23 AM	0.021
7:40:23 AM	0.02
7:41:23 AM	0.027
7:42:23 AM	0.035
7:43:23 AM	0.026
7:44:23 AM	0.02
7:45:23 AM	0.015
7:46:23 AM	0.013
7:47:23 AM	0.012
7:48:23 AM	0.01
7:49:23 AM	0.013
7:50:23 AM	0.025
7:51:23 AM	0.016
7:52:23 AM	0.013
7:53:23 AM	0.017
7:54:23 AM	0.014
7:55:23 AM	0.019
7:56:23 AM	0.019
7:57:23 AM	0.017
7:58:23 AM	0.021
7:59:23 AM	0.018
8:00:23 AM	0.012
8:01:23 AM	0.013
8:02:23 AM	0.018
8:03:23 AM	0.022
8:04:23 AM	0.019
8:05:23 AM	0.016
8:06:23 AM	0.014
8:07:23 AM	0.011
8:08:23 AM	0.012
8:09:23 AM	0.012

8:10:23 AM	0.012
8:11:23 AM	0.012
8:12:23 AM	0.009
8:13:23 AM	0.01
8:14:23 AM	0.01
8:15:23 AM	0.01
8:16:23 AM	0.012
8:17:23 AM	0.01
8:18:23 AM	0.009
8:19:23 AM	0.01
8:20:23 AM	0.01
8:21:23 AM	0.012
8:22:23 AM	0.01
8:23:23 AM	0.011
8:24:23 AM	0.012
8:25:23 AM	0.013
8:26:23 AM	0.015
8:27:23 AM	0.015
8:28:23 AM	0.011
8:29:23 AM	0.011
8:30:23 AM	0.014
8:31:23 AM	0.014
8:32:23 AM	0.014
8:33:23 AM	0.025
8:34:23 AM	0.015
8:35:23 AM	0.013
8:36:23 AM	0.012
8:37:23 AM	0.01
8:38:23 AM	0.012
8:39:23 AM	0.012
8:40:23 AM	0.011
8:41:23 AM	0.014
8:42:23 AM	0.014
8:43:23 AM	0.013
8:44:23 AM	0.013
8:45:23 AM	0.011
8:46:23 AM	0.013
8:47:23 AM	0.017
8:48:23 AM	0.022
8:49:23 AM	0.015
8:50:23 AM	0.013
8:51:23 AM	0.013
8:52:23 AM	0.012
8:53:23 AM	0.011

8:54:23 AM	0.014
8:55:23 AM	0.013
8:56:23 AM	0.012
8:57:23 AM	0.012
8:58:23 AM	0.012
8:59:23 AM	0.013
9:00:23 AM	0.013
9:01:23 AM	0.012
9:02:23 AM	0.012
9:03:23 AM	0.012
9:04:23 AM	0.01
9:05:23 AM	0.011
9:06:23 AM	0.014
9:07:23 AM	0.014
9:08:23 AM	0.012
9:09:23 AM	0.012
9:10:23 AM	0.011
9:11:23 AM	0.011
9:12:23 AM	0.012
9:13:23 AM	0.012
9:14:23 AM	0.011
9:15:23 AM	0.01
9:16:23 AM	0.012
9:17:23 AM	0.012
9:18:23 AM	0.016
9:19:23 AM	0.013
9:20:23 AM	0.012
9:21:23 AM	0.011
9:22:23 AM	0.013
9:23:23 AM	0.016
9:24:23 AM	0.013
9:25:23 AM	0.014
9:26:23 AM	0.014
9:27:23 AM	0.01
9:28:23 AM	0.013
9:29:23 AM	0.012
9:30:23 AM	0.012
9:31:23 AM	0.011
9:32:23 AM	0.011
9:33:23 AM	0.01
9:34:23 AM	0.012
9:35:23 AM	0.013
9:36:23 AM	0.011
9:37:23 AM	0.011

9:38:23 AM	0.011
9:39:23 AM	0.013
9:40:23 AM	0.012
9:41:23 AM	0.014
9:42:23 AM	0.016
9:43:23 AM	0.011
9:44:23 AM	0.011
9:45:23 AM	0.019
9:46:23 AM	0.012
9:47:23 AM	0.011
9:48:23 AM	0.012
9:49:23 AM	0.011
9:50:23 AM	0.016
9:51:23 AM	0.017
9:52:23 AM	0.016
9:53:23 AM	0.022
9:54:23 AM	0.015
9:55:23 AM	0.013
9:56:23 AM	0.015
9:57:23 AM	0.011
9:58:23 AM	0.012
9:59:23 AM	0.02
10:00:23 AM	0.012
10:01:23 AM	0.01
10:02:23 AM	0.011
10:03:23 AM	0.011
10:04:23 AM	0.011
10:05:23 AM	0.011
10:06:23 AM	0.011
10:07:23 AM	0.012
10:08:23 AM	0.011
10:09:23 AM	0.011
10:10:23 AM	0.01
10:11:23 AM	0.011
10:12:23 AM	0.014
10:13:23 AM	0.013
10:14:23 AM	0.012
10:15:23 AM	0.012
10:16:23 AM	0.011
10:17:23 AM	0.012
10:18:23 AM	0.017
10:19:23 AM	0.013
10:20:23 AM	0.016
10:21:23 AM	0.014

10:22:23 AM	0.011
10:23:23 AM	0.01
10:24:23 AM	0.012
10:25:23 AM	0.011
10:26:23 AM	0.012
10:27:23 AM	0.012
10:28:23 AM	0.012
10:29:23 AM	0.011
10:30:23 AM	0.012
10:31:23 AM	0.015
10:32:23 AM	0.023
10:33:23 AM	0.012
10:34:23 AM	0.013
10:35:23 AM	0.016
10:36:23 AM	0.014
10:37:23 AM	0.013
10:38:23 AM	0.011
10:39:23 AM	0.011
10:40:23 AM	0.012
10:41:23 AM	0.015
10:42:23 AM	0.019
10:43:23 AM	0.016
10:44:23 AM	0.013
10:45:23 AM	0.012
10:46:23 AM	0.011
10:47:23 AM	0.018
10:48:23 AM	0.016
10:49:23 AM	0.011
10:50:23 AM	0.015
10:51:23 AM	0.013
10:52:23 AM	0.019
10:53:23 AM	0.013
10:54:23 AM	0.015
10:55:23 AM	0.013
10:56:23 AM	0.015
10:57:23 AM	0.012
10:58:23 AM	0.017
10:59:23 AM	0.012
11:00:23 AM	0.013
11:01:23 AM	0.015
11:02:23 AM	0.014
11:03:23 AM	0.017
11:04:23 AM	0.011
11:05:23 AM	0.014

11:06:23 AM	0.011
11:07:23 AM	0.014
11:08:23 AM	0.015
11:09:23 AM	0.018
11:10:23 AM	0.017
11:11:23 AM	0.017
11:12:23 AM	0.018
11:13:23 AM	0.019
11:14:23 AM	0.017
11:15:23 AM	0.016
11:16:23 AM	0.011
11:17:23 AM	0.011
11:18:23 AM	0.014
11:19:23 AM	0.011
11:20:23 AM	0.009
11:21:23 AM	0.02
11:22:23 AM	0.015
11:23:23 AM	0.018
11:24:23 AM	0.016
11:25:23 AM	0.021
11:26:23 AM	0.015
11:27:23 AM	0.022
11:28:23 AM	0.017
11:29:23 AM	0.012
11:30:23 AM	0.012
11:31:23 AM	0.013
11:32:23 AM	0.012
11:33:23 AM	0.009
11:34:23 AM	0.012
11:35:23 AM	0.013
11:36:23 AM	0.014
11:37:23 AM	0.013
11:38:23 AM	0.014
11:39:23 AM	0.015
11:40:23 AM	0.014
11:41:23 AM	0.014
11:42:23 AM	0.011
11:43:23 AM	0.018
11:44:23 AM	0.013
11:45:23 AM	0.011
11:46:23 AM	0.012
11:47:23 AM	0.015
11:48:23 AM	0.014
11:49:23 AM	0.013

11:50:23 AM	0.013
11:51:23 AM	0.011
11:52:23 AM	0.016
11:53:23 AM	0.013
11:54:23 AM	0.01
11:55:23 AM	0.01
11:56:23 AM	0.009
11:57:23 AM	0.01
11:58:23 AM	0.013
11:59:23 AM	0.01
12:00:23 PM	0.012
12:01:23 PM	0.009
12:02:23 PM	0.023
12:03:23 PM	0.018
12:04:23 PM	0.014
12:05:23 PM	0.018
12:06:23 PM	0.012
12:07:23 PM	0.011
12:08:23 PM	0.015
12:09:23 PM	0.017
12:10:23 PM	0.017
12:11:23 PM	0.013
12:12:23 PM	0.012
12:13:23 PM	0.011
12:14:23 PM	0.013
12:15:23 PM	0.011
12:16:23 PM	0.01
12:17:23 PM	0.009
12:18:23 PM	0.01
12:19:23 PM	0.01
12:20:23 PM	0.01
12:21:23 PM	0.012
12:22:23 PM	0.012
12:23:23 PM	0.01
12:24:23 PM	0.01
12:25:23 PM	0.01
12:26:23 PM	0.013
12:27:23 PM	0.014
12:28:23 PM	0.014
12:29:23 PM	0.013
12:30:23 PM	0.009
12:31:23 PM	0.011
12:32:23 PM	0.009
12:33:23 PM	0.012

12:34:23 PM	0.013
12:35:23 PM	0.013
12:36:23 PM	0.014
12:37:23 PM	0.013
12:38:23 PM	0.012
12:39:23 PM	0.012
12:40:23 PM	0.013
12:41:23 PM	0.013
12:42:23 PM	0.014
12:43:23 PM	0.009
12:44:23 PM	0.008
12:45:23 PM	0.009
12:46:23 PM	0.01
12:47:23 PM	0.01
12:48:23 PM	0.012
12:49:23 PM	0.013
12:50:23 PM	0.013
12:51:23 PM	0.014
12:52:23 PM	0.012
12:53:23 PM	0.012
12:54:23 PM	0.016
12:55:23 PM	0.012
12:56:23 PM	0.014
12:57:23 PM	0.015
12:58:23 PM	0.032
12:59:23 PM	0.01
1:00:23 PM	0.011
1:01:23 PM	0.009
1:02:23 PM	0.009
1:03:23 PM	0.01
1:04:23 PM	0.01
1:05:23 PM	0.009
1:06:23 PM	0.009
1:07:23 PM	0.009
1:08:23 PM	0.01
1:09:23 PM	0.009
1:10:23 PM	0.009
1:11:23 PM	0.009
1:12:23 PM	0.009
1:13:23 PM	0.01
1:14:23 PM	0.013
1:15:23 PM	0.011
1:16:23 PM	0.009
1:17:23 PM	0.009

1:18:23 PM	0.01
1:19:23 PM	0.009
1:20:23 PM	0.009
1:21:23 PM	0.011
1:22:23 PM	0.012
1:23:23 PM	0.01
1:24:23 PM	0.009
1:25:23 PM	0.011
1:26:23 PM	0.011
1:27:23 PM	0.011
1:28:23 PM	0.014
1:29:23 PM	0.012
1:30:23 PM	0.009
1:31:23 PM	0.009
1:32:23 PM	0.009
1:33:23 PM	0.009
1:34:23 PM	0.009
1:35:23 PM	0.009
1:36:23 PM	0.01
1:37:23 PM	0.015
1:38:23 PM	0.014
1:39:23 PM	0.012
1:40:23 PM	0.011
1:41:23 PM	0.011
1:42:23 PM	0.014
1:43:23 PM	0.018
1:44:23 PM	0.018
1:45:23 PM	0.009
1:46:23 PM	0.011
1:47:23 PM	0.01
1:48:23 PM	0.012
1:49:23 PM	0.014
1:50:23 PM	0.012
1:51:23 PM	0.013
1:52:23 PM	0.049
1:53:23 PM	0.011
1:54:23 PM	0.012
1:55:23 PM	0.012
1:56:23 PM	0.015
1:57:23 PM	0.015
1:58:23 PM	0.014
1:59:23 PM	0.012
2:00:23 PM	0.014
2:01:23 PM	0.013

2:02:23 PM	0.013
2:03:23 PM	0.01
2:04:23 PM	0.01
2:05:23 PM	0.009
2:06:23 PM	0.01
2:07:23 PM	0.01
2:08:23 PM	0.009
2:09:23 PM	0.01
2:10:23 PM	0.01
2:11:23 PM	0.01
2:12:23 PM	0.01
2:13:23 PM	0.01
2:14:23 PM	0.009
2:15:23 PM	0.009
2:16:23 PM	0.009
2:17:23 PM	0.011
2:18:23 PM	0.01
2:19:23 PM	0.01
2:20:23 PM	0.012
2:21:23 PM	0.012
2:22:23 PM	0.023
2:23:23 PM	0.029
2:24:23 PM	0.016
2:25:23 PM	0.011
2:26:23 PM	0.013
2:27:23 PM	0.011
2:28:23 PM	0.012
2:29:23 PM	0.009
2:30:23 PM	0.011
2:31:23 PM	0.01
2:32:23 PM	0.011
2:33:23 PM	0.018
2:34:23 PM	0.01
2:35:23 PM	0.01
2:36:23 PM	0.009
2:37:23 PM	0.014
2:38:23 PM	0.013
2:39:23 PM	0.014
2:40:23 PM	0.009
2:41:23 PM	0.01
2:42:23 PM	0.01
2:43:23 PM	0.01
2:44:23 PM	0.009
2:45:23 PM	0.009

2:46:23 PM	0.01
2:47:23 PM	0.01
2:48:23 PM	0.013
2:49:23 PM	0.015
2:50:23 PM	0.012
2:51:23 PM	0.01
2:52:23 PM	0.009
2:53:23 PM	0.01
2:54:23 PM	0.01
2:55:23 PM	0.011
2:56:23 PM	0.01
2:57:23 PM	0.011
2:58:23 PM	0.012
2:59:23 PM	0.012
3:00:23 PM	0.01
3:01:23 PM	0.01
3:02:23 PM	0.009
3:03:23 PM	0.011
3:04:23 PM	0.012
3:05:23 PM	0.011
3:06:23 PM	0.026
3:07:23 PM	0.01
3:08:23 PM	0.009
3:09:23 PM	0.015
3:10:23 PM	0.01
3:11:23 PM	0.01
3:12:23 PM	0.011
3:13:23 PM	0.01
3:14:23 PM	0.011
3:15:23 PM	0.012
3:16:23 PM	0.014
3:17:23 PM	0.011
3:18:23 PM	0.01
3:19:23 PM	0.011
3:20:23 PM	0.012
3:21:23 PM	0.01
3:22:23 PM	0.012
3:23:23 PM	0.016
3:24:23 PM	0.011
3:25:23 PM	0.01
3:26:23 PM	0.011
3:27:23 PM	0.013
3:28:23 PM	0.014
3:29:23 PM	0.011

3:30:23 PM	0.011
3:31:23 PM	0.014
3:32:23 PM	0.017
3:33:23 PM	0.014
3:34:23 PM	0.011
3:35:23 PM	0.013
3:36:23 PM	0.013
3:37:23 PM	0.011
3:38:23 PM	0.01
3:39:23 PM	0.029
3:40:23 PM	0.022
3:41:23 PM	0.024
3:42:23 PM	0.046
3:43:23 PM	0.033
3:44:23 PM	0.03
3:45:23 PM	0.042
3:46:23 PM	0.04
3:47:23 PM	0.03
3:48:23 PM	0.07

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	7/19/2024 16:00	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:59	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:58	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:57	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:56	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:55	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:54	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:53	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:52	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:51	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:50	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 15:49	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 15:48	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:47	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 15:46	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 15:45	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 15:44	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:43	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:42	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:41	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:40	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:39	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:38	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:37	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 15:36	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:35	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:34	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:33	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:32	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:31	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:30	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 15:29	Readings	PID	SC23030186C8	Normal	0.3

[illegible]

[illegible]

592-602806	7/19/2024 14:22	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:21	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:20	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:19	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:18	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:17	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:16	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:15	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:14	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:13	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:12	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:11	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:10	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:09	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:08	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:07	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:06	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:05	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:04	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:03	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:02	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 14:01	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 14:00	Readings	PID	SC23030186C8	Normal	0.6
592-602806	7/19/2024 13:59	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:58	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:57	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:56	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 13:55	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:54	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 13:53	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:52	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:51	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 13:50	Readings	PID	SC23030186C8	Normal	0.4

[illegible]

[illegible]

592-602806	7/19/2024 12:43	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:42	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:41	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:40	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:39	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:38	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:37	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:36	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:35	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:34	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:33	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 12:32	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:31	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:30	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:29	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:28	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:27	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:26	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:25	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:24	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:23	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:22	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 12:21	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:20	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:19	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:18	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:17	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:16	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:15	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:14	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:13	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:12	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:11	Readings	PID	SC23030186C8	Normal	0.3

592-602806	7/19/2024 12:10	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 12:09	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:08	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:07	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:06	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:05	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:04	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:03	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 12:02	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:01	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 12:00	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:59	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:58	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:57	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 11:56	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:55	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:54	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:53	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:52	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:51	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:50	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:49	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:48	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:47	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:46	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:45	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:44	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:43	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:42	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:41	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:40	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:39	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 11:38	Readings	PID	SC23030186C8	Normal	0.3

592-602806	7/19/2024 11:37	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:36	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:35	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:34	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:33	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:32	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:31	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:30	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:29	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:28	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:27	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:26	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:25	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:24	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:23	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:22	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:21	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:20	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:19	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:18	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:17	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:16	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:15	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 11:14	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/19/2024 11:13	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:12	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:11	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:10	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 11:09	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:08	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:07	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 11:06	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 11:05	Readings	PID	SC23030186C8	Normal	0.2

592-602806	7/19/2024 11:04	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 11:03	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:02	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 11:01	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/19/2024 11:00	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:59	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:58	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:57	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 10:56	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:55	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:54	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:53	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:52	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:51	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:50	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:49	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:48	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:47	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:46	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:45	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:44	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:43	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:42	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:41	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:40	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:39	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:38	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:37	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:36	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:35	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:34	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:33	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 10:32	Readings	PID	SC23030186C8	Normal	0.2

[illegible]

592-602806	7/19/2024 9:58 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:57 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:56 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:55 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:54 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:53 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:52 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:51 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:50 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:49 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:48 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:47 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:46 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:45 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:44 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:43 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:42 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:41 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:40 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:39 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:38 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:37 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:36 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:35 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:34 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:33 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:32 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:31 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:30 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:29 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:28 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 9:27 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 9:26 Readings	PID	SC23030186C8	Normal	0.1

[illegible]

592-602806	7/19/2024 8:52 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:51 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:50 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:49 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:48 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:47 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:46 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:45 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:44 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:43 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:42 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:41 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:40 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:39 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:38 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:37 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:36 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:35 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:34 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:33 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:32 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:31 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:30 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:29 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:28 Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/19/2024 8:27 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:26 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:25 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:24 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:22 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:21 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 8:20 Readings	PID	SC23030186C8	Normal	0.1

592-602806	7/19/2024 8:19 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:16 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:15 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:14 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:13 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:12 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:11 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:10 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:09 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:08 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:07 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:06 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:05 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:04 Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/19/2024 8:03 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 8:02 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 8:01 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 8:00 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:59 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:58 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:57 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:56 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:55 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:54 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:53 Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/19/2024 7:52 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:51 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:50 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:49 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:48 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:47 Readings	PID	SC23030186C8	Normal	0

592-602806	7/19/2024 7:46 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:45 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:44 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:43 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:42 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:41 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:40 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:39 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:38 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:37 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:36 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:35 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:34 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:33 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:32 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:31 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:30 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:29 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:28 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:27 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:26 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:25 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:24 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:22 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:21 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:20 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:19 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:16 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:15 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:14 CONFIG	PID	SC23030186C8		

592-602806	7/19/2024 7:13 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:12 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:11 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:10 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:09 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:08 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:07 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:06 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:05 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:04 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:03 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:02 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:01 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 7:00 Readings	PID	SC23030186C8	Normal	0
592-602806	7/19/2024 6:59 CONFIG	PID	SC23030186C8		