



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain	X	Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	SW 4 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/24/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time Onsite: 06:45 Time Offsite: 16:00</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza WSP (Environmental oversight) – Tim Williams Capital/KFS (Contractor) Bradford (SSDS Contractor) Cascade (ISS Contractor) ADS (Drillers) ECS (dewatering)</p> <p>Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations according to wind direction; IEEG continued low-flow ground water sampling of sentinel wells; gauge all sentinel wells; Bradford to continue with sewer and drain pipe installation at south building cellar; KFS to continue vapor-barrier installation and foundation construction at south building; and de-water EP-90 spill area.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS foundation construction and vapor barrier installation, vapor barrier was inspected to ensure proper application;
- ECS relocates and stages well point equipment;
- ADS grouts ISS column bore holes from coring ISS Pilot Test QA/QC;
- Low flow ground water sampling of sentinel wells, the following wells were sampled: GW-17 A, MW-20 A&B, HRP-MW-1, 3, 5 A & B;
- Bradford continued with installation of sewer and SSDS pipe installation at south building cellar, installed and approved SSDS pipes were backfilled with approved gravel.
- Active dewatering in EP-90, it should be noted that dewatering was turned off by end of day to due pump technical issues; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.047_ mg/m³ @ 06:53
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.133_ mg/m³ @ 07:49
- High Conditions (Downwind 1) – PID = _2.7_ ppm @11:58, Dust = _0.391_ mg/m³ @ 07:44
- High Conditions (Downwind 2) – PID = _0.5_ ppm @ 13:11, Dust = _0.172_ mg/m³ @ 09:37

Notable Site Conditions:

- Dust suppression was implemented periodically during work activities.

Planned Activities for the Next Day/Week:

- KFS to continue rebar fabrication, vapor barrier installation;
- Bradford to continue sewer and drainpipe installation.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of vapor
barrier
installation in the
south building.



Photo 2 –
Representative
photo of SSDS
installation in the
south building.



Photo 3 –
Representative
photo of ECS
setting up Well
Point pump.




Photo 4 –
Representative
photo of grouted
ISS column
boreholes.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



- 1 = 2' Excavation
- 2 = 4' Excavation
- 3 = 6' Excavation
- 4 = 7-8' Excavation
- 5 = 9' Excavation
- 6 = 10' Excavation
- 7 = 11' Excavation
- 8 = 19' Excavation

Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_002
Test Start Time	6:53:35 AM
Test Start Date	7/24/2024
Test Length [D:H:M]	0:09:09
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.031
Mass Minimum [mg/m3]	0.019
Mass Maximum [mg/m3]	0.133
Mass TWA [mg/m3]	0.033
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	549

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53:35 AM	0.047		
6:54:35 AM	0.05		
6:55:35 AM	0.048		
6:56:35 AM	0.045		
6:57:35 AM	0.044		
6:58:35 AM	0.043		
6:59:35 AM	0.042		
7:00:35 AM	0.041		
7:01:35 AM	0.04		
7:02:35 AM	0.039		
7:03:35 AM	0.039		
7:04:35 AM	0.038		
7:05:35 AM	0.038		
7:06:35 AM	0.038		
7:07:35 AM	0.039		
7:08:35 AM	0.039		
7:09:35 AM	0.04		
7:10:35 AM	0.04		
7:11:35 AM	0.042		
7:12:35 AM	0.042		
7:13:35 AM	0.039		
7:14:35 AM	0.039		
7:15:35 AM	0.037		
7:16:35 AM	0.036		

7:17:35 AM	0.037
7:18:35 AM	0.037
7:19:35 AM	0.037
7:20:35 AM	0.037
7:21:35 AM	0.036
7:22:35 AM	0.038
7:23:35 AM	0.037
7:24:35 AM	0.037
7:25:35 AM	0.037
7:26:35 AM	0.036
7:27:35 AM	0.037
7:28:35 AM	0.034
7:29:35 AM	0.032
7:30:35 AM	0.031
7:31:35 AM	0.031
7:32:35 AM	0.032
7:33:35 AM	0.032
7:34:35 AM	0.032
7:35:35 AM	0.031
7:36:35 AM	0.029
7:37:35 AM	0.03
7:38:35 AM	0.033
7:39:35 AM	0.033
7:40:35 AM	0.033
7:41:35 AM	0.033
7:42:35 AM	0.031
7:43:35 AM	0.031
7:44:35 AM	0.029
7:45:35 AM	0.03
7:46:35 AM	0.031
7:47:35 AM	0.029
7:48:35 AM	0.029
7:49:35 AM	0.133
7:50:35 AM	0.037
7:51:35 AM	0.028
7:52:35 AM	0.026
7:53:35 AM	0.027
7:54:35 AM	0.028
7:55:35 AM	0.031
7:56:35 AM	0.035
7:57:35 AM	0.034
7:58:35 AM	0.029
7:59:35 AM	0.028
8:00:35 AM	0.028

8:01:35 AM	0.03
8:02:35 AM	0.032
8:03:35 AM	0.031
8:04:35 AM	0.033
8:05:35 AM	0.03
8:06:35 AM	0.031
8:07:35 AM	0.031
8:08:35 AM	0.029
8:09:35 AM	0.028
8:10:35 AM	0.028
8:11:35 AM	0.028
8:12:35 AM	0.035
8:13:35 AM	0.031
8:14:35 AM	0.029
8:15:35 AM	0.03
8:16:35 AM	0.029
8:17:35 AM	0.029
8:18:35 AM	0.03
8:19:35 AM	0.031
8:20:35 AM	0.032
8:21:35 AM	0.034
8:22:35 AM	0.033
8:23:35 AM	0.034
8:24:35 AM	0.031
8:25:35 AM	0.031
8:26:35 AM	0.031
8:27:35 AM	0.031
8:28:35 AM	0.03
8:29:35 AM	0.03
8:30:35 AM	0.03
8:31:35 AM	0.03
8:32:35 AM	0.03
8:33:35 AM	0.03
8:34:35 AM	0.03
8:35:35 AM	0.03
8:36:35 AM	0.033
8:37:35 AM	0.032
8:38:35 AM	0.032
8:39:35 AM	0.031
8:40:35 AM	0.032
8:41:35 AM	0.03
8:42:35 AM	0.032
8:43:35 AM	0.041
8:44:35 AM	0.033

8:45:35 AM	0.031
8:46:35 AM	0.032
8:47:35 AM	0.031
8:48:35 AM	0.031
8:49:35 AM	0.031
8:50:35 AM	0.034
8:51:35 AM	0.035
8:52:35 AM	0.036
8:53:35 AM	0.037
8:54:35 AM	0.035
8:55:35 AM	0.034
8:56:35 AM	0.033
8:57:35 AM	0.033
8:58:35 AM	0.033
8:59:35 AM	0.033
9:00:35 AM	0.033
9:01:35 AM	0.033
9:02:35 AM	0.034
9:03:35 AM	0.034
9:04:35 AM	0.034
9:05:35 AM	0.034
9:06:35 AM	0.033
9:07:35 AM	0.034
9:08:35 AM	0.034
9:09:35 AM	0.033
9:10:35 AM	0.034
9:11:35 AM	0.034
9:12:35 AM	0.035
9:13:35 AM	0.035
9:14:35 AM	0.034
9:15:35 AM	0.034
9:16:35 AM	0.035
9:17:35 AM	0.035
9:18:35 AM	0.034
9:19:35 AM	0.035
9:20:35 AM	0.034
9:21:35 AM	0.034
9:22:35 AM	0.033
9:23:35 AM	0.034
9:24:35 AM	0.037
9:25:35 AM	0.036
9:26:35 AM	0.035
9:27:35 AM	0.034
9:28:35 AM	0.035

9:29:35 AM	0.033
9:30:35 AM	0.033
9:31:35 AM	0.034
9:32:35 AM	0.031
9:33:35 AM	0.032
9:34:35 AM	0.031
9:35:35 AM	0.028
9:36:35 AM	0.028
9:37:35 AM	0.029
9:38:35 AM	0.03
9:39:35 AM	0.031
9:40:35 AM	0.031
9:41:35 AM	0.031
9:42:35 AM	0.031
9:43:35 AM	0.03
9:44:35 AM	0.03
9:45:35 AM	0.03
9:46:35 AM	0.03
9:47:35 AM	0.031
9:48:35 AM	0.033
9:49:35 AM	0.03
9:50:35 AM	0.031
9:51:35 AM	0.03
9:52:35 AM	0.03
9:53:35 AM	0.028
9:54:35 AM	0.029
9:55:35 AM	0.029
9:56:35 AM	0.029
9:57:35 AM	0.03
9:58:35 AM	0.03
9:59:35 AM	0.029
10:00:35 AM	0.028
10:01:35 AM	0.028
10:02:35 AM	0.028
10:03:35 AM	0.028
10:04:35 AM	0.028
10:05:35 AM	0.031
10:06:35 AM	0.029
10:07:35 AM	0.028
10:08:35 AM	0.03
10:09:35 AM	0.029
10:10:35 AM	0.028
10:11:35 AM	0.031
10:12:35 AM	0.031

10:13:35 AM	0.036
10:14:35 AM	0.038
10:15:35 AM	0.035
10:16:35 AM	0.034
10:17:35 AM	0.036
10:18:35 AM	0.035
10:19:35 AM	0.035
10:20:35 AM	0.034
10:21:35 AM	0.034
10:22:35 AM	0.036
10:23:35 AM	0.056
10:24:35 AM	0.05
10:25:35 AM	0.04
10:26:35 AM	0.042
10:27:35 AM	0.041
10:28:35 AM	0.033
10:29:35 AM	0.034
10:30:35 AM	0.039
10:31:35 AM	0.036
10:32:35 AM	0.034
10:33:35 AM	0.041
10:34:35 AM	0.041
10:35:35 AM	0.037
10:36:35 AM	0.037
10:37:35 AM	0.036
10:38:35 AM	0.032
10:39:35 AM	0.035
10:40:35 AM	0.037
10:41:35 AM	0.041
10:42:35 AM	0.037
10:43:35 AM	0.039
10:44:35 AM	0.036
10:45:35 AM	0.033
10:46:35 AM	0.038
10:47:35 AM	0.034
10:48:35 AM	0.034
10:49:35 AM	0.033
10:50:35 AM	0.033
10:51:35 AM	0.033
10:52:35 AM	0.035
10:53:35 AM	0.036
10:54:35 AM	0.034
10:55:35 AM	0.033
10:56:35 AM	0.032

10:57:35 AM	0.03
10:58:35 AM	0.031
10:59:35 AM	0.03
11:00:35 AM	0.033
11:01:35 AM	0.034
11:02:35 AM	0.03
11:03:35 AM	0.032
11:04:35 AM	0.031
11:05:35 AM	0.031
11:06:35 AM	0.031
11:07:35 AM	0.03
11:08:35 AM	0.03
11:09:35 AM	0.03
11:10:35 AM	0.03
11:11:35 AM	0.031
11:12:35 AM	0.031
11:13:35 AM	0.032
11:14:35 AM	0.031
11:15:35 AM	0.03
11:16:35 AM	0.032
11:17:35 AM	0.031
11:18:35 AM	0.03
11:19:35 AM	0.031
11:20:35 AM	0.031
11:21:35 AM	0.03
11:22:35 AM	0.029
11:23:35 AM	0.03
11:24:35 AM	0.03
11:25:35 AM	0.03
11:26:35 AM	0.031
11:27:35 AM	0.031
11:28:35 AM	0.033
11:29:35 AM	0.034
11:30:35 AM	0.031
11:31:35 AM	0.031
11:32:35 AM	0.03
11:33:35 AM	0.029
11:34:35 AM	0.03
11:35:35 AM	0.029
11:36:35 AM	0.028
11:37:35 AM	0.028
11:38:35 AM	0.029
11:39:35 AM	0.029
11:40:35 AM	0.03

11:41:35 AM	0.029
11:42:35 AM	0.04
11:43:35 AM	0.032
11:44:35 AM	0.032
11:45:35 AM	0.031
11:46:35 AM	0.03
11:47:35 AM	0.029
11:48:35 AM	0.029
11:49:35 AM	0.03
11:50:35 AM	0.029
11:51:35 AM	0.029
11:52:35 AM	0.03
11:53:35 AM	0.03
11:54:35 AM	0.031
11:55:35 AM	0.03
11:56:35 AM	0.029
11:57:35 AM	0.029
11:58:35 AM	0.029
11:59:35 AM	0.029
12:00:35 PM	0.029
12:01:35 PM	0.027
12:02:35 PM	0.027
12:03:35 PM	0.029
12:04:35 PM	0.029
12:05:35 PM	0.028
12:06:35 PM	0.028
12:07:35 PM	0.027
12:08:35 PM	0.027
12:09:35 PM	0.027
12:10:35 PM	0.028
12:11:35 PM	0.029
12:12:35 PM	0.029
12:13:35 PM	0.03
12:14:35 PM	0.03
12:15:35 PM	0.029
12:16:35 PM	0.028
12:17:35 PM	0.028
12:18:35 PM	0.028
12:19:35 PM	0.027
12:20:35 PM	0.027
12:21:35 PM	0.027
12:22:35 PM	0.028
12:23:35 PM	0.027
12:24:35 PM	0.027

12:25:35 PM	0.026
12:26:35 PM	0.027
12:27:35 PM	0.027
12:28:35 PM	0.026
12:29:35 PM	0.026
12:30:35 PM	0.027
12:31:35 PM	0.027
12:32:35 PM	0.027
12:33:35 PM	0.028
12:34:35 PM	0.027
12:35:35 PM	0.028
12:36:35 PM	0.029
12:37:35 PM	0.028
12:38:35 PM	0.03
12:39:35 PM	0.039
12:40:35 PM	0.035
12:41:35 PM	0.029
12:42:35 PM	0.03
12:43:35 PM	0.03
12:44:35 PM	0.028
12:45:35 PM	0.028
12:46:35 PM	0.029
12:47:35 PM	0.03
12:48:35 PM	0.03
12:49:35 PM	0.03
12:50:35 PM	0.028
12:51:35 PM	0.028
12:52:35 PM	0.027
12:53:35 PM	0.028
12:54:35 PM	0.028
12:55:35 PM	0.031
12:56:35 PM	0.029
12:57:35 PM	0.029
12:58:35 PM	0.029
12:59:35 PM	0.028
1:00:35 PM	0.027
1:01:35 PM	0.028
1:02:35 PM	0.027
1:03:35 PM	0.028
1:04:35 PM	0.027
1:05:35 PM	0.029
1:06:35 PM	0.028
1:07:35 PM	0.028
1:08:35 PM	0.029

1:09:35 PM	0.03
1:10:35 PM	0.029
1:11:35 PM	0.03
1:12:35 PM	0.031
1:13:35 PM	0.031
1:14:35 PM	0.03
1:15:35 PM	0.031
1:16:35 PM	0.032
1:17:35 PM	0.029
1:18:35 PM	0.03
1:19:35 PM	0.029
1:20:35 PM	0.028
1:21:35 PM	0.029
1:22:35 PM	0.03
1:23:35 PM	0.03
1:24:35 PM	0.03
1:25:35 PM	0.029
1:26:35 PM	0.031
1:27:35 PM	0.03
1:28:35 PM	0.03
1:29:35 PM	0.03
1:30:35 PM	0.031
1:31:35 PM	0.031
1:32:35 PM	0.031
1:33:35 PM	0.031
1:34:35 PM	0.032
1:35:35 PM	0.031
1:36:35 PM	0.033
1:37:35 PM	0.032
1:38:35 PM	0.032
1:39:35 PM	0.033
1:40:35 PM	0.034
1:41:35 PM	0.035
1:42:35 PM	0.035
1:43:35 PM	0.036
1:44:35 PM	0.036
1:45:35 PM	0.037
1:46:35 PM	0.035
1:47:35 PM	0.035
1:48:35 PM	0.035
1:49:35 PM	0.036
1:50:35 PM	0.038
1:51:35 PM	0.039
1:52:35 PM	0.039

1:53:35 PM	0.042
1:54:35 PM	0.042
1:55:35 PM	0.045
1:56:35 PM	0.045
1:57:35 PM	0.041
1:58:35 PM	0.041
1:59:35 PM	0.041
2:00:35 PM	0.039
2:01:35 PM	0.039
2:02:35 PM	0.044
2:03:35 PM	0.045
2:04:35 PM	0.052
2:05:35 PM	0.057
2:06:35 PM	0.058
2:07:35 PM	0.052
2:08:35 PM	0.049
2:09:35 PM	0.047
2:10:35 PM	0.045
2:11:35 PM	0.044
2:12:35 PM	0.042
2:13:35 PM	0.044
2:14:35 PM	0.043
2:15:35 PM	0.042
2:16:35 PM	0.043
2:17:35 PM	0.051
2:18:35 PM	0.053
2:19:35 PM	0.048
2:20:35 PM	0.044
2:21:35 PM	0.036
2:22:35 PM	0.035
2:23:35 PM	0.035
2:24:35 PM	0.032
2:25:35 PM	0.032
2:26:35 PM	0.033
2:27:35 PM	0.029
2:28:35 PM	0.026
2:29:35 PM	0.028
2:30:35 PM	0.028
2:31:35 PM	0.029
2:32:35 PM	0.031
2:33:35 PM	0.031
2:34:35 PM	0.024
2:35:35 PM	0.023
2:36:35 PM	0.023

2:37:35 PM	0.023
2:38:35 PM	0.046
2:39:35 PM	0.027
2:40:35 PM	0.026
2:41:35 PM	0.027
2:42:35 PM	0.027
2:43:35 PM	0.025
2:44:35 PM	0.024
2:45:35 PM	0.026
2:46:35 PM	0.025
2:47:35 PM	0.025
2:48:35 PM	0.024
2:49:35 PM	0.024
2:50:35 PM	0.023
2:51:35 PM	0.025
2:52:35 PM	0.027
2:53:35 PM	0.026
2:54:35 PM	0.027
2:55:35 PM	0.027
2:56:35 PM	0.027
2:57:35 PM	0.028
2:58:35 PM	0.027
2:59:35 PM	0.026
3:00:35 PM	0.026
3:01:35 PM	0.026
3:02:35 PM	0.025
3:03:35 PM	0.025
3:04:35 PM	0.024
3:05:35 PM	0.023
3:06:35 PM	0.023
3:07:35 PM	0.027
3:08:35 PM	0.025
3:09:35 PM	0.025
3:10:35 PM	0.022
3:11:35 PM	0.021
3:12:35 PM	0.021
3:13:35 PM	0.022
3:14:35 PM	0.021
3:15:35 PM	0.021
3:16:35 PM	0.021
3:17:35 PM	0.021
3:18:35 PM	0.021
3:19:35 PM	0.022
3:20:35 PM	0.022

3:21:35 PM	0.023
3:22:35 PM	0.022
3:23:35 PM	0.022
3:24:35 PM	0.022
3:25:35 PM	0.022
3:26:35 PM	0.021
3:27:35 PM	0.021
3:28:35 PM	0.021
3:29:35 PM	0.021
3:30:35 PM	0.021
3:31:35 PM	0.021
3:32:35 PM	0.021
3:33:35 PM	0.02
3:34:35 PM	0.02
3:35:35 PM	0.02
3:36:35 PM	0.019
3:37:35 PM	0.019
3:38:35 PM	0.019
3:39:35 PM	0.019
3:40:35 PM	0.02
3:41:35 PM	0.019
3:42:35 PM	0.019
3:43:35 PM	0.019
3:44:35 PM	0.019
3:45:35 PM	0.019
3:46:35 PM	0.019
3:47:35 PM	0.019
3:48:35 PM	0.02
3:49:35 PM	0.02
3:50:35 PM	0.019
3:51:35 PM	0.02
3:52:35 PM	0.02
3:53:35 PM	0.019
3:54:35 PM	0.019
3:55:35 PM	0.019
3:56:35 PM	0.019
3:57:35 PM	0.02
3:58:35 PM	0.021
3:59:35 PM	0.021
4:00:35 PM	0.022
4:01:35 PM	0.022

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/24/2024 16:06	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 16:05	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 16:04	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 16:03	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 16:02	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 16:01	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 16:00	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:59	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:58	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:57	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:56	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:55	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:54	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:53	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:52	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:51	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:50	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:49	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:48	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:47	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:46	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:45	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:44	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:43	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:42	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:41	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:40	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:39	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:38	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:37	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:36	Readings	PID	SC23030449A8	Normal,TWA	0
592-600853	7/24/2024 15:35	Readings	PID	SC23030449A8	Normal,TWA	0

592-600853	7/24/2024 7:19 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:18 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:17 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:16 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:15 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:14 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:13 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:12 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:11 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:10 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:09 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:08 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:07 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:06 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:05 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:04 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:03 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:02 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:01 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 7:00 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 6:59 Readings	PID	SC23030449A8	Normal,STEL	0
592-600853	7/24/2024 6:58 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_002
Test Start Time	7:03:37 AM
Test Start Date	7/24/2024
Test Length [D:H:M]	0:09:07
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.049
Mass Minimum [mg/m3]	0.023
Mass Maximum [mg/m3]	0.391
Mass TWA [mg/m3]	0.052
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	547

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:03:37 AM	0.088		
7:04:37 AM	0.053		
7:05:37 AM	0.076		
7:06:37 AM	0.051		
7:07:37 AM	0.05		
7:08:37 AM	0.049		
7:09:37 AM	0.05		
7:10:37 AM	0.049		
7:11:37 AM	0.049		
7:12:37 AM	0.29		
7:13:37 AM	0.08		
7:14:37 AM	0.051		
7:15:37 AM	0.054		
7:16:37 AM	0.065		
7:17:37 AM	0.06		
7:18:37 AM	0.056		
7:19:37 AM	0.087		
7:20:37 AM	0.056		
7:21:37 AM	0.05		
7:22:37 AM	0.046		
7:23:37 AM	0.048		
7:24:37 AM	0.044		
7:25:37 AM	0.043		
7:26:37 AM	0.044		

7:27:37 AM	0.045
7:28:37 AM	0.043
7:29:37 AM	0.042
7:30:37 AM	0.041
7:31:37 AM	0.041
7:32:37 AM	0.042
7:33:37 AM	0.042
7:34:37 AM	0.043
7:35:37 AM	0.041
7:36:37 AM	0.038
7:37:37 AM	0.038
7:38:37 AM	0.04
7:39:37 AM	0.041
7:40:37 AM	0.049
7:41:37 AM	0.043
7:42:37 AM	0.044
7:43:37 AM	0.041
7:44:37 AM	0.391
7:45:37 AM	0.045
7:46:37 AM	0.044
7:47:37 AM	0.041
7:48:37 AM	0.041
7:49:37 AM	0.04
7:50:37 AM	0.036
7:51:37 AM	0.037
7:52:37 AM	0.036
7:53:37 AM	0.036
7:54:37 AM	0.035
7:55:37 AM	0.057
7:56:37 AM	0.153
7:57:37 AM	0.045
7:58:37 AM	0.049
7:59:37 AM	0.038
8:00:37 AM	0.11
8:01:37 AM	0.174
8:02:37 AM	0.101
8:03:37 AM	0.039
8:04:37 AM	0.057
8:05:37 AM	0.08
8:06:37 AM	0.11
8:07:37 AM	0.148
8:08:37 AM	0.065
8:09:37 AM	0.077
8:10:37 AM	0.08

8:11:37 AM	0.042
8:12:37 AM	0.043
8:13:37 AM	0.045
8:14:37 AM	0.046
8:15:37 AM	0.048
8:16:37 AM	0.062
8:17:37 AM	0.044
8:18:37 AM	0.039
8:19:37 AM	0.042
8:20:37 AM	0.045
8:21:37 AM	0.049
8:22:37 AM	0.04
8:23:37 AM	0.04
8:24:37 AM	0.041
8:25:37 AM	0.04
8:26:37 AM	0.111
8:27:37 AM	0.047
8:28:37 AM	0.039
8:29:37 AM	0.039
8:30:37 AM	0.04
8:31:37 AM	0.07
8:32:37 AM	0.057
8:33:37 AM	0.05
8:34:37 AM	0.047
8:35:37 AM	0.043
8:36:37 AM	0.041
8:37:37 AM	0.041
8:38:37 AM	0.04
8:39:37 AM	0.041
8:40:37 AM	0.039
8:41:37 AM	0.041
8:42:37 AM	0.041
8:43:37 AM	0.049
8:44:37 AM	0.043
8:45:37 AM	0.047
8:46:37 AM	0.048
8:47:37 AM	0.044
8:48:37 AM	0.042
8:49:37 AM	0.049
8:50:37 AM	0.052
8:51:37 AM	0.046
8:52:37 AM	0.044
8:53:37 AM	0.039
8:54:37 AM	0.041

8:55:37 AM	0.041
8:56:37 AM	0.045
8:57:37 AM	0.045
8:58:37 AM	0.044
8:59:37 AM	0.046
9:00:37 AM	0.059
9:01:37 AM	0.049
9:02:37 AM	0.097
9:03:37 AM	0.083
9:04:37 AM	0.107
9:05:37 AM	0.204
9:06:37 AM	0.219
9:07:37 AM	0.078
9:08:37 AM	0.047
9:09:37 AM	0.045
9:10:37 AM	0.069
9:11:37 AM	0.188
9:12:37 AM	0.086
9:13:37 AM	0.353
9:14:37 AM	0.246
9:15:37 AM	0.201
9:16:37 AM	0.083
9:17:37 AM	0.049
9:18:37 AM	0.045
9:19:37 AM	0.044
9:20:37 AM	0.044
9:21:37 AM	0.045
9:22:37 AM	0.044
9:23:37 AM	0.046
9:24:37 AM	0.051
9:25:37 AM	0.05
9:26:37 AM	0.068
9:27:37 AM	0.104
9:28:37 AM	0.077
9:29:37 AM	0.08
9:30:37 AM	0.048
9:31:37 AM	0.042
9:32:37 AM	0.042
9:33:37 AM	0.042
9:34:37 AM	0.078
9:35:37 AM	0.088
9:36:37 AM	0.044
9:37:37 AM	0.042
9:38:37 AM	0.044

9:39:37 AM	0.041
9:40:37 AM	0.042
9:41:37 AM	0.152
9:42:37 AM	0.059
9:43:37 AM	0.04
9:44:37 AM	0.043
9:45:37 AM	0.046
9:46:37 AM	0.04
9:47:37 AM	0.039
9:48:37 AM	0.043
9:49:37 AM	0.04
9:50:37 AM	0.041
9:51:37 AM	0.038
9:52:37 AM	0.039
9:53:37 AM	0.038
9:54:37 AM	0.037
9:55:37 AM	0.037
9:56:37 AM	0.038
9:57:37 AM	0.045
9:58:37 AM	0.072
9:59:37 AM	0.043
10:00:37 AM	0.041
10:01:37 AM	0.036
10:02:37 AM	0.036
10:03:37 AM	0.036
10:04:37 AM	0.037
10:05:37 AM	0.037
10:06:37 AM	0.038
10:07:37 AM	0.037
10:08:37 AM	0.036
10:09:37 AM	0.036
10:10:37 AM	0.039
10:11:37 AM	0.039
10:12:37 AM	0.061
10:13:37 AM	0.04
10:14:37 AM	0.047
10:15:37 AM	0.044
10:16:37 AM	0.044
10:17:37 AM	0.044
10:18:37 AM	0.048
10:19:37 AM	0.047
10:20:37 AM	0.047
10:21:37 AM	0.051
10:22:37 AM	0.046

10:23:37 AM	0.045
10:24:37 AM	0.046
10:25:37 AM	0.045
10:26:37 AM	0.045
10:27:37 AM	0.043
10:28:37 AM	0.221
10:29:37 AM	0.103
10:30:37 AM	0.042
10:31:37 AM	0.04
10:32:37 AM	0.065
10:33:37 AM	0.047
10:34:37 AM	0.044
10:35:37 AM	0.045
10:36:37 AM	0.042
10:37:37 AM	0.042
10:38:37 AM	0.043
10:39:37 AM	0.043
10:40:37 AM	0.046
10:41:37 AM	0.046
10:42:37 AM	0.049
10:43:37 AM	0.045
10:44:37 AM	0.045
10:45:37 AM	0.054
10:46:37 AM	0.045
10:47:37 AM	0.048
10:48:37 AM	0.045
10:49:37 AM	0.046
10:50:37 AM	0.05
10:51:37 AM	0.045
10:52:37 AM	0.042
10:53:37 AM	0.075
10:54:37 AM	0.064
10:55:37 AM	0.044
10:56:37 AM	0.045
10:57:37 AM	0.045
10:58:37 AM	0.043
10:59:37 AM	0.04
11:00:37 AM	0.042
11:01:37 AM	0.041
11:02:37 AM	0.04
11:03:37 AM	0.043
11:04:37 AM	0.04
11:05:37 AM	0.041
11:06:37 AM	0.044

11:07:37 AM	0.067
11:08:37 AM	0.051
11:09:37 AM	0.047
11:10:37 AM	0.056
11:11:37 AM	0.065
11:12:37 AM	0.041
11:13:37 AM	0.04
11:14:37 AM	0.041
11:15:37 AM	0.043
11:16:37 AM	0.042
11:17:37 AM	0.041
11:18:37 AM	0.041
11:19:37 AM	0.043
11:20:37 AM	0.04
11:21:37 AM	0.04
11:22:37 AM	0.044
11:23:37 AM	0.043
11:24:37 AM	0.038
11:25:37 AM	0.038
11:26:37 AM	0.039
11:27:37 AM	0.043
11:28:37 AM	0.04
11:29:37 AM	0.042
11:30:37 AM	0.041
11:31:37 AM	0.044
11:32:37 AM	0.047
11:33:37 AM	0.039
11:34:37 AM	0.039
11:35:37 AM	0.043
11:36:37 AM	0.042
11:37:37 AM	0.072
11:38:37 AM	0.077
11:39:37 AM	0.042
11:40:37 AM	0.043
11:41:37 AM	0.038
11:42:37 AM	0.037
11:43:37 AM	0.037
11:44:37 AM	0.037
11:45:37 AM	0.039
11:46:37 AM	0.036
11:47:37 AM	0.037
11:48:37 AM	0.039
11:49:37 AM	0.04
11:50:37 AM	0.041

11:51:37 AM	0.041
11:52:37 AM	0.043
11:53:37 AM	0.149
11:54:37 AM	0.078
11:55:37 AM	0.038
11:56:37 AM	0.036
11:57:37 AM	0.036
11:58:37 AM	0.038
11:59:37 AM	0.04
12:00:37 PM	0.041
12:01:37 PM	0.041
12:02:37 PM	0.038
12:03:37 PM	0.04
12:04:37 PM	0.04
12:05:37 PM	0.039
12:06:37 PM	0.041
12:07:37 PM	0.035
12:08:37 PM	0.035
12:09:37 PM	0.035
12:10:37 PM	0.035
12:11:37 PM	0.038
12:12:37 PM	0.035
12:13:37 PM	0.035
12:14:37 PM	0.056
12:15:37 PM	0.036
12:16:37 PM	0.039
12:17:37 PM	0.035
12:18:37 PM	0.043
12:19:37 PM	0.035
12:20:37 PM	0.034
12:21:37 PM	0.034
12:22:37 PM	0.056
12:23:37 PM	0.086
12:24:37 PM	0.048
12:25:37 PM	0.036
12:26:37 PM	0.038
12:27:37 PM	0.04
12:28:37 PM	0.038
12:29:37 PM	0.04
12:30:37 PM	0.034
12:31:37 PM	0.039
12:32:37 PM	0.04
12:33:37 PM	0.037
12:34:37 PM	0.037

12:35:37 PM	0.037
12:36:37 PM	0.037
12:37:37 PM	0.038
12:38:37 PM	0.05
12:39:37 PM	0.036
12:40:37 PM	0.038
12:41:37 PM	0.039
12:42:37 PM	0.041
12:43:37 PM	0.039
12:44:37 PM	0.041
12:45:37 PM	0.039
12:46:37 PM	0.04
12:47:37 PM	0.038
12:48:37 PM	0.037
12:49:37 PM	0.04
12:50:37 PM	0.038
12:51:37 PM	0.037
12:52:37 PM	0.043
12:53:37 PM	0.037
12:54:37 PM	0.037
12:55:37 PM	0.037
12:56:37 PM	0.038
12:57:37 PM	0.038
12:58:37 PM	0.037
12:59:37 PM	0.048
1:00:37 PM	0.041
1:01:37 PM	0.038
1:02:37 PM	0.038
1:03:37 PM	0.039
1:04:37 PM	0.038
1:05:37 PM	0.047
1:06:37 PM	0.044
1:07:37 PM	0.038
1:08:37 PM	0.036
1:09:37 PM	0.04
1:10:37 PM	0.04
1:11:37 PM	0.036
1:12:37 PM	0.039
1:13:37 PM	0.045
1:14:37 PM	0.039
1:15:37 PM	0.038
1:16:37 PM	0.037
1:17:37 PM	0.039
1:18:37 PM	0.038

1:19:37 PM	0.038
1:20:37 PM	0.038
1:21:37 PM	0.038
1:22:37 PM	0.039
1:23:37 PM	0.07
1:24:37 PM	0.039
1:25:37 PM	0.039
1:26:37 PM	0.041
1:27:37 PM	0.039
1:28:37 PM	0.04
1:29:37 PM	0.038
1:30:37 PM	0.039
1:31:37 PM	0.039
1:32:37 PM	0.047
1:33:37 PM	0.042
1:34:37 PM	0.073
1:35:37 PM	0.042
1:36:37 PM	0.043
1:37:37 PM	0.041
1:38:37 PM	0.042
1:39:37 PM	0.042
1:40:37 PM	0.044
1:41:37 PM	0.044
1:42:37 PM	0.044
1:43:37 PM	0.045
1:44:37 PM	0.048
1:45:37 PM	0.047
1:46:37 PM	0.047
1:47:37 PM	0.045
1:48:37 PM	0.047
1:49:37 PM	0.046
1:50:37 PM	0.046
1:51:37 PM	0.049
1:52:37 PM	0.053
1:53:37 PM	0.056
1:54:37 PM	0.058
1:55:37 PM	0.051
1:56:37 PM	0.048
1:57:37 PM	0.051
1:58:37 PM	0.048
1:59:37 PM	0.046
2:00:37 PM	0.048
2:01:37 PM	0.049
2:02:37 PM	0.054

2:03:37 PM	0.066
2:04:37 PM	0.085
2:05:37 PM	0.075
2:06:37 PM	0.064
2:07:37 PM	0.06
2:08:37 PM	0.067
2:09:37 PM	0.062
2:10:37 PM	0.059
2:11:37 PM	0.058
2:12:37 PM	0.059
2:13:37 PM	0.056
2:14:37 PM	0.054
2:15:37 PM	0.053
2:16:37 PM	0.051
2:17:37 PM	0.053
2:18:37 PM	0.054
2:19:37 PM	0.053
2:20:37 PM	0.06
2:21:37 PM	0.053
2:22:37 PM	0.046
2:23:37 PM	0.046
2:24:37 PM	0.043
2:25:37 PM	0.049
2:26:37 PM	0.059
2:27:37 PM	0.049
2:28:37 PM	0.04
2:29:37 PM	0.033
2:30:37 PM	0.035
2:31:37 PM	0.036
2:32:37 PM	0.046
2:33:37 PM	0.05
2:34:37 PM	0.046
2:35:37 PM	0.043
2:36:37 PM	0.039
2:37:37 PM	0.036
2:38:37 PM	0.032
2:39:37 PM	0.036
2:40:37 PM	0.033
2:41:37 PM	0.037
2:42:37 PM	0.047
2:43:37 PM	0.037
2:44:37 PM	0.039
2:45:37 PM	0.034
2:46:37 PM	0.035

2:47:37 PM	0.033
2:48:37 PM	0.034
2:49:37 PM	0.033
2:50:37 PM	0.049
2:51:37 PM	0.043
2:52:37 PM	0.033
2:53:37 PM	0.045
2:54:37 PM	0.034
2:55:37 PM	0.035
2:56:37 PM	0.037
2:57:37 PM	0.042
2:58:37 PM	0.039
2:59:37 PM	0.034
3:00:37 PM	0.04
3:01:37 PM	0.048
3:02:37 PM	0.036
3:03:37 PM	0.039
3:04:37 PM	0.035
3:05:37 PM	0.043
3:06:37 PM	0.052
3:07:37 PM	0.036
3:08:37 PM	0.033
3:09:37 PM	0.035
3:10:37 PM	0.033
3:11:37 PM	0.047
3:12:37 PM	0.032
3:13:37 PM	0.032
3:14:37 PM	0.032
3:15:37 PM	0.033
3:16:37 PM	0.032
3:17:37 PM	0.036
3:18:37 PM	0.033
3:19:37 PM	0.031
3:20:37 PM	0.031
3:21:37 PM	0.032
3:22:37 PM	0.031
3:23:37 PM	0.032
3:24:37 PM	0.031
3:25:37 PM	0.03
3:26:37 PM	0.03
3:27:37 PM	0.03
3:28:37 PM	0.031
3:29:37 PM	0.034
3:30:37 PM	0.03

3:31:37 PM	0.032
3:32:37 PM	0.033
3:33:37 PM	0.046
3:34:37 PM	0.035
3:35:37 PM	0.038
3:36:37 PM	0.029
3:37:37 PM	0.043
3:38:37 PM	0.031
3:39:37 PM	0.028
3:40:37 PM	0.037
3:41:37 PM	0.029
3:42:37 PM	0.028
3:43:37 PM	0.028
3:44:37 PM	0.031
3:45:37 PM	0.029
3:46:37 PM	0.029
3:47:37 PM	0.028
3:48:37 PM	0.033
3:49:37 PM	0.03
3:50:37 PM	0.031
3:51:37 PM	0.031
3:52:37 PM	0.029
3:53:37 PM	0.03
3:54:37 PM	0.028
3:55:37 PM	0.035
3:56:37 PM	0.03
3:57:37 PM	0.032
3:58:37 PM	0.032
3:59:37 PM	0.033
4:00:37 PM	0.036
4:01:37 PM	0.035
4:02:37 PM	0.034
4:03:37 PM	0.039
4:04:37 PM	0.034
4:05:37 PM	0.03
4:06:37 PM	0.035
4:07:37 PM	0.027
4:08:37 PM	0.024
4:09:37 PM	0.023

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/24/2024 16:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 16:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 15:42	Readings	PID	SC23030124AA	Normal	0

592-908641	7/24/2024 12:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 12:00	Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/24/2024 11:59	Readings	PID	SC23030124AA	Normal	0.4
592-908641	7/24/2024 11:58	Readings	PID	SC23030124AA	Normal	2.7
592-908641	7/24/2024 11:57	Readings	PID	SC23030124AA	Normal	1.7
592-908641	7/24/2024 11:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 11:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 11:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 11:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 11:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 11:51	Readings	PID	SC23030124AA	Normal	0

592-908641	7/24/2024 10:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:39	Readings	PID	SC23030124AA	Normal	0

592-908641	7/24/2024 9:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 9:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:54	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:53	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:52	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:51	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:50	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:49	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:48	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:47	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:35	Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/24/2024 8:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:33	Readings	PID	SC23030124AA	Normal	0

592-908641	7/24/2024 8:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:05	Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/24/2024 8:04	Readings	PID	SC23030124AA	Normal	0.1
592-908641	7/24/2024 8:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 8:00	Readings	PID	SC23030124AA	Normal	0

592-908641	7/24/2024 7:59	CONFIG	PID	SC23030124AA		
592-908641	7/24/2024 7:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:57	CONFIG	PID	SC23030124AA		
592-908641	7/24/2024 7:46	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:45	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:44	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:43	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:42	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:41	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:40	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:39	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:38	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:37	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:36	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:35	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:34	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:33	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:32	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:31	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:30	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:29	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:17	Readings	PID	SC23030124AA	Normal	0

592-908641	7/24/2024 7:16 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:15 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:14 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:13 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:12 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:11 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:10 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:09 Readings	PID	SC23030124AA	Normal	0
592-908641	7/24/2024 7:08 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	7:02:29 AM
Test Start Date	7/24/2024
Test Length [D:H:M]	0:09:07
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.048
Mass Minimum [mg/m3]	0.031
Mass Maximum [mg/m3]	0.172
Mass TWA [mg/m3]	0.049
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	547

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02:29 AM	0.062		
7:03:29 AM	0.051		
7:04:29 AM	0.051		
7:05:29 AM	0.054		
7:06:29 AM	0.052		
7:07:29 AM	0.051		
7:08:29 AM	0.052		
7:09:29 AM	0.05		
7:10:29 AM	0.053		
7:11:29 AM	0.053		
7:12:29 AM	0.061		
7:13:29 AM	0.078		
7:14:29 AM	0.054		
7:15:29 AM	0.053		
7:16:29 AM	0.051		
7:17:29 AM	0.052		
7:18:29 AM	0.053		
7:19:29 AM	0.052		
7:20:29 AM	0.05		
7:21:29 AM	0.05		
7:22:29 AM	0.051		
7:23:29 AM	0.05		
7:24:29 AM	0.066		
7:25:29 AM	0.052		

7:26:29 AM	0.047
7:27:29 AM	0.048
7:28:29 AM	0.055
7:29:29 AM	0.048
7:30:29 AM	0.055
7:31:29 AM	0.057
7:32:29 AM	0.051
7:33:29 AM	0.044
7:34:29 AM	0.045
7:35:29 AM	0.048
7:36:29 AM	0.044
7:37:29 AM	0.044
7:38:29 AM	0.044
7:39:29 AM	0.043
7:40:29 AM	0.047
7:41:29 AM	0.043
7:42:29 AM	0.047
7:43:29 AM	0.046
7:44:29 AM	0.047
7:45:29 AM	0.042
7:46:29 AM	0.04
7:47:29 AM	0.044
7:48:29 AM	0.044
7:49:29 AM	0.043
7:50:29 AM	0.037
7:51:29 AM	0.039
7:52:29 AM	0.044
7:53:29 AM	0.042
7:54:29 AM	0.039
7:55:29 AM	0.04
7:56:29 AM	0.04
7:57:29 AM	0.04
7:58:29 AM	0.041
7:59:29 AM	0.042
8:00:29 AM	0.04
8:01:29 AM	0.044
8:02:29 AM	0.045
8:03:29 AM	0.042
8:04:29 AM	0.044
8:05:29 AM	0.048
8:06:29 AM	0.07
8:07:29 AM	0.044
8:08:29 AM	0.045
8:09:29 AM	0.058

8:10:29 AM	0.128
8:11:29 AM	0.05
8:12:29 AM	0.045
8:13:29 AM	0.039
8:14:29 AM	0.043
8:15:29 AM	0.042
8:16:29 AM	0.045
8:17:29 AM	0.044
8:18:29 AM	0.045
8:19:29 AM	0.044
8:20:29 AM	0.045
8:21:29 AM	0.047
8:22:29 AM	0.052
8:23:29 AM	0.043
8:24:29 AM	0.044
8:25:29 AM	0.046
8:26:29 AM	0.045
8:27:29 AM	0.046
8:28:29 AM	0.046
8:29:29 AM	0.046
8:30:29 AM	0.046
8:31:29 AM	0.046
8:32:29 AM	0.046
8:33:29 AM	0.047
8:34:29 AM	0.048
8:35:29 AM	0.055
8:36:29 AM	0.048
8:37:29 AM	0.05
8:38:29 AM	0.05
8:39:29 AM	0.044
8:40:29 AM	0.044
8:41:29 AM	0.044
8:42:29 AM	0.047
8:43:29 AM	0.048
8:44:29 AM	0.051
8:45:29 AM	0.049
8:46:29 AM	0.051
8:47:29 AM	0.049
8:48:29 AM	0.044
8:49:29 AM	0.053
8:50:29 AM	0.055
8:51:29 AM	0.048
8:52:29 AM	0.046
8:53:29 AM	0.048

8:54:29 AM	0.046
8:55:29 AM	0.045
8:56:29 AM	0.046
8:57:29 AM	0.048
8:58:29 AM	0.049
8:59:29 AM	0.049
9:00:29 AM	0.05
9:01:29 AM	0.05
9:02:29 AM	0.048
9:03:29 AM	0.05
9:04:29 AM	0.047
9:05:29 AM	0.048
9:06:29 AM	0.052
9:07:29 AM	0.052
9:08:29 AM	0.051
9:09:29 AM	0.051
9:10:29 AM	0.05
9:11:29 AM	0.049
9:12:29 AM	0.049
9:13:29 AM	0.051
9:14:29 AM	0.054
9:15:29 AM	0.063
9:16:29 AM	0.051
9:17:29 AM	0.062
9:18:29 AM	0.052
9:19:29 AM	0.06
9:20:29 AM	0.049
9:21:29 AM	0.05
9:22:29 AM	0.049
9:23:29 AM	0.05
9:24:29 AM	0.053
9:25:29 AM	0.05
9:26:29 AM	0.053
9:27:29 AM	0.054
9:28:29 AM	0.051
9:29:29 AM	0.054
9:30:29 AM	0.054
9:31:29 AM	0.048
9:32:29 AM	0.064
9:33:29 AM	0.043
9:34:29 AM	0.045
9:35:29 AM	0.045
9:36:29 AM	0.048
9:37:29 AM	0.172

9:38:29 AM	0.093
9:39:29 AM	0.046
9:40:29 AM	0.043
9:41:29 AM	0.043
9:42:29 AM	0.062
9:43:29 AM	0.062
9:44:29 AM	0.09
9:45:29 AM	0.051
9:46:29 AM	0.04
9:47:29 AM	0.049
9:48:29 AM	0.05
9:49:29 AM	0.053
9:50:29 AM	0.043
9:51:29 AM	0.043
9:52:29 AM	0.056
9:53:29 AM	0.042
9:54:29 AM	0.041
9:55:29 AM	0.041
9:56:29 AM	0.043
9:57:29 AM	0.04
9:58:29 AM	0.043
9:59:29 AM	0.044
10:00:29 AM	0.041
10:01:29 AM	0.04
10:02:29 AM	0.04
10:03:29 AM	0.04
10:04:29 AM	0.038
10:05:29 AM	0.039
10:06:29 AM	0.042
10:07:29 AM	0.041
10:08:29 AM	0.04
10:09:29 AM	0.039
10:10:29 AM	0.04
10:11:29 AM	0.041
10:12:29 AM	0.044
10:13:29 AM	0.046
10:14:29 AM	0.047
10:15:29 AM	0.042
10:16:29 AM	0.046
10:17:29 AM	0.051
10:18:29 AM	0.049
10:19:29 AM	0.05
10:20:29 AM	0.049
10:21:29 AM	0.058

10:22:29 AM	0.052
10:23:29 AM	0.047
10:24:29 AM	0.05
10:25:29 AM	0.051
10:26:29 AM	0.05
10:27:29 AM	0.052
10:28:29 AM	0.049
10:29:29 AM	0.046
10:30:29 AM	0.046
10:31:29 AM	0.045
10:32:29 AM	0.043
10:33:29 AM	0.045
10:34:29 AM	0.046
10:35:29 AM	0.047
10:36:29 AM	0.047
10:37:29 AM	0.046
10:38:29 AM	0.047
10:39:29 AM	0.046
10:40:29 AM	0.047
10:41:29 AM	0.047
10:42:29 AM	0.049
10:43:29 AM	0.049
10:44:29 AM	0.052
10:45:29 AM	0.05
10:46:29 AM	0.051
10:47:29 AM	0.052
10:48:29 AM	0.051
10:49:29 AM	0.051
10:50:29 AM	0.049
10:51:29 AM	0.049
10:52:29 AM	0.047
10:53:29 AM	0.047
10:54:29 AM	0.05
10:55:29 AM	0.046
10:56:29 AM	0.043
10:57:29 AM	0.045
10:58:29 AM	0.048
10:59:29 AM	0.048
11:00:29 AM	0.046
11:01:29 AM	0.046
11:02:29 AM	0.044
11:03:29 AM	0.044
11:04:29 AM	0.046
11:05:29 AM	0.047

11:06:29 AM	0.045
11:07:29 AM	0.046
11:08:29 AM	0.049
11:09:29 AM	0.046
11:10:29 AM	0.045
11:11:29 AM	0.044
11:12:29 AM	0.044
11:13:29 AM	0.046
11:14:29 AM	0.06
11:15:29 AM	0.049
11:16:29 AM	0.046
11:17:29 AM	0.046
11:18:29 AM	0.05
11:19:29 AM	0.046
11:20:29 AM	0.047
11:21:29 AM	0.05
11:22:29 AM	0.046
11:23:29 AM	0.047
11:24:29 AM	0.052
11:25:29 AM	0.045
11:26:29 AM	0.044
11:27:29 AM	0.045
11:28:29 AM	0.044
11:29:29 AM	0.046
11:30:29 AM	0.048
11:31:29 AM	0.045
11:32:29 AM	0.047
11:33:29 AM	0.045
11:34:29 AM	0.045
11:35:29 AM	0.048
11:36:29 AM	0.044
11:37:29 AM	0.048
11:38:29 AM	0.043
11:39:29 AM	0.045
11:40:29 AM	0.045
11:41:29 AM	0.045
11:42:29 AM	0.063
11:43:29 AM	0.059
11:44:29 AM	0.07
11:45:29 AM	0.046
11:46:29 AM	0.051
11:47:29 AM	0.043
11:48:29 AM	0.044
11:49:29 AM	0.045

11:50:29 AM	0.044
11:51:29 AM	0.045
11:52:29 AM	0.045
11:53:29 AM	0.045
11:54:29 AM	0.046
11:55:29 AM	0.045
11:56:29 AM	0.042
11:57:29 AM	0.045
11:58:29 AM	0.048
11:59:29 AM	0.052
12:00:29 PM	0.165
12:01:29 PM	0.079
12:02:29 PM	0.046
12:03:29 PM	0.043
12:04:29 PM	0.051
12:05:29 PM	0.05
12:06:29 PM	0.046
12:07:29 PM	0.044
12:08:29 PM	0.042
12:09:29 PM	0.045
12:10:29 PM	0.041
12:11:29 PM	0.041
12:12:29 PM	0.041
12:13:29 PM	0.044
12:14:29 PM	0.042
12:15:29 PM	0.043
12:16:29 PM	0.047
12:17:29 PM	0.049
12:18:29 PM	0.041
12:19:29 PM	0.041
12:20:29 PM	0.047
12:21:29 PM	0.041
12:22:29 PM	0.041
12:23:29 PM	0.063
12:24:29 PM	0.041
12:25:29 PM	0.044
12:26:29 PM	0.042
12:27:29 PM	0.045
12:28:29 PM	0.047
12:29:29 PM	0.053
12:30:29 PM	0.047
12:31:29 PM	0.043
12:32:29 PM	0.043
12:33:29 PM	0.045

12:34:29 PM	0.044
12:35:29 PM	0.045
12:36:29 PM	0.044
12:37:29 PM	0.047
12:38:29 PM	0.046
12:39:29 PM	0.042
12:40:29 PM	0.05
12:41:29 PM	0.045
12:42:29 PM	0.046
12:43:29 PM	0.046
12:44:29 PM	0.044
12:45:29 PM	0.043
12:46:29 PM	0.044
12:47:29 PM	0.044
12:48:29 PM	0.044
12:49:29 PM	0.046
12:50:29 PM	0.046
12:51:29 PM	0.045
12:52:29 PM	0.045
12:53:29 PM	0.045
12:54:29 PM	0.045
12:55:29 PM	0.047
12:56:29 PM	0.045
12:57:29 PM	0.046
12:58:29 PM	0.043
12:59:29 PM	0.047
1:00:29 PM	0.046
1:01:29 PM	0.046
1:02:29 PM	0.047
1:03:29 PM	0.044
1:04:29 PM	0.044
1:05:29 PM	0.043
1:06:29 PM	0.043
1:07:29 PM	0.044
1:08:29 PM	0.044
1:09:29 PM	0.044
1:10:29 PM	0.042
1:11:29 PM	0.042
1:12:29 PM	0.043
1:13:29 PM	0.043
1:14:29 PM	0.043
1:15:29 PM	0.044
1:16:29 PM	0.044
1:17:29 PM	0.046

1:18:29 PM	0.044
1:19:29 PM	0.045
1:20:29 PM	0.044
1:21:29 PM	0.044
1:22:29 PM	0.044
1:23:29 PM	0.044
1:24:29 PM	0.044
1:25:29 PM	0.045
1:26:29 PM	0.045
1:27:29 PM	0.049
1:28:29 PM	0.048
1:29:29 PM	0.046
1:30:29 PM	0.045
1:31:29 PM	0.045
1:32:29 PM	0.046
1:33:29 PM	0.048
1:34:29 PM	0.049
1:35:29 PM	0.071
1:36:29 PM	0.093
1:37:29 PM	0.059
1:38:29 PM	0.054
1:39:29 PM	0.053
1:40:29 PM	0.053
1:41:29 PM	0.053
1:42:29 PM	0.054
1:43:29 PM	0.054
1:44:29 PM	0.054
1:45:29 PM	0.056
1:46:29 PM	0.055
1:47:29 PM	0.052
1:48:29 PM	0.052
1:49:29 PM	0.051
1:50:29 PM	0.053
1:51:29 PM	0.061
1:52:29 PM	0.058
1:53:29 PM	0.057
1:54:29 PM	0.061
1:55:29 PM	0.063
1:56:29 PM	0.058
1:57:29 PM	0.06
1:58:29 PM	0.06
1:59:29 PM	0.063
2:00:29 PM	0.062
2:01:29 PM	0.061

2:02:29 PM	0.063
2:03:29 PM	0.069
2:04:29 PM	0.091
2:05:29 PM	0.093
2:06:29 PM	0.08
2:07:29 PM	0.072
2:08:29 PM	0.079
2:09:29 PM	0.077
2:10:29 PM	0.072
2:11:29 PM	0.066
2:12:29 PM	0.063
2:13:29 PM	0.065
2:14:29 PM	0.064
2:15:29 PM	0.06
2:16:29 PM	0.063
2:17:29 PM	0.062
2:18:29 PM	0.06
2:19:29 PM	0.057
2:20:29 PM	0.055
2:21:29 PM	0.06
2:22:29 PM	0.055
2:23:29 PM	0.052
2:24:29 PM	0.05
2:25:29 PM	0.049
2:26:29 PM	0.047
2:27:29 PM	0.047
2:28:29 PM	0.047
2:29:29 PM	0.043
2:30:29 PM	0.038
2:31:29 PM	0.042
2:32:29 PM	0.045
2:33:29 PM	0.051
2:34:29 PM	0.055
2:35:29 PM	0.05
2:36:29 PM	0.044
2:37:29 PM	0.035
2:38:29 PM	0.034
2:39:29 PM	0.036
2:40:29 PM	0.035
2:41:29 PM	0.037
2:42:29 PM	0.038
2:43:29 PM	0.038
2:44:29 PM	0.036
2:45:29 PM	0.039

2:46:29 PM	0.04
2:47:29 PM	0.04
2:48:29 PM	0.037
2:49:29 PM	0.036
2:50:29 PM	0.036
2:51:29 PM	0.037
2:52:29 PM	0.037
2:53:29 PM	0.037
2:54:29 PM	0.036
2:55:29 PM	0.036
2:56:29 PM	0.04
2:57:29 PM	0.038
2:58:29 PM	0.039
2:59:29 PM	0.04
3:00:29 PM	0.038
3:01:29 PM	0.036
3:02:29 PM	0.036
3:03:29 PM	0.036
3:04:29 PM	0.037
3:05:29 PM	0.039
3:06:29 PM	0.039
3:07:29 PM	0.036
3:08:29 PM	0.037
3:09:29 PM	0.036
3:10:29 PM	0.038
3:11:29 PM	0.038
3:12:29 PM	0.036
3:13:29 PM	0.036
3:14:29 PM	0.035
3:15:29 PM	0.036
3:16:29 PM	0.037
3:17:29 PM	0.036
3:18:29 PM	0.037
3:19:29 PM	0.038
3:20:29 PM	0.039
3:21:29 PM	0.04
3:22:29 PM	0.036
3:23:29 PM	0.034
3:24:29 PM	0.034
3:25:29 PM	0.033
3:26:29 PM	0.034
3:27:29 PM	0.035
3:28:29 PM	0.035
3:29:29 PM	0.035

3:30:29 PM	0.037
3:31:29 PM	0.036
3:32:29 PM	0.035
3:33:29 PM	0.035
3:34:29 PM	0.036
3:35:29 PM	0.036
3:36:29 PM	0.035
3:37:29 PM	0.034
3:38:29 PM	0.031
3:39:29 PM	0.037
3:40:29 PM	0.034
3:41:29 PM	0.033
3:42:29 PM	0.032
3:43:29 PM	0.032
3:44:29 PM	0.033
3:45:29 PM	0.032
3:46:29 PM	0.034
3:47:29 PM	0.144
3:48:29 PM	0.059
3:49:29 PM	0.034
3:50:29 PM	0.034
3:51:29 PM	0.036
3:52:29 PM	0.033
3:53:29 PM	0.032
3:54:29 PM	0.036
3:55:29 PM	0.035
3:56:29 PM	0.035
3:57:29 PM	0.038
3:58:29 PM	0.036
3:59:29 PM	0.04
4:00:29 PM	0.039
4:01:29 PM	0.04
4:02:29 PM	0.037
4:03:29 PM	0.04
4:04:29 PM	0.041
4:05:29 PM	0.035
4:06:29 PM	0.042
4:07:29 PM	0.032
4:08:29 PM	0.032

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	7/24/2024 16:17	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:16	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:15	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:14	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:13	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:12	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:11	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:10	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:09	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:08	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:07	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:06	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:05	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:04	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:03	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:02	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:01	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 16:00	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:59	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:58	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:57	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:56	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:55	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:54	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:53	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:52	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:51	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:50	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:49	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:48	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:47	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 15:46	Readings	PID	SC23030186C8	Normal	0.2

592-602806	7/24/2024 14:39	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:38	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:37	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:36	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:35	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:34	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:33	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:32	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:31	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:30	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:29	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:28	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:27	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:26	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:25	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:24	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:23	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:22	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:21	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:20	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:19	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:18	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:17	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:16	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:15	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:14	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:13	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:12	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 14:11	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:10	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:09	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:08	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 14:07	Readings	PID	SC23030186C8	Normal	0.2

592-602806	7/24/2024 13:33	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:32	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:31	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:30	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:29	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:28	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:27	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:26	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:25	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:24	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:23	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:22	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:21	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:20	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:19	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:18	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:17	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:16	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:15	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:14	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:13	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:12	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:11	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/24/2024 13:10	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:09	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:08	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:07	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:06	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 13:05	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:04	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:03	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:02	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 13:01	Readings	PID	SC23030186C8	Normal	0.1

592-602806	7/24/2024 13:00	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:59	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:58	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:57	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:56	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:55	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:54	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:53	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:52	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:51	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:50	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:49	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:48	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:47	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:46	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:45	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:44	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:43	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:42	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:41	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/24/2024 12:40	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:39	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:38	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:37	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:36	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:35	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/24/2024 12:34	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:33	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:32	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:31	Readings	PID	SC23030186C8	Normal	0.2
592-602806	7/24/2024 12:30	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:29	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 12:28	Readings	PID	SC23030186C8	Normal	0.3

592-602806	7/24/2024 11:54	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:53	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:52	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:51	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:50	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:49	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:48	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:47	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:46	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:45	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:44	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:43	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:42	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:41	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:40	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:39	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:38	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:37	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:36	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:35	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:34	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:33	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:32	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:31	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:30	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:29	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:28	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:27	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:26	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:25	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:24	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:23	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:22	Readings	PID	SC23030186C8	Normal	0

592-602806	7/24/2024 11:21	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:20	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:19	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:18	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:17	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:16	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:15	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:14	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:13	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:12	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:11	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:10	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:09	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:08	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:07	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:06	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:05	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:04	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:03	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:02	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 11:01	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 11:00	Readings	PID	SC23030186C8	Normal	0.3
592-602806	7/24/2024 10:59	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:58	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:57	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 10:56	Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/24/2024 10:55	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:54	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 10:53	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 10:52	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:51	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:50	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:49	Readings	PID	SC23030186C8	Normal	0

592-602806	7/24/2024 10:48	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:47	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:46	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:45	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 10:44	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:43	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:42	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:41	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:40	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:39	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:38	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:37	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:36	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:35	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:34	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:33	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:32	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:31	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:30	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 10:29	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:28	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:27	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:26	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:25	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:24	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:23	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:22	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:21	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:20	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:19	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:18	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:17	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:16	Readings	PID	SC23030186C8	Normal	0

592-602806	7/24/2024 10:15	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/24/2024 10:14	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:13	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:12	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:11	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:10	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:09	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:08	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:07	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:06	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:05	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:04	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:03	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:02	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:01	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 10:00	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:59	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:58	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:57	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:56	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:55	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:54	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:53	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:52	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:51	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:50	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:49	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:48	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:47	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:46	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:45	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:44	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:43	Readings	PID	SC23030186C8	Normal	0

592-602806	7/24/2024 9:42	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:41	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:40	CONFIG	PID	SC23030186C8		
592-602806	7/24/2024 9:38	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:37	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:36	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:35	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:34	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:33	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:32	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:31	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:30	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:29	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:28	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:27	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:26	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:25	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:24	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:23	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:22	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:21	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:20	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:19	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:18	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:17	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:16	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:15	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:14	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:13	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:12	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:11	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:10	Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 9:09	Readings	PID	SC23030186C8	Normal	0

592-602806	7/24/2024 7:29 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:28 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:27 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:26 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:25 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:24 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:23 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:22 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:21 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:20 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:19 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:18 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:17 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:16 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:15 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:14 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:13 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:12 Readings	PID	SC23030186C8	Normal	0
592-602806	7/24/2024 7:11 CONFIG	PID	SC23030186C8		