



AILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	E 4 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	07/25/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time Onsite: 06:45 Time Offsite: 16:15</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza WSP (Environmental oversight) – Tim Williams Capital/KFS (Contractor) Bradford (SSDS Contractor) Cascade (ISS Contractor) ADS (Drillers) ECS (dewatering)</p> <p>Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig</p>
---	---

Scope of Work: Deploy three (3) CAMP stations according to wind direction; IEEG continued low-flow ground water sampling of sentinel wells; IEEG gauged all sentinel wells; Bradford to continue with sewer and drain pipe installation at south building cellar; KFS to continue vapor-barrier installation and foundation construction at south building; and de-water EP-90 spill area.

Site Activities:

- Deployed three (3) CAMP stations prior to start of work activities;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells;
- KFS foundation construction and vapor barrier installation, vapor barrier was inspected to ensure proper application;
- ECS performs repairs on dewatering treatment system, dewatering reactivated in EP-90;
- Low flow ground water sampling of sentinel wells, the following wells were sampled: GW-17 B, MW-19 A&B, and NMAW-2A.
- Bradford continued with installation of sewer and SSDS pipe installation at south building cellar, installed and approved SSDS pipes were backfilled with approved gravel;
- Excavation of EP-103 to 10' bsg;
- Dewatering active in EP-90 and EP-103; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.032_ mg/m³ @ 06:59
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.584_ mg/m³ @ 07:07
- High Conditions (Downwind 1) – PID = _4.5_ ppm @07:00, Dust = _0.053_ mg/m³ @ 12:01
- High Conditions (Downwind 2) – PID = _1.5_ ppm @ 07:13, Dust = _0.106_ mg/m³ @ 10:27

Notable Site Conditions:

- Dust suppression was implemented periodically during work activities.

Planned Activities for the Next Day/Week:

- KFS to continue rebar fabrication, vapor barrier installation;
- Bradford to continue sewer and drainpipe installation.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo 1 –
Representative
photo of vapor
barrier and rebar
installation in the
south building.




Photo 2 –
Representative
photo of ISS
QA/QC cores
stored
underneath
trailer and
wrapped with
plastic.



Photo 3 –
Representative
photo of EP-103
excavation and
dewatering
sump.



Photo 4 –
Representative
photo Spill
2308807 covered
with poly by the
end of day.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com




A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL




1
2
3
4
5
6
7
8



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_003
Test Start Time	6:59:05 AM
Test Start Date	7/25/2024
Test Length [D:H:M]	0:09:18
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.03
Mass Minimum [mg/m3]	0.017
Mass Maximum [mg/m3]	0.584
Mass TWA [mg/m3]	0.03
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	558

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:59:05 AM	0.032		
7:00:05 AM	0.033		
7:01:05 AM	0.034		
7:02:05 AM	0.033		
7:03:05 AM	0.03		
7:04:05 AM	0.029		
7:05:05 AM	0.094		
7:06:05 AM	0.287		
7:07:05 AM	0.584		
7:08:05 AM	0.097		
7:09:05 AM	0.043		
7:10:05 AM	0.032		
7:11:05 AM	0.027		
7:12:05 AM	0.032		
7:13:05 AM	0.035		
7:14:05 AM	0.036		
7:15:05 AM	0.047		
7:16:05 AM	0.058		
7:17:05 AM	0.024		
7:18:05 AM	0.129		
7:19:05 AM	0.091		
7:20:05 AM	0.2		
7:21:05 AM	0.252		
7:22:05 AM	0.112		

7:23:05 AM	0.063
7:24:05 AM	0.065
7:25:05 AM	0.058
7:26:05 AM	0.049
7:27:05 AM	0.048
7:28:05 AM	0.032
7:29:05 AM	0.028
7:30:05 AM	0.024
7:31:05 AM	0.026
7:32:05 AM	0.024
7:33:05 AM	0.025
7:34:05 AM	0.027
7:35:05 AM	0.024
7:36:05 AM	0.023
7:37:05 AM	0.023
7:38:05 AM	0.025
7:39:05 AM	0.023
7:40:05 AM	0.025
7:41:05 AM	0.023
7:42:05 AM	0.024
7:43:05 AM	0.023
7:44:05 AM	0.024
7:45:05 AM	0.024
7:46:05 AM	0.025
7:47:05 AM	0.022
7:48:05 AM	0.025
7:49:05 AM	0.026
7:50:05 AM	0.024
7:51:05 AM	0.022
7:52:05 AM	0.021
7:53:05 AM	0.02
7:54:05 AM	0.02
7:55:05 AM	0.019
7:56:05 AM	0.019
7:57:05 AM	0.02
7:58:05 AM	0.02
7:59:05 AM	0.02
8:00:05 AM	0.019
8:01:05 AM	0.019
8:02:05 AM	0.02
8:03:05 AM	0.02
8:04:05 AM	0.023
8:05:05 AM	0.022
8:06:05 AM	0.022

8:07:05 AM	0.022
8:08:05 AM	0.023
8:09:05 AM	0.021
8:10:05 AM	0.021
8:11:05 AM	0.021
8:12:05 AM	0.022
8:13:05 AM	0.022
8:14:05 AM	0.021
8:15:05 AM	0.023
8:16:05 AM	0.032
8:17:05 AM	0.026
8:18:05 AM	0.023
8:19:05 AM	0.023
8:20:05 AM	0.023
8:21:05 AM	0.023
8:22:05 AM	0.02
8:23:05 AM	0.019
8:24:05 AM	0.02
8:25:05 AM	0.022
8:26:05 AM	0.023
8:27:05 AM	0.028
8:28:05 AM	0.03
8:29:05 AM	0.024
8:30:05 AM	0.023
8:31:05 AM	0.022
8:32:05 AM	0.022
8:33:05 AM	0.021
8:34:05 AM	0.021
8:35:05 AM	0.022
8:36:05 AM	0.022
8:37:05 AM	0.022
8:38:05 AM	0.023
8:39:05 AM	0.021
8:40:05 AM	0.023
8:41:05 AM	0.026
8:42:05 AM	0.023
8:43:05 AM	0.021
8:44:05 AM	0.021
8:45:05 AM	0.023
8:46:05 AM	0.034
8:47:05 AM	0.022
8:48:05 AM	0.04
8:49:05 AM	0.028
8:50:05 AM	0.025

8:51:05 AM	0.042
8:52:05 AM	0.025
8:53:05 AM	0.024
8:54:05 AM	0.026
8:55:05 AM	0.024
8:56:05 AM	0.022
8:57:05 AM	0.053
8:58:05 AM	0.028
8:59:05 AM	0.024
9:00:05 AM	0.023
9:01:05 AM	0.022
9:02:05 AM	0.024
9:03:05 AM	0.023
9:04:05 AM	0.023
9:05:05 AM	0.022
9:06:05 AM	0.022
9:07:05 AM	0.023
9:08:05 AM	0.024
9:09:05 AM	0.027
9:10:05 AM	0.026
9:11:05 AM	0.023
9:12:05 AM	0.024
9:13:05 AM	0.026
9:14:05 AM	0.029
9:15:05 AM	0.024
9:16:05 AM	0.025
9:17:05 AM	0.03
9:18:05 AM	0.031
9:19:05 AM	0.027
9:20:05 AM	0.051
9:21:05 AM	0.049
9:22:05 AM	0.029
9:23:05 AM	0.026
9:24:05 AM	0.025
9:25:05 AM	0.024
9:26:05 AM	0.046
9:27:05 AM	0.068
9:28:05 AM	0.038
9:29:05 AM	0.037
9:30:05 AM	0.022
9:31:05 AM	0.02
9:32:05 AM	0.021
9:33:05 AM	0.022
9:34:05 AM	0.02

9:35:05 AM	0.019
9:36:05 AM	0.022
9:37:05 AM	0.024
9:38:05 AM	0.022
9:39:05 AM	0.022
9:40:05 AM	0.02
9:41:05 AM	0.02
9:42:05 AM	0.02
9:43:05 AM	0.021
9:44:05 AM	0.023
9:45:05 AM	0.026
9:46:05 AM	0.024
9:47:05 AM	0.024
9:48:05 AM	0.028
9:49:05 AM	0.022
9:50:05 AM	0.022
9:51:05 AM	0.021
9:52:05 AM	0.021
9:53:05 AM	0.022
9:54:05 AM	0.02
9:55:05 AM	0.025
9:56:05 AM	0.024
9:57:05 AM	0.021
9:58:05 AM	0.021
9:59:05 AM	0.021
10:00:05 AM	0.021
10:01:05 AM	0.022
10:02:05 AM	0.022
10:03:05 AM	0.022
10:04:05 AM	0.022
10:05:05 AM	0.021
10:06:05 AM	0.021
10:07:05 AM	0.022
10:08:05 AM	0.022
10:09:05 AM	0.022
10:10:05 AM	0.021
10:11:05 AM	0.022
10:12:05 AM	0.022
10:13:05 AM	0.031
10:14:05 AM	0.023
10:15:05 AM	0.024
10:16:05 AM	0.022
10:17:05 AM	0.022
10:18:05 AM	0.023

10:19:05 AM	0.022
10:20:05 AM	0.022
10:21:05 AM	0.023
10:22:05 AM	0.022
10:23:05 AM	0.022
10:24:05 AM	0.021
10:25:05 AM	0.022
10:26:05 AM	0.029
10:27:05 AM	0.028
10:28:05 AM	0.023
10:29:05 AM	0.022
10:30:05 AM	0.021
10:31:05 AM	0.021
10:32:05 AM	0.021
10:33:05 AM	0.022
10:34:05 AM	0.025
10:35:05 AM	0.022
10:36:05 AM	0.021
10:37:05 AM	0.024
10:38:05 AM	0.029
10:39:05 AM	0.034
10:40:05 AM	0.024
10:41:05 AM	0.024
10:42:05 AM	0.024
10:43:05 AM	0.021
10:44:05 AM	0.021
10:45:05 AM	0.02
10:46:05 AM	0.021
10:47:05 AM	0.074
10:48:05 AM	0.043
10:49:05 AM	0.034
10:50:05 AM	0.027
10:51:05 AM	0.021
10:52:05 AM	0.022
10:53:05 AM	0.025
10:54:05 AM	0.022
10:55:05 AM	0.02
10:56:05 AM	0.02
10:57:05 AM	0.021
10:58:05 AM	0.02
10:59:05 AM	0.02
11:00:05 AM	0.02
11:01:05 AM	0.02
11:02:05 AM	0.021

11:03:05 AM	0.035
11:04:05 AM	0.032
11:05:05 AM	0.025
11:06:05 AM	0.03
11:07:05 AM	0.024
11:08:05 AM	0.024
11:09:05 AM	0.029
11:10:05 AM	0.028
11:11:05 AM	0.026
11:12:05 AM	0.027
11:13:05 AM	0.031
11:14:05 AM	0.045
11:15:05 AM	0.042
11:16:05 AM	0.028
11:17:05 AM	0.041
11:18:05 AM	0.038
11:19:05 AM	0.031
11:20:05 AM	0.031
11:21:05 AM	0.029
11:22:05 AM	0.028
11:23:05 AM	0.026
11:24:05 AM	0.03
11:25:05 AM	0.026
11:26:05 AM	0.025
11:27:05 AM	0.025
11:28:05 AM	0.024
11:29:05 AM	0.025
11:30:05 AM	0.032
11:31:05 AM	0.023
11:32:05 AM	0.031
11:33:05 AM	0.037
11:34:05 AM	0.029
11:35:05 AM	0.033
11:36:05 AM	0.04
11:37:05 AM	0.082
11:38:05 AM	0.023
11:39:05 AM	0.022
11:40:05 AM	0.024
11:41:05 AM	0.033
11:42:05 AM	0.022
11:43:05 AM	0.022
11:44:05 AM	0.024
11:45:05 AM	0.022
11:46:05 AM	0.022

11:47:05 AM	0.022
11:48:05 AM	0.021
11:49:05 AM	0.022
11:50:05 AM	0.03
11:51:05 AM	0.05
11:52:05 AM	0.031
11:53:05 AM	0.023
11:54:05 AM	0.021
11:55:05 AM	0.023
11:56:05 AM	0.027
11:57:05 AM	0.034
11:58:05 AM	0.031
11:59:05 AM	0.029
12:00:05 PM	0.043
12:01:05 PM	0.027
12:02:05 PM	0.031
12:03:05 PM	0.024
12:04:05 PM	0.032
12:05:05 PM	0.023
12:06:05 PM	0.021
12:07:05 PM	0.022
12:08:05 PM	0.022
12:09:05 PM	0.167
12:10:05 PM	0.05
12:11:05 PM	0.027
12:12:05 PM	0.022
12:13:05 PM	0.023
12:14:05 PM	0.021
12:15:05 PM	0.022
12:16:05 PM	0.022
12:17:05 PM	0.021
12:18:05 PM	0.022
12:19:05 PM	0.023
12:20:05 PM	0.022
12:21:05 PM	0.02
12:22:05 PM	0.02
12:23:05 PM	0.021
12:24:05 PM	0.021
12:25:05 PM	0.021
12:26:05 PM	0.02
12:27:05 PM	0.021
12:28:05 PM	0.021
12:29:05 PM	0.021
12:30:05 PM	0.021

12:31:05 PM	0.021
12:32:05 PM	0.021
12:33:05 PM	0.021
12:34:05 PM	0.021
12:35:05 PM	0.023
12:36:05 PM	0.024
12:37:05 PM	0.025
12:38:05 PM	0.03
12:39:05 PM	0.023
12:40:05 PM	0.05
12:41:05 PM	0.024
12:42:05 PM	0.023
12:43:05 PM	0.026
12:44:05 PM	0.027
12:45:05 PM	0.024
12:46:05 PM	0.022
12:47:05 PM	0.028
12:48:05 PM	0.027
12:49:05 PM	0.023
12:50:05 PM	0.024
12:51:05 PM	0.037
12:52:05 PM	0.025
12:53:05 PM	0.023
12:54:05 PM	0.024
12:55:05 PM	0.023
12:56:05 PM	0.023
12:57:05 PM	0.025
12:58:05 PM	0.023
12:59:05 PM	0.021
1:00:05 PM	0.023
1:01:05 PM	0.02
1:02:05 PM	0.019
1:03:05 PM	0.025
1:04:05 PM	0.023
1:05:05 PM	0.019
1:06:05 PM	0.018
1:07:05 PM	0.019
1:08:05 PM	0.021
1:09:05 PM	0.018
1:10:05 PM	0.023
1:11:05 PM	0.019
1:12:05 PM	0.018
1:13:05 PM	0.018
1:14:05 PM	0.019

1:15:05 PM	0.02
1:16:05 PM	0.03
1:17:05 PM	0.017
1:18:05 PM	0.021
1:19:05 PM	0.025
1:20:05 PM	0.019
1:21:05 PM	0.021
1:22:05 PM	0.018
1:23:05 PM	0.019
1:24:05 PM	0.019
1:25:05 PM	0.024
1:26:05 PM	0.022
1:27:05 PM	0.02
1:28:05 PM	0.03
1:29:05 PM	0.025
1:30:05 PM	0.02
1:31:05 PM	0.018
1:32:05 PM	0.02
1:33:05 PM	0.021
1:34:05 PM	0.035
1:35:05 PM	0.035
1:36:05 PM	0.026
1:37:05 PM	0.027
1:38:05 PM	0.033
1:39:05 PM	0.025
1:40:05 PM	0.023
1:41:05 PM	0.021
1:42:05 PM	0.02
1:43:05 PM	0.022
1:44:05 PM	0.02
1:45:05 PM	0.02
1:46:05 PM	0.02
1:47:05 PM	0.018
1:48:05 PM	0.02
1:49:05 PM	0.023
1:50:05 PM	0.017
1:51:05 PM	0.019
1:52:05 PM	0.03
1:53:05 PM	0.022
1:54:05 PM	0.019
1:55:05 PM	0.018
1:56:05 PM	0.018
1:57:05 PM	0.021
1:58:05 PM	0.021

1:59:05 PM	0.028
2:00:05 PM	0.024
2:01:05 PM	0.021
2:02:05 PM	0.024
2:03:05 PM	0.03
2:04:05 PM	0.04
2:05:05 PM	0.021
2:06:05 PM	0.017
2:07:05 PM	0.026
2:08:05 PM	0.024
2:09:05 PM	0.025
2:10:05 PM	0.024
2:11:05 PM	0.024
2:12:05 PM	0.023
2:13:05 PM	0.024
2:14:05 PM	0.02
2:15:05 PM	0.024
2:16:05 PM	0.019
2:17:05 PM	0.029
2:18:05 PM	0.019
2:19:05 PM	0.017
2:20:05 PM	0.018
2:21:05 PM	0.024
2:22:05 PM	0.107
2:23:05 PM	0.12
2:24:05 PM	0.037
2:25:05 PM	0.303
2:26:05 PM	0.031
2:27:05 PM	0.021
2:28:05 PM	0.022
2:29:05 PM	0.035
2:30:05 PM	0.041
2:31:05 PM	0.071
2:32:05 PM	0.068
2:33:05 PM	0.031
2:34:05 PM	0.024
2:35:05 PM	0.026
2:36:05 PM	0.028
2:37:05 PM	0.023
2:38:05 PM	0.02
2:39:05 PM	0.019
2:40:05 PM	0.023
2:41:05 PM	0.02
2:42:05 PM	0.021

2:43:05 PM	0.029
2:44:05 PM	0.042
2:45:05 PM	0.022
2:46:05 PM	0.022
2:47:05 PM	0.022
2:48:05 PM	0.029
2:49:05 PM	0.027
2:50:05 PM	0.022
2:51:05 PM	0.02
2:52:05 PM	0.021
2:53:05 PM	0.023
2:54:05 PM	0.025
2:55:05 PM	0.041
2:56:05 PM	0.021
2:57:05 PM	0.02
2:58:05 PM	0.021
2:59:05 PM	0.023
3:00:05 PM	0.019
3:01:05 PM	0.019
3:02:05 PM	0.021
3:03:05 PM	0.019
3:04:05 PM	0.019
3:05:05 PM	0.018
3:06:05 PM	0.019
3:07:05 PM	0.019
3:08:05 PM	0.02
3:09:05 PM	0.019
3:10:05 PM	0.021
3:11:05 PM	0.031
3:12:05 PM	0.021
3:13:05 PM	0.02
3:14:05 PM	0.018
3:15:05 PM	0.019
3:16:05 PM	0.02
3:17:05 PM	0.021
3:18:05 PM	0.021
3:19:05 PM	0.019
3:20:05 PM	0.019
3:21:05 PM	0.02
3:22:05 PM	0.021
3:23:05 PM	0.019
3:24:05 PM	0.02
3:25:05 PM	0.02
3:26:05 PM	0.02

3:27:05 PM	0.022
3:28:05 PM	0.023
3:29:05 PM	0.022
3:30:05 PM	0.022
3:31:05 PM	0.023
3:32:05 PM	0.021
3:33:05 PM	0.02
3:34:05 PM	0.02
3:35:05 PM	0.032
3:36:05 PM	0.022
3:37:05 PM	0.022
3:38:05 PM	0.042
3:39:05 PM	0.068
3:40:05 PM	0.04
3:41:05 PM	0.022
3:42:05 PM	0.041
3:43:05 PM	0.038
3:44:05 PM	0.026
3:45:05 PM	0.024
3:46:05 PM	0.021
3:47:05 PM	0.022
3:48:05 PM	0.023
3:49:05 PM	0.022
3:50:05 PM	0.126
3:51:05 PM	0.022
3:52:05 PM	0.021
3:53:05 PM	0.021
3:54:05 PM	0.021
3:55:05 PM	0.021
3:56:05 PM	0.021
3:57:05 PM	0.021
3:58:05 PM	0.022
3:59:05 PM	0.022
4:00:05 PM	0.022
4:01:05 PM	0.027
4:02:05 PM	0.033
4:03:05 PM	0.023
4:04:05 PM	0.022
4:05:05 PM	0.023
4:06:05 PM	0.022
4:07:05 PM	0.024
4:08:05 PM	0.022
4:09:05 PM	0.021
4:10:05 PM	0.023

4:11:05 PM	0.023
4:12:05 PM	0.052
4:13:05 PM	0.022
4:14:05 PM	0.027
4:15:05 PM	0.023
4:16:05 PM	0.024

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	7/25/2024 16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:17	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:16	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:15	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:14	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:13	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:12	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:11	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:10	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:09	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:08	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:07	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:06	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:03	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 16:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:59	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:58	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:57	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 15:49	Readings	PID	SC23030449A8	Normal	0

592-600853	7/25/2024 10:18	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:17	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:16	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:15	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:14	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:11	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:10	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:09	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:08	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:07	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:06	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:05	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:04	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:01	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 10:00	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:54	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:53	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:52	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:51	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:50	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:49	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:48	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 9:46	Readings	PID	SC23030449A8	Normal	0

592-600853	7/25/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:55 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:54 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:51 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:50 Readings	PID	SC23030449A8	Normal	0
592-600853	7/25/2024 6:49 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_003
Test Start Time	6:54:15 AM
Test Start Date	7/25/2024
Test Length [D:H:M]	0:09:31
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.03
Mass Maximum [mg/m3]	0.053
Mass TWA [mg/m3]	0.034
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	571

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:54:15 AM	0.05		
6:55:15 AM	0.032		
6:56:15 AM	0.032		
6:57:15 AM	0.032		
6:58:15 AM	0.031		
6:59:15 AM	0.032		
7:00:15 AM	0.032		
7:01:15 AM	0.031		
7:02:15 AM	0.031		
7:03:15 AM	0.031		
7:04:15 AM	0.031		
7:05:15 AM	0.031		
7:06:15 AM	0.031		
7:07:15 AM	0.031		
7:08:15 AM	0.032		
7:09:15 AM	0.036		
7:10:15 AM	0.043		
7:11:15 AM	0.038		
7:12:15 AM	0.033		
7:13:15 AM	0.03		
7:14:15 AM	0.03		
7:15:15 AM	0.032		
7:16:15 AM	0.03		
7:17:15 AM	0.031		

7:18:15 AM	0.031
7:19:15 AM	0.031
7:20:15 AM	0.035
7:21:15 AM	0.033
7:22:15 AM	0.032
7:23:15 AM	0.032
7:24:15 AM	0.033
7:25:15 AM	0.032
7:26:15 AM	0.032
7:27:15 AM	0.031
7:28:15 AM	0.03
7:29:15 AM	0.032
7:30:15 AM	0.031
7:31:15 AM	0.031
7:32:15 AM	0.031
7:33:15 AM	0.031
7:34:15 AM	0.031
7:35:15 AM	0.032
7:36:15 AM	0.032
7:37:15 AM	0.032
7:38:15 AM	0.032
7:39:15 AM	0.033
7:40:15 AM	0.033
7:41:15 AM	0.034
7:42:15 AM	0.035
7:43:15 AM	0.035
7:44:15 AM	0.033
7:45:15 AM	0.032
7:46:15 AM	0.032
7:47:15 AM	0.031
7:48:15 AM	0.031
7:49:15 AM	0.032
7:50:15 AM	0.033
7:51:15 AM	0.032
7:52:15 AM	0.031
7:53:15 AM	0.031
7:54:15 AM	0.03
7:55:15 AM	0.031
7:56:15 AM	0.03
7:57:15 AM	0.031
7:58:15 AM	0.032
7:59:15 AM	0.03
8:00:15 AM	0.031
8:01:15 AM	0.032

8:02:15 AM	0.031
8:03:15 AM	0.031
8:04:15 AM	0.032
8:05:15 AM	0.031
8:06:15 AM	0.031
8:07:15 AM	0.031
8:08:15 AM	0.03
8:09:15 AM	0.03
8:10:15 AM	0.031
8:11:15 AM	0.031
8:12:15 AM	0.031
8:13:15 AM	0.033
8:14:15 AM	0.031
8:15:15 AM	0.034
8:16:15 AM	0.031
8:17:15 AM	0.031
8:18:15 AM	0.032
8:19:15 AM	0.032
8:20:15 AM	0.031
8:21:15 AM	0.033
8:22:15 AM	0.034
8:23:15 AM	0.033
8:24:15 AM	0.034
8:25:15 AM	0.033
8:26:15 AM	0.032
8:27:15 AM	0.033
8:28:15 AM	0.033
8:29:15 AM	0.031
8:30:15 AM	0.032
8:31:15 AM	0.034
8:32:15 AM	0.034
8:33:15 AM	0.034
8:34:15 AM	0.034
8:35:15 AM	0.034
8:36:15 AM	0.033
8:37:15 AM	0.033
8:38:15 AM	0.032
8:39:15 AM	0.032
8:40:15 AM	0.034
8:41:15 AM	0.034
8:42:15 AM	0.034
8:43:15 AM	0.034
8:44:15 AM	0.034
8:45:15 AM	0.035

8:46:15 AM	0.034
8:47:15 AM	0.035
8:48:15 AM	0.038
8:49:15 AM	0.043
8:50:15 AM	0.051
8:51:15 AM	0.048
8:52:15 AM	0.041
8:53:15 AM	0.041
8:54:15 AM	0.041
8:55:15 AM	0.039
8:56:15 AM	0.039
8:57:15 AM	0.043
8:58:15 AM	0.039
8:59:15 AM	0.036
9:00:15 AM	0.037
9:01:15 AM	0.038
9:02:15 AM	0.036
9:03:15 AM	0.035
9:04:15 AM	0.034
9:05:15 AM	0.034
9:06:15 AM	0.034
9:07:15 AM	0.035
9:08:15 AM	0.035
9:09:15 AM	0.034
9:10:15 AM	0.036
9:11:15 AM	0.039
9:12:15 AM	0.039
9:13:15 AM	0.036
9:14:15 AM	0.036
9:15:15 AM	0.036
9:16:15 AM	0.037
9:17:15 AM	0.035
9:18:15 AM	0.036
9:19:15 AM	0.037
9:20:15 AM	0.036
9:21:15 AM	0.036
9:22:15 AM	0.033
9:23:15 AM	0.033
9:24:15 AM	0.033
9:25:15 AM	0.033
9:26:15 AM	0.033
9:27:15 AM	0.032
9:28:15 AM	0.032
9:29:15 AM	0.032

9:30:15 AM	0.032
9:31:15 AM	0.032
9:32:15 AM	0.032
9:33:15 AM	0.032
9:34:15 AM	0.034
9:35:15 AM	0.04
9:36:15 AM	0.032
9:37:15 AM	0.031
9:38:15 AM	0.033
9:39:15 AM	0.031
9:40:15 AM	0.032
9:41:15 AM	0.032
9:42:15 AM	0.032
9:43:15 AM	0.032
9:44:15 AM	0.033
9:45:15 AM	0.033
9:46:15 AM	0.032
9:47:15 AM	0.035
9:48:15 AM	0.032
9:49:15 AM	0.032
9:50:15 AM	0.032
9:51:15 AM	0.032
9:52:15 AM	0.032
9:53:15 AM	0.032
9:54:15 AM	0.033
9:55:15 AM	0.033
9:56:15 AM	0.033
9:57:15 AM	0.033
9:58:15 AM	0.034
9:59:15 AM	0.033
10:00:15 AM	0.034
10:01:15 AM	0.035
10:02:15 AM	0.035
10:03:15 AM	0.036
10:04:15 AM	0.035
10:05:15 AM	0.035
10:06:15 AM	0.034
10:07:15 AM	0.035
10:08:15 AM	0.035
10:09:15 AM	0.035
10:10:15 AM	0.035
10:11:15 AM	0.035
10:12:15 AM	0.035
10:13:15 AM	0.035

10:14:15 AM	0.036
10:15:15 AM	0.036
10:16:15 AM	0.037
10:17:15 AM	0.036
10:18:15 AM	0.035
10:19:15 AM	0.036
10:20:15 AM	0.036
10:21:15 AM	0.035
10:22:15 AM	0.035
10:23:15 AM	0.035
10:24:15 AM	0.036
10:25:15 AM	0.035
10:26:15 AM	0.036
10:27:15 AM	0.036
10:28:15 AM	0.036
10:29:15 AM	0.036
10:30:15 AM	0.036
10:31:15 AM	0.035
10:32:15 AM	0.035
10:33:15 AM	0.035
10:34:15 AM	0.034
10:35:15 AM	0.035
10:36:15 AM	0.036
10:37:15 AM	0.035
10:38:15 AM	0.035
10:39:15 AM	0.034
10:40:15 AM	0.035
10:41:15 AM	0.034
10:42:15 AM	0.035
10:43:15 AM	0.035
10:44:15 AM	0.035
10:45:15 AM	0.035
10:46:15 AM	0.035
10:47:15 AM	0.035
10:48:15 AM	0.041
10:49:15 AM	0.037
10:50:15 AM	0.033
10:51:15 AM	0.035
10:52:15 AM	0.034
10:53:15 AM	0.035
10:54:15 AM	0.034
10:55:15 AM	0.035
10:56:15 AM	0.034
10:57:15 AM	0.036

10:58:15 AM	0.034
10:59:15 AM	0.034
11:00:15 AM	0.034
11:01:15 AM	0.035
11:02:15 AM	0.034
11:03:15 AM	0.036
11:04:15 AM	0.041
11:05:15 AM	0.038
11:06:15 AM	0.038
11:07:15 AM	0.036
11:08:15 AM	0.035
11:09:15 AM	0.038
11:10:15 AM	0.036
11:11:15 AM	0.034
11:12:15 AM	0.035
11:13:15 AM	0.036
11:14:15 AM	0.04
11:15:15 AM	0.041
11:16:15 AM	0.035
11:17:15 AM	0.036
11:18:15 AM	0.037
11:19:15 AM	0.036
11:20:15 AM	0.035
11:21:15 AM	0.035
11:22:15 AM	0.036
11:23:15 AM	0.035
11:24:15 AM	0.035
11:25:15 AM	0.035
11:26:15 AM	0.039
11:27:15 AM	0.038
11:28:15 AM	0.035
11:29:15 AM	0.035
11:30:15 AM	0.035
11:31:15 AM	0.035
11:32:15 AM	0.036
11:33:15 AM	0.035
11:34:15 AM	0.035
11:35:15 AM	0.035
11:36:15 AM	0.036
11:37:15 AM	0.035
11:38:15 AM	0.036
11:39:15 AM	0.038
11:40:15 AM	0.035
11:41:15 AM	0.036

11:42:15 AM	0.035
11:43:15 AM	0.034
11:44:15 AM	0.035
11:45:15 AM	0.035
11:46:15 AM	0.035
11:47:15 AM	0.037
11:48:15 AM	0.036
11:49:15 AM	0.035
11:50:15 AM	0.035
11:51:15 AM	0.039
11:52:15 AM	0.047
11:53:15 AM	0.037
11:54:15 AM	0.039
11:55:15 AM	0.038
11:56:15 AM	0.038
11:57:15 AM	0.037
11:58:15 AM	0.04
11:59:15 AM	0.04
12:00:15 PM	0.038
12:01:15 PM	0.053
12:02:15 PM	0.043
12:03:15 PM	0.041
12:04:15 PM	0.039
12:05:15 PM	0.035
12:06:15 PM	0.036
12:07:15 PM	0.036
12:08:15 PM	0.037
12:09:15 PM	0.039
12:10:15 PM	0.043
12:11:15 PM	0.042
12:12:15 PM	0.038
12:13:15 PM	0.035
12:14:15 PM	0.035
12:15:15 PM	0.036
12:16:15 PM	0.037
12:17:15 PM	0.038
12:18:15 PM	0.036
12:19:15 PM	0.035
12:20:15 PM	0.035
12:21:15 PM	0.036
12:22:15 PM	0.036
12:23:15 PM	0.036
12:24:15 PM	0.035
12:25:15 PM	0.037

12:26:15 PM	0.035
12:27:15 PM	0.035
12:28:15 PM	0.035
12:29:15 PM	0.037
12:30:15 PM	0.036
12:31:15 PM	0.037
12:32:15 PM	0.038
12:33:15 PM	0.039
12:34:15 PM	0.037
12:35:15 PM	0.038
12:36:15 PM	0.036
12:37:15 PM	0.036
12:38:15 PM	0.036
12:39:15 PM	0.036
12:40:15 PM	0.037
12:41:15 PM	0.039
12:42:15 PM	0.042
12:43:15 PM	0.039
12:44:15 PM	0.041
12:45:15 PM	0.044
12:46:15 PM	0.036
12:47:15 PM	0.036
12:48:15 PM	0.036
12:49:15 PM	0.036
12:50:15 PM	0.04
12:51:15 PM	0.041
12:52:15 PM	0.039
12:53:15 PM	0.036
12:54:15 PM	0.037
12:55:15 PM	0.035
12:56:15 PM	0.035
12:57:15 PM	0.034
12:58:15 PM	0.034
12:59:15 PM	0.035
1:00:15 PM	0.035
1:01:15 PM	0.036
1:02:15 PM	0.035
1:03:15 PM	0.034
1:04:15 PM	0.035
1:05:15 PM	0.034
1:06:15 PM	0.033
1:07:15 PM	0.033
1:08:15 PM	0.034
1:09:15 PM	0.037

1:10:15 PM	0.034
1:11:15 PM	0.034
1:12:15 PM	0.036
1:13:15 PM	0.034
1:14:15 PM	0.034
1:15:15 PM	0.034
1:16:15 PM	0.033
1:17:15 PM	0.033
1:18:15 PM	0.033
1:19:15 PM	0.033
1:20:15 PM	0.033
1:21:15 PM	0.033
1:22:15 PM	0.034
1:23:15 PM	0.041
1:24:15 PM	0.034
1:25:15 PM	0.032
1:26:15 PM	0.032
1:27:15 PM	0.032
1:28:15 PM	0.032
1:29:15 PM	0.033
1:30:15 PM	0.033
1:31:15 PM	0.032
1:32:15 PM	0.032
1:33:15 PM	0.032
1:34:15 PM	0.033
1:35:15 PM	0.032
1:36:15 PM	0.032
1:37:15 PM	0.031
1:38:15 PM	0.031
1:39:15 PM	0.034
1:40:15 PM	0.034
1:41:15 PM	0.031
1:42:15 PM	0.032
1:43:15 PM	0.032
1:44:15 PM	0.032
1:45:15 PM	0.033
1:46:15 PM	0.033
1:47:15 PM	0.032
1:48:15 PM	0.032
1:49:15 PM	0.032
1:50:15 PM	0.032
1:51:15 PM	0.031
1:52:15 PM	0.032
1:53:15 PM	0.032

1:54:15 PM	0.032
1:55:15 PM	0.031
1:56:15 PM	0.032
1:57:15 PM	0.031
1:58:15 PM	0.031
1:59:15 PM	0.031
2:00:15 PM	0.031
2:01:15 PM	0.031
2:02:15 PM	0.032
2:03:15 PM	0.031
2:04:15 PM	0.032
2:05:15 PM	0.031
2:06:15 PM	0.03
2:07:15 PM	0.032
2:08:15 PM	0.033
2:09:15 PM	0.032
2:10:15 PM	0.032
2:11:15 PM	0.033
2:12:15 PM	0.033
2:13:15 PM	0.031
2:14:15 PM	0.032
2:15:15 PM	0.031
2:16:15 PM	0.031
2:17:15 PM	0.032
2:18:15 PM	0.031
2:19:15 PM	0.032
2:20:15 PM	0.031
2:21:15 PM	0.031
2:22:15 PM	0.032
2:23:15 PM	0.035
2:24:15 PM	0.038
2:25:15 PM	0.047
2:26:15 PM	0.035
2:27:15 PM	0.036
2:28:15 PM	0.035
2:29:15 PM	0.033
2:30:15 PM	0.034
2:31:15 PM	0.032
2:32:15 PM	0.032
2:33:15 PM	0.032
2:34:15 PM	0.033
2:35:15 PM	0.034
2:36:15 PM	0.033
2:37:15 PM	0.035

2:38:15 PM	0.034
2:39:15 PM	0.033
2:40:15 PM	0.033
2:41:15 PM	0.034
2:42:15 PM	0.033
2:43:15 PM	0.034
2:44:15 PM	0.033
2:45:15 PM	0.034
2:46:15 PM	0.034
2:47:15 PM	0.032
2:48:15 PM	0.033
2:49:15 PM	0.033
2:50:15 PM	0.034
2:51:15 PM	0.036
2:52:15 PM	0.034
2:53:15 PM	0.033
2:54:15 PM	0.033
2:55:15 PM	0.033
2:56:15 PM	0.033
2:57:15 PM	0.034
2:58:15 PM	0.033
2:59:15 PM	0.032
3:00:15 PM	0.032
3:01:15 PM	0.032
3:02:15 PM	0.032
3:03:15 PM	0.033
3:04:15 PM	0.033
3:05:15 PM	0.032
3:06:15 PM	0.033
3:07:15 PM	0.034
3:08:15 PM	0.032
3:09:15 PM	0.033
3:10:15 PM	0.033
3:11:15 PM	0.032
3:12:15 PM	0.033
3:13:15 PM	0.037
3:14:15 PM	0.033
3:15:15 PM	0.033
3:16:15 PM	0.034
3:17:15 PM	0.033
3:18:15 PM	0.034
3:19:15 PM	0.034
3:20:15 PM	0.034
3:21:15 PM	0.033

3:22:15 PM	0.034
3:23:15 PM	0.033
3:24:15 PM	0.034
3:25:15 PM	0.034
3:26:15 PM	0.033
3:27:15 PM	0.034
3:28:15 PM	0.035
3:29:15 PM	0.035
3:30:15 PM	0.035
3:31:15 PM	0.034
3:32:15 PM	0.034
3:33:15 PM	0.035
3:34:15 PM	0.037
3:35:15 PM	0.038
3:36:15 PM	0.038
3:37:15 PM	0.037
3:38:15 PM	0.037
3:39:15 PM	0.036
3:40:15 PM	0.038
3:41:15 PM	0.041
3:42:15 PM	0.039
3:43:15 PM	0.041
3:44:15 PM	0.039
3:45:15 PM	0.039
3:46:15 PM	0.039
3:47:15 PM	0.037
3:48:15 PM	0.037
3:49:15 PM	0.036
3:50:15 PM	0.037
3:51:15 PM	0.037
3:52:15 PM	0.036
3:53:15 PM	0.036
3:54:15 PM	0.036
3:55:15 PM	0.036
3:56:15 PM	0.037
3:57:15 PM	0.037
3:58:15 PM	0.037
3:59:15 PM	0.037
4:00:15 PM	0.037
4:01:15 PM	0.037
4:02:15 PM	0.037
4:03:15 PM	0.037
4:04:15 PM	0.036
4:05:15 PM	0.037

4:06:15 PM	0.039
4:07:15 PM	0.038
4:08:15 PM	0.038
4:09:15 PM	0.037
4:10:15 PM	0.038
4:11:15 PM	0.038
4:12:15 PM	0.036
4:13:15 PM	0.036
4:14:15 PM	0.037
4:15:15 PM	0.041
4:16:15 PM	0.037
4:17:15 PM	0.038
4:18:15 PM	0.039
4:19:15 PM	0.037
4:20:15 PM	0.037
4:21:15 PM	0.037
4:22:15 PM	0.038
4:23:15 PM	0.038
4:24:15 PM	0.037

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	7/25/2024 16:28	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:27	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 16:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 15:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 15:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 15:57	Readings	PID	SC23030124AA	Normal	0

592-908641	7/25/2024 10:26	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:25	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:24	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:23	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:22	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:21	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:20	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:19	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:18	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:17	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:16	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:15	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:14	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:13	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:12	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:11	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:10	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:09	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:08	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:07	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:06	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:05	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:04	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:03	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:02	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:01	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 10:00	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 9:59	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 9:58	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 9:57	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 9:56	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 9:55	Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 9:54	Readings	PID	SC23030124AA	Normal	0

592-908641	7/25/2024 7:08 Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 7:07 Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 7:06 Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 7:05 Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 7:04 Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 7:03 Readings	PID	SC23030124AA	Normal	0
592-908641	7/25/2024 7:02 Readings	PID	SC23030124AA	Normal	0.9
592-908641	7/25/2024 7:01 Readings	PID	SC23030124AA	Normal	4.1
592-908641	7/25/2024 7:00 Readings	PID	SC23030124AA	Normal	4.5
592-908641	7/25/2024 6:59 Readings	PID	SC23030124AA	Normal	4.3
592-908641	7/25/2024 6:58 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_003
Test Start Time	7:03:25 AM
Test Start Date	7/25/2024
Test Length [D:H:M]	0:09:18
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.042
Mass Minimum [mg/m3]	0.033
Mass Maximum [mg/m3]	0.106
Mass TWA [mg/m3]	0.042
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	558

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:03:25 AM	0.06		
7:04:25 AM	0.039		
7:05:25 AM	0.037		
7:06:25 AM	0.037		
7:07:25 AM	0.036		
7:08:25 AM	0.035		
7:09:25 AM	0.036		
7:10:25 AM	0.036		
7:11:25 AM	0.038		
7:12:25 AM	0.038		
7:13:25 AM	0.041		
7:14:25 AM	0.043		
7:15:25 AM	0.04		
7:16:25 AM	0.039		
7:17:25 AM	0.035		
7:18:25 AM	0.037		
7:19:25 AM	0.035		
7:20:25 AM	0.035		
7:21:25 AM	0.036		
7:22:25 AM	0.035		
7:23:25 AM	0.035		
7:24:25 AM	0.035		
7:25:25 AM	0.033		
7:26:25 AM	0.035		

7:27:25 AM	0.036
7:28:25 AM	0.043
7:29:25 AM	0.039
7:30:25 AM	0.036
7:31:25 AM	0.042
7:32:25 AM	0.041
7:33:25 AM	0.037
7:34:25 AM	0.037
7:35:25 AM	0.038
7:36:25 AM	0.038
7:37:25 AM	0.039
7:38:25 AM	0.038
7:39:25 AM	0.037
7:40:25 AM	0.04
7:41:25 AM	0.038
7:42:25 AM	0.039
7:43:25 AM	0.045
7:44:25 AM	0.054
7:45:25 AM	0.048
7:46:25 AM	0.044
7:47:25 AM	0.043
7:48:25 AM	0.043
7:49:25 AM	0.04
7:50:25 AM	0.035
7:51:25 AM	0.034
7:52:25 AM	0.034
7:53:25 AM	0.036
7:54:25 AM	0.035
7:55:25 AM	0.048
7:56:25 AM	0.039
7:57:25 AM	0.036
7:58:25 AM	0.036
7:59:25 AM	0.034
8:00:25 AM	0.038
8:01:25 AM	0.039
8:02:25 AM	0.034
8:03:25 AM	0.036
8:04:25 AM	0.035
8:05:25 AM	0.039
8:06:25 AM	0.042
8:07:25 AM	0.036
8:08:25 AM	0.037
8:09:25 AM	0.037
8:10:25 AM	0.037

8:11:25 AM	0.038
8:12:25 AM	0.039
8:13:25 AM	0.041
8:14:25 AM	0.052
8:15:25 AM	0.036
8:16:25 AM	0.036
8:17:25 AM	0.038
8:18:25 AM	0.042
8:19:25 AM	0.043
8:20:25 AM	0.04
8:21:25 AM	0.034
8:22:25 AM	0.04
8:23:25 AM	0.037
8:24:25 AM	0.038
8:25:25 AM	0.036
8:26:25 AM	0.036
8:27:25 AM	0.035
8:28:25 AM	0.038
8:29:25 AM	0.041
8:30:25 AM	0.039
8:31:25 AM	0.036
8:32:25 AM	0.035
8:33:25 AM	0.038
8:34:25 AM	0.036
8:35:25 AM	0.037
8:36:25 AM	0.037
8:37:25 AM	0.036
8:38:25 AM	0.037
8:39:25 AM	0.039
8:40:25 AM	0.041
8:41:25 AM	0.044
8:42:25 AM	0.04
8:43:25 AM	0.037
8:44:25 AM	0.037
8:45:25 AM	0.039
8:46:25 AM	0.037
8:47:25 AM	0.037
8:48:25 AM	0.037
8:49:25 AM	0.047
8:50:25 AM	0.063
8:51:25 AM	0.04
8:52:25 AM	0.057
8:53:25 AM	0.039
8:54:25 AM	0.039

8:55:25 AM	0.038
8:56:25 AM	0.038
8:57:25 AM	0.037
8:58:25 AM	0.038
8:59:25 AM	0.039
9:00:25 AM	0.038
9:01:25 AM	0.038
9:02:25 AM	0.038
9:03:25 AM	0.041
9:04:25 AM	0.043
9:05:25 AM	0.042
9:06:25 AM	0.041
9:07:25 AM	0.044
9:08:25 AM	0.048
9:09:25 AM	0.048
9:10:25 AM	0.041
9:11:25 AM	0.04
9:12:25 AM	0.039
9:13:25 AM	0.04
9:14:25 AM	0.043
9:15:25 AM	0.039
9:16:25 AM	0.037
9:17:25 AM	0.037
9:18:25 AM	0.045
9:19:25 AM	0.049
9:20:25 AM	0.047
9:21:25 AM	0.047
9:22:25 AM	0.077
9:23:25 AM	0.046
9:24:25 AM	0.037
9:25:25 AM	0.035
9:26:25 AM	0.039
9:27:25 AM	0.041
9:28:25 AM	0.051
9:29:25 AM	0.038
9:30:25 AM	0.037
9:31:25 AM	0.04
9:32:25 AM	0.036
9:33:25 AM	0.037
9:34:25 AM	0.038
9:35:25 AM	0.046
9:36:25 AM	0.038
9:37:25 AM	0.037
9:38:25 AM	0.042

9:39:25 AM	0.038
9:40:25 AM	0.038
9:41:25 AM	0.04
9:42:25 AM	0.038
9:43:25 AM	0.035
9:44:25 AM	0.036
9:45:25 AM	0.04
9:46:25 AM	0.042
9:47:25 AM	0.045
9:48:25 AM	0.039
9:49:25 AM	0.038
9:50:25 AM	0.035
9:51:25 AM	0.037
9:52:25 AM	0.038
9:53:25 AM	0.036
9:54:25 AM	0.037
9:55:25 AM	0.038
9:56:25 AM	0.04
9:57:25 AM	0.038
9:58:25 AM	0.038
9:59:25 AM	0.037
10:00:25 AM	0.038
10:01:25 AM	0.038
10:02:25 AM	0.038
10:03:25 AM	0.039
10:04:25 AM	0.038
10:05:25 AM	0.038
10:06:25 AM	0.038
10:07:25 AM	0.039
10:08:25 AM	0.041
10:09:25 AM	0.039
10:10:25 AM	0.041
10:11:25 AM	0.04
10:12:25 AM	0.041
10:13:25 AM	0.039
10:14:25 AM	0.04
10:15:25 AM	0.044
10:16:25 AM	0.058
10:17:25 AM	0.043
10:18:25 AM	0.046
10:19:25 AM	0.042
10:20:25 AM	0.041
10:21:25 AM	0.04
10:22:25 AM	0.041

10:23:25 AM	0.045
10:24:25 AM	0.045
10:25:25 AM	0.044
10:26:25 AM	0.046
10:27:25 AM	0.106
10:28:25 AM	0.048
10:29:25 AM	0.042
10:30:25 AM	0.039
10:31:25 AM	0.038
10:32:25 AM	0.037
10:33:25 AM	0.052
10:34:25 AM	0.039
10:35:25 AM	0.048
10:36:25 AM	0.073
10:37:25 AM	0.069
10:38:25 AM	0.037
10:39:25 AM	0.038
10:40:25 AM	0.038
10:41:25 AM	0.037
10:42:25 AM	0.037
10:43:25 AM	0.04
10:44:25 AM	0.036
10:45:25 AM	0.037
10:46:25 AM	0.039
10:47:25 AM	0.054
10:48:25 AM	0.038
10:49:25 AM	0.041
10:50:25 AM	0.039
10:51:25 AM	0.037
10:52:25 AM	0.037
10:53:25 AM	0.038
10:54:25 AM	0.045
10:55:25 AM	0.046
10:56:25 AM	0.043
10:57:25 AM	0.042
10:58:25 AM	0.038
10:59:25 AM	0.037
11:00:25 AM	0.036
11:01:25 AM	0.036
11:02:25 AM	0.045
11:03:25 AM	0.047
11:04:25 AM	0.04
11:05:25 AM	0.039
11:06:25 AM	0.039

11:07:25 AM	0.057
11:08:25 AM	0.044
11:09:25 AM	0.044
11:10:25 AM	0.051
11:11:25 AM	0.046
11:12:25 AM	0.044
11:13:25 AM	0.043
11:14:25 AM	0.044
11:15:25 AM	0.065
11:16:25 AM	0.05
11:17:25 AM	0.048
11:18:25 AM	0.052
11:19:25 AM	0.051
11:20:25 AM	0.065
11:21:25 AM	0.06
11:22:25 AM	0.054
11:23:25 AM	0.045
11:24:25 AM	0.042
11:25:25 AM	0.044
11:26:25 AM	0.043
11:27:25 AM	0.04
11:28:25 AM	0.042
11:29:25 AM	0.039
11:30:25 AM	0.04
11:31:25 AM	0.042
11:32:25 AM	0.042
11:33:25 AM	0.039
11:34:25 AM	0.038
11:35:25 AM	0.041
11:36:25 AM	0.048
11:37:25 AM	0.05
11:38:25 AM	0.043
11:39:25 AM	0.041
11:40:25 AM	0.041
11:41:25 AM	0.039
11:42:25 AM	0.042
11:43:25 AM	0.04
11:44:25 AM	0.039
11:45:25 AM	0.039
11:46:25 AM	0.04
11:47:25 AM	0.039
11:48:25 AM	0.038
11:49:25 AM	0.038
11:50:25 AM	0.038

11:51:25 AM	0.052
11:52:25 AM	0.061
11:53:25 AM	0.043
11:54:25 AM	0.039
11:55:25 AM	0.039
11:56:25 AM	0.042
11:57:25 AM	0.049
11:58:25 AM	0.061
11:59:25 AM	0.065
12:00:25 PM	0.062
12:01:25 PM	0.061
12:02:25 PM	0.042
12:03:25 PM	0.042
12:04:25 PM	0.042
12:05:25 PM	0.047
12:06:25 PM	0.04
12:07:25 PM	0.039
12:08:25 PM	0.042
12:09:25 PM	0.073
12:10:25 PM	0.059
12:11:25 PM	0.049
12:12:25 PM	0.044
12:13:25 PM	0.04
12:14:25 PM	0.04
12:15:25 PM	0.043
12:16:25 PM	0.045
12:17:25 PM	0.04
12:18:25 PM	0.041
12:19:25 PM	0.041
12:20:25 PM	0.039
12:21:25 PM	0.04
12:22:25 PM	0.04
12:23:25 PM	0.039
12:24:25 PM	0.04
12:25:25 PM	0.041
12:26:25 PM	0.04
12:27:25 PM	0.039
12:28:25 PM	0.04
12:29:25 PM	0.04
12:30:25 PM	0.041
12:31:25 PM	0.046
12:32:25 PM	0.04
12:33:25 PM	0.041
12:34:25 PM	0.04

12:35:25 PM	0.04
12:36:25 PM	0.04
12:37:25 PM	0.04
12:38:25 PM	0.043
12:39:25 PM	0.042
12:40:25 PM	0.042
12:41:25 PM	0.046
12:42:25 PM	0.044
12:43:25 PM	0.044
12:44:25 PM	0.043
12:45:25 PM	0.042
12:46:25 PM	0.042
12:47:25 PM	0.042
12:48:25 PM	0.044
12:49:25 PM	0.045
12:50:25 PM	0.042
12:51:25 PM	0.043
12:52:25 PM	0.041
12:53:25 PM	0.042
12:54:25 PM	0.043
12:55:25 PM	0.042
12:56:25 PM	0.043
12:57:25 PM	0.04
12:58:25 PM	0.041
12:59:25 PM	0.04
1:00:25 PM	0.039
1:01:25 PM	0.039
1:02:25 PM	0.039
1:03:25 PM	0.038
1:04:25 PM	0.04
1:05:25 PM	0.039
1:06:25 PM	0.04
1:07:25 PM	0.038
1:08:25 PM	0.038
1:09:25 PM	0.045
1:10:25 PM	0.039
1:11:25 PM	0.039
1:12:25 PM	0.039
1:13:25 PM	0.038
1:14:25 PM	0.038
1:15:25 PM	0.039
1:16:25 PM	0.037
1:17:25 PM	0.038
1:18:25 PM	0.037

1:19:25 PM	0.037
1:20:25 PM	0.042
1:21:25 PM	0.037
1:22:25 PM	0.037
1:23:25 PM	0.038
1:24:25 PM	0.038
1:25:25 PM	0.039
1:26:25 PM	0.038
1:27:25 PM	0.041
1:28:25 PM	0.045
1:29:25 PM	0.052
1:30:25 PM	0.049
1:31:25 PM	0.038
1:32:25 PM	0.037
1:33:25 PM	0.038
1:34:25 PM	0.038
1:35:25 PM	0.042
1:36:25 PM	0.05
1:37:25 PM	0.039
1:38:25 PM	0.037
1:39:25 PM	0.047
1:40:25 PM	0.051
1:41:25 PM	0.039
1:42:25 PM	0.039
1:43:25 PM	0.039
1:44:25 PM	0.046
1:45:25 PM	0.041
1:46:25 PM	0.039
1:47:25 PM	0.038
1:48:25 PM	0.038
1:49:25 PM	0.042
1:50:25 PM	0.043
1:51:25 PM	0.044
1:52:25 PM	0.038
1:53:25 PM	0.046
1:54:25 PM	0.038
1:55:25 PM	0.039
1:56:25 PM	0.038
1:57:25 PM	0.039
1:58:25 PM	0.039
1:59:25 PM	0.038
2:00:25 PM	0.044
2:01:25 PM	0.056
2:02:25 PM	0.042

2:03:25 PM	0.043
2:04:25 PM	0.045
2:05:25 PM	0.043
2:06:25 PM	0.066
2:07:25 PM	0.038
2:08:25 PM	0.038
2:09:25 PM	0.062
2:10:25 PM	0.066
2:11:25 PM	0.05
2:12:25 PM	0.048
2:13:25 PM	0.037
2:14:25 PM	0.038
2:15:25 PM	0.037
2:16:25 PM	0.048
2:17:25 PM	0.037
2:18:25 PM	0.048
2:19:25 PM	0.047
2:20:25 PM	0.043
2:21:25 PM	0.039
2:22:25 PM	0.041
2:23:25 PM	0.044
2:24:25 PM	0.042
2:25:25 PM	0.05
2:26:25 PM	0.058
2:27:25 PM	0.04
2:28:25 PM	0.043
2:29:25 PM	0.041
2:30:25 PM	0.043
2:31:25 PM	0.056
2:32:25 PM	0.04
2:33:25 PM	0.056
2:34:25 PM	0.054
2:35:25 PM	0.043
2:36:25 PM	0.04
2:37:25 PM	0.039
2:38:25 PM	0.043
2:39:25 PM	0.041
2:40:25 PM	0.041
2:41:25 PM	0.051
2:42:25 PM	0.063
2:43:25 PM	0.051
2:44:25 PM	0.04
2:45:25 PM	0.038
2:46:25 PM	0.041

2:47:25 PM	0.04
2:48:25 PM	0.041
2:49:25 PM	0.038
2:50:25 PM	0.038
2:51:25 PM	0.038
2:52:25 PM	0.039
2:53:25 PM	0.039
2:54:25 PM	0.038
2:55:25 PM	0.046
2:56:25 PM	0.058
2:57:25 PM	0.047
2:58:25 PM	0.067
2:59:25 PM	0.045
3:00:25 PM	0.04
3:01:25 PM	0.039
3:02:25 PM	0.039
3:03:25 PM	0.041
3:04:25 PM	0.038
3:05:25 PM	0.038
3:06:25 PM	0.039
3:07:25 PM	0.051
3:08:25 PM	0.046
3:09:25 PM	0.039
3:10:25 PM	0.04
3:11:25 PM	0.042
3:12:25 PM	0.039
3:13:25 PM	0.043
3:14:25 PM	0.051
3:15:25 PM	0.04
3:16:25 PM	0.04
3:17:25 PM	0.046
3:18:25 PM	0.045
3:19:25 PM	0.043
3:20:25 PM	0.046
3:21:25 PM	0.041
3:22:25 PM	0.039
3:23:25 PM	0.04
3:24:25 PM	0.039
3:25:25 PM	0.042
3:26:25 PM	0.065
3:27:25 PM	0.042
3:28:25 PM	0.043
3:29:25 PM	0.041
3:30:25 PM	0.043

3:31:25 PM	0.049
3:32:25 PM	0.05
3:33:25 PM	0.041
3:34:25 PM	0.042
3:35:25 PM	0.045
3:36:25 PM	0.044
3:37:25 PM	0.043
3:38:25 PM	0.046
3:39:25 PM	0.046
3:40:25 PM	0.049
3:41:25 PM	0.045
3:42:25 PM	0.043
3:43:25 PM	0.043
3:44:25 PM	0.047
3:45:25 PM	0.045
3:46:25 PM	0.052
3:47:25 PM	0.06
3:48:25 PM	0.048
3:49:25 PM	0.044
3:50:25 PM	0.043
3:51:25 PM	0.044
3:52:25 PM	0.041
3:53:25 PM	0.041
3:54:25 PM	0.041
3:55:25 PM	0.049
3:56:25 PM	0.042
3:57:25 PM	0.042
3:58:25 PM	0.042
3:59:25 PM	0.042
4:00:25 PM	0.042
4:01:25 PM	0.042
4:02:25 PM	0.043
4:03:25 PM	0.044
4:04:25 PM	0.042
4:05:25 PM	0.042
4:06:25 PM	0.044
4:07:25 PM	0.042
4:08:25 PM	0.042
4:09:25 PM	0.042
4:10:25 PM	0.041
4:11:25 PM	0.042
4:12:25 PM	0.044
4:13:25 PM	0.042
4:14:25 PM	0.041

4:15:25 PM	0.041
4:16:25 PM	0.041
4:17:25 PM	0.042
4:18:25 PM	0.042
4:19:25 PM	0.043
4:20:25 PM	0.045

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	7/25/2024 16:29	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:28	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:27	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:26	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:25	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:24	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:23	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:22	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:21	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:20	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:19	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:18	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:17	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:16	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:15	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:14	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:13	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:12	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:11	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:10	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:09	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:08	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:07	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:06	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:05	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:04	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:03	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:02	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:01	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 16:00	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 15:59	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 15:58	Readings	PID	SC23030186C8	Normal	0

592-602806	7/25/2024 7:42	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:41	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:40	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:39	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:38	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:37	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:36	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:35	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:34	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:33	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:32	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:31	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:30	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:29	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:28	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:27	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:26	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:25	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:24	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:23	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:22	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:21	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:20	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:19	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:18	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:17	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:16	Readings	PID	SC23030186C8	Normal	0
592-602806	7/25/2024 7:15	Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 7:14	Readings	PID	SC23030186C8	Normal	0.8
592-602806	7/25/2024 7:13	Readings	PID	SC23030186C8	Normal	1.5
592-602806	7/25/2024 7:12	CONFIG	PID	SC23030186C8		
592-602806	7/25/2024 7:11	Readings	PID	SC23030186C8	Normal	0.1
592-602806	7/25/2024 7:10	Readings	PID	SC23030186C8	Normal	0.4

592-602806	7/25/2024 7:09 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/25/2024 7:08 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/25/2024 7:07 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/25/2024 7:06 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/25/2024 7:05 Readings	PID	SC23030186C8	Normal	0.4
592-602806	7/25/2024 7:04 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 7:03 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 7:02 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 7:01 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 7:00 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 6:59 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 6:58 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 6:57 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 6:56 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 6:55 Readings	PID	SC23030186C8	Normal	0.5
592-602806	7/25/2024 6:54 Readings	PID	SC23030186C8	Normal	0.6
592-602806	7/25/2024 6:53 CONFIG	PID	SC23030186C8		