

**DAILY STATUS REPORT****Prepared By:**

Bill Chaky

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85	X	W 3 mph

IEEG Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	08/01/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time Onsite: 06:35

Time Offsite: 18:00

Personnel On Site:

IEEG (Environmental) – Victor Barraza / Bill Chaky

WSP (Environmental oversight) – Tim Williams

Capital/KFS (Contractor)

Bradford (SSDS Contractor)

Cascade/ECA (ISS Contractor)

NetPower (Electricians)

1 Seal USA (Water-proofing)

Equipment On Site: DustTrak II (x3), PID MiniRAE 3000 (x3), Pile Rig

Scope of Work: Deploy three (3) CAMP stations according to wind direction; IEEG to gauge all sentinel wells; Bradford to continue with sewer, drain-pipe, and SSDS installation at south building; KFS to continue rebar fabrication and vapor-barrier installation at south building; NetPower to continue with electrical conduit installation at south building; 1 Seal USA to continue with water-proofing application to the south building foundation; Cascade to continue with demobilizing ISS equipment.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to start of work activities;
- KFS continued with rebar fabrication and vapor-barrier installation at south building; vapor-barrier was then inspected by IEG to ensure proper application;
- Bradford continued with sewer, storm-drain, and SSDS installation at south building;
- NetPower continued with electrical conduit installation at south building;
- De-watering system was active with one pump in EP-90 excavation;
- Cascade continued with demobilizing ISS equipment from the north building;
- Cascade deconned ISS drill-rig;
- Capital placed approved backfill in area where Cascade emptied the slag/cement silo material above poly (Grid H3);
- KFS unloaded and staged a delivery of rebar at south building;
- IEEG gauged depth to water (DTW) at all 14 sentinel wells; and
- Site perimeter check was conducted at the end of site activities to confirm that soil and liquids were not tracked offsite by departing trucks.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _2.2_ ppm @ 07:07, Dust = _0.051_ mg/m³ @ 06:55
- High Conditions (Upwind) – PID = _4.9_ ppm @ 07:08, Dust = _0.318_ mg/m³ @ 13:21
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.377_ mg/m³ @ 08:54
- High Conditions (Downwind 2) – PID = _1.9_ ppm @ 07:04, Dust = _0.097_ mg/m³ @ 11:58

Notable Site Conditions:

- Dust suppression utilizing sprinkler system was active throughout the work-shift.

Planned Activities for the Next Day/Week:

- KFS to continue with rebar fabrication and vapor-barrier installation at south building;
- Bradford to continue with SSDS installation at south building;
- NetPower to continue with electrical conduit installation at south building;
- 1 Seal USA to continue with water-proofing foundation at south building;
- Cascade to continue with demobilization of ISS equipment at north building.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of site dust suppression utilizing sprinkler system along roadway.



Photo 2 –

Representative photo of SSDS and sewer pipe installation at south building.



Photo 3 –

Representative photo of water-proofing foundation at south building.



Photo 4 –

Representative photo of vapor-barrier being sealed at south building.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152901
Firmware Version	3.1
Calibration Date	10/4/2023
Test Name	MANUAL_004
Test Start Time	6:55:48 AM
Test Start Date	8/1/2024
Test Length [D:H:M]	0:10:19
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.318
Mass TWA [mg/m3]	0.038
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	619

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.051		
120	0.056		
180	0.049		
240	0.048		
300	0.049		
360	0.046		
420	0.057		
480	0.041		
540	0.042		
600	0.042		
660	0.057		
720	0.059		
780	0.109		
840	0.104		
900	0.044		
960	0.035		
1020	0.045		
1080	0.041		
1140	0.031		
1200	0.033		
1260	0.03		
1320	0.029		
1380	0.048		
1440	0.038		

1500	0.032
1560	0.028
1620	0.03
1680	0.029
1740	0.173
1800	0.079
1860	0.042
1920	0.033
1980	0.026
2040	0.034
2100	0.027
2160	0.026
2220	0.025
2280	0.025
2340	0.034
2400	0.075
2460	0.052
2520	0.096
2580	0.142
2640	0.031
2700	0.024
2760	0.024
2820	0.03
2880	0.033
2940	0.026
3000	0.044
3060	0.229
3120	0.062
3180	0.034
3240	0.034
3300	0.039
3360	0.03
3420	0.027
3480	0.042
3540	0.043
3600	0.103
3660	0.047
3720	0.024
3780	0.023
3840	0.022
3900	0.024
3960	0.025
4020	0.026
4080	0.029

4140	0.031
4200	0.041
4260	0.043
4320	0.058
4380	0.065
4440	0.061
4500	0.05
4560	0.039
4620	0.038
4680	0.034
4740	0.032
4800	0.031
4860	0.033
4920	0.044
4980	0.052
5040	0.085
5100	0.047
5160	0.044
5220	0.043
5280	0.039
5340	0.057
5400	0.055
5460	0.04
5520	0.027
5580	0.115
5640	0.061
5700	0.024
5760	0.157
5820	0.109
5880	0.039
5940	0.047
6000	0.028
6060	0.022
6120	0.03
6180	0.039
6240	0.025
6300	0.129
6360	0.225
6420	0.058
6480	0.087
6540	0.15
6600	0.086
6660	0.072
6720	0.032

6780	0.049
6840	0.038
6900	0.031
6960	0.028
7020	0.02
7080	0.051
7140	0.099
7200	0.036
7260	0.032
7320	0.035
7380	0.024
7440	0.022
7500	0.017
7560	0.017
7620	0.019
7680	0.025
7740	0.034
7800	0.022
7860	0.055
7920	0.04
7980	0.043
8040	0.045
8100	0.03
8160	0.021
8220	0.04
8280	0.041
8340	0.025
8400	0.017
8460	0.027
8520	0.049
8580	0.188
8640	0.139
8700	0.154
8760	0.181
8820	0.213
8880	0.075
8940	0.067
9000	0.031
9060	0.024
9120	0.021
9180	0.02
9240	0.018
9300	0.018
9360	0.019

9420	0.034
9480	0.021
9540	0.015
9600	0.015
9660	0.013
9720	0.012
9780	0.025
9840	0.015
9900	0.049
9960	0.025
10020	0.045
10080	0.083
10140	0.024
10200	0.011
10260	0.03
10320	0.029
10380	0.017
10440	0.013
10500	0.012
10560	0.039
10620	0.015
10680	0.014
10740	0.018
10800	0.025
10860	0.013
10920	0.011
10980	0.01
11040	0.012
11100	0.108
11160	0.035
11220	0.015
11280	0.037
11340	0.011
11400	0.01
11460	0.011
11520	0.178
11580	0.018
11640	0.011
11700	0.013
11760	0.011
11820	0.011
11880	0.01
11940	0.011
12000	0.01

12060	0.011
12120	0.011
12180	0.012
12240	0.011
12300	0.01
12360	0.01
12420	0.01
12480	0.01
12540	0.009
12600	0.009
12660	0.01
12720	0.019
12780	0.025
12840	0.016
12900	0.016
12960	0.026
13020	0.012
13080	0.015
13140	0.014
13200	0.024
13260	0.014
13320	0.017
13380	0.013
13440	0.016
13500	0.015
13560	0.014
13620	0.013
13680	0.013
13740	0.014
13800	0.014
13860	0.015
13920	0.015
13980	0.016
14040	0.017
14100	0.016
14160	0.018
14220	0.019
14280	0.023
14340	0.024
14400	0.021
14460	0.021
14520	0.016
14580	0.016
14640	0.019

14700	0.026
14760	0.026
14820	0.024
14880	0.022
14940	0.032
15000	0.025
15060	0.023
15120	0.022
15180	0.022
15240	0.022
15300	0.022
15360	0.023
15420	0.018
15480	0.02
15540	0.025
15600	0.018
15660	0.02
15720	0.02
15780	0.02
15840	0.031
15900	0.053
15960	0.026
16020	0.021
16080	0.023
16140	0.021
16200	0.018
16260	0.019
16320	0.018
16380	0.019
16440	0.02
16500	0.022
16560	0.025
16620	0.051
16680	0.022
16740	0.02
16800	0.026
16860	0.021
16920	0.025
16980	0.021
17040	0.017
17100	0.017
17160	0.018
17220	0.022
17280	0.022

17340	0.021
17400	0.019
17460	0.023
17520	0.038
17580	0.039
17640	0.033
17700	0.023
17760	0.024
17820	0.028
17880	0.02
17940	0.026
18000	0.027
18060	0.019
18120	0.018
18180	0.022
18240	0.026
18300	0.021
18360	0.019
18420	0.024
18480	0.026
18540	0.021
18600	0.019
18660	0.027
18720	0.126
18780	0.024
18840	0.041
18900	0.039
18960	0.029
19020	0.023
19080	0.022
19140	0.034
19200	0.029
19260	0.027
19320	0.038
19380	0.026
19440	0.026
19500	0.024
19560	0.021
19620	0.025
19680	0.02
19740	0.02
19800	0.022
19860	0.022
19920	0.033

19980	0.037
20040	0.209
20100	0.052
20160	0.066
20220	0.049
20280	0.03
20340	0.031
20400	0.029
20460	0.067
20520	0.064
20580	0.027
20640	0.05
20700	0.138
20760	0.045
20820	0.063
20880	0.183
20940	0.041
21000	0.024
21060	0.031
21120	0.026
21180	0.025
21240	0.026
21300	0.036
21360	0.036
21420	0.037
21480	0.11
21540	0.04
21600	0.027
21660	0.136
21720	0.073
21780	0.028
21840	0.024
21900	0.023
21960	0.032
22020	0.025
22080	0.023
22140	0.024
22200	0.026
22260	0.03
22320	0.026
22380	0.026
22440	0.028
22500	0.022
22560	0.023

22620	0.023
22680	0.025
22740	0.027
22800	0.026
22860	0.029
22920	0.026
22980	0.026
23040	0.03
23100	0.028
23160	0.027
23220	0.025
23280	0.023
23340	0.023
23400	0.021
23460	0.023
23520	0.025
23580	0.028
23640	0.025
23700	0.034
23760	0.027
23820	0.027
23880	0.026
23940	0.024
24000	0.027
24060	0.025
24120	0.023
24180	0.024
24240	0.024
24300	0.026
24360	0.027
24420	0.024
24480	0.024
24540	0.023
24600	0.023
24660	0.022
24720	0.022
24780	0.022
24840	0.024
24900	0.026
24960	0.027
25020	0.024
25080	0.024
25140	0.031
25200	0.041

25260	0.029
25320	0.028
25380	0.025
25440	0.024
25500	0.024
25560	0.024
25620	0.025
25680	0.034
25740	0.035
25800	0.027
25860	0.027
25920	0.03
25980	0.042
26040	0.034
26100	0.031
26160	0.318
26220	0.056
26280	0.068
26340	0.041
26400	0.027
26460	0.031
26520	0.071
26580	0.027
26640	0.031
26700	0.026
26760	0.027
26820	0.026
26880	0.156
26940	0.139
27000	0.034
27060	0.041
27120	0.037
27180	0.03
27240	0.025
27300	0.039
27360	0.04
27420	0.047
27480	0.039
27540	0.04
27600	0.06
27660	0.025
27720	0.031
27780	0.053
27840	0.027

27900	0.029
27960	0.027
28020	0.033
28080	0.029
28140	0.026
28200	0.023
28260	0.024
28320	0.024
28380	0.12
28440	0.086
28500	0.03
28560	0.026
28620	0.025
28680	0.022
28740	0.017
28800	0.018
28860	0.019
28920	0.016
28980	0.039
29040	0.031
29100	0.266
29160	0.046
29220	0.025
29280	0.02
29340	0.018
29400	0.017
29460	0.018
29520	0.016
29580	0.022
29640	0.017
29700	0.025
29760	0.018
29820	0.016
29880	0.018
29940	0.023
30000	0.015
30060	0.015
30120	0.02
30180	0.04
30240	0.018
30300	0.016
30360	0.015
30420	0.021
30480	0.019

30540	0.026
30600	0.018
30660	0.015
30720	0.016
30780	0.019
30840	0.018
30900	0.017
30960	0.02
31020	0.019
31080	0.018
31140	0.018
31200	0.021
31260	0.028
31320	0.022
31380	0.026
31440	0.02
31500	0.03
31560	0.034
31620	0.019
31680	0.02
31740	0.023
31800	0.025
31860	0.022
31920	0.024
31980	0.03
32040	0.024
32100	0.023
32160	0.026
32220	0.024
32280	0.024
32340	0.033
32400	0.02
32460	0.02
32520	0.02
32580	0.02
32640	0.02
32700	0.02
32760	0.02
32820	0.025
32880	0.022
32940	0.021
33000	0.022
33060	0.031
33120	0.026

33180	0.029
33240	0.029
33300	0.051
33360	0.026
33420	0.022
33480	0.037
33540	0.028
33600	0.026
33660	0.028
33720	0.024
33780	0.024
33840	0.028
33900	0.025
33960	0.026
34020	0.023
34080	0.022
34140	0.022
34200	0.021
34260	0.022
34320	0.026
34380	0.034
34440	0.025
34500	0.023
34560	0.022
34620	0.023
34680	0.022
34740	0.024
34800	0.024
34860	0.024
34920	0.023
34980	0.022
35040	0.029
35100	0.023
35160	0.022
35220	0.024
35280	0.022
35340	0.023
35400	0.023
35460	0.022
35520	0.038
35580	0.034
35640	0.046
35700	0.024
35760	0.023

35820	0.024
35880	0.025
35940	0.024
36000	0.023
36060	0.023
36120	0.025
36180	0.025
36240	0.039
36300	0.034
36360	0.024
36420	0.026
36480	0.029
36540	0.024
36600	0.024
36660	0.024
36720	0.024
36780	0.024
36840	0.023
36900	0.025
36960	0.024
37020	0.024
37080	0.024
37140	0.028

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	8/1/2024 17:19	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:18	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:17	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:16	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:15	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:14	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:13	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:12	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:11	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:10	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:09	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:08	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:07	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:06	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:05	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:04	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:03	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:02	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:01	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 17:00	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:58	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:57	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:56	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:55	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:54	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:53	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:52	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:51	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:50	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:49	Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 16:48	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	8/1/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:42 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:41 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 9:39 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	8/1/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:22 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:21 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:20 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:19 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	8/1/2024 7:10 Readings	PID	SC23030449A8	Normal	2.8
592-600853	8/1/2024 7:09 Readings	PID	SC23030449A8	Normal	4.4
592-600853	8/1/2024 7:08 Readings	PID	SC23030449A8	Normal	4.9
592-600853	8/1/2024 7:07 Readings	PID	SC23030449A8	Normal	2.2
592-600853	8/1/2024 7:06 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171406
Firmware Version	3.1
Calibration Date	8/17/2023
Test Name	MANUAL_004
Test Start Time	7:11:49 AM
Test Start Date	8/1/2024
Test Length [D:H:M]	0:10:04
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.033
Mass Minimum [mg/m3]	0.021
Mass Maximum [mg/m3]	0.377
Mass TWA [mg/m3]	0.046
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	604

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.056		
120	0.042		
180	0.043		
240	0.042		
300	0.039		
360	0.038		
420	0.037		
480	0.038		
540	0.038		
600	0.037		
660	0.038		
720	0.037		
780	0.036		
840	0.037		
900	0.037		
960	0.038		
1020	0.036		
1080	0.035		
1140	0.035		
1200	0.034		
1260	0.034		
1320	0.034		
1380	0.034		
1440	0.034		

1500	0.034
1560	0.034
1620	0.034
1680	0.032
1740	0.033
1800	0.034
1860	0.033
1920	0.033
1980	0.034
2040	0.034
2100	0.036
2160	0.037
2220	0.045
2280	0.039
2340	0.035
2400	0.034
2460	0.035
2520	0.035
2580	0.039
2640	0.035
2700	0.036
2760	0.034
2820	0.035
2880	0.035
2940	0.035
3000	0.035
3060	0.038
3120	0.04
3180	0.045
3240	0.058
3300	0.081
3360	0.23
3420	0.254
3480	0.237
3540	0.079
3600	0.071
3660	0.074
3720	0.054
3780	0.049
3840	0.049
3900	0.046
3960	0.046
4020	0.063
4080	0.052

4140	0.054
4200	0.053
4260	0.048
4320	0.043
4380	0.041
4440	0.043
4500	0.05
4560	0.047
4620	0.035
4680	0.031
4740	0.035
4800	0.033
4860	0.032
4920	0.037
4980	0.04
5040	0.033
5100	0.035
5160	0.032
5220	0.377
5280	0.054
5340	0.051
5400	0.048
5460	0.045
5520	0.044
5580	0.043
5640	0.04
5700	0.039
5760	0.039
5820	0.036
5880	0.035
5940	0.033
6000	0.032
6060	0.033
6120	0.035
6180	0.039
6240	0.037
6300	0.035
6360	0.034
6420	0.035
6480	0.04
6540	0.038
6600	0.031
6660	0.032
6720	0.032

6780	0.032
6840	0.038
6900	0.052
6960	0.046
7020	0.036
7080	0.036
7140	0.043
7200	0.044
7260	0.035
7320	0.037
7380	0.034
7440	0.034
7500	0.033
7560	0.032
7620	0.032
7680	0.032
7740	0.034
7800	0.039
7860	0.046
7920	0.048
7980	0.062
8040	0.038
8100	0.036
8160	0.053
8220	0.036
8280	0.034
8340	0.034
8400	0.032
8460	0.035
8520	0.034
8580	0.03
8640	0.028
8700	0.028
8760	0.026
8820	0.033
8880	0.03
8940	0.027
9000	0.026
9060	0.028
9120	0.026
9180	0.025
9240	0.026
9300	0.028
9360	0.027

9420	0.039
9480	0.035
9540	0.043
9600	0.062
9660	0.036
9720	0.028
9780	0.028
9840	0.026
9900	0.031
9960	0.035
10020	0.028
10080	0.025
10140	0.025
10200	0.025
10260	0.027
10320	0.026
10380	0.024
10440	0.024
10500	0.024
10560	0.024
10620	0.025
10680	0.026
10740	0.028
10800	0.026
10860	0.027
10920	0.025
10980	0.026
11040	0.027
11100	0.029
11160	0.034
11220	0.026
11280	0.032
11340	0.028
11400	0.024
11460	0.025
11520	0.025
11580	0.025
11640	0.031
11700	0.03
11760	0.024
11820	0.026
11880	0.027
11940	0.027
12000	0.027

12060	0.028
12120	0.029
12180	0.033
12240	0.029
12300	0.026
12360	0.026
12420	0.027
12480	0.027
12540	0.028
12600	0.03
12660	0.032
12720	0.03
12780	0.031
12840	0.03
12900	0.03
12960	0.032
13020	0.034
13080	0.043
13140	0.045
13200	0.04
13260	0.046
13320	0.031
13380	0.034
13440	0.038
13500	0.038
13560	0.036
13620	0.032
13680	0.033
13740	0.032
13800	0.039
13860	0.041
13920	0.041
13980	0.037
14040	0.034
14100	0.036
14160	0.033
14220	0.041
14280	0.041
14340	0.038
14400	0.044
14460	0.037
14520	0.037
14580	0.04
14640	0.049

14700	0.048
14760	0.043
14820	0.047
14880	0.046
14940	0.051
15000	0.05
15060	0.044
15120	0.042
15180	0.043
15240	0.065
15300	0.054
15360	0.04
15420	0.045
15480	0.06
15540	0.052
15600	0.053
15660	0.055
15720	0.047
15780	0.141
15840	0.056
15900	0.055
15960	0.047
16020	0.045
16080	0.047
16140	0.038
16200	0.039
16260	0.042
16320	0.045
16380	0.04
16440	0.038
16500	0.039
16560	0.038
16620	0.038
16680	0.041
16740	0.04
16800	0.038
16860	0.038
16920	0.04
16980	0.043
17040	0.049
17100	0.062
17160	0.062
17220	0.073
17280	0.057

17340	0.041
17400	0.037
17460	0.04
17520	0.051
17580	0.05
17640	0.062
17700	0.043
17760	0.043
17820	0.044
17880	0.05
17940	0.043
18000	0.041
18060	0.042
18120	0.043
18180	0.046
18240	0.049
18300	0.053
18360	0.047
18420	0.042
18480	0.044
18540	0.046
18600	0.039
18660	0.045
18720	0.042
18780	0.042
18840	0.041
18900	0.041
18960	0.063
19020	0.047
19080	0.06
19140	0.06
19200	0.085
19260	0.061
19320	0.048
19380	0.05
19440	0.045
19500	0.047
19560	0.044
19620	0.04
19680	0.041
19740	0.04
19800	0.042
19860	0.042
19920	0.043

19980	0.042
20040	0.044
20100	0.045
20160	0.046
20220	0.043
20280	0.043
20340	0.042
20400	0.045
20460	0.044
20520	0.058
20580	0.047
20640	0.044
20700	0.044
20760	0.041
20820	0.038
20880	0.039
20940	0.047
21000	0.042
21060	0.044
21120	0.038
21180	0.04
21240	0.044
21300	0.048
21360	0.05
21420	0.055
21480	0.05
21540	0.044
21600	0.04
21660	0.04
21720	0.041
21780	0.041
21840	0.043
21900	0.046
21960	0.047
22020	0.044
22080	0.049
22140	0.046
22200	0.047
22260	0.045
22320	0.042
22380	0.04
22440	0.038
22500	0.038
22560	0.039

22620	0.045
22680	0.043
22740	0.041
22800	0.042
22860	0.044
22920	0.044
22980	0.04
23040	0.038
23100	0.037
23160	0.045
23220	0.037
23280	0.036
23340	0.038
23400	0.039
23460	0.038
23520	0.038
23580	0.037
23640	0.038
23700	0.045
23760	0.04
23820	0.057
23880	0.041
23940	0.038
24000	0.042
24060	0.038
24120	0.038
24180	0.037
24240	0.04
24300	0.065
24360	0.046
24420	0.043
24480	0.041
24540	0.052
24600	0.038
24660	0.039
24720	0.043
24780	0.037
24840	0.037
24900	0.042
24960	0.041
25020	0.038
25080	0.038
25140	0.04
25200	0.037

25260	0.038
25320	0.036
25380	0.037
25440	0.038
25500	0.038
25560	0.039
25620	0.036
25680	0.036
25740	0.037
25800	0.037
25860	0.035
25920	0.036
25980	0.034
26040	0.036
26100	0.043
26160	0.042
26220	0.039
26280	0.035
26340	0.033
26400	0.032
26460	0.03
26520	0.033
26580	0.031
26640	0.03
26700	0.031
26760	0.03
26820	0.029
26880	0.031
26940	0.026
27000	0.029
27060	0.028
27120	0.028
27180	0.031
27240	0.028
27300	0.026
27360	0.025
27420	0.026
27480	0.033
27540	0.029
27600	0.031
27660	0.029
27720	0.032
27780	0.027
27840	0.031

27900	0.029
27960	0.031
28020	0.028
28080	0.028
28140	0.032
28200	0.03
28260	0.024
28320	0.027
28380	0.024
28440	0.035
28500	0.03
28560	0.028
28620	0.031
28680	0.028
28740	0.024
28800	0.028
28860	0.034
28920	0.027
28980	0.023
29040	0.022
29100	0.021
29160	0.023
29220	0.03
29280	0.025
29340	0.024
29400	0.025
29460	0.022
29520	0.022
29580	0.023
29640	0.023
29700	0.023
29760	0.023
29820	0.023
29880	0.024
29940	0.025
30000	0.027
30060	0.025
30120	0.026
30180	0.026
30240	0.029
30300	0.027
30360	0.03
30420	0.027
30480	0.029

30540	0.046
30600	0.029
30660	0.03
30720	0.035
30780	0.032
30840	0.027
30900	0.029
30960	0.044
31020	0.029
31080	0.036
31140	0.032
31200	0.03
31260	0.031
31320	0.031
31380	0.032
31440	0.032
31500	0.029
31560	0.03
31620	0.034
31680	0.03
31740	0.03
31800	0.034
31860	0.03
31920	0.031
31980	0.031
32040	0.031
32100	0.033
32160	0.032
32220	0.029
32280	0.03
32340	0.03
32400	0.031
32460	0.03
32520	0.031
32580	0.032
32640	0.031
32700	0.031
32760	0.033
32820	0.031
32880	0.033
32940	0.031
33000	0.032
33060	0.031
33120	0.031

33180	0.032
33240	0.031
33300	0.03
33360	0.032
33420	0.032
33480	0.031
33540	0.03
33600	0.03
33660	0.031
33720	0.03
33780	0.03
33840	0.03
33900	0.033
33960	0.03
34020	0.031
34080	0.03
34140	0.03
34200	0.031
34260	0.031
34320	0.031
34380	0.031
34440	0.031
34500	0.03
34560	0.031
34620	0.03
34680	0.031
34740	0.031
34800	0.031
34860	0.031
34920	0.032
34980	0.032
35040	0.031
35100	0.032
35160	0.032
35220	0.033
35280	0.033
35340	0.033
35400	0.034
35460	0.034
35520	0.037
35580	0.034
35640	0.034
35700	0.033
35760	0.033

35820	0.033
35880	0.033
35940	0.034
36000	0.033
36060	0.033
36120	0.033
36180	0.033
36240	0.034

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-908641	8/1/2024 17:20	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:19	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:18	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:17	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:16	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:15	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:14	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:13	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:12	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:11	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:10	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:09	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:08	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:07	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:06	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:05	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:04	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:03	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:02	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:01	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 17:00	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:59	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:58	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:57	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:56	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:55	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:54	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:53	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:52	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:51	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:50	Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 16:49	Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	8/1/2024 13:30 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:29 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:28 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:27 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:26 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:25 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:24 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:23 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:22 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:21 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:20 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:19 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:18 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:17 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:16 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:15 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:14 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:13 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:12 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:11 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:10 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:09 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:08 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:07 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:06 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:05 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:04 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:03 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:02 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:01 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 13:00 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 12:59 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 12:58 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-908641	8/1/2024 10:12 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:11 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:10 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:09 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:08 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:07 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:06 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:05 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:04 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:03 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:02 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:01 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 10:00 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:59 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:58 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:57 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:56 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:55 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:54 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:53 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:52 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:51 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:50 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:49 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:48 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:47 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:46 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:45 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:44 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:43 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:42 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:41 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 9:40 Readings	PID	SC23030124AA	Normal	0

[illegible]

[illegible]

[illegible]

592-908641	8/1/2024 8:00 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:59 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:58 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:57 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:56 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:55 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:54 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:53 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:52 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:51 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:50 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:49 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:48 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:47 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:46 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:45 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:44 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:43 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:42 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:41 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:40 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:39 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:38 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:37 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:36 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:35 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:34 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:33 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:32 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:31 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:30 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:29 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:28 Readings	PID	SC23030124AA	Normal	0

592-908641	8/1/2024 7:27 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:26 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:25 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:24 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:23 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:22 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:21 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:20 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:19 Readings	PID	SC23030124AA	Normal	0
592-908641	8/1/2024 7:18 CONFIG	PID	SC23030124AA		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	6:52:13 AM
Test Start Date	8/1/2024
Test Length [D:H:M]	0:10:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.039
Mass Minimum [mg/m3]	0.022
Mass Maximum [mg/m3]	0.097
Mass TWA [mg/m3]	0.039
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	626

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.046		
120	0.045		
180	0.046		
240	0.044		
300	0.044		
360	0.044		
420	0.044		
480	0.045		
540	0.045		
600	0.044		
660	0.042		
720	0.042		
780	0.042		
840	0.042		
900	0.042		
960	0.042		
1020	0.042		
1080	0.041		
1140	0.041		
1200	0.042		
1260	0.038		
1320	0.038		
1380	0.038		
1440	0.039		

1500	0.038
1560	0.039
1620	0.039
1680	0.038
1740	0.041
1800	0.04
1860	0.049
1920	0.045
1980	0.043
2040	0.04
2100	0.039
2160	0.038
2220	0.038
2280	0.038
2340	0.039
2400	0.041
2460	0.037
2520	0.037
2580	0.038
2640	0.037
2700	0.045
2760	0.042
2820	0.046
2880	0.041
2940	0.037
3000	0.035
3060	0.038
3120	0.04
3180	0.038
3240	0.037
3300	0.041
3360	0.04
3420	0.04
3480	0.043
3540	0.042
3600	0.041
3660	0.038
3720	0.037
3780	0.037
3840	0.039
3900	0.039
3960	0.039
4020	0.04
4080	0.04

4140	0.039
4200	0.04
4260	0.039
4320	0.04
4380	0.043
4440	0.043
4500	0.041
4560	0.043
4620	0.046
4680	0.048
4740	0.047
4800	0.047
4860	0.043
4920	0.041
4980	0.042
5040	0.043
5100	0.042
5160	0.043
5220	0.042
5280	0.038
5340	0.04
5400	0.038
5460	0.037
5520	0.037
5580	0.036
5640	0.036
5700	0.033
5760	0.037
5820	0.039
5880	0.042
5940	0.048
6000	0.039
6060	0.04
6120	0.038
6180	0.041
6240	0.039
6300	0.042
6360	0.034
6420	0.033
6480	0.03
6540	0.031
6600	0.031
6660	0.033
6720	0.032

6780	0.03
6840	0.032
6900	0.03
6960	0.03
7020	0.031
7080	0.032
7140	0.035
7200	0.032
7260	0.032
7320	0.031
7380	0.039
7440	0.045
7500	0.042
7560	0.041
7620	0.045
7680	0.04
7740	0.034
7800	0.031
7860	0.045
7920	0.036
7980	0.045
8040	0.037
8100	0.037
8160	0.035
8220	0.045
8280	0.05
8340	0.041
8400	0.033
8460	0.036
8520	0.039
8580	0.041
8640	0.036
8700	0.03
8760	0.032
8820	0.038
8880	0.038
8940	0.031
9000	0.03
9060	0.031
9120	0.029
9180	0.03
9240	0.029
9300	0.028
9360	0.037

9420	0.042
9480	0.03
9540	0.028
9600	0.027
9660	0.027
9720	0.034
9780	0.031
9840	0.03
9900	0.029
9960	0.029
10020	0.028
10080	0.035
10140	0.045
10200	0.044
10260	0.033
10320	0.043
10380	0.041
10440	0.031
10500	0.028
10560	0.03
10620	0.026
10680	0.026
10740	0.023
10800	0.023
10860	0.025
10920	0.026
10980	0.038
11040	0.026
11100	0.025
11160	0.028
11220	0.028
11280	0.026
11340	0.023
11400	0.023
11460	0.023
11520	0.024
11580	0.022
11640	0.026
11700	0.024
11760	0.023
11820	0.023
11880	0.022
11940	0.023
12000	0.027

12060	0.029
12120	0.027
12180	0.025
12240	0.026
12300	0.025
12360	0.023
12420	0.024
12480	0.024
12540	0.024
12600	0.023
12660	0.023
12720	0.024
12780	0.022
12840	0.022
12900	0.022
12960	0.023
13020	0.023
13080	0.023
13140	0.024
13200	0.028
13260	0.031
13320	0.033
13380	0.027
13440	0.024
13500	0.025
13560	0.026
13620	0.025
13680	0.026
13740	0.027
13800	0.029
13860	0.031
13920	0.033
13980	0.034
14040	0.032
14100	0.029
14160	0.03
14220	0.029
14280	0.031
14340	0.036
14400	0.032
14460	0.032
14520	0.031
14580	0.03
14640	0.039

14700	0.035
14760	0.032
14820	0.032
14880	0.032
14940	0.031
15000	0.033
15060	0.038
15120	0.047
15180	0.042
15240	0.036
15300	0.038
15360	0.037
15420	0.036
15480	0.042
15540	0.04
15600	0.045
15660	0.045
15720	0.043
15780	0.041
15840	0.043
15900	0.042
15960	0.042
16020	0.042
16080	0.037
16140	0.042
16200	0.039
16260	0.042
16320	0.039
16380	0.043
16440	0.048
16500	0.049
16560	0.039
16620	0.038
16680	0.043
16740	0.045
16800	0.047
16860	0.051
16920	0.044
16980	0.037
17040	0.041
17100	0.053
17160	0.044
17220	0.048
17280	0.041

17340	0.036
17400	0.037
17460	0.038
17520	0.043
17580	0.049
17640	0.045
17700	0.039
17760	0.039
17820	0.041
17880	0.044
17940	0.046
18000	0.04
18060	0.037
18120	0.038
18180	0.038
18240	0.04
18300	0.043
18360	0.041
18420	0.044
18480	0.041
18540	0.04
18600	0.036
18660	0.036
18720	0.043
18780	0.041
18840	0.041
18900	0.038
18960	0.039
19020	0.041
19080	0.044
19140	0.054
19200	0.055
19260	0.04
19320	0.038
19380	0.04
19440	0.039
19500	0.047
19560	0.043
19620	0.043
19680	0.043
19740	0.046
19800	0.046
19860	0.041
19920	0.04

19980	0.042
20040	0.041
20100	0.042
20160	0.044
20220	0.049
20280	0.053
20340	0.056
20400	0.068
20460	0.07
20520	0.058
20580	0.05
20640	0.051
20700	0.047
20760	0.048
20820	0.046
20880	0.043
20940	0.045
21000	0.042
21060	0.043
21120	0.044
21180	0.045
21240	0.042
21300	0.044
21360	0.056
21420	0.053
21480	0.047
21540	0.097
21600	0.051
21660	0.059
21720	0.046
21780	0.054
21840	0.054
21900	0.05
21960	0.046
22020	0.048
22080	0.045
22140	0.045
22200	0.042
22260	0.046
22320	0.044
22380	0.042
22440	0.044
22500	0.053
22560	0.052

22620	0.051
22680	0.05
22740	0.049
22800	0.045
22860	0.042
22920	0.043
22980	0.043
23040	0.042
23100	0.04
23160	0.048
23220	0.049
23280	0.052
23340	0.053
23400	0.051
23460	0.048
23520	0.046
23580	0.045
23640	0.043
23700	0.041
23760	0.042
23820	0.048
23880	0.049
23940	0.045
24000	0.045
24060	0.048
24120	0.05
24180	0.046
24240	0.044
24300	0.043
24360	0.043
24420	0.044
24480	0.041
24540	0.04
24600	0.041
24660	0.042
24720	0.044
24780	0.044
24840	0.042
24900	0.042
24960	0.043
25020	0.042
25080	0.042
25140	0.043
25200	0.042

25260	0.047
25320	0.042
25380	0.042
25440	0.044
25500	0.042
25560	0.044
25620	0.045
25680	0.045
25740	0.047
25800	0.047
25860	0.047
25920	0.051
25980	0.059
26040	0.061
26100	0.05
26160	0.048
26220	0.045
26280	0.063
26340	0.054
26400	0.05
26460	0.046
26520	0.045
26580	0.041
26640	0.042
26700	0.046
26760	0.044
26820	0.045
26880	0.044
26940	0.049
27000	0.045
27060	0.04
27120	0.044
27180	0.044
27240	0.042
27300	0.04
27360	0.043
27420	0.043
27480	0.041
27540	0.04
27600	0.035
27660	0.037
27720	0.038
27780	0.039
27840	0.035

27900	0.036
27960	0.034
28020	0.034
28080	0.034
28140	0.033
28200	0.034
28260	0.035
28320	0.032
28380	0.031
28440	0.031
28500	0.033
28560	0.035
28620	0.035
28680	0.039
28740	0.046
28800	0.045
28860	0.043
28920	0.035
28980	0.038
29040	0.038
29100	0.044
29160	0.039
29220	0.039
29280	0.047
29340	0.033
29400	0.033
29460	0.032
29520	0.031
29580	0.029
29640	0.03
29700	0.032
29760	0.034
29820	0.036
29880	0.035
29940	0.036
30000	0.035
30060	0.035
30120	0.033
30180	0.034
30240	0.033
30300	0.032
30360	0.031
30420	0.034
30480	0.032

30540	0.037
30600	0.036
30660	0.036
30720	0.037
30780	0.033
30840	0.031
30900	0.031
30960	0.033
31020	0.033
31080	0.037
31140	0.038
31200	0.037
31260	0.032
31320	0.035
31380	0.036
31440	0.034
31500	0.035
31560	0.036
31620	0.039
31680	0.04
31740	0.036
31800	0.036
31860	0.035
31920	0.038
31980	0.036
32040	0.037
32100	0.052
32160	0.041
32220	0.039
32280	0.04
32340	0.038
32400	0.038
32460	0.036
32520	0.038
32580	0.039
32640	0.036
32700	0.037
32760	0.038
32820	0.036
32880	0.036
32940	0.039
33000	0.04
33060	0.043
33120	0.068

33180	0.047
33240	0.04
33300	0.041
33360	0.044
33420	0.04
33480	0.038
33540	0.038
33600	0.037
33660	0.037
33720	0.038
33780	0.038
33840	0.041
33900	0.038
33960	0.038
34020	0.04
34080	0.039
34140	0.039
34200	0.037
34260	0.038
34320	0.039
34380	0.042
34440	0.039
34500	0.045
34560	0.04
34620	0.04
34680	0.042
34740	0.044
34800	0.038
34860	0.038
34920	0.037
34980	0.038
35040	0.038
35100	0.038
35160	0.039
35220	0.038
35280	0.039
35340	0.039
35400	0.038
35460	0.038
35520	0.037
35580	0.038
35640	0.038
35700	0.038
35760	0.04

35820	0.038
35880	0.037
35940	0.037
36000	0.039
36060	0.037
36120	0.039
36180	0.038
36240	0.037
36300	0.039
36360	0.038
36420	0.039
36480	0.043
36540	0.04
36600	0.041
36660	0.039
36720	0.04
36780	0.041
36840	0.051
36900	0.042
36960	0.039
37020	0.039
37080	0.039
37140	0.04
37200	0.04
37260	0.039
37320	0.039
37380	0.039
37440	0.039
37500	0.039
37560	0.039

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	8/1/2024 17:28	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:27	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:26	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:25	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:24	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:23	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:22	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:21	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:20	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:19	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:18	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:17	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:16	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:15	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:14	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:13	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:12	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:11	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:10	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:09	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:08	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:07	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:06	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:05	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:04	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:03	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:02	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:01	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 17:00	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 16:59	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 16:58	Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 16:57	Readings	PID	SC23030186C8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-602806	8/1/2024 14:44 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:43 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:42 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:41 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:40 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:39 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:38 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:37 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:36 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:35 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:34 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:33 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:32 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:30 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:28 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:27 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:26 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:25 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:24 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:22 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:21 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:20 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 14:19 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:17 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:16 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:15 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:14 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:13 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 14:12 Readings	PID	SC23030186C8	Normal	0

592-602806	8/1/2024 14:11 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:10 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:09 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:08 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:07 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:06 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:05 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:04 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:03 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:02 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:01 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 14:00 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:59 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:58 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:57 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:56 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:55 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:54 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:53 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:52 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:51 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 13:50 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:49 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:48 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:47 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:46 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 13:45 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:44 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:43 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:42 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:41 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:40 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:39 Readings	PID	SC23030186C8	Normal	0

592-602806	8/1/2024 13:38 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:37 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:36 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:35 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:34 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:33 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:32 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:30 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:28 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:27 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:26 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:25 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:24 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:22 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:21 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:20 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:19 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 13:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:17 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:16 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:15 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:14 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:13 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:12 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:11 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:10 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:09 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:08 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:07 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 13:06 Readings	PID	SC23030186C8	Normal	0

[illegible]

592-602806	8/1/2024 12:32 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:30 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:28 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:27 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:26 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:25 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:24 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:22 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:21 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:20 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:19 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:17 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:16 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:15 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 12:14 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 12:13 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 12:12 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:11 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:10 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:09 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 12:08 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:07 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:06 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 12:05 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:04 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:03 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:02 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 12:01 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 12:00 Readings	PID	SC23030186C8	Normal	0.1

592-602806	8/1/2024 11:59 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:58 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:57 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:56 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:55 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:54 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:53 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:52 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:51 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:50 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:49 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:48 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:47 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:46 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:45 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:44 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:43 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:42 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:41 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:40 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:39 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:38 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:37 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:36 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:35 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:34 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:33 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:32 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:30 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:28 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:27 Readings	PID	SC23030186C8	Normal	0.1

592-602806	8/1/2024 11:26 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:25 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:24 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:22 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:21 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:20 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:19 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:17 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:16 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:15 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:14 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:13 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:12 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:11 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:10 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:09 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:08 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:07 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:06 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:05 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:04 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:03 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:02 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 11:01 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 11:00 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:59 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:58 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:57 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:56 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:55 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:54 Readings	PID	SC23030186C8	Normal	0

592-602806	8/1/2024 10:53 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:52 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:51 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:50 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:49 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:48 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:47 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 10:46 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:45 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:44 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:43 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:42 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:41 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:40 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:39 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:38 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:37 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:36 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:35 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:34 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:33 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:32 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:30 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:28 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:27 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:26 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:25 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:24 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:22 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:21 Readings	PID	SC23030186C8	Normal	0

592-602806	8/1/2024 10:20 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:19 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:17 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:16 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:15 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:14 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:13 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:12 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:11 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:10 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:09 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:08 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:07 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:06 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:05 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:04 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:03 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:02 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:01 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 10:00 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:59 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:58 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:57 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:56 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:55 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:54 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:53 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:52 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:51 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:50 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:49 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 9:48 Readings	PID	SC23030186C8	Normal	0

[illegible]

[illegible]

592-602806	8/1/2024 8:41 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:40 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:39 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:38 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:37 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:36 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:35 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:34 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:33 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:32 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:30 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:28 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:27 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:26 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:25 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:24 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:22 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:21 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:20 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:19 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:17 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:16 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:15 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:14 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:13 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:12 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:11 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:10 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 8:09 Readings	PID	SC23030186C8	Normal	0

[illegible]

592-602806	8/1/2024 7:35 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:34 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:33 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:32 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:31 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:30 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:29 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:28 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:27 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:26 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:25 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:24 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:23 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:22 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:21 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:20 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:19 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:18 Readings	PID	SC23030186C8	Normal	0
592-602806	8/1/2024 7:17 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 7:16 Readings	PID	SC23030186C8	Normal	0.1
592-602806	8/1/2024 7:15 Readings	PID	SC23030186C8	Normal	0.2
592-602806	8/1/2024 7:14 Readings	PID	SC23030186C8	Normal	0.4
592-602806	8/1/2024 7:13 Readings	PID	SC23030186C8	Normal	0.5
592-602806	8/1/2024 7:12 Readings	PID	SC23030186C8	Normal	0.8
592-602806	8/1/2024 7:11 Readings	PID	SC23030186C8	Normal	1.4
592-602806	8/1/2024 7:10 Readings	PID	SC23030186C8	Normal	2
592-602806	8/1/2024 7:09 Readings	PID	SC23030186C8	Normal	1.9
592-602806	8/1/2024 7:08 Readings	PID	SC23030186C8	Normal	1.7
592-602806	8/1/2024 7:07 Readings	PID	SC23030186C8	Normal	1.8
592-602806	8/1/2024 7:06 Readings	PID	SC23030186C8	Normal	1.8
592-602806	8/1/2024 7:05 Readings	PID	SC23030186C8	Normal	2
592-602806	8/1/2024 7:04 Readings	PID	SC23030186C8	Normal	1.9
592-602806	8/1/2024 7:03 Readings	PID	SC23030186C8	Normal	1

592-602806	8/1/2024 7:02 CONFIG	PID	SC23030186C8		
592-602806	8/1/2024 7:00 Readings	PID	SC23030186C8	Normal	1.1
592-602806	8/1/2024 6:59 Readings	PID	SC23030186C8	Normal	1.1
592-602806	8/1/2024 6:58 Readings	PID	SC23030186C8	Normal	1.2
592-602806	8/1/2024 6:57 CONFIG	PID	SC23030186C8		