



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

DAILY STATUS REPORT-11/18/2022

Prepared By: Alex Keenan

| | | | | | | |
|---------|------|-------|----------|---------------|---|------------|
| WEATHER | Snow | Rain | Overcast | Partly Cloudy | x | Bright Sun |
| TEMP. | < 32 | 32-50 | x 50-70 | 70-85 | | >85 |

| | | | | | |
|------------------------|-----------------------------------|----------------------------|---------|--------------|----------|
| IEC Project No: | 13928 | NYSDEC BCP Site No: | C224367 | Date: | 11/18/22 |
| Project: | 251 Douglass Street, Brooklyn, NY | | | | |

| | |
|--|--|
| Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:50 Time Out: 14:40 | Personnel On Site: IEEG (Environmental) –Thomas Jensen and Alex Keenan Xolle Demo – Joel Monges |
|--|--|

Scope of Work:

- Oversight of full demolition of two (2) on-Site structures, on (1) single story, 10, 000 sf vacant warehouse structure located on the westernmost portion of the Site and one (1) two story 2,500 sf vacant commercial structure located on the easternmost portion of the Site. The demolition will be completed in accordance with the demolition plans approved by DOB on 7/8/2021 (two-story commercial structure) and 7/13/2021 (one-story warehouse structure). Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP).
- RIWP implementation. IEEG provided the NYSDEC an acknowledgment to a comment that was requested to be added to the RIWP on 11/2/22 and the NYSDEC stated on 11/3/22 that acknowledgement satisfied the DEC's requirements, and that the RI work could be implemented.

Site Activities:

- Tailgate Health and Safety meeting with Xolle and IEEG;
- Xolle demo crew finished removing bricks off the North wall from the one (1) story warehouse structure;
- The remainder of the brick stockpile is scheduled to be removed on Monday (11/21), which should conclude the majority of the demo work;
- SB-21 was completed and BioSolve was applied downwind of the borehole to mitigate strong odors;
- Borings SB-26, 27, and 28 were completed to 15-feet below grade surface, as outlined in the RIWP, MGP impacted material was not noted in any of these borings;
- Two (2) sub slab points (SS-9 and SS-11) and two (2) soil vapor points (SC-10 and SV-12) were installed, cones were placed over the top of these locations so that they could equilibrate; and
- Soil from all collected sleeves were drummed after being screened and logged;

Samples Collected:

- SB-28 (0-2'')
- SB-28 (0-2')
- SB-28 (10-12')
- SB-28 (13-15')



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

- SB-27 (0-2'')
- SB-27 (0-2')
- SB-27 (10-12')
- Sb-27 (13-15')
- SB-21 (98-100)
- SB-26 (0-2')
- SB-26 (4-6')
- SB-26 (13-15)
- Required QA/QC (SB-Dup1, Equipment Blank, MS/MSD)

*Trip blank

Community Air Monitoring Program (CAMP)

Prestart Conditions – PID = __0.0__ ppm, Dust = __0.942__ mg/m³ @ 07:08

High Conditions – PID = __0.3__ ppm @ 10:57 Dust = _0.168 mg/m³ @ 9:13

Problem Encountered:

- New upwind PID received from PINE Environmental at the end of the day on 11/15/22 to serve as a replacement to the original unit rented did not charge-call was placed to PINE who will be replacing this piece of equipment.

Planned Activities for the Next Day:

- Off-site disposal of demo debris; and
- Continuation of shallow soil borings and installation of groundwater monitoring wells.

*It should be noted that the NYSDEC has requested additional borings/step-offs, proximal to SB-21, SB-24 and SB-25 where MGP impacted material was encountered to delineate contamination migrating from the former Fulton Off-site MGP. IEEG will be preparing an additional sampling plan to be submitted to the NYSDEC on 11/21/22.




Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

Site Activity Map

- ★ CAMP Locations
- ⊗ PID Screening Points

Wind Direction
W – 6-10 mph





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

Photo Log

Photo 1 – Representative view of site activities at the start of the day, Xolle backhoe operator segregating demo debris into piles.



Photo 2 – Representative view of crushed brick observed in SB-28 from 4-9'.





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo 3 – Representative photo of sub slab soil vapor sample installation.



Photo 4 – Representative view of SB-26 from the 0-5', 5-10' and 10-15' intervals.



UPWIND Air Monitor

215 Douglass Street, Brooklyn, NY



| | |
|----------------------|-------------|
| Instrument Name | DustTrak II |
| Model Number | 8530 |
| Serial Number | 8530173315 |
| Firmware Version | 3.1 |
| Calibration Date | 8/11/2022 |
| Test Name | MANUAL_032 |
| Test Start Time | 7:06:22 AM |
| Test Start Date | 11/18/2022 |
| Test Length [D:H:M] | 0:07:16 |
| Test Interval [M:S] | 1:00 |
| Mass Average [mg/m3] | 0.051 |
| Mass Minimum [mg/m3] | 0.024 |
| Mass Maximum [mg/m3] | 0.168 |
| Mass TWA [mg/m3] | 0.046 |
| Photometric User Cal | 1 |
| Flow User Cal | 0 |
| Errors | |
| Number of Samples | 436 |

| Elapsed Time [s] | Time | Mass [mg/ | Alarms | Errors |
|------------------|------------|-----------|--------|--------|
| 0 | 7:06:22 AM | | | |
| 60 | 7:07:22 AM | 0.192 | | |
| 120 | 7:08:22 AM | 0.042 | | |
| 180 | 7:09:22 AM | 0.047 | | |
| 240 | 7:10:22 AM | 0.048 | | |
| 300 | 7:11:22 AM | 0.047 | | |
| 360 | 7:12:22 AM | 0.056 | | |
| 420 | 7:13:22 AM | 0.076 | | |
| 480 | 7:14:22 AM | 0.041 | | |
| 540 | 7:15:22 AM | 0.044 | | |
| 600 | 7:16:22 AM | 0.051 | | |
| 660 | 7:17:22 AM | 0.059 | | |
| 720 | 7:18:22 AM | 0.036 | | |
| 780 | 7:19:22 AM | 0.041 | | |
| 840 | 7:20:22 AM | 0.04 | | |
| 900 | 7:21:22 AM | 0.035 | | |
| 960 | 7:22:22 AM | 0.039 | | |
| 1020 | 7:23:22 AM | 0.047 | | |
| 1080 | 7:24:22 AM | 0.037 | | |
| 1140 | 7:25:22 AM | 0.035 | | |
| 1200 | 7:26:22 AM | 0.036 | | |
| 1260 | 7:27:22 AM | 0.035 | | |
| 1320 | 7:28:22 AM | 0.038 | | |
| 1380 | 7:29:22 AM | 0.037 | | |
| 1440 | 7:30:22 AM | 0.035 | | |
| 1500 | 7:31:22 AM | 0.035 | | |
| 1560 | 7:32:22 AM | 0.041 | | |

| | | |
|------|------------|-------|
| 1620 | 7:33:22 AM | 0.037 |
| 1680 | 7:34:22 AM | 0.035 |
| 1740 | 7:35:22 AM | 0.036 |
| 1800 | 7:36:22 AM | 0.036 |
| 1860 | 7:37:22 AM | 0.038 |
| 1920 | 7:38:22 AM | 0.037 |
| 1980 | 7:39:22 AM | 0.037 |
| 2040 | 7:40:22 AM | 0.036 |
| 2100 | 7:41:22 AM | 0.037 |
| 2160 | 7:42:22 AM | 0.037 |
| 2220 | 7:43:22 AM | 0.038 |
| 2280 | 7:44:22 AM | 0.04 |
| 2340 | 7:45:22 AM | 0.039 |
| 2400 | 7:46:22 AM | 0.038 |
| 2460 | 7:47:22 AM | 0.037 |
| 2520 | 7:48:22 AM | 0.037 |
| 2580 | 7:49:22 AM | 0.037 |
| 2640 | 7:50:22 AM | 0.039 |
| 2700 | 7:51:22 AM | 0.041 |
| 2760 | 7:52:22 AM | 0.039 |
| 2820 | 7:53:22 AM | 0.038 |
| 2880 | 7:54:22 AM | 0.038 |
| 2940 | 7:55:22 AM | 0.044 |
| 3000 | 7:56:22 AM | 0.037 |
| 3060 | 7:57:22 AM | 0.038 |
| 3120 | 7:58:22 AM | 0.049 |
| 3180 | 7:59:22 AM | 0.074 |
| 3240 | 8:00:22 AM | 0.043 |
| 3300 | 8:01:22 AM | 0.039 |
| 3360 | 8:02:22 AM | 0.038 |
| 3420 | 8:03:22 AM | 0.038 |
| 3480 | 8:04:22 AM | 0.038 |
| 3540 | 8:05:22 AM | 0.038 |
| 3600 | 8:06:22 AM | 0.037 |
| 3660 | 8:07:22 AM | 0.037 |
| 3720 | 8:08:22 AM | 0.038 |
| 3780 | 8:09:22 AM | 0.038 |
| 3840 | 8:10:22 AM | 0.039 |
| 3900 | 8:11:22 AM | 0.037 |
| 3960 | 8:12:22 AM | 0.037 |
| 4020 | 8:13:22 AM | 0.039 |
| 4080 | 8:14:22 AM | 0.037 |
| 4140 | 8:15:22 AM | 0.038 |
| 4200 | 8:16:22 AM | 0.038 |
| 4260 | 8:17:22 AM | 0.039 |
| 4320 | 8:18:22 AM | 0.041 |
| 4380 | 8:19:22 AM | 0.037 |

| | | |
|------|------------|-------|
| 4440 | 8:20:22 AM | 0.036 |
| 4500 | 8:21:22 AM | 0.036 |
| 4560 | 8:22:22 AM | 0.073 |
| 4620 | 8:23:22 AM | 0.038 |
| 4680 | 8:24:22 AM | 0.037 |
| 4740 | 8:25:22 AM | 0.037 |
| 4800 | 8:26:22 AM | 0.038 |
| 4860 | 8:27:22 AM | 0.033 |
| 4920 | 8:28:22 AM | 0.035 |
| 4980 | 8:29:22 AM | 0.048 |
| 5040 | 8:30:22 AM | 0.039 |
| 5100 | 8:31:22 AM | 0.04 |
| 5160 | 8:32:22 AM | 0.049 |
| 5220 | 8:33:22 AM | 0.072 |
| 5280 | 8:34:22 AM | 0.071 |
| 5340 | 8:35:22 AM | 0.032 |
| 5400 | 8:36:22 AM | 0.031 |
| 5460 | 8:37:22 AM | 0.042 |
| 5520 | 8:38:22 AM | 0.036 |
| 5580 | 8:39:22 AM | 0.035 |
| 5640 | 8:40:22 AM | 0.04 |
| 5700 | 8:41:22 AM | 0.052 |
| 5760 | 8:42:22 AM | 0.065 |
| 5820 | 8:43:22 AM | 0.036 |
| 5880 | 8:44:22 AM | 0.033 |
| 5940 | 8:45:22 AM | 0.035 |
| 6000 | 8:46:22 AM | 0.033 |
| 6060 | 8:47:22 AM | 0.044 |
| 6120 | 8:48:22 AM | 0.057 |
| 6180 | 8:49:22 AM | 0.044 |
| 6240 | 8:50:22 AM | 0.041 |
| 6300 | 8:51:22 AM | 0.059 |
| 6360 | 8:52:22 AM | 0.051 |
| 6420 | 8:53:22 AM | 0.032 |
| 6480 | 8:54:22 AM | 0.038 |
| 6540 | 8:55:22 AM | 0.051 |
| 6600 | 8:56:22 AM | 0.043 |
| 6660 | 8:57:22 AM | 0.04 |
| 6720 | 8:58:22 AM | 0.036 |
| 6780 | 8:59:22 AM | 0.069 |
| 6840 | 9:00:22 AM | 0.044 |
| 6900 | 9:01:22 AM | 0.046 |
| 6960 | 9:02:22 AM | 0.032 |
| 7020 | 9:03:22 AM | 0.033 |
| 7080 | 9:04:22 AM | 0.033 |
| 7140 | 9:05:22 AM | 0.047 |
| 7200 | 9:06:22 AM | 0.027 |

| | | |
|-------|------------|-------|
| 7260 | 9:07:22 AM | 0.08 |
| 7320 | 9:08:22 AM | 0.041 |
| 7380 | 9:09:22 AM | 0.063 |
| 7440 | 9:10:22 AM | 0.079 |
| 7500 | 9:11:22 AM | 0.058 |
| 7560 | 9:12:22 AM | 0.096 |
| 7620 | 9:13:22 AM | 0.168 |
| 7680 | 9:14:22 AM | 0.044 |
| 7740 | 9:15:22 AM | 0.048 |
| 7800 | 9:16:22 AM | 0.043 |
| 7860 | 9:17:22 AM | 0.08 |
| 7920 | 9:18:22 AM | 0.042 |
| 7980 | 9:19:22 AM | 0.072 |
| 8040 | 9:20:22 AM | 0.071 |
| 8100 | 9:21:22 AM | 0.049 |
| 8160 | 9:22:22 AM | 0.063 |
| 8220 | 9:23:22 AM | 0.046 |
| 8280 | 9:24:22 AM | 0.031 |
| 8340 | 9:25:22 AM | 0.038 |
| 8400 | 9:26:22 AM | 0.06 |
| 8460 | 9:27:22 AM | 0.054 |
| 8520 | 9:28:22 AM | 0.041 |
| 8580 | 9:29:22 AM | 0.061 |
| 8640 | 9:30:22 AM | 0.039 |
| 8700 | 9:31:22 AM | 0.038 |
| 8760 | 9:32:22 AM | 0.034 |
| 8820 | 9:33:22 AM | 0.032 |
| 8880 | 9:34:22 AM | 0.034 |
| 8940 | 9:35:22 AM | 0.074 |
| 9000 | 9:36:22 AM | 0.035 |
| 9060 | 9:37:22 AM | 0.034 |
| 9120 | 9:38:22 AM | 0.035 |
| 9180 | 9:39:22 AM | 0.037 |
| 9240 | 9:40:22 AM | 0.033 |
| 9300 | 9:41:22 AM | 0.036 |
| 9360 | 9:42:22 AM | 0.038 |
| 9420 | 9:43:22 AM | 0.043 |
| 9480 | 9:44:22 AM | 0.035 |
| 9540 | 9:45:22 AM | 0.042 |
| 9600 | 9:46:22 AM | 0.037 |
| 9660 | 9:47:22 AM | 0.072 |
| 9720 | 9:48:22 AM | 0.09 |
| 9780 | 9:49:22 AM | 0.056 |
| 9840 | 9:50:22 AM | 0.034 |
| 9900 | 9:51:22 AM | 0.036 |
| 9960 | 9:52:22 AM | 0.034 |
| 10020 | 9:53:22 AM | 0.034 |

| | | |
|-------|-------------|-------|
| 10080 | 9:54:22 AM | 0.043 |
| 10140 | 9:55:22 AM | 0.042 |
| 10200 | 9:56:22 AM | 0.033 |
| 10260 | 9:57:22 AM | 0.033 |
| 10320 | 9:58:22 AM | 0.033 |
| 10380 | 9:59:22 AM | 0.033 |
| 10440 | 10:00:22 AM | 0.034 |
| 10500 | 10:01:22 AM | 0.036 |
| 10560 | 10:02:22 AM | 0.035 |
| 10620 | 10:03:22 AM | 0.033 |
| 10680 | 10:04:22 AM | 0.038 |
| 10740 | 10:05:22 AM | 0.033 |
| 10800 | 10:06:22 AM | 0.034 |
| 10860 | 10:07:22 AM | 0.033 |
| 10920 | 10:08:22 AM | 0.036 |
| 10980 | 10:09:22 AM | 0.035 |
| 11040 | 10:10:22 AM | 0.037 |
| 11100 | 10:11:22 AM | 0.037 |
| 11160 | 10:12:22 AM | 0.042 |
| 11220 | 10:13:22 AM | 0.033 |
| 11280 | 10:14:22 AM | 0.035 |
| 11340 | 10:15:22 AM | 0.032 |
| 11400 | 10:16:22 AM | 0.033 |
| 11460 | 10:17:22 AM | 0.04 |
| 11520 | 10:18:22 AM | 0.035 |
| 11580 | 10:19:22 AM | 0.039 |
| 11640 | 10:20:22 AM | 0.05 |
| 11700 | 10:21:22 AM | 0.038 |
| 11760 | 10:22:22 AM | 0.039 |
| 11820 | 10:23:22 AM | 0.034 |
| 11880 | 10:24:22 AM | 0.037 |
| 11940 | 10:25:22 AM | 0.039 |
| 12000 | 10:26:22 AM | 0.034 |
| 12060 | 10:27:22 AM | 0.053 |
| 12120 | 10:28:22 AM | 0.054 |
| 12180 | 10:29:22 AM | 0.032 |
| 12240 | 10:30:22 AM | 0.044 |
| 12300 | 10:31:22 AM | 0.052 |
| 12360 | 10:32:22 AM | 0.034 |
| 12420 | 10:33:22 AM | 0.038 |
| 12480 | 10:34:22 AM | 0.038 |
| 12540 | 10:35:22 AM | 0.048 |
| 12600 | 10:36:22 AM | 0.066 |
| 12660 | 10:37:22 AM | 0.035 |
| 12720 | 10:38:22 AM | 0.119 |
| 12780 | 10:39:22 AM | 0.077 |
| 12840 | 10:40:22 AM | 0.048 |

| | | |
|-------|-------------|-------|
| 12900 | 10:41:22 AM | 0.049 |
| 12960 | 10:42:22 AM | 0.043 |
| 13020 | 10:43:22 AM | 0.132 |
| 13080 | 10:44:22 AM | 0.078 |
| 13140 | 10:45:22 AM | 0.06 |
| 13200 | 10:46:22 AM | 0.055 |
| 13260 | 10:47:22 AM | 0.054 |
| 13320 | 10:48:22 AM | 0.053 |
| 13380 | 10:49:22 AM | 0.034 |
| 13440 | 10:50:22 AM | 0.031 |
| 13500 | 10:51:22 AM | 0.05 |
| 13560 | 10:52:22 AM | 0.041 |
| 13620 | 10:53:22 AM | 0.07 |
| 13680 | 10:54:22 AM | 0.04 |
| 13740 | 10:55:22 AM | 0.138 |
| 13800 | 10:56:22 AM | 0.041 |
| 13860 | 10:57:22 AM | 0.042 |
| 13920 | 10:58:22 AM | 0.035 |
| 13980 | 10:59:22 AM | 0.044 |
| 14040 | 11:00:22 AM | 0.053 |
| 14100 | 11:01:22 AM | 0.038 |
| 14160 | 11:02:22 AM | 0.039 |
| 14220 | 11:03:22 AM | 0.031 |
| 14280 | 11:04:22 AM | 0.033 |
| 14340 | 11:05:22 AM | 0.047 |
| 14400 | 11:06:22 AM | 0.036 |
| 14460 | 11:07:22 AM | 0.075 |
| 14520 | 11:08:22 AM | 0.107 |
| 14580 | 11:09:22 AM | 0.041 |
| 14640 | 11:10:22 AM | 0.055 |
| 14700 | 11:11:22 AM | 0.039 |
| 14760 | 11:12:22 AM | 0.041 |
| 14820 | 11:13:22 AM | 0.035 |
| 14880 | 11:14:22 AM | 0.042 |
| 14940 | 11:15:22 AM | 0.091 |
| 15000 | 11:16:22 AM | 0.045 |
| 15060 | 11:17:22 AM | 0.034 |
| 15120 | 11:18:22 AM | 0.046 |
| 15180 | 11:19:22 AM | 0.094 |
| 15240 | 11:20:22 AM | 0.054 |
| 15300 | 11:21:22 AM | 0.043 |
| 15360 | 11:22:22 AM | 0.041 |
| 15420 | 11:23:22 AM | 0.033 |
| 15480 | 11:24:22 AM | 0.064 |
| 15540 | 11:25:22 AM | 0.148 |
| 15600 | 11:26:22 AM | 0.035 |
| 15660 | 11:27:22 AM | 0.032 |

| | | |
|-------|-------------|-------|
| 15720 | 11:28:22 AM | 0.037 |
| 15780 | 11:29:22 AM | 0.031 |
| 15840 | 11:30:22 AM | 0.055 |
| 15900 | 11:31:22 AM | 0.042 |
| 15960 | 11:32:22 AM | 0.031 |
| 16020 | 11:33:22 AM | 0.033 |
| 16080 | 11:34:22 AM | 0.038 |
| 16140 | 11:35:22 AM | 0.033 |
| 16200 | 11:36:22 AM | 0.032 |
| 16260 | 11:37:22 AM | 0.034 |
| 16320 | 11:38:22 AM | 0.038 |
| 16380 | 11:39:22 AM | 0.075 |
| 16440 | 11:40:22 AM | 0.041 |
| 16500 | 11:41:22 AM | 0.111 |
| 16560 | 11:42:22 AM | 0.036 |
| 16620 | 11:43:22 AM | 0.032 |
| 16680 | 11:44:22 AM | 0.035 |
| 16740 | 11:45:22 AM | 0.046 |
| 16800 | 11:46:22 AM | 0.094 |
| 16860 | 11:47:22 AM | 0.089 |
| 16920 | 11:48:22 AM | 0.115 |
| 16980 | 11:49:22 AM | 0.081 |
| 17040 | 11:50:22 AM | 0.075 |
| 17100 | 11:51:22 AM | 0.04 |
| 17160 | 11:52:22 AM | 0.078 |
| 17220 | 11:53:22 AM | 0.043 |
| 17280 | 11:54:22 AM | 0.03 |
| 17340 | 11:55:22 AM | 0.027 |
| 17400 | 11:56:22 AM | 0.074 |
| 17460 | 11:57:22 AM | 0.026 |
| 17520 | 11:58:22 AM | 0.07 |
| 17580 | 11:59:22 AM | 0.051 |
| 17640 | 12:00:22 PM | 0.028 |
| 17700 | 12:01:22 PM | 0.028 |
| 17760 | 12:02:22 PM | 0.026 |
| 17820 | 12:03:22 PM | 0.027 |
| 17880 | 12:04:22 PM | 0.03 |
| 17940 | 12:05:22 PM | 0.036 |
| 18000 | 12:06:22 PM | 0.028 |
| 18060 | 12:07:22 PM | 0.026 |
| 18120 | 12:08:22 PM | 0.027 |
| 18180 | 12:09:22 PM | 0.031 |
| 18240 | 12:10:22 PM | 0.028 |
| 18300 | 12:11:22 PM | 0.031 |
| 18360 | 12:12:22 PM | 0.036 |
| 18420 | 12:13:22 PM | 0.152 |
| 18480 | 12:14:22 PM | 0.106 |

| | | |
|-------|-------------|-------|
| 18540 | 12:15:22 PM | 0.062 |
| 18600 | 12:16:22 PM | 0.043 |
| 18660 | 12:17:22 PM | 0.045 |
| 18720 | 12:18:22 PM | 0.055 |
| 18780 | 12:19:22 PM | 0.115 |
| 18840 | 12:20:22 PM | 0.04 |
| 18900 | 12:21:22 PM | 0.026 |
| 18960 | 12:22:22 PM | 0.029 |
| 19020 | 12:23:22 PM | 0.029 |
| 19080 | 12:24:22 PM | 0.03 |
| 19140 | 12:25:22 PM | 0.031 |
| 19200 | 12:26:22 PM | 0.043 |
| 19260 | 12:27:22 PM | 0.025 |
| 19320 | 12:28:22 PM | 0.026 |
| 19380 | 12:29:22 PM | 0.027 |
| 19440 | 12:30:22 PM | 0.035 |
| 19500 | 12:31:22 PM | 0.028 |
| 19560 | 12:32:22 PM | 0.025 |
| 19620 | 12:33:22 PM | 0.025 |
| 19680 | 12:34:22 PM | 0.025 |
| 19740 | 12:35:22 PM | 0.029 |
| 19800 | 12:36:22 PM | 0.029 |
| 19860 | 12:37:22 PM | 0.029 |
| 19920 | 12:38:22 PM | 0.028 |
| 19980 | 12:39:22 PM | 0.039 |
| 20040 | 12:40:22 PM | 0.11 |
| 20100 | 12:41:22 PM | 0.03 |
| 20160 | 12:42:22 PM | 0.034 |
| 20220 | 12:43:22 PM | 0.046 |
| 20280 | 12:44:22 PM | 0.032 |
| 20340 | 12:45:22 PM | 0.043 |
| 20400 | 12:46:22 PM | 0.034 |
| 20460 | 12:47:22 PM | 0.051 |
| 20520 | 12:48:22 PM | 0.038 |
| 20580 | 12:49:22 PM | 0.029 |
| 20640 | 12:50:22 PM | 0.026 |
| 20700 | 12:51:22 PM | 0.037 |
| 20760 | 12:52:22 PM | 0.028 |
| 20820 | 12:53:22 PM | 0.037 |
| 20880 | 12:54:22 PM | 0.028 |
| 20940 | 12:55:22 PM | 0.031 |
| 21000 | 12:56:22 PM | 0.025 |
| 21060 | 12:57:22 PM | 0.024 |
| 21120 | 12:58:22 PM | 0.028 |
| 21180 | 12:59:22 PM | 0.053 |
| 21240 | 1:00:22 PM | 0.064 |
| 21300 | 1:01:22 PM | 0.085 |

| | | |
|-------|------------|-------|
| 21360 | 1:02:22 PM | 0.035 |
| 21420 | 1:03:22 PM | 0.487 |
| 21480 | 1:04:22 PM | 0.053 |
| 21540 | 1:05:22 PM | 0.025 |
| 21600 | 1:06:22 PM | 0.039 |
| 21660 | 1:07:22 PM | 0.041 |
| 21720 | 1:08:22 PM | 0.103 |
| 21780 | 1:09:22 PM | 0.04 |
| 21840 | 1:10:22 PM | 0.129 |
| 21900 | 1:11:22 PM | 0.038 |
| 21960 | 1:12:22 PM | 0.083 |
| 22020 | 1:13:22 PM | 0.029 |
| 22080 | 1:14:22 PM | 0.026 |
| 22140 | 1:15:22 PM | 0.044 |
| 22200 | 1:16:22 PM | 0.032 |
| 22260 | 1:17:22 PM | 0.029 |
| 22320 | 1:18:22 PM | 0.029 |
| 22380 | 1:19:22 PM | 0.036 |
| 22440 | 1:20:22 PM | 0.08 |
| 22500 | 1:21:22 PM | 0.113 |
| 22560 | 1:22:22 PM | 0.031 |
| 22620 | 1:23:22 PM | 0.033 |
| 22680 | 1:24:22 PM | 0.053 |
| 22740 | 1:25:22 PM | 0.155 |
| 22800 | 1:26:22 PM | 0.031 |
| 22860 | 1:27:22 PM | 0.051 |
| 22920 | 1:28:22 PM | 0.035 |
| 22980 | 1:29:22 PM | 0.031 |
| 23040 | 1:30:22 PM | 0.027 |
| 23100 | 1:31:22 PM | 0.027 |
| 23160 | 1:32:22 PM | 0.027 |
| 23220 | 1:33:22 PM | 0.029 |
| 23280 | 1:34:22 PM | 0.149 |
| 23340 | 1:35:22 PM | 0.067 |
| 23400 | 1:36:22 PM | 0.039 |
| 23460 | 1:37:22 PM | 0.044 |
| 23520 | 1:38:22 PM | 0.041 |
| 23580 | 1:39:22 PM | 0.058 |
| 23640 | 1:40:22 PM | 0.029 |
| 23700 | 1:41:22 PM | 0.029 |
| 23760 | 1:42:22 PM | 0.026 |
| 23820 | 1:43:22 PM | 0.042 |
| 23880 | 1:44:22 PM | 0.036 |
| 23940 | 1:45:22 PM | 0.032 |
| 24000 | 1:46:22 PM | 0.028 |
| 24060 | 1:47:22 PM | 0.026 |
| 24120 | 1:48:22 PM | 0.025 |

| | | |
|-------|------------|-------|
| 24180 | 1:49:22 PM | 0.028 |
| 24240 | 1:50:22 PM | 0.031 |
| 24300 | 1:51:22 PM | 0.035 |
| 24360 | 1:52:22 PM | 0.046 |
| 24420 | 1:53:22 PM | 0.045 |
| 24480 | 1:54:22 PM | 0.079 |
| 24540 | 1:55:22 PM | 0.027 |
| 24600 | 1:56:22 PM | 0.028 |
| 24660 | 1:57:22 PM | 0.041 |
| 24720 | 1:58:22 PM | 0.027 |
| 24780 | 1:59:22 PM | 0.027 |
| 24840 | 2:00:22 PM | 0.05 |
| 24900 | 2:01:22 PM | 0.073 |
| 24960 | 2:02:22 PM | 0.126 |
| 25020 | 2:03:22 PM | 0.119 |
| 25080 | 2:04:22 PM | 0.047 |
| 25140 | 2:05:22 PM | 0.043 |
| 25200 | 2:06:22 PM | 0.024 |
| 25260 | 2:07:22 PM | 0.062 |
| 25320 | 2:08:22 PM | 0.122 |
| 25380 | 2:09:22 PM | 0.137 |
| 25440 | 2:10:22 PM | 0.163 |
| 25500 | 2:11:22 PM | 0.103 |
| 25560 | 2:12:22 PM | 0.034 |
| 25620 | 2:13:22 PM | 0.031 |
| 25680 | 2:14:22 PM | 0.036 |
| 25740 | 2:15:22 PM | 0.056 |
| 25800 | 2:16:22 PM | 0.051 |
| 25860 | 2:17:22 PM | 0.038 |
| 25920 | 2:18:22 PM | 0.054 |
| 25980 | 2:19:22 PM | 0.054 |
| 26040 | 2:20:22 PM | 0.05 |
| 26100 | 2:21:22 PM | 0.115 |
| 26160 | 2:22:22 PM | 0.08 |

DOWNWIND Air Monitor

251 Douglass Street, Brooklyn, NY



Instrument: DustTrak II
 Model: Nur 8530
 Serial Num: 8530111721
 Firmware: 3.1
 Calibration: 8/17/2021
 Test Name: MANUAL_034
 Test Start: 7:58:28 AM
 Test Start Date: 11/18/2022
 Test Length: 0:07:28
 Test Interval: 1:00
 Mass Average: 0.038
 Mass Minimum: 0.019
 Mass Maximum: 0.157
 Mass TWA: 0.036
 Photometer: 1
 Flow User: 0
 Errors:
 Number of: 448

| Elapsed Time | Mass [mg/m ³] | Alarms | Errors |
|--------------|---------------------------|--------|--------|
| 60 | 0.036 | | |
| 120 | 0.035 | | |
| 180 | 0.034 | | |
| 240 | 0.032 | | |
| 300 | 0.031 | | |
| 360 | 0.031 | | |
| 420 | 0.031 | | |
| 480 | 0.03 | | |
| 540 | 0.037 | | |
| 600 | 0.039 | | |
| 660 | 0.034 | | |
| 720 | 0.032 | | |
| 780 | 0.033 | | |
| 840 | 0.031 | | |
| 900 | 0.031 | | |
| 960 | 0.034 | | |
| 1020 | 0.032 | | |
| 1080 | 0.029 | | |
| 1140 | 0.029 | | |
| 1200 | 0.036 | | |
| 1260 | 0.041 | | |
| 1320 | 0.033 | | |
| 1380 | 0.033 | | |
| 1440 | 0.035 | | |
| 1500 | 0.033 | | |
| 1560 | 0.037 | | |
| 1620 | 0.033 | | |

| | |
|------|-------|
| 1680 | 0.034 |
| 1740 | 0.034 |
| 1800 | 0.034 |
| 1860 | 0.031 |
| 1920 | 0.033 |
| 1980 | 0.034 |
| 2040 | 0.031 |
| 2100 | 0.035 |
| 2160 | 0.037 |
| 2220 | 0.034 |
| 2280 | 0.033 |
| 2340 | 0.044 |
| 2400 | 0.039 |
| 2460 | 0.042 |
| 2520 | 0.062 |
| 2580 | 0.036 |
| 2640 | 0.039 |
| 2700 | 0.049 |
| 2760 | 0.037 |
| 2820 | 0.034 |
| 2880 | 0.034 |
| 2940 | 0.046 |
| 3000 | 0.047 |
| 3060 | 0.045 |
| 3120 | 0.037 |
| 3180 | 0.032 |
| 3240 | 0.048 |
| 3300 | 0.047 |
| 3360 | 0.044 |
| 3420 | 0.049 |
| 3480 | 0.046 |
| 3540 | 0.044 |
| 3600 | 0.04 |
| 3660 | 0.037 |
| 3720 | 0.036 |
| 3780 | 0.035 |
| 3840 | 0.04 |
| 3900 | 0.035 |
| 3960 | 0.034 |
| 4020 | 0.035 |
| 4080 | 0.035 |
| 4140 | 0.037 |
| 4200 | 0.034 |
| 4260 | 0.037 |
| 4320 | 0.034 |
| 4380 | 0.036 |
| 4440 | 0.034 |

| | |
|------|-------|
| 4500 | 0.038 |
| 4560 | 0.034 |
| 4620 | 0.035 |
| 4680 | 0.035 |
| 4740 | 0.036 |
| 4800 | 0.04 |
| 4860 | 0.042 |
| 4920 | 0.033 |
| 4980 | 0.034 |
| 5040 | 0.06 |
| 5100 | 0.037 |
| 5160 | 0.037 |
| 5220 | 0.041 |
| 5280 | 0.04 |
| 5340 | 0.041 |
| 5400 | 0.038 |
| 5460 | 0.08 |
| 5520 | 0.053 |
| 5580 | 0.031 |
| 5640 | 0.031 |
| 5700 | 0.033 |
| 5760 | 0.029 |
| 5820 | 0.029 |
| 5880 | 0.033 |
| 5940 | 0.031 |
| 6000 | 0.035 |
| 6060 | 0.046 |
| 6120 | 0.039 |
| 6180 | 0.033 |
| 6240 | 0.039 |
| 6300 | 0.039 |
| 6360 | 0.052 |
| 6420 | 0.036 |
| 6480 | 0.039 |
| 6540 | 0.042 |
| 6600 | 0.042 |
| 6660 | 0.043 |
| 6720 | 0.055 |
| 6780 | 0.039 |
| 6840 | 0.037 |
| 6900 | 0.033 |
| 6960 | 0.042 |
| 7020 | 0.04 |
| 7080 | 0.069 |
| 7140 | 0.037 |
| 7200 | 0.034 |
| 7260 | 0.038 |

| | |
|-------|-------|
| 7320 | 0.032 |
| 7380 | 0.03 |
| 7440 | 0.049 |
| 7500 | 0.135 |
| 7560 | 0.036 |
| 7620 | 0.043 |
| 7680 | 0.036 |
| 7740 | 0.091 |
| 7800 | 0.048 |
| 7860 | 0.072 |
| 7920 | 0.046 |
| 7980 | 0.04 |
| 8040 | 0.035 |
| 8100 | 0.106 |
| 8160 | 0.031 |
| 8220 | 0.03 |
| 8280 | 0.041 |
| 8340 | 0.045 |
| 8400 | 0.035 |
| 8460 | 0.039 |
| 8520 | 0.028 |
| 8580 | 0.033 |
| 8640 | 0.041 |
| 8700 | 0.055 |
| 8760 | 0.054 |
| 8820 | 0.069 |
| 8880 | 0.046 |
| 8940 | 0.033 |
| 9000 | 0.031 |
| 9060 | 0.034 |
| 9120 | 0.036 |
| 9180 | 0.034 |
| 9240 | 0.033 |
| 9300 | 0.037 |
| 9360 | 0.033 |
| 9420 | 0.032 |
| 9480 | 0.032 |
| 9540 | 0.033 |
| 9600 | 0.034 |
| 9660 | 0.034 |
| 9720 | 0.03 |
| 9780 | 0.03 |
| 9840 | 0.035 |
| 9900 | 0.039 |
| 9960 | 0.038 |
| 10020 | 0.083 |
| 10080 | 0.032 |

| | |
|-------|-------|
| 10140 | 0.039 |
| 10200 | 0.032 |
| 10260 | 0.031 |
| 10320 | 0.035 |
| 10380 | 0.038 |
| 10440 | 0.039 |
| 10500 | 0.033 |
| 10560 | 0.029 |
| 10620 | 0.031 |
| 10680 | 0.064 |
| 10740 | 0.066 |
| 10800 | 0.031 |
| 10860 | 0.031 |
| 10920 | 0.032 |
| 10980 | 0.035 |
| 11040 | 0.031 |
| 11100 | 0.035 |
| 11160 | 0.032 |
| 11220 | 0.031 |
| 11280 | 0.029 |
| 11340 | 0.034 |
| 11400 | 0.03 |
| 11460 | 0.027 |
| 11520 | 0.029 |
| 11580 | 0.028 |
| 11640 | 0.028 |
| 11700 | 0.03 |
| 11760 | 0.029 |
| 11820 | 0.032 |
| 11880 | 0.043 |
| 11940 | 0.038 |
| 12000 | 0.051 |
| 12060 | 0.032 |
| 12120 | 0.029 |
| 12180 | 0.044 |
| 12240 | 0.035 |
| 12300 | 0.045 |
| 12360 | 0.04 |
| 12420 | 0.035 |
| 12480 | 0.038 |
| 12540 | 0.041 |
| 12600 | 0.039 |
| 12660 | 0.033 |
| 12720 | 0.033 |
| 12780 | 0.041 |
| 12840 | 0.035 |
| 12900 | 0.032 |

| | |
|-------|-------|
| 12960 | 0.057 |
| 13020 | 0.054 |
| 13080 | 0.041 |
| 13140 | 0.039 |
| 13200 | 0.042 |
| 13260 | 0.064 |
| 13320 | 0.081 |
| 13380 | 0.05 |
| 13440 | 0.029 |
| 13500 | 0.035 |
| 13560 | 0.038 |
| 13620 | 0.032 |
| 13680 | 0.028 |
| 13740 | 0.033 |
| 13800 | 0.028 |
| 13860 | 0.042 |
| 13920 | 0.044 |
| 13980 | 0.06 |
| 14040 | 0.033 |
| 14100 | 0.032 |
| 14160 | 0.028 |
| 14220 | 0.059 |
| 14280 | 0.034 |
| 14340 | 0.031 |
| 14400 | 0.037 |
| 14460 | 0.03 |
| 14520 | 0.028 |
| 14580 | 0.052 |
| 14640 | 0.032 |
| 14700 | 0.035 |
| 14760 | 0.044 |
| 14820 | 0.038 |
| 14880 | 0.043 |
| 14940 | 0.036 |
| 15000 | 0.034 |
| 15060 | 0.045 |
| 15120 | 0.038 |
| 15180 | 0.042 |
| 15240 | 0.032 |
| 15300 | 0.029 |
| 15360 | 0.036 |
| 15420 | 0.082 |
| 15480 | 0.042 |
| 15540 | 0.032 |
| 15600 | 0.042 |
| 15660 | 0.034 |
| 15720 | 0.041 |

| | |
|-------|-------|
| 15780 | 0.04 |
| 15840 | 0.034 |
| 15900 | 0.034 |
| 15960 | 0.032 |
| 16020 | 0.038 |
| 16080 | 0.033 |
| 16140 | 0.054 |
| 16200 | 0.027 |
| 16260 | 0.027 |
| 16320 | 0.031 |
| 16380 | 0.032 |
| 16440 | 0.031 |
| 16500 | 0.029 |
| 16560 | 0.029 |
| 16620 | 0.026 |
| 16680 | 0.066 |
| 16740 | 0.068 |
| 16800 | 0.029 |
| 16860 | 0.026 |
| 16920 | 0.034 |
| 16980 | 0.031 |
| 17040 | 0.031 |
| 17100 | 0.027 |
| 17160 | 0.041 |
| 17220 | 0.028 |
| 17280 | 0.036 |
| 17340 | 0.027 |
| 17400 | 0.05 |
| 17460 | 0.039 |
| 17520 | 0.021 |
| 17580 | 0.024 |
| 17640 | 0.044 |
| 17700 | 0.024 |
| 17760 | 0.033 |
| 17820 | 0.058 |
| 17880 | 0.026 |
| 17940 | 0.022 |
| 18000 | 0.023 |
| 18060 | 0.022 |
| 18120 | 0.024 |
| 18180 | 0.028 |
| 18240 | 0.023 |
| 18300 | 0.022 |
| 18360 | 0.021 |
| 18420 | 0.021 |
| 18480 | 0.022 |
| 18540 | 0.034 |

| | |
|-------|-------|
| 18600 | 0.024 |
| 18660 | 0.041 |
| 18720 | 0.06 |
| 18780 | 0.043 |
| 18840 | 0.026 |
| 18900 | 0.157 |
| 18960 | 0.052 |
| 19020 | 0.12 |
| 19080 | 0.076 |
| 19140 | 0.021 |
| 19200 | 0.02 |
| 19260 | 0.021 |
| 19320 | 0.021 |
| 19380 | 0.02 |
| 19440 | 0.04 |
| 19500 | 0.022 |
| 19560 | 0.02 |
| 19620 | 0.021 |
| 19680 | 0.031 |
| 19740 | 0.023 |
| 19800 | 0.022 |
| 19860 | 0.02 |
| 19920 | 0.02 |
| 19980 | 0.022 |
| 20040 | 0.03 |
| 20100 | 0.026 |
| 20160 | 0.024 |
| 20220 | 0.033 |
| 20280 | 0.034 |
| 20340 | 0.025 |
| 20400 | 0.035 |
| 20460 | 0.023 |
| 20520 | 0.026 |
| 20580 | 0.033 |
| 20640 | 0.024 |
| 20700 | 0.052 |
| 20760 | 0.036 |
| 20820 | 0.023 |
| 20880 | 0.022 |
| 20940 | 0.028 |
| 21000 | 0.022 |
| 21060 | 0.025 |
| 21120 | 0.02 |
| 21180 | 0.022 |
| 21240 | 0.022 |
| 21300 | 0.02 |
| 21360 | 0.023 |

| | |
|-------|-------|
| 21420 | 0.027 |
| 21480 | 0.033 |
| 21540 | 0.034 |
| 21600 | 0.025 |
| 21660 | 0.07 |
| 21720 | 0.041 |
| 21780 | 0.021 |
| 21840 | 0.021 |
| 21900 | 0.026 |
| 21960 | 0.023 |
| 22020 | 0.021 |
| 22080 | 0.041 |
| 22140 | 0.032 |
| 22200 | 0.111 |
| 22260 | 0.025 |
| 22320 | 0.02 |
| 22380 | 0.021 |
| 22440 | 0.022 |
| 22500 | 0.022 |
| 22560 | 0.074 |
| 22620 | 0.028 |
| 22680 | 0.041 |
| 22740 | 0.067 |
| 22800 | 0.055 |
| 22860 | 0.025 |
| 22920 | 0.033 |
| 22980 | 0.124 |
| 23040 | 0.033 |
| 23100 | 0.034 |
| 23160 | 0.043 |
| 23220 | 0.027 |
| 23280 | 0.023 |
| 23340 | 0.028 |
| 23400 | 0.043 |
| 23460 | 0.036 |
| 23520 | 0.043 |
| 23580 | 0.128 |
| 23640 | 0.037 |
| 23700 | 0.038 |
| 23760 | 0.03 |
| 23820 | 0.023 |
| 23880 | 0.021 |
| 23940 | 0.022 |
| 24000 | 0.032 |
| 24060 | 0.04 |
| 24120 | 0.031 |
| 24180 | 0.024 |

| | |
|-------|-------|
| 24240 | 0.022 |
| 24300 | 0.019 |
| 24360 | 0.02 |
| 24420 | 0.025 |
| 24480 | 0.021 |
| 24540 | 0.031 |
| 24600 | 0.052 |
| 24660 | 0.04 |
| 24720 | 0.034 |
| 24780 | 0.026 |
| 24840 | 0.041 |
| 24900 | 0.023 |
| 24960 | 0.056 |
| 25020 | 0.02 |
| 25080 | 0.023 |
| 25140 | 0.03 |
| 25200 | 0.039 |
| 25260 | 0.041 |
| 25320 | 0.035 |
| 25380 | 0.025 |
| 25440 | 0.019 |
| 25500 | 0.028 |
| 25560 | 0.029 |
| 25620 | 0.079 |
| 25680 | 0.053 |
| 25740 | 0.073 |
| 25800 | 0.039 |
| 25860 | 0.021 |
| 25920 | 0.024 |
| 25980 | 0.06 |
| 26040 | 0.075 |
| 26100 | 0.05 |
| 26160 | 0.04 |
| 26220 | 0.06 |
| 26280 | 0.063 |
| 26340 | 0.066 |
| 26400 | 0.032 |
| 26460 | 0.031 |
| 26520 | 0.062 |
| 26580 | 0.031 |
| 26640 | 0.153 |
| 26700 | 0.066 |
| 26760 | 0.042 |
| 26820 | 0.112 |
| 26880 | 0.052 |

| Device Serial No | Log Time | Log Type | Log Interval | Sensor 1 T | Sensor 1 D | Sensor 1 Serial Number | Sensor 1 St | Sensor 1 G | Sensor 1 A | Sensor 1 M |
|------------------|------------------|----------|--------------|------------|------------|------------------------|-------------|------------|------------|------------|
| 592-925655 | 11/18/2022 13:57 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 13:42 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 13:27 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 13:12 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 12:57 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 12:42 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 12:27 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 12:12 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 11:57 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 11:42 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 11:27 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 11:12 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 10:57 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0.3 |
| 592-925655 | 11/18/2022 10:42 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 10:27 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 10:12 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 9:57 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 9:42 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 9:27 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 9:12 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 8:57 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 8:42 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 8:27 | Readings | | PID | | SC23030167V8 | Normal | 0 | 0 | 0 |
| 592-925655 | 11/18/2022 8:12 | CONFIG | 900 | PID | ppm | SC23030167V8 | | | | |

Sensor 1 M Sensor 1 S' Sensor 1 T' Sensor 1 Lz Sensor 1 Sj Sensor 1 Sj Sensor 1 H Sensor 1 Lc Sensor 1 S' Sensor 1 T' Sensor 1 O Sensor 1 M Sensor 1 C

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

100 1000 100 50 25 10 15000 Isobutylene 1

Unit Status Running M Log Start T Diagnostic Stop Reasc User Id Site Id Record Nu Session Stç Session Stç Firmware Version

Hygiene M Manual Normal Mç Battery Loç USER0000 RAE00000 23 ##### ##### V2.22A