



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
 www.impactenvironmental.com

DAILY STATUS REPORT-11/21/2022

Prepared By: Alex Keenan

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X
TEMP.	< 32	X	32-50	X	50-70		70-85		>85	

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	11/21/22
Project:	251 Douglass Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 07:05 Time Out: 14:50	Personnel On Site: IEEG (Environmental) –Thomas Jensen and Alex Keenan Xolle Demo – Joel Monges
--	--

Scope of Work:

- Oversight of full demolition of two (2) on-Site structures, on (1) single story, 10, 000 sf vacant warehouse structure located on the westernmost portion of the Site and one (1) two story 2,500 sf vacant commercial structure located on the easternmost portion of the Site. The demolition will be completed in accordance with the demolition plans approved by DOB on 7/8/2021 (two-story commercial structure) and 7/13/2021 (one-story warehouse structure). Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP).
- RIWP implementation. IEEG provided the NYSDEC an acknowledgment to a comment that was requested to be added to the RIWP on 11/2/22 and the NYSDEC stated on 11/3/22 that acknowledgement satisfied the DEC's requirements, and that the RI work could be implemented.

Site Activities:

- Tailgate Health and Safety meeting with Xolle and IEEG;
- The remainder of the brick stockpile was removed (2 loads to Mount Materials in Farless Hills, PA) which concluded the demo work;
- Boring SB-29 was completed to 15-feet bgs;
- Boring SB-22 was completed to 25-feet bgs due to elevated PID readings and sulfuric odors at 15', the boring was advanced further to a terminal depth of 25' where the material cleaned up;
- SB-20 was advanced to 50-feet bgs. At the 10-15' interval elevated PIDs were noted as well as petroleum odors. D. Posten recommended extending the boring deeper in order to see if impacted material extended deeper. At 20-feet bgs organic material was encountered as well as elevated PID readings. It was determined that since this location is located on the western property boundary to extend the boring to 100-feet bgs. Coal tar was noted at approximately 30-feet bgs. The boring was not advanced to its terminal depth so the boring was covered with poly sheeting and BioSolve was misted just downgradient of the boring to mitigate odors; and
- Soil from all collected sleeves were drummed after being screened and logged;



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

• **Samples Collected:**

- SB-29 (0-2'')
- SB-29 (0-2')
- SB-29 (6-8')
- SB-29 (13-15')
- SB-22 (0-2')
- SB-22 (4-6')
- SB-22 (18-20)
- SB-20 (0-2')
- SB-20 (4-6)

*Trip blank

Community Air Monitoring Program (CAMP)

Prestart Conditions – PID = 0.0 ppm, Dust = 0.078 mg/m³ @ 07:18

High Conditions – PID = 0.0 ppm, Dust = 0.189 mg/m³ @ 1:50

Problem Encountered:

- New upwind PID received from PINE Environmental at the end of the day on 11/15/22 to serve as a replacement to the original unit rented did not charge-call was placed to PINE for new unit, however, due to an equipment shortage, a unit was not available today.

Planned Activities for the Next Day:

- Continued advancement/logging and sampling of SB-20 to 100'. It was determined based on the borings proximity to the western property boarder that this location will be advanced to 100'. Complete the advancement, logging and sampling of SB-23 to 15';
- Soil Vapor and Sub Slab Soil Vapor sample collection; and
- Begin installation of groundwater monitoring wells.

*It should be noted that the NYSDEC has requested additional borings/step-offs, proximal to SB-21, SB-24 and SB-25 where MGP impacted material was encountered to delineate contamination migrating from the former Fulton Off-site MGP. IEEG will be preparing an additional sampling plan to be submitted to the NYSDEC on 11/22/22.



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com


Site Activity Map

★ CAMP Locations

⊗ PID Screening Points

Wind Direction

W – 6-10 mph





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo Log

Photo 1 – Photo of SB-20 at the 20-25' interval with elevated PID readings in the organic material.





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo 2 –

Representative photo of a boring log being screened with the PID. The bottom sleeve is SB-20 at the 30-35' interval, coal tar was encountered within this sleeve.



Photo 3 –

Representative view of the remainder of the brick stockpile being removed to Mount Materials.





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo 4 –

Representative view of the site at the completion of Demolition work, the foundation slab within the portion of the Site that previously contained buildings is still intact.



UPWIND Air Monitor

215 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8.53E+09
Firmware Version	3.1
Calibration Date	8/11/2022
Test Name	MANUAL_033
Test Start Time	7:17:44 AM
Test Start Date	11/21/2022
Test Length [D:H:M]	0:07:10
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.026
Mass Minimum [mg/m3]	0.013
Mass Maximum [mg/m3]	0.189
Mass TWA [mg/m3]	0.032
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	430

Elapsed Time [s]	Time	Mass [mg/l]	Alarms	Errors
	7:17:44 AM			
60	7:18:44 AM	0.078		
120	7:19:44 AM	0.054		
180	7:20:44 AM	0.103		
240	7:21:44 AM	0.029		
300	7:22:44 AM	0.022		
360	7:23:44 AM	0.02		
420	7:24:44 AM	0.099		
480	7:25:44 AM	0.039		
540	7:26:44 AM	0.019		
600	7:27:44 AM	0.017		
660	7:28:44 AM	0.016		
720	7:29:44 AM	0.014		
780	7:30:44 AM	0.033		
840	7:31:44 AM	0.03		
900	7:32:44 AM	0.02		
960	7:33:44 AM	0.03		
1020	7:34:44 AM	0.016		
1080	7:35:44 AM	0.018		
1140	7:36:44 AM	0.017		
1200	7:37:44 AM	0.016		
1260	7:38:44 AM	0.014		
1320	7:39:44 AM	0.014		
1380	7:40:44 AM	0.013		
1440	7:41:44 AM	0.014		
1500	7:42:44 AM	0.016		
1560	7:43:44 AM	0.016		

1620	7:44:44 AM	0.014
1680	7:45:44 AM	0.017
1740	7:46:44 AM	0.021
1800	7:47:44 AM	0.014
1860	7:48:44 AM	0.016
1920	7:49:44 AM	0.015
1980	7:50:44 AM	0.014
2040	7:51:44 AM	0.016
2100	7:52:44 AM	0.017
2160	7:53:44 AM	0.016
2220	7:54:44 AM	0.019
2280	7:55:44 AM	0.017
2340	7:56:44 AM	0.018
2400	7:57:44 AM	0.017
2460	7:58:44 AM	0.018
2520	7:59:44 AM	0.018
2580	8:00:44 AM	0.018
2640	8:01:44 AM	0.02
2700	8:02:44 AM	0.016
2760	8:03:44 AM	0.016
2820	8:04:44 AM	0.02
2880	8:05:44 AM	0.017
2940	8:06:44 AM	0.017
3000	8:07:44 AM	0.018
3060	8:08:44 AM	0.019
3120	8:09:44 AM	0.024
3180	8:10:44 AM	0.017
3240	8:11:44 AM	0.016
3300	8:12:44 AM	0.017
3360	8:13:44 AM	0.017
3420	8:14:44 AM	0.016
3480	8:15:44 AM	0.015
3540	8:16:44 AM	0.018
3600	8:17:44 AM	0.02
3660	8:18:44 AM	0.016
3720	8:19:44 AM	0.014
3780	8:20:44 AM	0.015
3840	8:21:44 AM	0.015
3900	8:22:44 AM	0.018
3960	8:23:44 AM	0.017
4020	8:24:44 AM	0.017
4080	8:25:44 AM	0.018
4140	8:26:44 AM	0.02
4200	8:27:44 AM	0.019
4260	8:28:44 AM	0.017
4320	8:29:44 AM	0.016
4380	8:30:44 AM	0.02

4440	8:31:44 AM	0.019
4500	8:32:44 AM	0.017
4560	8:33:44 AM	0.017
4620	8:34:44 AM	0.022
4680	8:35:44 AM	0.02
4740	8:36:44 AM	0.017
4800	8:37:44 AM	0.019
4860	8:38:44 AM	0.019
4920	8:39:44 AM	0.021
4980	8:40:44 AM	0.019
5040	8:41:44 AM	0.017
5100	8:42:44 AM	0.018
5160	8:43:44 AM	0.019
5220	8:44:44 AM	0.022
5280	8:45:44 AM	0.022
5340	8:46:44 AM	0.019
5400	8:47:44 AM	0.018
5460	8:48:44 AM	0.027
5520	8:49:44 AM	0.018
5580	8:50:44 AM	0.02
5640	8:51:44 AM	0.019
5700	8:52:44 AM	0.019
5760	8:53:44 AM	0.02
5820	8:54:44 AM	0.017
5880	8:55:44 AM	0.02
5940	8:56:44 AM	0.024
6000	8:57:44 AM	0.021
6060	8:58:44 AM	0.02
6120	8:59:44 AM	0.024
6180	9:00:44 AM	0.025
6240	9:01:44 AM	0.021
6300	9:02:44 AM	0.02
6360	9:03:44 AM	0.019
6420	9:04:44 AM	0.018
6480	9:05:44 AM	0.017
6540	9:06:44 AM	0.019
6600	9:07:44 AM	0.019
6660	9:08:44 AM	0.019
6720	9:09:44 AM	0.019
6780	9:10:44 AM	0.018
6840	9:11:44 AM	0.02
6900	9:12:44 AM	0.022
6960	9:13:44 AM	0.021
7020	9:14:44 AM	0.021
7080	9:15:44 AM	0.025
7140	9:16:44 AM	0.024
7200	9:17:44 AM	0.023

7260	9:18:44 AM	0.115
7320	9:19:44 AM	0.026
7380	9:20:44 AM	0.034
7440	9:21:44 AM	0.032
7500	9:22:44 AM	0.039
7560	9:23:44 AM	0.033
7620	9:24:44 AM	0.021
7680	9:25:44 AM	0.021
7740	9:26:44 AM	0.02
7800	9:27:44 AM	0.021
7860	9:28:44 AM	0.02
7920	9:29:44 AM	0.154
7980	9:30:44 AM	0.025
8040	9:31:44 AM	0.019
8100	9:32:44 AM	0.023
8160	9:33:44 AM	0.028
8220	9:34:44 AM	0.021
8280	9:35:44 AM	0.037
8340	9:36:44 AM	0.024
8400	9:37:44 AM	0.019
8460	9:38:44 AM	0.039
8520	9:39:44 AM	0.024
8580	9:40:44 AM	0.019
8640	9:41:44 AM	0.084
8700	9:42:44 AM	0.063
8760	9:43:44 AM	0.023
8820	9:44:44 AM	0.024
8880	9:45:44 AM	0.023
8940	9:46:44 AM	0.026
9000	9:47:44 AM	0.019
9060	9:48:44 AM	0.028
9120	9:49:44 AM	0.026
9180	9:50:44 AM	0.024
9240	9:51:44 AM	0.033
9300	9:52:44 AM	0.026
9360	9:53:44 AM	0.021
9420	9:54:44 AM	0.025
9480	9:55:44 AM	0.028
9540	9:56:44 AM	0.019
9600	9:57:44 AM	0.021
9660	9:58:44 AM	0.026
9720	9:59:44 AM	0.026
9780	10:00:44 AM	0.024
9840	10:01:44 AM	0.021
9900	10:02:44 AM	0.023
9960	10:03:44 AM	0.023
10020	10:04:44 AM	0.023

10080	10:05:44 AM	0.025
10140	10:06:44 AM	0.023
10200	10:07:44 AM	0.021
10260	10:08:44 AM	0.026
10320	10:09:44 AM	0.021
10380	10:10:44 AM	0.019
10440	10:11:44 AM	0.023
10500	10:12:44 AM	0.022
10560	10:13:44 AM	0.019
10620	10:14:44 AM	0.022
10680	10:15:44 AM	0.022
10740	10:16:44 AM	0.019
10800	10:17:44 AM	0.029
10860	10:18:44 AM	0.037
10920	10:19:44 AM	0.021
10980	10:20:44 AM	0.021
11040	10:21:44 AM	0.039
11100	10:22:44 AM	0.024
11160	10:23:44 AM	0.017
11220	10:24:44 AM	0.034
11280	10:25:44 AM	0.043
11340	10:26:44 AM	0.028
11400	10:27:44 AM	0.033
11460	10:28:44 AM	0.021
11520	10:29:44 AM	0.018
11580	10:30:44 AM	0.019
11640	10:31:44 AM	0.026
11700	10:32:44 AM	0.026
11760	10:33:44 AM	0.024
11820	10:34:44 AM	0.018
11880	10:35:44 AM	0.018
11940	10:36:44 AM	0.02
12000	10:37:44 AM	0.026
12060	10:38:44 AM	0.029
12120	10:39:44 AM	0.019
12180	10:40:44 AM	0.019
12240	10:41:44 AM	0.019
12300	10:42:44 AM	0.019
12360	10:43:44 AM	0.02
12420	10:44:44 AM	0.019
12480	10:45:44 AM	0.022
12540	10:46:44 AM	0.026
12600	10:47:44 AM	0.028
12660	10:48:44 AM	0.078
12720	10:49:44 AM	0.047
12780	10:50:44 AM	0.03
12840	10:51:44 AM	0.022

12900	10:52:44 AM	0.021
12960	10:53:44 AM	0.02
13020	10:54:44 AM	0.02
13080	10:55:44 AM	0.021
13140	10:56:44 AM	0.02
13200	10:57:44 AM	0.019
13260	10:58:44 AM	0.022
13320	10:59:44 AM	0.026
13380	11:00:44 AM	0.022
13440	11:01:44 AM	0.022
13500	11:02:44 AM	0.027
13560	11:03:44 AM	0.021
13620	11:04:44 AM	0.021
13680	11:05:44 AM	0.021
13740	11:06:44 AM	0.021
13800	11:07:44 AM	0.019
13860	11:08:44 AM	0.018
13920	11:09:44 AM	0.017
13980	11:10:44 AM	0.042
14040	11:11:44 AM	0.029
14100	11:12:44 AM	0.016
14160	11:13:44 AM	0.017
14220	11:14:44 AM	0.018
14280	11:15:44 AM	0.023
14340	11:16:44 AM	0.02
14400	11:17:44 AM	0.018
14460	11:18:44 AM	0.022
14520	11:19:44 AM	0.017
14580	11:20:44 AM	0.019
14640	11:21:44 AM	0.018
14700	11:22:44 AM	0.018
14760	11:23:44 AM	0.02
14820	11:24:44 AM	0.025
14880	11:25:44 AM	0.02
14940	11:26:44 AM	0.02
15000	11:27:44 AM	0.035
15060	11:28:44 AM	0.03
15120	11:29:44 AM	0.033
15180	11:30:44 AM	0.057
15240	11:31:44 AM	0.186
15300	11:32:44 AM	0.1
15360	11:33:44 AM	0.032
15420	11:34:44 AM	0.019
15480	11:35:44 AM	0.019
15540	11:36:44 AM	0.021
15600	11:37:44 AM	0.021
15660	11:38:44 AM	0.027

15720	11:39:44 AM	0.021
15780	11:40:44 AM	0.018
15840	11:41:44 AM	0.018
15900	11:42:44 AM	0.118
15960	11:43:44 AM	0.122
16020	11:44:44 AM	0.046
16080	11:45:44 AM	0.036
16140	11:46:44 AM	0.022
16200	11:47:44 AM	0.024
16260	11:48:44 AM	0.02
16320	11:49:44 AM	0.019
16380	11:50:44 AM	0.04
16440	11:51:44 AM	0.037
16500	11:52:44 AM	0.025
16560	11:53:44 AM	0.025
16620	11:54:44 AM	0.038
16680	11:55:44 AM	0.019
16740	11:56:44 AM	0.016
16800	11:57:44 AM	0.017
16860	11:58:44 AM	0.016
16920	11:59:44 AM	0.152
16980	12:00:44 PM	0.028
17040	12:01:44 PM	0.021
17100	12:02:44 PM	0.017
17160	12:03:44 PM	0.019
17220	12:04:44 PM	0.018
17280	12:05:44 PM	0.066
17340	12:06:44 PM	0.025
17400	12:07:44 PM	0.028
17460	12:08:44 PM	0.028
17520	12:09:44 PM	0.021
17580	12:10:44 PM	0.021
17640	12:11:44 PM	0.019
17700	12:12:44 PM	0.02
17760	12:13:44 PM	0.022
17820	12:14:44 PM	0.02
17880	12:15:44 PM	0.044
17940	12:16:44 PM	0.021
18000	12:17:44 PM	0.02
18060	12:18:44 PM	0.02
18120	12:19:44 PM	0.017
18180	12:20:44 PM	0.018
18240	12:21:44 PM	0.016
18300	12:22:44 PM	0.016
18360	12:23:44 PM	0.016
18420	12:24:44 PM	0.017
18480	12:25:44 PM	0.018

18540	12:26:44 PM	0.033
18600	12:27:44 PM	0.021
18660	12:28:44 PM	0.017
18720	12:29:44 PM	0.021
18780	12:30:44 PM	0.036
18840	12:31:44 PM	0.031
18900	12:32:44 PM	0.078
18960	12:33:44 PM	0.02
19020	12:34:44 PM	0.02
19080	12:35:44 PM	0.018
19140	12:36:44 PM	0.021
19200	12:37:44 PM	0.02
19260	12:38:44 PM	0.023
19320	12:39:44 PM	0.026
19380	12:40:44 PM	0.018
19440	12:41:44 PM	0.016
19500	12:42:44 PM	0.019
19560	12:43:44 PM	0.018
19620	12:44:44 PM	0.018
19680	12:45:44 PM	0.019
19740	12:46:44 PM	0.018
19800	12:47:44 PM	0.019
19860	12:48:44 PM	0.021
19920	12:49:44 PM	0.022
19980	12:50:44 PM	0.017
20040	12:51:44 PM	0.018
20100	12:52:44 PM	0.017
20160	12:53:44 PM	0.018
20220	12:54:44 PM	0.02
20280	12:55:44 PM	0.019
20340	12:56:44 PM	0.02
20400	12:57:44 PM	0.02
20460	12:58:44 PM	0.021
20520	12:59:44 PM	0.101
20580	1:00:44 PM	0.029
20640	1:01:44 PM	0.043
20700	1:02:44 PM	0.02
20760	1:03:44 PM	0.024
20820	1:04:44 PM	0.02
20880	1:05:44 PM	0.022
20940	1:06:44 PM	0.02
21000	1:07:44 PM	0.024
21060	1:08:44 PM	0.021
21120	1:09:44 PM	0.025
21180	1:10:44 PM	0.06
21240	1:11:44 PM	0.026
21300	1:12:44 PM	0.02

21360	1:13:44 PM	0.021
21420	1:14:44 PM	0.025
21480	1:15:44 PM	0.019
21540	1:16:44 PM	0.023
21600	1:17:44 PM	0.017
21660	1:18:44 PM	0.018
21720	1:19:44 PM	0.025
21780	1:20:44 PM	0.019
21840	1:21:44 PM	0.018
21900	1:22:44 PM	0.017
21960	1:23:44 PM	0.016
22020	1:24:44 PM	0.023
22080	1:25:44 PM	0.016
22140	1:26:44 PM	0.017
22200	1:27:44 PM	0.017
22260	1:28:44 PM	0.018
22320	1:29:44 PM	0.019
22380	1:30:44 PM	0.02
22440	1:31:44 PM	0.019
22500	1:32:44 PM	0.019
22560	1:33:44 PM	0.018
22620	1:34:44 PM	0.018
22680	1:35:44 PM	0.019
22740	1:36:44 PM	0.02
22800	1:37:44 PM	0.019
22860	1:38:44 PM	0.019
22920	1:39:44 PM	0.018
22980	1:40:44 PM	0.021
23040	1:41:44 PM	0.021
23100	1:42:44 PM	0.021
23160	1:43:44 PM	0.023
23220	1:44:44 PM	0.023
23280	1:45:44 PM	0.019
23340	1:46:44 PM	0.017
23400	1:47:44 PM	0.017
23460	1:48:44 PM	0.018
23520	1:49:44 PM	0.02
23580	1:50:44 PM	0.189
23640	1:51:44 PM	0.04
23700	1:52:44 PM	0.022
23760	1:53:44 PM	0.019
23820	1:54:44 PM	0.022
23880	1:55:44 PM	0.019
23940	1:56:44 PM	0.017
24000	1:57:44 PM	0.018
24060	1:58:44 PM	0.02
24120	1:59:44 PM	0.026

24180	2:00:44 PM	0.022
24240	2:01:44 PM	0.142
24300	2:02:44 PM	0.021
24360	2:03:44 PM	0.018
24420	2:04:44 PM	0.019
24480	2:05:44 PM	0.018
24540	2:06:44 PM	0.023
24600	2:07:44 PM	0.025
24660	2:08:44 PM	0.026
24720	2:09:44 PM	0.028
24780	2:10:44 PM	0.021
24840	2:11:44 PM	0.018
24900	2:12:44 PM	0.019
24960	2:13:44 PM	0.059
25020	2:14:44 PM	0.024
25080	2:15:44 PM	0.129
25140	2:16:44 PM	0.058
25200	2:17:44 PM	0.077
25260	2:18:44 PM	0.037
25320	2:19:44 PM	0.028
25380	2:20:44 PM	0.165
25440	2:21:44 PM	0.061
25500	2:22:44 PM	0.04
25560	2:23:44 PM	0.064
25620	2:24:44 PM	0.034
25680	2:25:44 PM	0.03
25740	2:26:44 PM	0.021
25800	2:27:44 PM	0.02

DOWNWIND Air Monitor

251 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530111721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_035
Test Start Time	7:19:55 AM
Test Start Date	11/21/2022
Test Length [D:H:M]	0:07:06
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.013
Mass Maximum [mg/m3]	0.51
Mass TWA [mg/m3]	0.021
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	426

Elapsed Time [s]	time	Mass [mg/l]	Alarms	Errors
0	7:19:55 AM			
60	7:20:55 AM	0.035		
120	7:21:55 AM	0.029		
180	7:22:55 AM	0.019		
240	7:23:55 AM	0.013		
300	7:24:55 AM	0.013		
360	7:25:55 AM	0.035		
420	7:26:55 AM	0.015		
480	7:27:55 AM	0.017		
540	7:28:55 AM	0.018		
600	7:29:55 AM	0.018		
660	7:30:55 AM	0.032		
720	7:31:55 AM	0.052		
780	7:32:55 AM	0.018		
840	7:33:55 AM	0.013		
900	7:34:55 AM	0.014		
960	7:35:55 AM	0.013		
1020	7:36:55 AM	0.013		
1080	7:37:55 AM	0.014		
1140	7:38:55 AM	0.014		
1200	7:39:55 AM	0.014		
1260	7:40:55 AM	0.013		
1320	7:41:55 AM	0.014		
1380	7:42:55 AM	0.014		
1440	7:43:55 AM	0.014		
1500	7:44:55 AM	0.014		
1560	7:45:55 AM	0.014		

1620	7:46:55 AM	0.013
1680	7:47:55 AM	0.014
1740	7:48:55 AM	0.015
1800	7:49:55 AM	0.015
1860	7:50:55 AM	0.015
1920	7:51:55 AM	0.017
1980	7:52:55 AM	0.016
2040	7:53:55 AM	0.016
2100	7:54:55 AM	0.017
2160	7:55:55 AM	0.016
2220	7:56:55 AM	0.017
2280	7:57:55 AM	0.017
2340	7:58:55 AM	0.017
2400	7:59:55 AM	0.016
2460	8:00:55 AM	0.016
2520	8:01:55 AM	0.016
2580	8:02:55 AM	0.017
2640	8:03:55 AM	0.017
2700	8:04:55 AM	0.018
2760	8:05:55 AM	0.02
2820	8:06:55 AM	0.016
2880	8:07:55 AM	0.016
2940	8:08:55 AM	0.016
3000	8:09:55 AM	0.016
3060	8:10:55 AM	0.016
3120	8:11:55 AM	0.017
3180	8:12:55 AM	0.018
3240	8:13:55 AM	0.019
3300	8:14:55 AM	0.017
3360	8:15:55 AM	0.016
3420	8:16:55 AM	0.016
3480	8:17:55 AM	0.016
3540	8:18:55 AM	0.018
3600	8:19:55 AM	0.02
3660	8:20:55 AM	0.03
3720	8:21:55 AM	0.023
3780	8:22:55 AM	0.048
3840	8:23:55 AM	0.051
3900	8:24:55 AM	0.031
3960	8:25:55 AM	0.018
4020	8:26:55 AM	0.019
4080	8:27:55 AM	0.019
4140	8:28:55 AM	0.017
4200	8:29:55 AM	0.019
4260	8:30:55 AM	0.019
4320	8:31:55 AM	0.019
4380	8:32:55 AM	0.018

4440	8:33:55 AM	0.018
4500	8:34:55 AM	0.02
4560	8:35:55 AM	0.022
4620	8:36:55 AM	0.02
4680	8:37:55 AM	0.019
4740	8:38:55 AM	0.017
4800	8:39:55 AM	0.019
4860	8:40:55 AM	0.019
4920	8:41:55 AM	0.021
4980	8:42:55 AM	0.022
5040	8:43:55 AM	0.062
5100	8:44:55 AM	0.072
5160	8:45:55 AM	0.031
5220	8:46:55 AM	0.019
5280	8:47:55 AM	0.02
5340	8:48:55 AM	0.019
5400	8:49:55 AM	0.049
5460	8:50:55 AM	0.039
5520	8:51:55 AM	0.02
5580	8:52:55 AM	0.03
5640	8:53:55 AM	0.031
5700	8:54:55 AM	0.025
5760	8:55:55 AM	0.027
5820	8:56:55 AM	0.03
5880	8:57:55 AM	0.02
5940	8:58:55 AM	0.022
6000	8:59:55 AM	0.023
6060	9:00:55 AM	0.019
6120	9:01:55 AM	0.027
6180	9:02:55 AM	0.032
6240	9:03:55 AM	0.024
6300	9:04:55 AM	0.023
6360	9:05:55 AM	0.019
6420	9:06:55 AM	0.019
6480	9:07:55 AM	0.023
6540	9:08:55 AM	0.023
6600	9:09:55 AM	0.024
6660	9:10:55 AM	0.021
6720	9:11:55 AM	0.022
6780	9:12:55 AM	0.025
6840	9:13:55 AM	0.022
6900	9:14:55 AM	0.046
6960	9:15:55 AM	0.03
7020	9:16:55 AM	0.026
7080	9:17:55 AM	0.045
7140	9:18:55 AM	0.054
7200	9:19:55 AM	0.038

7260	9:20:55 AM	0.081
7320	9:21:55 AM	0.03
7380	9:22:55 AM	0.052
7440	9:23:55 AM	0.028
7500	9:24:55 AM	0.039
7560	9:25:55 AM	0.034
7620	9:26:55 AM	0.037
7680	9:27:55 AM	0.027
7740	9:28:55 AM	0.068
7800	9:29:55 AM	0.088
7860	9:30:55 AM	0.047
7920	9:31:55 AM	0.021
7980	9:32:55 AM	0.026
8040	9:33:55 AM	0.019
8100	9:34:55 AM	0.021
8160	9:35:55 AM	0.02
8220	9:36:55 AM	0.018
8280	9:37:55 AM	0.029
8340	9:38:55 AM	0.039
8400	9:39:55 AM	0.021
8460	9:40:55 AM	0.02
8520	9:41:55 AM	0.019
8580	9:42:55 AM	0.062
8640	9:43:55 AM	0.018
8700	9:44:55 AM	0.025
8760	9:45:55 AM	0.036
8820	9:46:55 AM	0.02
8880	9:47:55 AM	0.021
8940	9:48:55 AM	0.023
9000	9:49:55 AM	0.017
9060	9:50:55 AM	0.02
9120	9:51:55 AM	0.026
9180	9:52:55 AM	0.022
9240	9:53:55 AM	0.028
9300	9:54:55 AM	0.026
9360	9:55:55 AM	0.025
9420	9:56:55 AM	0.019
9480	9:57:55 AM	0.019
9540	9:58:55 AM	0.019
9600	9:59:55 AM	0.023
9660	10:00:55 AM	0.025
9720	10:01:55 AM	0.024
9780	10:02:55 AM	0.021
9840	10:03:55 AM	0.02
9900	10:04:55 AM	0.021
9960	10:05:55 AM	0.025
10020	10:06:55 AM	0.021

10080	10:07:55 AM	0.017
10140	10:08:55 AM	0.019
10200	10:09:55 AM	0.016
10260	10:10:55 AM	0.018
10320	10:11:55 AM	0.024
10380	10:12:55 AM	0.028
10440	10:13:55 AM	0.022
10500	10:14:55 AM	0.018
10560	10:15:55 AM	0.019
10620	10:16:55 AM	0.018
10680	10:17:55 AM	0.019
10740	10:18:55 AM	0.042
10800	10:19:55 AM	0.029
10860	10:20:55 AM	0.024
10920	10:21:55 AM	0.022
10980	10:22:55 AM	0.018
11040	10:23:55 AM	0.021
11100	10:24:55 AM	0.031
11160	10:25:55 AM	0.022
11220	10:26:55 AM	0.031
11280	10:27:55 AM	0.029
11340	10:28:55 AM	0.025
11400	10:29:55 AM	0.02
11460	10:30:55 AM	0.023
11520	10:31:55 AM	0.021
11580	10:32:55 AM	0.029
11640	10:33:55 AM	0.02
11700	10:34:55 AM	0.019
11760	10:35:55 AM	0.027
11820	10:36:55 AM	0.021
11880	10:37:55 AM	0.027
11940	10:38:55 AM	0.052
12000	10:39:55 AM	0.033
12060	10:40:55 AM	0.019
12120	10:41:55 AM	0.026
12180	10:42:55 AM	0.027
12240	10:43:55 AM	0.019
12300	10:44:55 AM	0.023
12360	10:45:55 AM	0.019
12420	10:46:55 AM	0.019
12480	10:47:55 AM	0.033
12540	10:48:55 AM	0.031
12600	10:49:55 AM	0.024
12660	10:50:55 AM	0.021
12720	10:51:55 AM	0.02
12780	10:52:55 AM	0.025
12840	10:53:55 AM	0.023

12900	10:54:55 AM	0.021
12960	10:55:55 AM	0.02
13020	10:56:55 AM	0.021
13080	10:57:55 AM	0.017
13140	10:58:55 AM	0.017
13200	10:59:55 AM	0.017
13260	11:00:55 AM	0.018
13320	11:01:55 AM	0.019
13380	11:02:55 AM	0.018
13440	11:03:55 AM	0.017
13500	11:04:55 AM	0.018
13560	11:05:55 AM	0.016
13620	11:06:55 AM	0.017
13680	11:07:55 AM	0.022
13740	11:08:55 AM	0.019
13800	11:09:55 AM	0.017
13860	11:10:55 AM	0.016
13920	11:11:55 AM	0.019
13980	11:12:55 AM	0.019
14040	11:13:55 AM	0.016
14100	11:14:55 AM	0.016
14160	11:15:55 AM	0.015
14220	11:16:55 AM	0.016
14280	11:17:55 AM	0.016
14340	11:18:55 AM	0.017
14400	11:19:55 AM	0.018
14460	11:20:55 AM	0.018
14520	11:21:55 AM	0.018
14580	11:22:55 AM	0.016
14640	11:23:55 AM	0.015
14700	11:24:55 AM	0.022
14760	11:25:55 AM	0.022
14820	11:26:55 AM	0.023
14880	11:27:55 AM	0.048
14940	11:28:55 AM	0.071
15000	11:29:55 AM	0.022
15060	11:30:55 AM	0.022
15120	11:31:55 AM	0.018
15180	11:32:55 AM	0.02
15240	11:33:55 AM	0.019
15300	11:34:55 AM	0.023
15360	11:35:55 AM	0.024
15420	11:36:55 AM	0.019
15480	11:37:55 AM	0.018
15540	11:38:55 AM	0.032
15600	11:39:55 AM	0.074
15660	11:40:55 AM	0.023

15720	11:41:55 AM	0.022
15780	11:42:55 AM	0.51
15840	11:43:55 AM	0.021
15900	11:44:55 AM	0.019
15960	11:45:55 AM	0.016
16020	11:46:55 AM	0.024
16080	11:47:55 AM	0.033
16140	11:48:55 AM	0.027
16200	11:49:55 AM	0.017
16260	11:50:55 AM	0.016
16320	11:51:55 AM	0.016
16380	11:52:55 AM	0.016
16440	11:53:55 AM	0.014
16500	11:54:55 AM	0.016
16560	11:55:55 AM	0.067
16620	11:56:55 AM	0.021
16680	11:57:55 AM	0.017
16740	11:58:55 AM	0.015
16800	11:59:55 AM	0.023
16860	12:00:55 PM	0.021
16920	12:01:55 PM	0.024
16980	12:02:55 PM	0.019
17040	12:03:55 PM	0.017
17100	12:04:55 PM	0.018
17160	12:05:55 PM	0.018
17220	12:06:55 PM	0.018
17280	12:07:55 PM	0.019
17340	12:08:55 PM	0.018
17400	12:09:55 PM	0.017
17460	12:10:55 PM	0.019
17520	12:11:55 PM	0.028
17580	12:12:55 PM	0.02
17640	12:13:55 PM	0.017
17700	12:14:55 PM	0.017
17760	12:15:55 PM	0.017
17820	12:16:55 PM	0.017
17880	12:17:55 PM	0.016
17940	12:18:55 PM	0.016
18000	12:19:55 PM	0.016
18060	12:20:55 PM	0.017
18120	12:21:55 PM	0.017
18180	12:22:55 PM	0.018
18240	12:23:55 PM	0.017
18300	12:24:55 PM	0.017
18360	12:25:55 PM	0.018
18420	12:26:55 PM	0.021
18480	12:27:55 PM	0.029

18540	12:28:55 PM	0.021
18600	12:29:55 PM	0.024
18660	12:30:55 PM	0.019
18720	12:31:55 PM	0.018
18780	12:32:55 PM	0.021
18840	12:33:55 PM	0.021
18900	12:34:55 PM	0.021
18960	12:35:55 PM	0.021
19020	12:36:55 PM	0.02
19080	12:37:55 PM	0.017
19140	12:38:55 PM	0.017
19200	12:39:55 PM	0.017
19260	12:40:55 PM	0.017
19320	12:41:55 PM	0.018
19380	12:42:55 PM	0.017
19440	12:43:55 PM	0.017
19500	12:44:55 PM	0.019
19560	12:45:55 PM	0.021
19620	12:46:55 PM	0.018
19680	12:47:55 PM	0.017
19740	12:48:55 PM	0.018
19800	12:49:55 PM	0.018
19860	12:50:55 PM	0.02
19920	12:51:55 PM	0.018
19980	12:52:55 PM	0.019
20040	12:53:55 PM	0.018
20100	12:54:55 PM	0.02
20160	12:55:55 PM	0.019
20220	12:56:55 PM	0.02
20280	12:57:55 PM	0.02
20340	12:58:55 PM	0.018
20400	12:59:55 PM	0.019
20460	1:00:55 PM	0.021
20520	1:01:55 PM	0.018
20580	1:02:55 PM	0.018
20640	1:03:55 PM	0.017
20700	1:04:55 PM	0.017
20760	1:05:55 PM	0.017
20820	1:06:55 PM	0.018
20880	1:07:55 PM	0.02
20940	1:08:55 PM	0.028
21000	1:09:55 PM	0.02
21060	1:10:55 PM	0.019
21120	1:11:55 PM	0.019
21180	1:12:55 PM	0.019
21240	1:13:55 PM	0.017
21300	1:14:55 PM	0.017

21360	1:15:55 PM	0.02
21420	1:16:55 PM	0.024
21480	1:17:55 PM	0.017
21540	1:18:55 PM	0.015
21600	1:19:55 PM	0.016
21660	1:20:55 PM	0.026
21720	1:21:55 PM	0.018
21780	1:22:55 PM	0.018
21840	1:23:55 PM	0.018
21900	1:24:55 PM	0.019
21960	1:25:55 PM	0.021
22020	1:26:55 PM	0.019
22080	1:27:55 PM	0.019
22140	1:28:55 PM	0.019
22200	1:29:55 PM	0.017
22260	1:30:55 PM	0.018
22320	1:31:55 PM	0.018
22380	1:32:55 PM	0.02
22440	1:33:55 PM	0.019
22500	1:34:55 PM	0.016
22560	1:35:55 PM	0.018
22620	1:36:55 PM	0.021
22680	1:37:55 PM	0.02
22740	1:38:55 PM	0.021
22800	1:39:55 PM	0.019
22860	1:40:55 PM	0.02
22920	1:41:55 PM	0.02
22980	1:42:55 PM	0.018
23040	1:43:55 PM	0.016
23100	1:44:55 PM	0.017
23160	1:45:55 PM	0.019
23220	1:46:55 PM	0.02
23280	1:47:55 PM	0.039
23340	1:48:55 PM	0.02
23400	1:49:55 PM	0.017
23460	1:50:55 PM	0.017
23520	1:51:55 PM	0.016
23580	1:52:55 PM	0.015
23640	1:53:55 PM	0.018
23700	1:54:55 PM	0.018
23760	1:55:55 PM	0.018
23820	1:56:55 PM	0.021
23880	1:57:55 PM	0.072
23940	1:58:55 PM	0.029
24000	1:59:55 PM	0.02
24060	2:00:55 PM	0.017
24120	2:01:55 PM	0.016

24180	2:02:55 PM	0.02
24240	2:03:55 PM	0.019
24300	2:04:55 PM	0.02
24360	2:05:55 PM	0.028
24420	2:06:55 PM	0.023
24480	2:07:55 PM	0.017
24540	2:08:55 PM	0.017
24600	2:09:55 PM	0.046
24660	2:10:55 PM	0.027
24720	2:11:55 PM	0.041
24780	2:12:55 PM	0.024
24840	2:13:55 PM	0.017
24900	2:14:55 PM	0.018
24960	2:15:55 PM	0.019
25020	2:16:55 PM	0.046
25080	2:17:55 PM	0.029
25140	2:18:55 PM	0.022
25200	2:19:55 PM	0.022
25260	2:20:55 PM	0.023
25320	2:21:55 PM	0.032
25380	2:22:55 PM	0.022
25440	2:23:55 PM	0.021
25500	2:24:55 PM	0.02
25560	2:25:55 PM	0.018

Device	Serial	Log Time	Log Type	Log Interval	Sensor 1 Ty	Sensor 1 Di	Sensor 1 Serial Number	Sensor 1 St	Sensor 1 G	Sensor 1 Average Reading	Sensor 1 Maximum Reading	Sensor 1 Minimum Reading	Sensor 1 S1	Sensor 1 T1
592-92565		11/21/2022 11:00	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 10:45	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 10:30	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 10:15	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 10:00	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 9:45	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 9:30	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 9:15	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 9:00	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 8:45	Readings		PID		SC23030167V8	Normal	0	0	0	0	0	0
592-92565		11/21/2022 8:30	CONFIG	900	PID	ppm	SC23030167V8							

Sensor 1 L Sensor 1 S Sensor 1 S Sensor 1 Hi Sensor 1 Lc Sensor 1 S Sensor 1 T Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Stc Firmware Version

100 1000 100 50 25 10 15000 Isobutylene 1 Hygiene M Manual Normal Mc Battery Lov USER0000 RAE00000 10 ##### ##### V2.22A