



# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
 www.impactenvironmental.com

## DAILY STATUS REPORT-11/22/2022

Prepared By: Alex Keenan

|         |      |   |       |  |          |  |               |  |            |   |
|---------|------|---|-------|--|----------|--|---------------|--|------------|---|
| WEATHER | Snow |   | Rain  |  | Overcast |  | Partly Cloudy |  | Bright Sun | X |
| TEMP.   | < 32 | X | 32-50 |  | 50-70    |  | 70-85         |  | >85        |   |

|                 |                                   |                     |         |       |          |
|-----------------|-----------------------------------|---------------------|---------|-------|----------|
| IEC Project No: | 13928                             | NYSDEC BCP Site No: | C224367 | Date: | 11/22/22 |
| Project:        | 251 Douglass Street, Brooklyn, NY |                     |         |       |          |

|  |   |
|--|---|
| <b>Consultant:</b><br>Impact Environmental Engineering and Geology, PLLC (IEEG)<br><br>Time On: 07:00<br>Time Out: 15:20 | <b>Personnel On Site:</b><br><br><b>IEEG (Environmental)</b> –Thomas Jensen and Alex Keenan |
|--|---|

**Scope of Work:**

- Oversight of full demolition of two (2) on-Site structures, on (1) single story, 10, 000 sf vacant warehouse structure located on the westernmost portion of the Site and one (1) two story 2,500 sf vacant commercial structure located on the easternmost portion of the Site. The demolition will be completed in accordance with the demolition plans approved by DOB on 7/8/2021 (two-story commercial structure) and 7/13/2021 (one-story warehouse structure). Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP).
- RIWP implementation. IEEG provided the NYSDEC an acknowledgment to a comment that was requested to be added to the RIWP on 11/2/22 and the NYSDEC stated on 11/3/22 that acknowledgement satisfied the DEC's requirements, and that the RI work could be implemented.

**Site Activities:**

- Tailgate Health and Safety meeting with Xolle and IEEG;
- Boring SB-20 was completed to 100-feet bgs;
- Once SB-20 was complete to 100', BioSolve was applied downwind of the borehole to mitigate odors;
- Boring SB-23 was completed to 20-feet bgs due to no recovery from the 10-15 foot interval;
- Soil from all collected sleeves were drummed after being screened and logged; and
- Soil vapor and sub slab soil vapor sampling was completed. It should be noted that the indoor air component within the RIWP was not achievable due to the pre-existing structures roofs being compromised and the overall structural integrity of the buildings. Both on-Site structures were not fit for work to be conducted within them.

• **Samples Collected:**

- SB-20 (98-100)
- SB-23 (0-2)
- SB-23 (8-10)
- SB-23 (18-20)
- SB Dup2  
Required QA/QC (SB-Dup2, MS/MSD, Equipment Blank)



## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
[www.impactenvironmental.com](http://www.impactenvironmental.com)

\*Trip blank

### **Community Air Monitoring Program (CAMP)**

Prestart Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_\_0.053\_\_ mg/m<sup>3</sup> @ 07:16

High Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_0.163 mg/m<sup>3</sup> @ 11:40

### **Problem Encountered:**

- None

### **Planned Activities for the Next Day:**

- Begin installation of groundwater monitoring wells.

\*It should be noted that the NYSDEC has requested additional borings/step-offs, proximal to SB-21, SB-24 and SB-25 where MGP impacted material was encountered to delineate contamination migrating from the former Fulton Off-site MGP. IEEG will be preparing an additional sampling plan to be submitted to the NYSDEC on 11/22/22.




# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
www.impactenvironmental.com

## Site Activity Map

- ★ CAMP Locations
- ⊗ PID Screening Points

Wind Direction  
W – 5- 7 mph





# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

## Photo Log

**Photo 1** – Photo of soil vapor sample SV-10.



**Photo 2** – Photo of upwind camp and SS-9.





## Impact Environmental Engineering Geology, PLLC


170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 3 –**  
Representative  
photo of drilling  
activities at SB-20.



**Photo 4 –**Photo of  
SB-20 at the 85 to  
90' interval.



## **UPWIND Air Monitor**

215 Douglass Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530173315  |
| Firmware Version     | 3.1         |
| Calibration Date     | 8/11/2022   |
| Test Name            | MANUAL_034  |
| Test Start Time      | 7:15:02 AM  |
| Test Start Date      | 11/22/2022  |
| Test Length [D:H:M]  | 0:07:34     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.036       |
| Mass Minimum [mg/m3] | 0.025       |
| Mass Maximum [mg/m3] | 0.163       |
| Mass TWA [mg/m3]     | 0.034       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 454         |

| Elapsed Time [s] | time       | Mass [mg/l] | Alarms | Errors |
|------------------|------------|-------------|--------|--------|
| 0                | 7:15:02 AM |             |        |        |
| 60               | 7:16:02 AM | 0.53        |        |        |
| 120              | 7:17:02 AM | 0.05        |        |        |
| 180              | 7:18:02 AM | 0.044       |        |        |
| 240              | 7:19:02 AM | 0.038       |        |        |
| 300              | 7:20:02 AM | 0.037       |        |        |
| 360              | 7:21:02 AM | 0.034       |        |        |
| 420              | 7:22:02 AM | 0.037       |        |        |
| 480              | 7:23:02 AM | 0.037       |        |        |
| 540              | 7:24:02 AM | 0.039       |        |        |
| 600              | 7:25:02 AM | 0.038       |        |        |
| 660              | 7:26:02 AM | 0.036       |        |        |
| 720              | 7:27:02 AM | 0.036       |        |        |
| 780              | 7:28:02 AM | 0.033       |        |        |
| 840              | 7:29:02 AM | 0.033       |        |        |
| 900              | 7:30:02 AM | 0.032       |        |        |
| 960              | 7:31:02 AM | 0.035       |        |        |
| 1020             | 7:32:02 AM | 0.036       |        |        |
| 1080             | 7:33:02 AM | 0.034       |        |        |
| 1140             | 7:34:02 AM | 0.032       |        |        |
| 1200             | 7:35:02 AM | 0.033       |        |        |
| 1260             | 7:36:02 AM | 0.032       |        |        |
| 1320             | 7:37:02 AM | 0.033       |        |        |
| 1380             | 7:38:02 AM | 0.032       |        |        |
| 1440             | 7:39:02 AM | 0.033       |        |        |
| 1500             | 7:40:02 AM | 0.029       |        |        |
| 1560             | 7:41:02 AM | 0.032       |        |        |

|      |            |       |
|------|------------|-------|
| 1620 | 7:42:02 AM | 0.031 |
| 1680 | 7:43:02 AM | 0.03  |
| 1740 | 7:44:02 AM | 0.033 |
| 1800 | 7:45:02 AM | 0.033 |
| 1860 | 7:46:02 AM | 0.03  |
| 1920 | 7:47:02 AM | 0.032 |
| 1980 | 7:48:02 AM | 0.031 |
| 2040 | 7:49:02 AM | 0.033 |
| 2100 | 7:50:02 AM | 0.031 |
| 2160 | 7:51:02 AM | 0.03  |
| 2220 | 7:52:02 AM | 0.03  |
| 2280 | 7:53:02 AM | 0.033 |
| 2340 | 7:54:02 AM | 0.033 |
| 2400 | 7:55:02 AM | 0.03  |
| 2460 | 7:56:02 AM | 0.029 |
| 2520 | 7:57:02 AM | 0.029 |
| 2580 | 7:58:02 AM | 0.029 |
| 2640 | 7:59:02 AM | 0.03  |
| 2700 | 8:00:02 AM | 0.029 |
| 2760 | 8:01:02 AM | 0.029 |
| 2820 | 8:02:02 AM | 0.029 |
| 2880 | 8:03:02 AM | 0.029 |
| 2940 | 8:04:02 AM | 0.029 |
| 3000 | 8:05:02 AM | 0.03  |
| 3060 | 8:06:02 AM | 0.03  |
| 3120 | 8:07:02 AM | 0.032 |
| 3180 | 8:08:02 AM | 0.032 |
| 3240 | 8:09:02 AM | 0.033 |
| 3300 | 8:10:02 AM | 0.031 |
| 3360 | 8:11:02 AM | 0.03  |
| 3420 | 8:12:02 AM | 0.031 |
| 3480 | 8:13:02 AM | 0.03  |
| 3540 | 8:14:02 AM | 0.031 |
| 3600 | 8:15:02 AM | 0.031 |
| 3660 | 8:16:02 AM | 0.031 |
| 3720 | 8:17:02 AM | 0.03  |
| 3780 | 8:18:02 AM | 0.031 |
| 3840 | 8:19:02 AM | 0.033 |
| 3900 | 8:20:02 AM | 0.033 |
| 3960 | 8:21:02 AM | 0.034 |
| 4020 | 8:22:02 AM | 0.032 |
| 4080 | 8:23:02 AM | 0.032 |
| 4140 | 8:24:02 AM | 0.031 |
| 4200 | 8:25:02 AM | 0.032 |
| 4260 | 8:26:02 AM | 0.037 |
| 4320 | 8:27:02 AM | 0.03  |
| 4380 | 8:28:02 AM | 0.03  |



|      |            |       |
|------|------------|-------|
| 4440 | 8:29:02 AM | 0.032 |
| 4500 | 8:30:02 AM | 0.03  |
| 4560 | 8:31:02 AM | 0.032 |
| 4620 | 8:32:02 AM | 0.032 |
| 4680 | 8:33:02 AM | 0.031 |
| 4740 | 8:34:02 AM | 0.031 |
| 4800 | 8:35:02 AM | 0.031 |
| 4860 | 8:36:02 AM | 0.03  |
| 4920 | 8:37:02 AM | 0.031 |
| 4980 | 8:38:02 AM | 0.031 |
| 5040 | 8:39:02 AM | 0.03  |
| 5100 | 8:40:02 AM | 0.031 |
| 5160 | 8:41:02 AM | 0.031 |
| 5220 | 8:42:02 AM | 0.032 |
| 5280 | 8:43:02 AM | 0.032 |
| 5340 | 8:44:02 AM | 0.029 |
| 5400 | 8:45:02 AM | 0.03  |
| 5460 | 8:46:02 AM | 0.03  |
| 5520 | 8:47:02 AM | 0.029 |
| 5580 | 8:48:02 AM | 0.03  |
| 5640 | 8:49:02 AM | 0.031 |
| 5700 | 8:50:02 AM | 0.033 |
| 5760 | 8:51:02 AM | 0.032 |
| 5820 | 8:52:02 AM | 0.03  |
| 5880 | 8:53:02 AM | 0.031 |
| 5940 | 8:54:02 AM | 0.03  |
| 6000 | 8:55:02 AM | 0.03  |
| 6060 | 8:56:02 AM | 0.031 |
| 6120 | 8:57:02 AM | 0.033 |
| 6180 | 8:58:02 AM | 0.033 |
| 6240 | 8:59:02 AM | 0.033 |
| 6300 | 9:00:02 AM | 0.029 |
| 6360 | 9:01:02 AM | 0.028 |
| 6420 | 9:02:02 AM | 0.03  |
| 6480 | 9:03:02 AM | 0.029 |
| 6540 | 9:04:02 AM | 0.026 |
| 6600 | 9:05:02 AM | 0.025 |
| 6660 | 9:06:02 AM | 0.025 |
| 6720 | 9:07:02 AM | 0.028 |
| 6780 | 9:08:02 AM | 0.027 |
| 6840 | 9:09:02 AM | 0.036 |
| 6900 | 9:10:02 AM | 0.03  |
| 6960 | 9:11:02 AM | 0.029 |
| 7020 | 9:12:02 AM | 0.033 |
| 7080 | 9:13:02 AM | 0.038 |
| 7140 | 9:14:02 AM | 0.038 |
| 7200 | 9:15:02 AM | 0.047 |

|       |             |       |
|-------|-------------|-------|
| 7260  | 9:16:02 AM  | 0.031 |
| 7320  | 9:17:02 AM  | 0.035 |
| 7380  | 9:18:02 AM  | 0.029 |
| 7440  | 9:19:02 AM  | 0.041 |
| 7500  | 9:20:02 AM  | 0.044 |
| 7560  | 9:21:02 AM  | 0.086 |
| 7620  | 9:22:02 AM  | 0.05  |
| 7680  | 9:23:02 AM  | 0.034 |
| 7740  | 9:24:02 AM  | 0.034 |
| 7800  | 9:25:02 AM  | 0.038 |
| 7860  | 9:26:02 AM  | 0.059 |
| 7920  | 9:27:02 AM  | 0.048 |
| 7980  | 9:28:02 AM  | 0.04  |
| 8040  | 9:29:02 AM  | 0.041 |
| 8100  | 9:30:02 AM  | 0.038 |
| 8160  | 9:31:02 AM  | 0.047 |
| 8220  | 9:32:02 AM  | 0.037 |
| 8280  | 9:33:02 AM  | 0.03  |
| 8340  | 9:34:02 AM  | 0.031 |
| 8400  | 9:35:02 AM  | 0.038 |
| 8460  | 9:36:02 AM  | 0.035 |
| 8520  | 9:37:02 AM  | 0.045 |
| 8580  | 9:38:02 AM  | 0.028 |
| 8640  | 9:39:02 AM  | 0.029 |
| 8700  | 9:40:02 AM  | 0.031 |
| 8760  | 9:41:02 AM  | 0.038 |
| 8820  | 9:42:02 AM  | 0.027 |
| 8880  | 9:43:02 AM  | 0.027 |
| 8940  | 9:44:02 AM  | 0.028 |
| 9000  | 9:45:02 AM  | 0.03  |
| 9060  | 9:46:02 AM  | 0.029 |
| 9120  | 9:47:02 AM  | 0.028 |
| 9180  | 9:48:02 AM  | 0.028 |
| 9240  | 9:49:02 AM  | 0.027 |
| 9300  | 9:50:02 AM  | 0.033 |
| 9360  | 9:51:02 AM  | 0.041 |
| 9420  | 9:52:02 AM  | 0.039 |
| 9480  | 9:53:02 AM  | 0.06  |
| 9540  | 9:54:02 AM  | 0.058 |
| 9600  | 9:55:02 AM  | 0.036 |
| 9660  | 9:56:02 AM  | 0.061 |
| 9720  | 9:57:02 AM  | 0.054 |
| 9780  | 9:58:02 AM  | 0.031 |
| 9840  | 9:59:02 AM  | 0.027 |
| 9900  | 10:00:02 AM | 0.03  |
| 9960  | 10:01:02 AM | 0.03  |
| 10020 | 10:02:02 AM | 0.034 |

|       |             |       |
|-------|-------------|-------|
| 10080 | 10:03:02 AM | 0.028 |
| 10140 | 10:04:02 AM | 0.029 |
| 10200 | 10:05:02 AM | 0.031 |
| 10260 | 10:06:02 AM | 0.029 |
| 10320 | 10:07:02 AM | 0.029 |
| 10380 | 10:08:02 AM | 0.032 |
| 10440 | 10:09:02 AM | 0.026 |
| 10500 | 10:10:02 AM | 0.029 |
| 10560 | 10:11:02 AM | 0.031 |
| 10620 | 10:12:02 AM | 0.033 |
| 10680 | 10:13:02 AM | 0.027 |
| 10740 | 10:14:02 AM | 0.033 |
| 10800 | 10:15:02 AM | 0.049 |
| 10860 | 10:16:02 AM | 0.036 |
| 10920 | 10:17:02 AM | 0.031 |
| 10980 | 10:18:02 AM | 0.028 |
| 11040 | 10:19:02 AM | 0.027 |
| 11100 | 10:20:02 AM | 0.027 |
| 11160 | 10:21:02 AM | 0.029 |
| 11220 | 10:22:02 AM | 0.03  |
| 11280 | 10:23:02 AM | 0.029 |
| 11340 | 10:24:02 AM | 0.033 |
| 11400 | 10:25:02 AM | 0.04  |
| 11460 | 10:26:02 AM | 0.031 |
| 11520 | 10:27:02 AM | 0.028 |
| 11580 | 10:28:02 AM | 0.028 |
| 11640 | 10:29:02 AM | 0.026 |
| 11700 | 10:30:02 AM | 0.035 |
| 11760 | 10:31:02 AM | 0.039 |
| 11820 | 10:32:02 AM | 0.032 |
| 11880 | 10:33:02 AM | 0.029 |
| 11940 | 10:34:02 AM | 0.031 |
| 12000 | 10:35:02 AM | 0.033 |
| 12060 | 10:36:02 AM | 0.032 |
| 12120 | 10:37:02 AM | 0.034 |
| 12180 | 10:38:02 AM | 0.033 |
| 12240 | 10:39:02 AM | 0.044 |
| 12300 | 10:40:02 AM | 0.029 |
| 12360 | 10:41:02 AM | 0.027 |
| 12420 | 10:42:02 AM | 0.027 |
| 12480 | 10:43:02 AM | 0.027 |
| 12540 | 10:44:02 AM | 0.03  |
| 12600 | 10:45:02 AM | 0.036 |
| 12660 | 10:46:02 AM | 0.027 |
| 12720 | 10:47:02 AM | 0.04  |
| 12780 | 10:48:02 AM | 0.032 |
| 12840 | 10:49:02 AM | 0.029 |

|       |             |       |
|-------|-------------|-------|
| 12900 | 10:50:02 AM | 0.028 |
| 12960 | 10:51:02 AM | 0.027 |
| 13020 | 10:52:02 AM | 0.027 |
| 13080 | 10:53:02 AM | 0.027 |
| 13140 | 10:54:02 AM | 0.028 |
| 13200 | 10:55:02 AM | 0.03  |
| 13260 | 10:56:02 AM | 0.029 |
| 13320 | 10:57:02 AM | 0.039 |
| 13380 | 10:58:02 AM | 0.031 |
| 13440 | 10:59:02 AM | 0.03  |
| 13500 | 11:00:02 AM | 0.03  |
| 13560 | 11:01:02 AM | 0.029 |
| 13620 | 11:02:02 AM | 0.032 |
| 13680 | 11:03:02 AM | 0.032 |
| 13740 | 11:04:02 AM | 0.029 |
| 13800 | 11:05:02 AM | 0.029 |
| 13860 | 11:06:02 AM | 0.03  |
| 13920 | 11:07:02 AM | 0.03  |
| 13980 | 11:08:02 AM | 0.034 |
| 14040 | 11:09:02 AM | 0.054 |
| 14100 | 11:10:02 AM | 0.038 |
| 14160 | 11:11:02 AM | 0.03  |
| 14220 | 11:12:02 AM | 0.028 |
| 14280 | 11:13:02 AM | 0.032 |
| 14340 | 11:14:02 AM | 0.049 |
| 14400 | 11:15:02 AM | 0.03  |
| 14460 | 11:16:02 AM | 0.038 |
| 14520 | 11:17:02 AM | 0.038 |
| 14580 | 11:18:02 AM | 0.043 |
| 14640 | 11:19:02 AM | 0.04  |
| 14700 | 11:20:02 AM | 0.038 |
| 14760 | 11:21:02 AM | 0.039 |
| 14820 | 11:22:02 AM | 0.037 |
| 14880 | 11:23:02 AM | 0.034 |
| 14940 | 11:24:02 AM | 0.043 |
| 15000 | 11:25:02 AM | 0.036 |
| 15060 | 11:26:02 AM | 0.036 |
| 15120 | 11:27:02 AM | 0.042 |
| 15180 | 11:28:02 AM | 0.045 |
| 15240 | 11:29:02 AM | 0.053 |
| 15300 | 11:30:02 AM | 0.038 |
| 15360 | 11:31:02 AM | 0.042 |
| 15420 | 11:32:02 AM | 0.079 |
| 15480 | 11:33:02 AM | 0.033 |
| 15540 | 11:34:02 AM | 0.031 |
| 15600 | 11:35:02 AM | 0.033 |
| 15660 | 11:36:02 AM | 0.05  |

|       |             |       |
|-------|-------------|-------|
| 15720 | 11:37:02 AM | 0.084 |
| 15780 | 11:38:02 AM | 0.059 |
| 15840 | 11:39:02 AM | 0.061 |
| 15900 | 11:40:02 AM | 0.163 |
| 15960 | 11:41:02 AM | 0.059 |
| 16020 | 11:42:02 AM | 0.036 |
| 16080 | 11:43:02 AM | 0.033 |
| 16140 | 11:44:02 AM | 0.032 |
| 16200 | 11:45:02 AM | 0.032 |
| 16260 | 11:46:02 AM | 0.032 |
| 16320 | 11:47:02 AM | 0.034 |
| 16380 | 11:48:02 AM | 0.034 |
| 16440 | 11:49:02 AM | 0.041 |
| 16500 | 11:50:02 AM | 0.041 |
| 16560 | 11:51:02 AM | 0.055 |
| 16620 | 11:52:02 AM | 0.08  |
| 16680 | 11:53:02 AM | 0.041 |
| 16740 | 11:54:02 AM | 0.146 |
| 16800 | 11:55:02 AM | 0.059 |
| 16860 | 11:56:02 AM | 0.042 |
| 16920 | 11:57:02 AM | 0.036 |
| 16980 | 11:58:02 AM | 0.035 |
| 17040 | 11:59:02 AM | 0.034 |
| 17100 | 12:00:02 PM | 0.04  |
| 17160 | 12:01:02 PM | 0.039 |
| 17220 | 12:02:02 PM | 0.079 |
| 17280 | 12:03:02 PM | 0.102 |
| 17340 | 12:04:02 PM | 0.043 |
| 17400 | 12:05:02 PM | 0.037 |
| 17460 | 12:06:02 PM | 0.049 |
| 17520 | 12:07:02 PM | 0.048 |
| 17580 | 12:08:02 PM | 0.049 |
| 17640 | 12:09:02 PM | 0.048 |
| 17700 | 12:10:02 PM | 0.042 |
| 17760 | 12:11:02 PM | 0.039 |
| 17820 | 12:12:02 PM | 0.037 |
| 17880 | 12:13:02 PM | 0.038 |
| 17940 | 12:14:02 PM | 0.037 |
| 18000 | 12:15:02 PM | 0.035 |
| 18060 | 12:16:02 PM | 0.034 |
| 18120 | 12:17:02 PM | 0.043 |
| 18180 | 12:18:02 PM | 0.039 |
| 18240 | 12:19:02 PM | 0.039 |
| 18300 | 12:20:02 PM | 0.033 |
| 18360 | 12:21:02 PM | 0.035 |
| 18420 | 12:22:02 PM | 0.036 |
| 18480 | 12:23:02 PM | 0.055 |

|       |             |       |
|-------|-------------|-------|
| 18540 | 12:24:02 PM | 0.035 |
| 18600 | 12:25:02 PM | 0.037 |
| 18660 | 12:26:02 PM | 0.046 |
| 18720 | 12:27:02 PM | 0.049 |
| 18780 | 12:28:02 PM | 0.037 |
| 18840 | 12:29:02 PM | 0.036 |
| 18900 | 12:30:02 PM | 0.036 |
| 18960 | 12:31:02 PM | 0.037 |
| 19020 | 12:32:02 PM | 0.039 |
| 19080 | 12:33:02 PM | 0.034 |
| 19140 | 12:34:02 PM | 0.034 |
| 19200 | 12:35:02 PM | 0.034 |
| 19260 | 12:36:02 PM | 0.037 |
| 19320 | 12:37:02 PM | 0.035 |
| 19380 | 12:38:02 PM | 0.04  |
| 19440 | 12:39:02 PM | 0.045 |
| 19500 | 12:40:02 PM | 0.045 |
| 19560 | 12:41:02 PM | 0.034 |
| 19620 | 12:42:02 PM | 0.036 |
| 19680 | 12:43:02 PM | 0.035 |
| 19740 | 12:44:02 PM | 0.037 |
| 19800 | 12:45:02 PM | 0.037 |
| 19860 | 12:46:02 PM | 0.035 |
| 19920 | 12:47:02 PM | 0.052 |
| 19980 | 12:48:02 PM | 0.036 |
| 20040 | 12:49:02 PM | 0.034 |
| 20100 | 12:50:02 PM | 0.034 |
| 20160 | 12:51:02 PM | 0.034 |
| 20220 | 12:52:02 PM | 0.033 |
| 20280 | 12:53:02 PM | 0.033 |
| 20340 | 12:54:02 PM | 0.033 |
| 20400 | 12:55:02 PM | 0.035 |
| 20460 | 12:56:02 PM | 0.035 |
| 20520 | 12:57:02 PM | 0.035 |
| 20580 | 12:58:02 PM | 0.037 |
| 20640 | 12:59:02 PM | 0.035 |
| 20700 | 1:00:02 PM  | 0.035 |
| 20760 | 1:01:02 PM  | 0.034 |
| 20820 | 1:02:02 PM  | 0.037 |
| 20880 | 1:03:02 PM  | 0.036 |
| 20940 | 1:04:02 PM  | 0.035 |
| 21000 | 1:05:02 PM  | 0.034 |
| 21060 | 1:06:02 PM  | 0.034 |
| 21120 | 1:07:02 PM  | 0.035 |
| 21180 | 1:08:02 PM  | 0.034 |
| 21240 | 1:09:02 PM  | 0.033 |
| 21300 | 1:10:02 PM  | 0.033 |

|       |            |       |
|-------|------------|-------|
| 21360 | 1:11:02 PM | 0.033 |
| 21420 | 1:12:02 PM | 0.034 |
| 21480 | 1:13:02 PM | 0.033 |
| 21540 | 1:14:02 PM | 0.034 |
| 21600 | 1:15:02 PM | 0.033 |
| 21660 | 1:16:02 PM | 0.032 |
| 21720 | 1:17:02 PM | 0.033 |
| 21780 | 1:18:02 PM | 0.034 |
| 21840 | 1:19:02 PM | 0.034 |
| 21900 | 1:20:02 PM | 0.033 |
| 21960 | 1:21:02 PM | 0.033 |
| 22020 | 1:22:02 PM | 0.033 |
| 22080 | 1:23:02 PM | 0.139 |
| 22140 | 1:24:02 PM | 0.061 |
| 22200 | 1:25:02 PM | 0.04  |
| 22260 | 1:26:02 PM | 0.035 |
| 22320 | 1:27:02 PM | 0.042 |
| 22380 | 1:28:02 PM | 0.033 |
| 22440 | 1:29:02 PM | 0.033 |
| 22500 | 1:30:02 PM | 0.033 |
| 22560 | 1:31:02 PM | 0.033 |
| 22620 | 1:32:02 PM | 0.033 |
| 22680 | 1:33:02 PM | 0.033 |
| 22740 | 1:34:02 PM | 0.034 |
| 22800 | 1:35:02 PM | 0.036 |
| 22860 | 1:36:02 PM | 0.034 |
| 22920 | 1:37:02 PM | 0.034 |
| 22980 | 1:38:02 PM | 0.034 |
| 23040 | 1:39:02 PM | 0.034 |
| 23100 | 1:40:02 PM | 0.034 |
| 23160 | 1:41:02 PM | 0.033 |
| 23220 | 1:42:02 PM | 0.033 |
| 23280 | 1:43:02 PM | 0.033 |
| 23340 | 1:44:02 PM | 0.036 |
| 23400 | 1:45:02 PM | 0.033 |
| 23460 | 1:46:02 PM | 0.036 |
| 23520 | 1:47:02 PM | 0.033 |
| 23580 | 1:48:02 PM | 0.039 |
| 23640 | 1:49:02 PM | 0.032 |
| 23700 | 1:50:02 PM | 0.033 |
| 23760 | 1:51:02 PM | 0.034 |
| 23820 | 1:52:02 PM | 0.031 |
| 23880 | 1:53:02 PM | 0.031 |
| 23940 | 1:54:02 PM | 0.032 |
| 24000 | 1:55:02 PM | 0.032 |
| 24060 | 1:56:02 PM | 0.031 |
| 24120 | 1:57:02 PM | 0.032 |

|       |            |       |
|-------|------------|-------|
| 24180 | 1:58:02 PM | 0.042 |
| 24240 | 1:59:02 PM | 0.035 |
| 24300 | 2:00:02 PM | 0.032 |
| 24360 | 2:01:02 PM | 0.033 |
| 24420 | 2:02:02 PM | 0.035 |
| 24480 | 2:03:02 PM | 0.036 |
| 24540 | 2:04:02 PM | 0.034 |
| 24600 | 2:05:02 PM | 0.032 |
| 24660 | 2:06:02 PM | 0.032 |
| 24720 | 2:07:02 PM | 0.033 |
| 24780 | 2:08:02 PM | 0.033 |
| 24840 | 2:09:02 PM | 0.042 |
| 24900 | 2:10:02 PM | 0.033 |
| 24960 | 2:11:02 PM | 0.042 |
| 25020 | 2:12:02 PM | 0.031 |
| 25080 | 2:13:02 PM | 0.031 |
| 25140 | 2:14:02 PM | 0.032 |
| 25200 | 2:15:02 PM | 0.031 |
| 25260 | 2:16:02 PM | 0.032 |
| 25320 | 2:17:02 PM | 0.033 |
| 25380 | 2:18:02 PM | 0.031 |
| 25440 | 2:19:02 PM | 0.032 |
| 25500 | 2:20:02 PM | 0.038 |
| 25560 | 2:21:02 PM | 0.032 |
| 25620 | 2:22:02 PM | 0.031 |
| 25680 | 2:23:02 PM | 0.032 |
| 25740 | 2:24:02 PM | 0.032 |
| 25800 | 2:25:02 PM | 0.031 |
| 25860 | 2:26:02 PM | 0.031 |
| 25920 | 2:27:02 PM | 0.03  |
| 25980 | 2:28:02 PM | 0.031 |
| 26040 | 2:29:02 PM | 0.031 |
| 26100 | 2:30:02 PM | 0.031 |
| 26160 | 2:31:02 PM | 0.032 |
| 26220 | 2:32:02 PM | 0.031 |
| 26280 | 2:33:02 PM | 0.032 |
| 26340 | 2:34:02 PM | 0.032 |
| 26400 | 2:35:02 PM | 0.033 |
| 26460 | 2:36:02 PM | 0.033 |
| 26520 | 2:37:02 PM | 0.034 |
| 26580 | 2:38:02 PM | 0.033 |
| 26640 | 2:39:02 PM | 0.032 |
| 26700 | 2:40:02 PM | 0.031 |
| 26760 | 2:41:02 PM | 0.032 |
| 26820 | 2:42:02 PM | 0.031 |
| 26880 | 2:43:02 PM | 0.032 |
| 26940 | 2:44:02 PM | 0.032 |



|       |            |       |
|-------|------------|-------|
| 27000 | 2:45:02 PM | 0.031 |
| 27060 | 2:46:02 PM | 0.032 |
| 27120 | 2:47:02 PM | 0.031 |
| 27180 | 2:48:02 PM | 0.033 |
| 27240 | 2:49:02 PM | 0.033 |







|            |                           |        |     |              |        |   |   |   |   |       |     |      |     |    |     |    |  |  |  |
|------------|---------------------------|--------|-----|--------------|--------|---|---|---|---|-------|-----|------|-----|----|-----|----|--|--|--|
| 592-910776 | 11/22/2022 12:34 Readings | PID    |     | SC23030049P9 | Normal | 0 | 0 | 0 | 0 |       |     |      |     |    |     |    |  |  |  |
| 592-910776 | 11/22/2022 12:33 Readings | PID    |     | SC23030049P9 | Normal | 0 | 0 | 0 | 0 |       |     |      |     |    |     |    |  |  |  |
| 592-910776 | 11/22/2022 12:32 Readings | PID    |     | SC23030049P9 | Normal | 0 | 0 | 0 | 0 |       |     |      |     |    |     |    |  |  |  |
| 592-910776 | 11/22/2022 12:31 Readings | PID    |     | SC23030049P9 | Normal | 0 | 0 | 0 | 0 |       |     |      |     |    |     |    |  |  |  |
| 592-910776 | 11/22/2022 12:30 CONFIG   | 60 PID | ppm | SC23030049P9 |        |   |   |   |   | ##### | 100 | 1000 | 100 | 50 | 100 | 50 |  |  |  |

Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Sto Firmware Version







15000 Isobutylene

1

Hygiene Manual

Normal Mc Power Dow

1 RAE00001

144 ##### ##### V2.22A

**DOWNWIND Air Monitor**

251 Douglass Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530111721  |
| Firmware Version     | 3.1         |
| Calibration Date     | 8/17/2021   |
| Test Name            | MANUAL_036  |
| Test Start Time      | 8:11:57 AM  |
| Test Start Date      | 11/22/2022  |
| Test Length [D:H:M]  | 0:07:32     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.032       |
| Mass Minimum [mg/m3] | 0.025       |
| Mass Maximum [mg/m3] | 0.052       |
| Mass TWA [mg/m3]     | 0.03        |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 452         |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 60               | 0.04         |        |        |
| 120              | 0.034        |        |        |
| 180              | 0.033        |        |        |
| 240              | 0.032        |        |        |
| 300              | 0.033        |        |        |
| 360              | 0.034        |        |        |
| 420              | 0.037        |        |        |
| 480              | 0.037        |        |        |
| 540              | 0.037        |        |        |
| 600              | 0.036        |        |        |
| 660              | 0.035        |        |        |
| 720              | 0.035        |        |        |
| 780              | 0.037        |        |        |
| 840              | 0.035        |        |        |
| 900              | 0.032        |        |        |
| 960              | 0.034        |        |        |
| 1020             | 0.033        |        |        |
| 1080             | 0.035        |        |        |
| 1140             | 0.033        |        |        |
| 1200             | 0.032        |        |        |
| 1260             | 0.031        |        |        |
| 1320             | 0.032        |        |        |
| 1380             | 0.032        |        |        |
| 1440             | 0.03         |        |        |
| 1500             | 0.03         |        |        |
| 1560             | 0.03         |        |        |
| 1620             | 0.031        |        |        |

|      |       |
|------|-------|
| 1680 | 0.031 |
| 1740 | 0.031 |
| 1800 | 0.031 |
| 1860 | 0.031 |
| 1920 | 0.031 |
| 1980 | 0.032 |
| 2040 | 0.031 |
| 2100 | 0.031 |
| 2160 | 0.029 |
| 2220 | 0.031 |
| 2280 | 0.033 |
| 2340 | 0.033 |
| 2400 | 0.03  |
| 2460 | 0.029 |
| 2520 | 0.029 |
| 2580 | 0.031 |
| 2640 | 0.031 |
| 2700 | 0.03  |
| 2760 | 0.03  |
| 2820 | 0.031 |
| 2880 | 0.03  |
| 2940 | 0.03  |
| 3000 | 0.031 |
| 3060 | 0.031 |
| 3120 | 0.031 |
| 3180 | 0.033 |
| 3240 | 0.032 |
| 3300 | 0.032 |
| 3360 | 0.033 |
| 3420 | 0.033 |
| 3480 | 0.032 |
| 3540 | 0.032 |
| 3600 | 0.032 |
| 3660 | 0.032 |
| 3720 | 0.032 |
| 3780 | 0.033 |
| 3840 | 0.035 |
| 3900 | 0.033 |
| 3960 | 0.032 |
| 4020 | 0.033 |
| 4080 | 0.034 |
| 4140 | 0.033 |
| 4200 | 0.033 |
| 4260 | 0.033 |
| 4320 | 0.033 |
| 4380 | 0.033 |
| 4440 | 0.033 |

|      |       |
|------|-------|
| 4500 | 0.033 |
| 4560 | 0.033 |
| 4620 | 0.034 |
| 4680 | 0.033 |
| 4740 | 0.032 |
| 4800 | 0.034 |
| 4860 | 0.032 |
| 4920 | 0.032 |
| 4980 | 0.032 |
| 5040 | 0.033 |
| 5100 | 0.032 |
| 5160 | 0.033 |
| 5220 | 0.034 |
| 5280 | 0.033 |
| 5340 | 0.031 |
| 5400 | 0.032 |
| 5460 | 0.031 |
| 5520 | 0.032 |
| 5580 | 0.031 |
| 5640 | 0.031 |
| 5700 | 0.032 |
| 5760 | 0.033 |
| 5820 | 0.032 |
| 5880 | 0.031 |
| 5940 | 0.032 |
| 6000 | 0.032 |
| 6060 | 0.032 |
| 6120 | 0.034 |
| 6180 | 0.036 |
| 6240 | 0.032 |
| 6300 | 0.029 |
| 6360 | 0.029 |
| 6420 | 0.029 |
| 6480 | 0.027 |
| 6540 | 0.027 |
| 6600 | 0.026 |
| 6660 | 0.026 |
| 6720 | 0.025 |
| 6780 | 0.026 |
| 6840 | 0.026 |
| 6900 | 0.028 |
| 6960 | 0.026 |
| 7020 | 0.027 |
| 7080 | 0.029 |
| 7140 | 0.025 |
| 7200 | 0.026 |
| 7260 | 0.025 |

|       |       |
|-------|-------|
| 7320  | 0.029 |
| 7380  | 0.027 |
| 7440  | 0.03  |
| 7500  | 0.03  |
| 7560  | 0.037 |
| 7620  | 0.026 |
| 7680  | 0.028 |
| 7740  | 0.028 |
| 7800  | 0.042 |
| 7860  | 0.031 |
| 7920  | 0.031 |
| 7980  | 0.032 |
| 8040  | 0.027 |
| 8100  | 0.031 |
| 8160  | 0.033 |
| 8220  | 0.032 |
| 8280  | 0.027 |
| 8340  | 0.03  |
| 8400  | 0.03  |
| 8460  | 0.039 |
| 8520  | 0.032 |
| 8580  | 0.026 |
| 8640  | 0.033 |
| 8700  | 0.033 |
| 8760  | 0.028 |
| 8820  | 0.028 |
| 8880  | 0.028 |
| 8940  | 0.029 |
| 9000  | 0.029 |
| 9060  | 0.028 |
| 9120  | 0.028 |
| 9180  | 0.028 |
| 9240  | 0.028 |
| 9300  | 0.03  |
| 9360  | 0.031 |
| 9420  | 0.035 |
| 9480  | 0.039 |
| 9540  | 0.033 |
| 9600  | 0.031 |
| 9660  | 0.037 |
| 9720  | 0.036 |
| 9780  | 0.028 |
| 9840  | 0.028 |
| 9900  | 0.034 |
| 9960  | 0.029 |
| 10020 | 0.029 |
| 10080 | 0.027 |

|       |       |
|-------|-------|
| 10140 | 0.028 |
| 10200 | 0.029 |
| 10260 | 0.027 |
| 10320 | 0.031 |
| 10380 | 0.027 |
| 10440 | 0.027 |
| 10500 | 0.027 |
| 10560 | 0.028 |
| 10620 | 0.027 |
| 10680 | 0.027 |
| 10740 | 0.047 |
| 10800 | 0.04  |
| 10860 | 0.031 |
| 10920 | 0.029 |
| 10980 | 0.027 |
| 11040 | 0.029 |
| 11100 | 0.027 |
| 11160 | 0.032 |
| 11220 | 0.03  |
| 11280 | 0.028 |
| 11340 | 0.031 |
| 11400 | 0.034 |
| 11460 | 0.031 |
| 11520 | 0.028 |
| 11580 | 0.028 |
| 11640 | 0.027 |
| 11700 | 0.038 |
| 11760 | 0.03  |
| 11820 | 0.031 |
| 11880 | 0.029 |
| 11940 | 0.028 |
| 12000 | 0.029 |
| 12060 | 0.031 |
| 12120 | 0.036 |
| 12180 | 0.034 |
| 12240 | 0.031 |
| 12300 | 0.028 |
| 12360 | 0.027 |
| 12420 | 0.028 |
| 12480 | 0.029 |
| 12540 | 0.037 |
| 12600 | 0.033 |
| 12660 | 0.036 |
| 12720 | 0.03  |
| 12780 | 0.03  |
| 12840 | 0.029 |
| 12900 | 0.028 |

|       |       |
|-------|-------|
| 12960 | 0.028 |
| 13020 | 0.029 |
| 13080 | 0.029 |
| 13140 | 0.03  |
| 13200 | 0.029 |
| 13260 | 0.032 |
| 13320 | 0.035 |
| 13380 | 0.03  |
| 13440 | 0.03  |
| 13500 | 0.03  |
| 13560 | 0.028 |
| 13620 | 0.029 |
| 13680 | 0.031 |
| 13740 | 0.03  |
| 13800 | 0.029 |
| 13860 | 0.031 |
| 13920 | 0.03  |
| 13980 | 0.034 |
| 14040 | 0.036 |
| 14100 | 0.031 |
| 14160 | 0.029 |
| 14220 | 0.029 |
| 14280 | 0.034 |
| 14340 | 0.031 |
| 14400 | 0.03  |
| 14460 | 0.042 |
| 14520 | 0.032 |
| 14580 | 0.039 |
| 14640 | 0.035 |
| 14700 | 0.03  |
| 14760 | 0.032 |
| 14820 | 0.032 |
| 14880 | 0.034 |
| 14940 | 0.032 |
| 15000 | 0.031 |
| 15060 | 0.034 |
| 15120 | 0.033 |
| 15180 | 0.036 |
| 15240 | 0.038 |
| 15300 | 0.032 |
| 15360 | 0.051 |
| 15420 | 0.039 |
| 15480 | 0.034 |
| 15540 | 0.033 |
| 15600 | 0.032 |
| 15660 | 0.038 |
| 15720 | 0.044 |



|       |       |
|-------|-------|
| 15780 | 0.037 |
| 15840 | 0.043 |
| 15900 | 0.045 |
| 15960 | 0.034 |
| 16020 | 0.033 |
| 16080 | 0.033 |
| 16140 | 0.032 |
| 16200 | 0.033 |
| 16260 | 0.033 |
| 16320 | 0.034 |
| 16380 | 0.038 |
| 16440 | 0.042 |
| 16500 | 0.035 |
| 16560 | 0.035 |
| 16620 | 0.042 |
| 16680 | 0.052 |
| 16740 | 0.052 |
| 16800 | 0.041 |
| 16860 | 0.035 |
| 16920 | 0.034 |
| 16980 | 0.034 |
| 17040 | 0.033 |
| 17100 | 0.034 |
| 17160 | 0.036 |
| 17220 | 0.044 |
| 17280 | 0.044 |
| 17340 | 0.036 |
| 17400 | 0.039 |
| 17460 | 0.037 |
| 17520 | 0.046 |
| 17580 | 0.038 |
| 17640 | 0.04  |
| 17700 | 0.036 |
| 17760 | 0.039 |
| 17820 | 0.035 |
| 17880 | 0.034 |
| 17940 | 0.034 |
| 18000 | 0.033 |
| 18060 | 0.034 |
| 18120 | 0.035 |
| 18180 | 0.05  |
| 18240 | 0.034 |
| 18300 | 0.032 |
| 18360 | 0.032 |
| 18420 | 0.033 |
| 18480 | 0.033 |
| 18540 | 0.035 |

|       |       |
|-------|-------|
| 18600 | 0.037 |
| 18660 | 0.037 |
| 18720 | 0.036 |
| 18780 | 0.035 |
| 18840 | 0.035 |
| 18900 | 0.035 |
| 18960 | 0.034 |
| 19020 | 0.032 |
| 19080 | 0.032 |
| 19140 | 0.033 |
| 19200 | 0.033 |
| 19260 | 0.033 |
| 19320 | 0.036 |
| 19380 | 0.041 |
| 19440 | 0.033 |
| 19500 | 0.035 |
| 19560 | 0.033 |
| 19620 | 0.033 |
| 19680 | 0.036 |
| 19740 | 0.038 |
| 19800 | 0.034 |
| 19860 | 0.035 |
| 19920 | 0.036 |
| 19980 | 0.034 |
| 20040 | 0.032 |
| 20100 | 0.033 |
| 20160 | 0.032 |
| 20220 | 0.031 |
| 20280 | 0.03  |
| 20340 | 0.032 |
| 20400 | 0.034 |
| 20460 | 0.034 |
| 20520 | 0.036 |
| 20580 | 0.036 |
| 20640 | 0.034 |
| 20700 | 0.033 |
| 20760 | 0.035 |
| 20820 | 0.036 |
| 20880 | 0.034 |
| 20940 | 0.034 |
| 21000 | 0.033 |
| 21060 | 0.034 |
| 21120 | 0.033 |
| 21180 | 0.033 |
| 21240 | 0.032 |
| 21300 | 0.032 |
| 21360 | 0.031 |

|       |       |
|-------|-------|
| 21420 | 0.031 |
| 21480 | 0.032 |
| 21540 | 0.032 |
| 21600 | 0.031 |
| 21660 | 0.032 |
| 21720 | 0.032 |
| 21780 | 0.032 |
| 21840 | 0.032 |
| 21900 | 0.031 |
| 21960 | 0.032 |
| 22020 | 0.031 |
| 22080 | 0.032 |
| 22140 | 0.038 |
| 22200 | 0.035 |
| 22260 | 0.034 |
| 22320 | 0.036 |
| 22380 | 0.031 |
| 22440 | 0.031 |
| 22500 | 0.031 |
| 22560 | 0.032 |
| 22620 | 0.031 |
| 22680 | 0.032 |
| 22740 | 0.034 |
| 22800 | 0.031 |
| 22860 | 0.033 |
| 22920 | 0.032 |
| 22980 | 0.033 |
| 23040 | 0.033 |
| 23100 | 0.033 |
| 23160 | 0.032 |
| 23220 | 0.031 |
| 23280 | 0.033 |
| 23340 | 0.032 |
| 23400 | 0.03  |
| 23460 | 0.032 |
| 23520 | 0.035 |
| 23580 | 0.031 |
| 23640 | 0.03  |
| 23700 | 0.031 |
| 23760 | 0.032 |
| 23820 | 0.03  |
| 23880 | 0.03  |
| 23940 | 0.034 |
| 24000 | 0.031 |
| 24060 | 0.03  |
| 24120 | 0.03  |
| 24180 | 0.038 |

|       |       |
|-------|-------|
| 24240 | 0.032 |
| 24300 | 0.031 |
| 24360 | 0.031 |
| 24420 | 0.033 |
| 24480 | 0.031 |
| 24540 | 0.03  |
| 24600 | 0.03  |
| 24660 | 0.032 |
| 24720 | 0.031 |
| 24780 | 0.031 |
| 24840 | 0.032 |
| 24900 | 0.031 |
| 24960 | 0.03  |
| 25020 | 0.03  |
| 25080 | 0.031 |
| 25140 | 0.031 |
| 25200 | 0.034 |
| 25260 | 0.033 |
| 25320 | 0.031 |
| 25380 | 0.032 |
| 25440 | 0.032 |
| 25500 | 0.031 |
| 25560 | 0.03  |
| 25620 | 0.031 |
| 25680 | 0.031 |
| 25740 | 0.029 |
| 25800 | 0.029 |
| 25860 | 0.03  |
| 25920 | 0.03  |
| 25980 | 0.03  |
| 26040 | 0.03  |
| 26100 | 0.034 |
| 26160 | 0.031 |
| 26220 | 0.031 |
| 26280 | 0.033 |
| 26340 | 0.031 |
| 26400 | 0.031 |
| 26460 | 0.033 |
| 26520 | 0.034 |
| 26580 | 0.031 |
| 26640 | 0.03  |
| 26700 | 0.03  |
| 26760 | 0.031 |
| 26820 | 0.031 |
| 26880 | 0.031 |
| 26940 | 0.03  |
| 27000 | 0.03  |

|       |       |
|-------|-------|
| 27060 | 0.03  |
| 27120 | 0.031 |

| Device Serial No | Log Time         | Log Type | Log Interval | Sensor 1 Ty | Sensor 1 Di | Sensor 1 Serial Number |
|------------------|------------------|----------|--------------|-------------|-------------|------------------------|
| 592-915354       | 11/22/2022 14:41 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 14:26 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 14:11 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 13:56 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 13:41 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 13:26 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 13:11 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 12:56 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 12:41 | Readings |              | PID         |             | SC23030264W9           |
| 592-915354       | 11/22/2022 12:26 | CONFIG   | 900          | PID         | ppm         | SC23030264W9           |

| Sensor 1 St | Sensor 1 G | Sensor 1 A | Sensor 1 M | Sensor 1 M | Sensor 1 S | Sensor 1 T | Sensor 1 L | Sensor 1 S | Sensor 1 S |
|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          |            |            |            |
| Normal      | 0          | 0          | 0          | 0          | 0          | 0          | #####      | 100        | 1000       |

Sensor 1 Hi Sensor 1 Lc Sensor 1 S1 Sensor 1 T Sensor 1 O Sensor 1 M Sensor 1 Cc Unit Status Running M Log Start T

25

5

25

10

15000 Isobutylene

1

Hygiene M Manual



Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Stc Firmware Version

Normal Mc Power Dow 1 RAE00000 9 ##### ##### V2.22A