



# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
www.impactenvironmental.com

## DAILY STATUS REPORT-11/23/2022

Prepared By: Alex Keenan

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X
TEMP.	< 32	X	32-50		50-70		70-85		>85	

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	11/23/22
Project:	251 Douglass Street, Brooklyn, NY				

<b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)  Time On: 07:00 Time Out: 13:30	<b>Personnel On Site:</b>  <b>IEEG (Environmental)</b> –Thomas Jensen and Alex Keenan
--	---

### Scope of Work:

- Demolition of two (2) on-Site structures, one (1) single-story 10, 000 sf vacant warehouse structure located on the westernmost portion of the Site and one (1) two-story 2,500 sf vacant commercial structure located on the easternmost portion of the Site was completed on 11/21/2022. The demolition was completed in accordance with the demolition plans approved by DOB on 7/8/2021 (two-story commercial structure) and 7/13/2021 (one-story warehouse structure). Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP).
- RIWP implementation: IEEG acknowledged the NYSDEC's comments regarding the RIWP on 11/2/22, and on 11/3/22 the NYSDEC acknowledged satisfaction of the requirements, and that the RI work could be implemented.

### Site Activities:

- IEEG Tailgate Health and Safety meeting with drilling subcontractor:
- Shallow groundwater wells GW-6 and GW-8 were completed via auger to 20 feet below grade (fbg). The wells were screened with 10 mil slot PVC screen from 5 to 20 fbg transecting the water table interface and completed with 5 feet of solid riser from 0 to 5 fbg.
- Drill cuttings generated from the shallow groundwater monitoring well installations were drummed which are maintained on-Site.
- **Samples Collected:**
- No samples were collected for laboratory analysis.

### Community Air Monitoring Program (CAMP)

Prestart Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_\_0.045\_\_ mg/m<sup>3</sup> @ 07:02

High Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_\_0.267\_\_ mg/m<sup>3</sup> @ 11:25

### Problem Encountered:

- None



## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

### **Planned Activities for the Next Day/Week:**

- Continued installation of shallow groundwater monitoring wells.
- Development of new shallow groundwater wells.
- Deep soil borings at the GW-2 and GW-8 cluster well locations
- Installation of GW-2 and GW-8 intermediate and deep wells as part of cluster well installation.

\*It should be noted that the NYSDEC requested additional deep step-off soil borings as well as cluster wells proximal to SB-21, SB-24 and SB-25, where MGP impacted material was encountered, to further delineate contamination that migrated onto the Site from the south adjoining former Fulton MGP. The additional work requested by the NYSDEC is outside of the RIWP scope of work approved on 11/3/2022 by the NYSDEC. On 11/22/2022, IEEG submitted an alternative investigation plan to the NYSDEC. The NYSDEC rejected the alternative investigation scope of work on 11/23/2022 and continues to request the step-off deep soil borings proximal to SB-21, SB-24 and SB-25. The NYSDEC has indicated that they will require a supplemental RI for this additional work.



# Impact Environmental Engineering Geology, PLLC


170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

## Site Activity Map

- ★ CAMP Locations
- ⊗ PID Screening Points

Wind Direction  
W – 5 mph





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

### Photo Log

**Photo 1 –**  
Installation of  
shallow GW-8  
well begins.





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 2** – Photo of shallow GW-6 well Completed.





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 3** – Photo of shallow GW-8 well prior to installation of the manhole cover



## **UPWIND Air Monitor**

215 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530111721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_037
Test Start Time	7:02:06 AM
Test Start Date	11/23/2022
Test Length [D:H:M]	0:05:41
Test Interval [M:S]	1:00
Mass Average [mg/m <sup>3</sup> ]	0.038
Mass Minimum [mg/m <sup>3</sup> ]	0.029
Mass Maximum [mg/m <sup>3</sup> ]	0.267
Mass TWA [mg/m <sup>3</sup> ]	0.027
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	341

Elapsed Time [s]	time	Mass [mg/l]	Alarms	Errors
0	7:02:06 AM			
60	7:03:06 AM	0.045		
120	7:04:06 AM	0.034		
180	7:05:06 AM	0.034		
240	7:06:06 AM	0.033		
300	7:07:06 AM	0.033		
360	7:08:06 AM	0.034		
420	7:09:06 AM	0.036		
480	7:10:06 AM	0.035		
540	7:11:06 AM	0.035		
600	7:12:06 AM	0.034		
660	7:13:06 AM	0.035		
720	7:14:06 AM	0.036		
780	7:15:06 AM	0.035		
840	7:16:06 AM	0.035		
900	7:17:06 AM	0.035		
960	7:18:06 AM	0.036		
1020	7:19:06 AM	0.036		
1080	7:20:06 AM	0.035		
1140	7:21:06 AM	0.035		
1200	7:22:06 AM	0.035		
1260	7:23:06 AM	0.035		
1320	7:24:06 AM	0.035		
1380	7:25:06 AM	0.036		
1440	7:26:06 AM	0.036		
1500	7:27:06 AM	0.037		
1560	7:28:06 AM	0.039		



1620	7:29:06 AM	0.039
1680	7:30:06 AM	0.036
1740	7:31:06 AM	0.036
1800	7:32:06 AM	0.036
1860	7:33:06 AM	0.035
1920	7:34:06 AM	0.035
1980	7:35:06 AM	0.035
2040	7:36:06 AM	0.035
2100	7:37:06 AM	0.035
2160	7:38:06 AM	0.035
2220	7:39:06 AM	0.048
2280	7:40:06 AM	0.075
2340	7:41:06 AM	0.051
2400	7:42:06 AM	0.038
2460	7:43:06 AM	0.038
2520	7:44:06 AM	0.036
2580	7:45:06 AM	0.036
2640	7:46:06 AM	0.037
2700	7:47:06 AM	0.04
2760	7:48:06 AM	0.04
2820	7:49:06 AM	0.035
2880	7:50:06 AM	0.036
2940	7:51:06 AM	0.035
3000	7:52:06 AM	0.034
3060	7:53:06 AM	0.035
3120	7:54:06 AM	0.034
3180	7:55:06 AM	0.035
3240	7:56:06 AM	0.036
3300	7:57:06 AM	0.036
3360	7:58:06 AM	0.038
3420	7:59:06 AM	0.047
3480	8:00:06 AM	0.105
3540	8:01:06 AM	0.048
3600	8:02:06 AM	0.042
3660	8:03:06 AM	0.042
3720	8:04:06 AM	0.042
3780	8:05:06 AM	0.042
3840	8:06:06 AM	0.041
3900	8:07:06 AM	0.04
3960	8:08:06 AM	0.038
4020	8:09:06 AM	0.038
4080	8:10:06 AM	0.037
4140	8:11:06 AM	0.037
4200	8:12:06 AM	0.038
4260	8:13:06 AM	0.037
4320	8:14:06 AM	0.037
4380	8:15:06 AM	0.038

4440	8:16:06 AM	0.039
4500	8:17:06 AM	0.039
4560	8:18:06 AM	0.038
4620	8:19:06 AM	0.038
4680	8:20:06 AM	0.04
4740	8:21:06 AM	0.041
4800	8:22:06 AM	0.041
4860	8:23:06 AM	0.041
4920	8:24:06 AM	0.044
4980	8:25:06 AM	0.043
5040	8:26:06 AM	0.041
5100	8:27:06 AM	0.04
5160	8:28:06 AM	0.04
5220	8:29:06 AM	0.041
5280	8:30:06 AM	0.045
5340	8:31:06 AM	0.044
5400	8:32:06 AM	0.042
5460	8:33:06 AM	0.042
5520	8:34:06 AM	0.041
5580	8:35:06 AM	0.042
5640	8:36:06 AM	0.042
5700	8:37:06 AM	0.044
5760	8:38:06 AM	0.044
5820	8:39:06 AM	0.044
5880	8:40:06 AM	0.044
5940	8:41:06 AM	0.056
6000	8:42:06 AM	0.055
6060	8:43:06 AM	0.045
6120	8:44:06 AM	0.045
6180	8:45:06 AM	0.043
6240	8:46:06 AM	0.045
6300	8:47:06 AM	0.043
6360	8:48:06 AM	0.041
6420	8:49:06 AM	0.04
6480	8:50:06 AM	0.041
6540	8:51:06 AM	0.042
6600	8:52:06 AM	0.042
6660	8:53:06 AM	0.042
6720	8:54:06 AM	0.044
6780	8:55:06 AM	0.044
6840	8:56:06 AM	0.042
6900	8:57:06 AM	0.042
6960	8:58:06 AM	0.043
7020	8:59:06 AM	0.043
7080	9:00:06 AM	0.042
7140	9:01:06 AM	0.044
7200	9:02:06 AM	0.045

7260	9:03:06 AM	0.045
7320	9:04:06 AM	0.045
7380	9:05:06 AM	0.046
7440	9:06:06 AM	0.048
7500	9:07:06 AM	0.045
7560	9:08:06 AM	0.045
7620	9:09:06 AM	0.047
7680	9:10:06 AM	0.047
7740	9:11:06 AM	0.047
7800	9:12:06 AM	0.047
7860	9:13:06 AM	0.045
7920	9:14:06 AM	0.043
7980	9:15:06 AM	0.043
8040	9:16:06 AM	0.042
8100	9:17:06 AM	0.04
8160	9:18:06 AM	0.04
8220	9:19:06 AM	0.039
8280	9:20:06 AM	0.041
8340	9:21:06 AM	0.041
8400	9:22:06 AM	0.038
8460	9:23:06 AM	0.037
8520	9:24:06 AM	0.037
8580	9:25:06 AM	0.038
8640	9:26:06 AM	0.037
8700	9:27:06 AM	0.036
8760	9:28:06 AM	0.038
8820	9:29:06 AM	0.039
8880	9:30:06 AM	0.037
8940	9:31:06 AM	0.04
9000	9:32:06 AM	0.045
9060	9:33:06 AM	0.038
9120	9:34:06 AM	0.038
9180	9:35:06 AM	0.037
9240	9:36:06 AM	0.037
9300	9:37:06 AM	0.039
9360	9:38:06 AM	0.037
9420	9:39:06 AM	0.035
9480	9:40:06 AM	0.04
9540	9:41:06 AM	0.038
9600	9:42:06 AM	0.038
9660	9:43:06 AM	0.035
9720	9:44:06 AM	0.034
9780	9:45:06 AM	0.037
9840	9:46:06 AM	0.043
9900	9:47:06 AM	0.067
9960	9:48:06 AM	0.037
10020	9:49:06 AM	0.038

10080	9:50:06 AM	0.055
10140	9:51:06 AM	0.042
10200	9:52:06 AM	0.035
10260	9:53:06 AM	0.041
10320	9:54:06 AM	0.042
10380	9:55:06 AM	0.039
10440	9:56:06 AM	0.035
10500	9:57:06 AM	0.036
10560	9:58:06 AM	0.036
10620	9:59:06 AM	0.054
10680	10:00:06 AM	0.041
10740	10:01:06 AM	0.052
10800	10:02:06 AM	0.038
10860	10:03:06 AM	0.037
10920	10:04:06 AM	0.035
10980	10:05:06 AM	0.033
11040	10:06:06 AM	0.036
11100	10:07:06 AM	0.043
11160	10:08:06 AM	0.042
11220	10:09:06 AM	0.06
11280	10:10:06 AM	0.05
11340	10:11:06 AM	0.04
11400	10:12:06 AM	0.056
11460	10:13:06 AM	0.036
11520	10:14:06 AM	0.033
11580	10:15:06 AM	0.033
11640	10:16:06 AM	0.032
11700	10:17:06 AM	0.031
11760	10:18:06 AM	0.03
11820	10:19:06 AM	0.031
11880	10:20:06 AM	0.035
11940	10:21:06 AM	0.033
12000	10:22:06 AM	0.032
12060	10:23:06 AM	0.032
12120	10:24:06 AM	0.032
12180	10:25:06 AM	0.032
12240	10:26:06 AM	0.031
12300	10:27:06 AM	0.045
12360	10:28:06 AM	0.037
12420	10:29:06 AM	0.034
12480	10:30:06 AM	0.038
12540	10:31:06 AM	0.05
12600	10:32:06 AM	0.036
12660	10:33:06 AM	0.041
12720	10:34:06 AM	0.033
12780	10:35:06 AM	0.032
12840	10:36:06 AM	0.033

12900	10:37:06 AM	0.031
12960	10:38:06 AM	0.032
13020	10:39:06 AM	0.032
13080	10:40:06 AM	0.033
13140	10:41:06 AM	0.034
13200	10:42:06 AM	0.038
13260	10:43:06 AM	0.04
13320	10:44:06 AM	0.035
13380	10:45:06 AM	0.034
13440	10:46:06 AM	0.033
13500	10:47:06 AM	0.032
13560	10:48:06 AM	0.038
13620	10:49:06 AM	0.032
13680	10:50:06 AM	0.031
13740	10:51:06 AM	0.032
13800	10:52:06 AM	0.034
13860	10:53:06 AM	0.034
13920	10:54:06 AM	0.033
13980	10:55:06 AM	0.032
14040	10:56:06 AM	0.034
14100	10:57:06 AM	0.034
14160	10:58:06 AM	0.033
14220	10:59:06 AM	0.033
14280	11:00:06 AM	0.033
14340	11:01:06 AM	0.032
14400	11:02:06 AM	0.032
14460	11:03:06 AM	0.032
14520	11:04:06 AM	0.03
14580	11:05:06 AM	0.031
14640	11:06:06 AM	0.031
14700	11:07:06 AM	0.031
14760	11:08:06 AM	0.038
14820	11:09:06 AM	0.034
14880	11:10:06 AM	0.036
14940	11:11:06 AM	0.035
15000	11:12:06 AM	0.033
15060	11:13:06 AM	0.033
15120	11:14:06 AM	0.032
15180	11:15:06 AM	0.033
15240	11:16:06 AM	0.035
15300	11:17:06 AM	0.038
15360	11:18:06 AM	0.035
15420	11:19:06 AM	0.038
15480	11:20:06 AM	0.031
15540	11:21:06 AM	0.033
15600	11:22:06 AM	0.033
15660	11:23:06 AM	0.036

15720	11:24:06 AM	0.129
15780	11:25:06 AM	0.267
15840	11:26:06 AM	0.037
15900	11:27:06 AM	0.05
15960	11:28:06 AM	0.035
16020	11:29:06 AM	0.03
16080	11:30:06 AM	0.033
16140	11:31:06 AM	0.031
16200	11:32:06 AM	0.032
16260	11:33:06 AM	0.033
16320	11:34:06 AM	0.032
16380	11:35:06 AM	0.033
16440	11:36:06 AM	0.034
16500	11:37:06 AM	0.032
16560	11:38:06 AM	0.03
16620	11:39:06 AM	0.03
16680	11:40:06 AM	0.032
16740	11:41:06 AM	0.032
16800	11:42:06 AM	0.033
16860	11:43:06 AM	0.031
16920	11:44:06 AM	0.03
16980	11:45:06 AM	0.03
17040	11:46:06 AM	0.03
17100	11:47:06 AM	0.03
17160	11:48:06 AM	0.03
17220	11:49:06 AM	0.03
17280	11:50:06 AM	0.031
17340	11:51:06 AM	0.031
17400	11:52:06 AM	0.031
17460	11:53:06 AM	0.036
17520	11:54:06 AM	0.039
17580	11:55:06 AM	0.03
17640	11:56:06 AM	0.035
17700	11:57:06 AM	0.031
17760	11:58:06 AM	0.03
17820	11:59:06 AM	0.029
17880	12:00:06 PM	0.029
17940	12:01:06 PM	0.03
18000	12:02:06 PM	0.029
18060	12:03:06 PM	0.03
18120	12:04:06 PM	0.031
18180	12:05:06 PM	0.03
18240	12:06:06 PM	0.03
18300	12:07:06 PM	0.031
18360	12:08:06 PM	0.03
18420	12:09:06 PM	0.03
18480	12:10:06 PM	0.03

18540	12:11:06 PM	0.03
18600	12:12:06 PM	0.03
18660	12:13:06 PM	0.03
18720	12:14:06 PM	0.031
18780	12:15:06 PM	0.031
18840	12:16:06 PM	0.03
18900	12:17:06 PM	0.03
18960	12:18:06 PM	0.03
19020	12:19:06 PM	0.031
19080	12:20:06 PM	0.031
19140	12:21:06 PM	0.033
19200	12:22:06 PM	0.033
19260	12:23:06 PM	0.031
19320	12:24:06 PM	0.032
19380	12:25:06 PM	0.031
19440	12:26:06 PM	0.031
19500	12:27:06 PM	0.034
19560	12:28:06 PM	0.031
19620	12:29:06 PM	0.032
19680	12:30:06 PM	0.032
19740	12:31:06 PM	0.031
19800	12:32:06 PM	0.031
19860	12:33:06 PM	0.031
19920	12:34:06 PM	0.031
19980	12:35:06 PM	0.033
20040	12:36:06 PM	0.034
20100	12:37:06 PM	0.039
20160	12:38:06 PM	0.032
20220	12:39:06 PM	0.031
20280	12:40:06 PM	0.031
20340	12:41:06 PM	0.031
20400	12:42:06 PM	0.031
20460	12:43:06 PM	0.031

















592-91077	11/23/2022 7:25 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:24 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:23 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:22 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:21 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:20 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:19 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:18 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:17 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:16 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:15 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:14 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:13 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:12 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:11 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/23/2022 7:10 CONFIG	60 PID	ppm	SC23030049P9					#####	100	1000	100	50	100	50	15000		

Sensor 1 M Sensor 1 Cc Unit Status Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Sto Firmware Version



Isobutylene 1 Hygiene Manual Normal Mc Power Dow 1 RAE00001 343 ##### ##### V2.22A

## **DOWNWIND Air Monitor**

251 Douglass Street, Brooklyn, NY



Instrument DustTrak II

Model Num 8530  
Serial Num 8530173315  
Firmware v 3.1  
Calibration 8/11/2022  
Test Name MANUAL\_035  
Test Start T 7:09:33 AM  
Test Start L 11/23/2022  
Test Length 0:05:33  
Test Interval 1:00  
Mass Average 0.047  
Mass Minimum 0.038  
Mass Maximum 0.171  
Mass TWA 0.033  
Photometer 1  
Flow User C 0  
Errors  
Number of 333

Elapsed Time [s]		Mass [mg/l]	Alarms	Errors
0	7:09:33 AM			
60	7:10:33 AM	0.171		
120	7:11:33 AM	0.042		
180	7:12:33 AM	0.041		
240	7:13:33 AM	0.039		
300	7:14:33 AM	0.043		
360	7:15:33 AM	0.05		
420	7:16:33 AM	0.096		
480	7:17:33 AM	0.051		
540	7:18:33 AM	0.045		
600	7:19:33 AM	0.044		
660	7:20:33 AM	0.049		
720	7:21:33 AM	0.075		
780	7:22:33 AM	0.077		
840	7:23:33 AM	0.055		
900	7:24:33 AM	0.053		
960	7:25:33 AM	0.046		
1020	7:26:33 AM	0.054		
1080	7:27:33 AM	0.05		
1140	7:28:33 AM	0.05		
1200	7:29:33 AM	0.048		
1260	7:30:33 AM	0.054		
1320	7:31:33 AM	0.055		
1380	7:32:33 AM	0.045		
1440	7:33:33 AM	0.054		
1500	7:34:33 AM	0.054		
1560	7:35:33 AM	0.046		

1620	7:36:33 AM	0.046
1680	7:37:33 AM	0.055
1740	7:38:33 AM	0.049
1800	7:39:33 AM	0.047
1860	7:40:33 AM	0.049
1920	7:41:33 AM	0.059
1980	7:42:33 AM	0.067
2040	7:43:33 AM	0.057
2100	7:44:33 AM	0.066
2160	7:45:33 AM	0.054
2220	7:46:33 AM	0.064
2280	7:47:33 AM	0.057
2340	7:48:33 AM	0.068
2400	7:49:33 AM	0.094
2460	7:50:33 AM	0.091
2520	7:51:33 AM	0.064
2580	7:52:33 AM	0.045
2640	7:53:33 AM	0.042
2700	7:54:33 AM	0.048
2760	7:55:33 AM	0.041
2820	7:56:33 AM	0.04
2880	7:57:33 AM	0.041
2940	7:58:33 AM	0.042
3000	7:59:33 AM	0.041
3060	8:00:33 AM	0.042
3120	8:01:33 AM	0.043
3180	8:02:33 AM	0.047
3240	8:03:33 AM	0.053
3300	8:04:33 AM	0.071
3360	8:05:33 AM	0.051
3420	8:06:33 AM	0.052
3480	8:07:33 AM	0.05
3540	8:08:33 AM	0.049
3600	8:09:33 AM	0.047
3660	8:10:33 AM	0.049
3720	8:11:33 AM	0.046
3780	8:12:33 AM	0.046
3840	8:13:33 AM	0.045
3900	8:14:33 AM	0.045
3960	8:15:33 AM	0.043
4020	8:16:33 AM	0.043
4080	8:17:33 AM	0.044
4140	8:18:33 AM	0.045
4200	8:19:33 AM	0.045
4260	8:20:33 AM	0.046
4320	8:21:33 AM	0.044
4380	8:22:33 AM	0.045

4440	8:23:33 AM	0.045
4500	8:24:33 AM	0.048
4560	8:25:33 AM	0.049
4620	8:26:33 AM	0.048
4680	8:27:33 AM	0.049
4740	8:28:33 AM	0.049
4800	8:29:33 AM	0.049
4860	8:30:33 AM	0.048
4920	8:31:33 AM	0.053
4980	8:32:33 AM	0.05
5040	8:33:33 AM	0.046
5100	8:34:33 AM	0.047
5160	8:35:33 AM	0.049
5220	8:36:33 AM	0.049
5280	8:37:33 AM	0.05
5340	8:38:33 AM	0.052
5400	8:39:33 AM	0.054
5460	8:40:33 AM	0.051
5520	8:41:33 AM	0.067
5580	8:42:33 AM	0.082
5640	8:43:33 AM	0.056
5700	8:44:33 AM	0.054
5760	8:45:33 AM	0.057
5820	8:46:33 AM	0.057
5880	8:47:33 AM	0.055
5940	8:48:33 AM	0.055
6000	8:49:33 AM	0.053
6060	8:50:33 AM	0.053
6120	8:51:33 AM	0.098
6180	8:52:33 AM	0.071
6240	8:53:33 AM	0.049
6300	8:54:33 AM	0.056
6360	8:55:33 AM	0.053
6420	8:56:33 AM	0.052
6480	8:57:33 AM	0.051
6540	8:58:33 AM	0.052
6600	8:59:33 AM	0.051
6660	9:00:33 AM	0.051
6720	9:01:33 AM	0.052
6780	9:02:33 AM	0.053
6840	9:03:33 AM	0.051
6900	9:04:33 AM	0.052
6960	9:05:33 AM	0.053
7020	9:06:33 AM	0.054
7080	9:07:33 AM	0.055
7140	9:08:33 AM	0.055
7200	9:09:33 AM	0.056

7260	9:10:33 AM	0.056
7320	9:11:33 AM	0.053
7380	9:12:33 AM	0.053
7440	9:13:33 AM	0.053
7500	9:14:33 AM	0.058
7560	9:15:33 AM	0.057
7620	9:16:33 AM	0.059
7680	9:17:33 AM	0.059
7740	9:18:33 AM	0.052
7800	9:19:33 AM	0.054
7860	9:20:33 AM	0.058
7920	9:21:33 AM	0.049
7980	9:22:33 AM	0.048
8040	9:23:33 AM	0.047
8100	9:24:33 AM	0.048
8160	9:25:33 AM	0.047
8220	9:26:33 AM	0.048
8280	9:27:33 AM	0.047
8340	9:28:33 AM	0.044
8400	9:29:33 AM	0.043
8460	9:30:33 AM	0.043
8520	9:31:33 AM	0.045
8580	9:32:33 AM	0.049
8640	9:33:33 AM	0.046
8700	9:34:33 AM	0.047
8760	9:35:33 AM	0.06
8820	9:36:33 AM	0.046
8880	9:37:33 AM	0.044
8940	9:38:33 AM	0.045
9000	9:39:33 AM	0.046
9060	9:40:33 AM	0.049
9120	9:41:33 AM	0.055
9180	9:42:33 AM	0.051
9240	9:43:33 AM	0.045
9300	9:44:33 AM	0.044
9360	9:45:33 AM	0.043
9420	9:46:33 AM	0.044
9480	9:47:33 AM	0.043
9540	9:48:33 AM	0.044
9600	9:49:33 AM	0.044
9660	9:50:33 AM	0.044
9720	9:51:33 AM	0.046
9780	9:52:33 AM	0.045
9840	9:53:33 AM	0.043
9900	9:54:33 AM	0.046
9960	9:55:33 AM	0.049
10020	9:56:33 AM	0.041

10080	9:57:33 AM	0.04
10140	9:58:33 AM	0.041
10200	9:59:33 AM	0.04
10260	10:00:33 AM	0.044
10320	10:01:33 AM	0.047
10380	10:02:33 AM	0.048
10440	10:03:33 AM	0.039
10500	10:04:33 AM	0.043
10560	10:05:33 AM	0.044
10620	10:06:33 AM	0.042
10680	10:07:33 AM	0.041
10740	10:08:33 AM	0.043
10800	10:09:33 AM	0.041
10860	10:10:33 AM	0.043
10920	10:11:33 AM	0.079
10980	10:12:33 AM	0.064
11040	10:13:33 AM	0.046
11100	10:14:33 AM	0.043
11160	10:15:33 AM	0.043
11220	10:16:33 AM	0.047
11280	10:17:33 AM	0.041
11340	10:18:33 AM	0.04
11400	10:19:33 AM	0.04
11460	10:20:33 AM	0.04
11520	10:21:33 AM	0.041
11580	10:22:33 AM	0.039
11640	10:23:33 AM	0.039
11700	10:24:33 AM	0.039
11760	10:25:33 AM	0.039
11820	10:26:33 AM	0.039
11880	10:27:33 AM	0.04
11940	10:28:33 AM	0.041
12000	10:29:33 AM	0.04
12060	10:30:33 AM	0.039
12120	10:31:33 AM	0.043
12180	10:32:33 AM	0.043
12240	10:33:33 AM	0.045
12300	10:34:33 AM	0.043
12360	10:35:33 AM	0.043
12420	10:36:33 AM	0.043
12480	10:37:33 AM	0.042
12540	10:38:33 AM	0.041
12600	10:39:33 AM	0.041
12660	10:40:33 AM	0.04
12720	10:41:33 AM	0.041
12780	10:42:33 AM	0.041
12840	10:43:33 AM	0.041

12900	10:44:33 AM	0.042
12960	10:45:33 AM	0.043
13020	10:46:33 AM	0.044
13080	10:47:33 AM	0.043
13140	10:48:33 AM	0.042
13200	10:49:33 AM	0.043
13260	10:50:33 AM	0.042
13320	10:51:33 AM	0.041
13380	10:52:33 AM	0.045
13440	10:53:33 AM	0.045
13500	10:54:33 AM	0.042
13560	10:55:33 AM	0.046
13620	10:56:33 AM	0.042
13680	10:57:33 AM	0.043
13740	10:58:33 AM	0.043
13800	10:59:33 AM	0.042
13860	11:00:33 AM	0.047
13920	11:01:33 AM	0.043
13980	11:02:33 AM	0.046
14040	11:03:33 AM	0.042
14100	11:04:33 AM	0.041
14160	11:05:33 AM	0.041
14220	11:06:33 AM	0.042
14280	11:07:33 AM	0.04
14340	11:08:33 AM	0.041
14400	11:09:33 AM	0.041
14460	11:10:33 AM	0.041
14520	11:11:33 AM	0.041
14580	11:12:33 AM	0.044
14640	11:13:33 AM	0.042
14700	11:14:33 AM	0.042
14760	11:15:33 AM	0.042
14820	11:16:33 AM	0.041
14880	11:17:33 AM	0.042
14940	11:18:33 AM	0.041
15000	11:19:33 AM	0.041
15060	11:20:33 AM	0.041
15120	11:21:33 AM	0.043
15180	11:22:33 AM	0.042
15240	11:23:33 AM	0.043
15300	11:24:33 AM	0.042
15360	11:25:33 AM	0.041
15420	11:26:33 AM	0.042
15480	11:27:33 AM	0.042
15540	11:28:33 AM	0.12
15600	11:29:33 AM	0.049
15660	11:30:33 AM	0.041



15720	11:31:33 AM	0.042
15780	11:32:33 AM	0.044
15840	11:33:33 AM	0.042
15900	11:34:33 AM	0.041
15960	11:35:33 AM	0.041
16020	11:36:33 AM	0.04
16080	11:37:33 AM	0.041
16140	11:38:33 AM	0.041
16200	11:39:33 AM	0.041
16260	11:40:33 AM	0.041
16320	11:41:33 AM	0.04
16380	11:42:33 AM	0.04
16440	11:43:33 AM	0.04
16500	11:44:33 AM	0.041
16560	11:45:33 AM	0.04
16620	11:46:33 AM	0.041
16680	11:47:33 AM	0.04
16740	11:48:33 AM	0.04
16800	11:49:33 AM	0.039
16860	11:50:33 AM	0.041
16920	11:51:33 AM	0.041
16980	11:52:33 AM	0.04
17040	11:53:33 AM	0.04
17100	11:54:33 AM	0.041
17160	11:55:33 AM	0.041
17220	11:56:33 AM	0.04
17280	11:57:33 AM	0.041
17340	11:58:33 AM	0.039
17400	11:59:33 AM	0.039
17460	12:00:33 PM	0.039
17520	12:01:33 PM	0.04
17580	12:02:33 PM	0.038
17640	12:03:33 PM	0.038
17700	12:04:33 PM	0.038
17760	12:05:33 PM	0.039
17820	12:06:33 PM	0.039
17880	12:07:33 PM	0.04
17940	12:08:33 PM	0.04
18000	12:09:33 PM	0.04
18060	12:10:33 PM	0.041
18120	12:11:33 PM	0.04
18180	12:12:33 PM	0.039
18240	12:13:33 PM	0.039
18300	12:14:33 PM	0.04
18360	12:15:33 PM	0.04
18420	12:16:33 PM	0.039
18480	12:17:33 PM	0.04

18540	12:18:33 PM	0.041
18600	12:19:33 PM	0.04
18660	12:20:33 PM	0.04
18720	12:21:33 PM	0.04
18780	12:22:33 PM	0.04
18840	12:23:33 PM	0.04
18900	12:24:33 PM	0.04
18960	12:25:33 PM	0.042
19020	12:26:33 PM	0.041
19080	12:27:33 PM	0.041
19140	12:28:33 PM	0.04
19200	12:29:33 PM	0.041
19260	12:30:33 PM	0.04
19320	12:31:33 PM	0.04
19380	12:32:33 PM	0.04
19440	12:33:33 PM	0.04
19500	12:34:33 PM	0.04
19560	12:35:33 PM	0.04
19620	12:36:33 PM	0.04
19680	12:37:33 PM	0.041
19740	12:38:33 PM	0.04
19800	12:39:33 PM	0.051
19860	12:40:33 PM	0.049
19920	12:41:33 PM	0.043
19980	12:42:33 PM	0.041

Device Serial No	Log Time	Log Type	Log Interval	Sensor 1 Ty	Sensor 1 Di	Sensor 1 Se	Sensor 1 St	Sensor 1 Gz	Sensor 1 Ax	Sensor 1 M	Sensor 1 M	Sensor 1 ST	Sensor 1 TV	Last Sensor 1	Sensor 1 Spa	Sensor 1 Hi	Sensor 1 Lc	Sensor 1 ST	
592-915354	11/23/2022 12:42	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 12:27	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 12:12	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 11:57	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 11:42	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 11:27	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 11:12	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 10:57	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 10:42	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 10:27	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 10:12	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 9:57	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 9:42	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 9:27	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 9:12	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 8:57	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 8:42	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 8:27	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 8:12	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 7:57	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 7:42	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 7:27	Readings		PID	SC2303026	Normal		0	0	0	0	0	0						
592-915354	11/23/2022 7:12	CONFIG	900	PID	ppm	SC23030264W9								11/21/2022	100	1000	25	5	25

Sensor 1 TV Sensor 1 O Sensor 1 M Sensor Unit St: Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Sto Firmware V

10 15000 Isobutylene 1 Hygiene M Manual Normal Mc Power Dow 1 RAE00000 22 ##### ##### V2.22A