



# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
www.impactenvironmental.com

## DAILY STATUS REPORT-11/28/2022

Prepared By: Alex Keenan

WEATHER	Snow	Rain	Overcast	Partly Cloudy	Bright Sun	X
TEMP.	< 32	32-50	X	50-70	70-85	>85

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	11/28/22
Project:	251 Douglass Street, Brooklyn, NY				

<b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)  Time On: 07:00 Time Out: 14:30	<b>Personnel On Site:</b>  <b>IEEG (Environmental)</b> –Thomas Jensen and Alex Keenan
--	---

### Scope of Work:

- Demolition of two (2) on-Site structures, one (1) single-story 10, 000 sf vacant warehouse structure located on the westernmost portion of the Site and one (1) two-story 2,500 sf vacant commercial structure located on the easternmost portion of the Site was completed on 11/21/2022. The demolition was completed in accordance with the demolition plans approved by DOB on 7/8/2021 (two-story commercial structure) and 7/13/2021 (one-story warehouse structure). Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP).
- RIWP implementation: IEEG acknowledged the NYSDEC’s comments regarding the RIWP on 11/2/22, and on 11/3/22 the NYSDEC acknowledged satisfaction of the requirements, and that the RI work could be implemented.

### Site Activities:

- IEEG Tailgate Health and Safety meeting with drilling subcontractor.
- Shallow groundwater wells GW-4, GW-7 and GW-3 were completed via auger to 20 feet below grade (fbg). The wells were screened with 10 mil slot PVC screen from 5 to 20 fbg transecting the water table interface and completed with 5 feet of solid riser from 0 to 5 fbg.
- Drill cuttings generated from the shallow groundwater monitoring well installations were drummed which are maintained on-Site.
- **Samples Collected:**
- No samples were collected for laboratory analysis.

### Community Air Monitoring Program (CAMP)

Prestart Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_\_0.012 \_\_ mg/m<sup>3</sup> @ 07:12

High Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_0.047 mg/m<sup>3</sup> @ 7:20

### Problem Encountered:

- None



## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

### **Planned Activities for the Next Day/Week:**

- Installation of shallow groundwater monitoring well GW-5.
- Development of new shallow groundwater wells.
- Deep soil borings at the GW-2 and GW-8 cluster well locations.
- Installation of GW-2 and GW-8 intermediate and deep wells as part of cluster well installation.
- Sampling of wells GW-6 and GW-8 installed last week, and previously installed wells GW-1 and GW-2.
- Wells installed today are scheduled to be sampled on Friday.

\*It should be noted that the NYSDEC requested additional deep step-off soil borings as well as cluster wells proximal to SB-21, SB-24 and SB-25, where MGP impacted material was encountered, to further delineate contamination that migrated onto the Site from the south adjoining former Fulton MGP. The additional work requested by the NYSDEC is outside of the RIWP scope of work approved on 11/3/2022 by the NYSDEC. On 11/22/2022, IEEG submitted an alternative investigation plan to the NYSDEC. The NYSDEC rejected the alternative investigation scope of work on 11/23/2022 and continues to request the step-off deep soil borings proximal to SB-21, SB-24 and SB-25. The NYSDEC has indicated that they will require a supplemental RI for this additional work.




# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
www.impactenvironmental.com

## Site Activity Map

- ★ CAMP Locations
- ⊗ PID Screening Points

Wind Direction  
WNW – 11-12 mph





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

### Photo Log

**Photo 1 –**  
Installation of  
shallow GW-4  
well begins.





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 2 –  
Representative  
photo of well  
development**





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 3 –**  
Photo of  
proposed GW-  
5 location



## **UPWIND Air Monitor**

215 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530111721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_038
Test Start Time	7:12:30 AM
Test Start Date	11/28/2022
Test Length [D:H:M]	0:06:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.004
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.012
Mass TWA [mg/m3]	0.003
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	390

Elapsed Time [s]	time	Mass [mg/l]	Alarms	Errors
0	7:12:30 AM			
60	7:13:30 AM	0.012		
120	7:14:30 AM	0.008		
180	7:15:30 AM	0.008		
240	7:16:30 AM	0.008		
300	7:17:30 AM	0.008		
360	7:18:30 AM	0.008		
420	7:19:30 AM	0.008		
480	7:20:30 AM	0.008		
540	7:21:30 AM	0.01		
600	7:22:30 AM	0.009		
660	7:23:30 AM	0.009		
720	7:24:30 AM	0.009		
780	7:25:30 AM	0.008		
840	7:26:30 AM	0.009		
900	7:27:30 AM	0.01		
960	7:28:30 AM	0.011		
1020	7:29:30 AM	0.008		
1080	7:30:30 AM	0.006		
1140	7:31:30 AM	0.006		
1200	7:32:30 AM	0.005		
1260	7:33:30 AM	0.005		
1320	7:34:30 AM	0.005		
1380	7:35:30 AM	0.005		
1440	7:36:30 AM	0.004		
1500	7:37:30 AM	0.004		
1560	7:38:30 AM	0.004		

1620	7:39:30 AM	0.004
1680	7:40:30 AM	0.004
1740	7:41:30 AM	0.004
1800	7:42:30 AM	0.004
1860	7:43:30 AM	0.004
1920	7:44:30 AM	0.004
1980	7:45:30 AM	0.004
2040	7:46:30 AM	0.003
2100	7:47:30 AM	0.004
2160	7:48:30 AM	0.003
2220	7:49:30 AM	0.004
2280	7:50:30 AM	0.004
2340	7:51:30 AM	0.004
2400	7:52:30 AM	0.007
2460	7:53:30 AM	0.005
2520	7:54:30 AM	0.004
2580	7:55:30 AM	0.004
2640	7:56:30 AM	0.004
2700	7:57:30 AM	0.004
2760	7:58:30 AM	0.004
2820	7:59:30 AM	0.003
2880	8:00:30 AM	0.003
2940	8:01:30 AM	0.003
3000	8:02:30 AM	0.003
3060	8:03:30 AM	0.004
3120	8:04:30 AM	0.004
3180	8:05:30 AM	0.005
3240	8:06:30 AM	0.004
3300	8:07:30 AM	0.003
3360	8:08:30 AM	0.004
3420	8:09:30 AM	0.004
3480	8:10:30 AM	0.004
3540	8:11:30 AM	0.004
3600	8:12:30 AM	0.004
3660	8:13:30 AM	0.004
3720	8:14:30 AM	0.003
3780	8:15:30 AM	0.004
3840	8:16:30 AM	0.003
3900	8:17:30 AM	0.003
3960	8:18:30 AM	0.003
4020	8:19:30 AM	0.003
4080	8:20:30 AM	0.003
4140	8:21:30 AM	0.002
4200	8:22:30 AM	0.002
4260	8:23:30 AM	0.003
4320	8:24:30 AM	0.002
4380	8:25:30 AM	0.002

4440	8:26:30 AM	0.002
4500	8:27:30 AM	0.002
4560	8:28:30 AM	0.002
4620	8:29:30 AM	0.002
4680	8:30:30 AM	0.003
4740	8:31:30 AM	0.003
4800	8:32:30 AM	0.003
4860	8:33:30 AM	0.004
4920	8:34:30 AM	0.002
4980	8:35:30 AM	0.005
5040	8:36:30 AM	0.006
5100	8:37:30 AM	0.005
5160	8:38:30 AM	0.005
5220	8:39:30 AM	0.003
5280	8:40:30 AM	0.004
5340	8:41:30 AM	0.004
5400	8:42:30 AM	0.005
5460	8:43:30 AM	0.003
5520	8:44:30 AM	0.003
5580	8:45:30 AM	0.003
5640	8:46:30 AM	0.003
5700	8:47:30 AM	0.003
5760	8:48:30 AM	0.003
5820	8:49:30 AM	0.003
5880	8:50:30 AM	0.003
5940	8:51:30 AM	0.003
6000	8:52:30 AM	0.004
6060	8:53:30 AM	0.003
6120	8:54:30 AM	0.003
6180	8:55:30 AM	0.006
6240	8:56:30 AM	0.005
6300	8:57:30 AM	0.003
6360	8:58:30 AM	0.003
6420	8:59:30 AM	0.003
6480	9:00:30 AM	0.003
6540	9:01:30 AM	0.005
6600	9:02:30 AM	0.005
6660	9:03:30 AM	0.003
6720	9:04:30 AM	0.002
6780	9:05:30 AM	0.003
6840	9:06:30 AM	0.002
6900	9:07:30 AM	0.002
6960	9:08:30 AM	0.002
7020	9:09:30 AM	0.002
7080	9:10:30 AM	0.002
7140	9:11:30 AM	0.002
7200	9:12:30 AM	0.002

7260	9:13:30 AM	0.002
7320	9:14:30 AM	0.002
7380	9:15:30 AM	0.003
7440	9:16:30 AM	0.003
7500	9:17:30 AM	0.002
7560	9:18:30 AM	0.003
7620	9:19:30 AM	0.002
7680	9:20:30 AM	0.003
7740	9:21:30 AM	0.002
7800	9:22:30 AM	0.002
7860	9:23:30 AM	0.003
7920	9:24:30 AM	0.002
7980	9:25:30 AM	0.003
8040	9:26:30 AM	0.002
8100	9:27:30 AM	0.002
8160	9:28:30 AM	0.002
8220	9:29:30 AM	0.002
8280	9:30:30 AM	0.003
8340	9:31:30 AM	0.004
8400	9:32:30 AM	0.002
8460	9:33:30 AM	0.009
8520	9:34:30 AM	0.002
8580	9:35:30 AM	0.002
8640	9:36:30 AM	0.003
8700	9:37:30 AM	0.002
8760	9:38:30 AM	0.003
8820	9:39:30 AM	0.004
8880	9:40:30 AM	0.005
8940	9:41:30 AM	0.002
9000	9:42:30 AM	0.002
9060	9:43:30 AM	0.002
9120	9:44:30 AM	0.002
9180	9:45:30 AM	0.003
9240	9:46:30 AM	0.002
9300	9:47:30 AM	0.002
9360	9:48:30 AM	0.002
9420	9:49:30 AM	0.002
9480	9:50:30 AM	0.002
9540	9:51:30 AM	0.002
9600	9:52:30 AM	0.002
9660	9:53:30 AM	0.002
9720	9:54:30 AM	0.002
9780	9:55:30 AM	0.002
9840	9:56:30 AM	0.002
9900	9:57:30 AM	0.002
9960	9:58:30 AM	0.002
10020	9:59:30 AM	0.002

10080	10:00:30 AM	0.002
10140	10:01:30 AM	0.002
10200	10:02:30 AM	0.002
10260	10:03:30 AM	0.003
10320	10:04:30 AM	0.002
10380	10:05:30 AM	0.002
10440	10:06:30 AM	0.002
10500	10:07:30 AM	0.003
10560	10:08:30 AM	0.003
10620	10:09:30 AM	0.003
10680	10:10:30 AM	0.003
10740	10:11:30 AM	0.003
10800	10:12:30 AM	0.003
10860	10:13:30 AM	0.002
10920	10:14:30 AM	0.002
10980	10:15:30 AM	0.002
11040	10:16:30 AM	0.003
11100	10:17:30 AM	0.002
11160	10:18:30 AM	0.002
11220	10:19:30 AM	0.002
11280	10:20:30 AM	0.002
11340	10:21:30 AM	0.003
11400	10:22:30 AM	0.002
11460	10:23:30 AM	0.003
11520	10:24:30 AM	0.003
11580	10:25:30 AM	0.002
11640	10:26:30 AM	0.002
11700	10:27:30 AM	0.002
11760	10:28:30 AM	0.002
11820	10:29:30 AM	0.003
11880	10:30:30 AM	0.002
11940	10:31:30 AM	0.002
12000	10:32:30 AM	0.002
12060	10:33:30 AM	0.002
12120	10:34:30 AM	0.002
12180	10:35:30 AM	0.002
12240	10:36:30 AM	0.002
12300	10:37:30 AM	0.002
12360	10:38:30 AM	0.002
12420	10:39:30 AM	0.002
12480	10:40:30 AM	0.002
12540	10:41:30 AM	0.008
12600	10:42:30 AM	0.002
12660	10:43:30 AM	0.006
12720	10:44:30 AM	0.003
12780	10:45:30 AM	0.002
12840	10:46:30 AM	0.002

12900	10:47:30 AM	0.002
12960	10:48:30 AM	0.002
13020	10:49:30 AM	0.001
13080	10:50:30 AM	0.002
13140	10:51:30 AM	0.002
13200	10:52:30 AM	0.004
13260	10:53:30 AM	0.003
13320	10:54:30 AM	0.003
13380	10:55:30 AM	0.002
13440	10:56:30 AM	0.003
13500	10:57:30 AM	0.005
13560	10:58:30 AM	0.011
13620	10:59:30 AM	0.002
13680	11:00:30 AM	0.005
13740	11:01:30 AM	0.002
13800	11:02:30 AM	0.002
13860	11:03:30 AM	0.002
13920	11:04:30 AM	0.002
13980	11:05:30 AM	0.002
14040	11:06:30 AM	0.003
14100	11:07:30 AM	0.002
14160	11:08:30 AM	0.002
14220	11:09:30 AM	0.002
14280	11:10:30 AM	0.002
14340	11:11:30 AM	0.002
14400	11:12:30 AM	0.003
14460	11:13:30 AM	0.002
14520	11:14:30 AM	0.002
14580	11:15:30 AM	0.002
14640	11:16:30 AM	0.002
14700	11:17:30 AM	0.002
14760	11:18:30 AM	0.002
14820	11:19:30 AM	0.003
14880	11:20:30 AM	0.003
14940	11:21:30 AM	0.002
15000	11:22:30 AM	0.002
15060	11:23:30 AM	0.002
15120	11:24:30 AM	0.002
15180	11:25:30 AM	0.002
15240	11:26:30 AM	0.002
15300	11:27:30 AM	0.002
15360	11:28:30 AM	0.002
15420	11:29:30 AM	0.002
15480	11:30:30 AM	0.003
15540	11:31:30 AM	0.002
15600	11:32:30 AM	0.003
15660	11:33:30 AM	0.003

15720	11:34:30 AM	0.003
15780	11:35:30 AM	0.003
15840	11:36:30 AM	0.004
15900	11:37:30 AM	0.003
15960	11:38:30 AM	0.003
16020	11:39:30 AM	0.004
16080	11:40:30 AM	0.003
16140	11:41:30 AM	0.004
16200	11:42:30 AM	0.005
16260	11:43:30 AM	0.003
16320	11:44:30 AM	0.003
16380	11:45:30 AM	0.003
16440	11:46:30 AM	0.003
16500	11:47:30 AM	0.003
16560	11:48:30 AM	0.004
16620	11:49:30 AM	0.003
16680	11:50:30 AM	0.003
16740	11:51:30 AM	0.003
16800	11:52:30 AM	0.003
16860	11:53:30 AM	0.003
16920	11:54:30 AM	0.003
16980	11:55:30 AM	0.003
17040	11:56:30 AM	0.003
17100	11:57:30 AM	0.003
17160	11:58:30 AM	0.004
17220	11:59:30 AM	0.003
17280	12:00:30 PM	0.003
17340	12:01:30 PM	0.006
17400	12:02:30 PM	0.004
17460	12:03:30 PM	0.004
17520	12:04:30 PM	0.004
17580	12:05:30 PM	0.004
17640	12:06:30 PM	0.005
17700	12:07:30 PM	0.004
17760	12:08:30 PM	0.003
17820	12:09:30 PM	0.003
17880	12:10:30 PM	0.003
17940	12:11:30 PM	0.004
18000	12:12:30 PM	0.004
18060	12:13:30 PM	0.004
18120	12:14:30 PM	0.004
18180	12:15:30 PM	0.004
18240	12:16:30 PM	0.004
18300	12:17:30 PM	0.003
18360	12:18:30 PM	0.003
18420	12:19:30 PM	0.003
18480	12:20:30 PM	0.004

18540	12:21:30 PM	0.004
18600	12:22:30 PM	0.003
18660	12:23:30 PM	0.003
18720	12:24:30 PM	0.003
18780	12:25:30 PM	0.003
18840	12:26:30 PM	0.003
18900	12:27:30 PM	0.003
18960	12:28:30 PM	0.003
19020	12:29:30 PM	0.004
19080	12:30:30 PM	0.003
19140	12:31:30 PM	0.003
19200	12:32:30 PM	0.003
19260	12:33:30 PM	0.003
19320	12:34:30 PM	0.006
19380	12:35:30 PM	0.004
19440	12:36:30 PM	0.005
19500	12:37:30 PM	0.004
19560	12:38:30 PM	0.007
19620	12:39:30 PM	0.005
19680	12:40:30 PM	0.003
19740	12:41:30 PM	0.003
19800	12:42:30 PM	0.004
19860	12:43:30 PM	0.003
19920	12:44:30 PM	0.009
19980	12:45:30 PM	0.004
20040	12:46:30 PM	0.004
20100	12:47:30 PM	0.003
20160	12:48:30 PM	0.004
20220	12:49:30 PM	0.003
20280	12:50:30 PM	0.004
20340	12:51:30 PM	0.004
20400	12:52:30 PM	0.004
20460	12:53:30 PM	0.004
20520	12:54:30 PM	0.004
20580	12:55:30 PM	0.004
20640	12:56:30 PM	0.005
20700	12:57:30 PM	0.006
20760	12:58:30 PM	0.004
20820	12:59:30 PM	0.004
20880	1:00:30 PM	0.004
20940	1:01:30 PM	0.004
21000	1:02:30 PM	0.004
21060	1:03:30 PM	0.004
21120	1:04:30 PM	0.003
21180	1:05:30 PM	0.004
21240	1:06:30 PM	0.004
21300	1:07:30 PM	0.004

21360	1:08:30 PM	0.004
21420	1:09:30 PM	0.004
21480	1:10:30 PM	0.004
21540	1:11:30 PM	0.004
21600	1:12:30 PM	0.004
21660	1:13:30 PM	0.004
21720	1:14:30 PM	0.004
21780	1:15:30 PM	0.004
21840	1:16:30 PM	0.005
21900	1:17:30 PM	0.006
21960	1:18:30 PM	0.004
22020	1:19:30 PM	0.004
22080	1:20:30 PM	0.004
22140	1:21:30 PM	0.005
22200	1:22:30 PM	0.005
22260	1:23:30 PM	0.004
22320	1:24:30 PM	0.004
22380	1:25:30 PM	0.006
22440	1:26:30 PM	0.006
22500	1:27:30 PM	0.004
22560	1:28:30 PM	0.005
22620	1:29:30 PM	0.005
22680	1:30:30 PM	0.005
22740	1:31:30 PM	0.005
22800	1:32:30 PM	0.005
22860	1:33:30 PM	0.004
22920	1:34:30 PM	0.004
22980	1:35:30 PM	0.004
23040	1:36:30 PM	0.005
23100	1:37:30 PM	0.005
23160	1:38:30 PM	0.005
23220	1:39:30 PM	0.005
23280	1:40:30 PM	0.005
23340	1:41:30 PM	0.005
23400	1:42:30 PM	0.005

	Log Time	Log Type	Log Interval	Sensor 1 Ty	Sensor 1 Di	Sensor 1 Serial Num	Sensor 1 St	Sensor 1 Gi	Sensor 1 Av	Sensor 1 M	Sensor 1 M	Sensor 1 ST	Sensor 1 T\	Sensor 1 Last	Sensor 1 Sç	Sensor 1 Sç	Sensor 1 Hi	Sensor 1 Lc
592-915354	11/28/2022 13:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 13:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 13:19	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 13:04	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 12:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 12:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 12:19	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 12:04	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 11:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 11:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 11:19	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 11:04	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 10:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 10:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 10:19	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 10:04	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 9:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 9:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 9:19	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 9:04	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 8:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 8:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 8:19	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 8:04	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 7:49	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 7:34	Readings		PID		SC23030264W9	Normal	0	0	0	0	0	0					
592-915354	11/28/2022 7:19	CONFIG	900	PID	ppm	SC23030264W9								11/21/2022	100	1000	25	5

Sensor 1 S1 Sensor 1 T1 Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Stop Time Firmware Version

25 10 15000 Isobutylene 1 Hygiene M Manual Normal Mc Power Dow 1 RAE00000 26 Device Seri 11/28/2022 13:49 V2.22A

## **DOWNWIND Air Monitor**

251 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173315
Firmware Version	3.1
Calibration Date	8/11/2022
Test Name	MANUAL_036
Test Start Time	7:20:32 AM
Test Start Date	11/28/2022
Test Length [D:H:M]	0:06:24
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.005
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.047
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	384

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:20:32 AM			
60	7:21:32 AM	0.047		
120	7:22:32 AM	0.01		
180	7:23:32 AM	0.01		
240	7:24:32 AM	0.009		
300	7:25:32 AM	0.012		
360	7:26:32 AM	0.011		
420	7:27:32 AM	0.011		
480	7:28:32 AM	0.01		
540	7:29:32 AM	0.009		
600	7:30:32 AM	0.01		
660	7:31:32 AM	0.012		
720	7:32:32 AM	0.013		
780	7:33:32 AM	0.014		
840	7:34:32 AM	0.008		
900	7:35:32 AM	0.007		
960	7:36:32 AM	0.006		
1020	7:37:32 AM	0.006		
1080	7:38:32 AM	0.007		
1140	7:39:32 AM	0.006		
1200	7:40:32 AM	0.009		
1260	7:41:32 AM	0.012		
1320	7:42:32 AM	0.006		
1380	7:43:32 AM	0.007		
1440	7:44:32 AM	0.009		
1500	7:45:32 AM	0.006		
1560	7:46:32 AM	0.006		

1620	7:47:32 AM	0.005
1680	7:48:32 AM	0.005
1740	7:49:32 AM	0.005
1800	7:50:32 AM	0.005
1860	7:51:32 AM	0.005
1920	7:52:32 AM	0.009
1980	7:53:32 AM	0.005
2040	7:54:32 AM	0.008
2100	7:55:32 AM	0.006
2160	7:56:32 AM	0.006
2220	7:57:32 AM	0.007
2280	7:58:32 AM	0.006
2340	7:59:32 AM	0.005
2400	8:00:32 AM	0.007
2460	8:01:32 AM	0.01
2520	8:02:32 AM	0.008
2580	8:03:32 AM	0.005
2640	8:04:32 AM	0.005
2700	8:05:32 AM	0.004
2760	8:06:32 AM	0.004
2820	8:07:32 AM	0.008
2880	8:08:32 AM	0.011
2940	8:09:32 AM	0.006
3000	8:10:32 AM	0.005
3060	8:11:32 AM	0.005
3120	8:12:32 AM	0.005
3180	8:13:32 AM	0.005
3240	8:14:32 AM	0.005
3300	8:15:32 AM	0.008
3360	8:16:32 AM	0.006
3420	8:17:32 AM	0.005
3480	8:18:32 AM	0.006
3540	8:19:32 AM	0.01
3600	8:20:32 AM	0.004
3660	8:21:32 AM	0.004
3720	8:22:32 AM	0.009
3780	8:23:32 AM	0.009
3840	8:24:32 AM	0.004
3900	8:25:32 AM	0.003
3960	8:26:32 AM	0.004
4020	8:27:32 AM	0.004
4080	8:28:32 AM	0.004
4140	8:29:32 AM	0.003
4200	8:30:32 AM	0.004
4260	8:31:32 AM	0.003
4320	8:32:32 AM	0.003
4380	8:33:32 AM	0.004

4440	8:34:32 AM	0.004
4500	8:35:32 AM	0.004
4560	8:36:32 AM	0.004
4620	8:37:32 AM	0.005
4680	8:38:32 AM	0.004
4740	8:39:32 AM	0.004
4800	8:40:32 AM	0.006
4860	8:41:32 AM	0.005
4920	8:42:32 AM	0.004
4980	8:43:32 AM	0.004
5040	8:44:32 AM	0.004
5100	8:45:32 AM	0.004
5160	8:46:32 AM	0.005
5220	8:47:32 AM	0.005
5280	8:48:32 AM	0.005
5340	8:49:32 AM	0.005
5400	8:50:32 AM	0.005
5460	8:51:32 AM	0.004
5520	8:52:32 AM	0.004
5580	8:53:32 AM	0.004
5640	8:54:32 AM	0.004
5700	8:55:32 AM	0.004
5760	8:56:32 AM	0.005
5820	8:57:32 AM	0.006
5880	8:58:32 AM	0.005
5940	8:59:32 AM	0.006
6000	9:00:32 AM	0.007
6060	9:01:32 AM	0.005
6120	9:02:32 AM	0.004
6180	9:03:32 AM	0.005
6240	9:04:32 AM	0.004
6300	9:05:32 AM	0.005
6360	9:06:32 AM	0.008
6420	9:07:32 AM	0.005
6480	9:08:32 AM	0.004
6540	9:09:32 AM	0.006
6600	9:10:32 AM	0.004
6660	9:11:32 AM	0.004
6720	9:12:32 AM	0.004
6780	9:13:32 AM	0.004
6840	9:14:32 AM	0.003
6900	9:15:32 AM	0.004
6960	9:16:32 AM	0.003
7020	9:17:32 AM	0.004
7080	9:18:32 AM	0.003
7140	9:19:32 AM	0.003
7200	9:20:32 AM	0.007

7260	9:21:32 AM	0.004
7320	9:22:32 AM	0.004
7380	9:23:32 AM	0.003
7440	9:24:32 AM	0.005
7500	9:25:32 AM	0.003
7560	9:26:32 AM	0.004
7620	9:27:32 AM	0.004
7680	9:28:32 AM	0.004
7740	9:29:32 AM	0.004
7800	9:30:32 AM	0.003
7860	9:31:32 AM	0.004
7920	9:32:32 AM	0.004
7980	9:33:32 AM	0.004
8040	9:34:32 AM	0.004
8100	9:35:32 AM	0.004
8160	9:36:32 AM	0.004
8220	9:37:32 AM	0.005
8280	9:38:32 AM	0.004
8340	9:39:32 AM	0.004
8400	9:40:32 AM	0.004
8460	9:41:32 AM	0.004
8520	9:42:32 AM	0.004
8580	9:43:32 AM	0.004
8640	9:44:32 AM	0.005
8700	9:45:32 AM	0.004
8760	9:46:32 AM	0.003
8820	9:47:32 AM	0.004
8880	9:48:32 AM	0.003
8940	9:49:32 AM	0.004
9000	9:50:32 AM	0.003
9060	9:51:32 AM	0.004
9120	9:52:32 AM	0.004
9180	9:53:32 AM	0.004
9240	9:54:32 AM	0.003
9300	9:55:32 AM	0.003
9360	9:56:32 AM	0.004
9420	9:57:32 AM	0.003
9480	9:58:32 AM	0.003
9540	9:59:32 AM	0.003
9600	10:00:32 AM	0.004
9660	10:01:32 AM	0.004
9720	10:02:32 AM	0.003
9780	10:03:32 AM	0.003
9840	10:04:32 AM	0.003
9900	10:05:32 AM	0.003
9960	10:06:32 AM	0.003
10020	10:07:32 AM	0.003

10080	10:08:32 AM	0.003
10140	10:09:32 AM	0.004
10200	10:10:32 AM	0.004
10260	10:11:32 AM	0.004
10320	10:12:32 AM	0.004
10380	10:13:32 AM	0.013
10440	10:14:32 AM	0.006
10500	10:15:32 AM	0.004
10560	10:16:32 AM	0.004
10620	10:17:32 AM	0.004
10680	10:18:32 AM	0.004
10740	10:19:32 AM	0.003
10800	10:20:32 AM	0.003
10860	10:21:32 AM	0.003
10920	10:22:32 AM	0.003
10980	10:23:32 AM	0.003
11040	10:24:32 AM	0.003
11100	10:25:32 AM	0.004
11160	10:26:32 AM	0.004
11220	10:27:32 AM	0.004
11280	10:28:32 AM	0.004
11340	10:29:32 AM	0.003
11400	10:30:32 AM	0.003
11460	10:31:32 AM	0.004
11520	10:32:32 AM	0.003
11580	10:33:32 AM	0.004
11640	10:34:32 AM	0.004
11700	10:35:32 AM	0.003
11760	10:36:32 AM	0.003
11820	10:37:32 AM	0.004
11880	10:38:32 AM	0.006
11940	10:39:32 AM	0.004
12000	10:40:32 AM	0.003
12060	10:41:32 AM	0.003
12120	10:42:32 AM	0.003
12180	10:43:32 AM	0.003
12240	10:44:32 AM	0.004
12300	10:45:32 AM	0.005
12360	10:46:32 AM	0.004
12420	10:47:32 AM	0.005
12480	10:48:32 AM	0.004
12540	10:49:32 AM	0.004
12600	10:50:32 AM	0.004
12660	10:51:32 AM	0.004
12720	10:52:32 AM	0.003
12780	10:53:32 AM	0.003
12840	10:54:32 AM	0.004

12900	10:55:32 AM	0.004
12960	10:56:32 AM	0.004
13020	10:57:32 AM	0.004
13080	10:58:32 AM	0.004
13140	10:59:32 AM	0.004
13200	11:00:32 AM	0.004
13260	11:01:32 AM	0.004
13320	11:02:32 AM	0.005
13380	11:03:32 AM	0.004
13440	11:04:32 AM	0.004
13500	11:05:32 AM	0.005
13560	11:06:32 AM	0.004
13620	11:07:32 AM	0.004
13680	11:08:32 AM	0.004
13740	11:09:32 AM	0.004
13800	11:10:32 AM	0.004
13860	11:11:32 AM	0.004
13920	11:12:32 AM	0.004
13980	11:13:32 AM	0.004
14040	11:14:32 AM	0.004
14100	11:15:32 AM	0.004
14160	11:16:32 AM	0.004
14220	11:17:32 AM	0.004
14280	11:18:32 AM	0.004
14340	11:19:32 AM	0.004
14400	11:20:32 AM	0.004
14460	11:21:32 AM	0.004
14520	11:22:32 AM	0.004
14580	11:23:32 AM	0.004
14640	11:24:32 AM	0.004
14700	11:25:32 AM	0.004
14760	11:26:32 AM	0.004
14820	11:27:32 AM	0.004
14880	11:28:32 AM	0.004
14940	11:29:32 AM	0.004
15000	11:30:32 AM	0.004
15060	11:31:32 AM	0.004
15120	11:32:32 AM	0.005
15180	11:33:32 AM	0.005
15240	11:34:32 AM	0.004
15300	11:35:32 AM	0.004
15360	11:36:32 AM	0.004
15420	11:37:32 AM	0.006
15480	11:38:32 AM	0.005
15540	11:39:32 AM	0.005
15600	11:40:32 AM	0.005
15660	11:41:32 AM	0.005

15720	11:42:32 AM	0.004
15780	11:43:32 AM	0.004
15840	11:44:32 AM	0.004
15900	11:45:32 AM	0.005
15960	11:46:32 AM	0.004
16020	11:47:32 AM	0.004
16080	11:48:32 AM	0.004
16140	11:49:32 AM	0.005
16200	11:50:32 AM	0.005
16260	11:51:32 AM	0.005
16320	11:52:32 AM	0.005
16380	11:53:32 AM	0.004
16440	11:54:32 AM	0.005
16500	11:55:32 AM	0.005
16560	11:56:32 AM	0.004
16620	11:57:32 AM	0.005
16680	11:58:32 AM	0.004
16740	11:59:32 AM	0.004
16800	12:00:32 PM	0.005
16860	12:01:32 PM	0.005
16920	12:02:32 PM	0.005
16980	12:03:32 PM	0.005
17040	12:04:32 PM	0.005
17100	12:05:32 PM	0.005
17160	12:06:32 PM	0.005
17220	12:07:32 PM	0.005
17280	12:08:32 PM	0.005
17340	12:09:32 PM	0.005
17400	12:10:32 PM	0.006
17460	12:11:32 PM	0.005
17520	12:12:32 PM	0.005
17580	12:13:32 PM	0.005
17640	12:14:32 PM	0.005
17700	12:15:32 PM	0.005
17760	12:16:32 PM	0.005
17820	12:17:32 PM	0.005
17880	12:18:32 PM	0.005
17940	12:19:32 PM	0.005
18000	12:20:32 PM	0.005
18060	12:21:32 PM	0.005
18120	12:22:32 PM	0.005
18180	12:23:32 PM	0.005
18240	12:24:32 PM	0.005
18300	12:25:32 PM	0.005
18360	12:26:32 PM	0.005
18420	12:27:32 PM	0.005
18480	12:28:32 PM	0.005

18540	12:29:32 PM	0.004
18600	12:30:32 PM	0.005
18660	12:31:32 PM	0.005
18720	12:32:32 PM	0.004
18780	12:33:32 PM	0.005
18840	12:34:32 PM	0.004
18900	12:35:32 PM	0.004
18960	12:36:32 PM	0.004
19020	12:37:32 PM	0.005
19080	12:38:32 PM	0.007
19140	12:39:32 PM	0.005
19200	12:40:32 PM	0.005
19260	12:41:32 PM	0.005
19320	12:42:32 PM	0.005
19380	12:43:32 PM	0.006
19440	12:44:32 PM	0.005
19500	12:45:32 PM	0.005
19560	12:46:32 PM	0.005
19620	12:47:32 PM	0.005
19680	12:48:32 PM	0.008
19740	12:49:32 PM	0.005
19800	12:50:32 PM	0.005
19860	12:51:32 PM	0.005
19920	12:52:32 PM	0.005
19980	12:53:32 PM	0.005
20040	12:54:32 PM	0.005
20100	12:55:32 PM	0.006
20160	12:56:32 PM	0.006
20220	12:57:32 PM	0.006
20280	12:58:32 PM	0.006
20340	12:59:32 PM	0.005
20400	1:00:32 PM	0.005
20460	1:01:32 PM	0.005
20520	1:02:32 PM	0.005
20580	1:03:32 PM	0.005
20640	1:04:32 PM	0.005
20700	1:05:32 PM	0.009
20760	1:06:32 PM	0.005
20820	1:07:32 PM	0.005
20880	1:08:32 PM	0.005
20940	1:09:32 PM	0.005
21000	1:10:32 PM	0.006
21060	1:11:32 PM	0.005
21120	1:12:32 PM	0.006
21180	1:13:32 PM	0.005
21240	1:14:32 PM	0.006
21300	1:15:32 PM	0.006

21360	1:16:32 PM	0.006
21420	1:17:32 PM	0.006
21480	1:18:32 PM	0.006
21540	1:19:32 PM	0.006
21600	1:20:32 PM	0.007
21660	1:21:32 PM	0.007
21720	1:22:32 PM	0.006
21780	1:23:32 PM	0.006
21840	1:24:32 PM	0.006
21900	1:25:32 PM	0.006
21960	1:26:32 PM	0.007
22020	1:27:32 PM	0.006
22080	1:28:32 PM	0.006
22140	1:29:32 PM	0.007
22200	1:30:32 PM	0.007
22260	1:31:32 PM	0.008
22320	1:32:32 PM	0.007
22380	1:33:32 PM	0.006
22440	1:34:32 PM	0.007
22500	1:35:32 PM	0.006
22560	1:36:32 PM	0.006
22620	1:37:32 PM	0.006
22680	1:38:32 PM	0.006
22740	1:39:32 PM	0.006
22800	1:40:32 PM	0.007
22860	1:41:32 PM	0.007
22920	1:42:32 PM	0.006
22980	1:43:32 PM	0.006
23040	1:44:32 PM	0.006

















592-91077	11/28/2022 7:36 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:35 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:34 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:33 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:32 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:31 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:30 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:29 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:28 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:27 Readings	PID		SC2303004 Normal	0	0	0	0										
592-91077	11/28/2022 7:26 CONFIG	60 PID	ppm	SC23030049P9					11/22/2022	100	1000	100	50	100	50	15000	Isobutylene	

Senso Unit S Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Start Time Session Stop Time Firmware V

1 Hygiene M Manual Normal McPower Dow 1 RAE00001 385 11/28/2022 7:26 11/28/2022 13:51 V2.22A