



# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
www.impactenvironmental.com

## DAILY STATUS REPORT-12/1/2022

|         |      |  |       |   |          |  |               |   |            |   |
|---------|------|--|-------|---|----------|--|---------------|---|------------|---|
| WEATHER | Snow |  | Rain  |   | Overcast |  | Partly Cloudy | X | Bright Sun | X |
| TEMP.   | < 32 |  | 32-50 | X | 50-70    |  | 70-85         |   | >85        |   |

Prepared By: Alex Keenan

|                 |                                   |                     |         |       |         |
|-----------------|-----------------------------------|---------------------|---------|-------|---------|
| IEC Project No: | 13928                             | NYSDEC BCP Site No: | C224367 | Date: | 12/1/22 |
| Project:        | 251 Douglass Street, Brooklyn, NY |                     |         |       |         |

|  |   |
|--|---|
| <b>Consultant:</b><br>Impact Environmental Engineering and Geology, PLLC (IEEG)<br><br>Time On: 07:25<br>Time Out: 14:30 | <b>Personnel On Site:</b><br><br><b>IEEG (Environmental) –Alex Keenan</b> |
|--|---|

### Scope of Work:

- RIWP implementation: IEEG acknowledged the NYSDEC’s comments regarding the RIWP on 11/2/22, and on 11/3/22 the NYSDEC acknowledged satisfaction of the requirements, and that the RI work could be implemented.

### Site Activities:

- IEEG Tailgate Health and Safety meeting with drilling subcontractor;
- Soil boring GW-8 (proximal to monitoring well GW-8) was advanced to 75 fbg (to be completed to 100 fbg tomorrow). The first distinct interval of GCM occurred beginning at 35 fbg and ending at 45 fbg. A second distinct interval was observed from 58-60 fbg;
- The borehole for GW-8 was covered with poly to prevent migration of odors at the end of the day’s activities.
- Soil was screened and logged, immediately following, the soil was drummed; and
- Due to odors present from the migration of off-Site GCM (coal tar from adjacent former MGP), BioSolve was sprayed downgradient of the borehole.

### Samples Collected:

- GW-8 (45-47)
- GW-8 (60-62)
- Required QA/QC based on sample volume per the QAPP (SB-Dup3/ MS/MSD/ Equipment Blank)

Trip blank

### Community Air Monitoring Program (CAMP)

Prestart Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_\_0.067\_\_ mg/m<sup>3</sup> @ 07:40

High Conditions – PID = \_\_0.0\_\_ ppm, Dust = \_0.0.67 mg/m<sup>3</sup> @ 7:40



## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
[www.impactenvironmental.com](http://www.impactenvironmental.com)

### **Problem Encountered:**

- N/A

### **Planned Activities for the Next Day/Week:**

- Soil boring advancement for cluster well GW-8 to be completed to 100 fbg, if GCM is observed at 100 fbg, the boring will be advanced until there are no impacts noted;
- Installation of intermediate/deep cluster wells at the GW-2 and GW-8 locations. Cluster wells will be screened at intervals below the deepest observation of GCM which will be determined from the advancement of the borings installed proximal to each well; and
- Sampling of wells: GW-2, GW-3, GW-4, GW-5, and GW-7 to be completed next week. Additionally, depending when cluster wells GW-2 and GW-8 are installed they will be sampled as well.

\*It should be noted that the NYSDEC requested additional deep step-off soil borings as well as cluster wells proximal to SB-21, SB-24 and SB-25, where MGP impacted material was encountered, to further delineate contamination that migrated onto the Site from the south adjoining former Fulton MGP. The additional work requested by the NYSDEC is outside of the RIWP scope of work approved on 11/3/2022 by the NYSDEC. On 11/22/2022, IEEG submitted an alternative investigation plan to the NYSDEC. The NYSDEC rejected the alternative investigation scope of work on 11/23/2022 and continues to request the step-off deep soil borings proximal to SB-21, SB-24 and SB-25. The NYSDEC has indicated that they will require a supplemental RI for this additional work.




# Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...  
www.impactenvironmental.com

## Site Activity Map

- ★ CAMP Locations
- ⊗ PID Screening Points

Wind Direction  
W – 13 mph





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

### Photo Log

**Photo 1 –**  
Representative  
view of GCM at 40  
fbg in GW-8.  
Impacts were  
noted beginning at  
35 fbg.





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 2 –**  
Additional photo of  
GCM at 40 fbg in  
GW-8, liner is fully  
saturated.





## Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

**Photo 3 -**  
Representative  
photo of the  
location of GW-8.



## **UPWIND Air Monitor**

251 Douglass Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530111721  |
| Firmware Version     | 3.1         |
| Calibration Date     | 8/17/2021   |
| Test Name            | MANUAL_040  |
| Test Start Time      | 7:38:21 AM  |
| Test Start Date      | 11/30/2022  |
| Test Length [D:H:M]  | 0:03:21     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.009       |
| Mass Minimum [mg/m3] | 0.007       |
| Mass Maximum [mg/m3] | 0.015       |
| Mass TWA [mg/m3]     | 0.004       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 201         |

| Elapsed Time [s] | time       | Mass [mg/ | Alarms | Errors |
|------------------|------------|-----------|--------|--------|
| 0                | 7:38:21 AM |           |        |        |
| 60               | 7:39:21 AM | 0.015     |        |        |
| 120              | 7:40:21 AM | 0.013     |        |        |
| 180              | 7:41:21 AM | 0.011     |        |        |
| 240              | 7:42:21 AM | 0.01      |        |        |
| 300              | 7:43:21 AM | 0.01      |        |        |
| 360              | 7:44:21 AM | 0.01      |        |        |
| 420              | 7:45:21 AM | 0.01      |        |        |
| 480              | 7:46:21 AM | 0.01      |        |        |
| 540              | 7:47:21 AM | 0.009     |        |        |
| 600              | 7:48:21 AM | 0.008     |        |        |
| 660              | 7:49:21 AM | 0.008     |        |        |
| 720              | 7:50:21 AM | 0.008     |        |        |
| 780              | 7:51:21 AM | 0.008     |        |        |
| 840              | 7:52:21 AM | 0.007     |        |        |
| 900              | 7:53:21 AM | 0.008     |        |        |
| 960              | 7:54:21 AM | 0.007     |        |        |
| 1020             | 7:55:21 AM | 0.007     |        |        |
| 1080             | 7:56:21 AM | 0.007     |        |        |
| 1140             | 7:57:21 AM | 0.007     |        |        |
| 1200             | 7:58:21 AM | 0.007     |        |        |
| 1260             | 7:59:21 AM | 0.008     |        |        |
| 1320             | 8:00:21 AM | 0.007     |        |        |
| 1380             | 8:01:21 AM | 0.007     |        |        |
| 1440             | 8:02:21 AM | 0.007     |        |        |
| 1500             | 8:03:21 AM | 0.007     |        |        |
| 1560             | 8:04:21 AM | 0.007     |        |        |



|      |            |       |
|------|------------|-------|
| 1620 | 8:05:21 AM | 0.008 |
| 1680 | 8:06:21 AM | 0.007 |
| 1740 | 8:07:21 AM | 0.007 |
| 1800 | 8:08:21 AM | 0.007 |
| 1860 | 8:09:21 AM | 0.007 |
| 1920 | 8:10:21 AM | 0.007 |
| 1980 | 8:11:21 AM | 0.007 |
| 2040 | 8:12:21 AM | 0.008 |
| 2100 | 8:13:21 AM | 0.007 |
| 2160 | 8:14:21 AM | 0.007 |
| 2220 | 8:15:21 AM | 0.007 |
| 2280 | 8:16:21 AM | 0.007 |
| 2340 | 8:17:21 AM | 0.007 |
| 2400 | 8:18:21 AM | 0.007 |
| 2460 | 8:19:21 AM | 0.007 |
| 2520 | 8:20:21 AM | 0.007 |
| 2580 | 8:21:21 AM | 0.007 |
| 2640 | 8:22:21 AM | 0.007 |
| 2700 | 8:23:21 AM | 0.008 |
| 2760 | 8:24:21 AM | 0.008 |
| 2820 | 8:25:21 AM | 0.008 |
| 2880 | 8:26:21 AM | 0.008 |
| 2940 | 8:27:21 AM | 0.008 |
| 3000 | 8:28:21 AM | 0.007 |
| 3060 | 8:29:21 AM | 0.007 |
| 3120 | 8:30:21 AM | 0.008 |
| 3180 | 8:31:21 AM | 0.008 |
| 3240 | 8:32:21 AM | 0.008 |
| 3300 | 8:33:21 AM | 0.007 |
| 3360 | 8:34:21 AM | 0.007 |
| 3420 | 8:35:21 AM | 0.008 |
| 3480 | 8:36:21 AM | 0.009 |
| 3540 | 8:37:21 AM | 0.008 |
| 3600 | 8:38:21 AM | 0.008 |
| 3660 | 8:39:21 AM | 0.007 |
| 3720 | 8:40:21 AM | 0.007 |
| 3780 | 8:41:21 AM | 0.008 |
| 3840 | 8:42:21 AM | 0.007 |
| 3900 | 8:43:21 AM | 0.008 |
| 3960 | 8:44:21 AM | 0.007 |
| 4020 | 8:45:21 AM | 0.007 |
| 4080 | 8:46:21 AM | 0.008 |
| 4140 | 8:47:21 AM | 0.008 |
| 4200 | 8:48:21 AM | 0.007 |
| 4260 | 8:49:21 AM | 0.007 |
| 4320 | 8:50:21 AM | 0.009 |
| 4380 | 8:51:21 AM | 0.01  |

|      |            |       |
|------|------------|-------|
| 4440 | 8:52:21 AM | 0.01  |
| 4500 | 8:53:21 AM | 0.009 |
| 4560 | 8:54:21 AM | 0.008 |
| 4620 | 8:55:21 AM | 0.008 |
| 4680 | 8:56:21 AM | 0.008 |
| 4740 | 8:57:21 AM | 0.008 |
| 4800 | 8:58:21 AM | 0.009 |
| 4860 | 8:59:21 AM | 0.009 |
| 4920 | 9:00:21 AM | 0.01  |
| 4980 | 9:01:21 AM | 0.011 |
| 5040 | 9:02:21 AM | 0.011 |
| 5100 | 9:03:21 AM | 0.011 |
| 5160 | 9:04:21 AM | 0.009 |
| 5220 | 9:05:21 AM | 0.009 |
| 5280 | 9:06:21 AM | 0.009 |
| 5340 | 9:07:21 AM | 0.009 |
| 5400 | 9:08:21 AM | 0.008 |
| 5460 | 9:09:21 AM | 0.008 |
| 5520 | 9:10:21 AM | 0.009 |
| 5580 | 9:11:21 AM | 0.008 |
| 5640 | 9:12:21 AM | 0.008 |
| 5700 | 9:13:21 AM | 0.009 |
| 5760 | 9:14:21 AM | 0.008 |
| 5820 | 9:15:21 AM | 0.008 |
| 5880 | 9:16:21 AM | 0.007 |
| 5940 | 9:17:21 AM | 0.008 |
| 6000 | 9:18:21 AM | 0.008 |
| 6060 | 9:19:21 AM | 0.008 |
| 6120 | 9:20:21 AM | 0.009 |
| 6180 | 9:21:21 AM | 0.009 |
| 6240 | 9:22:21 AM | 0.008 |
| 6300 | 9:23:21 AM | 0.008 |
| 6360 | 9:24:21 AM | 0.009 |
| 6420 | 9:25:21 AM | 0.008 |
| 6480 | 9:26:21 AM | 0.009 |
| 6540 | 9:27:21 AM | 0.009 |
| 6600 | 9:28:21 AM | 0.01  |
| 6660 | 9:29:21 AM | 0.01  |
| 6720 | 9:30:21 AM | 0.01  |
| 6780 | 9:31:21 AM | 0.01  |
| 6840 | 9:32:21 AM | 0.01  |
| 6900 | 9:33:21 AM | 0.01  |
| 6960 | 9:34:21 AM | 0.01  |
| 7020 | 9:35:21 AM | 0.01  |
| 7080 | 9:36:21 AM | 0.01  |
| 7140 | 9:37:21 AM | 0.01  |
| 7200 | 9:38:21 AM | 0.01  |

|       |             |       |
|-------|-------------|-------|
| 7260  | 9:39:21 AM  | 0.009 |
| 7320  | 9:40:21 AM  | 0.01  |
| 7380  | 9:41:21 AM  | 0.01  |
| 7440  | 9:42:21 AM  | 0.01  |
| 7500  | 9:43:21 AM  | 0.009 |
| 7560  | 9:44:21 AM  | 0.009 |
| 7620  | 9:45:21 AM  | 0.01  |
| 7680  | 9:46:21 AM  | 0.011 |
| 7740  | 9:47:21 AM  | 0.01  |
| 7800  | 9:48:21 AM  | 0.01  |
| 7860  | 9:49:21 AM  | 0.01  |
| 7920  | 9:50:21 AM  | 0.01  |
| 7980  | 9:51:21 AM  | 0.01  |
| 8040  | 9:52:21 AM  | 0.011 |
| 8100  | 9:53:21 AM  | 0.011 |
| 8160  | 9:54:21 AM  | 0.01  |
| 8220  | 9:55:21 AM  | 0.01  |
| 8280  | 9:56:21 AM  | 0.01  |
| 8340  | 9:57:21 AM  | 0.011 |
| 8400  | 9:58:21 AM  | 0.01  |
| 8460  | 9:59:21 AM  | 0.011 |
| 8520  | 10:00:21 AM | 0.011 |
| 8580  | 10:01:21 AM | 0.01  |
| 8640  | 10:02:21 AM | 0.011 |
| 8700  | 10:03:21 AM | 0.011 |
| 8760  | 10:04:21 AM | 0.01  |
| 8820  | 10:05:21 AM | 0.01  |
| 8880  | 10:06:21 AM | 0.01  |
| 8940  | 10:07:21 AM | 0.01  |
| 9000  | 10:08:21 AM | 0.01  |
| 9060  | 10:09:21 AM | 0.01  |
| 9120  | 10:10:21 AM | 0.01  |
| 9180  | 10:11:21 AM | 0.01  |
| 9240  | 10:12:21 AM | 0.009 |
| 9300  | 10:13:21 AM | 0.009 |
| 9360  | 10:14:21 AM | 0.009 |
| 9420  | 10:15:21 AM | 0.01  |
| 9480  | 10:16:21 AM | 0.01  |
| 9540  | 10:17:21 AM | 0.01  |
| 9600  | 10:18:21 AM | 0.01  |
| 9660  | 10:19:21 AM | 0.01  |
| 9720  | 10:20:21 AM | 0.01  |
| 9780  | 10:21:21 AM | 0.01  |
| 9840  | 10:22:21 AM | 0.01  |
| 9900  | 10:23:21 AM | 0.01  |
| 9960  | 10:24:21 AM | 0.009 |
| 10020 | 10:25:21 AM | 0.009 |

|       |             |       |
|-------|-------------|-------|
| 10080 | 10:26:21 AM | 0.009 |
| 10140 | 10:27:21 AM | 0.009 |
| 10200 | 10:28:21 AM | 0.009 |
| 10260 | 10:29:21 AM | 0.009 |
| 10320 | 10:30:21 AM | 0.009 |
| 10380 | 10:31:21 AM | 0.01  |
| 10440 | 10:32:21 AM | 0.009 |
| 10500 | 10:33:21 AM | 0.009 |
| 10560 | 10:34:21 AM | 0.008 |
| 10620 | 10:35:21 AM | 0.009 |
| 10680 | 10:36:21 AM | 0.009 |
| 10740 | 10:37:21 AM | 0.009 |
| 10800 | 10:38:21 AM | 0.009 |
| 10860 | 10:39:21 AM | 0.01  |
| 10920 | 10:40:21 AM | 0.01  |
| 10980 | 10:41:21 AM | 0.01  |
| 11040 | 10:42:21 AM | 0.01  |
| 11100 | 10:43:21 AM | 0.009 |
| 11160 | 10:44:21 AM | 0.009 |
| 11220 | 10:45:21 AM | 0.009 |
| 11280 | 10:46:21 AM | 0.01  |
| 11340 | 10:47:21 AM | 0.01  |
| 11400 | 10:48:21 AM | 0.009 |
| 11460 | 10:49:21 AM | 0.009 |
| 11520 | 10:50:21 AM | 0.01  |
| 11580 | 10:51:21 AM | 0.009 |
| 11640 | 10:52:21 AM | 0.009 |
| 11700 | 10:53:21 AM | 0.009 |
| 11760 | 10:54:21 AM | 0.009 |
| 11820 | 10:55:21 AM | 0.009 |
| 11880 | 10:56:21 AM | 0.009 |
| 11940 | 10:57:21 AM | 0.009 |
| 12000 | 10:58:21 AM | 0.009 |
| 12060 | 10:59:21 AM | 0.009 |

| Device Serial No | Log Time        | Log Type | Log Interval | Sensor 1 T | Sensor 1 D | Sensor 1 Serial Number |
|------------------|-----------------|----------|--------------|------------|------------|------------------------|
| 592-915354       | 12/1/2022 14:39 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 14:24 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 14:09 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 13:54 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 13:39 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 13:24 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 13:09 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 12:54 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 12:39 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 12:24 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 12:09 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 11:54 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 11:39 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 11:24 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 11:09 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 10:54 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 10:39 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 10:24 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 10:09 | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 9:54  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 9:39  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 9:24  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 9:09  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 8:54  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 8:39  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 8:24  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 8:09  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 7:54  | Readings |              | PID        |            | SC23030264W9           |
| 592-915354       | 12/1/2022 7:39  | CONFIG   | 900          | PID        | ppm        | SC23030264W9           |



Sensor 1 H Sensor 1 L Sensor 1 S Sensor 1 T Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T

25 5 25 10 15000 Isobutylen 1 Hygiene M Manual

| Diagnostic Stop Reasc User Id | Site Id | Record Nu | Session Stz | Session Stc | Firmware Version |
|-------------------------------|---------|-----------|-------------|-------------|------------------|
|-------------------------------|---------|-----------|-------------|-------------|------------------|

|                     |            |    |       |       |        |
|---------------------|------------|----|-------|-------|--------|
| Normal Mc Power Dov | 1 RAE00000 | 27 | ##### | ##### | V2.22A |
|---------------------|------------|----|-------|-------|--------|



## **DOWNWIND Air Monitor**

251 Douglass Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530173315  |
| Firmware Version     | 3.1         |
| Calibration Date     | 8/11/2022   |
| Test Name            | MANUAL_039  |
| Test Start Time      | 7:39:42 AM  |
| Test Start Date      | 12/1/2022   |
| Test Length [D:H:M]  | 0:06:33     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.013       |
| Mass Minimum [mg/m3] | 0.01        |
| Mass Maximum [mg/m3] | 0.067       |
| Mass TWA [mg/m3]     | 0.01        |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 393         |

| Elapsed Time [s] | time       | Mass [mg/ | Alarms | Errors |
|------------------|------------|-----------|--------|--------|
| 0                | 7:39:42 AM |           |        |        |
| 60               | 7:40:42 AM | 0.067     |        |        |
| 120              | 7:41:42 AM | 0.017     |        |        |
| 180              | 7:42:42 AM | 0.011     |        |        |
| 240              | 7:43:42 AM | 0.011     |        |        |
| 300              | 7:44:42 AM | 0.011     |        |        |
| 360              | 7:45:42 AM | 0.012     |        |        |
| 420              | 7:46:42 AM | 0.01      |        |        |
| 480              | 7:47:42 AM | 0.01      |        |        |
| 540              | 7:48:42 AM | 0.011     |        |        |
| 600              | 7:49:42 AM | 0.01      |        |        |
| 660              | 7:50:42 AM | 0.01      |        |        |
| 720              | 7:51:42 AM | 0.01      |        |        |
| 780              | 7:52:42 AM | 0.01      |        |        |
| 840              | 7:53:42 AM | 0.01      |        |        |
| 900              | 7:54:42 AM | 0.01      |        |        |
| 960              | 7:55:42 AM | 0.011     |        |        |
| 1020             | 7:56:42 AM | 0.011     |        |        |
| 1080             | 7:57:42 AM | 0.011     |        |        |
| 1140             | 7:58:42 AM | 0.011     |        |        |
| 1200             | 7:59:42 AM | 0.01      |        |        |
| 1260             | 8:00:42 AM | 0.01      |        |        |
| 1320             | 8:01:42 AM | 0.011     |        |        |
| 1380             | 8:02:42 AM | 0.01      |        |        |
| 1440             | 8:03:42 AM | 0.01      |        |        |
| 1500             | 8:04:42 AM | 0.011     |        |        |
| 1560             | 8:05:42 AM | 0.01      |        |        |

|      |            |       |
|------|------------|-------|
| 1620 | 8:06:42 AM | 0.014 |
| 1680 | 8:07:42 AM | 0.011 |
| 1740 | 8:08:42 AM | 0.016 |
| 1800 | 8:09:42 AM | 0.011 |
| 1860 | 8:10:42 AM | 0.011 |
| 1920 | 8:11:42 AM | 0.011 |
| 1980 | 8:12:42 AM | 0.011 |
| 2040 | 8:13:42 AM | 0.011 |
| 2100 | 8:14:42 AM | 0.011 |
| 2160 | 8:15:42 AM | 0.011 |
| 2220 | 8:16:42 AM | 0.011 |
| 2280 | 8:17:42 AM | 0.011 |
| 2340 | 8:18:42 AM | 0.011 |
| 2400 | 8:19:42 AM | 0.012 |
| 2460 | 8:20:42 AM | 0.011 |
| 2520 | 8:21:42 AM | 0.012 |
| 2580 | 8:22:42 AM | 0.011 |
| 2640 | 8:23:42 AM | 0.011 |
| 2700 | 8:24:42 AM | 0.012 |
| 2760 | 8:25:42 AM | 0.012 |
| 2820 | 8:26:42 AM | 0.012 |
| 2880 | 8:27:42 AM | 0.012 |
| 2940 | 8:28:42 AM | 0.012 |
| 3000 | 8:29:42 AM | 0.012 |
| 3060 | 8:30:42 AM | 0.012 |
| 3120 | 8:31:42 AM | 0.012 |
| 3180 | 8:32:42 AM | 0.011 |
| 3240 | 8:33:42 AM | 0.012 |
| 3300 | 8:34:42 AM | 0.012 |
| 3360 | 8:35:42 AM | 0.012 |
| 3420 | 8:36:42 AM | 0.012 |
| 3480 | 8:37:42 AM | 0.012 |
| 3540 | 8:38:42 AM | 0.013 |
| 3600 | 8:39:42 AM | 0.013 |
| 3660 | 8:40:42 AM | 0.012 |
| 3720 | 8:41:42 AM | 0.012 |
| 3780 | 8:42:42 AM | 0.012 |
| 3840 | 8:43:42 AM | 0.012 |
| 3900 | 8:44:42 AM | 0.013 |
| 3960 | 8:45:42 AM | 0.013 |
| 4020 | 8:46:42 AM | 0.012 |
| 4080 | 8:47:42 AM | 0.012 |
| 4140 | 8:48:42 AM | 0.013 |
| 4200 | 8:49:42 AM | 0.013 |
| 4260 | 8:50:42 AM | 0.012 |
| 4320 | 8:51:42 AM | 0.013 |
| 4380 | 8:52:42 AM | 0.013 |

|      |            |       |
|------|------------|-------|
| 4440 | 8:53:42 AM | 0.013 |
| 4500 | 8:54:42 AM | 0.013 |
| 4560 | 8:55:42 AM | 0.014 |
| 4620 | 8:56:42 AM | 0.013 |
| 4680 | 8:57:42 AM | 0.013 |
| 4740 | 8:58:42 AM | 0.013 |
| 4800 | 8:59:42 AM | 0.014 |
| 4860 | 9:00:42 AM | 0.014 |
| 4920 | 9:01:42 AM | 0.014 |
| 4980 | 9:02:42 AM | 0.015 |
| 5040 | 9:03:42 AM | 0.014 |
| 5100 | 9:04:42 AM | 0.014 |
| 5160 | 9:05:42 AM | 0.014 |
| 5220 | 9:06:42 AM | 0.014 |
| 5280 | 9:07:42 AM | 0.013 |
| 5340 | 9:08:42 AM | 0.013 |
| 5400 | 9:09:42 AM | 0.015 |
| 5460 | 9:10:42 AM | 0.016 |
| 5520 | 9:11:42 AM | 0.014 |
| 5580 | 9:12:42 AM | 0.014 |
| 5640 | 9:13:42 AM | 0.014 |
| 5700 | 9:14:42 AM | 0.015 |
| 5760 | 9:15:42 AM | 0.017 |
| 5820 | 9:16:42 AM | 0.015 |
| 5880 | 9:17:42 AM | 0.014 |
| 5940 | 9:18:42 AM | 0.014 |
| 6000 | 9:19:42 AM | 0.013 |
| 6060 | 9:20:42 AM | 0.015 |
| 6120 | 9:21:42 AM | 0.015 |
| 6180 | 9:22:42 AM | 0.014 |
| 6240 | 9:23:42 AM | 0.015 |
| 6300 | 9:24:42 AM | 0.014 |
| 6360 | 9:25:42 AM | 0.015 |
| 6420 | 9:26:42 AM | 0.014 |
| 6480 | 9:27:42 AM | 0.014 |
| 6540 | 9:28:42 AM | 0.013 |
| 6600 | 9:29:42 AM | 0.013 |
| 6660 | 9:30:42 AM | 0.013 |
| 6720 | 9:31:42 AM | 0.013 |
| 6780 | 9:32:42 AM | 0.013 |
| 6840 | 9:33:42 AM | 0.014 |
| 6900 | 9:34:42 AM | 0.014 |
| 6960 | 9:35:42 AM | 0.014 |
| 7020 | 9:36:42 AM | 0.014 |
| 7080 | 9:37:42 AM | 0.014 |
| 7140 | 9:38:42 AM | 0.014 |
| 7200 | 9:39:42 AM | 0.013 |

|       |             |       |
|-------|-------------|-------|
| 7260  | 9:40:42 AM  | 0.013 |
| 7320  | 9:41:42 AM  | 0.014 |
| 7380  | 9:42:42 AM  | 0.014 |
| 7440  | 9:43:42 AM  | 0.015 |
| 7500  | 9:44:42 AM  | 0.013 |
| 7560  | 9:45:42 AM  | 0.013 |
| 7620  | 9:46:42 AM  | 0.014 |
| 7680  | 9:47:42 AM  | 0.013 |
| 7740  | 9:48:42 AM  | 0.013 |
| 7800  | 9:49:42 AM  | 0.013 |
| 7860  | 9:50:42 AM  | 0.013 |
| 7920  | 9:51:42 AM  | 0.014 |
| 7980  | 9:52:42 AM  | 0.013 |
| 8040  | 9:53:42 AM  | 0.013 |
| 8100  | 9:54:42 AM  | 0.013 |
| 8160  | 9:55:42 AM  | 0.014 |
| 8220  | 9:56:42 AM  | 0.013 |
| 8280  | 9:57:42 AM  | 0.014 |
| 8340  | 9:58:42 AM  | 0.013 |
| 8400  | 9:59:42 AM  | 0.014 |
| 8460  | 10:00:42 AM | 0.014 |
| 8520  | 10:01:42 AM | 0.013 |
| 8580  | 10:02:42 AM | 0.013 |
| 8640  | 10:03:42 AM | 0.013 |
| 8700  | 10:04:42 AM | 0.013 |
| 8760  | 10:05:42 AM | 0.012 |
| 8820  | 10:06:42 AM | 0.012 |
| 8880  | 10:07:42 AM | 0.017 |
| 8940  | 10:08:42 AM | 0.014 |
| 9000  | 10:09:42 AM | 0.013 |
| 9060  | 10:10:42 AM | 0.013 |
| 9120  | 10:11:42 AM | 0.013 |
| 9180  | 10:12:42 AM | 0.012 |
| 9240  | 10:13:42 AM | 0.014 |
| 9300  | 10:14:42 AM | 0.013 |
| 9360  | 10:15:42 AM | 0.013 |
| 9420  | 10:16:42 AM | 0.013 |
| 9480  | 10:17:42 AM | 0.013 |
| 9540  | 10:18:42 AM | 0.013 |
| 9600  | 10:19:42 AM | 0.013 |
| 9660  | 10:20:42 AM | 0.013 |
| 9720  | 10:21:42 AM | 0.013 |
| 9780  | 10:22:42 AM | 0.013 |
| 9840  | 10:23:42 AM | 0.012 |
| 9900  | 10:24:42 AM | 0.012 |
| 9960  | 10:25:42 AM | 0.014 |
| 10020 | 10:26:42 AM | 0.013 |

|       |             |       |
|-------|-------------|-------|
| 10080 | 10:27:42 AM | 0.013 |
| 10140 | 10:28:42 AM | 0.013 |
| 10200 | 10:29:42 AM | 0.018 |
| 10260 | 10:30:42 AM | 0.014 |
| 10320 | 10:31:42 AM | 0.014 |
| 10380 | 10:32:42 AM | 0.014 |
| 10440 | 10:33:42 AM | 0.016 |
| 10500 | 10:34:42 AM | 0.014 |
| 10560 | 10:35:42 AM | 0.013 |
| 10620 | 10:36:42 AM | 0.013 |
| 10680 | 10:37:42 AM | 0.013 |
| 10740 | 10:38:42 AM | 0.016 |
| 10800 | 10:39:42 AM | 0.014 |
| 10860 | 10:40:42 AM | 0.014 |
| 10920 | 10:41:42 AM | 0.013 |
| 10980 | 10:42:42 AM | 0.012 |
| 11040 | 10:43:42 AM | 0.015 |
| 11100 | 10:44:42 AM | 0.013 |
| 11160 | 10:45:42 AM | 0.012 |
| 11220 | 10:46:42 AM | 0.017 |
| 11280 | 10:47:42 AM | 0.014 |
| 11340 | 10:48:42 AM | 0.013 |
| 11400 | 10:49:42 AM | 0.012 |
| 11460 | 10:50:42 AM | 0.012 |
| 11520 | 10:51:42 AM | 0.012 |
| 11580 | 10:52:42 AM | 0.012 |
| 11640 | 10:53:42 AM | 0.012 |
| 11700 | 10:54:42 AM | 0.012 |
| 11760 | 10:55:42 AM | 0.012 |
| 11820 | 10:56:42 AM | 0.012 |
| 11880 | 10:57:42 AM | 0.012 |
| 11940 | 10:58:42 AM | 0.012 |
| 12000 | 10:59:42 AM | 0.012 |
| 12060 | 11:00:42 AM | 0.012 |
| 12120 | 11:01:42 AM | 0.012 |
| 12180 | 11:02:42 AM | 0.012 |
| 12240 | 11:03:42 AM | 0.013 |
| 12300 | 11:04:42 AM | 0.013 |
| 12360 | 11:05:42 AM | 0.011 |
| 12420 | 11:06:42 AM | 0.012 |
| 12480 | 11:07:42 AM | 0.012 |
| 12540 | 11:08:42 AM | 0.012 |
| 12600 | 11:09:42 AM | 0.012 |
| 12660 | 11:10:42 AM | 0.012 |
| 12720 | 11:11:42 AM | 0.012 |
| 12780 | 11:12:42 AM | 0.012 |
| 12840 | 11:13:42 AM | 0.011 |

|       |             |       |
|-------|-------------|-------|
| 12900 | 11:14:42 AM | 0.012 |
| 12960 | 11:15:42 AM | 0.012 |
| 13020 | 11:16:42 AM | 0.012 |
| 13080 | 11:17:42 AM | 0.012 |
| 13140 | 11:18:42 AM | 0.012 |
| 13200 | 11:19:42 AM | 0.012 |
| 13260 | 11:20:42 AM | 0.012 |
| 13320 | 11:21:42 AM | 0.012 |
| 13380 | 11:22:42 AM | 0.012 |
| 13440 | 11:23:42 AM | 0.012 |
| 13500 | 11:24:42 AM | 0.012 |
| 13560 | 11:25:42 AM | 0.012 |
| 13620 | 11:26:42 AM | 0.012 |
| 13680 | 11:27:42 AM | 0.013 |
| 13740 | 11:28:42 AM | 0.013 |
| 13800 | 11:29:42 AM | 0.013 |
| 13860 | 11:30:42 AM | 0.012 |
| 13920 | 11:31:42 AM | 0.012 |
| 13980 | 11:32:42 AM | 0.012 |
| 14040 | 11:33:42 AM | 0.012 |
| 14100 | 11:34:42 AM | 0.012 |
| 14160 | 11:35:42 AM | 0.012 |
| 14220 | 11:36:42 AM | 0.012 |
| 14280 | 11:37:42 AM | 0.012 |
| 14340 | 11:38:42 AM | 0.012 |
| 14400 | 11:39:42 AM | 0.012 |
| 14460 | 11:40:42 AM | 0.012 |
| 14520 | 11:41:42 AM | 0.012 |
| 14580 | 11:42:42 AM | 0.014 |
| 14640 | 11:43:42 AM | 0.012 |
| 14700 | 11:44:42 AM | 0.012 |
| 14760 | 11:45:42 AM | 0.013 |
| 14820 | 11:46:42 AM | 0.012 |
| 14880 | 11:47:42 AM | 0.012 |
| 14940 | 11:48:42 AM | 0.011 |
| 15000 | 11:49:42 AM | 0.014 |
| 15060 | 11:50:42 AM | 0.012 |
| 15120 | 11:51:42 AM | 0.02  |
| 15180 | 11:52:42 AM | 0.018 |
| 15240 | 11:53:42 AM | 0.021 |
| 15300 | 11:54:42 AM | 0.015 |
| 15360 | 11:55:42 AM | 0.012 |
| 15420 | 11:56:42 AM | 0.014 |
| 15480 | 11:57:42 AM | 0.013 |
| 15540 | 11:58:42 AM | 0.012 |
| 15600 | 11:59:42 AM | 0.014 |
| 15660 | 12:00:42 PM | 0.012 |

|       |             |       |
|-------|-------------|-------|
| 15720 | 12:01:42 PM | 0.012 |
| 15780 | 12:02:42 PM | 0.012 |
| 15840 | 12:03:42 PM | 0.011 |
| 15900 | 12:04:42 PM | 0.012 |
| 15960 | 12:05:42 PM | 0.011 |
| 16020 | 12:06:42 PM | 0.011 |
| 16080 | 12:07:42 PM | 0.012 |
| 16140 | 12:08:42 PM | 0.011 |
| 16200 | 12:09:42 PM | 0.011 |
| 16260 | 12:10:42 PM | 0.011 |
| 16320 | 12:11:42 PM | 0.011 |
| 16380 | 12:12:42 PM | 0.011 |
| 16440 | 12:13:42 PM | 0.011 |
| 16500 | 12:14:42 PM | 0.011 |
| 16560 | 12:15:42 PM | 0.011 |
| 16620 | 12:16:42 PM | 0.011 |
| 16680 | 12:17:42 PM | 0.011 |
| 16740 | 12:18:42 PM | 0.011 |
| 16800 | 12:19:42 PM | 0.011 |
| 16860 | 12:20:42 PM | 0.011 |
| 16920 | 12:21:42 PM | 0.012 |
| 16980 | 12:22:42 PM | 0.011 |
| 17040 | 12:23:42 PM | 0.011 |
| 17100 | 12:24:42 PM | 0.011 |
| 17160 | 12:25:42 PM | 0.011 |
| 17220 | 12:26:42 PM | 0.011 |
| 17280 | 12:27:42 PM | 0.012 |
| 17340 | 12:28:42 PM | 0.013 |
| 17400 | 12:29:42 PM | 0.012 |
| 17460 | 12:30:42 PM | 0.011 |
| 17520 | 12:31:42 PM | 0.012 |
| 17580 | 12:32:42 PM | 0.012 |
| 17640 | 12:33:42 PM | 0.012 |
| 17700 | 12:34:42 PM | 0.012 |
| 17760 | 12:35:42 PM | 0.012 |
| 17820 | 12:36:42 PM | 0.012 |
| 17880 | 12:37:42 PM | 0.012 |
| 17940 | 12:38:42 PM | 0.012 |
| 18000 | 12:39:42 PM | 0.012 |
| 18060 | 12:40:42 PM | 0.012 |
| 18120 | 12:41:42 PM | 0.012 |
| 18180 | 12:42:42 PM | 0.012 |
| 18240 | 12:43:42 PM | 0.011 |
| 18300 | 12:44:42 PM | 0.012 |
| 18360 | 12:45:42 PM | 0.012 |
| 18420 | 12:46:42 PM | 0.012 |
| 18480 | 12:47:42 PM | 0.012 |



|       |             |       |
|-------|-------------|-------|
| 18540 | 12:48:42 PM | 0.012 |
| 18600 | 12:49:42 PM | 0.014 |
| 18660 | 12:50:42 PM | 0.013 |
| 18720 | 12:51:42 PM | 0.015 |
| 18780 | 12:52:42 PM | 0.017 |
| 18840 | 12:53:42 PM | 0.012 |
| 18900 | 12:54:42 PM | 0.013 |
| 18960 | 12:55:42 PM | 0.013 |
| 19020 | 12:56:42 PM | 0.023 |
| 19080 | 12:57:42 PM | 0.014 |
| 19140 | 12:58:42 PM | 0.012 |
| 19200 | 12:59:42 PM | 0.012 |
| 19260 | 1:00:42 PM  | 0.012 |
| 19320 | 1:01:42 PM  | 0.012 |
| 19380 | 1:02:42 PM  | 0.013 |
| 19440 | 1:03:42 PM  | 0.012 |
| 19500 | 1:04:42 PM  | 0.013 |
| 19560 | 1:05:42 PM  | 0.012 |
| 19620 | 1:06:42 PM  | 0.012 |
| 19680 | 1:07:42 PM  | 0.012 |
| 19740 | 1:08:42 PM  | 0.011 |
| 19800 | 1:09:42 PM  | 0.011 |
| 19860 | 1:10:42 PM  | 0.012 |
| 19920 | 1:11:42 PM  | 0.012 |
| 19980 | 1:12:42 PM  | 0.011 |
| 20040 | 1:13:42 PM  | 0.012 |
| 20100 | 1:14:42 PM  | 0.011 |
| 20160 | 1:15:42 PM  | 0.012 |
| 20220 | 1:16:42 PM  | 0.012 |
| 20280 | 1:17:42 PM  | 0.011 |
| 20340 | 1:18:42 PM  | 0.011 |
| 20400 | 1:19:42 PM  | 0.012 |
| 20460 | 1:20:42 PM  | 0.012 |
| 20520 | 1:21:42 PM  | 0.012 |
| 20580 | 1:22:42 PM  | 0.012 |
| 20640 | 1:23:42 PM  | 0.012 |
| 20700 | 1:24:42 PM  | 0.012 |
| 20760 | 1:25:42 PM  | 0.011 |
| 20820 | 1:26:42 PM  | 0.011 |
| 20880 | 1:27:42 PM  | 0.011 |
| 20940 | 1:28:42 PM  | 0.012 |
| 21000 | 1:29:42 PM  | 0.011 |
| 21060 | 1:30:42 PM  | 0.011 |
| 21120 | 1:31:42 PM  | 0.011 |
| 21180 | 1:32:42 PM  | 0.011 |
| 21240 | 1:33:42 PM  | 0.011 |
| 21300 | 1:34:42 PM  | 0.011 |

|       |            |       |
|-------|------------|-------|
| 21360 | 1:35:42 PM | 0.01  |
| 21420 | 1:36:42 PM | 0.01  |
| 21480 | 1:37:42 PM | 0.011 |
| 21540 | 1:38:42 PM | 0.01  |
| 21600 | 1:39:42 PM | 0.011 |
| 21660 | 1:40:42 PM | 0.011 |
| 21720 | 1:41:42 PM | 0.011 |
| 21780 | 1:42:42 PM | 0.011 |
| 21840 | 1:43:42 PM | 0.011 |
| 21900 | 1:44:42 PM | 0.011 |
| 21960 | 1:45:42 PM | 0.011 |
| 22020 | 1:46:42 PM | 0.011 |
| 22080 | 1:47:42 PM | 0.01  |
| 22140 | 1:48:42 PM | 0.011 |
| 22200 | 1:49:42 PM | 0.014 |
| 22260 | 1:50:42 PM | 0.011 |
| 22320 | 1:51:42 PM | 0.011 |
| 22380 | 1:52:42 PM | 0.01  |
| 22440 | 1:53:42 PM | 0.012 |
| 22500 | 1:54:42 PM | 0.011 |
| 22560 | 1:55:42 PM | 0.01  |
| 22620 | 1:56:42 PM | 0.01  |
| 22680 | 1:57:42 PM | 0.011 |
| 22740 | 1:58:42 PM | 0.01  |
| 22800 | 1:59:42 PM | 0.011 |
| 22860 | 2:00:42 PM | 0.01  |
| 22920 | 2:01:42 PM | 0.012 |
| 22980 | 2:02:42 PM | 0.011 |
| 23040 | 2:03:42 PM | 0.011 |
| 23100 | 2:04:42 PM | 0.012 |
| 23160 | 2:05:42 PM | 0.011 |
| 23220 | 2:06:42 PM | 0.011 |
| 23280 | 2:07:42 PM | 0.013 |
| 23340 | 2:08:42 PM | 0.01  |
| 23400 | 2:09:42 PM | 0.012 |
| 23460 | 2:10:42 PM | 0.011 |
| 23520 | 2:11:42 PM | 0.011 |
| 23580 | 2:12:42 PM | 0.011 |

| Device Serial No | Log Time        | Log Type | Log Interval | Sensor 1 T | Sensor 1 D | Sensor 1 Serial Number |
|------------------|-----------------|----------|--------------|------------|------------|------------------------|
| 592-910776       | 12/1/2022 14:34 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:33 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:32 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:31 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:30 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:29 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:28 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:27 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:26 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:25 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:24 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:23 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:22 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:21 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:20 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:19 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:18 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:17 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:16 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:15 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:14 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:13 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:12 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:11 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:10 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:09 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:08 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:07 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:06 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:05 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:04 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:03 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:02 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:01 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 14:00 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:59 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:58 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:57 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:56 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:55 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:54 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:53 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:52 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:51 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:50 | Readings |              | PID        |            | SC23030049P9           |
| 592-910776       | 12/1/2022 13:49 | Readings |              | PID        |            | SC23030049P9           |

















|            |                         |        |     |              |
|------------|-------------------------|--------|-----|--------------|
| 592-910776 | 12/1/2022 8:19 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:18 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:17 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:16 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:15 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:14 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:13 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:12 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:11 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:10 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:09 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:08 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:07 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:06 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:05 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:04 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:03 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:02 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:01 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 8:00 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:59 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:58 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:57 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:56 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:55 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:54 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:53 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:52 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:51 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:50 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:49 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:48 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:47 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:46 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:45 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:44 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:43 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:42 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:41 Readings | PID    |     | SC23030049P9 |
| 592-910776 | 12/1/2022 7:40 CONFIG   | 60 PID | ppm | SC23030264W9 |





















Sensor 1 H Sensor 1 Lc Sensor 1 S Sensor 1 T Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T