



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

DAILY STATUS REPORT-12/8/2022

Prepared By: Alex Keenan

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy		Bright Sun	
TEMP.	< 32		32-50	X	50-70		70-85		>85	

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	12/8/22
Project:	251 Douglass Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 09:35 Time Out: 14:45	Personnel On Site: IEEG (Environmental) –Alex Keenan and Thomas Jensen
--	---

Scope of Work:

- RIWP implementation: IEEG acknowledged the NYSDEC’s comments regarding the RIWP on 11/2/22, and on 11/3/22 the NYSDEC acknowledged satisfaction of the requirements, and that the RI work could be implemented.

Site Activities:

- IEEG Tailgate Health and Safety meeting with drilling subcontractor;
- A replacement rig was mobilized to the site at 9:30 and drilling of GW-8 intermediate to 60’ continued.
- The second intermediate cluster well for GW-8 was completed to 65 fbg. The well was constructed with 2” PVC and screened at the interval GCM was identified (55-60’). Additionally, the well was constructed with a 5’ sump installed at the 60’-65’ interval. The sump was constructed of solid PVC and capped at 65’ bgs. The sump will be used to potentially evaluate DNAPL mobility;
- Augur drilling for the deep GW-8 well was initiated, this well was advanced to 30’ bgs and will be completed to a terminal depth of 100’ bgs; and
- Drill cuttings from the auger were drummed, labeled and will be stored on-Site until the Remedial Investigation is complete and they can be properly disposed of.

Samples Collected:

- No Samples collected

Community Air Monitoring Program (CAMP)

Prestart Conditions – PID = __0.0__ ppm, Dust = __0.144 __ mg/m³ @ 10:08

High Conditions – PID = __0.0__ ppm, Dust = _0.144 mg/m³ @ 10:08

*The initial elevated reading is due to a calibration spike. No particulate exceedances were noted throughout the day on-Site.



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

Problem Encountered:

- N/A

Planned Activities for the Next Day/Week:

- Installation of deep cluster wells at the GW-8 location. Cluster wells will be screened at intervals below the deepest observation of GCM which was determined from the advancement of the boring installed proximal to the well. The boring logs have been shared with the NYSDEC for confirmation of well screen intervals and well depths; and
- Waiting on a directive from the NYSDEC regarding sampling the cluster wells.



Impact Environmental Engineering Geology, PLLC


170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Site Activity Map

- ★ CAMP Locations
- ⊗ PID Screening Points

Wind Direction
WNW – 7 mph





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo Log

Photo 1 –
Representative photo at the beginning of the days activities, located at GW-8.



Photo 2 –
Photo of GW-8 intermediate well to 65' bgs augering in progress.





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo 3 –
Photo of
completion
of GW-8
intermediat
e well
advanced to
65' bgs.





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo 4 –
Representative photo of cluster well layout for GW-8.



UPWIND Air Monitor

251 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173315
Firmware Version	3.1
Calibration Date	8/11/2022
Test Name	MANUAL_044
Test Start Time	10:07:54 AM
Test Start Date	12/8/2022
Test Length [D:H:M]	0:04:34
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.005
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.144
Mass TWA [mg/m3]	0.003
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	274

Elapsed Time [s]	time	Mass [mg/m3]	Alarms	Errors
0	10:07:54 AM			
60	10:08:54 AM	0.144		
120	10:09:54 AM	0.011		
180	10:10:54 AM	0.007		
240	10:11:54 AM	0.009		
300	10:12:54 AM	0.027		
360	10:13:54 AM	0.011		
420	10:14:54 AM	0.008		
480	10:15:54 AM	0.008		
540	10:16:54 AM	0.006		
600	10:17:54 AM	0.008		
660	10:18:54 AM	0.008		
720	10:19:54 AM	0.009		
780	10:20:54 AM	0.008		
840	10:21:54 AM	0.009		
900	10:22:54 AM	0.007		
960	10:23:54 AM	0.007		
1020	10:24:54 AM	0.006		
1080	10:25:54 AM	0.006		
1140	10:26:54 AM	0.005		
1200	10:27:54 AM	0.005		
1260	10:28:54 AM	0.005		
1320	10:29:54 AM	0.005		
1380	10:30:54 AM	0.005		
1440	10:31:54 AM	0.005		
1500	10:32:54 AM	0.005		
1560	10:33:54 AM	0.005		

1620	10:34:54 AM	0.005
1680	10:35:54 AM	0.005
1740	10:36:54 AM	0.005
1800	10:37:54 AM	0.005
1860	10:38:54 AM	0.004
1920	10:39:54 AM	0.005
1980	10:40:54 AM	0.005
2040	10:41:54 AM	0.004
2100	10:42:54 AM	0.004
2160	10:43:54 AM	0.005
2220	10:44:54 AM	0.004
2280	10:45:54 AM	0.005
2340	10:46:54 AM	0.005
2400	10:47:54 AM	0.005
2460	10:48:54 AM	0.005
2520	10:49:54 AM	0.005
2580	10:50:54 AM	0.005
2640	10:51:54 AM	0.005
2700	10:52:54 AM	0.005
2760	10:53:54 AM	0.007
2820	10:54:54 AM	0.008
2880	10:55:54 AM	0.005
2940	10:56:54 AM	0.005
3000	10:57:54 AM	0.005
3060	10:58:54 AM	0.005
3120	10:59:54 AM	0.006
3180	11:00:54 AM	0.006
3240	11:01:54 AM	0.007
3300	11:02:54 AM	0.007
3360	11:03:54 AM	0.008
3420	11:04:54 AM	0.006
3480	11:05:54 AM	0.005
3540	11:06:54 AM	0.005
3600	11:07:54 AM	0.005
3660	11:08:54 AM	0.005
3720	11:09:54 AM	0.005
3780	11:10:54 AM	0.005
3840	11:11:54 AM	0.006
3900	11:12:54 AM	0.006
3960	11:13:54 AM	0.005
4020	11:14:54 AM	0.006
4080	11:15:54 AM	0.007
4140	11:16:54 AM	0.006
4200	11:17:54 AM	0.006
4260	11:18:54 AM	0.006
4320	11:19:54 AM	0.006
4380	11:20:54 AM	0.006

4440	11:21:54 AM	0.005
4500	11:22:54 AM	0.005
4560	11:23:54 AM	0.006
4620	11:24:54 AM	0.004
4680	11:25:54 AM	0.004
4740	11:26:54 AM	0.005
4800	11:27:54 AM	0.004
4860	11:28:54 AM	0.004
4920	11:29:54 AM	0.003
4980	11:30:54 AM	0.003
5040	11:31:54 AM	0.003
5100	11:32:54 AM	0.003
5160	11:33:54 AM	0.003
5220	11:34:54 AM	0.003
5280	11:35:54 AM	0.003
5340	11:36:54 AM	0.004
5400	11:37:54 AM	0.004
5460	11:38:54 AM	0.004
5520	11:39:54 AM	0.003
5580	11:40:54 AM	0.002
5640	11:41:54 AM	0.003
5700	11:42:54 AM	0.003
5760	11:43:54 AM	0.003
5820	11:44:54 AM	0.004
5880	11:45:54 AM	0.004
5940	11:46:54 AM	0.003
6000	11:47:54 AM	0.003
6060	11:48:54 AM	0.002
6120	11:49:54 AM	0.002
6180	11:50:54 AM	0.002
6240	11:51:54 AM	0.002
6300	11:52:54 AM	0.002
6360	11:53:54 AM	0.003
6420	11:54:54 AM	0.002
6480	11:55:54 AM	0.002
6540	11:56:54 AM	0.002
6600	11:57:54 AM	0.002
6660	11:58:54 AM	0.002
6720	11:59:54 AM	0.003
6780	12:00:54 PM	0.003
6840	12:01:54 PM	0.004
6900	12:02:54 PM	0.003
6960	12:03:54 PM	0.003
7020	12:04:54 PM	0.004
7080	12:05:54 PM	0.004
7140	12:06:54 PM	0.004
7200	12:07:54 PM	0.004

7260	12:08:54 PM	0.002
7320	12:09:54 PM	0.002
7380	12:10:54 PM	0.003
7440	12:11:54 PM	0.002
7500	12:12:54 PM	0.002
7560	12:13:54 PM	0.002
7620	12:14:54 PM	0.002
7680	12:15:54 PM	0.002
7740	12:16:54 PM	0.002
7800	12:17:54 PM	0.002
7860	12:18:54 PM	0.002
7920	12:19:54 PM	0.002
7980	12:20:54 PM	0.003
8040	12:21:54 PM	0.003
8100	12:22:54 PM	0.003
8160	12:23:54 PM	0.003
8220	12:24:54 PM	0.003
8280	12:25:54 PM	0.002
8340	12:26:54 PM	0.002
8400	12:27:54 PM	0.002
8460	12:28:54 PM	0.002
8520	12:29:54 PM	0.003
8580	12:30:54 PM	0.003
8640	12:31:54 PM	0.003
8700	12:32:54 PM	0.003
8760	12:33:54 PM	0.004
8820	12:34:54 PM	0.004
8880	12:35:54 PM	0.003
8940	12:36:54 PM	0.003
9000	12:37:54 PM	0.004
9060	12:38:54 PM	0.004
9120	12:39:54 PM	0.003
9180	12:40:54 PM	0.003
9240	12:41:54 PM	0.003
9300	12:42:54 PM	0.003
9360	12:43:54 PM	0.003
9420	12:44:54 PM	0.002
9480	12:45:54 PM	0.003
9540	12:46:54 PM	0.003
9600	12:47:54 PM	0.003
9660	12:48:54 PM	0.002
9720	12:49:54 PM	0.003
9780	12:50:54 PM	0.004
9840	12:51:54 PM	0.003
9900	12:52:54 PM	0.003
9960	12:53:54 PM	0.003
10020	12:54:54 PM	0.003

10080	12:55:54 PM	0.004
10140	12:56:54 PM	0.004
10200	12:57:54 PM	0.004
10260	12:58:54 PM	0.004
10320	12:59:54 PM	0.004
10380	1:00:54 PM	0.005
10440	1:01:54 PM	0.004
10500	1:02:54 PM	0.003
10560	1:03:54 PM	0.003
10620	1:04:54 PM	0.005
10680	1:05:54 PM	0.004
10740	1:06:54 PM	0.005
10800	1:07:54 PM	0.005
10860	1:08:54 PM	0.005
10920	1:09:54 PM	0.004
10980	1:10:54 PM	0.004
11040	1:11:54 PM	0.005
11100	1:12:54 PM	0.004
11160	1:13:54 PM	0.004
11220	1:14:54 PM	0.004
11280	1:15:54 PM	0.004
11340	1:16:54 PM	0.004
11400	1:17:54 PM	0.004
11460	1:18:54 PM	0.004
11520	1:19:54 PM	0.005
11580	1:20:54 PM	0.004
11640	1:21:54 PM	0.004
11700	1:22:54 PM	0.004
11760	1:23:54 PM	0.004
11820	1:24:54 PM	0.005
11880	1:25:54 PM	0.005
11940	1:26:54 PM	0.004
12000	1:27:54 PM	0.005
12060	1:28:54 PM	0.005
12120	1:29:54 PM	0.005
12180	1:30:54 PM	0.005
12240	1:31:54 PM	0.005
12300	1:32:54 PM	0.006
12360	1:33:54 PM	0.006
12420	1:34:54 PM	0.006
12480	1:35:54 PM	0.006
12540	1:36:54 PM	0.005
12600	1:37:54 PM	0.005
12660	1:38:54 PM	0.005
12720	1:39:54 PM	0.005
12780	1:40:54 PM	0.005
12840	1:41:54 PM	0.004

12900	1:42:54 PM	0.004
12960	1:43:54 PM	0.005
13020	1:44:54 PM	0.006
13080	1:45:54 PM	0.006
13140	1:46:54 PM	0.005
13200	1:47:54 PM	0.004
13260	1:48:54 PM	0.004
13320	1:49:54 PM	0.004
13380	1:50:54 PM	0.004
13440	1:51:54 PM	0.003
13500	1:52:54 PM	0.004
13560	1:53:54 PM	0.004
13620	1:54:54 PM	0.003
13680	1:55:54 PM	0.003
13740	1:56:54 PM	0.004
13800	1:57:54 PM	0.003
13860	1:58:54 PM	0.003
13920	1:59:54 PM	0.003
13980	2:00:54 PM	0.002
14040	2:01:54 PM	0.003
14100	2:02:54 PM	0.003
14160	2:03:54 PM	0.003
14220	2:04:54 PM	0.003
14280	2:05:54 PM	0.003
14340	2:06:54 PM	0.003
14400	2:07:54 PM	0.003
14460	2:08:54 PM	0.002
14520	2:09:54 PM	0.002
14580	2:10:54 PM	0.003
14640	2:11:54 PM	0.003
14700	2:12:54 PM	0.002
14760	2:13:54 PM	0.003
14820	2:14:54 PM	0.003
14880	2:15:54 PM	0.003
14940	2:16:54 PM	0.003
15000	2:17:54 PM	0.003
15060	2:18:54 PM	0.003
15120	2:19:54 PM	0.004
15180	2:20:54 PM	0.003
15240	2:21:54 PM	0.003
15300	2:22:54 PM	0.004
15360	2:23:54 PM	0.003
15420	2:24:54 PM	0.003
15480	2:25:54 PM	0.004
15540	2:26:54 PM	0.004
15600	2:27:54 PM	0.004
15660	2:28:54 PM	0.004

15720	2:29:54 PM	0.004
15780	2:30:54 PM	0.004
15840	2:31:54 PM	0.005
15900	2:32:54 PM	0.005
15960	2:33:54 PM	0.004
16020	2:34:54 PM	0.004
16080	2:35:54 PM	0.005
16140	2:36:54 PM	0.004
16200	2:37:54 PM	0.005
16260	2:38:54 PM	0.005
16320	2:39:54 PM	0.005
16380	2:40:54 PM	0.005
16440	2:41:54 PM	0.011

DOWNWIND Air Monitor

251 Douglass Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	853011721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_046
Test Start Time	10:07:38 AM
Test Start Date	12/8/2022
Test Length [D:H:M]	0:04:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.008
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.079
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	272

Elapsed Time	Mass [mg/m3]	Alarms	Errors
0 10:07:38 AM			
60 10:08:38 AM	0.009		
120 10:09:38 AM	0.007		
180 10:10:38 AM	0.007		
240 10:11:38 AM	0.007		
300 10:12:38 AM	0.007		
360 10:13:38 AM	0.007		
420 10:14:38 AM	0.008		
480 10:15:38 AM	0.008		
540 10:16:38 AM	0.007		
600 10:17:38 AM	0.008		
660 10:18:38 AM	0.007		
720 10:19:38 AM	0.007		
780 10:20:38 AM	0.007		
840 10:21:38 AM	0.006		
900 10:22:38 AM	0.009		
960 10:23:38 AM	0.007		
1020 10:24:38 AM	0.008		
1080 10:25:38 AM	0.007		
1140 10:26:38 AM	0.007		
1200 10:27:38 AM	0.007		
1260 10:28:38 AM	0.007		
1320 10:29:38 AM	0.007		
1380 10:30:38 AM	0.006		
1440 10:31:38 AM	0.007		
1500 10:32:38 AM	0.007		
1560 10:33:38 AM	0.007		

1620	10:34:38 AM	0.007
1680	10:35:38 AM	0.007
1740	10:36:38 AM	0.007
1800	10:37:38 AM	0.006
1860	10:38:38 AM	0.006
1920	10:39:38 AM	0.007
1980	10:40:38 AM	0.007
2040	10:41:38 AM	0.007
2100	10:42:38 AM	0.008
2160	10:43:38 AM	0.007
2220	10:44:38 AM	0.007
2280	10:45:38 AM	0.008
2340	10:46:38 AM	0.007
2400	10:47:38 AM	0.008
2460	10:48:38 AM	0.008
2520	10:49:38 AM	0.008
2580	10:50:38 AM	0.008
2640	10:51:38 AM	0.008
2700	10:52:38 AM	0.007
2760	10:53:38 AM	0.008
2820	10:54:38 AM	0.008
2880	10:55:38 AM	0.008
2940	10:56:38 AM	0.008
3000	10:57:38 AM	0.008
3060	10:58:38 AM	0.009
3120	10:59:38 AM	0.009
3180	11:00:38 AM	0.01
3240	11:01:38 AM	0.008
3300	11:02:38 AM	0.008
3360	11:03:38 AM	0.008
3420	11:04:38 AM	0.007
3480	11:05:38 AM	0.008
3540	11:06:38 AM	0.008
3600	11:07:38 AM	0.008
3660	11:08:38 AM	0.008
3720	11:09:38 AM	0.008
3780	11:10:38 AM	0.009
3840	11:11:38 AM	0.009
3900	11:12:38 AM	0.008
3960	11:13:38 AM	0.009
4020	11:14:38 AM	0.008
4080	11:15:38 AM	0.008
4140	11:16:38 AM	0.008
4200	11:17:38 AM	0.009
4260	11:18:38 AM	0.007
4320	11:19:38 AM	0.008
4380	11:20:38 AM	0.009

4440	11:21:38 AM	0.008
4500	11:22:38 AM	0.007
4560	11:23:38 AM	0.007
4620	11:24:38 AM	0.008
4680	11:25:38 AM	0.008
4740	11:26:38 AM	0.007
4800	11:27:38 AM	0.007
4860	11:28:38 AM	0.007
4920	11:29:38 AM	0.006
4980	11:30:38 AM	0.006
5040	11:31:38 AM	0.007
5100	11:32:38 AM	0.007
5160	11:33:38 AM	0.007
5220	11:34:38 AM	0.007
5280	11:35:38 AM	0.008
5340	11:36:38 AM	0.007
5400	11:37:38 AM	0.006
5460	11:38:38 AM	0.006
5520	11:39:38 AM	0.007
5580	11:40:38 AM	0.007
5640	11:41:38 AM	0.007
5700	11:42:38 AM	0.009
5760	11:43:38 AM	0.006
5820	11:44:38 AM	0.006
5880	11:45:38 AM	0.006
5940	11:46:38 AM	0.006
6000	11:47:38 AM	0.006
6060	11:48:38 AM	0.006
6120	11:49:38 AM	0.006
6180	11:50:38 AM	0.006
6240	11:51:38 AM	0.006
6300	11:52:38 AM	0.006
6360	11:53:38 AM	0.006
6420	11:54:38 AM	0.006
6480	11:55:38 AM	0.006
6540	11:56:38 AM	0.007
6600	11:57:38 AM	0.007
6660	11:58:38 AM	0.007
6720	11:59:38 AM	0.007
6780	12:00:38 PM	0.008
6840	12:01:38 PM	0.009
6900	12:02:38 PM	0.008
6960	12:03:38 PM	0.007
7020	12:04:38 PM	0.006
7080	12:05:38 PM	0.006
7140	12:06:38 PM	0.005
7200	12:07:38 PM	0.005

7260	12:08:38 PM	0.005
7320	12:09:38 PM	0.006
7380	12:10:38 PM	0.005
7440	12:11:38 PM	0.006
7500	12:12:38 PM	0.005
7560	12:13:38 PM	0.005
7620	12:14:38 PM	0.005
7680	12:15:38 PM	0.006
7740	12:16:38 PM	0.006
7800	12:17:38 PM	0.006
7860	12:18:38 PM	0.006
7920	12:19:38 PM	0.006
7980	12:20:38 PM	0.006
8040	12:21:38 PM	0.006
8100	12:22:38 PM	0.006
8160	12:23:38 PM	0.006
8220	12:24:38 PM	0.005
8280	12:25:38 PM	0.006
8340	12:26:38 PM	0.006
8400	12:27:38 PM	0.006
8460	12:28:38 PM	0.006
8520	12:29:38 PM	0.006
8580	12:30:38 PM	0.008
8640	12:31:38 PM	0.007
8700	12:32:38 PM	0.007
8760	12:33:38 PM	0.007
8820	12:34:38 PM	0.007
8880	12:35:38 PM	0.006
8940	12:36:38 PM	0.006
9000	12:37:38 PM	0.006
9060	12:38:38 PM	0.006
9120	12:39:38 PM	0.006
9180	12:40:38 PM	0.006
9240	12:41:38 PM	0.006
9300	12:42:38 PM	0.006
9360	12:43:38 PM	0.006
9420	12:44:38 PM	0.005
9480	12:45:38 PM	0.006
9540	12:46:38 PM	0.006
9600	12:47:38 PM	0.006
9660	12:48:38 PM	0.006
9720	12:49:38 PM	0.006
9780	12:50:38 PM	0.006
9840	12:51:38 PM	0.006
9900	12:52:38 PM	0.006
9960	12:53:38 PM	0.007
10020	12:54:38 PM	0.007

10080	12:55:38 PM	0.007
10140	12:56:38 PM	0.007
10200	12:57:38 PM	0.007
10260	12:58:38 PM	0.008
10320	12:59:38 PM	0.006
10380	1:00:38 PM	0.007
10440	1:01:38 PM	0.007
10500	1:02:38 PM	0.007
10560	1:03:38 PM	0.007
10620	1:04:38 PM	0.008
10680	1:05:38 PM	0.007
10740	1:06:38 PM	0.007
10800	1:07:38 PM	0.008
10860	1:08:38 PM	0.007
10920	1:09:38 PM	0.007
10980	1:10:38 PM	0.007
11040	1:11:38 PM	0.007
11100	1:12:38 PM	0.007
11160	1:13:38 PM	0.007
11220	1:14:38 PM	0.007
11280	1:15:38 PM	0.007
11340	1:16:38 PM	0.007
11400	1:17:38 PM	0.009
11460	1:18:38 PM	0.007
11520	1:19:38 PM	0.007
11580	1:20:38 PM	0.007
11640	1:21:38 PM	0.007
11700	1:22:38 PM	0.007
11760	1:23:38 PM	0.007
11820	1:24:38 PM	0.007
11880	1:25:38 PM	0.007
11940	1:26:38 PM	0.008
12000	1:27:38 PM	0.009
12060	1:28:38 PM	0.008
12120	1:29:38 PM	0.008
12180	1:30:38 PM	0.009
12240	1:31:38 PM	0.008
12300	1:32:38 PM	0.009
12360	1:33:38 PM	0.009
12420	1:34:38 PM	0.008
12480	1:35:38 PM	0.011
12540	1:36:38 PM	0.019
12600	1:37:38 PM	0.016
12660	1:38:38 PM	0.007
12720	1:39:38 PM	0.013
12780	1:40:38 PM	0.015
12840	1:41:38 PM	0.017

12900	1:42:38 PM	0.023
12960	1:43:38 PM	0.008
13020	1:44:38 PM	0.007
13080	1:45:38 PM	0.014
13140	1:46:38 PM	0.012
13200	1:47:38 PM	0.007
13260	1:48:38 PM	0.006
13320	1:49:38 PM	0.007
13380	1:50:38 PM	0.011
13440	1:51:38 PM	0.011
13500	1:52:38 PM	0.017
13560	1:53:38 PM	0.015
13620	1:54:38 PM	0.006
13680	1:55:38 PM	0.01
13740	1:56:38 PM	0.026
13800	1:57:38 PM	0.079
13860	1:58:38 PM	0.008
13920	1:59:38 PM	0.005
13980	2:00:38 PM	0.005
14040	2:01:38 PM	0.006
14100	2:02:38 PM	0.006
14160	2:03:38 PM	0.005
14220	2:04:38 PM	0.007
14280	2:05:38 PM	0.006
14340	2:06:38 PM	0.006
14400	2:07:38 PM	0.006
14460	2:08:38 PM	0.005
14520	2:09:38 PM	0.005
14580	2:10:38 PM	0.005
14640	2:11:38 PM	0.005
14700	2:12:38 PM	0.006
14760	2:13:38 PM	0.006
14820	2:14:38 PM	0.006
14880	2:15:38 PM	0.006
14940	2:16:38 PM	0.006
15000	2:17:38 PM	0.007
15060	2:18:38 PM	0.008
15120	2:19:38 PM	0.006
15180	2:20:38 PM	0.007
15240	2:21:38 PM	0.006
15300	2:22:38 PM	0.006
15360	2:23:38 PM	0.007
15420	2:24:38 PM	0.007
15480	2:25:38 PM	0.008
15540	2:26:38 PM	0.007
15600	2:27:38 PM	0.006
15660	2:28:38 PM	0.007

15720	2:29:38 PM	0.006
15780	2:30:38 PM	0.007
15840	2:31:38 PM	0.008
15900	2:32:38 PM	0.007
15960	2:33:38 PM	0.006
16020	2:34:38 PM	0.007
16080	2:35:38 PM	0.007
16140	2:36:38 PM	0.007
16200	2:37:38 PM	0.007
16260	2:38:38 PM	0.007
16320	2:39:38 PM	0.007