IMPACT ENVIRONMENTAL
welcome to solid ground…
170 Keyland Court| Bohemia| NY | 11716 | 631.269.8800
www.impactenvironmental.com

DAILY STATUS REPORT

Prepared By:

Thomas Stone

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85		>85		SE-2MPH

IEC Project No:	13928	**NYSDEC BCP Site No**:	C224367	**Date**: 10/23/23	
Project:	251 Douglass Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:30	**Personnel On Site:** IEEG (Environmental) – Thomas Stone Broadway Construction Group, Tom Caporale **Equipment On Site:** Minirae 3000 PID, DustTrak II

Scope of Work: Continue with site cleanup in preparation for groundbreaking. Cascade to continue with equipment mobilization for ISS Pilot Test.

Site Activities:

- Deploy CAMP at the start of the workday;
- Continue site cleanup; and
- Cascade equipment mobilization and staging prep for ISS Pilot Test, reagents delivered to fill pigs, fit drill tooling together: auger teeth and jets.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m3) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day;
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.008_ mg/m^3 @ 7:14.
- High Conditions (Upwind) – PID = _0.2_ ppm @ 07:44, Dust = _0.045_mg/m^3 @ 10:58.
- High Conditions (Downwind 1) – PID = _3.1_ ppm @ 11:57, Dust = _0.143_ mg/m^3 @ 10:23.
- High Conditions (Downwind 2) – PID = _0.2 ppm @ 09:27, Dust = _0.116_ mg/m^3 @ 09:43.

Notable Site Conditions:

- None.

Planned for the Next Day/Week:

- Cascade equipment setup/materials staging.
- Site cleanup in preparation for groundbreaking.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY

Photo 1- Representative photo of on-site activities.	
Photo 2- Additional photo of on-site activities.	

Photo 3- Representative photo Upwind CAMP station.	
Photo 4- Photo of Downwind CAMP station #1.	

SITE PLAN

251 DOUGLASS STREET, BROOKLYN, NY


BUTLER STREET
NEVINS STREET
DOUGLAS STREET
EXISTING 4 STORY BUILDING
VACANT
EXISTING 2 STORY BUILDING
EXISTING 2 STORY BUILDING
EXISTING 2 STORY BUILDING
EXISTING 1 STORY BUILDING
Upwind CAMP station
3,000 GALLON UST
1 STORY BRICK BUILDING
Downwind 2 CAMP station
VACANT
Downwind 1 CAMP station
2 STORY BRICK
CELLAR
1 STORY BRICK
EXISTING 2 STORY BUILDING
EXISTING 1 STORY BUILDING
LEGEND
PROPERTY LINE
0'
30'
60'
NOTES:
FIGURE 2:
SITE BOUNDARY
251 Douglas Street
Brooklyn, New York
Figure No: 02
IMPACT ENVIRONMENTAL CLOSURES, INC.
170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_006
Test Start Time	7:00:14 AM
Test Start Date	10/23/2023
Test Length [D:H:M]	0:07:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.045
Mass TWA [mg/m3]	0.005
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	420

Elapsed Time [s]	Time	Mass [mg/m3]	Alarms	Errors
0	7:00:14 AM			
60	7:01:14 AM	0.008		
120	7:02:14 AM	0.004		
180	7:03:14 AM	0.004		
240	7:04:14 AM	0.003		
300	7:05:14 AM	0.003		
360	7:06:14 AM	0.002		
420	7:07:14 AM	0.003		
480	7:08:14 AM	0.004		
540	7:09:14 AM	0.005		
600	7:10:14 AM	0.004		
660	7:11:14 AM	0.003		
720	7:12:14 AM	0.004		
780	7:13:14 AM	0.003		
840	7:14:14 AM	0.003		
900	7:15:14 AM	0.003		
960	7:16:14 AM	0.003		
1020	7:17:14 AM	0.003		
1080	7:18:14 AM	0.005		
1140	7:19:14 AM	0.004		
1200	7:20:14 AM	0.003		
1260	7:21:14 AM	0.003		
1320	7:22:14 AM	0.005		
1380	7:23:14 AM	0.005		
1440	7:24:14 AM	0.003		
1500	7:25:14 AM	0.003		
1560	7:26:14 AM	0.004		

1620	7:27:14 AM	0.005
1680	7:28:14 AM	0.004
1740	7:29:14 AM	0.005
1800	7:30:14 AM	0.005
1860	7:31:14 AM	0.003
1920	7:32:14 AM	0.003
1980	7:33:14 AM	0.004
2040	7:34:14 AM	0.004
2100	7:35:14 AM	0.004
2160	7:36:14 AM	0.003
2220	7:37:14 AM	0.004
2280	7:38:14 AM	0.005
2340	7:39:14 AM	0.003
2400	7:40:14 AM	0.005
2460	7:41:14 AM	0.005
2520	7:42:14 AM	0.003
2580	7:43:14 AM	0.003
2640	7:44:14 AM	0.005
2700	7:45:14 AM	0.013
2760	7:46:14 AM	0.006
2820	7:47:14 AM	0.005
2880	7:48:14 AM	0.004
2940	7:49:14 AM	0.005
3000	7:50:14 AM	0.004
3060	7:51:14 AM	0.004
3120	7:52:14 AM	0.005
3180	7:53:14 AM	0.005
3240	7:54:14 AM	0.004
3300	7:55:14 AM	0.004
3360	7:56:14 AM	0.004
3420	7:57:14 AM	0.008
3480	7:58:14 AM	0.004
3540	7:59:14 AM	0.005
3600	8:00:14 AM	0.005
3660	8:01:14 AM	0.005
3720	8:02:14 AM	0.005
3780	8:03:14 AM	0.009
3840	8:04:14 AM	0.007
3900	8:05:14 AM	0.005
3960	8:06:14 AM	0.006
4020	8:07:14 AM	0.005
4080	8:08:14 AM	0.005
4140	8:09:14 AM	0.004
4200	8:10:14 AM	0.005
4260	8:11:14 AM	0.011
4320	8:12:14 AM	0.008
4380	8:13:14 AM	0.005

4440	8:14:14 AM	0.004
4500	8:15:14 AM	0.004
4560	8:16:14 AM	0.005
4620	8:17:14 AM	0.006
4680	8:18:14 AM	0.005
4740	8:19:14 AM	0.006
4800	8:20:14 AM	0.005
4860	8:21:14 AM	0.005
4920	8:22:14 AM	0.005
4980	8:23:14 AM	0.009
5040	8:24:14 AM	0.013
5100	8:25:14 AM	0.009
5160	8:26:14 AM	0.007
5220	8:27:14 AM	0.008
5280	8:28:14 AM	0.006
5340	8:29:14 AM	0.004
5400	8:30:14 AM	0.004
5460	8:31:14 AM	0.006
5520	8:32:14 AM	0.008
5580	8:33:14 AM	0.007
5640	8:34:14 AM	0.006
5700	8:35:14 AM	0.005
5760	8:36:14 AM	0.006
5820	8:37:14 AM	0.006
5880	8:38:14 AM	0.004
5940	8:39:14 AM	0.005
6000	8:40:14 AM	0.004
6060	8:41:14 AM	0.004
6120	8:42:14 AM	0.004
6180	8:43:14 AM	0.006
6240	8:44:14 AM	0.006
6300	8:45:14 AM	0.004
6360	8:46:14 AM	0.004
6420	8:47:14 AM	0.005
6480	8:48:14 AM	0.006
6540	8:49:14 AM	0.006
6600	8:50:14 AM	0.006
6660	8:51:14 AM	0.005
6720	8:52:14 AM	0.005
6780	8:53:14 AM	0.005
6840	8:54:14 AM	0.005
6900	8:55:14 AM	0.004
6960	8:56:14 AM	0.004
7020	8:57:14 AM	0.006
7080	8:58:14 AM	0.007
7140	8:59:14 AM	0.005
7200	9:00:14 AM	0.005

7260	9:01:14 AM	0.005
7320	9:02:14 AM	0.005
7380	9:03:14 AM	0.005
7440	9:04:14 AM	0.004
7500	9:05:14 AM	0.004
7560	9:06:14 AM	0.006
7620	9:07:14 AM	0.005
7680	9:08:14 AM	0.005
7740	9:09:14 AM	0.005
7800	9:10:14 AM	0.005
7860	9:11:14 AM	0.004
7920	9:12:14 AM	0.005
7980	9:13:14 AM	0.005
8040	9:14:14 AM	0.005
8100	9:15:14 AM	0.006
8160	9:16:14 AM	0.005
8220	9:17:14 AM	0.005
8280	9:18:14 AM	0.005
8340	9:19:14 AM	0.005
8400	9:20:14 AM	0.004
8460	9:21:14 AM	0.005
8520	9:22:14 AM	0.004
8580	9:23:14 AM	0.006
8640	9:24:14 AM	0.005
8700	9:25:14 AM	0.009
8760	9:26:14 AM	0.007
8820	9:27:14 AM	0.005
8880	9:28:14 AM	0.009
8940	9:29:14 AM	0.009
9000	9:30:14 AM	0.004
9060	9:31:14 AM	0.005
9120	9:32:14 AM	0.006
9180	9:33:14 AM	0.006
9240	9:34:14 AM	0.004
9300	9:35:14 AM	0.004
9360	9:36:14 AM	0.004
9420	9:37:14 AM	0.004
9480	9:38:14 AM	0.006
9540	9:39:14 AM	0.006
9600	9:40:14 AM	0.005
9660	9:41:14 AM	0.005
9720	9:42:14 AM	0.005
9780	9:43:14 AM	0.005
9840	9:44:14 AM	0.005
9900	9:45:14 AM	0.005
9960	9:46:14 AM	0.004
10020	9:47:14 AM	0.007

10080	9:48:14 AM	0.009
10140	9:49:14 AM	0.006
10200	9:50:14 AM	0.005
10260	9:51:14 AM	0.004
10320	9:52:14 AM	0.004
10380	9:53:14 AM	0.004
10440	9:54:14 AM	0.004
10500	9:55:14 AM	0.003
10560	9:56:14 AM	0.004
10620	9:57:14 AM	0.004
10680	9:58:14 AM	0.004
10740	9:59:14 AM	0.004
10800	10:00:14 AM	0.005
10860	10:01:14 AM	0.005
10920	10:02:14 AM	0.005
10980	10:03:14 AM	0.007
11040	10:04:14 AM	0.005
11100	10:05:14 AM	0.004
11160	10:06:14 AM	0.004
11220	10:07:14 AM	0.005
11280	10:08:14 AM	0.005
11340	10:09:14 AM	0.007
11400	10:10:14 AM	0.005
11460	10:11:14 AM	0.005
11520	10:12:14 AM	0.006
11580	10:13:14 AM	0.017
11640	10:14:14 AM	0.013
11700	10:15:14 AM	0.007
11760	10:16:14 AM	0.007
11820	10:17:14 AM	0.007
11880	10:18:14 AM	0.006
11940	10:19:14 AM	0.005
12000	10:20:14 AM	0.009
12060	10:21:14 AM	0.007
12120	10:22:14 AM	0.013
12180	10:23:14 AM	0.008
12240	10:24:14 AM	0.006
12300	10:25:14 AM	0.007
12360	10:26:14 AM	0.005
12420	10:27:14 AM	0.008
12480	10:28:14 AM	0.011
12540	10:29:14 AM	0.012
12600	10:30:14 AM	0.012
12660	10:31:14 AM	0.01
12720	10:32:14 AM	0.009
12780	10:33:14 AM	0.018
12840	10:34:14 AM	0.006

12900	10:35:14 AM	0.013
12960	10:36:14 AM	0.012
13020	10:37:14 AM	0.006
13080	10:38:14 AM	0.007
13140	10:39:14 AM	0.012
13200	10:40:14 AM	0.012
13260	10:41:14 AM	0.006
13320	10:42:14 AM	0.006
13380	10:43:14 AM	0.006
13440	10:44:14 AM	0.006
13500	10:45:14 AM	0.005
13560	10:46:14 AM	0.006
13620	10:47:14 AM	0.006
13680	10:48:14 AM	0.005
13740	10:49:14 AM	0.005
13800	10:50:14 AM	0.004
13860	10:51:14 AM	0.005
13920	10:52:14 AM	0.005
13980	10:53:14 AM	0.005
14040	10:54:14 AM	0.016
14100	10:55:14 AM	0.026
14160	10:56:14 AM	0.011
14220	10:57:14 AM	0.007
14280	10:58:14 AM	0.045
14340	10:59:14 AM	0.017
14400	11:00:14 AM	0.006
14460	11:01:14 AM	0.006
14520	11:02:14 AM	0.006
14580	11:03:14 AM	0.006
14640	11:04:14 AM	0.006
14700	11:05:14 AM	0.007
14760	11:06:14 AM	0.009
14820	11:07:14 AM	0.012
14880	11:08:14 AM	0.007
14940	11:09:14 AM	0.006
15000	11:10:14 AM	0.006
15060	11:11:14 AM	0.005
15120	11:12:14 AM	0.037
15180	11:13:14 AM	0.005
15240	11:14:14 AM	0.013
15300	11:15:14 AM	0.017
15360	11:16:14 AM	0.006
15420	11:17:14 AM	0.008
15480	11:18:14 AM	0.007
15540	11:19:14 AM	0.008
15600	11:20:14 AM	0.008
15660	11:21:14 AM	0.006

15720	11:22:14 AM	0.01
15780	11:23:14 AM	0.006
15840	11:24:14 AM	0.006
15900	11:25:14 AM	0.009
15960	11:26:14 AM	0.011
16020	11:27:14 AM	0.008
16080	11:28:14 AM	0.011
16140	11:29:14 AM	0.016
16200	11:30:14 AM	0.01
16260	11:31:14 AM	0.006
16320	11:32:14 AM	0.006
16380	11:33:14 AM	0.012
16440	11:34:14 AM	0.01
16500	11:35:14 AM	0.006
16560	11:36:14 AM	0.006
16620	11:37:14 AM	0.004
16680	11:38:14 AM	0.005
16740	11:39:14 AM	0.008
16800	11:40:14 AM	0.007
16860	11:41:14 AM	0.005
16920	11:42:14 AM	0.005
16980	11:43:14 AM	0.005
17040	11:44:14 AM	0.005
17100	11:45:14 AM	0.006
17160	11:46:14 AM	0.005
17220	11:47:14 AM	0.013
17280	11:48:14 AM	0.007
17340	11:49:14 AM	0.008
17400	11:50:14 AM	0.009
17460	11:51:14 AM	0.008
17520	11:52:14 AM	0.007
17580	11:53:14 AM	0.008
17640	11:54:14 AM	0.006
17700	11:55:14 AM	0.006
17760	11:56:14 AM	0.029
17820	11:57:14 AM	0.006
17880	11:58:14 AM	0.006
17940	11:59:14 AM	0.006
18000	12:00:14 PM	0.006
18060	12:01:14 PM	0.005
18120	12:02:14 PM	0.005
18180	12:03:14 PM	0.004
18240	12:04:14 PM	0.005
18300	12:05:14 PM	0.005
18360	12:06:14 PM	0.005
18420	12:07:14 PM	0.005
18480	12:08:14 PM	0.005

18540	12:09:14 PM	0.009
18600	12:10:14 PM	0.012
18660	12:11:14 PM	0.008
18720	12:12:14 PM	0.006
18780	12:13:14 PM	0.005
18840	12:14:14 PM	0.005
18900	12:15:14 PM	0.006
18960	12:16:14 PM	0.012
19020	12:17:14 PM	0.005
19080	12:18:14 PM	0.006
19140	12:19:14 PM	0.007
19200	12:20:14 PM	0.005
19260	12:21:14 PM	0.007
19320	12:22:14 PM	0.006
19380	12:23:14 PM	0.02
19440	12:24:14 PM	0.005
19500	12:25:14 PM	0.004
19560	12:26:14 PM	0.01
19620	12:27:14 PM	0.008
19680	12:28:14 PM	0.005
19740	12:29:14 PM	0.006
19800	12:30:14 PM	0.005
19860	12:31:14 PM	0.005
19920	12:32:14 PM	0.004
19980	12:33:14 PM	0.004
20040	12:34:14 PM	0.004
20100	12:35:14 PM	0.005
20160	12:36:14 PM	0.004
20220	12:37:14 PM	0.004
20280	12:38:14 PM	0.005
20340	12:39:14 PM	0.005
20400	12:40:14 PM	0.004
20460	12:41:14 PM	0.007
20520	12:42:14 PM	0.005
20580	12:43:14 PM	0.005
20640	12:44:14 PM	0.005
20700	12:45:14 PM	0.005
20760	12:46:14 PM	0.005
20820	12:47:14 PM	0.004
20880	12:48:14 PM	0.005
20940	12:49:14 PM	0.004
21000	12:50:14 PM	0.007
21060	12:51:14 PM	0.004
21120	12:52:14 PM	0.004
21180	12:53:14 PM	0.004
21240	12:54:14 PM	0.004
21300	12:55:14 PM	0.004

21360	12:56:14 PM	0.005
21420	12:57:14 PM	0.005
21480	12:58:14 PM	0.006
21540	12:59:14 PM	0.009
21600	1:00:14 PM	0.005
21660	1:01:14 PM	0.006
21720	1:02:14 PM	0.004
21780	1:03:14 PM	0.004
21840	1:04:14 PM	0.004
21900	1:05:14 PM	0.005
21960	1:06:14 PM	0.004
22020	1:07:14 PM	0.006
22080	1:08:14 PM	0.006
22140	1:09:14 PM	0.008
22200	1:10:14 PM	0.006
22260	1:11:14 PM	0.005
22320	1:12:14 PM	0.005
22380	1:13:14 PM	0.004
22440	1:14:14 PM	0.004
22500	1:15:14 PM	0.005
22560	1:16:14 PM	0.005
22620	1:17:14 PM	0.006
22680	1:18:14 PM	0.006
22740	1:19:14 PM	0.004
22800	1:20:14 PM	0.004
22860	1:21:14 PM	0.004
22920	1:22:14 PM	0.005
22980	1:23:14 PM	0.007
23040	1:24:14 PM	0.007
23100	1:25:14 PM	0.006
23160	1:26:14 PM	0.005
23220	1:27:14 PM	0.006
23280	1:28:14 PM	0.006
23340	1:29:14 PM	0.005
23400	1:30:14 PM	0.006
23460	1:31:14 PM	0.006
23520	1:32:14 PM	0.006
23580	1:33:14 PM	0.006
23640	1:34:14 PM	0.005
23700	1:35:14 PM	0.005
23760	1:36:14 PM	0.005
23820	1:37:14 PM	0.008
23880	1:38:14 PM	0.006
23940	1:39:14 PM	0.004
24000	1:40:14 PM	0.007
24060	1:41:14 PM	0.006
24120	1:42:14 PM	0.005

24180	1:43:14 PM	0.005
24240	1:44:14 PM	0.005
24300	1:45:14 PM	0.004
24360	1:46:14 PM	0.004
24420	1:47:14 PM	0.006
24480	1:48:14 PM	0.005
24540	1:49:14 PM	0.006
24600	1:50:14 PM	0.012
24660	1:51:14 PM	0.006
24720	1:52:14 PM	0.005
24780	1:53:14 PM	0.007
24840	1:54:14 PM	0.007
24900	1:55:14 PM	0.007
24960	1:56:14 PM	0.006
25020	1:57:14 PM	0.005
25080	1:58:14 PM	0.006
25140	1:59:14 PM	0.006
25200	2:00:14 PM	0.006

Account Number	Account Name	Account Sub Type	Account Parent	Account Type	Account Subtype	Journal Type	Journal Number	Journal Memo	Journal Reference	Journal Date	Journal Currency	Journal Amount	Journal Amount (Reporting Currency)	Journal Exchange Rate	Journal Tax Code	Journal Tax Amount	Journal Tax Amount (Reporting Currency)	Journal Tax Exchange Rate	Journal Tax Rate	Journal Tax Rate Name	Journal Tax Type	Journal Tax Grid	Journal Tax Basis Amount	Journal Tax Basis Amount (Reporting Currency)	Journal Tax Basis Exchange Rate	Journal Tax Basis Tax Rate	Journal Tax Basis Tax Rate Name	Journal Tax Basis Tax Type	Journal Tax Basis Tax Grid
900-40000	Sales			Revenue		Sales	1		INV/2021/00001	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	2		INV/2021/00002	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	3		INV/2021/00003	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	4		INV/2021/00004	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	5		INV/2021/00005	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	6		INV/2021/00006	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	7		INV/2021/00007	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	8		INV/2021/00008	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	9		INV/2021/00009	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	10		INV/2021/00010	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	11		INV/2021/00011	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	12		INV/2021/00012	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	13		INV/2021/00013	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	14		INV/2021/00014	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	15		INV/2021/00015	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	16		INV/2021/00016	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	17		INV/2021/00017	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	18		INV/2021/00018	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	19		INV/2021/00019	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	20		INV/2021/00020	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	21		INV/2021/00021	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	22		INV/2021/00022	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	23		INV/2021/00023	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	24		INV/2021/00024	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	25		INV/2021/00025	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	26		INV/2021/00026	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	27		INV/2021/00027	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	28		INV/2021/00028	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	29		INV/2021/00029	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	30		INV/2021/00030	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	31		INV/2021/00031	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	32		INV/2021/00032	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	33		INV/2021/00033	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	34		INV/2021/00034	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	35		INV/2021/00035	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	36		INV/2021/00036	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	37		INV/2021/00037	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	38		INV/2021/00038	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	39		INV/2021/00039	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	40		INV/2021/00040	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	41		INV/2021/00041	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	42		INV/2021/00042	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	43		INV/2021/00043	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	44		INV/2021/00044	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	45		INV/2021/00045	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	46		INV/2021/00046	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	47		INV/2021/00047	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	48		INV/2021/00048	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	49		INV/2021/00049	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	50		INV/2021/00050	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	51		INV/2021/00051	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	52		INV/2021/00052	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	53		INV/2021/00053	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	54		INV/2021/00054	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	55		INV/2021/00055	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	56		INV/2021/00056	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	57		INV/2021/00057	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	58		INV/2021/00058	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	59		INV/2021/00059	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	60		INV/2021/00060	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	61		INV/2021/00061	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	62		INV/2021/00062	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	63		INV/2021/00063	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	64		INV/2021/00064	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	65		INV/2021/00065	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	66		INV/2021/00066	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	67		INV/2021/00067	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	68		INV/2021/00068	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	69		INV/2021/00069	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	70		INV/2021/00070	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	71		INV/2021/00071	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	72		INV/2021/00072	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	73		INV/2021/00073	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	74		INV/2021/00074	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	75		INV/2021/00075	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	76		INV/2021/00076	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	77		INV/2021/00077	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	78		INV/2021/00078	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	79		INV/2021/00079	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	80		INV/2021/00080	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	81		INV/2021/00081	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	82		INV/2021/00082	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	83		INV/2021/00083	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	84		INV/2021/00084	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	85		INV/2021/00085	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	86		INV/2021/00086	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	87		INV/2021/00087	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	88		INV/2021/00088	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	89		INV/2021/00089	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	90		INV/2021/00090	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	91		INV/2021/00091	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	92		INV/2021/00092	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	93		INV/2021/00093	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	94		INV/2021/00094	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	95		INV/2021/00095	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	96		INV/2021/00096	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	97		INV/2021/00097	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	98		INV/2021/00098	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	99		INV/2021/00099	31/01/2021	USD	-1000	-1000	1															
900-40000	Sales			Revenue		Sales	100		INV/2021/00100	31/01/2021	USD	-1000	-1000	1															

| | | |

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530100909
Firmware Version	3.1
Calibration Date	7/24/2023
Test Name	MANUAL_006
Test Start Time	7:03:14 AM
Test Start Date	10/23/2023
Test Length [D:H:M]	0:07:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.143
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	420

Elapsed Time [s]	Time	Mass [mg/m3]	Alarms	Errors
0	7:03:14 AM			
60	7:04:14 AM	0.002		
120	7:05:14 AM	0.001		
180	7:06:14 AM	0		
240	7:07:14 AM	0.001		
300	7:08:14 AM	0.004		
360	7:09:14 AM	0.003		
420	7:10:14 AM	0.002		
480	7:11:14 AM	0.001		
540	7:12:14 AM	0.001		
600	7:13:14 AM	0.001		
660	7:14:14 AM	0		
720	7:15:14 AM	0		
780	7:16:14 AM	0		
840	7:17:14 AM	0		
900	7:18:14 AM	0		
960	7:19:14 AM	0.001		
1020	7:20:14 AM	0.001		
1080	7:21:14 AM	0		
1140	7:22:14 AM	0.002		
1200	7:23:14 AM	0.002		
1260	7:24:14 AM	0.001		
1320	7:25:14 AM	0		
1380	7:26:14 AM	0.001		
1440	7:27:14 AM	0.002		
1500	7:28:14 AM	0.003		
1560	7:29:14 AM	0.002		

1620	7:30:14 AM	0.004
1680	7:31:14 AM	0
1740	7:32:14 AM	0.001
1800	7:33:14 AM	0.003
1860	7:34:14 AM	0.01
1920	7:35:14 AM	0.002
1980	7:36:14 AM	0.001
2040	7:37:14 AM	0.001
2100	7:38:14 AM	0.006
2160	7:39:14 AM	0.005
2220	7:40:14 AM	0.001
2280	7:41:14 AM	0.003
2340	7:42:14 AM	0
2400	7:43:14 AM	0.042
2460	7:44:14 AM	0.082
2520	7:45:14 AM	0.014
2580	7:46:14 AM	0.009
2640	7:47:14 AM	0.006
2700	7:48:14 AM	0.003
2760	7:49:14 AM	0.002
2820	7:50:14 AM	0.003
2880	7:51:14 AM	0.003
2940	7:52:14 AM	0.004
3000	7:53:14 AM	0.002
3060	7:54:14 AM	0.002
3120	7:55:14 AM	0.002
3180	7:56:14 AM	0.008
3240	7:57:14 AM	0.008
3300	7:58:14 AM	0.007
3360	7:59:14 AM	0.003
3420	8:00:14 AM	0.004
3480	8:01:14 AM	0.024
3540	8:02:14 AM	0.028
3600	8:03:14 AM	0.016
3660	8:04:14 AM	0.006
3720	8:05:14 AM	0.025
3780	8:06:14 AM	0.017
3840	8:07:14 AM	0.008
3900	8:08:14 AM	0.012
3960	8:09:14 AM	0.006
4020	8:10:14 AM	0.062
4080	8:11:14 AM	0.024
4140	8:12:14 AM	0.006
4200	8:13:14 AM	0.003
4260	8:14:14 AM	0.013
4320	8:15:14 AM	0.011
4380	8:16:14 AM	0.006

4440	8:17:14 AM	0.005
4500	8:18:14 AM	0.006
4560	8:19:14 AM	0.008
4620	8:20:14 AM	0.005
4680	8:21:14 AM	0.006
4740	8:22:14 AM	0.006
4800	8:23:14 AM	0.041
4860	8:24:14 AM	0.017
4920	8:25:14 AM	0.007
4980	8:26:14 AM	0.005
5040	8:27:14 AM	0.012
5100	8:28:14 AM	0.004
5160	8:29:14 AM	0.004
5220	8:30:14 AM	0.011
5280	8:31:14 AM	0.037
5340	8:32:14 AM	0.034
5400	8:33:14 AM	0.008
5460	8:34:14 AM	0.004
5520	8:35:14 AM	0.004
5580	8:36:14 AM	0.003
5640	8:37:14 AM	0.003
5700	8:38:14 AM	0.007
5760	8:39:14 AM	0.003
5820	8:40:14 AM	0
5880	8:41:14 AM	0.001
5940	8:42:14 AM	0.001
6000	8:43:14 AM	0.001
6060	8:44:14 AM	0.007
6120	8:45:14 AM	0.01
6180	8:46:14 AM	0.003
6240	8:47:14 AM	0.002
6300	8:48:14 AM	0.003
6360	8:49:14 AM	0.004
6420	8:50:14 AM	0.004
6480	8:51:14 AM	0.003
6540	8:52:14 AM	0.003
6600	8:53:14 AM	0.003
6660	8:54:14 AM	0.003
6720	8:55:14 AM	0.003
6780	8:56:14 AM	0.002
6840	8:57:14 AM	0.004
6900	8:58:14 AM	0.005
6960	8:59:14 AM	0.006
7020	9:00:14 AM	0.005
7080	9:01:14 AM	0.005
7140	9:02:14 AM	0.005
7200	9:03:14 AM	0.008

7260	9:04:14 AM	0.007
7320	9:05:14 AM	0.009
7380	9:06:14 AM	0.011
7440	9:07:14 AM	0.005
7500	9:08:14 AM	0.006
7560	9:09:14 AM	0.004
7620	9:10:14 AM	0.002
7680	9:11:14 AM	0.003
7740	9:12:14 AM	0.003
7800	9:13:14 AM	0.001
7860	9:14:14 AM	0.001
7920	9:15:14 AM	0.001
7980	9:16:14 AM	0.001
8040	9:17:14 AM	0.001
8100	9:18:14 AM	0.001
8160	9:19:14 AM	0.001
8220	9:20:14 AM	0.002
8280	9:21:14 AM	0.003
8340	9:22:14 AM	0.003
8400	9:23:14 AM	0.004
8460	9:24:14 AM	0.006
8520	9:25:14 AM	0.029
8580	9:26:14 AM	0.008
8640	9:27:14 AM	0.008
8700	9:28:14 AM	0.017
8760	9:29:14 AM	0.003
8820	9:30:14 AM	0.002
8880	9:31:14 AM	0.001
8940	9:32:14 AM	0.002
9000	9:33:14 AM	0.02
9060	9:34:14 AM	0.003
9120	9:35:14 AM	0.002
9180	9:36:14 AM	0.007
9240	9:37:14 AM	0.004
9300	9:38:14 AM	0.016
9360	9:39:14 AM	0.01
9420	9:40:14 AM	0.019
9480	9:41:14 AM	0.007
9540	9:42:14 AM	0.004
9600	9:43:14 AM	0.005
9660	9:44:14 AM	0.008
9720	9:45:14 AM	0.007
9780	9:46:14 AM	0.004
9840	9:47:14 AM	0.029
9900	9:48:14 AM	0.008
9960	9:49:14 AM	0.003
10020	9:50:14 AM	0.003

10080	9:51:14 AM	0.007
10140	9:52:14 AM	0.011
10200	9:53:14 AM	0.002
10260	9:54:14 AM	0
10320	9:55:14 AM	0
10380	9:56:14 AM	0
10440	9:57:14 AM	0.001
10500	9:58:14 AM	0.006
10560	9:59:14 AM	0.012
10620	10:00:14 AM	0.001
10680	10:01:14 AM	0.001
10740	10:02:14 AM	0.018
10800	10:03:14 AM	0.017
10860	10:04:14 AM	0.001
10920	10:05:14 AM	0.001
10980	10:06:14 AM	0
11040	10:07:14 AM	0.002
11100	10:08:14 AM	0.012
11160	10:09:14 AM	0.004
11220	10:10:14 AM	0.015
11280	10:11:14 AM	0.002
11340	10:12:14 AM	0.001
11400	10:13:14 AM	0.007
11460	10:14:14 AM	0.008
11520	10:15:14 AM	0.003
11580	10:16:14 AM	0.003
11640	10:17:14 AM	0.002
11700	10:18:14 AM	0.032
11760	10:19:14 AM	0.014
11820	10:20:14 AM	0.011
11880	10:21:14 AM	0.081
11940	10:22:14 AM	0.042
12000	10:23:14 AM	0.143
12060	10:24:14 AM	0.037
12120	10:25:14 AM	0.063
12180	10:26:14 AM	0.054
12240	10:27:14 AM	0.016
12300	10:28:14 AM	0.029
12360	10:29:14 AM	0.015
12420	10:30:14 AM	0.03
12480	10:31:14 AM	0.04
12540	10:32:14 AM	0.139
12600	10:33:14 AM	0.095
12660	10:34:14 AM	0.094
12720	10:35:14 AM	0.012
12780	10:36:14 AM	0.013
12840	10:37:14 AM	0.005

12900	10:38:14 AM	0.008
12960	10:39:14 AM	0.007
13020	10:40:14 AM	0.003
13080	10:41:14 AM	0.006
13140	10:42:14 AM	0.004
13200	10:43:14 AM	0.002
13260	10:44:14 AM	0.001
13320	10:45:14 AM	0.001
13380	10:46:14 AM	0.005
13440	10:47:14 AM	0.001
13500	10:48:14 AM	0.001
13560	10:49:14 AM	0.001
13620	10:50:14 AM	0.003
13680	10:51:14 AM	0.002
13740	10:52:14 AM	0.003
13800	10:53:14 AM	0.126
13860	10:54:14 AM	0.057
13920	10:55:14 AM	0.039
13980	10:56:14 AM	0.009
14040	10:57:14 AM	0.035
14100	10:58:14 AM	0.019
14160	10:59:14 AM	0.01
14220	11:00:14 AM	0.013
14280	11:01:14 AM	0.011
14340	11:02:14 AM	0.005
14400	11:03:14 AM	0.007
14460	11:04:14 AM	0.006
14520	11:05:14 AM	0.07
14580	11:06:14 AM	0.048
14640	11:07:14 AM	0.042
14700	11:08:14 AM	0.008
14760	11:09:14 AM	0.004
14820	11:10:14 AM	0.007
14880	11:11:14 AM	0.081
14940	11:12:14 AM	0.016
15000	11:13:14 AM	0.01
15060	11:14:14 AM	0.082
15120	11:15:14 AM	0.012
15180	11:16:14 AM	0.019
15240	11:17:14 AM	0.016
15300	11:18:14 AM	0.008
15360	11:19:14 AM	0.004
15420	11:20:14 AM	0.008
15480	11:21:14 AM	0.04
15540	11:22:14 AM	0.007
15600	11:23:14 AM	0.017
15660	11:24:14 AM	0.074

15720	11:25:14 AM	0.006
15780	11:26:14 AM	0.024
15840	11:27:14 AM	0.012
15900	11:28:14 AM	0.006
15960	11:29:14 AM	0.013
16020	11:30:14 AM	0.005
16080	11:31:14 AM	0.007
16140	11:32:14 AM	0.01
16200	11:33:14 AM	0.005
16260	11:34:14 AM	0.086
16320	11:35:14 AM	0.019
16380	11:36:14 AM	0.007
16440	11:37:14 AM	0.016
16500	11:38:14 AM	0.041
16560	11:39:14 AM	0.102
16620	11:40:14 AM	0.006
16680	11:41:14 AM	0.007
16740	11:42:14 AM	0.009
16800	11:43:14 AM	0.006
16860	11:44:14 AM	0.003
16920	11:45:14 AM	0.004
16980	11:46:14 AM	0.005
17040	11:47:14 AM	0.005
17100	11:48:14 AM	0.006
17160	11:49:14 AM	0.009
17220	11:50:14 AM	0.078
17280	11:51:14 AM	0.062
17340	11:52:14 AM	0.09
17400	11:53:14 AM	0.006
17460	11:54:14 AM	0.005
17520	11:55:14 AM	0.007
17580	11:56:14 AM	0.012
17640	11:57:14 AM	0.005
17700	11:58:14 AM	0.04
17760	11:59:14 AM	0.005
17820	12:00:14 PM	0.003
17880	12:01:14 PM	0.004
17940	12:02:14 PM	0.004
18000	12:03:14 PM	0.002
18060	12:04:14 PM	0.003
18120	12:05:14 PM	0.003
18180	12:06:14 PM	0.002
18240	12:07:14 PM	0.008
18300	12:08:14 PM	0.033
18360	12:09:14 PM	0.102
18420	12:10:14 PM	0.01
18480	12:11:14 PM	0.014

18540	12:12:14 PM	0.004
18600	12:13:14 PM	0.011
18660	12:14:14 PM	0.019
18720	12:15:14 PM	0.006
18780	12:16:14 PM	0.009
18840	12:17:14 PM	0.082
18900	12:18:14 PM	0.013
18960	12:19:14 PM	0.009
19020	12:20:14 PM	0.054
19080	12:21:14 PM	0.04
19140	12:22:14 PM	0.006
19200	12:23:14 PM	0.017
19260	12:24:14 PM	0.002
19320	12:25:14 PM	0.003
19380	12:26:14 PM	0.107
19440	12:27:14 PM	0.007
19500	12:28:14 PM	0.002
19560	12:29:14 PM	0.002
19620	12:30:14 PM	0.002
19680	12:31:14 PM	0.002
19740	12:32:14 PM	0.002
19800	12:33:14 PM	0.004
19860	12:34:14 PM	0.006
19920	12:35:14 PM	0.002
19980	12:36:14 PM	0.001
20040	12:37:14 PM	0.002
20100	12:38:14 PM	0.024
20160	12:39:14 PM	0.021
20220	12:40:14 PM	0.003
20280	12:41:14 PM	0.003
20340	12:42:14 PM	0.011
20400	12:43:14 PM	0.003
20460	12:44:14 PM	0.004
20520	12:45:14 PM	0.007
20580	12:46:14 PM	0.003
20640	12:47:14 PM	0.012
20700	12:48:14 PM	0.002
20760	12:49:14 PM	0.002
20820	12:50:14 PM	0.001
20880	12:51:14 PM	0.009
20940	12:52:14 PM	0.002
21000	12:53:14 PM	0.002
21060	12:54:14 PM	0.002
21120	12:55:14 PM	0.005
21180	12:56:14 PM	0.006
21240	12:57:14 PM	0.013
21300	12:58:14 PM	0.022

21360	12:59:14 PM	0.01
21420	1:00:14 PM	0.003
21480	1:01:14 PM	0.005
21540	1:02:14 PM	0.002
21600	1:03:14 PM	0.002
21660	1:04:14 PM	0.004
21720	1:05:14 PM	0.004
21780	1:06:14 PM	0.005
21840	1:07:14 PM	0.004
21900	1:08:14 PM	0.004
21960	1:09:14 PM	0.003
22020	1:10:14 PM	0.006
22080	1:11:14 PM	0.004
22140	1:12:14 PM	0.007
22200	1:13:14 PM	0.003
22260	1:14:14 PM	0.002
22320	1:15:14 PM	0.002
22380	1:16:14 PM	0.006
22440	1:17:14 PM	0.004
22500	1:18:14 PM	0.006
22560	1:19:14 PM	0.003
22620	1:20:14 PM	0.006
22680	1:21:14 PM	0.004
22740	1:22:14 PM	0.006
22800	1:23:14 PM	0.003
22860	1:24:14 PM	0.007
22920	1:25:14 PM	0.021
22980	1:26:14 PM	0.008
23040	1:27:14 PM	0.003
23100	1:28:14 PM	0.004
23160	1:29:14 PM	0.001
23220	1:30:14 PM	0.002
23280	1:31:14 PM	0.004
23340	1:32:14 PM	0.003
23400	1:33:14 PM	0.021
23460	1:34:14 PM	0.002
23520	1:35:14 PM	0.003
23580	1:36:14 PM	0.013
23640	1:37:14 PM	0.002
23700	1:38:14 PM	0.01
23760	1:39:14 PM	0.008
23820	1:40:14 PM	0.004
23880	1:41:14 PM	0.001
23940	1:42:14 PM	0.002
24000	1:43:14 PM	0.006
24060	1:44:14 PM	0.002
24120	1:45:14 PM	0.002

24180	1:46:14 PM	0.005
24240	1:47:14 PM	0.002
24300	1:48:14 PM	0.001
24360	1:49:14 PM	0.005
24420	1:50:14 PM	0.005
24480	1:51:14 PM	0.004
24540	1:52:14 PM	0.004
24600	1:53:14 PM	0.008
24660	1:54:14 PM	0.005
24720	1:55:14 PM	0.006
24780	1:56:14 PM	0.006
24840	1:57:14 PM	0.005
24900	1:58:14 PM	0.004
24960	1:59:14 PM	0.005
25020	2:00:14 PM	0.005
25080	2:01:14 PM	0.005
25140	2:02:14 PM	0.007
25200	2:03:14 PM	0.003

Device Serial No	Log Time	Log Type	Log Interval	Sensor 1 Type	Sensor 1 Display Unit	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading	Sensor 1 Average Reading	Sensor 1 Maximum Reading	Sensor 1 Minimum Reading	Sensor 1 STEL Reading	Sensor 1 TWA Reading	Sensor 1 Last Cal	Sensor 1 Span Setpoint	Sensor 1 Span2 Setpoint	Sensor 1 High Alarm	Sensor 1 Low Alarm	Sensor 1 STEL Alarm	Sensor 1 TWA Alarm	Sensor 1 Overrange Threshold	Sensor 1 Measurement Gas Type	Sensor 1 Correction Factor	Unit Status	Running Mode	Log Start Type	Diagnostic Mode	Stop Reason	User Id	Site Id	Record Number	Session Start Time	Session Stop Time	Firmware Version
592-600871	10/23/2023 2:10:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:09:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:08:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:07:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:06:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:05:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:04:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:03:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:02:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:01:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 2:00:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:59:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:58:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:57:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:56:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:55:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:54:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:53:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:52:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:51:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:50:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:49:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:48:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:47:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:46:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:45:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:44:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:43:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:42:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:41:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:40:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:39:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:38:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:37:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:36:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:35:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:34:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:33:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:32:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:31:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:30:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:29:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:28:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:27:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:26:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:25:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:24:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:23:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:22:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:21:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:20:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:19:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:18:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:17:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:16:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:15:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:14:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:13:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:12:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:11:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:10:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:09:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:08:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:07:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:06:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:05:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:04:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:03:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:02:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:01:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 1:00:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:59:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:58:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:57:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:56:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:55:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:54:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:53:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:52:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:51:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:50:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:49:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:48:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:47:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:46:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:45:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:44:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:43:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:42:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:41:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:40:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:39:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:38:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:37:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:36:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:35:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:34:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:33:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:32:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:31:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:30:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:29:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:28:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:27:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:26:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:25:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:24:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:23:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:22:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:21:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:20:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:19:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:18:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:17:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:16:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:15:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:14:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 12:13:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.1	0.0																					
592-600871	10/23/2023 12:12:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:11:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:10:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:09:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:08:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:07:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:06:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:05:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:04:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:03:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.3	0.0																					
592-600871	10/23/2023 12:02:48 PM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.1	0.0	0.3	0.0																					
592-600871	10/23/2023 12:01:48 PM	Readings		PID		SC2303040BA8	Normal	0.1	0.1	0.1	0.1	0.3	0.0																					
592-600871	10/23/2023 12:00:48 PM	Readings		PID		SC2303040BA8	Normal	0.1	0.3	0.8	0.1	0.3	0.0																					
592-600871	10/23/2023 11:59:48 AM	Readings		PID		SC2303040BA8	Normal	0.8	2.3	6.4	0.6	0.3	0.0																					
592-600871	10/23/2023 11:58:48 AM	Readings		PID		SC2303040BA8	Normal	1.0	2.2	4.1	1.0	0.3	0.0																					
592-600871	10/23/2023 11:57:48 AM	Readings		PID		SC2303040BA8	Normal	1.1	0.8	3.1	0.0	0.2	0.0																					
592-600871	10/23/2023 11:56:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:55:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:54:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:53:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:52:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:51:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:50:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:49:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:48:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:47:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:46:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:45:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.0	0.0																					
592-600871	10/23/2023 11:44:48 AM	Readings		PID		SC2303040BA8	Normal	0.0	0.0	0.0	0.0	0.

| | | |

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173225
Firmware Version	3.1
Calibration Date	11/30/2022
Test Name	MANUAL_006
Test Start Time	7:04:38 AM
Test Start Date	10/23/2023
Test Length [D:H:M]	0:07:02
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.116
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	422

Elapsed Time [s]	Time	Mass [mg/m3]	Alarms	Errors
0	7:04:38 AM			
60	7:05:38 AM	0.004		
120	7:06:38 AM	0.003		
180	7:07:38 AM	0.004		
240	7:08:38 AM	0.007		
300	7:09:38 AM	0.005		
360	7:10:38 AM	0.004		
420	7:11:38 AM	0.004		
480	7:12:38 AM	0.005		
540	7:13:38 AM	0.003		
600	7:14:38 AM	0.004		
660	7:15:38 AM	0.003		
720	7:16:38 AM	0.003		
780	7:17:38 AM	0.004		
840	7:18:38 AM	0.006		
900	7:19:38 AM	0.003		
960	7:20:38 AM	0.003		
1020	7:21:38 AM	0.004		
1080	7:22:38 AM	0.016		
1140	7:23:38 AM	0.004		
1200	7:24:38 AM	0.003		
1260	7:25:38 AM	0.004		
1320	7:26:38 AM	0.005		
1380	7:27:38 AM	0.006		
1440	7:28:38 AM	0.005		
1500	7:29:38 AM	0.005		
1560	7:30:38 AM	0.004		

1620	7:31:38 AM	0.004
1680	7:32:38 AM	0.005
1740	7:33:38 AM	0.005
1800	7:34:38 AM	0.003
1860	7:35:38 AM	0.004
1920	7:36:38 AM	0.004
1980	7:37:38 AM	0.005
2040	7:38:38 AM	0.009
2100	7:39:38 AM	0.004
2160	7:40:38 AM	0.006
2220	7:41:38 AM	0.007
2280	7:42:38 AM	0.003
2340	7:43:38 AM	0.004
2400	7:44:38 AM	0.005
2460	7:45:38 AM	0.006
2520	7:46:38 AM	0.006
2580	7:47:38 AM	0.004
2640	7:48:38 AM	0.005
2700	7:49:38 AM	0.004
2760	7:50:38 AM	0.004
2820	7:51:38 AM	0.005
2880	7:52:38 AM	0.006
2940	7:53:38 AM	0.006
3000	7:54:38 AM	0.005
3060	7:55:38 AM	0.005
3120	7:56:38 AM	0.011
3180	7:57:38 AM	0.009
3240	7:58:38 AM	0.007
3300	7:59:38 AM	0.006
3360	8:00:38 AM	0.008
3420	8:01:38 AM	0.006
3480	8:02:38 AM	0.009
3540	8:03:38 AM	0.005
3600	8:04:38 AM	0.007
3660	8:05:38 AM	0.008
3720	8:06:38 AM	0.004
3780	8:07:38 AM	0.005
3840	8:08:38 AM	0.004
3900	8:09:38 AM	0.005
3960	8:10:38 AM	0.05
4020	8:11:38 AM	0.008
4080	8:12:38 AM	0.007
4140	8:13:38 AM	0.005
4200	8:14:38 AM	0.004
4260	8:15:38 AM	0.005
4320	8:16:38 AM	0.005
4380	8:17:38 AM	0.004

4440	8:18:38 AM	0.005
4500	8:19:38 AM	0.005
4560	8:20:38 AM	0.004
4620	8:21:38 AM	0.006
4680	8:22:38 AM	0.005
4740	8:23:38 AM	0.007
4800	8:24:38 AM	0.005
4860	8:25:38 AM	0.005
4920	8:26:38 AM	0.004
4980	8:27:38 AM	0.01
5040	8:28:38 AM	0.003
5100	8:29:38 AM	0.003
5160	8:30:38 AM	0.005
5220	8:31:38 AM	0.008
5280	8:32:38 AM	0.005
5340	8:33:38 AM	0.005
5400	8:34:38 AM	0.005
5460	8:35:38 AM	0.007
5520	8:36:38 AM	0.009
5580	8:37:38 AM	0.007
5640	8:38:38 AM	0.005
5700	8:39:38 AM	0.004
5760	8:40:38 AM	0.004
5820	8:41:38 AM	0.005
5880	8:42:38 AM	0.005
5940	8:43:38 AM	0.006
6000	8:44:38 AM	0.004
6060	8:45:38 AM	0.005
6120	8:46:38 AM	0.006
6180	8:47:38 AM	0.006
6240	8:48:38 AM	0.008
6300	8:49:38 AM	0.006
6360	8:50:38 AM	0.005
6420	8:51:38 AM	0.005
6480	8:52:38 AM	0.004
6540	8:53:38 AM	0.005
6600	8:54:38 AM	0.006
6660	8:55:38 AM	0.005
6720	8:56:38 AM	0.005
6780	8:57:38 AM	0.006
6840	8:58:38 AM	0.006
6900	8:59:38 AM	0.005
6960	9:00:38 AM	0.005
7020	9:01:38 AM	0.005
7080	9:02:38 AM	0.007
7140	9:03:38 AM	0.006
7200	9:04:38 AM	0.005

7260	9:05:38 AM	0.007
7320	9:06:38 AM	0.008
7380	9:07:38 AM	0.005
7440	9:08:38 AM	0.006
7500	9:09:38 AM	0.005
7560	9:10:38 AM	0.005
7620	9:11:38 AM	0.005
7680	9:12:38 AM	0.004
7740	9:13:38 AM	0.004
7800	9:14:38 AM	0.005
7860	9:15:38 AM	0.005
7920	9:16:38 AM	0.006
7980	9:17:38 AM	0.006
8040	9:18:38 AM	0.005
8100	9:19:38 AM	0.005
8160	9:20:38 AM	0.005
8220	9:21:38 AM	0.005
8280	9:22:38 AM	0.006
8340	9:23:38 AM	0.007
8400	9:24:38 AM	0.01
8460	9:25:38 AM	0.011
8520	9:26:38 AM	0.007
8580	9:27:38 AM	0.006
8640	9:28:38 AM	0.023
8700	9:29:38 AM	0.005
8760	9:30:38 AM	0.005
8820	9:31:38 AM	0.008
8880	9:32:38 AM	0.006
8940	9:33:38 AM	0.005
9000	9:34:38 AM	0.006
9060	9:35:38 AM	0.006
9120	9:36:38 AM	0.004
9180	9:37:38 AM	0.005
9240	9:38:38 AM	0.006
9300	9:39:38 AM	0.006
9360	9:40:38 AM	0.013
9420	9:41:38 AM	0.006
9480	9:42:38 AM	0.01
9540	9:43:38 AM	0.116
9600	9:44:38 AM	0.045
9660	9:45:38 AM	0.02
9720	9:46:38 AM	0.009
9780	9:47:38 AM	0.033
9840	9:48:38 AM	0.012
9900	9:49:38 AM	0.008
9960	9:50:38 AM	0.005
10020	9:51:38 AM	0.005

10080	9:52:38 AM	0.004
10140	9:53:38 AM	0.005
10200	9:54:38 AM	0.004
10260	9:55:38 AM	0.004
10320	9:56:38 AM	0.004
10380	9:57:38 AM	0.004
10440	9:58:38 AM	0.005
10500	9:59:38 AM	0.005
10560	10:00:38 AM	0.006
10620	10:01:38 AM	0.006
10680	10:02:38 AM	0.006
10740	10:03:38 AM	0.006
10800	10:04:38 AM	0.01
10860	10:05:38 AM	0.005
10920	10:06:38 AM	0.007
10980	10:07:38 AM	0.007
11040	10:08:38 AM	0.01
11100	10:09:38 AM	0.005
11160	10:10:38 AM	0.005
11220	10:11:38 AM	0.006
11280	10:12:38 AM	0.006
11340	10:13:38 AM	0.055
11400	10:14:38 AM	0.028
11460	10:15:38 AM	0.007
11520	10:16:38 AM	0.006
11580	10:17:38 AM	0.005
11640	10:18:38 AM	0.006
11700	10:19:38 AM	0.007
11760	10:20:38 AM	0.008
11820	10:21:38 AM	0.009
11880	10:22:38 AM	0.006
11940	10:23:38 AM	0.006
12000	10:24:38 AM	0.012
12060	10:25:38 AM	0.008
12120	10:26:38 AM	0.01
12180	10:27:38 AM	0.008
12240	10:28:38 AM	0.017
12300	10:29:38 AM	0.019
12360	10:30:38 AM	0.019
12420	10:31:38 AM	0.009
12480	10:32:38 AM	0.01
12540	10:33:38 AM	0.01
12600	10:34:38 AM	0.005
12660	10:35:38 AM	0.018
12720	10:36:38 AM	0.01
12780	10:37:38 AM	0.006
12840	10:38:38 AM	0.006

12900	10:39:38 AM	0.019
12960	10:40:38 AM	0.006
13020	10:41:38 AM	0.006
13080	10:42:38 AM	0.007
13140	10:43:38 AM	0.005
13200	10:44:38 AM	0.005
13260	10:45:38 AM	0.005
13320	10:46:38 AM	0.006
13380	10:47:38 AM	0.005
13440	10:48:38 AM	0.005
13500	10:49:38 AM	0.004
13560	10:50:38 AM	0.004
13620	10:51:38 AM	0.004
13680	10:52:38 AM	0.006
13740	10:53:38 AM	0.007
13800	10:54:38 AM	0.014
13860	10:55:38 AM	0.013
13920	10:56:38 AM	0.008
13980	10:57:38 AM	0.018
14040	10:58:38 AM	0.009
14100	10:59:38 AM	0.006
14160	11:00:38 AM	0.004
14220	11:01:38 AM	0.008
14280	11:02:38 AM	0.006
14340	11:03:38 AM	0.005
14400	11:04:38 AM	0.005
14460	11:05:38 AM	0.005
14520	11:06:38 AM	0.009
14580	11:07:38 AM	0.005
14640	11:08:38 AM	0.005
14700	11:09:38 AM	0.005
14760	11:10:38 AM	0.004
14820	11:11:38 AM	0.014
14880	11:12:38 AM	0.019
14940	11:13:38 AM	0.005
15000	11:14:38 AM	0.022
15060	11:15:38 AM	0.01
15120	11:16:38 AM	0.005
15180	11:17:38 AM	0.005
15240	11:18:38 AM	0.006
15300	11:19:38 AM	0.011
15360	11:20:38 AM	0.007
15420	11:21:38 AM	0.007
15480	11:22:38 AM	0.006
15540	11:23:38 AM	0.005
15600	11:24:38 AM	0.006
15660	11:25:38 AM	0.006

15720	11:26:38 AM	0.006
15780	11:27:38 AM	0.01
15840	11:28:38 AM	0.008
15900	11:29:38 AM	0.005
15960	11:30:38 AM	0.007
16020	11:31:38 AM	0.005
16080	11:32:38 AM	0.004
16140	11:33:38 AM	0.006
16200	11:34:38 AM	0.004
16260	11:35:38 AM	0.003
16320	11:36:38 AM	0.004
16380	11:37:38 AM	0.004
16440	11:38:38 AM	0.003
16500	11:39:38 AM	0.01
16560	11:40:38 AM	0.004
16620	11:41:38 AM	0.032
16680	11:42:38 AM	0.03
16740	11:43:38 AM	0.008
16800	11:44:38 AM	0.005
16860	11:45:38 AM	0.013
16920	11:46:38 AM	0.005
16980	11:47:38 AM	0.021
17040	11:48:38 AM	0.011
17100	11:49:38 AM	0.016
17160	11:50:38 AM	0.009
17220	11:51:38 AM	0.009
17280	11:52:38 AM	0.007
17340	11:53:38 AM	0.006
17400	11:54:38 AM	0.005
17460	11:55:38 AM	0.044
17520	11:56:38 AM	0.023
17580	11:57:38 AM	0.003
17640	11:58:38 AM	0.004
17700	11:59:38 AM	0.005
17760	12:00:38 PM	0.003
17820	12:01:38 PM	0.003
17880	12:02:38 PM	0.002
17940	12:03:38 PM	0.002
18000	12:04:38 PM	0.002
18060	12:05:38 PM	0.002
18120	12:06:38 PM	0.003
18180	12:07:38 PM	0.002
18240	12:08:38 PM	0.002
18300	12:09:38 PM	0.005
18360	12:10:38 PM	0.004
18420	12:11:38 PM	0.003
18480	12:12:38 PM	0.002

18540	12:13:38 PM	0.002
18600	12:14:38 PM	0.002
18660	12:15:38 PM	0.002
18720	12:16:38 PM	0.002
18780	12:17:38 PM	0.002
18840	12:18:38 PM	0.007
18900	12:19:38 PM	0.006
18960	12:20:38 PM	0.005
19020	12:21:38 PM	0.007
19080	12:22:38 PM	0.003
19140	12:23:38 PM	0.002
19200	12:24:38 PM	0.001
19260	12:25:38 PM	0.001
19320	12:26:38 PM	0.012
19380	12:27:38 PM	0.001
19440	12:28:38 PM	0.001
19500	12:29:38 PM	0.003
19560	12:30:38 PM	0.002
19620	12:31:38 PM	0.002
19680	12:32:38 PM	0.002
19740	12:33:38 PM	0.001
19800	12:34:38 PM	0.002
19860	12:35:38 PM	0.001
19920	12:36:38 PM	0.001
19980	12:37:38 PM	0.001
20040	12:38:38 PM	0.002
20100	12:39:38 PM	0.001
20160	12:40:38 PM	0.001
20220	12:41:38 PM	0.002
20280	12:42:38 PM	0.001
20340	12:43:38 PM	0.002
20400	12:44:38 PM	0.001
20460	12:45:38 PM	0.001
20520	12:46:38 PM	0.001
20580	12:47:38 PM	0.001
20640	12:48:38 PM	0.001
20700	12:49:38 PM	0.001
20760	12:50:38 PM	0.001
20820	12:51:38 PM	0
20880	12:52:38 PM	0
20940	12:53:38 PM	0.001
21000	12:54:38 PM	0.002
21060	12:55:38 PM	0.004
21120	12:56:38 PM	0.003
21180	12:57:38 PM	0.004
21240	12:58:38 PM	0.004
21300	12:59:38 PM	0.002

21360	1:00:38 PM	0.002
21420	1:01:38 PM	0
21480	1:02:38 PM	0.001
21540	1:03:38 PM	0
21600	1:04:38 PM	0.002
21660	1:05:38 PM	0.001
21720	1:06:38 PM	0.003
21780	1:07:38 PM	0.001
21840	1:08:38 PM	0.001
21900	1:09:38 PM	0.001
21960	1:10:38 PM	0.001
22020	1:11:38 PM	0.001
22080	1:12:38 PM	0
22140	1:13:38 PM	0.001
22200	1:14:38 PM	0
22260	1:15:38 PM	0.002
22320	1:16:38 PM	0.002
22380	1:17:38 PM	0.003
22440	1:18:38 PM	0.001
22500	1:19:38 PM	0
22560	1:20:38 PM	0
22620	1:21:38 PM	0
22680	1:22:38 PM	0.002
22740	1:23:38 PM	0.005
22800	1:24:38 PM	0.004
22860	1:25:38 PM	0.001
22920	1:26:38 PM	0
22980	1:27:38 PM	0.004
23040	1:28:38 PM	0.003
23100	1:29:38 PM	0
23160	1:30:38 PM	0.002
23220	1:31:38 PM	0.002
23280	1:32:38 PM	0.003
23340	1:33:38 PM	0.005
23400	1:34:38 PM	0.002
23460	1:35:38 PM	0.001
23520	1:36:38 PM	0.005
23580	1:37:38 PM	0.001
23640	1:38:38 PM	0
23700	1:39:38 PM	0
23760	1:40:38 PM	0.005
23820	1:41:38 PM	0.003
23880	1:42:38 PM	0.001
23940	1:43:38 PM	0.002
24000	1:44:38 PM	0.002
24060	1:45:38 PM	0.001
24120	1:46:38 PM	0.002

24180	1:47:38 PM	0.003
24240	1:48:38 PM	0.001
24300	1:49:38 PM	0.004
24360	1:50:38 PM	0.039
24420	1:51:38 PM	0.084
24480	1:52:38 PM	0.01
24540	1:53:38 PM	0.007
24600	1:54:38 PM	0.008
24660	1:55:38 PM	0.005
24720	1:56:38 PM	0.003
24780	1:57:38 PM	0.003
24840	1:58:38 PM	0.003
24900	1:59:38 PM	0.003
24960	2:00:38 PM	0.005
25020	2:01:38 PM	0.004
25080	2:02:38 PM	0.005
25140	2:03:38 PM	0.003
25200	2:04:38 PM	0.005
25260	2:05:38 PM	0.005
25320	2:06:38 PM	0.003

Record Count	Record Key Time	Record Key Date	Record Key	Log Id	Log Type	Log Event	Log Description	Log Source	Log Source Type	Log Source Group	Log Source Location	Log Source Zone	Log Source Priority	Log Source Criticality	Log Source Business Unit	Log Source Organization	Log Source Department	Log Source Owner	Log Source Custodian	Log Source Asset Value	Log Source Risk Rating	Log Source Compliance Requirement
1	15/12/2023 8:15:14 AM	15/12/2023	1	1	Type 1	Event 1	Description 1	Source 1	Source Type 1	Source Group 1	Source Location 1	Source Zone 1	Source Priority 1	Source Criticality 1	Source Business Unit 1	Source Organization 1	Source Department 1	Source Owner 1	Source Custodian 1	Source Asset Value 1	Source Risk Rating 1	Source Compliance Requirement 1
2	15/12/2023 8:15:14 AM	15/12/2023	2	2	Type 2	Event 2	Description 2	Source 2	Source Type 2	Source Group 2	Source Location 2	Source Zone 2	Source Priority 2	Source Criticality 2	Source Business Unit 2	Source Organization 2	Source Department 2	Source Owner 2	Source Custodian 2	Source Asset Value 2	Source Risk Rating 2	Source Compliance Requirement 2
3	15/12/2023 8:15:14 AM	15/12/2023	3	3	Type 3	Event 3	Description 3	Source 3	Source Type 3	Source Group 3	Source Location 3	Source Zone 3	Source Priority 3	Source Criticality 3	Source Business Unit 3	Source Organization 3	Source Department 3	Source Owner 3	Source Custodian 3	Source Asset Value 3	Source Risk Rating 3	Source Compliance Requirement 3
4	15/12/2023 8:15:14 AM	15/12/2023	4	4	Type 4	Event 4	Description 4	Source 4	Source Type 4	Source Group 4	Source Location 4	Source Zone 4	Source Priority 4	Source Criticality 4	Source Business Unit 4	Source Organization 4	Source Department 4	Source Owner 4	Source Custodian 4	Source Asset Value 4	Source Risk Rating 4	Source Compliance Requirement 4
5	15/12/2023 8:15:14 AM	15/12/2023	5	5	Type 5	Event 5	Description 5	Source 5	Source Type 5	Source Group 5	Source Location 5	Source Zone 5	Source Priority 5	Source Criticality 5	Source Business Unit 5	Source Organization 5	Source Department 5	Source Owner 5	Source Custodian 5	Source Asset Value 5	Source Risk Rating 5	Source Compliance Requirement 5
6	15/12/2023 8:15:14 AM	15/12/2023	6	6	Type 6	Event 6	Description 6	Source 6	Source Type 6	Source Group 6	Source Location 6	Source Zone 6	Source Priority 6	Source Criticality 6	Source Business Unit 6	Source Organization 6	Source Department 6	Source Owner 6	Source Custodian 6	Source Asset Value 6	Source Risk Rating 6	Source Compliance Requirement 6
7	15/12/2023 8:15:14 AM	15/12/2023	7	7	Type 7	Event 7	Description 7	Source 7	Source Type 7	Source Group 7	Source Location 7	Source Zone 7	Source Priority 7	Source Criticality 7	Source Business Unit 7	Source Organization 7	Source Department 7	Source Owner 7	Source Custodian 7	Source Asset Value 7	Source Risk Rating 7	Source Compliance Requirement 7
8	15/12/2023 8:15:14 AM	15/12/2023	8	8	Type 8	Event 8	Description 8	Source 8	Source Type 8	Source Group 8	Source Location 8	Source Zone 8	Source Priority 8	Source Criticality 8	Source Business Unit 8	Source Organization 8	Source Department 8	Source Owner 8	Source Custodian 8	Source Asset Value 8	Source Risk Rating 8	Source Compliance Requirement 8
9	15/12/2023 8:15:14 AM	15/12/2023	9	9	Type 9	Event 9	Description 9	Source 9	Source Type 9	Source Group 9	Source Location 9	Source Zone 9	Source Priority 9	Source Criticality 9	Source Business Unit 9	Source Organization 9	Source Department 9	Source Owner 9	Source Custodian 9	Source Asset Value 9	Source Risk Rating 9	Source Compliance Requirement 9
10	15/12/2023 8:15:14 AM	15/12/2023	10	10	Type 10	Event 10	Description 10	Source 10	Source Type 10	Source Group 10	Source Location 10	Source Zone 10	Source Priority 10	Source Criticality 10	Source Business Unit 10	Source Organization 10	Source Department 10	Source Owner 10	Source Custodian 10	Source Asset Value 10	Source Risk Rating 10	Source Compliance Requirement 10
11	15/12/2023 8:15:14 AM	15/12/2023	11	11	Type 11	Event 11	Description 11	Source 11	Source Type 11	Source Group 11	Source Location 11	Source Zone 11	Source Priority 11	Source Criticality 11	Source Business Unit 11	Source Organization 11	Source Department 11	Source Owner 11	Source Custodian 11	Source Asset Value 11	Source Risk Rating 11	Source Compliance Requirement 11
12	15/12/2023 8:15:14 AM	15/12/2023	12	12	Type 12	Event 12	Description 12	Source 12	Source Type 12	Source Group 12	Source Location 12	Source Zone 12	Source Priority 12	Source Criticality 12	Source Business Unit 12	Source Organization 12	Source Department 12	Source Owner 12	Source Custodian 12	Source Asset Value 12	Source Risk Rating 12	Source Compliance Requirement 12
13	15/12/2023 8:15:14 AM	15/12/2023	13	13	Type 13	Event 13	Description 13	Source 13	Source Type 13	Source Group 13	Source Location 13	Source Zone 13	Source Priority 13	Source Criticality 13	Source Business Unit 13	Source Organization 13	Source Department 13	Source Owner 13	Source Custodian 13	Source Asset Value 13	Source Risk Rating 13	Source Compliance Requirement 13
14	15/12/2023 8:15:14 AM	15/12/2023	14	14	Type 14	Event 14	Description 14	Source 14	Source Type 14	Source Group 14	Source Location 14	Source Zone 14	Source Priority 14	Source Criticality 14	Source Business Unit 14	Source Organization 14	Source Department 14	Source Owner 14	Source Custodian 14	Source Asset Value 14	Source Risk Rating 14	Source Compliance Requirement 14
15	15/12/2023 8:15:14 AM	15/12/2023	15	15	Type 15	Event 15	Description 15	Source 15	Source Type 15	Source Group 15	Source Location 15	Source Zone 15	Source Priority 15	Source Criticality 15	Source Business Unit 15	Source Organization 15	Source Department 15	Source Owner 15	Source Custodian 15	Source Asset Value 15	Source Risk Rating 15	Source Compliance Requirement 15
16	15/12/2023 8:15:14 AM	15/12/2023	16	16	Type 16	Event 16	Description 16	Source 16	Source Type 16	Source Group 16	Source Location 16	Source Zone 16	Source Priority 16	Source Criticality 16	Source Business Unit 16	Source Organization 16	Source Department 16	Source Owner 16	Source Custodian 16	Source Asset Value 16	Source Risk Rating 16	Source Compliance Requirement 16
17	15/12/2023 8:15:14 AM	15/12/2023	17	17	Type 17	Event 17	Description 17	Source 17	Source Type 17	Source Group 17	Source Location 17	Source Zone 17	Source Priority 17	Source Criticality 17	Source Business Unit 17	Source Organization 17	Source Department 17	Source Owner 17	Source Custodian 17	Source Asset Value 17	Source Risk Rating 17	Source Compliance Requirement 17
18	15/12/2023 8:15:14 AM	15/12/2023	18	18	Type 18	Event 18	Description 18	Source 18	Source Type 18	Source Group 18	Source Location 18	Source Zone 18	Source Priority 18	Source Criticality 18	Source Business Unit 18	Source Organization 18	Source Department 18	Source Owner 18	Source Custodian 18	Source Asset Value 18	Source Risk Rating 18	Source Compliance Requirement 18
19	15/12/2023 8:15:14 AM	15/12/2023	19	19	Type 19	Event 19	Description 19	Source 19	Source Type 19	Source Group 19	Source Location 19	Source Zone 19	Source Priority 19	Source Criticality 19	Source Business Unit 19	Source Organization 19	Source Department 19	Source Owner 19	Source Custodian 19	Source Asset Value 19	Source Risk Rating 19	Source Compliance Requirement 19
20	15/12/2023 8:15:14 AM	15/12/2023	20	20	Type 20	Event 20	Description 20	Source 20	Source Type 20	Source Group 20	Source Location 20	Source Zone 20	Source Priority 20	Source Criticality 20	Source Business Unit 20	Source Organization 20	Source Department 20	Source Owner 20	Source Custodian 20	Source Asset Value 20	Source Risk Rating 20	Source Compliance Requirement 20
21	15/12/2023 8:15:14 AM	15/12/2023	21	21	Type 21	Event 21	Description 21	Source 21	Source Type 21	Source Group 21	Source Location 21	Source Zone 21	Source Priority 21	Source Criticality 21	Source Business Unit 21	Source Organization 21	Source Department 21	Source Owner 21	Source Custodian 21	Source Asset Value 21	Source Risk Rating 21	Source Compliance Requirement 21
22	15/12/2023 8:15:14 AM	15/12/2023	22	22	Type 22	Event 22	Description 22	Source 22	Source Type 22	Source Group 22	Source Location 22	Source Zone 22	Source Priority 22	Source Criticality 22	Source Business Unit 22	Source Organization 22	Source Department 22	Source Owner 22	Source Custodian 22	Source Asset Value 22	Source Risk Rating 22	Source Compliance Requirement 22
23	15/12/2023 8:15:14 AM	15/12/2023	23	23	Type 23	Event 23	Description 23	Source 23	Source Type 23	Source Group 23	Source Location 23	Source Zone 23	Source Priority 23	Source Criticality 23	Source Business Unit 23	Source Organization 23	Source Department 23	Source Owner 23	Source Custodian 23	Source Asset Value 23	Source Risk Rating 23	Source Compliance Requirement 23
24	15/12/2023 8:15:14 AM	15/12/2023	24	24	Type 24	Event 24	Description 24	Source 24	Source Type 24	Source Group 24	Source Location 24	Source Zone 24	Source Priority 24	Source Criticality 24	Source Business Unit 24	Source Organization 24	Source Department 24	Source Owner 24	Source Custodian 24	Source Asset Value 24	Source Risk Rating 24	Source Compliance Requirement 24
25	15/12/2023 8:15:14 AM	15/12/2023	25	25	Type 25	Event 25	Description 25	Source 25	Source Type 25	Source Group 25	Source Location 25	Source Zone 25	Source Priority 25	Source Criticality 25	Source Business Unit 25	Source Organization 25	Source Department 25	Source Owner 25	Source Custodian 25	Source Asset Value 25	Source Risk Rating 25	Source Compliance Requirement 25
26	15/12/2023 8:15:14 AM	15/12/2023	26	26	Type 26	Event 26	Description 26	Source 26	Source Type 26	Source Group 26	Source Location 26	Source Zone 26	Source Priority 26	Source Criticality 26	Source Business Unit 26	Source Organization 26	Source Department 26	Source Owner 26	Source Custodian 26	Source Asset Value 26	Source Risk Rating 26	Source Compliance Requirement 26
27	15/12/2023 8:15:14 AM	15/12/2023	27	27	Type 27	Event 27	Description 27	Source 27	Source Type 27	Source Group 27	Source Location 27	Source Zone 27	Source Priority 27	Source Criticality 27	Source Business Unit 27	Source Organization 27	Source Department 27	Source Owner 27	Source Custodian 27	Source Asset Value 27	Source Risk Rating 27	Source Compliance Requirement 27
28	15/12/2023 8:15:14 AM	15/12/2023	28	28	Type 28	Event 28	Description 28	Source 28	Source Type 28	Source Group 28	Source Location 28	Source Zone 28	Source Priority 28	Source Criticality 28	Source Business Unit 28	Source Organization 28	Source Department 28	Source Owner 28	Source Custodian 28	Source Asset Value 28	Source Risk Rating 28	Source Compliance Requirement 28
29	15/12/2023 8:15:14 AM	15/12/2023	29	29	Type 29	Event 29	Description 29	Source 29	Source Type 29	Source Group 29	Source Location 29	Source Zone 29	Source Priority 29	Source Criticality 29	Source Business Unit 29	Source Organization 29	Source Department 29	Source Owner 29	Source Custodian 29	Source Asset Value 29	Source Risk Rating 29	Source Compliance Requirement 29
30	15/12/2023 8:15:14 AM	15/12/2023	30	30	Type 30	Event 30	Description 30	Source 30	Source Type 30	Source Group 30	Source Location 30	Source Zone 30	Source Priority 30	Source Criticality 30	Source Business Unit 30	Source Organization 30	Source Department 30	Source Owner 30	Source Custodian 30	Source Asset Value 30	Source Risk Rating 30	Source Compliance Requirement 30
31	15/12/2023 8:15:14 AM	15/12/2023	31	31	Type 31	Event 31	Description 31	Source 31	Source Type 31	Source Group 31	Source Location 31	Source Zone 31	Source Priority 31	Source Criticality 31	Source Business Unit 31	Source Organization 31	Source Department 31	Source Owner 31	Source Custodian 31	Source Asset Value 31	Source Risk Rating 31	Source Compliance Requirement 31
32	15/12/2023 8:15:14 AM	15/12/2023	32	32	Type 32	Event 32	Description 32	Source 32	Source Type 32	Source Group 32	Source Location 32	Source Zone 32	Source Priority 32	Source Criticality 32	Source Business Unit 32	Source Organization 32	Source Department 32	Source Owner 32	Source Custodian 32	Source Asset Value 32	Source Risk Rating 32	Source Compliance Requirement 32
33	15/12/2023 8:15:14 AM	15/12/2023	33	33	Type 33	Event 33	Description 33	Source 33	Source Type 33	Source Group 33	Source Location 33	Source Zone 33	Source Priority 33	Source Criticality 33	Source Business Unit 33	Source Organization 33	Source Department 33	Source Owner 33	Source Custodian 33	Source Asset Value 33	Source Risk Rating 33	Source Compliance Requirement 33
34	15/12/2023 8:15:14 AM	15/12/2023	34	34	Type 34	Event 34	Description 34	Source 34	Source Type 34	Source Group 34	Source Location 34	Source Zone 34	Source Priority 34	Source Criticality 34	Source Business Unit 34	Source Organization 34	Source Department 34	Source Owner 34	Source Custodian 34	Source Asset Value 34	Source Risk Rating 34	Source Compliance Requirement 34
35	15/12/2023 8:15:14 AM	15/12/2023	35	35	Type 35	Event 35	Description 35	Source 35	Source Type 35	Source Group 35	Source Location 35	Source Zone 35	Source Priority 35	Source Criticality 35	Source Business Unit 35	Source Organization 35	Source Department 35	Source Owner 35	Source Custodian 35	Source Asset Value 35	Source Risk Rating 35	Source Compliance Requirement 35
36	15/12/2023 8:15:14 AM	15/12/2023	36	36	Type 36	Event 36	Description 36	Source 36	Source Type 36	Source Group 36	Source Location 36	Source Zone 36	Source Priority 36	Source Criticality 36	Source Business Unit 36	Source Organization 36	Source Department 36	Source Owner 36	Source Custodian 36	Source Asset Value 36	Source Risk Rating 36	Source Compliance Requirement 36
37	15/12/2023 8:15:14 AM	15/12/2023	37	37	Type 37	Event 37	Description 37	Source 37	Source Type 37	Source Group 37	Source Location 37	Source Zone 37	Source Priority 37	Source Criticality 37	Source Business Unit 37	Source Organization 37	Source Department 37	Source Owner 37	Source Custodian 37	Source Asset Value 37	Source Risk Rating 37	Source Compliance Requirement 37
38	15/12/2023 8:15:14 AM	15/12/2023	38	38	Type 38	Event 38	Description 38	Source 38	Source Type 38	Source Group 38	Source Location 38	Source Zone 38	Source Priority 38	Source Criticality 38	Source Business Unit 38	Source Organization 38	Source Department 38	Source Owner 38	Source Custodian 38	Source Asset Value 38	Source Risk Rating 38	Source Compliance Requirement 38
39	15/12/2023 8:15:14 AM	15/12/2023	39	39	Type 39	Event 39	Description 39	Source 39	Source Type 39	Source Group 39	Source Location 39	Source Zone 39	Source Priority 39	Source Criticality 39	Source Business Unit 39	Source Organization 39	Source Department 39	Source Owner 39	Source Custodian 39	Source Asset Value 39	Source Risk Rating 39	Source Compliance Requirement 39
40	15/12/2023 8:15:14 AM	15/12/2023	40	40	Type 40	Event 40	Description 40	Source 40	Source Type 40	Source Group 40	Source Location 40	Source Zone 40	Source Priority 40	Source Criticality 40	Source Business Unit 40	Source Organization 40	Source Department 40	Source Owner 40	Source Custodian 40	Source Asset Value 40	Source Risk Rating 40	Source Compliance Requirement 40
41	15/12/2023 8:15:14 AM	15/12/2023	41	41	Type 41	Event 41	Description 41	Source 41	Source Type 41	Source Group 41	Source Location 41	Source Zone 41	Source Priority 41	Source Criticality 41	Source Business Unit 41	Source Organization 41	Source Department 41	Source Owner 41	Source Custodian 41	Source Asset Value 41	Source Risk Rating 41	Source Compliance Requirement 41
42	15/12/2023 8:15:14 AM	15/12/2023	42	42	Type 42	Event 42	Description 42	Source 42	Source Type 42	Source Group 42	Source Location 42	Source Zone 42	Source Priority 42	Source Criticality 42	Source Business Unit 42	Source Organization 42	Source Department 42	Source Owner 42	Source Custodian 42	Source Asset Value 42	Source Risk Rating 42	Source Compliance Requirement 42
43	15/12/2023 8:15:14 AM	15/12/2023	43	43	Type 43	Event 43	Description 43	Source 43	Source Type 43	Source Group 43	Source Location 43	Source Zone 43	Source Priority 43	Source Criticality 43	Source Business Unit 43	Source Organization 43	Source Department 43	Source Owner 43	Source Custodian 43	Source Asset Value 43	Source Risk Rating 43	Source Compliance Requirement 43
44	15/12/2023 8:15:14 AM	15/12/2023	44	44	Type 44	Event 44	Description 44	Source 44	Source Type 44	Source Group 44	Source Location 44	Source Zone 44	Source Priority 44	Source Criticality 44	Source Business Unit 44	Source Organization 44	Source Department 44	Source Owner 44	Source Custodian 44	Source Asset Value 44	Source Risk Rating 44	Source Compliance Requirement 44
45	15/12/2023 8:15:14 AM	15/12/2023	45	45	Type 45	Event 45	Description 45	Source 45	Source Type 45	Source Group 45	Source Location 45	Source Zone 45	Source Priority 45	Source Criticality 45	Source Business Unit 45	Source Organization 45	Source Department 45	Source Owner 45	Source Custodian 45	Source Asset Value 45	Source Risk Rating 45	Source Compliance Requirement 45
46	15/12/2023 8:15:14 AM	15/12/2023	46	46	Type 46	Event 46	Description 46	Source 46	Source Type 46	Source Group 46	Source Location 46	Source Zone 46	Source Priority 46	Source Criticality 46	Source Business Unit 46	Source Organization 46	Source Department 46	Source Owner 46	Source Custodian 46	Source Asset Value 46	Source Risk Rating 46	Source Compliance Requirement 46
47	15/12/2023 8:15:14 AM	15/12/2023	47	47	Type 47	Event 47	Description 47	Source 47	Source Type 47	Source Group 47	Source Location 47	Source Zone 47	Source Priority 47	Source Criticality 47	Source Business Unit 47	Source Organization 47	Source Department 47	Source Owner 47	Source Custodian 47	Source Asset Value 47	Source Risk Rating 47	Source Compliance Requirement 47
48	15/12/2023 8:15:14 AM	15/12/2023	48	48	Type 48	Event 48	Description 48	Source 48	Source Type 48	Source Group 48	Source Location 48	Source Zone 48	Source Priority 48	Source Criticality 48	Source Business Unit 48	Source Organization 48	Source Department 48	Source Owner 48	Source Custodian 48	Source Asset Value 48	Source Risk Rating 48	Source Compliance Requirement 48
49	15/12/2023 8:15:14 AM	15/12/2023	49	49	Type 49	Event 49	Description 49	Source 49	Source Type 49	Source Group 49	Source Location 49	Source Zone 49	Source Priority 49	Source Criticality 49	Source Business Unit 49	Source Organization 49	Source Department 49	Source Owner 49	Source Custodian 49	Source Asset Value 49	Source Risk Rating 49	Source Compliance Requirement 49
50	15/12/2023 8:15:14 AM	15/12/2023	50	50	Type 50	Event 50	Description 50	Source 50	Source Type 50	Source Group 50	Source Location 50	Source Zone 50	Source Priority 50	Source Criticality 50	Source Business Unit 50	Source Organization 50	Source Department 50	Source Owner 50	Source Custodian 50	Source Asset Value 50	Source Risk Rating 50	Source Compliance Requirement 50

| | | |