



DAILY STATUS REPORT

Prepared By:

Gwen Lynn

WEATHER	Snow	Rain	X	Overcast	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50		50-70	X	70-85	>85		W-4 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	11/7/23
Project:	251 Douglass Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:40 Time Out: 14:00</p>	<p>Personnel On Site: IEEG (Environmental) – Gwen Lynn Cascade Remediation Services – Jon Simpson Broadway Construction Group - Tom Caporale</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	--

Scope of Work: Cascade completed two ISS Pilot Test treatment columns on the Site. Refer to Figures for ISS Pilot Test column locations.

Site Activities:

- Deploy CAMP at the start of the workday;
- General Site cleanup by BCG in order to prep Site to begin 4' cut;
- Grading proximal to elevation change between western building slab and adjacent portion of the Site in order to move equipment;
- Cascade demobilizing smaller equipment until full scale ISS work begins; and.
- The pocket penetrometer data is being collected by Cascade and their summary table is attached.

Community Air Monitoring Program (CAMP) - _CAMP action level for dust (0.1 mg/m3) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day;
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.05_ mg/m³ @ 07:06.
- High Conditions (Upwind) – PID = _0.4_ ppm @ 13:09, Dust = _0.132_ mg/m³ @ 07:13.
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.156_ mg/m³ @ 11:11.
- High Conditions (Downwind 2) – PID = _0.5_ ppm @ 14:26, Dust = _0.657_ mg/m³ @ 13:09

*BCG actively spraying water during all grading work for dust suppression purposes.

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- BCG plans to begin the 4-foot cut excavation of the site in the northern most portion tomorrow (11/8/23).
- As part of the ISS pilot test, QA/QC core samples will be collected on 11/15 and continue through 11/17 as needed.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Reresnattive photo
of Cascade
demobilizing
equipment. .



Photo 2 –
Representative
photo of BCG
actively spraying
water to mitigate
potential dust
during Site grading
work.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY



QA/QC SAMPLE POCKET PENETROMETER MEASUREMENT SUMMARY TABLE

251 DOUGLASS STREET, BROOKLYN, NY



TABLE 1
IN-SITU STABILIZATION TREATABILITY STUDY MATRIX

Mix ID		Total Reagent Addition (%)	Water to Reagent Ratio (by WT)	Penetrometer (TSP)						Sample Log				
				1-Day	2-Day	3-Day	5-Day	7-Day						
Cascade Evaluations														
Col ID	Date Installed													
PIA-155	10/30/2023	8.0	1.25:1	<1.0	<1.0	2.25	2.5	2.75						
PIB-166	10/30/2023	9.0	1.25:1	<1.0	<1.0	2.5	3.25	4.5						
PIA-154	10/30/2023	8.0	1.25:1	<1.0	<1.0	3.5	4.0	>4.5						
PIA-102	11/1/2023	8.0	1.25:1	0.5	1.25	1.5	3.5	4.25 (6 Day) >4.5 (7 Day)						
P2C-25	11/1/2023	10.0	1:1	0.5	1.75	3.0	3.0	4.0 (6 Day) >4.5 (7 Day)						
P2C-24	11/2/2023	10.0	1:1	1.0	1.75	3.25	4.0-4.25							
P2C-23	11/3/2023	10.0	1:1	1.0	1.5	2.75	>4.5							
PIB-304	11/3/2023	9.0	1:1	1.25	1.5	2.5	4.25							
PIB-337	11/6/2023	9.0	1:1	1-1.25	3.0									
PIB-302	11/6/2023	9.0	1:1	1.0	2.75									



UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173225
Firmware Version	3.1
Calibration Date	11/30/2022
Test Name	MANUAL_027
Test Start Time	7:06:49 AM
Test Start Date	11/7/2023
Test Length [D:H:M]	0:06:12
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.059
Mass Minimum [mg/m3]	0.048
Mass Maximum [mg/m3]	0.132
Mass TWA [mg/m3]	0.046
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	372

Elapsed Time [s]	TIME	Mass [mg/m3]	Alarms	Errors
0	7:06:49 AM			
60	7:07:49 AM	0.05		
120	7:08:49 AM	0.051		
180	7:09:49 AM	0.052		
240	7:10:49 AM	0.053		
300	7:11:49 AM	0.053		
360	7:12:49 AM	0.053		
420	7:13:49 AM	0.132		
480	7:14:49 AM	0.052		
540	7:15:49 AM	0.051		
600	7:16:49 AM	0.05		
660	7:17:49 AM	0.049		
720	7:18:49 AM	0.049		
780	7:19:49 AM	0.048		
840	7:20:49 AM	0.049		
900	7:21:49 AM	0.049		
960	7:22:49 AM	0.053		
1020	7:23:49 AM	0.065		
1080	7:24:49 AM	0.051		
1140	7:25:49 AM	0.05		
1200	7:26:49 AM	0.049		
1260	7:27:49 AM	0.049		
1320	7:28:49 AM	0.049		
1380	7:29:49 AM	0.05		
1440	7:30:49 AM	0.051		
1500	7:31:49 AM	0.05		
1560	7:32:49 AM	0.049		

1620	7:33:49 AM	0.049
1680	7:34:49 AM	0.054
1740	7:35:49 AM	0.049
1800	7:36:49 AM	0.049
1860	7:37:49 AM	0.05
1920	7:38:49 AM	0.049
1980	7:39:49 AM	0.05
2040	7:40:49 AM	0.051
2100	7:41:49 AM	0.052
2160	7:42:49 AM	0.051
2220	7:43:49 AM	0.053
2280	7:44:49 AM	0.051
2340	7:45:49 AM	0.05
2400	7:46:49 AM	0.051
2460	7:47:49 AM	0.051
2520	7:48:49 AM	0.052
2580	7:49:49 AM	0.05
2640	7:50:49 AM	0.049
2700	7:51:49 AM	0.049
2760	7:52:49 AM	0.048
2820	7:53:49 AM	0.048
2880	7:54:49 AM	0.051
2940	7:55:49 AM	0.052
3000	7:56:49 AM	0.051
3060	7:57:49 AM	0.049
3120	7:58:49 AM	0.049
3180	7:59:49 AM	0.049
3240	8:00:49 AM	0.051
3300	8:01:49 AM	0.05
3360	8:02:49 AM	0.05
3420	8:03:49 AM	0.051
3480	8:04:49 AM	0.051
3540	8:05:49 AM	0.051
3600	8:06:49 AM	0.054
3660	8:07:49 AM	0.053
3720	8:08:49 AM	0.054
3780	8:09:49 AM	0.052
3840	8:10:49 AM	0.054
3900	8:11:49 AM	0.054
3960	8:12:49 AM	0.055
4020	8:13:49 AM	0.056
4080	8:14:49 AM	0.053
4140	8:15:49 AM	0.052
4200	8:16:49 AM	0.052
4260	8:17:49 AM	0.052
4320	8:18:49 AM	0.053
4380	8:19:49 AM	0.053

4440	8:20:49 AM	0.052
4500	8:21:49 AM	0.05
4560	8:22:49 AM	0.052
4620	8:23:49 AM	0.052
4680	8:24:49 AM	0.054
4740	8:25:49 AM	0.056
4800	8:26:49 AM	0.058
4860	8:27:49 AM	0.054
4920	8:28:49 AM	0.055
4980	8:29:49 AM	0.055
5040	8:30:49 AM	0.053
5100	8:31:49 AM	0.051
5160	8:32:49 AM	0.051
5220	8:33:49 AM	0.052
5280	8:34:49 AM	0.053
5340	8:35:49 AM	0.055
5400	8:36:49 AM	0.052
5460	8:37:49 AM	0.052
5520	8:38:49 AM	0.055
5580	8:39:49 AM	0.053
5640	8:40:49 AM	0.054
5700	8:41:49 AM	0.055
5760	8:42:49 AM	0.054
5820	8:43:49 AM	0.054
5880	8:44:49 AM	0.054
5940	8:45:49 AM	0.055
6000	8:46:49 AM	0.053
6060	8:47:49 AM	0.056
6120	8:48:49 AM	0.053
6180	8:49:49 AM	0.059
6240	8:50:49 AM	0.058
6300	8:51:49 AM	0.059
6360	8:52:49 AM	0.058
6420	8:53:49 AM	0.057
6480	8:54:49 AM	0.056
6540	8:55:49 AM	0.056
6600	8:56:49 AM	0.058
6660	8:57:49 AM	0.061
6720	8:58:49 AM	0.055
6780	8:59:49 AM	0.057
6840	9:00:49 AM	0.06
6900	9:01:49 AM	0.065
6960	9:02:49 AM	0.06
7020	9:03:49 AM	0.059
7080	9:04:49 AM	0.058
7140	9:05:49 AM	0.057
7200	9:06:49 AM	0.056

7260	9:07:49 AM	0.056
7320	9:08:49 AM	0.058
7380	9:09:49 AM	0.058
7440	9:10:49 AM	0.059
7500	9:11:49 AM	0.061
7560	9:12:49 AM	0.064
7620	9:13:49 AM	0.06
7680	9:14:49 AM	0.065
7740	9:15:49 AM	0.061
7800	9:16:49 AM	0.061
7860	9:17:49 AM	0.06
7920	9:18:49 AM	0.058
7980	9:19:49 AM	0.057
8040	9:20:49 AM	0.057
8100	9:21:49 AM	0.059
8160	9:22:49 AM	0.06
8220	9:23:49 AM	0.062
8280	9:24:49 AM	0.058
8340	9:25:49 AM	0.06
8400	9:26:49 AM	0.061
8460	9:27:49 AM	0.064
8520	9:28:49 AM	0.063
8580	9:29:49 AM	0.062
8640	9:30:49 AM	0.059
8700	9:31:49 AM	0.059
8760	9:32:49 AM	0.062
8820	9:33:49 AM	0.062
8880	9:34:49 AM	0.06
8940	9:35:49 AM	0.058
9000	9:36:49 AM	0.059
9060	9:37:49 AM	0.06
9120	9:38:49 AM	0.071
9180	9:39:49 AM	0.063
9240	9:40:49 AM	0.063
9300	9:41:49 AM	0.061
9360	9:42:49 AM	0.063
9420	9:43:49 AM	0.059
9480	9:44:49 AM	0.061
9540	9:45:49 AM	0.061
9600	9:46:49 AM	0.057
9660	9:47:49 AM	0.058
9720	9:48:49 AM	0.059
9780	9:49:49 AM	0.064
9840	9:50:49 AM	0.061
9900	9:51:49 AM	0.061
9960	9:52:49 AM	0.058
10020	9:53:49 AM	0.059

10080	9:54:49 AM	0.063
10140	9:55:49 AM	0.062
10200	9:56:49 AM	0.058
10260	9:57:49 AM	0.061
10320	9:58:49 AM	0.063
10380	9:59:49 AM	0.06
10440	10:00:49 AM	0.058
10500	10:01:49 AM	0.059
10560	10:02:49 AM	0.059
10620	10:03:49 AM	0.061
10680	10:04:49 AM	0.063
10740	10:05:49 AM	0.061
10800	10:06:49 AM	0.06
10860	10:07:49 AM	0.056
10920	10:08:49 AM	0.066
10980	10:09:49 AM	0.06
11040	10:10:49 AM	0.058
11100	10:11:49 AM	0.056
11160	10:12:49 AM	0.058
11220	10:13:49 AM	0.057
11280	10:14:49 AM	0.056
11340	10:15:49 AM	0.057
11400	10:16:49 AM	0.06
11460	10:17:49 AM	0.058
11520	10:18:49 AM	0.056
11580	10:19:49 AM	0.057
11640	10:20:49 AM	0.057
11700	10:21:49 AM	0.059
11760	10:22:49 AM	0.06
11820	10:23:49 AM	0.058
11880	10:24:49 AM	0.059
11940	10:25:49 AM	0.063
12000	10:26:49 AM	0.06
12060	10:27:49 AM	0.059
12120	10:28:49 AM	0.057
12180	10:29:49 AM	0.059
12240	10:30:49 AM	0.058
12300	10:31:49 AM	0.057
12360	10:32:49 AM	0.058
12420	10:33:49 AM	0.056
12480	10:34:49 AM	0.056
12540	10:35:49 AM	0.056
12600	10:36:49 AM	0.058
12660	10:37:49 AM	0.062
12720	10:38:49 AM	0.06
12780	10:39:49 AM	0.07
12840	10:40:49 AM	0.063

12900	10:41:49 AM	0.066
12960	10:42:49 AM	0.074
13020	10:43:49 AM	0.066
13080	10:44:49 AM	0.072
13140	10:45:49 AM	0.076
13200	10:46:49 AM	0.077
13260	10:47:49 AM	0.067
13320	10:48:49 AM	0.071
13380	10:49:49 AM	0.073
13440	10:50:49 AM	0.068
13500	10:51:49 AM	0.07
13560	10:52:49 AM	0.064
13620	10:53:49 AM	0.06
13680	10:54:49 AM	0.067
13740	10:55:49 AM	0.068
13800	10:56:49 AM	0.063
13860	10:57:49 AM	0.062
13920	10:58:49 AM	0.06
13980	10:59:49 AM	0.057
14040	11:00:49 AM	0.063
14100	11:01:49 AM	0.067
14160	11:02:49 AM	0.064
14220	11:03:49 AM	0.06
14280	11:04:49 AM	0.062
14340	11:05:49 AM	0.059
14400	11:06:49 AM	0.062
14460	11:07:49 AM	0.059
14520	11:08:49 AM	0.057
14580	11:09:49 AM	0.057
14640	11:10:49 AM	0.06
14700	11:11:49 AM	0.063
14760	11:12:49 AM	0.057
14820	11:13:49 AM	0.055
14880	11:14:49 AM	0.057
14940	11:15:49 AM	0.059
15000	11:16:49 AM	0.064
15060	11:17:49 AM	0.067
15120	11:18:49 AM	0.059
15180	11:19:49 AM	0.058
15240	11:20:49 AM	0.058
15300	11:21:49 AM	0.061
15360	11:22:49 AM	0.064
15420	11:23:49 AM	0.06
15480	11:24:49 AM	0.064
15540	11:25:49 AM	0.062
15600	11:26:49 AM	0.069
15660	11:27:49 AM	0.065

15720	11:28:49 AM	0.104
15780	11:29:49 AM	0.075
15840	11:30:49 AM	0.056
15900	11:31:49 AM	0.057
15960	11:32:49 AM	0.068
16020	11:33:49 AM	0.057
16080	11:34:49 AM	0.076
16140	11:35:49 AM	0.071
16200	11:36:49 AM	0.062
16260	11:37:49 AM	0.056
16320	11:38:49 AM	0.057
16380	11:39:49 AM	0.068
16440	11:40:49 AM	0.061
16500	11:41:49 AM	0.06
16560	11:42:49 AM	0.06
16620	11:43:49 AM	0.062
16680	11:44:49 AM	0.062
16740	11:45:49 AM	0.057
16800	11:46:49 AM	0.056
16860	11:47:49 AM	0.058
16920	11:48:49 AM	0.056
16980	11:49:49 AM	0.061
17040	11:50:49 AM	0.056
17100	11:51:49 AM	0.057
17160	11:52:49 AM	0.057
17220	11:53:49 AM	0.068
17280	11:54:49 AM	0.054
17340	11:55:49 AM	0.053
17400	11:56:49 AM	0.054
17460	11:57:49 AM	0.055
17520	11:58:49 AM	0.054
17580	11:59:49 AM	0.053
17640	12:00:49 PM	0.056
17700	12:01:49 PM	0.054
17760	12:02:49 PM	0.058
17820	12:03:49 PM	0.059
17880	12:04:49 PM	0.058
17940	12:05:49 PM	0.088
18000	12:06:49 PM	0.058
18060	12:07:49 PM	0.055
18120	12:08:49 PM	0.067
18180	12:09:49 PM	0.077
18240	12:10:49 PM	0.127
18300	12:11:49 PM	0.087
18360	12:12:49 PM	0.065
18420	12:13:49 PM	0.055
18480	12:14:49 PM	0.052

18540	12:15:49 PM	0.053
18600	12:16:49 PM	0.054
18660	12:17:49 PM	0.054
18720	12:18:49 PM	0.059
18780	12:19:49 PM	0.055
18840	12:20:49 PM	0.054
18900	12:21:49 PM	0.053
18960	12:22:49 PM	0.054
19020	12:23:49 PM	0.059
19080	12:24:49 PM	0.065
19140	12:25:49 PM	0.059
19200	12:26:49 PM	0.068
19260	12:27:49 PM	0.055
19320	12:28:49 PM	0.052
19380	12:29:49 PM	0.056
19440	12:30:49 PM	0.053
19500	12:31:49 PM	0.055
19560	12:32:49 PM	0.056
19620	12:33:49 PM	0.054
19680	12:34:49 PM	0.053
19740	12:35:49 PM	0.052
19800	12:36:49 PM	0.069
19860	12:37:49 PM	0.066
19920	12:38:49 PM	0.052
19980	12:39:49 PM	0.057
20040	12:40:49 PM	0.06
20100	12:41:49 PM	0.063
20160	12:42:49 PM	0.059
20220	12:43:49 PM	0.055
20280	12:44:49 PM	0.054
20340	12:45:49 PM	0.054
20400	12:46:49 PM	0.054
20460	12:47:49 PM	0.054
20520	12:48:49 PM	0.056
20580	12:49:49 PM	0.065
20640	12:50:49 PM	0.06
20700	12:51:49 PM	0.061
20760	12:52:49 PM	0.056
20820	12:53:49 PM	0.053
20880	12:54:49 PM	0.07
20940	12:55:49 PM	0.062
21000	12:56:49 PM	0.075
21060	12:57:49 PM	0.099
21120	12:58:49 PM	0.061
21180	12:59:49 PM	0.057
21240	1:00:49 PM	0.06
21300	1:01:49 PM	0.057

21360	1:02:49 PM	0.059
21420	1:03:49 PM	0.058
21480	1:04:49 PM	0.06
21540	1:05:49 PM	0.055
21600	1:06:49 PM	0.057
21660	1:07:49 PM	0.055
21720	1:08:49 PM	0.054
21780	1:09:49 PM	0.055
21840	1:10:49 PM	0.06
21900	1:11:49 PM	0.081
21960	1:12:49 PM	0.059
22020	1:13:49 PM	0.058
22080	1:14:49 PM	0.094
22140	1:15:49 PM	0.06
22200	1:16:49 PM	0.058
22260	1:17:49 PM	0.062
22320	1:18:49 PM	0.089

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	11/7/2023 14:32	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:31	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:30	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:29	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:28	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:27	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:26	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:25	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:24	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:23	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:22	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:21	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:20	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:19	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/7/2023 14:18	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:17	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:16	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:15	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:14	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:13	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:12	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:11	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:10	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:09	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:08	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:07	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:06	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:05	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:04	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:03	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:02	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:01	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 14:00	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/7/2023 13:59	Readings	PID	SC23030324C7	Normal	0.3

592-602816	11/7/2023 8:43 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/7/2023 8:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/7/2023 8:41 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/7/2023 8:40 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/7/2023 8:39 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/7/2023 8:38 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/7/2023 8:37 CONFIG	PID	SC23030324C7		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530113005
Firmware Version	3.1
Calibration Date	2/11/2023
Test Name	MANUAL_009
Test Start Time	7:24:16 AM
Test Start Date	11/7/2023
Test Length [D:H:M]	0:05:55
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.059
Mass Minimum [mg/m3]	0.05
Mass Maximum [mg/m3]	0.156
Mass TWA [mg/m3]	0.051
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	355

Elapsed Time [s]	TIME	Mass [mg/m3]	Alarms	Errors
0	7:24:16 AM			
60	7:25:16 AM	0.065		
120	7:26:16 AM	0.062		
180	7:27:16 AM	0.051		
240	7:28:16 AM	0.054		
300	7:29:16 AM	0.051		
360	7:30:16 AM	0.051		
420	7:31:16 AM	0.051		
480	7:32:16 AM	0.051		
540	7:33:16 AM	0.052		
600	7:34:16 AM	0.052		
660	7:35:16 AM	0.051		
720	7:36:16 AM	0.052		
780	7:37:16 AM	0.052		
840	7:38:16 AM	0.054		
900	7:39:16 AM	0.055		
960	7:40:16 AM	0.054		
1020	7:41:16 AM	0.054		
1080	7:42:16 AM	0.054		
1140	7:43:16 AM	0.051		
1200	7:44:16 AM	0.051		
1260	7:45:16 AM	0.051		
1320	7:46:16 AM	0.051		
1380	7:47:16 AM	0.051		
1440	7:48:16 AM	0.05		
1500	7:49:16 AM	0.05		
1560	7:50:16 AM	0.05		

1620	7:51:16 AM	0.051
1680	7:52:16 AM	0.053
1740	7:53:16 AM	0.053
1800	7:54:16 AM	0.051
1860	7:55:16 AM	0.051
1920	7:56:16 AM	0.051
1980	7:57:16 AM	0.053
2040	7:58:16 AM	0.052
2100	7:59:16 AM	0.052
2160	8:00:16 AM	0.054
2220	8:01:16 AM	0.052
2280	8:02:16 AM	0.052
2340	8:03:16 AM	0.052
2400	8:04:16 AM	0.055
2460	8:05:16 AM	0.055
2520	8:06:16 AM	0.052
2580	8:07:16 AM	0.054
2640	8:08:16 AM	0.057
2700	8:09:16 AM	0.057
2760	8:10:16 AM	0.06
2820	8:11:16 AM	0.056
2880	8:12:16 AM	0.054
2940	8:13:16 AM	0.056
3000	8:14:16 AM	0.056
3060	8:15:16 AM	0.057
3120	8:16:16 AM	0.056
3180	8:17:16 AM	0.055
3240	8:18:16 AM	0.055
3300	8:19:16 AM	0.054
3360	8:20:16 AM	0.053
3420	8:21:16 AM	0.053
3480	8:22:16 AM	0.056
3540	8:23:16 AM	0.06
3600	8:24:16 AM	0.058
3660	8:25:16 AM	0.056
3720	8:26:16 AM	0.059
3780	8:27:16 AM	0.057
3840	8:28:16 AM	0.054
3900	8:29:16 AM	0.056
3960	8:30:16 AM	0.054
4020	8:31:16 AM	0.056
4080	8:32:16 AM	0.057
4140	8:33:16 AM	0.056
4200	8:34:16 AM	0.055
4260	8:35:16 AM	0.058
4320	8:36:16 AM	0.071
4380	8:37:16 AM	0.059

4440	8:38:16 AM	0.059
4500	8:39:16 AM	0.061
4560	8:40:16 AM	0.061
4620	8:41:16 AM	0.061
4680	8:42:16 AM	0.058
4740	8:43:16 AM	0.067
4800	8:44:16 AM	0.059
4860	8:45:16 AM	0.06
4920	8:46:16 AM	0.061
4980	8:47:16 AM	0.063
5040	8:48:16 AM	0.063
5100	8:49:16 AM	0.064
5160	8:50:16 AM	0.067
5220	8:51:16 AM	0.061
5280	8:52:16 AM	0.062
5340	8:53:16 AM	0.064
5400	8:54:16 AM	0.064
5460	8:55:16 AM	0.061
5520	8:56:16 AM	0.061
5580	8:57:16 AM	0.061
5640	8:58:16 AM	0.064
5700	8:59:16 AM	0.067
5760	9:00:16 AM	0.07
5820	9:01:16 AM	0.067
5880	9:02:16 AM	0.068
5940	9:03:16 AM	0.067
6000	9:04:16 AM	0.062
6060	9:05:16 AM	0.074
6120	9:06:16 AM	0.074
6180	9:07:16 AM	0.068
6240	9:08:16 AM	0.076
6300	9:09:16 AM	0.073
6360	9:10:16 AM	0.068
6420	9:11:16 AM	0.073
6480	9:12:16 AM	0.073
6540	9:13:16 AM	0.067
6600	9:14:16 AM	0.071
6660	9:15:16 AM	0.065
6720	9:16:16 AM	0.064
6780	9:17:16 AM	0.077
6840	9:18:16 AM	0.07
6900	9:19:16 AM	0.074
6960	9:20:16 AM	0.072
7020	9:21:16 AM	0.07
7080	9:22:16 AM	0.067
7140	9:23:16 AM	0.065
7200	9:24:16 AM	0.068

7260	9:25:16 AM	0.067
7320	9:26:16 AM	0.07
7380	9:27:16 AM	0.072
7440	9:28:16 AM	0.072
7500	9:29:16 AM	0.072
7560	9:30:16 AM	0.069
7620	9:31:16 AM	0.066
7680	9:32:16 AM	0.074
7740	9:33:16 AM	0.072
7800	9:34:16 AM	0.066
7860	9:35:16 AM	0.068
7920	9:36:16 AM	0.069
7980	9:37:16 AM	0.071
8040	9:38:16 AM	0.07
8100	9:39:16 AM	0.075
8160	9:40:16 AM	0.092
8220	9:41:16 AM	0.069
8280	9:42:16 AM	0.068
8340	9:43:16 AM	0.071
8400	9:44:16 AM	0.082
8460	9:45:16 AM	0.068
8520	9:46:16 AM	0.073
8580	9:47:16 AM	0.067
8640	9:48:16 AM	0.077
8700	9:49:16 AM	0.079
8760	9:50:16 AM	0.07
8820	9:51:16 AM	0.068
8880	9:52:16 AM	0.078
8940	9:53:16 AM	0.067
9000	9:54:16 AM	0.067
9060	9:55:16 AM	0.074
9120	9:56:16 AM	0.079
9180	9:57:16 AM	0.068
9240	9:58:16 AM	0.066
9300	9:59:16 AM	0.068
9360	10:00:16 AM	0.068
9420	10:01:16 AM	0.071
9480	10:02:16 AM	0.076
9540	10:03:16 AM	0.069
9600	10:04:16 AM	0.065
9660	10:05:16 AM	0.065
9720	10:06:16 AM	0.069
9780	10:07:16 AM	0.066
9840	10:08:16 AM	0.065
9900	10:09:16 AM	0.065
9960	10:10:16 AM	0.066
10020	10:11:16 AM	0.063

10080	10:12:16 AM	0.065
10140	10:13:16 AM	0.065
10200	10:14:16 AM	0.066
10260	10:15:16 AM	0.066
10320	10:16:16 AM	0.069
10380	10:17:16 AM	0.063
10440	10:18:16 AM	0.065
10500	10:19:16 AM	0.069
10560	10:20:16 AM	0.069
10620	10:21:16 AM	0.067
10680	10:22:16 AM	0.071
10740	10:23:16 AM	0.069
10800	10:24:16 AM	0.066
10860	10:25:16 AM	0.067
10920	10:26:16 AM	0.07
10980	10:27:16 AM	0.067
11040	10:28:16 AM	0.066
11100	10:29:16 AM	0.067
11160	10:30:16 AM	0.068
11220	10:31:16 AM	0.065
11280	10:32:16 AM	0.072
11340	10:33:16 AM	0.066
11400	10:34:16 AM	0.075
11460	10:35:16 AM	0.078
11520	10:36:16 AM	0.073
11580	10:37:16 AM	0.067
11640	10:38:16 AM	0.067
11700	10:39:16 AM	0.072
11760	10:40:16 AM	0.071
11820	10:41:16 AM	0.071
11880	10:42:16 AM	0.077
11940	10:43:16 AM	0.08
12000	10:44:16 AM	0.072
12060	10:45:16 AM	0.069
12120	10:46:16 AM	0.066
12180	10:47:16 AM	0.067
12240	10:48:16 AM	0.067
12300	10:49:16 AM	0.069
12360	10:50:16 AM	0.073
12420	10:51:16 AM	0.08
12480	10:52:16 AM	0.07
12540	10:53:16 AM	0.07
12600	10:54:16 AM	0.069
12660	10:55:16 AM	0.069
12720	10:56:16 AM	0.065
12780	10:57:16 AM	0.065
12840	10:58:16 AM	0.068

12900	10:59:16 AM	0.067
12960	11:00:16 AM	0.067
13020	11:01:16 AM	0.069
13080	11:02:16 AM	0.068
13140	11:03:16 AM	0.069
13200	11:04:16 AM	0.069
13260	11:05:16 AM	0.066
13320	11:06:16 AM	0.067
13380	11:07:16 AM	0.066
13440	11:08:16 AM	0.063
13500	11:09:16 AM	0.063
13560	11:10:16 AM	0.065
13620	11:11:16 AM	0.065
13680	11:12:16 AM	0.066
13740	11:13:16 AM	0.068
13800	11:14:16 AM	0.071
13860	11:15:16 AM	0.071
13920	11:16:16 AM	0.065
13980	11:17:16 AM	0.063
14040	11:18:16 AM	0.064
14100	11:19:16 AM	0.065
14160	11:20:16 AM	0.069
14220	11:21:16 AM	0.066
14280	11:22:16 AM	0.068
14340	11:23:16 AM	0.072
14400	11:24:16 AM	0.066
14460	11:25:16 AM	0.065
14520	11:26:16 AM	0.071
14580	11:27:16 AM	0.075
14640	11:28:16 AM	0.068
14700	11:29:16 AM	0.065
14760	11:30:16 AM	0.064
14820	11:31:16 AM	0.067
14880	11:32:16 AM	0.067
14940	11:33:16 AM	0.071
15000	11:34:16 AM	0.067
15060	11:35:16 AM	0.065
15120	11:36:16 AM	0.066
15180	11:37:16 AM	0.071
15240	11:38:16 AM	0.063
15300	11:39:16 AM	0.066
15360	11:40:16 AM	0.071
15420	11:41:16 AM	0.071
15480	11:42:16 AM	0.071
15540	11:43:16 AM	0.069
15600	11:44:16 AM	0.069
15660	11:45:16 AM	0.068

15720	11:46:16 AM	0.067
15780	11:47:16 AM	0.066
15840	11:48:16 AM	0.066
15900	11:49:16 AM	0.065
15960	11:50:16 AM	0.066
16020	11:51:16 AM	0.066
16080	11:52:16 AM	0.078
16140	11:53:16 AM	0.067
16200	11:54:16 AM	0.064
16260	11:55:16 AM	0.064
16320	11:56:16 AM	0.062
16380	11:57:16 AM	0.064
16440	11:58:16 AM	0.065
16500	11:59:16 AM	0.063
16560	12:00:16 PM	0.065
16620	12:01:16 PM	0.065
16680	12:02:16 PM	0.064
16740	12:03:16 PM	0.067
16800	12:04:16 PM	0.063
16860	12:05:16 PM	0.063
16920	12:06:16 PM	0.066
16980	12:07:16 PM	0.064
17040	12:08:16 PM	0.079
17100	12:09:16 PM	0.073
17160	12:10:16 PM	0.064
17220	12:11:16 PM	0.064
17280	12:12:16 PM	0.062
17340	12:13:16 PM	0.063
17400	12:14:16 PM	0.064
17460	12:15:16 PM	0.062
17520	12:16:16 PM	0.064
17580	12:17:16 PM	0.062
17640	12:18:16 PM	0.065
17700	12:19:16 PM	0.065
17760	12:20:16 PM	0.064
17820	12:21:16 PM	0.064
17880	12:22:16 PM	0.065
17940	12:23:16 PM	0.062
18000	12:24:16 PM	0.062
18060	12:25:16 PM	0.061
18120	12:26:16 PM	0.062
18180	12:27:16 PM	0.064
18240	12:28:16 PM	0.063
18300	12:29:16 PM	0.064
18360	12:30:16 PM	0.064
18420	12:31:16 PM	0.062
18480	12:32:16 PM	0.062

18540	12:33:16 PM	0.062
18600	12:34:16 PM	0.064
18660	12:35:16 PM	0.063
18720	12:36:16 PM	0.063
18780	12:37:16 PM	0.063
18840	12:38:16 PM	0.062
18900	12:39:16 PM	0.063
18960	12:40:16 PM	0.064
19020	12:41:16 PM	0.065
19080	12:42:16 PM	0.063
19140	12:43:16 PM	0.066
19200	12:44:16 PM	0.067
19260	12:45:16 PM	0.067
19320	12:46:16 PM	0.067
19380	12:47:16 PM	0.063
19440	12:48:16 PM	0.063
19500	12:49:16 PM	0.063
19560	12:50:16 PM	0.063
19620	12:51:16 PM	0.064
19680	12:52:16 PM	0.071
19740	12:53:16 PM	0.073
19800	12:54:16 PM	0.074
19860	12:55:16 PM	0.068
19920	12:56:16 PM	0.069
19980	12:57:16 PM	0.067
20040	12:58:16 PM	0.066
20100	12:59:16 PM	0.066
20160	1:00:16 PM	0.066
20220	1:01:16 PM	0.068
20280	1:02:16 PM	0.069
20340	1:03:16 PM	0.102
20400	1:04:16 PM	0.15
20460	1:05:16 PM	0.074
20520	1:06:16 PM	0.069
20580	1:07:16 PM	0.07
20640	1:08:16 PM	0.069
20700	1:09:16 PM	0.069
20760	1:10:16 PM	0.067
20820	1:11:16 PM	0.156
20880	1:12:16 PM	0.072
20940	1:13:16 PM	0.069
21000	1:14:16 PM	0.076
21060	1:15:16 PM	0.106
21120	1:16:16 PM	0.075
21180	1:17:16 PM	0.073
21240	1:18:16 PM	0.076
21300	1:19:16 PM	0.077

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	11/7/2023 14:26	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:25	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:24	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:23	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:22	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:21	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:20	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:19	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:18	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:17	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:16	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:15	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:14	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:13	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:12	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:11	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:10	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:09	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:08	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:07	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:06	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:05	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:04	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:03	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:02	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:01	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 14:00	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:59	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:58	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:57	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:56	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:55	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:54	Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 13:53	Readings	PID	SC23030408A8	Normal	0

592-600871	11/7/2023 8:37 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:36 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:35 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:34 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:33 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:32 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:31 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:30 Readings	PID	SC23030408A8	Normal	0
592-600871	11/7/2023 8:29 CONFIG	PID	SC23030408A8		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530100909
Firmware Version	3.1
Calibration Date	7/24/2023
Test Name	MANUAL_018
Test Start Time	7:16:28 AM
Test Start Date	11/7/2023
Test Length [D:H:M]	0:05:57
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.657
Mass TWA [mg/m3]	0.018
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	357

Elapsed Time [s]	TIME	Mass [mg/m3]	Alarms	Errors
0	7:16:28 AM			
60	7:17:28 AM	0.025		
120	7:18:28 AM	0.027		
180	7:19:28 AM	0.028		
240	7:20:28 AM	0.054		
300	7:21:28 AM	0.075		
360	7:22:28 AM	0.02		
420	7:23:28 AM	0.022		
480	7:24:28 AM	0.019		
540	7:25:28 AM	0.016		
600	7:26:28 AM	0.014		
660	7:27:28 AM	0.013		
720	7:28:28 AM	0.014		
780	7:29:28 AM	0.013		
840	7:30:28 AM	0.013		
900	7:31:28 AM	0.014		
960	7:32:28 AM	0.012		
1020	7:33:28 AM	0.011		
1080	7:34:28 AM	0.01		
1140	7:35:28 AM	0.012		
1200	7:36:28 AM	0.012		
1260	7:37:28 AM	0.011		
1320	7:38:28 AM	0.011		
1380	7:39:28 AM	0.012		
1440	7:40:28 AM	0.013		
1500	7:41:28 AM	0.016		
1560	7:42:28 AM	0.014		

1620	7:43:28 AM	0.013
1680	7:44:28 AM	0.014
1740	7:45:28 AM	0.012
1800	7:46:28 AM	0.011
1860	7:47:28 AM	0.013
1920	7:48:28 AM	0.012
1980	7:49:28 AM	0.011
2040	7:50:28 AM	0.01
2100	7:51:28 AM	0.01
2160	7:52:28 AM	0.01
2220	7:53:28 AM	0.014
2280	7:54:28 AM	0.012
2340	7:55:28 AM	0.013
2400	7:56:28 AM	0.014
2460	7:57:28 AM	0.012
2520	7:58:28 AM	0.012
2580	7:59:28 AM	0.014
2640	8:00:28 AM	0.013
2700	8:01:28 AM	0.012
2760	8:02:28 AM	0.012
2820	8:03:28 AM	0.012
2880	8:04:28 AM	0.012
2940	8:05:28 AM	0.026
3000	8:06:28 AM	0.02
3060	8:07:28 AM	0.021
3120	8:08:28 AM	0.015
3180	8:09:28 AM	0.017
3240	8:10:28 AM	0.035
3300	8:11:28 AM	0.014
3360	8:12:28 AM	0.027
3420	8:13:28 AM	0.02
3480	8:14:28 AM	0.012
3540	8:15:28 AM	0.013
3600	8:16:28 AM	0.013
3660	8:17:28 AM	0.013
3720	8:18:28 AM	0.014
3780	8:19:28 AM	0.015
3840	8:20:28 AM	0.014
3900	8:21:28 AM	0.015
3960	8:22:28 AM	0.038
4020	8:23:28 AM	0.024
4080	8:24:28 AM	0.019
4140	8:25:28 AM	0.03
4200	8:26:28 AM	0.02
4260	8:27:28 AM	0.017
4320	8:28:28 AM	0.018
4380	8:29:28 AM	0.017

4440	8:30:28 AM	0.015
4500	8:31:28 AM	0.014
4560	8:32:28 AM	0.013
4620	8:33:28 AM	0.014
4680	8:34:28 AM	0.014
4740	8:35:28 AM	0.015
4800	8:36:28 AM	0.012
4860	8:37:28 AM	0.015
4920	8:38:28 AM	0.016
4980	8:39:28 AM	0.015
5040	8:40:28 AM	0.017
5100	8:41:28 AM	0.016
5160	8:42:28 AM	0.016
5220	8:43:28 AM	0.016
5280	8:44:28 AM	0.016
5340	8:45:28 AM	0.015
5400	8:46:28 AM	0.016
5460	8:47:28 AM	0.017
5520	8:48:28 AM	0.015
5580	8:49:28 AM	0.016
5640	8:50:28 AM	0.02
5700	8:51:28 AM	0.02
5760	8:52:28 AM	0.021
5820	8:53:28 AM	0.019
5880	8:54:28 AM	0.017
5940	8:55:28 AM	0.019
6000	8:56:28 AM	0.02
6060	8:57:28 AM	0.02
6120	8:58:28 AM	0.018
6180	8:59:28 AM	0.019
6240	9:00:28 AM	0.019
6300	9:01:28 AM	0.02
6360	9:02:28 AM	0.02
6420	9:03:28 AM	0.02
6480	9:04:28 AM	0.02
6540	9:05:28 AM	0.017
6600	9:06:28 AM	0.017
6660	9:07:28 AM	0.018
6720	9:08:28 AM	0.02
6780	9:09:28 AM	0.019
6840	9:10:28 AM	0.022
6900	9:11:28 AM	0.023
6960	9:12:28 AM	0.021
7020	9:13:28 AM	0.021
7080	9:14:28 AM	0.026
7140	9:15:28 AM	0.033
7200	9:16:28 AM	0.029

7260	9:17:28 AM	0.027
7320	9:18:28 AM	0.024
7380	9:19:28 AM	0.026
7440	9:20:28 AM	0.022
7500	9:21:28 AM	0.025
7560	9:22:28 AM	0.026
7620	9:23:28 AM	0.023
7680	9:24:28 AM	0.022
7740	9:25:28 AM	0.029
7800	9:26:28 AM	0.024
7860	9:27:28 AM	0.023
7920	9:28:28 AM	0.022
7980	9:29:28 AM	0.02
8040	9:30:28 AM	0.02
8100	9:31:28 AM	0.02
8160	9:32:28 AM	0.02
8220	9:33:28 AM	0.02
8280	9:34:28 AM	0.02
8340	9:35:28 AM	0.02
8400	9:36:28 AM	0.02
8460	9:37:28 AM	0.019
8520	9:38:28 AM	0.023
8580	9:39:28 AM	0.024
8640	9:40:28 AM	0.023
8700	9:41:28 AM	0.023
8760	9:42:28 AM	0.02
8820	9:43:28 AM	0.019
8880	9:44:28 AM	0.019
8940	9:45:28 AM	0.018
9000	9:46:28 AM	0.018
9060	9:47:28 AM	0.018
9120	9:48:28 AM	0.019
9180	9:49:28 AM	0.022
9240	9:50:28 AM	0.021
9300	9:51:28 AM	0.022
9360	9:52:28 AM	0.019
9420	9:53:28 AM	0.021
9480	9:54:28 AM	0.02
9540	9:55:28 AM	0.022
9600	9:56:28 AM	0.023
9660	9:57:28 AM	0.023
9720	9:58:28 AM	0.022
9780	9:59:28 AM	0.019
9840	10:00:28 AM	0.018
9900	10:01:28 AM	0.018
9960	10:02:28 AM	0.019
10020	10:03:28 AM	0.021

10080	10:04:28 AM	0.022
10140	10:05:28 AM	0.021
10200	10:06:28 AM	0.019
10260	10:07:28 AM	0.022
10320	10:08:28 AM	0.022
10380	10:09:28 AM	0.02
10440	10:10:28 AM	0.02
10500	10:11:28 AM	0.021
10560	10:12:28 AM	0.019
10620	10:13:28 AM	0.018
10680	10:14:28 AM	0.019
10740	10:15:28 AM	0.02
10800	10:16:28 AM	0.02
10860	10:17:28 AM	0.02
10920	10:18:28 AM	0.019
10980	10:19:28 AM	0.019
11040	10:20:28 AM	0.019
11100	10:21:28 AM	0.023
11160	10:22:28 AM	0.022
11220	10:23:28 AM	0.02
11280	10:24:28 AM	0.021
11340	10:25:28 AM	0.021
11400	10:26:28 AM	0.02
11460	10:27:28 AM	0.02
11520	10:28:28 AM	0.022
11580	10:29:28 AM	0.021
11640	10:30:28 AM	0.021
11700	10:31:28 AM	0.024
11760	10:32:28 AM	0.022
11820	10:33:28 AM	0.02
11880	10:34:28 AM	0.02
11940	10:35:28 AM	0.02
12000	10:36:28 AM	0.023
12060	10:37:28 AM	0.023
12120	10:38:28 AM	0.024
12180	10:39:28 AM	0.025
12240	10:40:28 AM	0.032
12300	10:41:28 AM	0.034
12360	10:42:28 AM	0.028
12420	10:43:28 AM	0.031
12480	10:44:28 AM	0.037
12540	10:45:28 AM	0.036
12600	10:46:28 AM	0.03
12660	10:47:28 AM	0.029
12720	10:48:28 AM	0.045
12780	10:49:28 AM	0.025
12840	10:50:28 AM	0.035

12900	10:51:28 AM	0.026
12960	10:52:28 AM	0.055
13020	10:53:28 AM	0.023
13080	10:54:28 AM	0.031
13140	10:55:28 AM	0.023
13200	10:56:28 AM	0.022
13260	10:57:28 AM	0.023
13320	10:58:28 AM	0.021
13380	10:59:28 AM	0.022
13440	11:00:28 AM	0.029
13500	11:01:28 AM	0.022
13560	11:02:28 AM	0.021
13620	11:03:28 AM	0.025
13680	11:04:28 AM	0.024
13740	11:05:28 AM	0.028
13800	11:06:28 AM	0.024
13860	11:07:28 AM	0.024
13920	11:08:28 AM	0.031
13980	11:09:28 AM	0.021
14040	11:10:28 AM	0.02
14100	11:11:28 AM	0.02
14160	11:12:28 AM	0.019
14220	11:13:28 AM	0.022
14280	11:14:28 AM	0.029
14340	11:15:28 AM	0.031
14400	11:16:28 AM	0.029
14460	11:17:28 AM	0.029
14520	11:18:28 AM	0.027
14580	11:19:28 AM	0.036
14640	11:20:28 AM	0.026
14700	11:21:28 AM	0.021
14760	11:22:28 AM	0.025
14820	11:23:28 AM	0.023
14880	11:24:28 AM	0.024
14940	11:25:28 AM	0.025
15000	11:26:28 AM	0.036
15060	11:27:28 AM	0.022
15120	11:28:28 AM	0.044
15180	11:29:28 AM	0.027
15240	11:30:28 AM	0.02
15300	11:31:28 AM	0.018
15360	11:32:28 AM	0.02
15420	11:33:28 AM	0.018
15480	11:34:28 AM	0.02
15540	11:35:28 AM	0.025
15600	11:36:28 AM	0.021
15660	11:37:28 AM	0.019

15720	11:38:28 AM	0.02
15780	11:39:28 AM	0.023
15840	11:40:28 AM	0.021
15900	11:41:28 AM	0.02
15960	11:42:28 AM	0.023
16020	11:43:28 AM	0.025
16080	11:44:28 AM	0.027
16140	11:45:28 AM	0.023
16200	11:46:28 AM	0.022
16260	11:47:28 AM	0.021
16320	11:48:28 AM	0.02
16380	11:49:28 AM	0.021
16440	11:50:28 AM	0.021
16500	11:51:28 AM	0.021
16560	11:52:28 AM	0.02
16620	11:53:28 AM	0.02
16680	11:54:28 AM	0.019
16740	11:55:28 AM	0.018
16800	11:56:28 AM	0.02
16860	11:57:28 AM	0.019
16920	11:58:28 AM	0.018
16980	11:59:28 AM	0.02
17040	12:00:28 PM	0.019
17100	12:01:28 PM	0.018
17160	12:02:28 PM	0.019
17220	12:03:28 PM	0.021
17280	12:04:28 PM	0.022
17340	12:05:28 PM	0.024
17400	12:06:28 PM	0.019
17460	12:07:28 PM	0.02
17520	12:08:28 PM	0.024
17580	12:09:28 PM	0.019
17640	12:10:28 PM	0.026
17700	12:11:28 PM	0.074
17760	12:12:28 PM	0.029
17820	12:13:28 PM	0.024
17880	12:14:28 PM	0.018
17940	12:15:28 PM	0.02
18000	12:16:28 PM	0.02
18060	12:17:28 PM	0.034
18120	12:18:28 PM	0.023
18180	12:19:28 PM	0.018
18240	12:20:28 PM	0.018
18300	12:21:28 PM	0.026
18360	12:22:28 PM	0.025
18420	12:23:28 PM	0.021
18480	12:24:28 PM	0.022

18540	12:25:28 PM	0.058
18600	12:26:28 PM	0.029
18660	12:27:28 PM	0.019
18720	12:28:28 PM	0.02
18780	12:29:28 PM	0.021
18840	12:30:28 PM	0.022
18900	12:31:28 PM	0.021
18960	12:32:28 PM	0.024
19020	12:33:28 PM	0.022
19080	12:34:28 PM	0.023
19140	12:35:28 PM	0.031
19200	12:36:28 PM	0.087
19260	12:37:28 PM	0.025
19320	12:38:28 PM	0.027
19380	12:39:28 PM	0.049
19440	12:40:28 PM	0.022
19500	12:41:28 PM	0.02
19560	12:42:28 PM	0.023
19620	12:43:28 PM	0.025
19680	12:44:28 PM	0.019
19740	12:45:28 PM	0.021
19800	12:46:28 PM	0.025
19860	12:47:28 PM	0.023
19920	12:48:28 PM	0.02
19980	12:49:28 PM	0.02
20040	12:50:28 PM	0.018
20100	12:51:28 PM	0.019
20160	12:52:28 PM	0.019
20220	12:53:28 PM	0.02
20280	12:54:28 PM	0.031
20340	12:55:28 PM	0.023
20400	12:56:28 PM	0.03
20460	12:57:28 PM	0.027
20520	12:58:28 PM	0.03
20580	12:59:28 PM	0.023
20640	1:00:28 PM	0.024
20700	1:01:28 PM	0.027
20760	1:02:28 PM	0.022
20820	1:03:28 PM	0.022
20880	1:04:28 PM	0.023
20940	1:05:28 PM	0.021
21000	1:06:28 PM	0.022
21060	1:07:28 PM	0.021
21120	1:08:28 PM	0.065
21180	1:09:28 PM	0.657
21240	1:10:28 PM	0.046
21300	1:11:28 PM	0.073

21360	1:12:28 PM	0.031
21420	1:13:28 PM	0.031

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-929156	11/7/2023 20:31	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:30	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:29	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:28	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:27	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:26	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:25	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:24	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:23	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:22	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:21	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:20	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:19	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:18	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:17	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:16	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:15	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:14	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:13	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:12	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:11	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:10	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:09	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:08	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:07	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:06	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:05	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:04	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:03	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:02	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:01	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 20:00	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 19:59	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/7/2023 19:58	Readings	PID	SC23030065D3	Normal	0.3

592-929156	11/7/2023 8:52	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:51	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:50	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:49	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:48	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:47	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:46	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:45	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:44	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:43	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:42	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:41	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:40	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/7/2023 8:39	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/7/2023 8:38	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/7/2023 8:37	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/7/2023 8:36	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/7/2023 8:35	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/7/2023 8:34	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/7/2023 8:33	CONFIG	PID	SC23030065D3		