



**DAILY STATUS REPORT**

**Prepared By:**

Gwen Lynn

WEATHER	Snow	Rain	Overcast	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85	>85		N-4 MPH

<b>IEC Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b>	11/10/23
<b>Project:</b>	251 Douglass Street, Brooklyn, NY				

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:40 Time Out: 15:30</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Gwen Lynn and Alex Keenan Cascade Remediation Services – Jon Simpson Broadway Construction Group - Tom Caporale</p> <p><b>Equipment On Site:</b> Minirae 3000 PID, DustTrak II</p>
---	--

**Scope of Work:** Soil removal activities in WC-1

**Site Activities:**

- Deploy CAMP at the start of the workday;
- Continued excavation in northern portion of the Site;
- The ISS pilot test swell stockpile material has been relocated to Grids F7 and F8. Refer to attached Alpha Numeric Grid Map for location;
- Nineteen (19) truckloads of material removed from 0-4' in northern portion of the Site for disposal at Bayshore;
- IRT on-Site to pick up fourteen (14), 55-gallon haz drums generated during the MW decommissioning event for disposal at Clean Earth;
- ABC Tank Repair on-Site to pump out 550 gallon tank, as another Site canceled in the area. 500-gallons of 'Non-DOT, Non-RCRA Regulated oil/water' was pumped from the tank and disposed of at Tradebe T & R LLC., of Meriden, Ct. It should be noted that the tank passed the pressure test.

**Community Air Monitoring Program (CAMP) -** \_CAMP action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day;
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Prestart Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.019\_ mg/m<sup>3</sup> @ 07:32.
- High Conditions (Upwind) – PID = \_3.5\_ ppm @ 12:14, Dust = \_0.466\_ mg/m<sup>3</sup> @ 09:43.
- High Conditions (Downwind 1) – PID = \_0.0\_ ppm, Dust = \_0.387\_ mg/m<sup>3</sup> @ 07:51.
- High Conditions (Downwind 2) – PID = \_0.2\_ ppm @09:31, Dust = \_0.491\_ mg/m<sup>3</sup> @ 08:15

\*BCG actively spraying water during all excavation, grading and soil load out work for dust suppression purposes.

**Notable Site Conditions:**

- Discovery of unregistered 550-gallon UST in Grids A7 and B7, BGC contacted ABC Tank to remove liquid within tank as well as remove concrete encasement. Once the tanks contents are removed, the tank will be unearthed, it will be cleaned, inspected by IEEG and removed by ABC. Tank closure and sampling will be performed in accordance with DER-10.

**Planned for the Next Day/Week:**

- ABC plans to break up concrete around 550-gallon unregistered UST;
- BCG to break up old concrete foundation in northern portion of the Site;
- DEC QA/QC ISS Pilot Test core drilling; and
- Continued excavation and material load out.



**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative  
photo of IRT  
loading drums onto  
truck for off-Site  
disposal.



**Photo 2 –**  
Representative  
view of material  
load out for off-Site  
disposal to  
Bayshore.





**Photo 3-** Photo of ABC Tank pumping liquid from concrete encased UST located in grids A7 and B7.



**Photo 4 –** Representative view of the pump truck used to remove the liquid from the unregistered 550-gallon tank.



**Photo 5 –**  
Representative  
photo of the Non-  
Hazardous Waste  
Manifest for the  
Liquid pumped out  
of the UST in Grid  
A7 and B7.

The photograph shows a 'NON-HAZARDOUS WASTE MANIFEST' form, identified as 169-BLS-C-5 (Rev. 9/99). The form is filled out with handwritten information. Key fields include:

- Generator's Name:** ABC TANK REPAIR & LUBRICATION TROUBLES
- Generator's Address:** 733 POND RD, MERIDEN CT 06451
- Generator's Phone:** 783-272-2300
- Receiver's Name:** ABC TANK REPAIR & LUBRICATION TROUBLES
- Receiver's Address:** 733 POND RD, MERIDEN CT 06451
- Receiver's Phone:** 783-272-2300
- Material Description:** NON-DOZ NON-PCRA
- Quantity:** 57.36
- Material Code:** 10
- Signature:** ABC TANK

The form also includes sections for 'Generator's Certification', 'Receiver's Certification', and 'Transportation Information'. A red stamp at the bottom right reads 'GENERATOR'S/SHIPPER'S INITIAL COPY'. A pink form with a checklist is partially visible on the right edge of the image.



**SITE PLAN**

251 DOUGLASS STREET, BROOKLYN, NY








**Alpha Numeric Excavation and Endpoint Sample Map**

251 DOUGLASS STREET, BROOKLYN, NY



# NEVINS STREET



**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530113005
Firmware Version	3.1
Calibration Date	2/11/2023
Test Name	MANUAL_012
Test Start Time	7:31:20 AM
Test Start Date	11/10/2023
Test Length [D:H:M]	0:07:52
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.025
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.466
Mass TWA [mg/m3]	0.025
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	472

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:31:20 AM			
60	7:32:20 AM	0.019		
120	7:33:20 AM	0.053		
180	7:34:20 AM	0.015		
240	7:35:20 AM	0.304		
300	7:36:20 AM	0.017		
360	7:37:20 AM	0.015		
420	7:38:20 AM	0.015		
480	7:39:20 AM	0.015		
540	7:40:20 AM	0.014		
600	7:41:20 AM	0.018		
660	7:42:20 AM	0.017		
720	7:43:20 AM	0.017		
780	7:44:20 AM	0.017		
840	7:45:20 AM	0.017		
900	7:46:20 AM	0.016		
960	7:47:20 AM	0.016		
1020	7:48:20 AM	0.016		
1080	7:49:20 AM	0.019		
1140	7:50:20 AM	0.022		
1200	7:51:20 AM	0.019		
1260	7:52:20 AM	0.017		
1320	7:53:20 AM	0.019		
1380	7:54:20 AM	0.018		
1440	7:55:20 AM	0.019		
1500	7:56:20 AM	0.019		
1560	7:57:20 AM	0.019		

1620	7:58:20 AM	0.021
1680	7:59:20 AM	0.019
1740	8:00:20 AM	0.018
1800	8:01:20 AM	0.019
1860	8:02:20 AM	0.022
1920	8:03:20 AM	0.018
1980	8:04:20 AM	0.02
2040	8:05:20 AM	0.024
2100	8:06:20 AM	0.019
2160	8:07:20 AM	0.018
2220	8:08:20 AM	0.019
2280	8:09:20 AM	0.031
2340	8:10:20 AM	0.023
2400	8:11:20 AM	0.017
2460	8:12:20 AM	0.019
2520	8:13:20 AM	0.018
2580	8:14:20 AM	0.017
2640	8:15:20 AM	0.017
2700	8:16:20 AM	0.021
2760	8:17:20 AM	0.018
2820	8:18:20 AM	0.016
2880	8:19:20 AM	0.017
2940	8:20:20 AM	0.017
3000	8:21:20 AM	0.018
3060	8:22:20 AM	0.017
3120	8:23:20 AM	0.017
3180	8:24:20 AM	0.015
3240	8:25:20 AM	0.014
3300	8:26:20 AM	0.016
3360	8:27:20 AM	0.024
3420	8:28:20 AM	0.02
3480	8:29:20 AM	0.016
3540	8:30:20 AM	0.016
3600	8:31:20 AM	0.033
3660	8:32:20 AM	0.022
3720	8:33:20 AM	0.019
3780	8:34:20 AM	0.023
3840	8:35:20 AM	0.019
3900	8:36:20 AM	0.025
3960	8:37:20 AM	0.031
4020	8:38:20 AM	0.147
4080	8:39:20 AM	0.02
4140	8:40:20 AM	0.037
4200	8:41:20 AM	0.058
4260	8:42:20 AM	0.03
4320	8:43:20 AM	0.03
4380	8:44:20 AM	0.015



4440	8:45:20 AM	0.017
4500	8:46:20 AM	0.018
4560	8:47:20 AM	0.02
4620	8:48:20 AM	0.023
4680	8:49:20 AM	0.043
4740	8:50:20 AM	0.039
4800	8:51:20 AM	0.026
4860	8:52:20 AM	0.023
4920	8:53:20 AM	0.022
4980	8:54:20 AM	0.024
5040	8:55:20 AM	0.026
5100	8:56:20 AM	0.03
5160	8:57:20 AM	0.027
5220	8:58:20 AM	0.028
5280	8:59:20 AM	0.033
5340	9:00:20 AM	0.044
5400	9:01:20 AM	0.022
5460	9:02:20 AM	0.018
5520	9:03:20 AM	0.016
5580	9:04:20 AM	0.016
5640	9:05:20 AM	0.017
5700	9:06:20 AM	0.021
5760	9:07:20 AM	0.016
5820	9:08:20 AM	0.016
5880	9:09:20 AM	0.016
5940	9:10:20 AM	0.017
6000	9:11:20 AM	0.017
6060	9:12:20 AM	0.023
6120	9:13:20 AM	0.047
6180	9:14:20 AM	0.04
6240	9:15:20 AM	0.027
6300	9:16:20 AM	0.027
6360	9:17:20 AM	0.021
6420	9:18:20 AM	0.018
6480	9:19:20 AM	0.019
6540	9:20:20 AM	0.025
6600	9:21:20 AM	0.02
6660	9:22:20 AM	0.021
6720	9:23:20 AM	0.024
6780	9:24:20 AM	0.029
6840	9:25:20 AM	0.031
6900	9:26:20 AM	0.041
6960	9:27:20 AM	0.065
7020	9:28:20 AM	0.041
7080	9:29:20 AM	0.024
7140	9:30:20 AM	0.022
7200	9:31:20 AM	0.022

7260	9:32:20 AM	0.026
7320	9:33:20 AM	0.022
7380	9:34:20 AM	0.023
7440	9:35:20 AM	0.166
7500	9:36:20 AM	0.029
7560	9:37:20 AM	0.022
7620	9:38:20 AM	0.022
7680	9:39:20 AM	0.025
7740	9:40:20 AM	0.021
7800	9:41:20 AM	0.021
7860	9:42:20 AM	0.026
7920	9:43:20 AM	0.466
7980	9:44:20 AM	0.055
8040	9:45:20 AM	0.022
8100	9:46:20 AM	0.022
8160	9:47:20 AM	0.023
8220	9:48:20 AM	0.02
8280	9:49:20 AM	0.02
8340	9:50:20 AM	0.039
8400	9:51:20 AM	0.032
8460	9:52:20 AM	0.092
8520	9:53:20 AM	0.166
8580	9:54:20 AM	0.053
8640	9:55:20 AM	0.047
8700	9:56:20 AM	0.041
8760	9:57:20 AM	0.023
8820	9:58:20 AM	0.022
8880	9:59:20 AM	0.037
8940	10:00:20 AM	0.02
9000	10:01:20 AM	0.018
9060	10:02:20 AM	0.019
9120	10:03:20 AM	0.019
9180	10:04:20 AM	0.017
9240	10:05:20 AM	0.018
9300	10:06:20 AM	0.02
9360	10:07:20 AM	0.02
9420	10:08:20 AM	0.017
9480	10:09:20 AM	0.017
9540	10:10:20 AM	0.019
9600	10:11:20 AM	0.018
9660	10:12:20 AM	0.018
9720	10:13:20 AM	0.017
9780	10:14:20 AM	0.023
9840	10:15:20 AM	0.026
9900	10:16:20 AM	0.017
9960	10:17:20 AM	0.015
10020	10:18:20 AM	0.018

10080	10:19:20 AM	0.016
10140	10:20:20 AM	0.017
10200	10:21:20 AM	0.015
10260	10:22:20 AM	0.021
10320	10:23:20 AM	0.017
10380	10:24:20 AM	0.013
10440	10:25:20 AM	0.013
10500	10:26:20 AM	0.014
10560	10:27:20 AM	0.014
10620	10:28:20 AM	0.015
10680	10:29:20 AM	0.016
10740	10:30:20 AM	0.014
10800	10:31:20 AM	0.022
10860	10:32:20 AM	0.018
10920	10:33:20 AM	0.019
10980	10:34:20 AM	0.017
11040	10:35:20 AM	0.02
11100	10:36:20 AM	0.018
11160	10:37:20 AM	0.021
11220	10:38:20 AM	0.021
11280	10:39:20 AM	0.018
11340	10:40:20 AM	0.019
11400	10:41:20 AM	0.015
11460	10:42:20 AM	0.016
11520	10:43:20 AM	0.018
11580	10:44:20 AM	0.018
11640	10:45:20 AM	0.017
11700	10:46:20 AM	0.019
11760	10:47:20 AM	0.021
11820	10:48:20 AM	0.017
11880	10:49:20 AM	0.014
11940	10:50:20 AM	0.016
12000	10:51:20 AM	0.017
12060	10:52:20 AM	0.017
12120	10:53:20 AM	0.017
12180	10:54:20 AM	0.025
12240	10:55:20 AM	0.023
12300	10:56:20 AM	0.017
12360	10:57:20 AM	0.018
12420	10:58:20 AM	0.021
12480	10:59:20 AM	0.019
12540	11:00:20 AM	0.022
12600	11:01:20 AM	0.033
12660	11:02:20 AM	0.023
12720	11:03:20 AM	0.014
12780	11:04:20 AM	0.018
12840	11:05:20 AM	0.023

12900	11:06:20 AM	0.02
12960	11:07:20 AM	0.013
13020	11:08:20 AM	0.016
13080	11:09:20 AM	0.026
13140	11:10:20 AM	0.022
13200	11:11:20 AM	0.027
13260	11:12:20 AM	0.025
13320	11:13:20 AM	0.024
13380	11:14:20 AM	0.131
13440	11:15:20 AM	0.053
13500	11:16:20 AM	0.031
13560	11:17:20 AM	0.025
13620	11:18:20 AM	0.019
13680	11:19:20 AM	0.019
13740	11:20:20 AM	0.02
13800	11:21:20 AM	0.018
13860	11:22:20 AM	0.016
13920	11:23:20 AM	0.017
13980	11:24:20 AM	0.017
14040	11:25:20 AM	0.018
14100	11:26:20 AM	0.02
14160	11:27:20 AM	0.022
14220	11:28:20 AM	0.018
14280	11:29:20 AM	0.017
14340	11:30:20 AM	0.023
14400	11:31:20 AM	0.021
14460	11:32:20 AM	0.024
14520	11:33:20 AM	0.027
14580	11:34:20 AM	0.022
14640	11:35:20 AM	0.021
14700	11:36:20 AM	0.022
14760	11:37:20 AM	0.03
14820	11:38:20 AM	0.037
14880	11:39:20 AM	0.024
14940	11:40:20 AM	0.018
15000	11:41:20 AM	0.018
15060	11:42:20 AM	0.034
15120	11:43:20 AM	0.035
15180	11:44:20 AM	0.023
15240	11:45:20 AM	0.026
15300	11:46:20 AM	0.021
15360	11:47:20 AM	0.021
15420	11:48:20 AM	0.017
15480	11:49:20 AM	0.017
15540	11:50:20 AM	0.028
15600	11:51:20 AM	0.022
15660	11:52:20 AM	0.031

15720	11:53:20 AM	0.03
15780	11:54:20 AM	0.025
15840	11:55:20 AM	0.018
15900	11:56:20 AM	0.019
15960	11:57:20 AM	0.024
16020	11:58:20 AM	0.02
16080	11:59:20 AM	0.018
16140	12:00:20 PM	0.047
16200	12:01:20 PM	0.03
16260	12:02:20 PM	0.027
16320	12:03:20 PM	0.022
16380	12:04:20 PM	0.018
16440	12:05:20 PM	0.019
16500	12:06:20 PM	0.017
16560	12:07:20 PM	0.017
16620	12:08:20 PM	0.019
16680	12:09:20 PM	0.018
16740	12:10:20 PM	0.019
16800	12:11:20 PM	0.022
16860	12:12:20 PM	0.019
16920	12:13:20 PM	0.021
16980	12:14:20 PM	0.016
17040	12:15:20 PM	0.016
17100	12:16:20 PM	0.023
17160	12:17:20 PM	0.019
17220	12:18:20 PM	0.017
17280	12:19:20 PM	0.015
17340	12:20:20 PM	0.015
17400	12:21:20 PM	0.014
17460	12:22:20 PM	0.013
17520	12:23:20 PM	0.017
17580	12:24:20 PM	0.016
17640	12:25:20 PM	0.026
17700	12:26:20 PM	0.025
17760	12:27:20 PM	0.017
17820	12:28:20 PM	0.023
17880	12:29:20 PM	0.027
17940	12:30:20 PM	0.025
18000	12:31:20 PM	0.023
18060	12:32:20 PM	0.02
18120	12:33:20 PM	0.018
18180	12:34:20 PM	0.019
18240	12:35:20 PM	0.02
18300	12:36:20 PM	0.017
18360	12:37:20 PM	0.016
18420	12:38:20 PM	0.015
18480	12:39:20 PM	0.017



18540	12:40:20 PM	0.022
18600	12:41:20 PM	0.024
18660	12:42:20 PM	0.025
18720	12:43:20 PM	0.036
18780	12:44:20 PM	0.021
18840	12:45:20 PM	0.019
18900	12:46:20 PM	0.021
18960	12:47:20 PM	0.022
19020	12:48:20 PM	0.021
19080	12:49:20 PM	0.023
19140	12:50:20 PM	0.027
19200	12:51:20 PM	0.02
19260	12:52:20 PM	0.016
19320	12:53:20 PM	0.018
19380	12:54:20 PM	0.017
19440	12:55:20 PM	0.017
19500	12:56:20 PM	0.021
19560	12:57:20 PM	0.021
19620	12:58:20 PM	0.018
19680	12:59:20 PM	0.022
19740	1:00:20 PM	0.02
19800	1:01:20 PM	0.018
19860	1:02:20 PM	0.017
19920	1:03:20 PM	0.018
19980	1:04:20 PM	0.017
20040	1:05:20 PM	0.017
20100	1:06:20 PM	0.017
20160	1:07:20 PM	0.02
20220	1:08:20 PM	0.018
20280	1:09:20 PM	0.018
20340	1:10:20 PM	0.017
20400	1:11:20 PM	0.017
20460	1:12:20 PM	0.015
20520	1:13:20 PM	0.015
20580	1:14:20 PM	0.015
20640	1:15:20 PM	0.015
20700	1:16:20 PM	0.016
20760	1:17:20 PM	0.016
20820	1:18:20 PM	0.016
20880	1:19:20 PM	0.031
20940	1:20:20 PM	0.037
21000	1:21:20 PM	0.054
21060	1:22:20 PM	0.042
21120	1:23:20 PM	0.041
21180	1:24:20 PM	0.036
21240	1:25:20 PM	0.038
21300	1:26:20 PM	0.035

21360	1:27:20 PM	0.05
21420	1:28:20 PM	0.024
21480	1:29:20 PM	0.022
21540	1:30:20 PM	0.035
21600	1:31:20 PM	0.021
21660	1:32:20 PM	0.027
21720	1:33:20 PM	0.022
21780	1:34:20 PM	0.021
21840	1:35:20 PM	0.026
21900	1:36:20 PM	0.022
21960	1:37:20 PM	0.02
22020	1:38:20 PM	0.018
22080	1:39:20 PM	0.018
22140	1:40:20 PM	0.019
22200	1:41:20 PM	0.023
22260	1:42:20 PM	0.024
22320	1:43:20 PM	0.025
22380	1:44:20 PM	0.026
22440	1:45:20 PM	0.033
22500	1:46:20 PM	0.07
22560	1:47:20 PM	0.018
22620	1:48:20 PM	0.018
22680	1:49:20 PM	0.017
22740	1:50:20 PM	0.017
22800	1:51:20 PM	0.018
22860	1:52:20 PM	0.018
22920	1:53:20 PM	0.017
22980	1:54:20 PM	0.02
23040	1:55:20 PM	0.025
23100	1:56:20 PM	0.021
23160	1:57:20 PM	0.025
23220	1:58:20 PM	0.029
23280	1:59:20 PM	0.023
23340	2:00:20 PM	0.02
23400	2:01:20 PM	0.019
23460	2:02:20 PM	0.02
23520	2:03:20 PM	0.023
23580	2:04:20 PM	0.025
23640	2:05:20 PM	0.023
23700	2:06:20 PM	0.023
23760	2:07:20 PM	0.023
23820	2:08:20 PM	0.021
23880	2:09:20 PM	0.021
23940	2:10:20 PM	0.022
24000	2:11:20 PM	0.026
24060	2:12:20 PM	0.02
24120	2:13:20 PM	0.018

24180	2:14:20 PM	0.018
24240	2:15:20 PM	0.02
24300	2:16:20 PM	0.019
24360	2:17:20 PM	0.025
24420	2:18:20 PM	0.027
24480	2:19:20 PM	0.021
24540	2:20:20 PM	0.027
24600	2:21:20 PM	0.029
24660	2:22:20 PM	0.022
24720	2:23:20 PM	0.022
24780	2:24:20 PM	0.023
24840	2:25:20 PM	0.024
24900	2:26:20 PM	0.022
24960	2:27:20 PM	0.019
25020	2:28:20 PM	0.022
25080	2:29:20 PM	0.022
25164	2:30:20 PM	0
25200	2:31:20 PM	0.025
25260	2:32:20 PM	0.023
25320	2:33:20 PM	0.021
25380	2:34:20 PM	0.026
25440	2:35:20 PM	0.021
25500	2:36:20 PM	0.024
25560	2:37:20 PM	0.025
25620	2:38:20 PM	0.016
25680	2:39:20 PM	0.021
25740	2:40:20 PM	0.027
25800	2:41:20 PM	0.022
25860	2:42:20 PM	0.022
25920	2:43:20 PM	0.022
25980	2:44:20 PM	0.021
26040	2:45:20 PM	0.021
26100	2:46:20 PM	0.029
26160	2:47:20 PM	0.019
26220	2:48:20 PM	0.016
26280	2:49:20 PM	0.017
26340	2:50:20 PM	0.024
26400	2:51:20 PM	0.021
26460	2:52:20 PM	0.017
26520	2:53:20 PM	0.022
26580	2:54:20 PM	0.03
26640	2:55:20 PM	0.026
26700	2:56:20 PM	0.021
26760	2:57:20 PM	0.027
26820	2:58:20 PM	0.028
26880	2:59:20 PM	0.022
26940	3:00:20 PM	0.023

27000	3:01:20 PM	0.02
27060	3:02:20 PM	0.022
27120	3:03:20 PM	0.021
27180	3:04:20 PM	0.02
27240	3:05:20 PM	0.019
27300	3:06:20 PM	0.023
27360	3:07:20 PM	0.027
27420	3:08:20 PM	0.022
27480	3:09:20 PM	0.023
27540	3:10:20 PM	0.021
27600	3:11:20 PM	0.027
27660	3:12:20 PM	0.025
27720	3:13:20 PM	0.041
27780	3:14:20 PM	0.027
27840	3:15:20 PM	0.032
27900	3:16:20 PM	0.022
27960	3:17:20 PM	0.022
28020	3:18:20 PM	0.034
28080	3:19:20 PM	0.023
28140	3:20:20 PM	0.019
28200	3:21:20 PM	0.021
28260	3:22:20 PM	0.021
28320	3:23:20 PM	0.018

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	11/10/2023 3:36:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:35:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:34:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:33:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:32:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:31:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:30:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:29:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:28:30 PM	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/10/2023 3:27:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:26:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:25:30 PM	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/10/2023 3:24:30 PM	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/10/2023 3:23:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:22:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:21:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:20:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:19:30 PM	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/10/2023 3:18:30 PM	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/10/2023 3:17:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:16:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:15:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:14:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:13:30 PM	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/10/2023 3:12:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:11:30 PM	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/10/2023 3:10:30 PM	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/10/2023 3:09:30 PM	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/10/2023 3:08:30 PM	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/10/2023 3:07:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:06:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:05:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:04:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:03:30 PM	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/10/2023 3:02:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:01:30 PM	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/10/2023 3:00:30 PM	Readings	PID	SC23030324C7	Normal	0.7



























**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530100909
Firmware Version	3.1
Calibration Date	7/24/2023
Test Name	MANUAL_021
Test Start Time	7:47:38 AM
Test Start Date	11/10/2023
Test Length [D:H:M]	0:07:41
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.011
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.387
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	461

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:47:38 AM			
60	7:48:38 AM	0.014		
120	7:49:38 AM	0.012		
180	7:50:38 AM	0.011		
240	7:51:38 AM	0.387		
300	7:52:38 AM	0.013		
360	7:53:38 AM	0.012		
420	7:54:38 AM	0.011		
480	7:55:38 AM	0.01		
540	7:56:38 AM	0.009		
600	7:57:38 AM	0.009		
660	7:58:38 AM	0.008		
720	7:59:38 AM	0.009		
780	8:00:38 AM	0.012		
840	8:01:38 AM	0.007		
900	8:02:38 AM	0.006		
960	8:03:38 AM	0.004		
1020	8:04:38 AM	0.007		
1080	8:05:38 AM	0.008		
1140	8:06:38 AM	0.008		
1200	8:07:38 AM	0.012		
1260	8:08:38 AM	0.011		
1320	8:09:38 AM	0.007		
1380	8:10:38 AM	0.006		
1440	8:11:38 AM	0.009		
1500	8:12:38 AM	0.005		
1560	8:13:38 AM	0.005		

1620	8:14:38 AM	0.005
1680	8:15:38 AM	0.007
1740	8:16:38 AM	0.006
1800	8:17:38 AM	0.005
1860	8:18:38 AM	0.008
1920	8:19:38 AM	0.006
1980	8:20:38 AM	0.005
2040	8:21:38 AM	0.005
2100	8:22:38 AM	0.007
2160	8:23:38 AM	0.007
2220	8:24:38 AM	0.006
2280	8:25:38 AM	0.005
2340	8:26:38 AM	0.002
2400	8:27:38 AM	0.003
2460	8:28:38 AM	0.012
2520	8:29:38 AM	0.011
2580	8:30:38 AM	0.014
2640	8:31:38 AM	0.008
2700	8:32:38 AM	0.007
2760	8:33:38 AM	0.082
2820	8:34:38 AM	0.072
2880	8:35:38 AM	0.012
2940	8:36:38 AM	0.017
3000	8:37:38 AM	0.012
3060	8:38:38 AM	0.004
3120	8:39:38 AM	0.004
3180	8:40:38 AM	0.003
3240	8:41:38 AM	0.002
3300	8:42:38 AM	0.001
3360	8:43:38 AM	0.003
3420	8:44:38 AM	0.017
3480	8:45:38 AM	0.04
3540	8:46:38 AM	0.002
3600	8:47:38 AM	0.002
3660	8:48:38 AM	0.006
3720	8:49:38 AM	0.003
3780	8:50:38 AM	0.004
3840	8:51:38 AM	0.007
3900	8:52:38 AM	0.006
3960	8:53:38 AM	0.003
4020	8:54:38 AM	0.007
4080	8:55:38 AM	0.005
4140	8:56:38 AM	0.003
4200	8:57:38 AM	0.008
4260	8:58:38 AM	0.063
4320	8:59:38 AM	0.042
4380	9:00:38 AM	0.02

4440	9:01:38 AM	0.018
4500	9:02:38 AM	0.01
4560	9:03:38 AM	0.006
4620	9:04:38 AM	0.004
4680	9:05:38 AM	0.009
4740	9:06:38 AM	0.029
4800	9:07:38 AM	0.041
4860	9:08:38 AM	0.029
4920	9:09:38 AM	0.016
4980	9:10:38 AM	0.046
5040	9:11:38 AM	0.049
5100	9:12:38 AM	0.01
5160	9:13:38 AM	0.005
5220	9:14:38 AM	0.005
5280	9:15:38 AM	0.031
5340	9:16:38 AM	0.034
5400	9:17:38 AM	0.006
5460	9:18:38 AM	0.006
5520	9:19:38 AM	0.007
5580	9:20:38 AM	0.002
5640	9:21:38 AM	0
5700	9:22:38 AM	0.001
5760	9:23:38 AM	0.001
5820	9:24:38 AM	0.002
5880	9:25:38 AM	0.003
5940	9:26:38 AM	0.005
6000	9:27:38 AM	0.001
6060	9:28:38 AM	0.001
6120	9:29:38 AM	0.002
6180	9:30:38 AM	0.003
6240	9:31:38 AM	0.001
6300	9:32:38 AM	0.002
6360	9:33:38 AM	0.003
6420	9:34:38 AM	0.009
6480	9:35:38 AM	0.006
6540	9:36:38 AM	0.001
6600	9:37:38 AM	0.001
6660	9:38:38 AM	0.005
6720	9:39:38 AM	0.006
6780	9:40:38 AM	0.007
6840	9:41:38 AM	0.01
6900	9:42:38 AM	0.007
6960	9:43:38 AM	0.002
7020	9:44:38 AM	0.005
7080	9:45:38 AM	0.032
7140	9:46:38 AM	0.014
7200	9:47:38 AM	0.016

7260	9:48:38 AM	0.011
7320	9:49:38 AM	0.009
7380	9:50:38 AM	0.006
7440	9:51:38 AM	0.008
7500	9:52:38 AM	0.003
7560	9:53:38 AM	0.052
7620	9:54:38 AM	0.018
7680	9:55:38 AM	0.062
7740	9:56:38 AM	0.006
7800	9:57:38 AM	0.042
7860	9:58:38 AM	0.076
7920	9:59:38 AM	0.018
7980	10:00:38 AM	0.021
8040	10:01:38 AM	0.007
8100	10:02:38 AM	0.012
8160	10:03:38 AM	0.005
8220	10:04:38 AM	0.011
8280	10:05:38 AM	0.007
8340	10:06:38 AM	0.004
8400	10:07:38 AM	0.003
8460	10:08:38 AM	0.007
8520	10:09:38 AM	0.016
8580	10:10:38 AM	0.005
8640	10:11:38 AM	0.003
8700	10:12:38 AM	0.008
8760	10:13:38 AM	0.006
8820	10:14:38 AM	0.006
8880	10:15:38 AM	0.004
8940	10:16:38 AM	0.006
9000	10:17:38 AM	0.019
9060	10:18:38 AM	0.007
9120	10:19:38 AM	0.002
9180	10:20:38 AM	0.002
9240	10:21:38 AM	0.003
9300	10:22:38 AM	0.004
9360	10:23:38 AM	0
9420	10:24:38 AM	0.002
9480	10:25:38 AM	0.007
9540	10:26:38 AM	0.001
9600	10:27:38 AM	0
9660	10:28:38 AM	0
9720	10:29:38 AM	0
9780	10:30:38 AM	0
9840	10:31:38 AM	0.001
9900	10:32:38 AM	0
9960	10:33:38 AM	0.002
10020	10:34:38 AM	0.004



10080	10:35:38 AM	0.017
10140	10:36:38 AM	0.003
10200	10:37:38 AM	0.003
10260	10:38:38 AM	0.005
10320	10:39:38 AM	0.005
10380	10:40:38 AM	0.011
10440	10:41:38 AM	0.004
10500	10:42:38 AM	0.001
10560	10:43:38 AM	0.003
10620	10:44:38 AM	0
10680	10:45:38 AM	0.003
10740	10:46:38 AM	0.003
10800	10:47:38 AM	0.001
10860	10:48:38 AM	0.001
10920	10:49:38 AM	0.001
10980	10:50:38 AM	0.002
11040	10:51:38 AM	0
11100	10:52:38 AM	0.001
11160	10:53:38 AM	0.001
11220	10:54:38 AM	0.002
11280	10:55:38 AM	0.003
11340	10:56:38 AM	0.008
11400	10:57:38 AM	0.01
11460	10:58:38 AM	0.004
11520	10:59:38 AM	0.002
11580	11:00:38 AM	0.005
11640	11:01:38 AM	0.004
11700	11:02:38 AM	0.006
11760	11:03:38 AM	0.013
11820	11:04:38 AM	0.019
11880	11:05:38 AM	0.001
11940	11:06:38 AM	0.002
12000	11:07:38 AM	0.012
12060	11:08:38 AM	0.013
12120	11:09:38 AM	0.002
12180	11:10:38 AM	0.003
12240	11:11:38 AM	0.01
12300	11:12:38 AM	0.009
12360	11:13:38 AM	0.008
12420	11:14:38 AM	0.011
12480	11:15:38 AM	0.006
12540	11:16:38 AM	0.012
12600	11:17:38 AM	0.026
12660	11:18:38 AM	0.004
12720	11:19:38 AM	0.005
12780	11:20:38 AM	0.006
12840	11:21:38 AM	0.004

12900	11:22:38 AM	0.007
12960	11:23:38 AM	0.001
13020	11:24:38 AM	0
13080	11:25:38 AM	0.001
13140	11:26:38 AM	0.001
13200	11:27:38 AM	0.002
13260	11:28:38 AM	0.005
13320	11:29:38 AM	0.005
13380	11:30:38 AM	0.002
13440	11:31:38 AM	0.001
13500	11:32:38 AM	0.002
13560	11:33:38 AM	0.007
13620	11:34:38 AM	0.01
13680	11:35:38 AM	0.01
13740	11:36:38 AM	0.007
13800	11:37:38 AM	0.005
13860	11:38:38 AM	0.003
13920	11:39:38 AM	0.002
13980	11:40:38 AM	0.027
14040	11:41:38 AM	0.011
14100	11:42:38 AM	0.006
14160	11:43:38 AM	0.003
14220	11:44:38 AM	0.014
14280	11:45:38 AM	0.025
14340	11:46:38 AM	0.009
14400	11:47:38 AM	0.015
14460	11:48:38 AM	0.004
14520	11:49:38 AM	0.007
14580	11:50:38 AM	0.006
14640	11:51:38 AM	0.003
14700	11:52:38 AM	0.009
14760	11:53:38 AM	0.007
14820	11:54:38 AM	0.011
14880	11:55:38 AM	0.011
14940	11:56:38 AM	0.015
15000	11:57:38 AM	0.003
15060	11:58:38 AM	0.003
15120	11:59:38 AM	0.006
15180	12:00:38 PM	0.011
15240	12:01:38 PM	0.003
15300	12:02:38 PM	0.007
15360	12:03:38 PM	0.017
15420	12:04:38 PM	0.013
15480	12:05:38 PM	0.006
15540	12:06:38 PM	0.005
15600	12:07:38 PM	0.002
15660	12:08:38 PM	0.001

15720	12:09:38 PM	0.001
15780	12:10:38 PM	0.003
15840	12:11:38 PM	0.003
15900	12:12:38 PM	0.004
15960	12:13:38 PM	0.005
16020	12:14:38 PM	0.003
16080	12:15:38 PM	0.018
16140	12:16:38 PM	0.001
16200	12:17:38 PM	0.002
16260	12:18:38 PM	0.002
16320	12:19:38 PM	0.005
16380	12:20:38 PM	0.001
16440	12:21:38 PM	0.002
16500	12:22:38 PM	0
16560	12:23:38 PM	0.001
16620	12:24:38 PM	0
16680	12:25:38 PM	0
16740	12:26:38 PM	0.001
16800	12:27:38 PM	0.005
16860	12:28:38 PM	0.008
16920	12:29:38 PM	0.003
16980	12:30:38 PM	0.004
17040	12:31:38 PM	0.011
17100	12:32:38 PM	0.008
17160	12:33:38 PM	0.006
17220	12:34:38 PM	0.003
17280	12:35:38 PM	0.001
17340	12:36:38 PM	0.002
17400	12:37:38 PM	0.001
17460	12:38:38 PM	0.002
17520	12:39:38 PM	0.001
17580	12:40:38 PM	0
17640	12:41:38 PM	0
17700	12:42:38 PM	0.003
17760	12:43:38 PM	0.013
17820	12:44:38 PM	0.007
17880	12:45:38 PM	0.005
17940	12:46:38 PM	0.004
18000	12:47:38 PM	0.006
18060	12:48:38 PM	0.011
18120	12:49:38 PM	0.004
18180	12:50:38 PM	0.003
18240	12:51:38 PM	0.006
18300	12:52:38 PM	0.014
18360	12:53:38 PM	0.006
18420	12:54:38 PM	0.003
18480	12:55:38 PM	0.002

18540	12:56:38 PM	0.003
18600	12:57:38 PM	0.003
18660	12:58:38 PM	0.001
18720	12:59:38 PM	0.002
18780	1:00:38 PM	0.001
18840	1:01:38 PM	0.005
18900	1:02:38 PM	0.002
18960	1:03:38 PM	0.001
19020	1:04:38 PM	0.001
19080	1:05:38 PM	0.002
19140	1:06:38 PM	0.011
19200	1:07:38 PM	0.002
19260	1:08:38 PM	0.003
19320	1:09:38 PM	0.006
19380	1:10:38 PM	0.008
19440	1:11:38 PM	0.007
19500	1:12:38 PM	0.005
19560	1:13:38 PM	0.001
19620	1:14:38 PM	0.001
19680	1:15:38 PM	0
19740	1:16:38 PM	0.003
19800	1:17:38 PM	0
19860	1:18:38 PM	0
19920	1:19:38 PM	0.001
19980	1:20:38 PM	0.001
20040	1:21:38 PM	0.007
20100	1:22:38 PM	0.046
20160	1:23:38 PM	0.066
20220	1:24:38 PM	0.116
20280	1:25:38 PM	0.16
20340	1:26:38 PM	0.083
20400	1:27:38 PM	0.022
20460	1:28:38 PM	0.093
20520	1:29:38 PM	0.234
20580	1:30:38 PM	0.098
20640	1:31:38 PM	0.004
20700	1:32:38 PM	0.068
20760	1:33:38 PM	0.005
20820	1:34:38 PM	0.006
20880	1:35:38 PM	0.009
20940	1:36:38 PM	0.003
21000	1:37:38 PM	0.01
21060	1:38:38 PM	0.001
21120	1:39:38 PM	0.002
21180	1:40:38 PM	0.001
21240	1:41:38 PM	0.001
21300	1:42:38 PM	0.002

21360	1:43:38 PM	0.013
21420	1:44:38 PM	0.027
21480	1:45:38 PM	0.015
21540	1:46:38 PM	0.008
21600	1:47:38 PM	0.004
21660	1:48:38 PM	0.005
21720	1:49:38 PM	0.001
21780	1:50:38 PM	0
21840	1:51:38 PM	0
21900	1:52:38 PM	0
21960	1:53:38 PM	0.001
22020	1:54:38 PM	0
22080	1:55:38 PM	0.001
22140	1:56:38 PM	0
22200	1:57:38 PM	0.004
22260	1:58:38 PM	0.003
22320	1:59:38 PM	0.011
22380	2:00:38 PM	0.006
22440	2:01:38 PM	0.005
22500	2:02:38 PM	0.004
22560	2:03:38 PM	0.003
22620	2:04:38 PM	0.003
22680	2:05:38 PM	0.002
22740	2:06:38 PM	0.003
22800	2:07:38 PM	0.004
22860	2:08:38 PM	0.005
22920	2:09:38 PM	0.006
22980	2:10:38 PM	0.004
23040	2:11:38 PM	0.003
23100	2:12:38 PM	0.004
23160	2:13:38 PM	0.01
23220	2:14:38 PM	0.008
23280	2:15:38 PM	0.003
23340	2:16:38 PM	0.003
23400	2:17:38 PM	0.001
23460	2:18:38 PM	0.002
23520	2:19:38 PM	0.009
23580	2:20:38 PM	0.006
23640	2:21:38 PM	0.006
23700	2:22:38 PM	0.012
23760	2:23:38 PM	0.01
23820	2:24:38 PM	0.009
23880	2:25:38 PM	0.007
23940	2:26:38 PM	0.003
24000	2:27:38 PM	0.005
24060	2:28:38 PM	0.004
24120	2:29:38 PM	0.003

24180	2:30:38 PM	0.005
24240	2:31:38 PM	0.008
24300	2:32:38 PM	0.007
24360	2:33:38 PM	0.007
24420	2:34:38 PM	0.008
24480	2:35:38 PM	0.006
24540	2:36:38 PM	0.008
24600	2:37:38 PM	0.004
24660	2:38:38 PM	0.008
24720	2:39:38 PM	0.006
24780	2:40:38 PM	0.008
24840	2:41:38 PM	0.013
24900	2:42:38 PM	0.015
24960	2:43:38 PM	0.088
25020	2:44:38 PM	0.009
25080	2:45:38 PM	0.008
25140	2:46:38 PM	0.005
25200	2:47:38 PM	0.007
25260	2:48:38 PM	0.004
25320	2:49:38 PM	0.004
25380	2:50:38 PM	0.001
25440	2:51:38 PM	0.001
25500	2:52:38 PM	0.002
25560	2:53:38 PM	0.002
25620	2:54:38 PM	0.001
25680	2:55:38 PM	0.002
25740	2:56:38 PM	0.003
25800	2:57:38 PM	0.005
25860	2:58:38 PM	0.003
25920	2:59:38 PM	0.003
25980	3:00:38 PM	0.009
26040	3:01:38 PM	0.008
26100	3:02:38 PM	0.004
26160	3:03:38 PM	0.004
26220	3:04:38 PM	0.004
26280	3:05:38 PM	0.006
26340	3:06:38 PM	0.002
26400	3:07:38 PM	0.004
26460	3:08:38 PM	0.006
26520	3:09:38 PM	0.011
26580	3:10:38 PM	0.008
26640	3:11:38 PM	0.005
26700	3:12:38 PM	0.005
26760	3:13:38 PM	0.007
26820	3:14:38 PM	0.009
26880	3:15:38 PM	0.004
26940	3:16:38 PM	0.008

27000	3:17:38 PM	0.012
27060	3:18:38 PM	0.004
27120	3:19:38 PM	0.003
27180	3:20:38 PM	0.002
27240	3:21:38 PM	0.001
27300	3:22:38 PM	0.003
27360	3:23:38 PM	0.001
27420	3:24:38 PM	0.004
27480	3:25:38 PM	0.003
27540	3:26:38 PM	0.001
27600	3:27:38 PM	0.163
27660	3:28:38 PM	0.344





























Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173225
Firmware Version	3.1
Calibration Date	11/30/2022
Test Name	MANUAL_030
Test Start Time	8:06:32 AM
Test Start Date	11/10/2023
Test Length [D:H:M]	0:07:17
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.059
Mass Minimum [mg/m3]	0.024
Mass Maximum [mg/m3]	0.491
Mass TWA [mg/m3]	0.054
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	437

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	8:06:32 AM			
60	8:07:32 AM	0.029		
120	8:08:32 AM	0.063		
180	8:09:32 AM	0.044		
240	8:10:32 AM	0.03		
300	8:11:32 AM	0.024		
360	8:12:32 AM	0.032		
420	8:13:32 AM	0.064		
480	8:14:32 AM	0.059		
540	8:15:32 AM	0.491		
600	8:16:32 AM	0.047		
660	8:17:32 AM	0.079		
720	8:18:32 AM	0.057		
780	8:19:32 AM	0.044		
840	8:20:32 AM	0.044		
900	8:21:32 AM	0.031		
960	8:22:32 AM	0.024		
1020	8:23:32 AM	0.031		
1080	8:24:32 AM	0.03		
1140	8:25:32 AM	0.04		
1200	8:26:32 AM	0.039		
1260	8:27:32 AM	0.036		
1320	8:28:32 AM	0.076		
1380	8:29:32 AM	0.035		
1440	8:30:32 AM	0.064		
1500	8:31:32 AM	0.056		
1560	8:32:32 AM	0.06		

1620	8:33:32 AM	0.034
1680	8:34:32 AM	0.035
1740	8:35:32 AM	0.044
1800	8:36:32 AM	0.028
1860	8:37:32 AM	0.043
1920	8:38:32 AM	0.062
1980	8:39:32 AM	0.067
2040	8:40:32 AM	0.057
2100	8:41:32 AM	0.065
2160	8:42:32 AM	0.082
2220	8:43:32 AM	0.04
2280	8:44:32 AM	0.073
2340	8:45:32 AM	0.05
2400	8:46:32 AM	0.051
2460	8:47:32 AM	0.138
2520	8:48:32 AM	0.092
2580	8:49:32 AM	0.065
2640	8:50:32 AM	0.042
2700	8:51:32 AM	0.073
2760	8:52:32 AM	0.116
2820	8:53:32 AM	0.062
2880	8:54:32 AM	0.05
2940	8:55:32 AM	0.05
3000	8:56:32 AM	0.055
3060	8:57:32 AM	0.08
3120	8:58:32 AM	0.064
3180	8:59:32 AM	0.055
3240	9:00:32 AM	0.049
3300	9:01:32 AM	0.052
3360	9:02:32 AM	0.05
3420	9:03:32 AM	0.062
3480	9:04:32 AM	0.069
3540	9:05:32 AM	0.053
3600	9:06:32 AM	0.049
3660	9:07:32 AM	0.035
3720	9:08:32 AM	0.035
3780	9:09:32 AM	0.052
3840	9:10:32 AM	0.046
3900	9:11:32 AM	0.048
3960	9:12:32 AM	0.051
4020	9:13:32 AM	0.076
4080	9:14:32 AM	0.118
4140	9:15:32 AM	0.092
4200	9:16:32 AM	0.147
4260	9:17:32 AM	0.105
4320	9:18:32 AM	0.282
4380	9:19:32 AM	0.139

4440	9:20:32 AM	0.073
4500	9:21:32 AM	0.055
4560	9:22:32 AM	0.031
4620	9:23:32 AM	0.033
4680	9:24:32 AM	0.032
4740	9:25:32 AM	0.032
4800	9:26:32 AM	0.034
4860	9:27:32 AM	0.033
4920	9:28:32 AM	0.035
4980	9:29:32 AM	0.031
5040	9:30:32 AM	0.033
5100	9:31:32 AM	0.036
5160	9:32:32 AM	0.036
5220	9:33:32 AM	0.034
5280	9:34:32 AM	0.033
5340	9:35:32 AM	0.034
5400	9:36:32 AM	0.035
5460	9:37:32 AM	0.2
5520	9:38:32 AM	0.063
5580	9:39:32 AM	0.056
5640	9:40:32 AM	0.068
5700	9:41:32 AM	0.049
5760	9:42:32 AM	0.063
5820	9:43:32 AM	0.044
5880	9:44:32 AM	0.039
5940	9:45:32 AM	0.051
6000	9:46:32 AM	0.061
6060	9:47:32 AM	0.057
6120	9:48:32 AM	0.05
6180	9:49:32 AM	0.076
6240	9:50:32 AM	0.051
6300	9:51:32 AM	0.062
6360	9:52:32 AM	0.058
6420	9:53:32 AM	0.073
6480	9:54:32 AM	0.05
6540	9:55:32 AM	0.069
6600	9:56:32 AM	0.112
6660	9:57:32 AM	0.107
6720	9:58:32 AM	0.068
6780	9:59:32 AM	0.033
6840	10:00:32 AM	0.029
6900	10:01:32 AM	0.035
6960	10:02:32 AM	0.112
7020	10:03:32 AM	0.112
7080	10:04:32 AM	0.121
7140	10:05:32 AM	0.079
7200	10:06:32 AM	0.071

7260	10:07:32 AM	0.055
7320	10:08:32 AM	0.048
7380	10:09:32 AM	0.064
7440	10:10:32 AM	0.069
7500	10:11:32 AM	0.066
7560	10:12:32 AM	0.099
7620	10:13:32 AM	0.074
7680	10:14:32 AM	0.043
7740	10:15:32 AM	0.06
7800	10:16:32 AM	0.034
7860	10:17:32 AM	0.036
7920	10:18:32 AM	0.07
7980	10:19:32 AM	0.09
8040	10:20:32 AM	0.036
8100	10:21:32 AM	0.03
8160	10:22:32 AM	0.032
8220	10:23:32 AM	0.027
8280	10:24:32 AM	0.028
8340	10:25:32 AM	0.028
8400	10:26:32 AM	0.076
8460	10:27:32 AM	0.073
8520	10:28:32 AM	0.115
8580	10:29:32 AM	0.078
8640	10:30:32 AM	0.084
8700	10:31:32 AM	0.042
8760	10:32:32 AM	0.054
8820	10:33:32 AM	0.074
8880	10:34:32 AM	0.043
8940	10:35:32 AM	0.075
9000	10:36:32 AM	0.085
9060	10:37:32 AM	0.149
9120	10:38:32 AM	0.061
9180	10:39:32 AM	0.069
9240	10:40:32 AM	0.063
9300	10:41:32 AM	0.05
9360	10:42:32 AM	0.084
9420	10:43:32 AM	0.08
9480	10:44:32 AM	0.083
9540	10:45:32 AM	0.043
9600	10:46:32 AM	0.031
9660	10:47:32 AM	0.031
9720	10:48:32 AM	0.03
9780	10:49:32 AM	0.03
9840	10:50:32 AM	0.087
9900	10:51:32 AM	0.084
9960	10:52:32 AM	0.101
10020	10:53:32 AM	0.101

10080	10:54:32 AM	0.098
10140	10:55:32 AM	0.074
10200	10:56:32 AM	0.083
10260	10:57:32 AM	0.056
10320	10:58:32 AM	0.081
10380	10:59:32 AM	0.073
10440	11:00:32 AM	0.065
10500	11:01:32 AM	0.047
10560	11:02:32 AM	0.037
10620	11:03:32 AM	0.065
10680	11:04:32 AM	0.044
10740	11:05:32 AM	0.063
10800	11:06:32 AM	0.08
10860	11:07:32 AM	0.047
10920	11:08:32 AM	0.059
10980	11:09:32 AM	0.071
11040	11:10:32 AM	0.049
11100	11:11:32 AM	0.044
11160	11:12:32 AM	0.051
11220	11:13:32 AM	0.056
11280	11:14:32 AM	0.056
11340	11:15:32 AM	0.147
11400	11:16:32 AM	0.133
11460	11:17:32 AM	0.089
11520	11:18:32 AM	0.059
11580	11:19:32 AM	0.047
11640	11:20:32 AM	0.038
11700	11:21:32 AM	0.039
11760	11:22:32 AM	0.038
11820	11:23:32 AM	0.061
11880	11:24:32 AM	0.072
11940	11:25:32 AM	0.06
12000	11:26:32 AM	0.063
12060	11:27:32 AM	0.054
12120	11:28:32 AM	0.049
12180	11:29:32 AM	0.037
12240	11:30:32 AM	0.066
12300	11:31:32 AM	0.046
12360	11:32:32 AM	0.094
12420	11:33:32 AM	0.045
12480	11:34:32 AM	0.051
12540	11:35:32 AM	0.067
12600	11:36:32 AM	0.069
12660	11:37:32 AM	0.055
12720	11:38:32 AM	0.077
12780	11:39:32 AM	0.092
12840	11:40:32 AM	0.114



12900	11:41:32 AM	0.096
12960	11:42:32 AM	0.077
13020	11:43:32 AM	0.068
13080	11:44:32 AM	0.053
13140	11:45:32 AM	0.042
13200	11:46:32 AM	0.059
13260	11:47:32 AM	0.05
13320	11:48:32 AM	0.081
13380	11:49:32 AM	0.076
13440	11:50:32 AM	0.063
13500	11:51:32 AM	0.052
13560	11:52:32 AM	0.066
13620	11:53:32 AM	0.066
13680	11:54:32 AM	0.054
13740	11:55:32 AM	0.054
13800	11:56:32 AM	0.061
13860	11:57:32 AM	0.071
13920	11:58:32 AM	0.058
13980	11:59:32 AM	0.056
14040	12:00:32 PM	0.044
14100	12:01:32 PM	0.073
14160	12:02:32 PM	0.067
14220	12:03:32 PM	0.07
14280	12:04:32 PM	0.049
14340	12:05:32 PM	0.041
14400	12:06:32 PM	0.037
14460	12:07:32 PM	0.06
14520	12:08:32 PM	0.079
14580	12:09:32 PM	0.06
14640	12:10:32 PM	0.058
14700	12:11:32 PM	0.045
14760	12:12:32 PM	0.038
14820	12:13:32 PM	0.035
14880	12:14:32 PM	0.032
14940	12:15:32 PM	0.029
15000	12:16:32 PM	0.028
15060	12:17:32 PM	0.026
15120	12:18:32 PM	0.025
15180	12:19:32 PM	0.029
15240	12:20:32 PM	0.031
15300	12:21:32 PM	0.025
15360	12:22:32 PM	0.025
15420	12:23:32 PM	0.025
15480	12:24:32 PM	0.025
15540	12:25:32 PM	0.024
15600	12:26:32 PM	0.026
15660	12:27:32 PM	0.028

15720	12:28:32 PM	0.03
15780	12:29:32 PM	0.035
15840	12:30:32 PM	0.029
15900	12:31:32 PM	0.03
15960	12:32:32 PM	0.031
16020	12:33:32 PM	0.037
16080	12:34:32 PM	0.035
16140	12:35:32 PM	0.091
16200	12:36:32 PM	0.087
16260	12:37:32 PM	0.077
16320	12:38:32 PM	0.101
16380	12:39:32 PM	0.046
16440	12:40:32 PM	0.049
16500	12:41:32 PM	0.059
16560	12:42:32 PM	0.051
16620	12:43:32 PM	0.061
16680	12:44:32 PM	0.072
16740	12:45:32 PM	0.046
16800	12:46:32 PM	0.036
16860	12:47:32 PM	0.056
16920	12:48:32 PM	0.059
16980	12:49:32 PM	0.04
17040	12:50:32 PM	0.046
17100	12:51:32 PM	0.081
17160	12:52:32 PM	0.064
17220	12:53:32 PM	0.058
17280	12:54:32 PM	0.039
17340	12:55:32 PM	0.036
17400	12:56:32 PM	0.068
17460	12:57:32 PM	0.041
17520	12:58:32 PM	0.045
17580	12:59:32 PM	0.04
17640	1:00:32 PM	0.076
17700	1:01:32 PM	0.041
17760	1:02:32 PM	0.042
17820	1:03:32 PM	0.056
17880	1:04:32 PM	0.048
17940	1:05:32 PM	0.044
18000	1:06:32 PM	0.043
18060	1:07:32 PM	0.045
18120	1:08:32 PM	0.05
18180	1:09:32 PM	0.077
18240	1:10:32 PM	0.05
18300	1:11:32 PM	0.032
18360	1:12:32 PM	0.028
18420	1:13:32 PM	0.034
18480	1:14:32 PM	0.035

18540	1:15:32 PM	0.035
18600	1:16:32 PM	0.026
18660	1:17:32 PM	0.041
18720	1:18:32 PM	0.056
18780	1:19:32 PM	0.049
18840	1:20:32 PM	0.041
18900	1:21:32 PM	0.037
18960	1:22:32 PM	0.046
19020	1:23:32 PM	0.058
19080	1:24:32 PM	0.061
19140	1:25:32 PM	0.045
19200	1:26:32 PM	0.049
19260	1:27:32 PM	0.059
19320	1:28:32 PM	0.116
19380	1:29:32 PM	0.139
19440	1:30:32 PM	0.116
19500	1:31:32 PM	0.067
19560	1:32:32 PM	0.066
19620	1:33:32 PM	0.075
19680	1:34:32 PM	0.074
19740	1:35:32 PM	0.1
19800	1:36:32 PM	0.07
19860	1:37:32 PM	0.038
19920	1:38:32 PM	0.07
19980	1:39:32 PM	0.098
20040	1:40:32 PM	0.078
20100	1:41:32 PM	0.056
20160	1:42:32 PM	0.049
20220	1:43:32 PM	0.036
20280	1:44:32 PM	0.077
20340	1:45:32 PM	0.095
20400	1:46:32 PM	0.059
20460	1:47:32 PM	0.033
20520	1:48:32 PM	0.03
20580	1:49:32 PM	0.029
20640	1:50:32 PM	0.028
20700	1:51:32 PM	0.047
20760	1:52:32 PM	0.056
20820	1:53:32 PM	0.069
20880	1:54:32 PM	0.089
20940	1:55:32 PM	0.05
21000	1:56:32 PM	0.066
21060	1:57:32 PM	0.056
21120	1:58:32 PM	0.037
21180	1:59:32 PM	0.031
21240	2:00:32 PM	0.034
21300	2:01:32 PM	0.035

21360	2:02:32 PM	0.046
21420	2:03:32 PM	0.043
21480	2:04:32 PM	0.039
21540	2:05:32 PM	0.033
21600	2:06:32 PM	0.032
21660	2:07:32 PM	0.033
21720	2:08:32 PM	0.075
21780	2:09:32 PM	0.09
21840	2:10:32 PM	0.088
21900	2:11:32 PM	0.049
21960	2:12:32 PM	0.112
22020	2:13:32 PM	0.049
22080	2:14:32 PM	0.04
22140	2:15:32 PM	0.065
22200	2:16:32 PM	0.077
22260	2:17:32 PM	0.083
22320	2:18:32 PM	0.092
22380	2:19:32 PM	0.042
22440	2:20:32 PM	0.055
22500	2:21:32 PM	0.046
22560	2:22:32 PM	0.056
22620	2:23:32 PM	0.042
22680	2:24:32 PM	0.058
22740	2:25:32 PM	0.044
22800	2:26:32 PM	0.033
22860	2:27:32 PM	0.031
22920	2:28:32 PM	0.031
22980	2:29:32 PM	0.03
23040	2:30:32 PM	0.031
23100	2:31:32 PM	0.032
23160	2:32:32 PM	0.036
23220	2:33:32 PM	0.04
23280	2:34:32 PM	0.041
23340	2:35:32 PM	0.044
23400	2:36:32 PM	0.041
23460	2:37:32 PM	0.041
23520	2:38:32 PM	0.041
23580	2:39:32 PM	0.045
23640	2:40:32 PM	0.041
23700	2:41:32 PM	0.038
23760	2:42:32 PM	0.034
23820	2:43:32 PM	0.036
23880	2:44:32 PM	0.042
23940	2:45:32 PM	0.046
24000	2:46:32 PM	0.047
24060	2:47:32 PM	0.038
24120	2:48:32 PM	0.035

24180	2:49:32 PM	0.031
24240	2:50:32 PM	0.034
24300	2:51:32 PM	0.029
24360	2:52:32 PM	0.03
24420	2:53:32 PM	0.035
24480	2:54:32 PM	0.032
24540	2:55:32 PM	0.031
24600	2:56:32 PM	0.032
24660	2:57:32 PM	0.037
24720	2:58:32 PM	0.041
24780	2:59:32 PM	0.036
24840	3:00:32 PM	0.032
24900	3:01:32 PM	0.039
24960	3:02:32 PM	0.044
25020	3:03:32 PM	0.037
25080	3:04:32 PM	0.037
25140	3:05:32 PM	0.036
25200	3:06:32 PM	0.043
25260	3:07:32 PM	0.034
25320	3:08:32 PM	0.036
25380	3:09:32 PM	0.034
25440	3:10:32 PM	0.039
25500	3:11:32 PM	0.043
25560	3:12:32 PM	0.032
25620	3:13:32 PM	0.031
25680	3:14:32 PM	0.035
25740	3:15:32 PM	0.034
25800	3:16:32 PM	0.031
25860	3:17:32 PM	0.034
25920	3:18:32 PM	0.196
25980	3:19:32 PM	0.053
26040	3:20:32 PM	0.146
26100	3:21:32 PM	0.441
26160	3:22:32 PM	0.047
26220	3:23:32 PM	0.061

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-929156	11/10/2023 3:37:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:36:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:35:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:34:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:33:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:32:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:31:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:30:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:29:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:28:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:27:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:26:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:25:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:24:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:23:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:22:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:21:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:20:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:19:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:18:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:17:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:16:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:15:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:14:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:13:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:12:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:11:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:10:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:09:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:08:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:07:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:06:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:05:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:04:08 PM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/10/2023 3:03:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:02:08 PM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	11/10/2023 3:01:08 PM	Readings	PID	SC23030065D3	Normal	0.0





















