



DAILY STATUS REPORT

Prepared By:

Victor Barraza

WEATHER	Snow	Rain		Overcast	Partly Cloudy	x	Bright Sun		Wind
TEMP.	< 32	32-50	x	50-70	70-85		>85		S-6 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	11/15/23
Project:	251 Douglass Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 17:20</p>	<p>Personnel On Site: IEEG (Environmental) – Victor Barraza and Thomas Jensen Cascade Remediation Services – Jon Simpson ADT– Drilling Contractor Broadway Construction Group - Tom Caporale NYSDEC- Marnie Chancey and Jerry Prachette</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II, Rig</p>
---	--

Scope of Work: NYSDEC ISS QA/QC Core Sampling for Visual Inspection.

Site Activities:

- Deploy CAMP at the start of the workday;
- Cardella on-Site to pick up and drop off dumpster;
- ADT on-Site with rig;
- NYSDEC instructed Cascade/ADT to drill QA/QC sample in column overlap. Mix A Core was selected which constitutes Columns 102, 154 and 155. No recovery was noted from 0-5-feet bgs; 5-10-feet bgs had 3-feet and 3-inches of recovery-this material appeared to not be mixed well; and 10-15-feet bgs had 3-feet and 6-inches of recovery-this material cracked when touched, however was more hardened that material 5-feet above. It should be noted that the composition of the cores did not meet NYSDEC standards; and
- Rig was moved to Core 1A-2, drilling will not be completed in the overlap but rather the core. Drilling initiated, however halted for the day at 9-feet bgs.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m3) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day;
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.021_ mg/m³ @ 08:00.
- High Conditions (Upwind) – PID = _0.5_ ppm @ 11:04, Dust = _0.047_ mg/m³ @ 15:55.
- High Conditions (Downwind 1) – PID = _1.2_ ppm @ 08:59, Dust = _0.199_ mg/m³ @ 11:39.
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.181_ mg/m³ @ 7:58

Notable Site Conditions:

- Core material from drilling activities today did not meet NYSDEC QA/QC.

Planned for the Next Day/Week:

- Continue ISS NYSDEC QA/QC core sampling.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1 –
Representative
view of the eastern
portion of the Site.



Photo 2 –
Representative
view of the Site
facing northeast
from Douglass
Street.



Photo 3 –
Representative
view of core sample
and recovery of A1-
01 5-15-foot bgs.



SITE PLAN

251 DOUGLASS STREET, BROOKLYN, NY



UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530100909
Firmware Version	3.1
Calibration Date	7/24/2023
Test Name	MANUAL_003
Test Start Time	7:59:11 AM
Test Start Date	11/15/2023
Test Length [D:H:M]	0:08:19
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.047
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	499

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
0			
60	0.021		
120	0.024		
180	0.018		
240	0.014		
300	0.012		
360	0.014		
420	0.016		
480	0.012		
540	0.013		
600	0.013		
660	0.012		
720	0.012		
780	0.012		
840	0.011		
900	0.01		
960	0.01		
1020	0.01		
1080	0.011		
1140	0.011		
1200	0.012		
1260	0.015		
1320	0.015		
1380	0.013		
1440	0.012		
1500	0.011		
1560	0.013		

1620	0.016
1680	0.015
1740	0.014
1800	0.014
1860	0.012
1920	0.011
1980	0.009
2040	0.009
2100	0.009
2160	0.013
2220	0.014
2280	0.012
2340	0.011
2400	0.009
2460	0.009
2520	0.009
2580	0.009
2640	0.009
2700	0.015
2760	0.015
2820	0.012
2880	0.011
2940	0.011
3000	0.01
3060	0.01
3120	0.01
3180	0.011
3240	0.012
3300	0.012
3360	0.013
3420	0.015
3480	0.015
3540	0.013
3600	0.011
3660	0.012
3720	0.011
3780	0.009
3840	0.007
3900	0.008
3960	0.008
4020	0.007
4080	0.006
4140	0.004
4200	0.003
4260	0.003
4320	0.003
4380	0.005

4440	0.007
4500	0.007
4560	0.003
4620	0.004
4680	0.005
4740	0.006
4800	0.007
4860	0.009
4920	0.009
4980	0.01
5040	0.01
5100	0.008
5160	0.008
5220	0.008
5280	0.008
5340	0.009
5400	0.009
5460	0.009
5520	0.01
5580	0.01
5640	0.009
5700	0.009
5760	0.01
5820	0.009
5880	0.009
5940	0.009
6000	0.01
6060	0.012
6120	0.011
6180	0.01
6240	0.01
6300	0.012
6360	0.012
6420	0.015
6480	0.015
6540	0.015
6600	0.014
6660	0.013
6720	0.013
6780	0.013
6840	0.014
6900	0.014
6960	0.014
7020	0.014
7080	0.014
7140	0.014
7200	0.015

7260	0.016
7320	0.016
7380	0.015
7440	0.016
7500	0.016
7560	0.017
7620	0.018
7680	0.015
7740	0.014
7800	0.014
7860	0.014
7920	0.013
7980	0.014
8040	0.014
8100	0.014
8160	0.014
8220	0.014
8280	0.014
8340	0.014
8400	0.013
8460	0.013
8520	0.012
8580	0.01
8640	0.012
8700	0.011
8760	0.009
8820	0.009
8880	0.009
8940	0.008
9000	0.008
9060	0.009
9120	0.011
9180	0.013
9240	0.011
9300	0.011
9360	0.011
9420	0.015
9480	0.015
9540	0.019
9600	0.009
9660	0.009
9720	0.011
9780	0.01
9840	0.009
9900	0.008
9960	0.009
10020	0.009

10080	0.01
10140	0.013
10200	0.013
10260	0.012
10320	0.013
10380	0.011
10440	0.01
10500	0.01
10560	0.01
10620	0.01
10680	0.011
10740	0.011
10800	0.011
10860	0.013
10920	0.012
10980	0.01
11040	0.012
11100	0.012
11160	0.013
11220	0.012
11280	0.014
11340	0.015
11400	0.015
11460	0.015
11520	0.012
11580	0.01
11640	0.01
11700	0.014
11760	0.015
11820	0.016
11880	0.014
11940	0.014
12000	0.015
12060	0.016
12120	0.031
12180	0.015
12240	0.015
12300	0.014
12360	0.014
12420	0.014
12480	0.014
12540	0.015
12600	0.013
12660	0.013
12720	0.014
12780	0.015
12840	0.014

12900	0.012
12960	0.012
13020	0.011
13080	0.013
13140	0.015
13200	0.015
13260	0.015
13320	0.015
13380	0.015
13440	0.007
13500	0.009
13560	0.005
13620	0.007
13680	0.007
13740	0.007
13800	0.005
13860	0.005
13920	0.005
13980	0.005
14040	0.004
14100	0.005
14160	0.004
14220	0.005
14280	0.005
14340	0.008
14400	0.009
14460	0.008
14520	0.008
14580	0.009
14640	0.007
14700	0.005
14760	0.005
14820	0.006
14880	0.003
14940	0.021
15000	0.02
15060	0.02
15120	0.021
15180	0.022
15240	0.022
15300	0.022
15360	0.001
15420	0.001
15480	0.005
15540	0.006
15600	0.004
15660	0.002

15720	0.003
15780	0.002
15840	0.003
15900	0.002
15960	0.001
16020	0.001
16080	0.001
16140	0.001
16200	0.001
16260	0.002
16320	0.005
16380	0.021
16440	0.007
16500	0.01
16560	0.004
16620	0.005
16680	0.005
16740	0.005
16800	0.016
16860	0.006
16920	0.005
16980	0.005
17040	0.005
17100	0.006
17160	0.006
17220	0.012
17280	0.006
17340	0.003
17400	0.021
17460	0.02
17520	0.02
17580	0.021
17640	0.022
17700	0.022
17760	0.022
17820	0.001
17880	0.001
17940	0.001
18000	0.001
18060	0.001
18120	0.001
18180	0.001
18240	0.001
18300	0.001
18360	0.001
18420	0.001
18480	0.001

18540	0.021
18600	0.02
18660	0.02
18720	0.021
18780	0.022
18840	0.022
18900	0.022
18960	0.001
19020	0.001
19080	0.001
19140	0.022
19200	0.022
19260	0.021
19320	0.021
19380	0.022
19440	0.022
19500	0.021
19560	0.02
19620	0.02
19680	0.02
19740	0.021
19800	0.02
19860	0.02
19920	0.021
19980	0.022
20040	0.022
20100	0.022
20160	0.023
20220	0.023
20280	0.024
20340	0.027
20400	0.025
20460	0.025
20520	0.025
20580	0.025
20640	0.027
20700	0.029
20760	0.027
20820	0.025
20880	0.021
20940	0.02
21000	0.02
21060	0.021
21120	0.022
21180	0.022
21240	0.022
21300	0.025

21360	0.024
21420	0.025
21480	0.024
21540	0.023
21600	0.024
21660	0.021
21720	0.02
21780	0.02
21840	0.021
21900	0.022
21960	0.022
22020	0.022
22080	0.027
22140	0.027
22200	0.029
22260	0.025
22320	0.021
22380	0.02
22440	0.02
22500	0.021
22560	0.022
22620	0.022
22680	0.022
22740	0.025
22800	0.026
22860	0.023
22920	0.023
22980	0.025
23040	0.021
23100	0.02
23160	0.02
23220	0.021
23280	0.022
23340	0.022
23400	0.022
23460	0.025
23520	0.027
23580	0.025
23640	0.024
23700	0.022
23760	0.022
23820	0.021
23880	0.022
23940	0.021
24000	0.02
24060	0.02
24120	0.021

24180	0.022
24240	0.022
24300	0.022
24360	0.021
24420	0.02
24480	0.02
24540	0.02
24600	0.019
24660	0.019
24720	0.022
24780	0.035
24840	0.019
24900	0.032
24960	0.029
25020	0.032
25080	0.021
25140	0.021
25200	0.02
25260	0.021
25320	0.021
25380	0.021
25440	0.025
25500	0.02
25560	0.02
25620	0.02
25680	0.019
25740	0.019
25800	0.019
25860	0.02
25920	0.021
25980	0.038
26040	0.02
26100	0.018
26160	0.019
26220	0.019
26280	0.019
26340	0.019
26400	0.02
26460	0.026
26520	0.02
26580	0.02
26640	0.019
26700	0.02
26760	0.021
26820	0.033
26880	0.023
26940	0.024

27000	0.022
27060	0.02
27120	0.02
27180	0.021
27240	0.021
27300	0.019
27360	0.021
27420	0.02
27480	0.02
27540	0.021
27600	0.022
27660	0.022
27720	0.022
27780	0.021
27840	0.02
27900	0.021
27960	0.02
28020	0.021
28080	0.02
28140	0.02
28200	0.021
28260	0.022
28320	0.022
28380	0.022
28440	0.024
28500	0.023
28560	0.047
28620	0.023
28680	0.021
28740	0.021
28800	0.02
28860	0.02
28920	0.021
28980	0.022
29040	0.021
29100	0.02
29160	0.02
29220	0.021
29280	0.022
29340	0.022
29400	0.022
29460	0.022
29520	0.022
29580	0.021
29640	0.02
29700	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-929156	11/15/2023 16:46	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:45	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:44	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:43	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:42	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:41	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:40	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:39	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:38	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:37	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:36	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:35	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:34	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:33	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:32	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:31	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:30	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:29	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:28	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:27	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:26	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:25	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:24	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:23	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:22	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:21	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:20	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:19	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:18	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:17	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:16	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:15	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:14	Readings	PID	SC23030065D3	Normal	0.3
592-929156	11/15/2023 16:13	Readings	PID	SC23030065D3	Normal	0.3

592-929156	11/15/2023 8:37	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:36	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:35	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:34	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:33	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:32	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:31	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:30	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:29	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:28	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:27	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/15/2023 8:26	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:25	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:24	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:23	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:22	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:21	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:20	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:19	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:18	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:17	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:16	Readings	PID	SC23030065D3	Normal	0.1
592-929156	11/15/2023 8:15	Readings	PID	SC23030065D3	Normal	0
592-929156	11/15/2023 8:14	Readings	PID	SC23030065D3	Normal	0
592-929156	11/15/2023 8:13	Readings	PID	SC23030065D3	Normal	0
592-929156	11/15/2023 8:12	Readings	PID	SC23030065D3	Normal	0
592-929156	11/15/2023 8:11	CONFIG	PID	SC23030065D3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530113005
Firmware Version	3.1
Calibration Date	2/11/2023
Test Name	MANUAL_003
Test Start Time	7:48:25 AM
Test Start Date	11/15/2023
Test Length [D:H:M]	0:08:28
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.023
Mass Minimum [mg/m3]	0.013
Mass Maximum [mg/m3]	0.199
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	508

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:48:25 AM			
60	7:49:25 AM	0.031		
120	7:50:25 AM	0.026		
180	7:51:25 AM	0.023		
240	7:52:25 AM	0.02		
300	7:53:25 AM	0.019		
360	7:54:25 AM	0.019		
420	7:55:25 AM	0.018		
480	7:56:25 AM	0.017		
540	7:57:25 AM	0.016		
600	7:58:25 AM	0.016		
660	7:59:25 AM	0.016		
720	8:00:25 AM	0.016		
780	8:01:25 AM	0.018		
840	8:02:25 AM	0.015		
900	8:03:25 AM	0.015		
960	8:04:25 AM	0.015		
1020	8:05:25 AM	0.023		
1080	8:06:25 AM	0.02		
1140	8:07:25 AM	0.016		
1200	8:08:25 AM	0.017		
1260	8:09:25 AM	0.026		
1320	8:10:25 AM	0.038		
1380	8:11:25 AM	0.032		
1440	8:12:25 AM	0.024		
1500	8:13:25 AM	0.025		
1560	8:14:25 AM	0.026		

1620	8:15:25 AM	0.025
1680	8:16:25 AM	0.019
1740	8:17:25 AM	0.018
1800	8:18:25 AM	0.016
1860	8:19:25 AM	0.015
1920	8:20:25 AM	0.02
1980	8:21:25 AM	0.019
2040	8:22:25 AM	0.017
2100	8:23:25 AM	0.017
2160	8:24:25 AM	0.018
2220	8:25:25 AM	0.017
2280	8:26:25 AM	0.017
2340	8:27:25 AM	0.016
2400	8:28:25 AM	0.016
2460	8:29:25 AM	0.016
2520	8:30:25 AM	0.02
2580	8:31:25 AM	0.018
2640	8:32:25 AM	0.018
2700	8:33:25 AM	0.017
2760	8:34:25 AM	0.018
2820	8:35:25 AM	0.018
2880	8:36:25 AM	0.017
2940	8:37:25 AM	0.022
3000	8:38:25 AM	0.021
3060	8:39:25 AM	0.019
3120	8:40:25 AM	0.019
3180	8:41:25 AM	0.019
3240	8:42:25 AM	0.019
3300	8:43:25 AM	0.023
3360	8:44:25 AM	0.026
3420	8:45:25 AM	0.023
3480	8:46:25 AM	0.022
3540	8:47:25 AM	0.02
3600	8:48:25 AM	0.032
3660	8:49:25 AM	0.038
3720	8:50:25 AM	0.03
3780	8:51:25 AM	0.023
3840	8:52:25 AM	0.022
3900	8:53:25 AM	0.021
3960	8:54:25 AM	0.019
4020	8:55:25 AM	0.019
4080	8:56:25 AM	0.017
4140	8:57:25 AM	0.018
4200	8:58:25 AM	0.018
4260	8:59:25 AM	0.017
4320	9:00:25 AM	0.019
4380	9:01:25 AM	0.016

4440	9:02:25 AM	0.015
4500	9:03:25 AM	0.014
4560	9:04:25 AM	0.014
4620	9:05:25 AM	0.013
4680	9:06:25 AM	0.015
4740	9:07:25 AM	0.013
4800	9:08:25 AM	0.015
4860	9:09:25 AM	0.015
4920	9:10:25 AM	0.016
4980	9:11:25 AM	0.016
5040	9:12:25 AM	0.014
5100	9:13:25 AM	0.014
5160	9:14:25 AM	0.014
5220	9:15:25 AM	0.016
5280	9:16:25 AM	0.016
5340	9:17:25 AM	0.018
5400	9:18:25 AM	0.017
5460	9:19:25 AM	0.021
5520	9:20:25 AM	0.018
5580	9:21:25 AM	0.019
5640	9:22:25 AM	0.018
5700	9:23:25 AM	0.017
5760	9:24:25 AM	0.016
5820	9:25:25 AM	0.016
5880	9:26:25 AM	0.019
5940	9:27:25 AM	0.02
6000	9:28:25 AM	0.019
6060	9:29:25 AM	0.019
6120	9:30:25 AM	0.021
6180	9:31:25 AM	0.02
6240	9:32:25 AM	0.018
6300	9:33:25 AM	0.018
6360	9:34:25 AM	0.019
6420	9:35:25 AM	0.02
6480	9:36:25 AM	0.02
6540	9:37:25 AM	0.022
6600	9:38:25 AM	0.02
6660	9:39:25 AM	0.02
6720	9:40:25 AM	0.021
6780	9:41:25 AM	0.027
6840	9:42:25 AM	0.023
6900	9:43:25 AM	0.024
6960	9:44:25 AM	0.025
7020	9:45:25 AM	0.024
7080	9:46:25 AM	0.027
7140	9:47:25 AM	0.024
7200	9:48:25 AM	0.024

7260	9:49:25 AM	0.025
7320	9:50:25 AM	0.025
7380	9:51:25 AM	0.024
7440	9:52:25 AM	0.025
7500	9:53:25 AM	0.03
7560	9:54:25 AM	0.026
7620	9:55:25 AM	0.025
7680	9:56:25 AM	0.025
7740	9:57:25 AM	0.026
7800	9:58:25 AM	0.027
7860	9:59:25 AM	0.026
7920	10:00:25 AM	0.027
7980	10:01:25 AM	0.08
8040	10:02:25 AM	0.036
8100	10:03:25 AM	0.025
8160	10:04:25 AM	0.022
8220	10:05:25 AM	0.023
8280	10:06:25 AM	0.024
8340	10:07:25 AM	0.023
8400	10:08:25 AM	0.024
8460	10:09:25 AM	0.025
8520	10:10:25 AM	0.024
8580	10:11:25 AM	0.025
8640	10:12:25 AM	0.027
8700	10:13:25 AM	0.024
8760	10:14:25 AM	0.024
8820	10:15:25 AM	0.024
8880	10:16:25 AM	0.026
8940	10:17:25 AM	0.027
9000	10:18:25 AM	0.039
9060	10:19:25 AM	0.03
9120	10:20:25 AM	0.029
9180	10:21:25 AM	0.022
9240	10:22:25 AM	0.022
9300	10:23:25 AM	0.023
9360	10:24:25 AM	0.02
9420	10:25:25 AM	0.022
9480	10:26:25 AM	0.025
9540	10:27:25 AM	0.03
9600	10:28:25 AM	0.025
9660	10:29:25 AM	0.028
9720	10:30:25 AM	0.023
9780	10:31:25 AM	0.023
9840	10:32:25 AM	0.028
9900	10:33:25 AM	0.031
9960	10:34:25 AM	0.036
10020	10:35:25 AM	0.03

10080	10:36:25 AM	0.021
10140	10:37:25 AM	0.022
10200	10:38:25 AM	0.025
10260	10:39:25 AM	0.024
10320	10:40:25 AM	0.023
10380	10:41:25 AM	0.022
10440	10:42:25 AM	0.022
10500	10:43:25 AM	0.024
10560	10:44:25 AM	0.027
10620	10:45:25 AM	0.027
10680	10:46:25 AM	0.025
10740	10:47:25 AM	0.025
10800	10:48:25 AM	0.025
10860	10:49:25 AM	0.024
10920	10:50:25 AM	0.025
10980	10:51:25 AM	0.024
11040	10:52:25 AM	0.024
11100	10:53:25 AM	0.024
11160	10:54:25 AM	0.025
11220	10:55:25 AM	0.026
11280	10:56:25 AM	0.026
11340	10:57:25 AM	0.029
11400	10:58:25 AM	0.026
11460	10:59:25 AM	0.025
11520	11:00:25 AM	0.029
11580	11:01:25 AM	0.029
11640	11:02:25 AM	0.028
11700	11:03:25 AM	0.027
11760	11:04:25 AM	0.03
11820	11:05:25 AM	0.032
11880	11:06:25 AM	0.03
11940	11:07:25 AM	0.031
12000	11:08:25 AM	0.025
12060	11:09:25 AM	0.025
12120	11:10:25 AM	0.027
12180	11:11:25 AM	0.03
12240	11:12:25 AM	0.031
12300	11:13:25 AM	0.038
12360	11:14:25 AM	0.033
12420	11:15:25 AM	0.029
12480	11:16:25 AM	0.032
12540	11:17:25 AM	0.035
12600	11:18:25 AM	0.032
12660	11:19:25 AM	0.029
12720	11:20:25 AM	0.029
12780	11:21:25 AM	0.03
12840	11:22:25 AM	0.03

12900	11:23:25 AM	0.03
12960	11:24:25 AM	0.029
13020	11:25:25 AM	0.035
13080	11:26:25 AM	0.034
13140	11:27:25 AM	0.027
13200	11:28:25 AM	0.029
13260	11:29:25 AM	0.029
13320	11:30:25 AM	0.037
13380	11:31:25 AM	0.028
13440	11:32:25 AM	0.026
13500	11:33:25 AM	0.028
13560	11:34:25 AM	0.031
13620	11:35:25 AM	0.03
13680	11:36:25 AM	0.029
13740	11:37:25 AM	0.03
13800	11:38:25 AM	0.041
13860	11:39:25 AM	0.199
13920	11:40:25 AM	0.054
13980	11:41:25 AM	0.034
14040	11:42:25 AM	0.028
14100	11:43:25 AM	0.025
14160	11:44:25 AM	0.026
14220	11:45:25 AM	0.046
14280	11:46:25 AM	0.026
14340	11:47:25 AM	0.024
14400	11:48:25 AM	0.023
14460	11:49:25 AM	0.023
14520	11:50:25 AM	0.02
14580	11:51:25 AM	0.021
14640	11:52:25 AM	0.022
14700	11:53:25 AM	0.023
14760	11:54:25 AM	0.024
14820	11:55:25 AM	0.025
14880	11:56:25 AM	0.03
14940	11:57:25 AM	0.043
15000	11:58:25 AM	0.025
15060	11:59:25 AM	0.027
15120	12:00:25 PM	0.023
15180	12:01:25 PM	0.021
15240	12:02:25 PM	0.02
15300	12:03:25 PM	0.026
15360	12:04:25 PM	0.026
15420	12:05:25 PM	0.025
15480	12:06:25 PM	0.028
15540	12:07:25 PM	0.019
15600	12:08:25 PM	0.02
15660	12:09:25 PM	0.024

15720	12:10:25 PM	0.025
15780	12:11:25 PM	0.025
15840	12:12:25 PM	0.024
15900	12:13:25 PM	0.021
15960	12:14:25 PM	0.024
16020	12:15:25 PM	0.024
16080	12:16:25 PM	0.021
16140	12:17:25 PM	0.02
16200	12:18:25 PM	0.019
16260	12:19:25 PM	0.018
16320	12:20:25 PM	0.02
16380	12:21:25 PM	0.019
16440	12:22:25 PM	0.018
16500	12:23:25 PM	0.018
16560	12:24:25 PM	0.018
16620	12:25:25 PM	0.017
16680	12:26:25 PM	0.018
16740	12:27:25 PM	0.021
16800	12:28:25 PM	0.022
16860	12:29:25 PM	0.019
16920	12:30:25 PM	0.025
16980	12:31:25 PM	0.021
17040	12:32:25 PM	0.02
17100	12:33:25 PM	0.022
17160	12:34:25 PM	0.02
17220	12:35:25 PM	0.02
17280	12:36:25 PM	0.018
17340	12:37:25 PM	0.02
17400	12:38:25 PM	0.021
17460	12:39:25 PM	0.02
17520	12:40:25 PM	0.023
17580	12:41:25 PM	0.021
17640	12:42:25 PM	0.024
17700	12:43:25 PM	0.027
17760	12:44:25 PM	0.022
17820	12:45:25 PM	0.02
17880	12:46:25 PM	0.018
17940	12:47:25 PM	0.018
18000	12:48:25 PM	0.017
18060	12:49:25 PM	0.02
18120	12:50:25 PM	0.021
18180	12:51:25 PM	0.022
18240	12:52:25 PM	0.021
18300	12:53:25 PM	0.02
18360	12:54:25 PM	0.019
18420	12:55:25 PM	0.018
18480	12:56:25 PM	0.018

18540	12:57:25 PM	0.02
18600	12:58:25 PM	0.02
18660	12:59:25 PM	0.019
18720	1:00:25 PM	0.019
18780	1:01:25 PM	0.023
18840	1:02:25 PM	0.019
18900	1:03:25 PM	0.019
18960	1:04:25 PM	0.018
19020	1:05:25 PM	0.018
19080	1:06:25 PM	0.019
19140	1:07:25 PM	0.019
19200	1:08:25 PM	0.019
19260	1:09:25 PM	0.018
19320	1:10:25 PM	0.019
19380	1:11:25 PM	0.02
19440	1:12:25 PM	0.02
19500	1:13:25 PM	0.02
19560	1:14:25 PM	0.019
19620	1:15:25 PM	0.02
19680	1:16:25 PM	0.021
19740	1:17:25 PM	0.021
19800	1:18:25 PM	0.022
19860	1:19:25 PM	0.022
19920	1:20:25 PM	0.021
19980	1:21:25 PM	0.021
20040	1:22:25 PM	0.022
20100	1:23:25 PM	0.022
20160	1:24:25 PM	0.021
20220	1:25:25 PM	0.02
20280	1:26:25 PM	0.02
20340	1:27:25 PM	0.02
20400	1:28:25 PM	0.022
20460	1:29:25 PM	0.022
20520	1:30:25 PM	0.02
20580	1:31:25 PM	0.021
20640	1:32:25 PM	0.023
20700	1:33:25 PM	0.021
20760	1:34:25 PM	0.022
20820	1:35:25 PM	0.023
20880	1:36:25 PM	0.023
20940	1:37:25 PM	0.024
21000	1:38:25 PM	0.027
21060	1:39:25 PM	0.025
21120	1:40:25 PM	0.025
21180	1:41:25 PM	0.025
21240	1:42:25 PM	0.025
21300	1:43:25 PM	0.027

21360	1:44:25 PM	0.029
21420	1:45:25 PM	0.027
21480	1:46:25 PM	0.025
21540	1:47:25 PM	0.026
21600	1:48:25 PM	0.025
21660	1:49:25 PM	0.025
21720	1:50:25 PM	0.025
21780	1:51:25 PM	0.025
21840	1:52:25 PM	0.025
21900	1:53:25 PM	0.025
21960	1:54:25 PM	0.025
22020	1:55:25 PM	0.024
22080	1:56:25 PM	0.025
22140	1:57:25 PM	0.024
22200	1:58:25 PM	0.023
22260	1:59:25 PM	0.024
22320	2:00:25 PM	0.027
22380	2:01:25 PM	0.027
22440	2:02:25 PM	0.023
22500	2:03:25 PM	0.026
22560	2:04:25 PM	0.029
22620	2:05:25 PM	0.026
22680	2:06:25 PM	0.027
22740	2:07:25 PM	0.027
22800	2:08:25 PM	0.027
22860	2:09:25 PM	0.029
22920	2:10:25 PM	0.025
22980	2:11:25 PM	0.023
23040	2:12:25 PM	0.026
23100	2:13:25 PM	0.024
23160	2:14:25 PM	0.024
23220	2:15:25 PM	0.026
23280	2:16:25 PM	0.028
23340	2:17:25 PM	0.026
23400	2:18:25 PM	0.025
23460	2:19:25 PM	0.026
23520	2:20:25 PM	0.023
23580	2:21:25 PM	0.023
23640	2:22:25 PM	0.025
23700	2:23:25 PM	0.023
23760	2:24:25 PM	0.021
23820	2:25:25 PM	0.022
23880	2:26:25 PM	0.021
23940	2:27:25 PM	0.022
24000	2:28:25 PM	0.023
24060	2:29:25 PM	0.025
24120	2:30:25 PM	0.025

24180	2:31:25 PM	0.027
24240	2:32:25 PM	0.025
24300	2:33:25 PM	0.024
24360	2:34:25 PM	0.022
24420	2:35:25 PM	0.022
24480	2:36:25 PM	0.021
24540	2:37:25 PM	0.022
24600	2:38:25 PM	0.02
24660	2:39:25 PM	0.02
24720	2:40:25 PM	0.019
24780	2:41:25 PM	0.02
24840	2:42:25 PM	0.02
24900	2:43:25 PM	0.019
24960	2:44:25 PM	0.023
25020	2:45:25 PM	0.021
25080	2:46:25 PM	0.02
25140	2:47:25 PM	0.02
25200	2:48:25 PM	0.02
25260	2:49:25 PM	0.019
25320	2:50:25 PM	0.019
25380	2:51:25 PM	0.022
25440	2:52:25 PM	0.035
25500	2:53:25 PM	0.019
25560	2:54:25 PM	0.032
25620	2:55:25 PM	0.029
25680	2:56:25 PM	0.032
25740	2:57:25 PM	0.021
25800	2:58:25 PM	0.021
25860	2:59:25 PM	0.02
25920	3:00:25 PM	0.021
25980	3:01:25 PM	0.021
26040	3:02:25 PM	0.021
26100	3:03:25 PM	0.025
26160	3:04:25 PM	0.02
26220	3:05:25 PM	0.02
26280	3:06:25 PM	0.02
26340	3:07:25 PM	0.019
26400	3:08:25 PM	0.019
26460	3:09:25 PM	0.019
26520	3:10:25 PM	0.02
26580	3:11:25 PM	0.021
26640	3:12:25 PM	0.038
26700	3:13:25 PM	0.02
26760	3:14:25 PM	0.018
26820	3:15:25 PM	0.019
26880	3:16:25 PM	0.019
26940	3:17:25 PM	0.019

27000	3:18:25 PM	0.019
27060	3:19:25 PM	0.02
27120	3:20:25 PM	0.026
27180	3:21:25 PM	0.02
27240	3:22:25 PM	0.02
27300	3:23:25 PM	0.019
27360	3:24:25 PM	0.02
27420	3:25:25 PM	0.021
27480	3:26:25 PM	0.033
27540	3:27:25 PM	0.023
27600	3:28:25 PM	0.024
27660	3:29:25 PM	0.022
27720	3:30:25 PM	0.02
27780	3:31:25 PM	0.02
27840	3:32:25 PM	0.021
27900	3:33:25 PM	0.021
27960	3:34:25 PM	0.019
28020	3:35:25 PM	0.021
28080	3:36:25 PM	0.02
28140	3:37:25 PM	0.02
28200	3:38:25 PM	0.021
28260	3:39:25 PM	0.022
28320	3:40:25 PM	0.022
28380	3:41:25 PM	0.022
28440	3:42:25 PM	0.021
28500	3:43:25 PM	0.02
28560	3:44:25 PM	0.021
28620	3:45:25 PM	0.02
28680	3:46:25 PM	0.021
28740	3:47:25 PM	0.022
28800	3:48:25 PM	0.023
28860	3:49:25 PM	0.02
28920	3:50:25 PM	0.033
28980	3:51:25 PM	0.021
29040	3:52:25 PM	0.029
29100	3:53:25 PM	0.024
29160	3:54:25 PM	0.023
29220	3:55:25 PM	0.047
29280	3:56:25 PM	0.023
29340	3:57:25 PM	0.021
29400	3:58:25 PM	0.021
29460	3:59:25 PM	0.021
29520	4:00:25 PM	0.022
29580	4:01:25 PM	0.022
29640	4:02:25 PM	0.022
29700	4:03:25 PM	0.021
29760	4:04:25 PM	0.019

29820	4:05:25 PM	0.024
29880	4:06:25 PM	0.019
29940	4:07:25 PM	0.022
30000	4:08:25 PM	0.021
30060	4:09:25 PM	0.022
30120	4:10:25 PM	0.022
30180	4:11:25 PM	0.025
30240	4:12:25 PM	0.024
30300	4:13:25 PM	0.019
30360	4:14:25 PM	0.019
30420	4:15:25 PM	0.02
30480	4:16:25 PM	0.022

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	11/15/2023 16:30	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:29	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:28	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:27	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:26	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:25	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:24	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 16:23	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:22	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:21	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:20	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:19	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:18	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:17	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:16	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:15	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:14	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:13	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:12	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:11	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:10	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:09	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 16:08	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:07	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:06	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:05	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:04	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:03	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:02	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:01	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 16:00	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:59	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:58	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:57	Readings	PID	SC23030324C7	Normal	0.1

592-602816	11/15/2023 15:56	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:55	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:54	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:53	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:52	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:51	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:50	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:49	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:48	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:47	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:46	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:45	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:44	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:43	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:42	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:41	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:40	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 15:39	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 15:38	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 15:37	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:36	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:35	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:34	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:33	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 15:32	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 15:31	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:30	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:29	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:28	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:27	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:26	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:25	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 15:24	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:23	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:22	Readings	PID	SC23030324C7	Normal	0

592-602816	11/15/2023 15:21	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:20	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:19	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:18	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:17	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:16	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:15	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:14	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:13	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:12	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:11	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:10	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:09	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:08	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:07	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:06	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:05	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:04	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:03	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 15:02	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:01	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 15:00	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:59	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:58	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:57	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:56	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:55	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:54	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:53	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:52	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:51	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:50	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:49	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:48	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:47	Readings	PID	SC23030324C7	Normal	0.4

592-602816	11/15/2023 14:46	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/15/2023 14:45	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 14:44	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 14:43	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:42	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:41	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:40	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:39	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:38	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:37	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 14:36	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 14:35	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/15/2023 14:34	Readings	PID	SC23030324C7	Normal	0.6
592-602816	11/15/2023 14:33	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 14:32	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 14:31	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 14:30	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 14:29	Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 14:28	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:27	Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 14:26	Readings	PID	SC23030324C7	Normal	0.5
592-602816	11/15/2023 14:25	Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 14:24	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:23	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:22	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/15/2023 14:21	Readings	PID	SC23030324C7	Normal	0.7
592-602816	11/15/2023 14:20	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:19	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:18	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:17	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:16	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:15	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:14	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:13	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:12	Readings	PID	SC23030324C7	Normal	0

592-602816	11/15/2023 14:11	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:10	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:09	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:08	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:07	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:06	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:05	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:04	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:03	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 14:02	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:01	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 14:00	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:59	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 13:58	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 13:57	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:56	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:55	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:54	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:53	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 13:52	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:51	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:50	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:49	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:48	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:47	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:46	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 13:45	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 13:44	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:43	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:42	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:41	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:40	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:39	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:38	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 13:37	Readings	PID	SC23030324C7	Normal	0

592-602816	11/15/2023 11:51	Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 11:50	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 11:49	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 11:48	Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 11:47	CONFIG	PID	SC23030324C7		
592-602816	11/15/2023 11:45	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:44	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:43	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:42	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:41	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:40	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:39	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:38	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:37	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:36	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:35	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:34	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/15/2023 11:33	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:32	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:31	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:30	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:29	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/15/2023 11:28	Readings	PID	SC23030324C7	Normal	0.8
592-602816	11/15/2023 11:27	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:26	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:25	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:24	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:23	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:22	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:21	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:20	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:19	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:18	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:17	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:16	Readings	PID	SC23030324C7	Normal	0.9

592-602816	11/15/2023 11:15	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:14	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:13	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:12	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:11	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:10	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:09	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:08	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 11:07	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:06	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 11:05	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 11:04	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 11:03	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 11:02	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 11:01	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 11:00	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 10:59	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:58	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:57	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:56	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:55	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:54	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:53	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:52	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:51	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:50	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:49	Readings	PID	SC23030324C7	Normal	0.9
592-602816	11/15/2023 10:48	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:47	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:46	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:45	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:44	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:43	Readings	PID	SC23030324C7	Normal	1
592-602816	11/15/2023 10:42	Readings	PID	SC23030324C7	Normal	1.1
592-602816	11/15/2023 10:41	Readings	PID	SC23030324C7	Normal	1.1

592-602816	11/15/2023 8:20 Readings	PID	SC23030324C7	Normal	0.5
592-602816	11/15/2023 8:19 Readings	PID	SC23030324C7	Normal	0.5
592-602816	11/15/2023 8:18 Readings	PID	SC23030324C7	Normal	0.5
592-602816	11/15/2023 8:17 Readings	PID	SC23030324C7	Normal	0.4
592-602816	11/15/2023 8:16 Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 8:15 Readings	PID	SC23030324C7	Normal	0.3
592-602816	11/15/2023 8:14 Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 8:13 Readings	PID	SC23030324C7	Normal	0.2
592-602816	11/15/2023 8:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 8:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 8:10 Readings	PID	SC23030324C7	Normal	0.1
592-602816	11/15/2023 8:09 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:08 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:07 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:06 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:05 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:04 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:03 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:02 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:01 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 8:00 Readings	PID	SC23030324C7	Normal	0
592-602816	11/15/2023 7:59 CONFIG	PID	SC23030324C7		

DustTrak II

Model Number 8530
 Serial Number 8530173225
 Firmware Version 3.1
 Calibration Date 11/30/2022
 Test Name MANUAL_003
 Test Start Time 7:57:03 AM
 Test Start Date 11/15/2023
 Test Length [D:H:M] 0:08:29
 Test Interval [M:S] 1:00
 Mass Average [mg/m3] 0.038
 Mass Minimum [mg/m3] 0.016
 Mass Maximum [mg/m3] 0.181
 Mass TWA [mg/m3] 0.038
 Photometric User Cal 1
 Flow User Cal 0
 Errors
 Number of Samples 509

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:57:03 AM			
60	7:58:03 AM	0.181		
120	7:59:03 AM	0.022		
180	8:00:03 AM	0.02		
240	8:01:03 AM	0.017		
300	8:02:03 AM	0.019		
360	8:03:03 AM	0.018		
420	8:04:03 AM	0.018		
480	8:05:03 AM	0.018		
540	8:06:03 AM	0.017		
600	8:07:03 AM	0.016		
660	8:08:03 AM	0.017		
720	8:09:03 AM	0.018		
780	8:10:03 AM	0.018		
840	8:11:03 AM	0.019		
900	8:12:03 AM	0.019		
960	8:13:03 AM	0.022		
1020	8:14:03 AM	0.048		
1080	8:15:03 AM	0.05		
1140	8:16:03 AM	0.033		
1200	8:17:03 AM	0.028		
1260	8:18:03 AM	0.02		
1320	8:19:03 AM	0.019		
1380	8:20:03 AM	0.022		
1440	8:21:03 AM	0.021		
1500	8:22:03 AM	0.021		
1560	8:23:03 AM	0.021		

1620	8:24:03 AM	0.021
1680	8:25:03 AM	0.021
1740	8:26:03 AM	0.021
1800	8:27:03 AM	0.021
1860	8:28:03 AM	0.021
1920	8:29:03 AM	0.021
1980	8:30:03 AM	0.021
2040	8:31:03 AM	0.021
2100	8:32:03 AM	0.021
2160	8:33:03 AM	0.022
2220	8:34:03 AM	0.022
2280	8:35:03 AM	0.023
2340	8:36:03 AM	0.023
2400	8:37:03 AM	0.025
2460	8:38:03 AM	0.024
2520	8:39:03 AM	0.025
2580	8:40:03 AM	0.024
2640	8:41:03 AM	0.026
2700	8:42:03 AM	0.026
2760	8:43:03 AM	0.026
2820	8:44:03 AM	0.026
2880	8:45:03 AM	0.026
2940	8:46:03 AM	0.026
3000	8:47:03 AM	0.027
3060	8:48:03 AM	0.027
3120	8:49:03 AM	0.028
3180	8:50:03 AM	0.028
3240	8:51:03 AM	0.029
3300	8:52:03 AM	0.031
3360	8:53:03 AM	0.033
3420	8:54:03 AM	0.044
3480	8:55:03 AM	0.041
3540	8:56:03 AM	0.039
3600	8:57:03 AM	0.034
3660	8:58:03 AM	0.032
3720	8:59:03 AM	0.03
3780	9:00:03 AM	0.029
3840	9:01:03 AM	0.029
3900	9:02:03 AM	0.028
3960	9:03:03 AM	0.025
4020	9:04:03 AM	0.026
4080	9:05:03 AM	0.026
4140	9:06:03 AM	0.025
4200	9:07:03 AM	0.025
4260	9:08:03 AM	0.024
4320	9:09:03 AM	0.024
4380	9:10:03 AM	0.025

4440	9:11:03 AM	0.024
4500	9:12:03 AM	0.025
4560	9:13:03 AM	0.026
4620	9:14:03 AM	0.027
4680	9:15:03 AM	0.027
4740	9:16:03 AM	0.025
4800	9:17:03 AM	0.025
4860	9:18:03 AM	0.025
4920	9:19:03 AM	0.025
4980	9:20:03 AM	0.027
5040	9:21:03 AM	0.027
5100	9:22:03 AM	0.029
5160	9:23:03 AM	0.029
5220	9:24:03 AM	0.028
5280	9:25:03 AM	0.028
5340	9:26:03 AM	0.028
5400	9:27:03 AM	0.028
5460	9:28:03 AM	0.029
5520	9:29:03 AM	0.031
5580	9:30:03 AM	0.033
5640	9:31:03 AM	0.033
5700	9:32:03 AM	0.031
5760	9:33:03 AM	0.031
5820	9:34:03 AM	0.032
5880	9:35:03 AM	0.032
5940	9:36:03 AM	0.031
6000	9:37:03 AM	0.031
6060	9:38:03 AM	0.032
6120	9:39:03 AM	0.034
6180	9:40:03 AM	0.035
6240	9:41:03 AM	0.043
6300	9:42:03 AM	0.036
6360	9:43:03 AM	0.034
6420	9:44:03 AM	0.034
6480	9:45:03 AM	0.035
6540	9:46:03 AM	0.035
6600	9:47:03 AM	0.038
6660	9:48:03 AM	0.038
6720	9:49:03 AM	0.04
6780	9:50:03 AM	0.038
6840	9:51:03 AM	0.037
6900	9:52:03 AM	0.037
6960	9:53:03 AM	0.039
7020	9:54:03 AM	0.039
7080	9:55:03 AM	0.039
7140	9:56:03 AM	0.039
7200	9:57:03 AM	0.04

7260	9:58:03 AM	0.039
7320	9:59:03 AM	0.04
7380	10:00:03 AM	0.04
7440	10:01:03 AM	0.04
7500	10:02:03 AM	0.04
7560	10:03:03 AM	0.041
7620	10:04:03 AM	0.044
7680	10:05:03 AM	0.042
7740	10:06:03 AM	0.046
7800	10:07:03 AM	0.043
7860	10:08:03 AM	0.036
7920	10:09:03 AM	0.037
7980	10:10:03 AM	0.038
8040	10:11:03 AM	0.038
8100	10:12:03 AM	0.038
8160	10:13:03 AM	0.038
8220	10:14:03 AM	0.038
8280	10:15:03 AM	0.038
8340	10:16:03 AM	0.039
8400	10:17:03 AM	0.039
8460	10:18:03 AM	0.04
8520	10:19:03 AM	0.038
8580	10:20:03 AM	0.039
8640	10:21:03 AM	0.04
8700	10:22:03 AM	0.038
8760	10:23:03 AM	0.041
8820	10:24:03 AM	0.036
8880	10:25:03 AM	0.035
8940	10:26:03 AM	0.036
9000	10:27:03 AM	0.035
9060	10:28:03 AM	0.035
9120	10:29:03 AM	0.035
9180	10:30:03 AM	0.035
9240	10:31:03 AM	0.036
9300	10:32:03 AM	0.04
9360	10:33:03 AM	0.04
9420	10:34:03 AM	0.038
9480	10:35:03 AM	0.038
9540	10:36:03 AM	0.043
9600	10:37:03 AM	0.052
9660	10:38:03 AM	0.052
9720	10:39:03 AM	0.047
9780	10:40:03 AM	0.036
9840	10:41:03 AM	0.037
9900	10:42:03 AM	0.036
9960	10:43:03 AM	0.037
10020	10:44:03 AM	0.036

10080	10:45:03 AM	0.037
10140	10:46:03 AM	0.036
10200	10:47:03 AM	0.036
10260	10:48:03 AM	0.04
10320	10:49:03 AM	0.041
10380	10:50:03 AM	0.041
10440	10:51:03 AM	0.04
10500	10:52:03 AM	0.04
10560	10:53:03 AM	0.04
10620	10:54:03 AM	0.039
10680	10:55:03 AM	0.039
10740	10:56:03 AM	0.04
10800	10:57:03 AM	0.039
10860	10:58:03 AM	0.04
10920	10:59:03 AM	0.041
10980	11:00:03 AM	0.042
11040	11:01:03 AM	0.045
11100	11:02:03 AM	0.043
11160	11:03:03 AM	0.041
11220	11:04:03 AM	0.044
11280	11:05:03 AM	0.045
11340	11:06:03 AM	0.045
11400	11:07:03 AM	0.044
11460	11:08:03 AM	0.045
11520	11:09:03 AM	0.046
11580	11:10:03 AM	0.044
11640	11:11:03 AM	0.044
11700	11:12:03 AM	0.042
11760	11:13:03 AM	0.04
11820	11:14:03 AM	0.042
11880	11:15:03 AM	0.045
11940	11:16:03 AM	0.046
12000	11:17:03 AM	0.049
12060	11:18:03 AM	0.045
12120	11:19:03 AM	0.045
12180	11:20:03 AM	0.046
12240	11:21:03 AM	0.051
12300	11:22:03 AM	0.051
12360	11:23:03 AM	0.048
12420	11:24:03 AM	0.046
12480	11:25:03 AM	0.046
12540	11:26:03 AM	0.045
12600	11:27:03 AM	0.046
12660	11:28:03 AM	0.045
12720	11:29:03 AM	0.046
12780	11:30:03 AM	0.045
12840	11:31:03 AM	0.044

12900	11:32:03 AM	0.045
12960	11:33:03 AM	0.047
13020	11:34:03 AM	0.045
13080	11:35:03 AM	0.049
13140	11:36:03 AM	0.045
13200	11:37:03 AM	0.044
13260	11:38:03 AM	0.045
13320	11:39:03 AM	0.046
13380	11:40:03 AM	0.046
13440	11:41:03 AM	0.046
13500	11:42:03 AM	0.062
13560	11:43:03 AM	0.061
13620	11:44:03 AM	0.06
13680	11:45:03 AM	0.05
13740	11:46:03 AM	0.04
13800	11:47:03 AM	0.042
13860	11:48:03 AM	0.042
13920	11:49:03 AM	0.044
13980	11:50:03 AM	0.038
14040	11:51:03 AM	0.038
14100	11:52:03 AM	0.038
14160	11:53:03 AM	0.037
14220	11:54:03 AM	0.037
14280	11:55:03 AM	0.037
14340	11:56:03 AM	0.039
14400	11:57:03 AM	0.038
14460	11:58:03 AM	0.045
14520	11:59:03 AM	0.044
14580	12:00:03 PM	0.042
14640	12:01:03 PM	0.043
14700	12:02:03 PM	0.041
14760	12:03:03 PM	0.039
14820	12:04:03 PM	0.037
14880	12:05:03 PM	0.037
14940	12:06:03 PM	0.038
15000	12:07:03 PM	0.04
15060	12:08:03 PM	0.044
15120	12:09:03 PM	0.038
15180	12:10:03 PM	0.04
15240	12:11:03 PM	0.04
15300	12:12:03 PM	0.037
15360	12:13:03 PM	0.043
15420	12:14:03 PM	0.045
15480	12:15:03 PM	0.042
15540	12:16:03 PM	0.039
15600	12:17:03 PM	0.039
15660	12:18:03 PM	0.039

15720	12:19:03 PM	0.04
15780	12:20:03 PM	0.037
15840	12:21:03 PM	0.039
15900	12:22:03 PM	0.037
15960	12:23:03 PM	0.037
16020	12:24:03 PM	0.039
16080	12:25:03 PM	0.037
16140	12:26:03 PM	0.048
16200	12:27:03 PM	0.035
16260	12:28:03 PM	0.035
16320	12:29:03 PM	0.035
16380	12:30:03 PM	0.036
16440	12:31:03 PM	0.036
16500	12:32:03 PM	0.04
16560	12:33:03 PM	0.042
16620	12:34:03 PM	0.041
16680	12:35:03 PM	0.04
16740	12:36:03 PM	0.039
16800	12:37:03 PM	0.04
16860	12:38:03 PM	0.037
16920	12:39:03 PM	0.038
16980	12:40:03 PM	0.037
17040	12:41:03 PM	0.042
17100	12:42:03 PM	0.042
17160	12:43:03 PM	0.04
17220	12:44:03 PM	0.04
17280	12:45:03 PM	0.043
17340	12:46:03 PM	0.038
17400	12:47:03 PM	0.057
17460	12:48:03 PM	0.041
17520	12:49:03 PM	0.037
17580	12:50:03 PM	0.034
17640	12:51:03 PM	0.034
17700	12:52:03 PM	0.037
17760	12:53:03 PM	0.037
17820	12:54:03 PM	0.041
17880	12:55:03 PM	0.038
17940	12:56:03 PM	0.036
18000	12:57:03 PM	0.036
18060	12:58:03 PM	0.036
18120	12:59:03 PM	0.036
18180	1:00:03 PM	0.036
18240	1:01:03 PM	0.042
18300	1:02:03 PM	0.04
18360	1:03:03 PM	0.037
18420	1:04:03 PM	0.037
18480	1:05:03 PM	0.036

18540	1:06:03 PM	0.036
18600	1:07:03 PM	0.036
18660	1:08:03 PM	0.037
18720	1:09:03 PM	0.034
18780	1:10:03 PM	0.037
18840	1:11:03 PM	0.038
18900	1:12:03 PM	0.037
18960	1:13:03 PM	0.038
19020	1:14:03 PM	0.038
19080	1:15:03 PM	0.04
19140	1:16:03 PM	0.039
19200	1:17:03 PM	0.038
19260	1:18:03 PM	0.037
19320	1:19:03 PM	0.043
19380	1:20:03 PM	0.04
19440	1:21:03 PM	0.039
19500	1:22:03 PM	0.039
19560	1:23:03 PM	0.038
19620	1:24:03 PM	0.038
19680	1:25:03 PM	0.039
19740	1:26:03 PM	0.039
19800	1:27:03 PM	0.04
19860	1:28:03 PM	0.039
19920	1:29:03 PM	0.036
19980	1:30:03 PM	0.036
20040	1:31:03 PM	0.044
20100	1:32:03 PM	0.04
20160	1:33:03 PM	0.04
20220	1:34:03 PM	0.04
20280	1:35:03 PM	0.038
20340	1:36:03 PM	0.038
20400	1:37:03 PM	0.039
20460	1:38:03 PM	0.041
20520	1:39:03 PM	0.041
20580	1:40:03 PM	0.041
20640	1:41:03 PM	0.042
20700	1:42:03 PM	0.042
20760	1:43:03 PM	0.043
20820	1:44:03 PM	0.042
20880	1:45:03 PM	0.042
20940	1:46:03 PM	0.046
21000	1:47:03 PM	0.042
21060	1:48:03 PM	0.043
21120	1:49:03 PM	0.044
21180	1:50:03 PM	0.042
21240	1:51:03 PM	0.043
21300	1:52:03 PM	0.042

21360	1:53:03 PM	0.042
21420	1:54:03 PM	0.042
21480	1:55:03 PM	0.042
21540	1:56:03 PM	0.043
21600	1:57:03 PM	0.046
21660	1:58:03 PM	0.042
21720	1:59:03 PM	0.041
21780	2:00:03 PM	0.042
21840	2:01:03 PM	0.041
21900	2:02:03 PM	0.041
21960	2:03:03 PM	0.041
22020	2:04:03 PM	0.041
22080	2:05:03 PM	0.043
22140	2:06:03 PM	0.042
22200	2:07:03 PM	0.045
22260	2:08:03 PM	0.042
22320	2:09:03 PM	0.043
22380	2:10:03 PM	0.044
22440	2:11:03 PM	0.043
22500	2:12:03 PM	0.049
22560	2:13:03 PM	0.052
22620	2:14:03 PM	0.043
22680	2:15:03 PM	0.041
22740	2:16:03 PM	0.042
22800	2:17:03 PM	0.043
22860	2:18:03 PM	0.043
22920	2:19:03 PM	0.044
22980	2:20:03 PM	0.041
23040	2:21:03 PM	0.039
23100	2:22:03 PM	0.04
23160	2:23:03 PM	0.045
23220	2:24:03 PM	0.064
23280	2:25:03 PM	0.05
23340	2:26:03 PM	0.062
23400	2:27:03 PM	0.045
23460	2:28:03 PM	0.053
23520	2:29:03 PM	0.041
23580	2:30:03 PM	0.044
23640	2:31:03 PM	0.046
23700	2:32:03 PM	0.045
23760	2:33:03 PM	0.041
23820	2:34:03 PM	0.042
23880	2:35:03 PM	0.044
23940	2:36:03 PM	0.044
24000	2:37:03 PM	0.044
24060	2:38:03 PM	0.038
24120	2:39:03 PM	0.038

24180	2:40:03 PM	0.038
24240	2:41:03 PM	0.043
24300	2:42:03 PM	0.037
24360	2:43:03 PM	0.036
24420	2:44:03 PM	0.037
24480	2:45:03 PM	0.037
24540	2:46:03 PM	0.038
24600	2:47:03 PM	0.037
24660	2:48:03 PM	0.042
24720	2:49:03 PM	0.037
24780	2:50:03 PM	0.036
24840	2:51:03 PM	0.036
24900	2:52:03 PM	0.036
24960	2:53:03 PM	0.035
25020	2:54:03 PM	0.037
25080	2:55:03 PM	0.036
25140	2:56:03 PM	0.041
25200	2:57:03 PM	0.036
25260	2:58:03 PM	0.036
25320	2:59:03 PM	0.039
25380	3:00:03 PM	0.036
25440	3:01:03 PM	0.036
25500	3:02:03 PM	0.037
25560	3:03:03 PM	0.037
25620	3:04:03 PM	0.036
25680	3:05:03 PM	0.038
25740	3:06:03 PM	0.037
25800	3:07:03 PM	0.043
25860	3:08:03 PM	0.036
25920	3:09:03 PM	0.036
25980	3:10:03 PM	0.038
26040	3:11:03 PM	0.045
26100	3:12:03 PM	0.038
26160	3:13:03 PM	0.04
26220	3:14:03 PM	0.037
26280	3:15:03 PM	0.042
26340	3:16:03 PM	0.045
26400	3:17:03 PM	0.039
26460	3:18:03 PM	0.036
26520	3:19:03 PM	0.037
26580	3:20:03 PM	0.037
26640	3:21:03 PM	0.04
26700	3:22:03 PM	0.041
26760	3:23:03 PM	0.038
26820	3:24:03 PM	0.037
26880	3:25:03 PM	0.038
26940	3:26:03 PM	0.04

27000	3:27:03 PM	0.041
27060	3:28:03 PM	0.038
27120	3:29:03 PM	0.038
27180	3:30:03 PM	0.043
27240	3:31:03 PM	0.04
27300	3:32:03 PM	0.039
27360	3:33:03 PM	0.04
27420	3:34:03 PM	0.039
27480	3:35:03 PM	0.038
27540	3:36:03 PM	0.043
27600	3:37:03 PM	0.038
27660	3:38:03 PM	0.037
27720	3:39:03 PM	0.038
27780	3:40:03 PM	0.042
27840	3:41:03 PM	0.038
27900	3:42:03 PM	0.038
27960	3:43:03 PM	0.039
28020	3:44:03 PM	0.039
28080	3:45:03 PM	0.04
28140	3:46:03 PM	0.043
28200	3:47:03 PM	0.04
28260	3:48:03 PM	0.037
28320	3:49:03 PM	0.039
28380	3:50:03 PM	0.038
28440	3:51:03 PM	0.042
28500	3:52:03 PM	0.043
28560	3:53:03 PM	0.041
28620	3:54:03 PM	0.039
28680	3:55:03 PM	0.038
28740	3:56:03 PM	0.039
28800	3:57:03 PM	0.039
28860	3:58:03 PM	0.04
28920	3:59:03 PM	0.04
28980	4:00:03 PM	0.039
29040	4:01:03 PM	0.038
29100	4:02:03 PM	0.038
29160	4:03:03 PM	0.038
29220	4:04:03 PM	0.04
29280	4:05:03 PM	0.039
29340	4:06:03 PM	0.039
29400	4:07:03 PM	0.037
29460	4:08:03 PM	0.037
29520	4:09:03 PM	0.037
29580	4:10:03 PM	0.036
29640	4:11:03 PM	0.038
29700	4:12:03 PM	0.039
29760	4:13:03 PM	0.038

29820	4:14:03 PM	0.04
29880	4:15:03 PM	0.041
29940	4:16:03 PM	0.038
30000	4:17:03 PM	0.037
30060	4:18:03 PM	0.037
30120	4:19:03 PM	0.036
30180	4:20:03 PM	0.038
30240	4:21:03 PM	0.04
30300	4:22:03 PM	0.037
30360	4:23:03 PM	0.047
30420	4:24:03 PM	0.038
30480	4:25:03 PM	0.037
30540	4:26:03 PM	0.036

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	11/15/2023 16:40	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:39	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:38	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:37	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:36	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:35	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:34	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:33	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:32	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:31	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:30	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:29	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:28	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:27	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:26	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:25	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:24	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:23	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:22	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:21	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:20	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:19	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:18	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:17	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:16	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:15	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:14	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:13	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:12	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:11	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:10	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:09	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:08	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 16:07	Readings	PID	SC23030408A8	Normal	0

592-600871	11/15/2023 8:31	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:30	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:29	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:28	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:27	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:26	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:25	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:24	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:23	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:22	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:21	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:20	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:19	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:18	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:17	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:16	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:15	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:14	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:13	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:12	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:11	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:10	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:09	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:08	Readings	PID	SC23030408A8	Normal	0
592-600871	11/15/2023 8:07	CONFIG	PID	SC23030408A8		