



DAILY STATUS REPORT

Prepared By:

Victor Barraza

WEATHER	Snow	Rain		Overcast	x	Partly Cloudy		Bright Sun		Wind
TEMP.	< 32	32-50	x	50-70		70-85		>85		S-5 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	11/21/23
Project:	251 Douglass Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 15:55</p>	<p>Personnel On Site: IEEG (Environmental) – Gwen Lynn and Victor Barraza Cascade Remediation Services – Jon Simpson ADT– Drilling Contractor Broadway Construction Group - Tom Caporale GES- Leo Humber-Henriquez</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	--

Scope of Work: NYSDEC ISS QA/QC Core Sampling for Visual Inspection.

Site Activities:

- Deploy CAMP at the start of the workday;
- ADT completed advancement of the overlap core at Columns 304 and 337 to 43-fft bgs; and
- At 14:30, ADT completed core sample 3B-302.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day;
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.551_ mg/m³ @ 08:12.
- High Conditions (Upwind) – PID = _0.2_ ppm @ 12:13, Dust = _0.551_ mg/m³ @ 08:12.
- High Conditions (Downwind 1) – PID = _1.4_ ppm @ 11:11, Dust = _0.107_ mg/m³ @ 09:52.
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.669_ mg/m³ @ 7:58

Notable Site Conditions:

- Due to predicted heavy rains, IEEG ensured all stockpiles were covered security with poly; and
- Core sample boxes covered with poly.

Planned for the Next Day/Week:

- General Site cleanup and grouting core locations.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
view of the Eastern
portion of the Site.



Photo 2 –
Representative
photo of the
northeast portion
of Site, while
drilling at 3B-302.



Photo 3 –
Representative view of core samples at the 20-25-foot bgs and 2 to 30-foot bgs intervals of overlap core for Columns 304 and 337.



Photo 4 –
Representative view of BCG Laborers covering stockpiles securely with poly in preparation for heavy rain.



Photo 5 –
Representative
view of core boxes
covered securely
with poly.




SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY



NEVINS STREET



Core 3B-302

Core 3B-304/337

DOUGLASS STREET

LEGEND

- Mix "A"
- Mix "B"
- Mix "B" *Only to 10 Feet Due to Obstruction
- Mix "C"

Pilot Test Locations

251 Douglass Street
Brooklyn, New York

Figure No: 03

PROJECT NO:	13028-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	1/10/2023
SCALE:	1" = 30'
REVISIONS	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599



UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173225
Firmware Version	3.1
Calibration Date	11/30/2022
Test Name	MANUAL_007
Test Start Time	8:11:07 AM
Test Start Date	11/21/2023
Test Length [D:H:M]	0:04:43
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.031
Mass Minimum [mg/m3]	0.011
Mass Maximum [mg/m3]	0.551
Mass TWA [mg/m3]	0.018
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	283

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	8:11:07 AM			
60	8:12:07 AM	0.551		
120	8:13:07 AM	0.022		
180	8:14:07 AM	0.02		
240	8:15:07 AM	0.011		
300	8:16:07 AM	0.011		
360	8:17:07 AM	0.011		
420	8:18:07 AM	0.011		
480	8:19:07 AM	0.011		
540	8:20:07 AM	0.012		
600	8:21:07 AM	0.022		
660	8:22:07 AM	0.015		
720	8:23:07 AM	0.012		
780	8:24:07 AM	0.011		
840	8:25:07 AM	0.011		
900	8:26:07 AM	0.012		
960	8:27:07 AM	0.013		
1020	8:28:07 AM	0.014		
1080	8:29:07 AM	0.012		
1140	8:30:07 AM	0.012		
1200	8:31:07 AM	0.018		
1260	8:32:07 AM	0.014		
1320	8:33:07 AM	0.014		
1380	8:34:07 AM	0.014		
1440	8:35:07 AM	0.014		
1500	8:36:07 AM	0.015		
1560	8:37:07 AM	0.015		

1620	8:38:07 AM	0.014
1680	8:39:07 AM	0.014
1740	8:40:07 AM	0.015
1800	8:41:07 AM	0.014
1860	8:42:07 AM	0.014
1920	8:43:07 AM	0.015
1980	8:44:07 AM	0.014
2040	8:45:07 AM	0.016
2100	8:46:07 AM	0.014
2160	8:47:07 AM	0.016
2220	8:48:07 AM	0.016
2280	8:49:07 AM	0.015
2340	8:50:07 AM	0.015
2400	8:51:07 AM	0.015
2460	8:52:07 AM	0.016
2520	8:53:07 AM	0.015
2580	8:54:07 AM	0.014
2640	8:55:07 AM	0.015
2700	8:56:07 AM	0.015
2760	8:57:07 AM	0.015
2820	8:58:07 AM	0.016
2880	8:59:07 AM	0.017
2940	9:00:07 AM	0.017
3000	9:01:07 AM	0.017
3060	9:02:07 AM	0.016
3120	9:03:07 AM	0.016
3180	9:04:07 AM	0.015
3240	9:05:07 AM	0.015
3300	9:06:07 AM	0.016
3360	9:07:07 AM	0.017
3420	9:08:07 AM	0.017
3480	9:09:07 AM	0.017
3540	9:10:07 AM	0.017
3600	9:11:07 AM	0.017
3660	9:12:07 AM	0.017
3720	9:13:07 AM	0.017
3780	9:14:07 AM	0.018
3840	9:15:07 AM	0.018
3900	9:16:07 AM	0.019
3960	9:17:07 AM	0.026
4020	9:18:07 AM	0.019
4080	9:19:07 AM	0.019
4140	9:20:07 AM	0.019
4200	9:21:07 AM	0.019
4260	9:22:07 AM	0.019
4320	9:23:07 AM	0.019
4380	9:24:07 AM	0.019

4440	9:25:07 AM	0.02
4500	9:26:07 AM	0.02
4560	9:27:07 AM	0.021
4620	9:28:07 AM	0.026
4680	9:29:07 AM	0.022
4740	9:30:07 AM	0.02
4800	9:31:07 AM	0.02
4860	9:32:07 AM	0.02
4920	9:33:07 AM	0.02
4980	9:34:07 AM	0.021
5040	9:35:07 AM	0.02
5100	9:36:07 AM	0.024
5160	9:37:07 AM	0.024
5220	9:38:07 AM	0.02
5280	9:39:07 AM	0.022
5340	9:40:07 AM	0.021
5400	9:41:07 AM	0.021
5460	9:42:07 AM	0.023
5520	9:43:07 AM	0.023
5580	9:44:07 AM	0.023
5640	9:45:07 AM	0.021
5700	9:46:07 AM	0.022
5760	9:47:07 AM	0.022
5820	9:48:07 AM	0.023
5880	9:49:07 AM	0.022
5940	9:50:07 AM	0.022
6000	9:51:07 AM	0.023
6060	9:52:07 AM	0.023
6120	9:53:07 AM	0.023
6180	9:54:07 AM	0.022
6240	9:55:07 AM	0.023
6300	9:56:07 AM	0.024
6360	9:57:07 AM	0.023
6420	9:58:07 AM	0.023
6480	9:59:07 AM	0.023
6540	10:00:07 AM	0.024
6600	10:01:07 AM	0.025
6660	10:02:07 AM	0.024
6720	10:03:07 AM	0.024
6780	10:04:07 AM	0.025
6840	10:05:07 AM	0.025
6900	10:06:07 AM	0.024
6960	10:07:07 AM	0.024
7020	10:08:07 AM	0.024
7080	10:09:07 AM	0.024
7140	10:10:07 AM	0.024
7200	10:11:07 AM	0.025

7260	10:12:07 AM	0.025
7320	10:13:07 AM	0.026
7380	10:14:07 AM	0.026
7440	10:15:07 AM	0.025
7500	10:16:07 AM	0.026
7560	10:17:07 AM	0.025
7620	10:18:07 AM	0.025
7680	10:19:07 AM	0.025
7740	10:20:07 AM	0.026
7800	10:21:07 AM	0.027
7860	10:22:07 AM	0.026
7920	10:23:07 AM	0.027
7980	10:24:07 AM	0.026
8040	10:25:07 AM	0.026
8100	10:26:07 AM	0.026
8160	10:27:07 AM	0.027
8220	10:28:07 AM	0.027
8280	10:29:07 AM	0.027
8340	10:30:07 AM	0.027
8400	10:31:07 AM	0.026
8460	10:32:07 AM	0.026
8520	10:33:07 AM	0.027
8580	10:34:07 AM	0.027
8640	10:35:07 AM	0.027
8700	10:36:07 AM	0.027
8760	10:37:07 AM	0.027
8820	10:38:07 AM	0.027
8880	10:39:07 AM	0.027
8940	10:40:07 AM	0.026
9000	10:41:07 AM	0.027
9060	10:42:07 AM	0.027
9120	10:43:07 AM	0.027
9180	10:44:07 AM	0.027
9240	10:45:07 AM	0.028
9300	10:46:07 AM	0.027
9360	10:47:07 AM	0.027
9420	10:48:07 AM	0.027
9480	10:49:07 AM	0.027
9540	10:50:07 AM	0.027
9600	10:51:07 AM	0.028
9660	10:52:07 AM	0.028
9720	10:53:07 AM	0.028
9780	10:54:07 AM	0.028
9840	10:55:07 AM	0.028
9900	10:56:07 AM	0.027
9960	10:57:07 AM	0.028
10020	10:58:07 AM	0.028

10080	10:59:07 AM	0.029
10140	11:00:07 AM	0.029
10200	11:01:07 AM	0.029
10260	11:02:07 AM	0.03
10320	11:03:07 AM	0.03
10380	11:04:07 AM	0.03
10440	11:05:07 AM	0.029
10500	11:06:07 AM	0.03
10560	11:07:07 AM	0.03
10620	11:08:07 AM	0.03
10680	11:09:07 AM	0.029
10740	11:10:07 AM	0.03
10800	11:11:07 AM	0.029
10860	11:12:07 AM	0.029
10920	11:13:07 AM	0.029
10980	11:14:07 AM	0.03
11040	11:15:07 AM	0.029
11100	11:16:07 AM	0.028
11160	11:17:07 AM	0.029
11220	11:18:07 AM	0.029
11280	11:19:07 AM	0.03
11340	11:20:07 AM	0.03
11400	11:21:07 AM	0.029
11460	11:22:07 AM	0.03
11520	11:23:07 AM	0.03
11580	11:24:07 AM	0.031
11640	11:25:07 AM	0.03
11700	11:26:07 AM	0.031
11760	11:27:07 AM	0.033
11820	11:28:07 AM	0.031
11880	11:29:07 AM	0.031
11940	11:30:07 AM	0.032
12000	11:31:07 AM	0.033
12060	11:32:07 AM	0.031
12120	11:33:07 AM	0.031
12180	11:34:07 AM	0.031
12240	11:35:07 AM	0.031
12300	11:36:07 AM	0.031
12360	11:37:07 AM	0.031
12420	11:38:07 AM	0.032
12480	11:39:07 AM	0.031
12540	11:40:07 AM	0.031
12600	11:41:07 AM	0.031
12660	11:42:07 AM	0.031
12720	11:43:07 AM	0.031
12780	11:44:07 AM	0.032
12840	11:45:07 AM	0.03

12900	11:46:07 AM	0.032
12960	11:47:07 AM	0.032
13020	11:48:07 AM	0.033
13080	11:49:07 AM	0.036
13140	11:50:07 AM	0.036
13200	11:51:07 AM	0.033
13260	11:52:07 AM	0.031
13320	11:53:07 AM	0.032
13380	11:54:07 AM	0.031
13440	11:55:07 AM	0.032
13500	11:56:07 AM	0.032
13560	11:57:07 AM	0.035
13620	11:58:07 AM	0.034
13680	11:59:07 AM	0.031
13740	12:00:07 PM	0.036
13800	12:01:07 PM	0.038
13860	12:02:07 PM	0.034
13920	12:03:07 PM	0.036
13980	12:04:07 PM	0.034
14040	12:05:07 PM	0.032
14100	12:06:07 PM	0.032
14160	12:07:07 PM	0.034
14220	12:08:07 PM	0.034
14280	12:09:07 PM	0.032
14340	12:10:07 PM	0.033
14400	12:11:07 PM	0.036
14460	12:12:07 PM	0.032
14520	12:13:07 PM	0.03
14580	12:14:07 PM	0.031
14640	12:15:07 PM	0.034
14700	12:16:07 PM	0.036
14760	12:17:07 PM	0.036
14820	12:18:07 PM	0.032
14880	12:19:07 PM	0.033
14940	12:20:07 PM	0.034
15000	12:21:07 PM	0.035
15060	12:22:07 PM	0.04
15120	12:23:07 PM	0.031
15180	12:24:07 PM	0.032
15240	12:25:07 PM	0.032
15300	12:26:07 PM	0.032
15360	12:27:07 PM	0.031
15420	12:28:07 PM	0.031
15480	12:29:07 PM	0.031
15540	12:30:07 PM	0.033
15600	12:31:07 PM	0.034
15660	12:32:07 PM	0.032

15720	12:33:07 PM	0.031	
15780	12:34:07 PM	0.032	
15840	12:35:07 PM	0.031	
15900	12:36:07 PM	0.032	
15960	12:37:07 PM	0.032	
16020	12:38:07 PM	0.034	
16080	12:39:07 PM	0.031	
16140	12:40:07 PM	0.03	
16200	12:41:07 PM	0.032	
16260	12:42:07 PM	0.033	Flow Error
16320	12:43:07 PM	0.047	Flow Error
16380	12:44:07 PM	0.037	Flow Error
16440	12:45:07 PM	0.038	Flow Error
16500	12:46:07 PM	0.052	Flow Error
16560	12:47:07 PM	0.057	Flow Error
16620	12:48:07 PM	0.032	Flow Error
16680	12:49:07 PM	0.033	Flow Error
16740	12:50:07 PM	0.029	Flow Error
16800	12:51:07 PM	0.033	Flow Error
16860	12:52:07 PM	0.028	Flow Error
16920	12:53:07 PM	0.034	Flow Error
16980	12:54:07 PM	0.031	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-929156	11/21/2023 16:16	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:15	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:14	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:13	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:12	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:11	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:10	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:09	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:08	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:07	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:06	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:05	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:04	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:03	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:02	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:01	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 16:00	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:59	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:58	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:57	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:56	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:55	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:54	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:53	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:52	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:51	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:50	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:49	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:48	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:47	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:46	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:45	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:44	Readings	PID	SC23030065D3	Normal	0.2
592-929156	11/21/2023 15:43	Readings	PID	SC23030065D3	Normal	0.2

592-929156	11/21/2023 8:42	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:41	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:40	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:39	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:38	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:37	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:36	Readings	PID	SC23030065D3	Normal	0
592-929156	11/21/2023 8:35	CONFIG	PID	SC23030065D3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530113005
Firmware Version	3.1
Calibration Date	2/11/2023
Test Name	MANUAL_007
Test Start Time	7:58:09 AM
Test Start Date	11/21/2023
Test Length [D:H:M]	0:07:56
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.107
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	476

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:58:09 AM			
60	7:59:09 AM	0.09		
120	8:00:09 AM	0.013		
180	8:01:09 AM	0.022		
240	8:02:09 AM	0.032		
300	8:03:09 AM	0.011		
360	8:04:09 AM	0.01		
420	8:05:09 AM	0.015		
480	8:06:09 AM	0.01		
540	8:07:09 AM	0.009		
600	8:08:09 AM	0.009		
660	8:09:09 AM	0.011		
720	8:10:09 AM	0.012		
780	8:11:09 AM	0.011		
840	8:12:09 AM	0.01		
900	8:13:09 AM	0.01		
960	8:14:09 AM	0.01		
1020	8:15:09 AM	0.009		
1080	8:16:09 AM	0.009		
1140	8:17:09 AM	0.01		
1200	8:18:09 AM	0.01		
1260	8:19:09 AM	0.01		
1320	8:20:09 AM	0.009		
1380	8:21:09 AM	0.009		
1440	8:22:09 AM	0.009		
1500	8:23:09 AM	0.01		
1560	8:24:09 AM	0.01		

1620	8:25:09 AM	0.01
1680	8:26:09 AM	0.01
1740	8:27:09 AM	0.01
1800	8:28:09 AM	0.01
1860	8:29:09 AM	0.01
1920	8:30:09 AM	0.01
1980	8:31:09 AM	0.01
2040	8:32:09 AM	0.011
2100	8:33:09 AM	0.011
2160	8:34:09 AM	0.01
2220	8:35:09 AM	0.01
2280	8:36:09 AM	0.01
2340	8:37:09 AM	0.01
2400	8:38:09 AM	0.011
2460	8:39:09 AM	0.01
2520	8:40:09 AM	0.011
2580	8:41:09 AM	0.011
2640	8:42:09 AM	0.011
2700	8:43:09 AM	0.011
2760	8:44:09 AM	0.012
2820	8:45:09 AM	0.011
2880	8:46:09 AM	0.01
2940	8:47:09 AM	0.01
3000	8:48:09 AM	0.011
3060	8:49:09 AM	0.011
3120	8:50:09 AM	0.01
3180	8:51:09 AM	0.009
3240	8:52:09 AM	0.01
3300	8:53:09 AM	0.009
3360	8:54:09 AM	0.01
3420	8:55:09 AM	0.011
3480	8:56:09 AM	0.011
3540	8:57:09 AM	0.01
3600	8:58:09 AM	0.01
3660	8:59:09 AM	0.009
3720	9:00:09 AM	0.011
3780	9:01:09 AM	0.01
3840	9:02:09 AM	0.01
3900	9:03:09 AM	0.01
3960	9:04:09 AM	0.011
4020	9:05:09 AM	0.01
4080	9:06:09 AM	0.01
4140	9:07:09 AM	0.01
4200	9:08:09 AM	0.01
4260	9:09:09 AM	0.01
4320	9:10:09 AM	0.011
4380	9:11:09 AM	0.01

4440	9:12:09 AM	0.011
4500	9:13:09 AM	0.018
4560	9:14:09 AM	0.01
4620	9:15:09 AM	0.011
4680	9:16:09 AM	0.011
4740	9:17:09 AM	0.01
4800	9:18:09 AM	0.011
4860	9:19:09 AM	0.01
4920	9:20:09 AM	0.013
4980	9:21:09 AM	0.01
5040	9:22:09 AM	0.01
5100	9:23:09 AM	0.01
5160	9:24:09 AM	0.011
5220	9:25:09 AM	0.014
5280	9:26:09 AM	0.012
5340	9:27:09 AM	0.011
5400	9:28:09 AM	0.01
5460	9:29:09 AM	0.01
5520	9:30:09 AM	0.011
5580	9:31:09 AM	0.011
5640	9:32:09 AM	0.011
5700	9:33:09 AM	0.011
5760	9:34:09 AM	0.011
5820	9:35:09 AM	0.011
5880	9:36:09 AM	0.012
5940	9:37:09 AM	0.011
6000	9:38:09 AM	0.011
6060	9:39:09 AM	0.012
6120	9:40:09 AM	0.012
6180	9:41:09 AM	0.012
6240	9:42:09 AM	0.01
6300	9:43:09 AM	0.011
6360	9:44:09 AM	0.011
6420	9:45:09 AM	0.011
6480	9:46:09 AM	0.01
6540	9:47:09 AM	0.011
6600	9:48:09 AM	0.012
6660	9:49:09 AM	0.012
6720	9:50:09 AM	0.011
6780	9:51:09 AM	0.011
6840	9:52:09 AM	0.011
6900	9:53:09 AM	0.107
6960	9:54:09 AM	0.04
7020	9:55:09 AM	0.011
7080	9:56:09 AM	0.011
7140	9:57:09 AM	0.019
7200	9:58:09 AM	0.012

7260	9:59:09 AM	0.012
7320	10:00:09 AM	0.051
7380	10:01:09 AM	0.03
7440	10:02:09 AM	0.011
7500	10:03:09 AM	0.034
7560	10:04:09 AM	0.018
7620	10:05:09 AM	0.024
7680	10:06:09 AM	0.012
7740	10:07:09 AM	0.018
7800	10:08:09 AM	0.011
7860	10:09:09 AM	0.012
7920	10:10:09 AM	0.013
7980	10:11:09 AM	0.012
8040	10:12:09 AM	0.012
8100	10:13:09 AM	0.013
8160	10:14:09 AM	0.012
8220	10:15:09 AM	0.012
8280	10:16:09 AM	0.012
8340	10:17:09 AM	0.013
8400	10:18:09 AM	0.013
8460	10:19:09 AM	0.013
8520	10:20:09 AM	0.012
8580	10:21:09 AM	0.013
8640	10:22:09 AM	0.012
8700	10:23:09 AM	0.013
8760	10:24:09 AM	0.013
8820	10:25:09 AM	0.012
8880	10:26:09 AM	0.012
8940	10:27:09 AM	0.012
9000	10:28:09 AM	0.012
9060	10:29:09 AM	0.012
9120	10:30:09 AM	0.013
9180	10:31:09 AM	0.013
9240	10:32:09 AM	0.012
9300	10:33:09 AM	0.013
9360	10:34:09 AM	0.013
9420	10:35:09 AM	0.013
9480	10:36:09 AM	0.012
9540	10:37:09 AM	0.012
9600	10:38:09 AM	0.012
9660	10:39:09 AM	0.013
9720	10:40:09 AM	0.013
9780	10:41:09 AM	0.013
9840	10:42:09 AM	0.013
9900	10:43:09 AM	0.013
9960	10:44:09 AM	0.013
10020	10:45:09 AM	0.014

10080	10:46:09 AM	0.013
10140	10:47:09 AM	0.013
10200	10:48:09 AM	0.013
10260	10:49:09 AM	0.013
10320	10:50:09 AM	0.016
10380	10:51:09 AM	0.022
10440	10:52:09 AM	0.015
10500	10:53:09 AM	0.014
10560	10:54:09 AM	0.014
10620	10:55:09 AM	0.014
10680	10:56:09 AM	0.015
10740	10:57:09 AM	0.014
10800	10:58:09 AM	0.014
10860	10:59:09 AM	0.014
10920	11:00:09 AM	0.015
10980	11:01:09 AM	0.014
11040	11:02:09 AM	0.015
11100	11:03:09 AM	0.014
11160	11:04:09 AM	0.015
11220	11:05:09 AM	0.014
11280	11:06:09 AM	0.014
11340	11:07:09 AM	0.014
11400	11:08:09 AM	0.015
11460	11:09:09 AM	0.013
11520	11:10:09 AM	0.013
11580	11:11:09 AM	0.013
11640	11:12:09 AM	0.013
11700	11:13:09 AM	0.014
11760	11:14:09 AM	0.014
11820	11:15:09 AM	0.014
11880	11:16:09 AM	0.014
11940	11:17:09 AM	0.014
12000	11:18:09 AM	0.013
12060	11:19:09 AM	0.014
12120	11:20:09 AM	0.014
12180	11:21:09 AM	0.014
12240	11:22:09 AM	0.015
12300	11:23:09 AM	0.015
12360	11:24:09 AM	0.016
12420	11:25:09 AM	0.016
12480	11:26:09 AM	0.015
12540	11:27:09 AM	0.017
12600	11:28:09 AM	0.014
12660	11:29:09 AM	0.015
12720	11:30:09 AM	0.014
12780	11:31:09 AM	0.015
12840	11:32:09 AM	0.015

12900	11:33:09 AM	0.015
12960	11:34:09 AM	0.016
13020	11:35:09 AM	0.015
13080	11:36:09 AM	0.015
13140	11:37:09 AM	0.014
13200	11:38:09 AM	0.014
13260	11:39:09 AM	0.014
13320	11:40:09 AM	0.014
13380	11:41:09 AM	0.014
13440	11:42:09 AM	0.014
13500	11:43:09 AM	0.014
13560	11:44:09 AM	0.014
13620	11:45:09 AM	0.015
13680	11:46:09 AM	0.018
13740	11:47:09 AM	0.018
13800	11:48:09 AM	0.014
13860	11:49:09 AM	0.019
13920	11:50:09 AM	0.016
13980	11:51:09 AM	0.017
14040	11:52:09 AM	0.024
14100	11:53:09 AM	0.025
14160	11:54:09 AM	0.016
14220	11:55:09 AM	0.015
14280	11:56:09 AM	0.013
14340	11:57:09 AM	0.014
14400	11:58:09 AM	0.017
14460	11:59:09 AM	0.021
14520	12:00:09 PM	0.015
14580	12:01:09 PM	0.014
14640	12:02:09 PM	0.015
14700	12:03:09 PM	0.014
14760	12:04:09 PM	0.014
14820	12:05:09 PM	0.014
14880	12:06:09 PM	0.015
14940	12:07:09 PM	0.015
15000	12:08:09 PM	0.014
15060	12:09:09 PM	0.013
15120	12:10:09 PM	0.016
15180	12:11:09 PM	0.014
15240	12:12:09 PM	0.015
15300	12:13:09 PM	0.015
15360	12:14:09 PM	0.013
15420	12:15:09 PM	0.017
15480	12:16:09 PM	0.016
15540	12:17:09 PM	0.017
15600	12:18:09 PM	0.015
15660	12:19:09 PM	0.015

15720	12:20:09 PM	0.013
15780	12:21:09 PM	0.014
15840	12:22:09 PM	0.014
15900	12:23:09 PM	0.013
15960	12:24:09 PM	0.013
16020	12:25:09 PM	0.015
16080	12:26:09 PM	0.014
16140	12:27:09 PM	0.014
16200	12:28:09 PM	0.015
16260	12:29:09 PM	0.013
16320	12:30:09 PM	0.015
16380	12:31:09 PM	0.015
16440	12:32:09 PM	0.014
16500	12:33:09 PM	0.014
16560	12:34:09 PM	0.014
16620	12:35:09 PM	0.014
16680	12:36:09 PM	0.014
16740	12:37:09 PM	0.014
16800	12:38:09 PM	0.014
16860	12:39:09 PM	0.014
16920	12:40:09 PM	0.014
16980	12:41:09 PM	0.014
17040	12:42:09 PM	0.013
17100	12:43:09 PM	0.016
17160	12:44:09 PM	0.015
17220	12:45:09 PM	0.014
17280	12:46:09 PM	0.016
17340	12:47:09 PM	0.014
17400	12:48:09 PM	0.014
17460	12:49:09 PM	0.015
17520	12:50:09 PM	0.014
17580	12:51:09 PM	0.014
17640	12:52:09 PM	0.014
17700	12:53:09 PM	0.013
17760	12:54:09 PM	0.014
17820	12:55:09 PM	0.014
17880	12:56:09 PM	0.013
17940	12:57:09 PM	0.013
18000	12:58:09 PM	0.013
18060	12:59:09 PM	0.014
18120	1:00:09 PM	0.014
18180	1:01:09 PM	0.013
18240	1:02:09 PM	0.014
18300	1:03:09 PM	0.015
18360	1:04:09 PM	0.015
18420	1:05:09 PM	0.013
18480	1:06:09 PM	0.013

18540	1:07:09 PM	0.013
18600	1:08:09 PM	0.014
18660	1:09:09 PM	0.014
18720	1:10:09 PM	0.013
18780	1:11:09 PM	0.013
18840	1:12:09 PM	0.013
18900	1:13:09 PM	0.012
18960	1:14:09 PM	0.013
19020	1:15:09 PM	0.014
19080	1:16:09 PM	0.013
19140	1:17:09 PM	0.012
19200	1:18:09 PM	0.01
19260	1:19:09 PM	0.01
19320	1:20:09 PM	0.01
19380	1:21:09 PM	0.01
19440	1:22:09 PM	0.009
19500	1:23:09 PM	0.009
19560	1:24:09 PM	0.009
19620	1:25:09 PM	0.009
19680	1:26:09 PM	0.009
19740	1:27:09 PM	0.009
19800	1:28:09 PM	0.008
19860	1:29:09 PM	0.009
19920	1:30:09 PM	0.008
19980	1:31:09 PM	0.009
20040	1:32:09 PM	0.01
20100	1:33:09 PM	0.011
20160	1:34:09 PM	0.011
20220	1:35:09 PM	0.01
20280	1:36:09 PM	0.009
20340	1:37:09 PM	0.01
20400	1:38:09 PM	0.01
20460	1:39:09 PM	0.01
20520	1:40:09 PM	0.01
20580	1:41:09 PM	0.01
20640	1:42:09 PM	0.009
20700	1:43:09 PM	0.009
20760	1:44:09 PM	0.01
20820	1:45:09 PM	0.01
20880	1:46:09 PM	0.013
20940	1:47:09 PM	0.012
21000	1:48:09 PM	0.01
21060	1:49:09 PM	0.009
21120	1:50:09 PM	0.009
21180	1:51:09 PM	0.008
21240	1:52:09 PM	0.007
21300	1:53:09 PM	0.007

21360	1:54:09 PM	0.008
21420	1:55:09 PM	0.009
21480	1:56:09 PM	0.008
21540	1:57:09 PM	0.008
21600	1:58:09 PM	0.01
21660	1:59:09 PM	0.008
21720	2:00:09 PM	0.009
21780	2:01:09 PM	0.008
21840	2:02:09 PM	0.008
21900	2:03:09 PM	0.008
21960	2:04:09 PM	0.009
22020	2:05:09 PM	0.008
22080	2:06:09 PM	0.008
22140	2:07:09 PM	0.008
22200	2:08:09 PM	0.01
22260	2:09:09 PM	0.009
22320	2:10:09 PM	0.011
22380	2:11:09 PM	0.011
22440	2:12:09 PM	0.01
22500	2:13:09 PM	0.012
22560	2:14:09 PM	0.009
22620	2:15:09 PM	0.009
22680	2:16:09 PM	0.008
22740	2:17:09 PM	0.007
22800	2:18:09 PM	0.007
22860	2:19:09 PM	0.008
22920	2:20:09 PM	0.009
22980	2:21:09 PM	0.009
23040	2:22:09 PM	0.008
23100	2:23:09 PM	0.007
23160	2:24:09 PM	0.009
23220	2:25:09 PM	0.007
23280	2:26:09 PM	0.007
23340	2:27:09 PM	0.008
23400	2:28:09 PM	0.008
23460	2:29:09 PM	0.008
23520	2:30:09 PM	0.008
23580	2:31:09 PM	0.008
23640	2:32:09 PM	0.011
23700	2:33:09 PM	0.009
23760	2:34:09 PM	0.01
23820	2:35:09 PM	0.008
23880	2:36:09 PM	0.008
23940	2:37:09 PM	0.008
24000	2:38:09 PM	0.008
24060	2:39:09 PM	0.008
24120	2:40:09 PM	0.008

24180	2:41:09 PM	0.008
24240	2:42:09 PM	0.008
24300	2:43:09 PM	0.01
24360	2:44:09 PM	0.009
24420	2:45:09 PM	0.008
24480	2:46:09 PM	0.008
24540	2:47:09 PM	0.008
24600	2:48:09 PM	0.008
24660	2:49:09 PM	0.007
24720	2:50:09 PM	0.009
24780	2:51:09 PM	0.008
24840	2:52:09 PM	0.006
24900	2:53:09 PM	0.007
24960	2:54:09 PM	0.008
25020	2:55:09 PM	0.008
25080	2:56:09 PM	0.007
25140	2:57:09 PM	0.008
25200	2:58:09 PM	0.007
25260	2:59:09 PM	0.007
25320	3:00:09 PM	0.006
25380	3:01:09 PM	0.007
25440	3:02:09 PM	0.006
25500	3:03:09 PM	0.007
25560	3:04:09 PM	0.005
25620	3:05:09 PM	0.006
25680	3:06:09 PM	0.006
25740	3:07:09 PM	0.006
25800	3:08:09 PM	0.007
25860	3:09:09 PM	0.006
25920	3:10:09 PM	0.007
25980	3:11:09 PM	0.007
26040	3:12:09 PM	0.006
26100	3:13:09 PM	0.008
26160	3:14:09 PM	0.007
26220	3:15:09 PM	0.007
26280	3:16:09 PM	0.007
26340	3:17:09 PM	0.008
26400	3:18:09 PM	0.008
26460	3:19:09 PM	0.008
26520	3:20:09 PM	0.008
26580	3:21:09 PM	0.009
26640	3:22:09 PM	0.01
26700	3:23:09 PM	0.009
26760	3:24:09 PM	0.009
26820	3:25:09 PM	0.01
26880	3:26:09 PM	0.009
26940	3:27:09 PM	0.009

27000	3:28:09 PM	0.009
27060	3:29:09 PM	0.008
27120	3:30:09 PM	0.009
27180	3:31:09 PM	0.01
27240	3:32:09 PM	0.011
27300	3:33:09 PM	0.008
27360	3:34:09 PM	0.008
27420	3:35:09 PM	0.008
27480	3:36:09 PM	0.008
27540	3:37:09 PM	0.009
27600	3:38:09 PM	0.009
27660	3:39:09 PM	0.008
27720	3:40:09 PM	0.01
27780	3:41:09 PM	0.009
27840	3:42:09 PM	0.008
27900	3:43:09 PM	0.008
27960	3:44:09 PM	0.008
28020	3:45:09 PM	0.008
28080	3:46:09 PM	0.008
28140	3:47:09 PM	0.008
28200	3:48:09 PM	0.008
28260	3:49:09 PM	0.008
28320	3:50:09 PM	0.009
28380	3:51:09 PM	0.008
28440	3:52:09 PM	0.008
28500	3:53:09 PM	0.008
28560	3:54:09 PM	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 G:	Firmware Version
592-602816	11/21/2023 16:11	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:10	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:09	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:08	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:07	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:06	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:05	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:04	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:03	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:02	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:01	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 16:00	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:59	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:58	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:57	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:56	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:55	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:54	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:53	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:52	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:51	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:50	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:49	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:48	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:47	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:46	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:45	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:44	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:43	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:42	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:41	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:40	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:39	Readings	PID	SC23030324C7	Normal		1.3
592-602816	11/21/2023 15:38	Readings	PID	SC23030324C7	Normal		1.3

592-602816	11/21/2023 13:17	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:16	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:15	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:14	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:13	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:12	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:11	Readings	PID	SC23030324C7	Normal	1.7
592-602816	11/21/2023 13:10	Readings	PID	SC23030324C7	Normal	1.6
592-602816	11/21/2023 13:09	Readings	PID	SC23030324C7	Normal	1.8
592-602816	11/21/2023 13:08	Readings	PID	SC23030324C7	Normal	2.9
592-602816	11/21/2023 13:07	Readings	PID	SC23030324C7	Normal	2.7
592-602816	11/21/2023 13:06	Readings	PID	SC23030324C7	Normal	5
592-602816	11/21/2023 13:05	Readings	PID	SC23030324C7	Normal	4.7
592-602816	11/21/2023 13:04	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:03	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 13:02	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 13:01	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 13:00	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:59	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:58	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:57	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:56	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:55	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:54	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:53	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 12:52	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 12:51	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:50	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 12:49	Readings	PID	SC23030324C7	Normal	1.4
592-602816	11/21/2023 12:48	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:47	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:46	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:45	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:44	Readings	PID	SC23030324C7	Normal	1.3
592-602816	11/21/2023 12:43	Readings	PID	SC23030324C7	Normal	1.3

592-602816	11/21/2023 8:37 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:36 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:35 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:34 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:33 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:32 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:31 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:30 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:29 Readings	PID	SC23030324C7	Normal	0
592-602816	11/21/2023 8:28 CONFIG	PID	SC23030324C7		V2.22A

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530100909
Firmware Version	3.1
Calibration Date	7/24/2023
Test Name	MANUAL_007
Test Start Time	7:56:07 AM
Test Start Date	11/21/2023
Test Length [D:H:M]	0:08:03
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.004
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.669
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	483

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	7:56:07 AM			
60	7:57:07 AM	0.573		
120	7:58:07 AM	0.669		
180	7:59:07 AM	0.011		
240	8:00:07 AM	0.005		
300	8:01:07 AM	0.003		
360	8:02:07 AM	0.003		
420	8:03:07 AM	0.004		
480	8:04:07 AM	0.01		
540	8:05:07 AM	0.004		
600	8:06:07 AM	0.004		
660	8:07:07 AM	0.005		
720	8:08:07 AM	0.006		
780	8:09:07 AM	0.003		
840	8:10:07 AM	0.003		
900	8:11:07 AM	0.004		
960	8:12:07 AM	0.005		
1020	8:13:07 AM	0.005		
1080	8:14:07 AM	0.002		
1140	8:15:07 AM	0.003		
1200	8:16:07 AM	0.003		
1260	8:17:07 AM	0.004		
1320	8:18:07 AM	0.011		
1380	8:19:07 AM	0.004		
1440	8:20:07 AM	0.003		
1500	8:21:07 AM	0.003		
1560	8:22:07 AM	0.003		

1620	8:23:07 AM	0.003
1680	8:24:07 AM	0.004
1740	8:25:07 AM	0.005
1800	8:26:07 AM	0.005
1860	8:27:07 AM	0.005
1920	8:28:07 AM	0.004
1980	8:29:07 AM	0.003
2040	8:30:07 AM	0.003
2100	8:31:07 AM	0.003
2160	8:32:07 AM	0.004
2220	8:33:07 AM	0.003
2280	8:34:07 AM	0.004
2340	8:35:07 AM	0.004
2400	8:36:07 AM	0.003
2460	8:37:07 AM	0.002
2520	8:38:07 AM	0.003
2580	8:39:07 AM	0.002
2640	8:40:07 AM	0.002
2700	8:41:07 AM	0.002
2760	8:42:07 AM	0.001
2820	8:43:07 AM	0.002
2880	8:44:07 AM	0.001
2940	8:45:07 AM	0.001
3000	8:46:07 AM	0.002
3060	8:47:07 AM	0.002
3120	8:48:07 AM	0.001
3180	8:49:07 AM	0.001
3240	8:50:07 AM	0.002
3300	8:51:07 AM	0.003
3360	8:52:07 AM	0.004
3420	8:53:07 AM	0.002
3480	8:54:07 AM	0.002
3540	8:55:07 AM	0.004
3600	8:56:07 AM	0.005
3660	8:57:07 AM	0.004
3720	8:58:07 AM	0.004
3780	8:59:07 AM	0.005
3840	9:00:07 AM	0.004
3900	9:01:07 AM	0.004
3960	9:02:07 AM	0.004
4020	9:03:07 AM	0.004
4080	9:04:07 AM	0.003
4140	9:05:07 AM	0.003
4200	9:06:07 AM	0.003
4260	9:07:07 AM	0.003
4320	9:08:07 AM	0.002
4380	9:09:07 AM	0.002

4440	9:10:07 AM	0.001
4500	9:11:07 AM	0.002
4560	9:12:07 AM	0.001
4620	9:13:07 AM	0.001
4680	9:14:07 AM	0
4740	9:15:07 AM	0
4800	9:16:07 AM	0.001
4860	9:17:07 AM	0.001
4920	9:18:07 AM	0.002
4980	9:19:07 AM	0.002
5040	9:20:07 AM	0.003
5100	9:21:07 AM	0.003
5160	9:22:07 AM	0.003
5220	9:23:07 AM	0.002
5280	9:24:07 AM	0.002
5340	9:25:07 AM	0.002
5400	9:26:07 AM	0.002
5460	9:27:07 AM	0.002
5520	9:28:07 AM	0.004
5580	9:29:07 AM	0.003
5640	9:30:07 AM	0.002
5700	9:31:07 AM	0.002
5760	9:32:07 AM	0.003
5820	9:33:07 AM	0.003
5880	9:34:07 AM	0.003
5940	9:35:07 AM	0.002
6000	9:36:07 AM	0.002
6060	9:37:07 AM	0.004
6120	9:38:07 AM	0.002
6180	9:39:07 AM	0.002
6240	9:40:07 AM	0.002
6300	9:41:07 AM	0.002
6360	9:42:07 AM	0.003
6420	9:43:07 AM	0.003
6480	9:44:07 AM	0.004
6540	9:45:07 AM	0.002
6600	9:46:07 AM	0.002
6660	9:47:07 AM	0.002
6720	9:48:07 AM	0.002
6780	9:49:07 AM	0.002
6840	9:50:07 AM	0.002
6900	9:51:07 AM	0.003
6960	9:52:07 AM	0.002
7020	9:53:07 AM	0.002
7080	9:54:07 AM	0.002
7140	9:55:07 AM	0.002
7200	9:56:07 AM	0.002

7260	9:57:07 AM	0.002
7320	9:58:07 AM	0.002
7380	9:59:07 AM	0.002
7440	10:00:07 AM	0.002
7500	10:01:07 AM	0.003
7560	10:02:07 AM	0.003
7620	10:03:07 AM	0.003
7680	10:04:07 AM	0.002
7740	10:05:07 AM	0.002
7800	10:06:07 AM	0.002
7860	10:07:07 AM	0.002
7920	10:08:07 AM	0.002
7980	10:09:07 AM	0.002
8040	10:10:07 AM	0.003
8100	10:11:07 AM	0.002
8160	10:12:07 AM	0.002
8220	10:13:07 AM	0.002
8280	10:14:07 AM	0.002
8340	10:15:07 AM	0.002
8400	10:16:07 AM	0.002
8460	10:17:07 AM	0.001
8520	10:18:07 AM	0.001
8580	10:19:07 AM	0.001
8640	10:20:07 AM	0.002
8700	10:21:07 AM	0.002
8760	10:22:07 AM	0.002
8820	10:23:07 AM	0.002
8880	10:24:07 AM	0.002
8940	10:25:07 AM	0.001
9000	10:26:07 AM	0.002
9060	10:27:07 AM	0.002
9120	10:28:07 AM	0.002
9180	10:29:07 AM	0.001
9240	10:30:07 AM	0.001
9300	10:31:07 AM	0.001
9360	10:32:07 AM	0.001
9420	10:33:07 AM	0.001
9480	10:34:07 AM	0.001
9540	10:35:07 AM	0.001
9600	10:36:07 AM	0.001
9660	10:37:07 AM	0.001
9720	10:38:07 AM	0
9780	10:39:07 AM	0
9840	10:40:07 AM	0.001
9900	10:41:07 AM	0
9960	10:42:07 AM	0
10020	10:43:07 AM	0.001

10080	10:44:07 AM	0
10140	10:45:07 AM	0
10200	10:46:07 AM	0
10260	10:47:07 AM	0
10320	10:48:07 AM	0
10380	10:49:07 AM	0
10440	10:50:07 AM	0
10500	10:51:07 AM	0
10560	10:52:07 AM	0
10620	10:53:07 AM	0.001
10680	10:54:07 AM	0
10740	10:55:07 AM	0.001
10800	10:56:07 AM	0
10860	10:57:07 AM	0.001
10920	10:58:07 AM	0.002
10980	10:59:07 AM	0.001
11040	11:00:07 AM	0.001
11100	11:01:07 AM	0.001
11160	11:02:07 AM	0.001
11220	11:03:07 AM	0.001
11280	11:04:07 AM	0.001
11340	11:05:07 AM	0.002
11400	11:06:07 AM	0.002
11460	11:07:07 AM	0.001
11520	11:08:07 AM	0.001
11580	11:09:07 AM	0.002
11640	11:10:07 AM	0.002
11700	11:11:07 AM	0.002
11760	11:12:07 AM	0.001
11820	11:13:07 AM	0.002
11880	11:14:07 AM	0.001
11940	11:15:07 AM	0.001
12000	11:16:07 AM	0.001
12060	11:17:07 AM	0.003
12120	11:18:07 AM	0.001
12180	11:19:07 AM	0.001
12240	11:20:07 AM	0.002
12300	11:21:07 AM	0.001
12360	11:22:07 AM	0.001
12420	11:23:07 AM	0.002
12480	11:24:07 AM	0.002
12540	11:25:07 AM	0.002
12600	11:26:07 AM	0.003
12660	11:27:07 AM	0.004
12720	11:28:07 AM	0.004
12780	11:29:07 AM	0.004
12840	11:30:07 AM	0.004

12900	11:31:07 AM	0.003
12960	11:32:07 AM	0.003
13020	11:33:07 AM	0.003
13080	11:34:07 AM	0.003
13140	11:35:07 AM	0.003
13200	11:36:07 AM	0.004
13260	11:37:07 AM	0.003
13320	11:38:07 AM	0.003
13380	11:39:07 AM	0.003
13440	11:40:07 AM	0.003
13500	11:41:07 AM	0.003
13560	11:42:07 AM	0.003
13620	11:43:07 AM	0.003
13680	11:44:07 AM	0.002
13740	11:45:07 AM	0.002
13800	11:46:07 AM	0.002
13860	11:47:07 AM	0.002
13920	11:48:07 AM	0.002
13980	11:49:07 AM	0.002
14040	11:50:07 AM	0.002
14100	11:51:07 AM	0.001
14160	11:52:07 AM	0.001
14220	11:53:07 AM	0.001
14280	11:54:07 AM	0.001
14340	11:55:07 AM	0.001
14400	11:56:07 AM	0.001
14460	11:57:07 AM	0.001
14520	11:58:07 AM	0.001
14580	11:59:07 AM	0
14640	12:00:07 PM	0.001
14700	12:01:07 PM	0.002
14760	12:02:07 PM	0.002
14820	12:03:07 PM	0.002
14880	12:04:07 PM	0.002
14940	12:05:07 PM	0
15000	12:06:07 PM	0
15060	12:07:07 PM	0
15120	12:08:07 PM	0
15180	12:09:07 PM	0
15240	12:10:07 PM	0
15300	12:11:07 PM	0
15360	12:12:07 PM	0
15420	12:13:07 PM	0
15480	12:14:07 PM	0
15540	12:15:07 PM	0
15600	12:16:07 PM	0
15660	12:17:07 PM	0

15720	12:18:07 PM	0
15780	12:19:07 PM	0.003
15840	12:20:07 PM	0.003
15900	12:21:07 PM	0.002
15960	12:22:07 PM	0.002
16020	12:23:07 PM	0
16080	12:24:07 PM	0.001
16140	12:25:07 PM	0
16200	12:26:07 PM	0
16260	12:27:07 PM	0
16320	12:28:07 PM	0
16380	12:29:07 PM	0
16440	12:30:07 PM	0.001
16500	12:31:07 PM	0.001
16560	12:32:07 PM	0
16620	12:33:07 PM	0
16680	12:34:07 PM	0
16740	12:35:07 PM	0.001
16800	12:36:07 PM	0
16860	12:37:07 PM	0
16920	12:38:07 PM	0.001
16980	12:39:07 PM	0.001
17040	12:40:07 PM	0
17100	12:41:07 PM	0
17160	12:42:07 PM	0.001
17220	12:43:07 PM	0
17280	12:44:07 PM	0.001
17340	12:45:07 PM	0.001
17400	12:46:07 PM	0.001
17460	12:47:07 PM	0.002
17520	12:48:07 PM	0.001
17580	12:49:07 PM	0.002
17640	12:50:07 PM	0.002
17700	12:51:07 PM	0.001
17760	12:52:07 PM	0.001
17820	12:53:07 PM	0.001
17880	12:54:07 PM	0.005
17940	12:55:07 PM	0.009
18000	12:56:07 PM	0.001
18060	12:57:07 PM	0.002
18120	12:58:07 PM	0.002
18180	12:59:07 PM	0.001
18240	1:00:07 PM	0.001
18300	1:01:07 PM	0.001
18360	1:02:07 PM	0.001
18420	1:03:07 PM	0.002
18480	1:04:07 PM	0.002

18540	1:05:07 PM	0.002
18600	1:06:07 PM	0.002
18660	1:07:07 PM	0.004
18720	1:08:07 PM	0.002
18780	1:09:07 PM	0.002
18840	1:10:07 PM	0.002
18900	1:11:07 PM	0.002
18960	1:12:07 PM	0.003
19020	1:13:07 PM	0.002
19080	1:14:07 PM	0.002
19140	1:15:07 PM	0.003
19200	1:16:07 PM	0.002
19260	1:17:07 PM	0.002
19320	1:18:07 PM	0.004
19380	1:19:07 PM	0.003
19440	1:20:07 PM	0.002
19500	1:21:07 PM	0.001
19560	1:22:07 PM	0
19620	1:23:07 PM	0.001
19680	1:24:07 PM	0.001
19740	1:25:07 PM	0.001
19800	1:26:07 PM	0
19860	1:27:07 PM	0.001
19920	1:28:07 PM	0.002
19980	1:29:07 PM	0
20040	1:30:07 PM	0.001
20100	1:31:07 PM	0
20160	1:32:07 PM	0
20220	1:33:07 PM	0.001
20280	1:34:07 PM	0.001
20340	1:35:07 PM	0.001
20400	1:36:07 PM	0.001
20460	1:37:07 PM	0
20520	1:38:07 PM	0.001
20580	1:39:07 PM	0
20640	1:40:07 PM	0.001
20700	1:41:07 PM	0.001
20760	1:42:07 PM	0.001
20820	1:43:07 PM	0.002
20880	1:44:07 PM	0.002
20940	1:45:07 PM	0.003
21000	1:46:07 PM	0.005
21060	1:47:07 PM	0.007
21120	1:48:07 PM	0.005
21180	1:49:07 PM	0.007
21240	1:50:07 PM	0.002
21300	1:51:07 PM	0.001

21360	1:52:07 PM	0.001
21420	1:53:07 PM	0.001
21480	1:54:07 PM	0
21540	1:55:07 PM	0
21600	1:56:07 PM	0.001
21660	1:57:07 PM	0
21720	1:58:07 PM	0
21780	1:59:07 PM	0
21840	2:00:07 PM	0
21900	2:01:07 PM	0
21960	2:02:07 PM	0
22020	2:03:07 PM	0
22080	2:04:07 PM	0.001
22140	2:05:07 PM	0
22200	2:06:07 PM	0
22260	2:07:07 PM	0
22320	2:08:07 PM	0
22380	2:09:07 PM	0
22440	2:10:07 PM	0.001
22500	2:11:07 PM	0.001
22560	2:12:07 PM	0.001
22620	2:13:07 PM	0.002
22680	2:14:07 PM	0.002
22740	2:15:07 PM	0.001
22800	2:16:07 PM	0
22860	2:17:07 PM	0
22920	2:18:07 PM	0
22980	2:19:07 PM	0
23040	2:20:07 PM	0
23100	2:21:07 PM	0
23160	2:22:07 PM	0
23220	2:23:07 PM	0
23280	2:24:07 PM	0
23340	2:25:07 PM	0
23400	2:26:07 PM	0
23460	2:27:07 PM	0.001
23520	2:28:07 PM	0
23580	2:29:07 PM	0
23640	2:30:07 PM	0.001
23700	2:31:07 PM	0.002
23760	2:32:07 PM	0.002
23820	2:33:07 PM	0.001
23880	2:34:07 PM	0.003
23940	2:35:07 PM	0.006
24000	2:36:07 PM	0
24060	2:37:07 PM	0.002
24120	2:38:07 PM	0

24180	2:39:07 PM	0.001
24240	2:40:07 PM	0.001
24300	2:41:07 PM	0.001
24360	2:42:07 PM	0
24420	2:43:07 PM	0.001
24480	2:44:07 PM	0
24540	2:45:07 PM	0
24600	2:46:07 PM	0.001
24660	2:47:07 PM	0
24720	2:48:07 PM	0.001
24780	2:49:07 PM	0
24840	2:50:07 PM	0.001
24900	2:51:07 PM	0
24960	2:52:07 PM	0
25020	2:53:07 PM	0
25080	2:54:07 PM	0
25140	2:55:07 PM	0
25200	2:56:07 PM	0
25260	2:57:07 PM	0
25320	2:58:07 PM	0
25380	2:59:07 PM	0
25440	3:00:07 PM	0
25500	3:01:07 PM	0
25560	3:02:07 PM	0
25620	3:03:07 PM	0
25680	3:04:07 PM	0
25740	3:05:07 PM	0
25800	3:06:07 PM	0
25860	3:07:07 PM	0
25920	3:08:07 PM	0
25980	3:09:07 PM	0
26040	3:10:07 PM	0
26100	3:11:07 PM	0
26160	3:12:07 PM	0
26220	3:13:07 PM	0
26280	3:14:07 PM	0
26340	3:15:07 PM	0
26400	3:16:07 PM	0
26460	3:17:07 PM	0
26520	3:18:07 PM	0
26580	3:19:07 PM	0
26640	3:20:07 PM	0
26700	3:21:07 PM	0
26760	3:22:07 PM	0.001
26820	3:23:07 PM	0
26880	3:24:07 PM	0.002
26940	3:25:07 PM	0.001

27000	3:26:07 PM	0
27060	3:27:07 PM	0
27120	3:28:07 PM	0
27180	3:29:07 PM	0
27240	3:30:07 PM	0
27300	3:31:07 PM	0
27360	3:32:07 PM	0
27420	3:33:07 PM	0
27480	3:34:07 PM	0
27540	3:35:07 PM	0
27600	3:36:07 PM	0
27660	3:37:07 PM	0
27720	3:38:07 PM	0
27780	3:39:07 PM	0
27840	3:40:07 PM	0
27900	3:41:07 PM	0
27960	3:42:07 PM	0
28020	3:43:07 PM	0
28080	3:44:07 PM	0
28140	3:45:07 PM	0
28200	3:46:07 PM	0
28260	3:47:07 PM	0
28320	3:48:07 PM	0
28380	3:49:07 PM	0
28440	3:50:07 PM	0
28500	3:51:07 PM	0
28560	3:52:07 PM	0
28620	3:53:07 PM	0
28680	3:54:07 PM	0
28740	3:55:07 PM	0
28800	3:56:07 PM	0
28860	3:57:07 PM	0
28920	3:58:07 PM	0
28980	3:59:07 PM	0

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	11/21/2023 16:10	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:09	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:08	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:07	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:06	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:05	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:04	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:03	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:02	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:01	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 16:00	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:59	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:58	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:57	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:56	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:55	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:54	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:53	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:52	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:51	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:50	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:49	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:48	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:47	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:46	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:45	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:44	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:43	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:42	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:41	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:40	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:39	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:38	Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 15:37	Readings	PID	SC23030408A8	Normal	0

592-600871	11/21/2023 8:36 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:35 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:34 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:33 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:32 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:31 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:30 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:29 Readings	PID	SC23030408A8	Normal	0
592-600871	11/21/2023 8:28 CONFIG	PID	SC23030408A8		