



DAILY STATUS REPORT

Prepared By:

Gwen Lynn

WEATHER	Snow		Rain		Overcast	x	Partly Cloudy		Bright Sun		Wind
TEMP.	< 32	x	32-50		50-70		70-85		>85		S-6 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 12/07/23
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 14:00</p>	<p>Personnel On Site: IEEG (Environmental) –Victor Barraza, Gwen Lynn Broadway Construction Group - Tom Caporale</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	--

Scope of Work: Breakdown of brick foundation and concrete.

- Site Activities:**
- Deploy three (3) CAMP units at the start of the workday;
 - Continued removal of old brick foundation from WC-1, brick was broken down into smaller pieces, segregated and stockpiled for offsite disposal; and
 - Continued removal and break down of concrete from WC-4 and WC-7, material was segregated and stockpiled for offsite disposal.

- Community Air Monitoring Program (CAMP) -** CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)
- PID remained at nominal levels throughout the day;
 - No sustained dust exceedances were observed over a 1-min period during monitoring;
 - Startup Upwind Conditions – PID = 0.0 ppm, Dust = 0.055 mg/m³ @ 06:56.
 - High Conditions (Upwind) – PID = 0.5 ppm @ 13:07, Dust = 0.261 mg/m³ @ 09:36
 - High Conditions (Downwind 1) – PID = 2.2 ppm @ 13:25, Dust = 0.086 mg/m³ @ 10:29
 - High Conditions (Downwind 2) – PID = 0.0 ppm, Dust = 0.165 mg/m³ @ 7:01

- Notable Site Conditions: NA**
- None

- Planned for the Next Day/Week:**
- Continued removal of concrete in WC-4 and WC-7 as well as Site-wide 4' excavation; and
 - Trucking for offsite disposal of material

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
view of skid steer
breaking apart
concrete into
smaller pieces for
offsite disposal.



Photo 2 –
Representative
view of the north
side of site.



Photo 3-

Representative view of BCG laborer using water for dust suppression.




SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY



NEVINS STREET





IMPACT ENVIRONMENTAL

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173225
Firmware Version	3.1
Calibration Date	11/30/2022
Test Name	MANUAL_003
Test Start Time	6:55:26 AM
Test Start Date	12/7/2023
Test Length [D:H:M]	0:06:15
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.049
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.261
Mass TWA [mg/m3]	0.038
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	375

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	6:55:26 AM			
60	6:56:26 AM	0.055		
120	6:57:26 AM	0.01		
180	6:58:26 AM	0.011		
240	6:59:26 AM	0.009		
300	7:00:26 AM	0.01		
360	7:01:26 AM	0.01		
420	7:02:26 AM	0.009		
480	7:03:26 AM	0.01		
540	7:04:26 AM	0.01		
600	7:05:26 AM	0.014		
660	7:06:26 AM	0.018		
720	7:07:26 AM	0.069		
780	7:08:26 AM	0.046		
840	7:09:26 AM	0.036		
900	7:10:26 AM	0.032		
960	7:11:26 AM	0.029		
1020	7:12:26 AM	0.018		
1080	7:13:26 AM	0.025		
1140	7:14:26 AM	0.025		
1200	7:15:26 AM	0.021		
1260	7:16:26 AM	0.019		
1320	7:17:26 AM	0.017		
1380	7:18:26 AM	0.022		
1440	7:19:26 AM	0.067		
1500	7:20:26 AM	0.05		
1560	7:21:26 AM	0.096		

1620	7:22:26 AM	0.092
1680	7:23:26 AM	0.056
1740	7:24:26 AM	0.026
1800	7:25:26 AM	0.032
1860	7:26:26 AM	0.025
1920	7:27:26 AM	0.029
1980	7:28:26 AM	0.055
2040	7:29:26 AM	0.031
2100	7:30:26 AM	0.026
2160	7:31:26 AM	0.018
2220	7:32:26 AM	0.017
2280	7:33:26 AM	0.037
2340	7:34:26 AM	0.029
2400	7:35:26 AM	0.019
2460	7:36:26 AM	0.03
2520	7:37:26 AM	0.025
2580	7:38:26 AM	0.027
2640	7:39:26 AM	0.024
2700	7:40:26 AM	0.02
2760	7:41:26 AM	0.021
2820	7:42:26 AM	0.028
2880	7:43:26 AM	0.036
2940	7:44:26 AM	0.034
3000	7:45:26 AM	0.027
3060	7:46:26 AM	0.025
3120	7:47:26 AM	0.029
3180	7:48:26 AM	0.03
3240	7:49:26 AM	0.049
3300	7:50:26 AM	0.029
3360	7:51:26 AM	0.024
3420	7:52:26 AM	0.023
3480	7:53:26 AM	0.027
3540	7:54:26 AM	0.027
3600	7:55:26 AM	0.034
3660	7:56:26 AM	0.03
3720	7:57:26 AM	0.025
3780	7:58:26 AM	0.025
3840	7:59:26 AM	0.026
3900	8:00:26 AM	0.026
3960	8:01:26 AM	0.025
4020	8:02:26 AM	0.027
4080	8:03:26 AM	0.026
4140	8:04:26 AM	0.03
4200	8:05:26 AM	0.031
4260	8:06:26 AM	0.028
4320	8:07:26 AM	0.03
4380	8:08:26 AM	0.031

4440	8:09:26 AM	0.03
4500	8:10:26 AM	0.025
4560	8:11:26 AM	0.034
4620	8:12:26 AM	0.027
4680	8:13:26 AM	0.06
4740	8:14:26 AM	0.036
4800	8:15:26 AM	0.036
4860	8:16:26 AM	0.05
4920	8:17:26 AM	0.03
4980	8:18:26 AM	0.034
5040	8:19:26 AM	0.049
5100	8:20:26 AM	0.034
5160	8:21:26 AM	0.044
5220	8:22:26 AM	0.063
5280	8:23:26 AM	0.035
5340	8:24:26 AM	0.041
5400	8:25:26 AM	0.039
5460	8:26:26 AM	0.082
5520	8:27:26 AM	0.158
5580	8:28:26 AM	0.055
5640	8:29:26 AM	0.028
5700	8:30:26 AM	0.029
5760	8:31:26 AM	0.028
5820	8:32:26 AM	0.032
5880	8:33:26 AM	0.038
5940	8:34:26 AM	0.039
6000	8:35:26 AM	0.034
6060	8:36:26 AM	0.037
6120	8:37:26 AM	0.032
6180	8:38:26 AM	0.03
6240	8:39:26 AM	0.037
6300	8:40:26 AM	0.038
6360	8:41:26 AM	0.033
6420	8:42:26 AM	0.031
6480	8:43:26 AM	0.032
6540	8:44:26 AM	0.033
6600	8:45:26 AM	0.031
6660	8:46:26 AM	0.037
6720	8:47:26 AM	0.035
6780	8:48:26 AM	0.033
6840	8:49:26 AM	0.033
6900	8:50:26 AM	0.033
6960	8:51:26 AM	0.044
7020	8:52:26 AM	0.035
7080	8:53:26 AM	0.034
7140	8:54:26 AM	0.031
7200	8:55:26 AM	0.03

7260	8:56:26 AM	0.03
7320	8:57:26 AM	0.029
7380	8:58:26 AM	0.029
7440	8:59:26 AM	0.029
7500	9:00:26 AM	0.028
7560	9:01:26 AM	0.028
7620	9:02:26 AM	0.028
7680	9:03:26 AM	0.029
7740	9:04:26 AM	0.029
7800	9:05:26 AM	0.029
7860	9:06:26 AM	0.029
7920	9:07:26 AM	0.03
7980	9:08:26 AM	0.031
8040	9:09:26 AM	0.029
8100	9:10:26 AM	0.03
8160	9:11:26 AM	0.03
8220	9:12:26 AM	0.03
8280	9:13:26 AM	0.032
8340	9:14:26 AM	0.033
8400	9:15:26 AM	0.035
8460	9:16:26 AM	0.034
8520	9:17:26 AM	0.032
8580	9:18:26 AM	0.031
8640	9:19:26 AM	0.031
8700	9:20:26 AM	0.031
8760	9:21:26 AM	0.032
8820	9:22:26 AM	0.031
8880	9:23:26 AM	0.033
8940	9:24:26 AM	0.034
9000	9:25:26 AM	0.034
9060	9:26:26 AM	0.137
9120	9:27:26 AM	0.123
9180	9:28:26 AM	0.09
9240	9:29:26 AM	0.1
9300	9:30:26 AM	0.085
9360	9:31:26 AM	0.074
9420	9:32:26 AM	0.12
9480	9:33:26 AM	0.096
9540	9:34:26 AM	0.147
9600	9:35:26 AM	0.105
9660	9:36:26 AM	0.261
9720	9:37:26 AM	0.16
9780	9:38:26 AM	0.071
9840	9:39:26 AM	0.038
9900	9:40:26 AM	0.036
9960	9:41:26 AM	0.041
10020	9:42:26 AM	0.038

10080	9:43:26 AM	0.038
10140	9:44:26 AM	0.037
10200	9:45:26 AM	0.049
10260	9:46:26 AM	0.042
10320	9:47:26 AM	0.042
10380	9:48:26 AM	0.049
10440	9:49:26 AM	0.068
10500	9:50:26 AM	0.07
10560	9:51:26 AM	0.048
10620	9:52:26 AM	0.052
10680	9:53:26 AM	0.046
10740	9:54:26 AM	0.045
10800	9:55:26 AM	0.042
10860	9:56:26 AM	0.047
10920	9:57:26 AM	0.057
10980	9:58:26 AM	0.048
11040	9:59:26 AM	0.057
11100	10:00:26 AM	0.04
11160	10:01:26 AM	0.042
11220	10:02:26 AM	0.049
11280	10:03:26 AM	0.045
11340	10:04:26 AM	0.048
11400	10:05:26 AM	0.044
11460	10:06:26 AM	0.045
11520	10:07:26 AM	0.049
11580	10:08:26 AM	0.121
11640	10:09:26 AM	0.151
11700	10:10:26 AM	0.086
11760	10:11:26 AM	0.133
11820	10:12:26 AM	0.1
11880	10:13:26 AM	0.181
11940	10:14:26 AM	0.181
12000	10:15:26 AM	0.081
12060	10:16:26 AM	0.109
12120	10:17:26 AM	0.104
12180	10:18:26 AM	0.067
12240	10:19:26 AM	0.054
12300	10:20:26 AM	0.049
12360	10:21:26 AM	0.049
12420	10:22:26 AM	0.073
12480	10:23:26 AM	0.076
12540	10:24:26 AM	0.049
12600	10:25:26 AM	0.047
12660	10:26:26 AM	0.103
12720	10:27:26 AM	0.078
12780	10:28:26 AM	0.045
12840	10:29:26 AM	0.044

12900	10:30:26 AM	0.043
12960	10:31:26 AM	0.042
13020	10:32:26 AM	0.049
13080	10:33:26 AM	0.057
13140	10:34:26 AM	0.05
13200	10:35:26 AM	0.047
13260	10:36:26 AM	0.05
13320	10:37:26 AM	0.044
13380	10:38:26 AM	0.044
13440	10:39:26 AM	0.042
13500	10:40:26 AM	0.044
13560	10:41:26 AM	0.054
13620	10:42:26 AM	0.048
13680	10:43:26 AM	0.047
13740	10:44:26 AM	0.045
13800	10:45:26 AM	0.051
13860	10:46:26 AM	0.049
13920	10:47:26 AM	0.053
13980	10:48:26 AM	0.057
14040	10:49:26 AM	0.052
14100	10:50:26 AM	0.052
14160	10:51:26 AM	0.052
14220	10:52:26 AM	0.049
14280	10:53:26 AM	0.047
14340	10:54:26 AM	0.044
14400	10:55:26 AM	0.048
14460	10:56:26 AM	0.045
14520	10:57:26 AM	0.045
14580	10:58:26 AM	0.047
14640	10:59:26 AM	0.05
14700	11:00:26 AM	0.048
14760	11:01:26 AM	0.097
14820	11:02:26 AM	0.141
14880	11:03:26 AM	0.15
14940	11:04:26 AM	0.125
15000	11:05:26 AM	0.09
15060	11:06:26 AM	0.095
15120	11:07:26 AM	0.093
15180	11:08:26 AM	0.099
15240	11:09:26 AM	0.107
15300	11:10:26 AM	0.087
15360	11:11:26 AM	0.086
15420	11:12:26 AM	0.057
15480	11:13:26 AM	0.078
15540	11:14:26 AM	0.069
15600	11:15:26 AM	0.061
15660	11:16:26 AM	0.072

15720	11:17:26 AM	0.078
15780	11:18:26 AM	0.061
15840	11:19:26 AM	0.101
15900	11:20:26 AM	0.082
15960	11:21:26 AM	0.096
16020	11:22:26 AM	0.066
16080	11:23:26 AM	0.044
16140	11:24:26 AM	0.043
16200	11:25:26 AM	0.044
16260	11:26:26 AM	0.04
16320	11:27:26 AM	0.042
16380	11:28:26 AM	0.043
16440	11:29:26 AM	0.044
16500	11:30:26 AM	0.045
16560	11:31:26 AM	0.044
16620	11:32:26 AM	0.042
16680	11:33:26 AM	0.041
16740	11:34:26 AM	0.042
16800	11:35:26 AM	0.042
16860	11:36:26 AM	0.043
16920	11:37:26 AM	0.045
16980	11:38:26 AM	0.045
17040	11:39:26 AM	0.044
17100	11:40:26 AM	0.048
17160	11:41:26 AM	0.047
17220	11:42:26 AM	0.047
17280	11:43:26 AM	0.046
17340	11:44:26 AM	0.046
17400	11:45:26 AM	0.045
17460	11:46:26 AM	0.048
17520	11:47:26 AM	0.047
17580	11:48:26 AM	0.051
17640	11:49:26 AM	0.049
17700	11:50:26 AM	0.05
17760	11:51:26 AM	0.048
17820	11:52:26 AM	0.048
17880	11:53:26 AM	0.042
17940	11:54:26 AM	0.045
18000	11:55:26 AM	0.049
18060	11:56:26 AM	0.052
18120	11:57:26 AM	0.052
18180	11:58:26 AM	0.051
18240	11:59:26 AM	0.05
18300	12:00:26 PM	0.05
18360	12:01:26 PM	0.047
18420	12:02:26 PM	0.048
18480	12:03:26 PM	0.048

18540	12:04:26 PM	0.048
18600	12:05:26 PM	0.049
18660	12:06:26 PM	0.052
18720	12:07:26 PM	0.053
18780	12:08:26 PM	0.053
18840	12:09:26 PM	0.052
18900	12:10:26 PM	0.048
18960	12:11:26 PM	0.046
19020	12:12:26 PM	0.047
19080	12:13:26 PM	0.055
19140	12:14:26 PM	0.047
19200	12:15:26 PM	0.046
19260	12:16:26 PM	0.048
19320	12:17:26 PM	0.044
19380	12:18:26 PM	0.044
19440	12:19:26 PM	0.046
19500	12:20:26 PM	0.051
19560	12:21:26 PM	0.051
19620	12:22:26 PM	0.047
19680	12:23:26 PM	0.046
19740	12:24:26 PM	0.045
19800	12:25:26 PM	0.045
19860	12:26:26 PM	0.045
19920	12:27:26 PM	0.044
19980	12:28:26 PM	0.046
20040	12:29:26 PM	0.044
20100	12:30:26 PM	0.044
20160	12:31:26 PM	0.045
20220	12:32:26 PM	0.046
20280	12:33:26 PM	0.046
20340	12:34:26 PM	0.045
20400	12:35:26 PM	0.046
20460	12:36:26 PM	0.045
20520	12:37:26 PM	0.046
20580	12:38:26 PM	0.047
20640	12:39:26 PM	0.046
20700	12:40:26 PM	0.047
20760	12:41:26 PM	0.049
20820	12:42:26 PM	0.047
20880	12:43:26 PM	0.049
20940	12:44:26 PM	0.048
21000	12:45:26 PM	0.049
21060	12:46:26 PM	0.051
21120	12:47:26 PM	0.051
21180	12:48:26 PM	0.05
21240	12:49:26 PM	0.051
21300	12:50:26 PM	0.048

21360	12:51:26 PM	0.05
21420	12:52:26 PM	0.049
21480	12:53:26 PM	0.046
21540	12:54:26 PM	0.047
21600	12:55:26 PM	0.049
21660	12:56:26 PM	0.046
21720	12:57:26 PM	0.048
21780	12:58:26 PM	0.049
21840	12:59:26 PM	0.048
21900	1:00:26 PM	0.049
21960	1:01:26 PM	0.049
22020	1:02:26 PM	0.047
22080	1:03:26 PM	0.046
22140	1:04:26 PM	0.05
22200	1:05:26 PM	0.048
22260	1:06:26 PM	0.046
22320	1:07:26 PM	0.051
22380	1:08:26 PM	0.049
22440	1:09:26 PM	0.046
22500	1:10:26 PM	0.047

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-929156	12/7/2023 2:26:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:25:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:24:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:23:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:22:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:21:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:20:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:19:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:18:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:17:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:16:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:15:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:14:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:13:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:12:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:11:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:10:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:09:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:08:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:07:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:06:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:05:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:04:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:03:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:02:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:01:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 2:00:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:59:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:58:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:57:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:56:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:55:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:54:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:53:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:52:54 PM	Readings	PID	SC23030065D3	Normal	0.5
592-929156	12/7/2023 1:51:54 PM	Readings	PID	SC23030065D3	Normal	0.5

592-929156	12/7/2023 8:38:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:37:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:36:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:35:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:34:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:33:54 AM	Readings	PID	SC23030065D3	Normal	0.2
592-929156	12/7/2023 8:32:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:31:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:30:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:29:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:28:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:27:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:26:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:25:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:24:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:23:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:22:54 AM	Readings	PID	SC23030065D3	Normal	0.1
592-929156	12/7/2023 8:21:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:20:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:19:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:18:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:17:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:16:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:15:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:14:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:13:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:12:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:11:54 AM	Readings	PID	SC23030065D3	Normal	0.0
592-929156	12/7/2023 8:10:54 AM	CONFIG	PID	SC23030065D3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530100909
Firmware Version	3.1
Calibration Date	7/24/2023
Test Name	MANUAL_003
Test Start Time	7:05:52 AM
Test Start Date	12/7/2023
Test Length [D:H:M]	0:06:14
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.086
Mass TWA [mg/m3]	0.005
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	374

Elapsed Time [s]	Alarms	Errors
------------------	--------	--------

7:05	Mass [mg/m3]
7:06	
7:07	0.022
7:08	0.013
7:09	0.004
7:10	0.001
7:11	0
7:12	0
7:13	0
7:14	0.009
7:15	0.006
7:16	0.005
7:17	0.003
7:18	0.004
7:19	0.006
7:20	0.005
7:21	0.003
7:22	0.004
7:23	0.001
7:24	0.003
7:25	0.007
7:26	0.006
7:27	0.004
7:28	0.004
7:29	0.003
7:30	0.003

7:31	0.002
7:32	0.003
7:33	0.002
7:34	0.002
7:35	0.004
7:36	0.004
7:37	0.004
7:38	0.004
7:39	0.005
7:40	0.005
7:41	0.005
7:42	0.014
7:43	0.009
7:44	0.008
7:45	0.008
7:46	0.009
7:47	0.008
7:48	0.004
7:49	0.004
7:50	0.004
7:51	0.004
7:52	0.005
7:53	0.006
7:54	0.008
7:55	0.008
7:56	0.009
7:57	0.012
7:58	0.009
7:59	0.01
8:00	0.012
8:01	0.01
8:02	0.014
8:03	0.012
8:04	0.009
8:05	0.008
8:06	0.008
8:07	0.007
8:08	0.009
8:09	0.009
8:10	0.007
8:11	0.007
8:12	0.009
8:13	0.01
8:14	0.008
8:15	0.009
8:16	0.009
8:17	0.012

8:18	0.007
8:19	0.008
8:20	0.008
8:21	0.009
8:22	0.01
8:23	0.012
8:24	0.01
8:25	0.011
8:26	0.012
8:27	0.015
8:28	0.012
8:29	0.01
8:30	0.014
8:31	0.009
8:32	0.011
8:33	0.009
8:34	0.009
8:35	0.01
8:36	0.019
8:37	0.011
8:38	0.009
8:39	0.009
8:40	0.011
8:41	0.011
8:42	0.01
8:43	0.01
8:44	0.011
8:45	0.011
8:46	0.012
8:47	0.013
8:48	0.011
8:49	0.015
8:50	0.014
8:51	0.01
8:52	0.011
8:53	0.012
8:54	0.011
8:55	0.009
8:56	0.009
8:57	0.009
8:58	0.01
8:59	0.009
9:00	0.012
9:01	0.009
9:02	0.009
9:03	0.009
9:04	0.009

9:05	0.01
9:06	0.01
9:07	0.01
9:08	0.011
9:09	0.01
9:10	0.01
9:11	0.012
9:12	0.011
9:13	0.01
9:14	0.011
9:15	0.011
9:16	0.011
9:17	0.012
9:18	0.011
9:19	0.012
9:20	0.013
9:21	0.012
9:22	0.011
9:23	0.012
9:24	0.012
9:25	0.012
9:26	0.014
9:27	0.016
9:28	0.016
9:29	0.013
9:30	0.012
9:31	0.012
9:32	0.011
9:33	0.012
9:34	0.011
9:35	0.014
9:36	0.014
9:37	0.013
9:38	0.017
9:39	0.015
9:40	0.013
9:41	0.015
9:42	0.014
9:43	0.013
9:44	0.012
9:45	0.014
9:46	0.012
9:47	0.012
9:48	0.013
9:49	0.012
9:50	0.018
9:51	0.018

9:52	0.014
9:53	0.014
9:54	0.014
9:55	0.014
9:56	0.014
9:57	0.015
9:58	0.014
9:59	0.012
10:00	0.013
10:01	0.021
10:02	0.015
10:03	0.012
10:04	0.012
10:05	0.014
10:06	0.012
10:07	0.018
10:08	0.012
10:09	0.016
10:10	0.013
10:11	0.025
10:12	0.015
10:13	0.024
10:14	0.018
10:15	0.017
10:16	0.017
10:17	0.014
10:18	0.015
10:19	0.019
10:20	0.021
10:21	0.02
10:22	0.014
10:23	0.012
10:24	0.013
10:25	0.015
10:26	0.018
10:27	0.021
10:28	0.021
10:29	0.017
10:30	0.013
10:31	0.014
10:32	0.016
10:33	0.013
10:34	0.007
10:35	0.014
10:36	0.014
10:37	0.056
10:38	0.014

10:39	0.01
10:40	0.086
10:41	0.009
10:42	0.016
10:43	0.013
10:44	0.01
10:45	0.001
10:46	0.02
10:47	0.018
10:48	0.017
10:49	0.036
10:50	0.026
10:51	0.022
10:52	0.02
10:53	0.02
10:54	0.02
10:55	0.019
10:56	0.019
10:57	0.021
10:58	0.018
10:59	0.019
11:00	0.018
11:01	0.018
11:02	0.018
11:03	0.02
11:04	0.021
11:05	0.018
11:06	0.017
11:07	0.018
11:08	0.02
11:09	0.019
11:10	0.019
11:11	0.018
11:12	0.018
11:13	0.018
11:14	0.02
11:15	0.018
11:16	0.02
11:17	0.023
11:18	0.021
11:19	0.02
11:20	0.019
11:21	0.036
11:22	0.026
11:23	0.023
11:24	0.023
11:25	0.025

11:26	0.023
11:27	0.022
11:28	0.022
11:29	0.02
11:30	0.021
11:31	0.022
11:32	0.02
11:33	0.023
11:34	0.025
11:35	0.027
11:36	0.029
11:37	0.028
11:38	0.031
11:39	0.048
11:40	0.05
11:41	0.044
11:42	0.028
11:43	0.032
11:44	0.031
11:45	0.025
11:46	0.025
11:47	0.023
11:48	0.027
11:49	0.022
11:50	0.025
11:51	0.027
11:52	0.023
11:53	0.024
11:54	0.027
11:55	0.026
11:56	0.022
11:57	0.024
11:58	0.025
11:59	0.021
12:00	0.028
12:01	0.026
12:02	0.026
12:03	0.028
12:04	0.025
12:05	0.03
12:06	0.023
12:07	0.028
12:08	0.029
12:09	0.025
12:10	0.029
12:11	0.031
12:12	0.026

12:13	0.034
12:14	0.034
12:15	0.025
12:16	0.024
12:17	0.029
12:18	0.03
12:19	0.03
12:20	0.03
12:21	0.027
12:22	0.032
12:23	0.027
12:24	0.026
12:25	0.024
12:26	0.023
12:27	0.027
12:28	0.024
12:29	0.024
12:30	0.026
12:31	0.028
12:32	0.025
12:33	0.024
12:34	0.025
12:35	0.021
12:36	0.019
12:37	0.025
12:38	0.028
12:39	0.024
12:40	0.021
12:41	0.024
12:42	0.021
12:43	0.02
12:44	0.017
12:45	0.018
12:46	0.017
12:47	0.017
12:48	0.017
12:49	0.023
12:50	0.023
12:51	0.019
12:52	0.018
12:53	0.023
12:54	0.023
12:55	0.019
12:56	0.02
12:57	0.021
12:58	0.02
12:59	0.026

13:00	0.026
13:01	0.022
13:02	0.026
13:03	0.024
13:04	0.027
13:05	0.029
13:06	0.03
13:07	0.027
13:08	0.03
13:09	0.022
13:10	0.026
13:11	0.026
13:12	0.027
13:13	0.025
13:14	0.028
13:15	0.028
13:16	0.021
13:17	0.025
13:18	0.022
13:19	0.026

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	12/7/2023 2:25:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:24:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:23:49 PM	Readings	PID	SC23030324C7	Normal	1.7
592-602816	12/7/2023 2:22:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:21:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:20:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 2:19:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:18:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:17:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:16:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:15:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:14:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:13:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:12:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 2:11:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:10:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:09:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:08:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:07:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:06:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:05:49 PM	Readings	PID	SC23030324C7	Normal	1.8
592-602816	12/7/2023 2:04:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:03:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:02:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:01:49 PM	Readings	PID	SC23030324C7	Normal	1.9
592-602816	12/7/2023 2:00:49 PM	Readings	PID	SC23030324C7	Normal	2.1
592-602816	12/7/2023 1:59:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 1:58:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 1:57:49 PM	Readings	PID	SC23030324C7	Normal	2.1
592-602816	12/7/2023 1:56:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 1:55:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 1:54:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 1:53:49 PM	Readings	PID	SC23030324C7	Normal	2.1
592-602816	12/7/2023 1:52:49 PM	Readings	PID	SC23030324C7	Normal	2.1
592-602816	12/7/2023 1:51:49 PM	Readings	PID	SC23030324C7	Normal	2.0
592-602816	12/7/2023 1:50:49 PM	Readings	PID	SC23030324C7	Normal	2.1

592-602816	12/7/2023 8:37:49 AM	Readings	PID	SC23030324C7	Normal	0.5
592-602816	12/7/2023 8:36:49 AM	Readings	PID	SC23030324C7	Normal	0.4
592-602816	12/7/2023 8:35:49 AM	Readings	PID	SC23030324C7	Normal	0.4
592-602816	12/7/2023 8:34:49 AM	Readings	PID	SC23030324C7	Normal	0.4
592-602816	12/7/2023 8:33:49 AM	Readings	PID	SC23030324C7	Normal	0.3
592-602816	12/7/2023 8:32:49 AM	Readings	PID	SC23030324C7	Normal	0.3
592-602816	12/7/2023 8:31:49 AM	Readings	PID	SC23030324C7	Normal	0.3
592-602816	12/7/2023 8:30:49 AM	Readings	PID	SC23030324C7	Normal	0.3
592-602816	12/7/2023 8:29:49 AM	Readings	PID	SC23030324C7	Normal	0.3
592-602816	12/7/2023 8:28:49 AM	Readings	PID	SC23030324C7	Normal	0.2
592-602816	12/7/2023 8:27:49 AM	Readings	PID	SC23030324C7	Normal	0.2
592-602816	12/7/2023 8:26:49 AM	Readings	PID	SC23030324C7	Normal	0.2
592-602816	12/7/2023 8:25:49 AM	Readings	PID	SC23030324C7	Normal	0.3
592-602816	12/7/2023 8:24:49 AM	Readings	PID	SC23030324C7	Normal	0.2
592-602816	12/7/2023 8:23:49 AM	Readings	PID	SC23030324C7	Normal	0.1
592-602816	12/7/2023 8:22:49 AM	Readings	PID	SC23030324C7	Normal	0.2
592-602816	12/7/2023 8:21:49 AM	Readings	PID	SC23030324C7	Normal	0.1
592-602816	12/7/2023 8:20:49 AM	Readings	PID	SC23030324C7	Normal	0.1
592-602816	12/7/2023 8:19:49 AM	Readings	PID	SC23030324C7	Normal	0.1
592-602816	12/7/2023 8:18:49 AM	Readings	PID	SC23030324C7	Normal	0.1
592-602816	12/7/2023 8:17:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:16:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:15:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:14:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:13:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:12:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:11:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:10:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:09:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:08:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:07:49 AM	Readings	PID	SC23030324C7	Normal	0.0
592-602816	12/7/2023 8:06:49 AM	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530113005
Firmware Version	3.1
Calibration Date	2/11/2023
Test Name	MANUAL_003
Test Start Time	6:59:44 AM
Test Start Date	12/7/2023
Test Length [D:H:M]	0:06:06
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.029
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.165
Mass TWA [mg/m3]	0.022
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	366

Elapsed Time [s]		Mass [mg/m3]	Alarms	Errors
0	6:59:44 AM			
60	7:00:44 AM	0.05		
120	7:01:44 AM	0.165		
180	7:02:44 AM	0.01		
240	7:03:44 AM	0.013		
300	7:04:44 AM	0.012		
360	7:05:44 AM	0.01		
420	7:06:44 AM	0.013		
480	7:07:44 AM	0.011		
540	7:08:44 AM	0.011		
600	7:09:44 AM	0.01		
660	7:10:44 AM	0.012		
720	7:11:44 AM	0.01		
780	7:12:44 AM	0.01		
840	7:13:44 AM	0.011		
900	7:14:44 AM	0.01		
960	7:15:44 AM	0.01		
1020	7:16:44 AM	0.011		
1080	7:17:44 AM	0.011		
1140	7:18:44 AM	0.011		
1200	7:19:44 AM	0.012		
1260	7:20:44 AM	0.01		
1320	7:21:44 AM	0.01		
1380	7:22:44 AM	0.013		
1440	7:23:44 AM	0.014		
1500	7:24:44 AM	0.013		
1560	7:25:44 AM	0.013		

1620	7:26:44 AM	0.015
1680	7:27:44 AM	0.014
1740	7:28:44 AM	0.013
1800	7:29:44 AM	0.015
1860	7:30:44 AM	0.017
1920	7:31:44 AM	0.015
1980	7:32:44 AM	0.014
2040	7:33:44 AM	0.019
2100	7:34:44 AM	0.019
2160	7:35:44 AM	0.02
2220	7:36:44 AM	0.016
2280	7:37:44 AM	0.017
2340	7:38:44 AM	0.016
2400	7:39:44 AM	0.017
2460	7:40:44 AM	0.018
2520	7:41:44 AM	0.019
2580	7:42:44 AM	0.022
2640	7:43:44 AM	0.016
2700	7:44:44 AM	0.021
2760	7:45:44 AM	0.021
2820	7:46:44 AM	0.016
2880	7:47:44 AM	0.017
2940	7:48:44 AM	0.018
3000	7:49:44 AM	0.018
3060	7:50:44 AM	0.021
3120	7:51:44 AM	0.023
3180	7:52:44 AM	0.02
3240	7:53:44 AM	0.019
3300	7:54:44 AM	0.019
3360	7:55:44 AM	0.022
3420	7:56:44 AM	0.024
3480	7:57:44 AM	0.021
3540	7:58:44 AM	0.018
3600	7:59:44 AM	0.022
3660	8:00:44 AM	0.024
3720	8:01:44 AM	0.021
3780	8:02:44 AM	0.022
3840	8:03:44 AM	0.023
3900	8:04:44 AM	0.031
3960	8:05:44 AM	0.022
4020	8:06:44 AM	0.019
4080	8:07:44 AM	0.02
4140	8:08:44 AM	0.02
4200	8:09:44 AM	0.021
4260	8:10:44 AM	0.021
4320	8:11:44 AM	0.023
4380	8:12:44 AM	0.02

4440	8:13:44 AM	0.023
4500	8:14:44 AM	0.021
4560	8:15:44 AM	0.024
4620	8:16:44 AM	0.026
4680	8:17:44 AM	0.019
4740	8:18:44 AM	0.021
4800	8:19:44 AM	0.021
4860	8:20:44 AM	0.022
4920	8:21:44 AM	0.02
4980	8:22:44 AM	0.02
5040	8:23:44 AM	0.021
5100	8:24:44 AM	0.021
5160	8:25:44 AM	0.021
5220	8:26:44 AM	0.022
5280	8:27:44 AM	0.022
5340	8:28:44 AM	0.026
5400	8:29:44 AM	0.024
5460	8:30:44 AM	0.023
5520	8:31:44 AM	0.02
5580	8:32:44 AM	0.023
5640	8:33:44 AM	0.024
5700	8:34:44 AM	0.026
5760	8:35:44 AM	0.029
5820	8:36:44 AM	0.029
5880	8:37:44 AM	0.034
5940	8:38:44 AM	0.028
6000	8:39:44 AM	0.025
6060	8:40:44 AM	0.028
6120	8:41:44 AM	0.022
6180	8:42:44 AM	0.022
6240	8:43:44 AM	0.024
6300	8:44:44 AM	0.02
6360	8:45:44 AM	0.02
6420	8:46:44 AM	0.023
6480	8:47:44 AM	0.023
6540	8:48:44 AM	0.026
6600	8:49:44 AM	0.024
6660	8:50:44 AM	0.022
6720	8:51:44 AM	0.022
6780	8:52:44 AM	0.021
6840	8:53:44 AM	0.022
6900	8:54:44 AM	0.022
6960	8:55:44 AM	0.022
7020	8:56:44 AM	0.024
7080	8:57:44 AM	0.022
7140	8:58:44 AM	0.023
7200	8:59:44 AM	0.023

7260	9:00:44 AM	0.022
7320	9:01:44 AM	0.022
7380	9:02:44 AM	0.022
7440	9:03:44 AM	0.021
7500	9:04:44 AM	0.02
7560	9:05:44 AM	0.021
7620	9:06:44 AM	0.022
7680	9:07:44 AM	0.024
7740	9:08:44 AM	0.023
7800	9:09:44 AM	0.022
7860	9:10:44 AM	0.023
7920	9:11:44 AM	0.024
7980	9:12:44 AM	0.023
8040	9:13:44 AM	0.024
8100	9:14:44 AM	0.028
8160	9:15:44 AM	0.031
8220	9:16:44 AM	0.027
8280	9:17:44 AM	0.023
8340	9:18:44 AM	0.024
8400	9:19:44 AM	0.024
8460	9:20:44 AM	0.023
8520	9:21:44 AM	0.027
8580	9:22:44 AM	0.023
8640	9:23:44 AM	0.026
8700	9:24:44 AM	0.03
8760	9:25:44 AM	0.029
8820	9:26:44 AM	0.034
8880	9:27:44 AM	0.026
8940	9:28:44 AM	0.025
9000	9:29:44 AM	0.024
9060	9:30:44 AM	0.024
9120	9:31:44 AM	0.024
9180	9:32:44 AM	0.024
9240	9:33:44 AM	0.026
9300	9:34:44 AM	0.025
9360	9:35:44 AM	0.027
9420	9:36:44 AM	0.024
9480	9:37:44 AM	0.027
9540	9:38:44 AM	0.041
9600	9:39:44 AM	0.033
9660	9:40:44 AM	0.031
9720	9:41:44 AM	0.032
9780	9:42:44 AM	0.03
9840	9:43:44 AM	0.029
9900	9:44:44 AM	0.031
9960	9:45:44 AM	0.031
10020	9:46:44 AM	0.029

10080	9:47:44 AM	0.026
10140	9:48:44 AM	0.03
10200	9:49:44 AM	0.042
10260	9:50:44 AM	0.029
10320	9:51:44 AM	0.028
10380	9:52:44 AM	0.029
10440	9:53:44 AM	0.032
10500	9:54:44 AM	0.027
10560	9:55:44 AM	0.033
10620	9:56:44 AM	0.029
10680	9:57:44 AM	0.03
10740	9:58:44 AM	0.044
10800	9:59:44 AM	0.045
10860	10:00:44 AM	0.035
10920	10:01:44 AM	0.041
10980	10:02:44 AM	0.036
11040	10:03:44 AM	0.035
11100	10:04:44 AM	0.031
11160	10:05:44 AM	0.033
11220	10:06:44 AM	0.031
11280	10:07:44 AM	0.036
11340	10:08:44 AM	0.042
11400	10:09:44 AM	0.032
11460	10:10:44 AM	0.025
11520	10:11:44 AM	0.023
11580	10:12:44 AM	0.025
11640	10:13:44 AM	0.028
11700	10:14:44 AM	0.034
11760	10:15:44 AM	0.046
11820	10:16:44 AM	0.042
11880	10:17:44 AM	0.032
11940	10:18:44 AM	0.024
12000	10:19:44 AM	0.027
12060	10:20:44 AM	0.029
12120	10:21:44 AM	0.032
12180	10:22:44 AM	0.033
12240	10:23:44 AM	0.031
12300	10:24:44 AM	0.035
12360	10:25:44 AM	0.036
12420	10:26:44 AM	0.036
12480	10:27:44 AM	0.03
12540	10:28:44 AM	0.031
12600	10:29:44 AM	0.029
12660	10:30:44 AM	0.03
12720	10:31:44 AM	0.036
12780	10:32:44 AM	0.032
12840	10:33:44 AM	0.03

12900	10:34:44 AM	0.028
12960	10:35:44 AM	0.03
13020	10:36:44 AM	0.033
13080	10:37:44 AM	0.029
13140	10:38:44 AM	0.029
13200	10:39:44 AM	0.031
13260	10:40:44 AM	0.029
13320	10:41:44 AM	0.03
13380	10:42:44 AM	0.032
13440	10:43:44 AM	0.033
13500	10:44:44 AM	0.031
13560	10:45:44 AM	0.034
13620	10:46:44 AM	0.03
13680	10:47:44 AM	0.037
13740	10:48:44 AM	0.029
13800	10:49:44 AM	0.029
13860	10:50:44 AM	0.029
13920	10:51:44 AM	0.026
13980	10:52:44 AM	0.027
14040	10:53:44 AM	0.028
14100	10:54:44 AM	0.029
14160	10:55:44 AM	0.028
14220	10:56:44 AM	0.03
14280	10:57:44 AM	0.03
14340	10:58:44 AM	0.04
14400	10:59:44 AM	0.039
14460	11:00:44 AM	0.033
14520	11:01:44 AM	0.032
14580	11:02:44 AM	0.029
14640	11:03:44 AM	0.033
14700	11:04:44 AM	0.031
14760	11:05:44 AM	0.033
14820	11:06:44 AM	0.03
14880	11:07:44 AM	0.034
14940	11:08:44 AM	0.037
15000	11:09:44 AM	0.033
15060	11:10:44 AM	0.034
15120	11:11:44 AM	0.031
15180	11:12:44 AM	0.033
15240	11:13:44 AM	0.032
15300	11:14:44 AM	0.032
15360	11:15:44 AM	0.033
15420	11:16:44 AM	0.039
15480	11:17:44 AM	0.043
15540	11:18:44 AM	0.04
15600	11:19:44 AM	0.04
15660	11:20:44 AM	0.04

15720	11:21:44 AM	0.031
15780	11:22:44 AM	0.033
15840	11:23:44 AM	0.029
15900	11:24:44 AM	0.03
15960	11:25:44 AM	0.034
16020	11:26:44 AM	0.031
16080	11:27:44 AM	0.038
16140	11:28:44 AM	0.041
16200	11:29:44 AM	0.035
16260	11:30:44 AM	0.034
16320	11:31:44 AM	0.037
16380	11:32:44 AM	0.032
16440	11:33:44 AM	0.032
16500	11:34:44 AM	0.036
16560	11:35:44 AM	0.028
16620	11:36:44 AM	0.034
16680	11:37:44 AM	0.038
16740	11:38:44 AM	0.034
16800	11:39:44 AM	0.037
16860	11:40:44 AM	0.035
16920	11:41:44 AM	0.036
16980	11:42:44 AM	0.04
17040	11:43:44 AM	0.036
17100	11:44:44 AM	0.034
17160	11:45:44 AM	0.034
17220	11:46:44 AM	0.042
17280	11:47:44 AM	0.037
17340	11:48:44 AM	0.042
17400	11:49:44 AM	0.046
17460	11:50:44 AM	0.045
17520	11:51:44 AM	0.039
17580	11:52:44 AM	0.037
17640	11:53:44 AM	0.029
17700	11:54:44 AM	0.032
17760	11:55:44 AM	0.041
17820	11:56:44 AM	0.046
17880	11:57:44 AM	0.041
17940	11:58:44 AM	0.041
18000	11:59:44 AM	0.037
18060	12:00:44 PM	0.038
18120	12:01:44 PM	0.035
18180	12:02:44 PM	0.035
18240	12:03:44 PM	0.034
18300	12:04:44 PM	0.037
18360	12:05:44 PM	0.038
18420	12:06:44 PM	0.04
18480	12:07:44 PM	0.043

18540	12:08:44 PM	0.041
18600	12:09:44 PM	0.039
18660	12:10:44 PM	0.037
18720	12:11:44 PM	0.036
18780	12:12:44 PM	0.035
18840	12:13:44 PM	0.046
18900	12:14:44 PM	0.036
18960	12:15:44 PM	0.033
19020	12:16:44 PM	0.037
19080	12:17:44 PM	0.033
19140	12:18:44 PM	0.033
19200	12:19:44 PM	0.044
19260	12:20:44 PM	0.039
19320	12:21:44 PM	0.041
19380	12:22:44 PM	0.038
19440	12:23:44 PM	0.034
19500	12:24:44 PM	0.033
19560	12:25:44 PM	0.032
19620	12:26:44 PM	0.032
19680	12:27:44 PM	0.033
19740	12:28:44 PM	0.035
19800	12:29:44 PM	0.03
19860	12:30:44 PM	0.031
19920	12:31:44 PM	0.034
19980	12:32:44 PM	0.036
20040	12:33:44 PM	0.034
20100	12:34:44 PM	0.033
20160	12:35:44 PM	0.033
20220	12:36:44 PM	0.032
20280	12:37:44 PM	0.032
20340	12:38:44 PM	0.033
20400	12:39:44 PM	0.033
20460	12:40:44 PM	0.035
20520	12:41:44 PM	0.039
20580	12:42:44 PM	0.038
20640	12:43:44 PM	0.036
20700	12:44:44 PM	0.039
20760	12:45:44 PM	0.042
20820	12:46:44 PM	0.043
20880	12:47:44 PM	0.041
20940	12:48:44 PM	0.04
21000	12:49:44 PM	0.039
21060	12:50:44 PM	0.04
21120	12:51:44 PM	0.04
21180	12:52:44 PM	0.04
21240	12:53:44 PM	0.036
21300	12:54:44 PM	0.04

21360	12:55:44 PM	0.035
21420	12:56:44 PM	0.033
21480	12:57:44 PM	0.037
21540	12:58:44 PM	0.036
21600	12:59:44 PM	0.038
21660	1:00:44 PM	0.037
21720	1:01:44 PM	0.046
21780	1:02:44 PM	0.039
21840	1:03:44 PM	0.037
21900	1:04:44 PM	0.04
21960	1:05:44 PM	0.037

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	12/7/2023 2:19:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:18:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:17:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:16:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:15:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:14:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:13:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:12:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:11:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:10:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:09:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:08:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:07:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:06:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:05:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:04:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:03:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:02:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:01:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 2:00:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:59:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:58:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:57:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:56:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:55:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:54:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:53:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:52:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:51:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:50:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:49:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:48:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:47:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:46:55 PM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 1:45:55 PM	Readings	PID	SC23030408A8	Normal	0.0

592-600871	12/7/2023 8:40:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:39:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:38:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:37:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:36:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:35:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:34:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:33:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:32:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:31:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:30:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:29:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:28:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:27:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:26:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:25:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:24:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:23:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:22:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:21:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:20:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:19:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:18:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:17:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:16:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:15:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:14:55 AM	Readings	PID	SC23030408A8	Normal	0.0
592-600871	12/7/2023 8:13:55 AM	CONFIG	PID	SC23030408A8		