



DAILY STATUS REPORT

Prepared By:

Gwen Lynn

WEATHER	Snow	Rain		Overcast	Partly Cloudy	x	Bright Sun		Wind
TEMP.	< 32	32-50	x	50-70	70-85		>85		W-7 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	01/23/24
Project:	251 Douglass Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 14:45</p>	<p>Personnel On Site: IEEG (Environmental) – Gwen Lynn Broadway Construction Group – Thomas Caporale</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	--

Scope of Work: Hand demolition of old building elements along eastern wall.

Site Activities:

- Deploy three (3) CAMP units at the start of the work day; and
- Xolle continued with hand demolition of concrete from old building on eastern portion of the Site.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day.
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = 0.0 ppm, Dust = 0.026 mg/m³ @ 06:57.
- High Conditions (Upwind) – PID = 0.0 ppm, Dust = 0.061 mg/m³ @ 07:07
- High Conditions (Downwind 1) – PID = 1.1 ppm @ 09:25, Dust = 0.128 mg/m³ @ 07:04
- High Conditions (Downwind 2) – PID = 0.9 ppm, @ 10:46Dust = 0.177 mg/m³ @ 06:42

Notable Site Conditions:

None

Planned for the Next Day/Week:

- BCG to do trailer maintenance: exterior under skirt to be installed around trailer.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1 – Representative view of Xolle jack hammering ledge.



Photo 2 – Representative photo post jack hammering of concrete and brick wall.




Photo 3 – Representative view of the Site facing west.




SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





NEVINS STREET





UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_008
Test Start Time	6:47:44 AM
Test Start Date	1/23/2024
Test Length [D:H:M]	0:07:02
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.032
PM1 Minimum [mg/m3]	0.017
PM1 Maximum [mg/m3]	0.061
PM1 TWA [mg/m3]	0.028
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	422

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:57	0.026		
6:58	0.035		
6:59	0.029		
7:00	0.028		
7:01	0.028		
7:02	0.028		
7:03	0.031		
7:04	0.028		
7:05	0.028		
7:06	0.027		
7:07	0.061		
7:08	0.027		
7:09	0.027		
7:10	0.028		
7:11	0.03		
7:12	0.031		
7:13	0.028		
7:14	0.028		
7:15	0.028		
7:16	0.028		
7:17	0.032		
7:18	0.03		
7:19	0.032		
7:20	0.029		
7:21	0.029		
7:22	0.03		

7:23	0.029
7:24	0.029
7:25	0.029
7:26	0.029
7:27	0.029
7:28	0.029
7:29	0.03
7:30	0.03
7:31	0.028
7:32	0.028
7:33	0.03
7:34	0.032
7:35	0.03
7:36	0.029
7:37	0.028
7:38	0.028
7:39	0.028
7:40	0.028
7:41	0.027
7:42	0.027
7:43	0.027
7:44	0.027
7:45	0.027
7:46	0.027
7:47	0.027
7:48	0.027
7:49	0.028
7:50	0.028
7:51	0.028
7:52	0.028
7:53	0.029
7:54	0.029
7:55	0.03
7:56	0.03
7:57	0.029
7:58	0.031
7:59	0.03
8:00	0.033
8:01	0.03
8:02	0.03
8:03	0.032
8:04	0.029
8:05	0.029
8:06	0.029
8:07	0.035
8:08	0.035
8:09	0.036

8:10	0.035
8:11	0.031
8:12	0.03
8:13	0.029
8:14	0.029
8:15	0.03
8:16	0.03
8:17	0.042
8:18	0.039
8:19	0.033
8:20	0.031
8:21	0.031
8:22	0.029
8:23	0.032
8:24	0.035
8:25	0.032
8:26	0.031
8:27	0.03
8:28	0.031
8:29	0.03
8:30	0.036
8:31	0.032
8:32	0.032
8:33	0.032
8:34	0.03
8:35	0.032
8:36	0.03
8:37	0.032
8:38	0.031
8:39	0.03
8:40	0.03
8:41	0.029
8:42	0.03
8:43	0.03
8:44	0.03
8:45	0.03
8:46	0.031
8:47	0.031
8:48	0.03
8:49	0.03
8:50	0.03
8:51	0.03
8:52	0.03
8:53	0.033
8:54	0.032
8:55	0.032
8:56	0.032

8:57	0.032
8:58	0.033
8:59	0.033
9:00	0.033
9:01	0.034
9:02	0.032
9:03	0.033
9:04	0.034
9:05	0.033
9:06	0.034
9:07	0.036
9:08	0.034
9:09	0.047
9:10	0.035
9:11	0.042
9:12	0.043
9:13	0.036
9:14	0.038
9:15	0.036
9:16	0.034
9:17	0.032
9:18	0.031
9:19	0.032
9:20	0.032
9:21	0.031
9:22	0.031
9:23	0.031
9:24	0.031
9:25	0.031
9:26	0.032
9:27	0.031
9:28	0.03
9:29	0.031
9:30	0.031
9:31	0.03
9:32	0.032
9:33	0.034
9:34	0.036
9:35	0.037
9:36	0.038
9:37	0.037
9:38	0.035
9:39	0.033
9:40	0.034
9:41	0.034
9:42	0.034
9:43	0.034

9:44	0.034
9:45	0.034
9:46	0.034
9:47	0.035
9:48	0.036
9:49	0.036
9:50	0.036
9:51	0.036
9:52	0.035
9:53	0.038
9:54	0.037
9:55	0.036
9:56	0.035
9:57	0.035
9:58	0.033
9:59	0.034
10:00	0.035
10:01	0.032
10:02	0.033
10:03	0.033
10:04	0.032
10:05	0.033
10:06	0.032
10:07	0.032
10:08	0.036
10:09	0.034
10:10	0.034
10:11	0.032
10:12	0.033
10:13	0.033
10:14	0.034
10:15	0.032
10:16	0.033
10:17	0.033
10:18	0.034
10:19	0.033
10:20	0.033
10:21	0.033
10:22	0.036
10:23	0.036
10:24	0.035
10:25	0.04
10:26	0.048
10:27	0.046
10:28	0.044
10:29	0.048
10:30	0.036

10:31	0.035
10:32	0.042
10:33	0.038
10:34	0.044
10:35	0.04
10:36	0.034
10:37	0.035
10:38	0.037
10:39	0.035
10:40	0.035
10:41	0.035
10:42	0.035
10:43	0.037
10:44	0.036
10:45	0.035
10:46	0.037
10:47	0.037
10:48	0.036
10:49	0.035
10:50	0.034
10:51	0.036
10:52	0.04
10:53	0.034
10:54	0.034
10:55	0.031
10:56	0.032
10:57	0.033
10:58	0.032
10:59	0.034
11:00	0.032
11:01	0.032
11:02	0.032
11:03	0.034
11:04	0.033
11:05	0.032
11:06	0.032
11:07	0.033
11:08	0.033
11:09	0.034
11:10	0.034
11:11	0.035
11:12	0.033
11:13	0.032
11:14	0.033
11:15	0.033
11:16	0.033
11:17	0.035

11:18	0.035
11:19	0.035
11:20	0.033
11:21	0.033
11:22	0.034
11:23	0.033
11:24	0.034
11:25	0.034
11:26	0.034
11:27	0.033
11:28	0.034
11:29	0.033
11:30	0.034
11:31	0.034
11:32	0.034
11:33	0.034
11:34	0.034
11:35	0.033
11:36	0.033
11:37	0.034
11:38	0.036
11:39	0.035
11:40	0.036
11:41	0.036
11:42	0.034
11:43	0.033
11:44	0.033
11:45	0.033
11:46	0.033
11:47	0.033
11:48	0.034
11:49	0.032
11:50	0.032
11:51	0.032
11:52	0.032
11:53	0.032
11:54	0.031
11:55	0.032
11:56	0.034
11:57	0.031
11:58	0.031
11:59	0.03
12:00	0.031
12:01	0.031
12:02	0.031
12:03	0.031
12:04	0.031

12:05	0.03
12:06	0.031
12:07	0.032
12:08	0.033
12:09	0.033
12:10	0.031
12:11	0.031
12:12	0.031
12:13	0.032
12:14	0.032
12:15	0.033
12:16	0.031
12:17	0.031
12:18	0.032
12:19	0.03
12:20	0.03
12:21	0.031
12:22	0.03
12:23	0.029
12:24	0.03
12:25	0.031
12:26	0.031
12:27	0.031
12:28	0.031
12:29	0.03
12:30	0.031
12:31	0.031
12:32	0.031
12:33	0.032
12:34	0.032
12:35	0.033
12:36	0.033
12:37	0.032
12:38	0.031
12:39	0.032
12:40	0.032
12:41	0.031
12:42	0.031
12:43	0.033
12:44	0.035
12:45	0.032
12:46	0.033
12:47	0.032
12:48	0.032
12:49	0.033
12:50	0.033
12:51	0.031

12:52	0.032
12:53	0.033
12:54	0.033
12:55	0.034
12:56	0.035
12:57	0.034
12:58	0.033
12:59	0.033
13:00	0.034
13:01	0.033
13:02	0.033
13:03	0.033
13:04	0.033
13:05	0.033
13:06	0.033
13:07	0.033
13:08	0.033
13:09	0.033
13:10	0.032
13:11	0.033
13:12	0.033
13:13	0.033
13:14	0.032
13:15	0.033
13:16	0.033
13:17	0.032
13:18	0.032
13:19	0.028
13:20	0.027
13:21	0.028
13:22	0.027
13:23	0.025
13:24	0.025
13:25	0.023
13:26	0.02
13:27	0.018
13:28	0.017
13:29	0.017
13:30	0.018
13:31	0.019
13:32	0.018
13:33	0.019
13:34	0.018
13:35	0.018
13:36	0.018
13:37	0.018
13:38	0.018

13:39	0.019
13:40	0.019
13:41	0.02
13:42	0.029
13:43	0.021
13:44	0.024
13:45	0.023
13:46	0.02
13:47	0.022
13:48	0.021
13:49	0.019
13:50	0.021
13:51	0.023
13:52	0.021
13:53	0.021
13:54	0.02
13:55	0.02
13:56	0.027
13:57	0.027
13:58	0.022

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	1/23/2024 14:17	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:16	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:15	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:14	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:13	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:12	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:11	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:10	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:09	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:08	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:07	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:06	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:05	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:04	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:03	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:02	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:01	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 14:00	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:59	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:58	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:57	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:56	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:55	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:54	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:53	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:52	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:51	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:50	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:49	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:48	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:47	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:46	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:45	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:44	Readings	PID	SC23030408A8	Normal	0.0
592-600871	1/23/2024 13:43	Readings	PID	SC23030408A8	Normal	0.0

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_008
Test Start Time	6:56:59 AM
Test Start Date	1/23/2024
Test Length [D:H:M]	0:07:01
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.032
PM1 Minimum [mg/m3]	0.017
PM1 Maximum [mg/m3]	0.128
PM1 TWA [mg/m3]	0.028
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	421

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:56	0.033		
6:57	0.03		
6:58	0.029		
6:59	0.029		
7:00	0.029		
7:01	0.081		
7:02	0.09		
7:03	0.036		
7:04	0.128		
7:05	0.058		
7:06	0.029		
7:07	0.028		
7:08	0.029		
7:09	0.028		
7:10	0.031		
7:11	0.029		
7:12	0.029		
7:13	0.029		
7:14	0.03		
7:15	0.031		
7:16	0.03		
7:17	0.03		
7:18	0.029		
7:19	0.029		
7:20	0.029		
7:21	0.031		

7:22	0.03
7:23	0.032
7:24	0.029
7:25	0.03
7:26	0.03
7:27	0.03
7:28	0.03
7:29	0.029
7:30	0.028
7:31	0.028
7:32	0.027
7:33	0.028
7:34	0.033
7:35	0.029
7:36	0.028
7:37	0.028
7:38	0.028
7:39	0.028
7:40	0.028
7:41	0.028
7:42	0.028
7:43	0.029
7:44	0.028
7:45	0.028
7:46	0.029
7:47	0.03
7:48	0.03
7:49	0.031
7:50	0.03
7:51	0.031
7:52	0.031
7:53	0.033
7:54	0.031
7:55	0.031
7:56	0.033
7:57	0.03
7:58	0.03
7:59	0.03
8:00	0.033
8:01	0.033
8:02	0.04
8:03	0.031
8:04	0.031
8:05	0.03
8:06	0.03
8:07	0.029
8:08	0.03

8:09	0.031
8:10	0.034
8:11	0.04
8:12	0.033
8:13	0.031
8:14	0.03
8:15	0.03
8:16	0.03
8:17	0.034
8:18	0.032
8:19	0.039
8:20	0.034
8:21	0.03
8:22	0.03
8:23	0.032
8:24	0.033
8:25	0.031
8:26	0.032
8:27	0.031
8:28	0.03
8:29	0.032
8:30	0.031
8:31	0.03
8:32	0.031
8:33	0.031
8:34	0.03
8:35	0.031
8:36	0.031
8:37	0.031
8:38	0.031
8:39	0.031
8:40	0.032
8:41	0.032
8:42	0.03
8:43	0.031
8:44	0.03
8:45	0.033
8:46	0.034
8:47	0.033
8:48	0.032
8:49	0.032
8:50	0.033
8:51	0.033
8:52	0.033
8:53	0.034
8:54	0.033
8:55	0.034

8:56	0.034
8:57	0.036
8:58	0.035
8:59	0.033
9:00	0.033
9:01	0.033
9:02	0.033
9:03	0.033
9:04	0.033
9:05	0.033
9:06	0.034
9:07	0.032
9:08	0.034
9:09	0.05
9:10	0.033
9:11	0.032
9:12	0.032
9:13	0.032
9:14	0.031
9:15	0.031
9:16	0.031
9:17	0.031
9:18	0.032
9:19	0.032
9:20	0.035
9:21	0.032
9:22	0.031
9:23	0.034
9:24	0.031
9:25	0.032
9:26	0.034
9:27	0.036
9:28	0.038
9:29	0.038
9:30	0.037
9:31	0.036
9:32	0.034
9:33	0.035
9:34	0.034
9:35	0.034
9:36	0.035
9:37	0.034
9:38	0.035
9:39	0.036
9:40	0.035
9:41	0.036
9:42	0.035

9:43	0.036
9:44	0.035
9:45	0.035
9:46	0.038
9:47	0.039
9:48	0.036
9:49	0.037
9:50	0.035
9:51	0.034
9:52	0.055
9:53	0.034
9:54	0.038
9:55	0.034
9:56	0.033
9:57	0.032
9:58	0.033
9:59	0.036
10:00	0.037
10:01	0.036
10:02	0.034
10:03	0.04
10:04	0.034
10:05	0.032
10:06	0.034
10:07	0.034
10:08	0.033
10:09	0.033
10:10	0.034
10:11	0.034
10:12	0.034
10:13	0.061
10:14	0.043
10:15	0.034
10:16	0.035
10:17	0.036
10:18	0.041
10:19	0.037
10:20	0.042
10:21	0.039
10:22	0.041
10:23	0.037
10:24	0.035
10:25	0.041
10:26	0.039
10:27	0.038
10:28	0.037
10:29	0.035

10:30	0.034
10:31	0.035
10:32	0.035
10:33	0.035
10:34	0.034
10:35	0.036
10:36	0.037
10:37	0.036
10:38	0.036
10:39	0.036
10:40	0.036
10:41	0.036
10:42	0.036
10:43	0.035
10:44	0.036
10:45	0.044
10:46	0.034
10:47	0.035
10:48	0.032
10:49	0.033
10:50	0.033
10:51	0.033
10:52	0.033
10:53	0.034
10:54	0.033
10:55	0.033
10:56	0.034
10:57	0.034
10:58	0.033
10:59	0.033
11:00	0.033
11:01	0.034
11:02	0.034
11:03	0.035
11:04	0.034
11:05	0.033
11:06	0.033
11:07	0.034
11:08	0.034
11:09	0.034
11:10	0.036
11:11	0.037
11:12	0.037
11:13	0.034
11:14	0.034
11:15	0.035
11:16	0.034

11:17	0.034
11:18	0.034
11:19	0.034
11:20	0.033
11:21	0.035
11:22	0.034
11:23	0.035
11:24	0.034
11:25	0.035
11:26	0.035
11:27	0.034
11:28	0.035
11:29	0.033
11:30	0.034
11:31	0.036
11:32	0.035
11:33	0.037
11:34	0.037
11:35	0.035
11:36	0.034
11:37	0.034
11:38	0.033
11:39	0.034
11:40	0.037
11:41	0.035
11:42	0.033
11:43	0.032
11:44	0.032
11:45	0.033
11:46	0.032
11:47	0.032
11:48	0.032
11:49	0.034
11:50	0.032
11:51	0.032
11:52	0.031
11:53	0.031
11:54	0.031
11:55	0.031
11:56	0.031
11:57	0.031
11:58	0.031
11:59	0.032
12:00	0.032
12:01	0.032
12:02	0.033
12:03	0.033

12:04	0.031
12:05	0.032
12:06	0.033
12:07	0.032
12:08	0.033
12:09	0.032
12:10	0.031
12:11	0.031
12:12	0.029
12:13	0.03
12:14	0.031
12:15	0.031
12:16	0.03
12:17	0.031
12:18	0.031
12:19	0.031
12:20	0.031
12:21	0.031
12:22	0.031
12:23	0.032
12:24	0.031
12:25	0.031
12:26	0.032
12:27	0.032
12:28	0.033
12:29	0.033
12:30	0.032
12:31	0.032
12:32	0.032
12:33	0.033
12:34	0.032
12:35	0.031
12:36	0.034
12:37	0.034
12:38	0.033
12:39	0.033
12:40	0.032
12:41	0.032
12:42	0.033
12:43	0.033
12:44	0.032
12:45	0.032
12:46	0.033
12:47	0.033
12:48	0.033
12:49	0.034
12:50	0.035

12:51	0.035
12:52	0.034
12:53	0.034
12:54	0.033
12:55	0.033
12:56	0.034
12:57	0.033
12:58	0.032
12:59	0.033
13:00	0.033
13:01	0.032
13:02	0.033
13:03	0.033
13:04	0.033
13:05	0.033
13:06	0.033
13:07	0.032
13:08	0.032
13:09	0.032
13:10	0.033
13:11	0.031
13:12	0.029
13:13	0.028
13:14	0.028
13:15	0.027
13:16	0.025
13:17	0.025
13:18	0.023
13:19	0.019
13:20	0.019
13:21	0.017
13:22	0.018
13:23	0.018
13:24	0.018
13:25	0.019
13:26	0.019
13:27	0.019
13:28	0.018
13:29	0.019
13:30	0.018
13:31	0.019
13:32	0.02
13:33	0.019
13:34	0.02
13:35	0.02
13:36	0.02
13:37	0.021

13:38	0.02
13:39	0.02
13:40	0.021
13:41	0.021
13:42	0.02
13:43	0.022
13:44	0.023
13:45	0.021
13:46	0.022
13:47	0.021
13:48	0.02
13:49	0.023
13:50	0.026
13:51	0.023
13:52	0.023
13:53	0.024
13:54	0.024
13:55	0.022
13:56	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading	
592-602816	1/23/2024	14:10	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:09	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:08	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:07	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:06	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	14:05	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:04	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:03	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	14:02	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:01	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	14:00	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:59	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	13:58	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	13:57	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:56	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:55	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:54	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:53	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:52	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:51	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:50	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:49	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:48	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:47	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:46	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:45	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:44	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:43	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:42	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:41	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:40	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	13:39	Readings	PID	SC23030324C7	Normal	0.7

592-602816	1/23/2024	9:33	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:32	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:31	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	9:30	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	9:29	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	9:28	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	9:27	Readings	PID	SC23030324C7	Normal	1.1
592-602816	1/23/2024	9:26	Readings	PID	SC23030324C7	Normal	1.0
592-602816	1/23/2024	9:25	Readings	PID	SC23030324C7	Normal	1.1
592-602816	1/23/2024	9:24	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:23	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:22	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:21	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:20	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:19	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:18	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:17	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:16	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:15	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:14	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	9:13	Readings	PID	SC23030324C7	Normal	0.8
592-602816	1/23/2024	9:12	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:11	Readings	PID	SC23030324C7	Normal	0.7
592-602816	1/23/2024	9:10	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:09	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:08	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:07	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:06	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:05	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:04	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:03	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:02	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:01	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	9:00	Readings	PID	SC23030324C7	Normal	0.6
592-602816	1/23/2024	8:59	Readings	PID	SC23030324C7	Normal	0.6

592-602816	1/23/2024	7:13	Readings	PID	SC23030324C7	Normal	0.0
592-602816	1/23/2024	7:12	Readings	PID	SC23030324C7	Normal	0.0
592-602816	1/23/2024	7:11	Readings	PID	SC23030324C7	Normal	0.0
592-602816	1/23/2024	7:10	Readings	PID	SC23030324C7	Normal	0.0
592-602816	1/23/2024	7:09	Readings	PID	SC23030324C7	Normal	0.0
592-602816	1/23/2024	7:08	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181208
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_008
Test Start Time	6:42:49 AM
Test Start Date	1/23/2024
Test Length [D:H:M]	0:07:05
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.076
PM1 Minimum [mg/m3]	0.01
PM1 Maximum [mg/m3]	0.177
PM1 TWA [mg/m3]	0.11
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	425

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:42	0.177		
6:43	0.072		
6:44	0.074		
6:45	0.071		
6:46	0.024		
6:47	0.017		
6:48	0.076		
6:49	0.076		
6:50	0.075		
6:51	0.074		
6:52	0.075		
6:53	0.074		
6:54	0.075		
6:55	0.074		
6:56	0.073		
6:57	0.073		
6:58	0.073		
6:59	0.073		
7:00	0.073		
7:01	0.073		
7:02	0.073		
7:03	0.077		
7:04	0.018		
7:05	0.082		
7:06	0.079		
7:07	0.018		

7:08	0.018
7:09	0.018
7:10	0.018
7:11	0.083
7:12	0.083
7:13	0.018
7:14	0.082
7:15	0.018
7:16	0.083
7:17	0.083
7:18	0.083
7:19	0.083
7:20	0.083
7:21	0.083
7:22	0.091
7:23	0.097
7:24	0.094
7:25	0.094
7:26	0.096
7:27	0.013
7:28	0.02
7:29	0.01
7:30	0.02
7:31	0.02
7:32	0.02
7:33	0.02
7:34	0.02
7:35	0.02
7:36	0.02
7:37	0.02
7:38	0.02
7:39	0.02
7:40	0.02
7:41	0.02
7:42	0.02
7:43	0.022
7:44	0.027
7:45	0.021
7:46	0.074
7:47	0.075
7:48	0.074
7:49	0.075
7:50	0.074
7:51	0.073
7:52	0.073
7:53	0.073
7:54	0.073

7:55	0.073
7:56	0.073
7:57	0.073
7:58	0.077
7:59	0.018
8:00	0.082
8:01	0.079
8:02	0.018
8:03	0.018
8:04	0.018
8:05	0.018
8:06	0.083
8:07	0.083
8:08	0.018
8:09	0.018
8:10	0.018
8:11	0.02
8:12	0.02
8:13	0.02
8:14	0.02
8:15	0.02
8:16	0.02
8:17	0.022
8:18	0.027
8:19	0.021
8:20	0.074
8:21	0.075
8:22	0.074
8:23	0.075
8:24	0.074
8:25	0.074
8:26	0.074
8:27	0.074
8:28	0.074
8:29	0.074
8:30	0.074
8:31	0.022
8:32	0.027
8:33	0.021
8:34	0.074
8:35	0.075
8:36	0.074
8:37	0.075
8:38	0.074
8:39	0.073
8:40	0.073
8:41	0.073

8:42	0.073
8:43	0.073
8:44	0.073
8:45	0.073
8:46	0.077
8:47	0.018
8:48	0.082
8:49	0.071
8:50	0.024
8:51	0.017
8:52	0.076
8:53	0.076
8:54	0.075
8:55	0.074
8:56	0.075
8:57	0.074
8:58	0.075
8:59	0.074
9:00	0.073
9:01	0.073
9:02	0.073
9:03	0.073
9:04	0.073
9:05	0.073
9:06	0.073
9:07	0.077
9:08	0.018
9:09	0.082
9:10	0.079
9:11	0.018
9:12	0.018
9:13	0.018
9:14	0.018
9:15	0.083
9:16	0.083
9:17	0.018
9:18	0.082
9:19	0.018
9:20	0.083
9:21	0.083
9:22	0.083
9:23	0.083
9:24	0.083
9:25	0.083
9:26	0.091
9:27	0.097
9:28	0.094

9:29	0.094
9:30	0.096
9:31	0.013
9:32	0.073
9:33	0.073
9:34	0.073
9:35	0.073
9:36	0.073
9:37	0.077
9:38	0.018
9:39	0.082
9:40	0.079
9:41	0.018
9:42	0.018
9:43	0.018
9:44	0.018
9:45	0.083
9:46	0.073
9:47	0.073
9:48	0.073
9:49	0.073
9:50	0.073
9:51	0.077
9:52	0.018
9:53	0.082
9:54	0.079
9:55	0.018
9:56	0.018
9:57	0.018
9:58	0.018
9:59	0.073
10:00	0.073
10:01	0.073
10:02	0.073
10:03	0.073
10:04	0.077
10:05	0.018
10:06	0.082
10:07	0.079
10:08	0.018
10:09	0.018
10:10	0.018
10:11	0.018
10:12	0.083
10:13	0.083
10:14	0.018
10:15	0.082

10:16	0.018
10:17	0.083
10:18	0.083
10:19	0.083
10:20	0.091
10:21	0.097
10:22	0.094
10:23	0.094
10:24	0.096
10:25	0.013
10:26	0.073
10:27	0.073
10:28	0.073
10:29	0.073
10:30	0.073
10:31	0.077
10:32	0.018
10:33	0.082
10:34	0.079
10:35	0.018
10:36	0.018
10:37	0.018
10:38	0.018
10:39	0.083
10:40	0.073
10:41	0.073
10:42	0.073
10:43	0.073
10:44	0.073
10:45	0.077
10:46	0.018
10:47	0.082
10:48	0.079
10:49	0.018
10:50	0.018
10:51	0.018
10:52	0.018
10:53	0.073
10:54	0.073
10:55	0.073
10:56	0.073
10:57	0.073
10:58	0.077
10:59	0.018
11:00	0.082
11:01	0.079
11:02	0.018

11:03	0.018
11:04	0.018
11:05	0.018
11:06	0.083
11:07	0.083
11:08	0.018
11:09	0.091
11:10	0.097
11:11	0.094
11:12	0.094
11:13	0.096
11:14	0.013
11:15	0.073
11:16	0.073
11:17	0.073
11:18	0.073
11:19	0.073
11:20	0.077
11:21	0.018
11:22	0.082
11:23	0.079
11:24	0.018
11:25	0.018
11:26	0.018
11:27	0.018
11:28	0.083
11:29	0.073
11:30	0.073
11:31	0.073
11:32	0.073
11:33	0.073
11:34	0.077
11:35	0.018
11:36	0.082
11:37	0.079
11:38	0.018
11:39	0.018
11:40	0.018
11:41	0.018
11:42	0.073
11:43	0.073
11:44	0.073
11:45	0.073
11:46	0.073
11:47	0.077
11:48	0.018
11:49	0.082

11:50	0.091
11:51	0.097
11:52	0.094
11:53	0.094
11:54	0.096
11:55	0.013
11:56	0.073
11:57	0.073
11:58	0.073
11:59	0.073
12:00	0.073
12:01	0.077
12:02	0.018
12:03	0.082
12:04	0.079
12:05	0.018
12:06	0.018
12:07	0.018
12:08	0.018
12:09	0.083
12:10	0.073
12:11	0.073
12:12	0.073
12:13	0.073
12:14	0.091
12:15	0.097
12:16	0.094
12:17	0.094
12:18	0.096
12:19	0.013
12:20	0.073
12:21	0.073
12:22	0.073
12:23	0.073
12:24	0.073
12:25	0.077
12:26	0.018
12:27	0.082
12:28	0.079
12:29	0.018
12:30	0.018
12:31	0.018
12:32	0.018
12:33	0.083
12:34	0.073
12:35	0.073
12:36	0.073

12:37	0.073
12:38	0.073
12:39	0.077
12:40	0.018
12:41	0.082
12:42	0.079
12:43	0.018
12:44	0.018
12:45	0.018
12:46	0.018
12:47	0.073
12:48	0.073
12:49	0.073
12:50	0.073
12:51	0.073
12:52	0.077
12:53	0.018
12:54	0.082
12:55	0.079
12:56	0.018
12:57	0.018
12:58	0.018
12:59	0.018
13:00	0.091
13:01	0.097
13:02	0.094
13:03	0.094
13:04	0.096
13:05	0.013
13:06	0.073
13:07	0.073
13:08	0.073
13:09	0.073
13:10	0.073
13:11	0.077
13:12	0.018
13:13	0.082
13:14	0.079
13:15	0.018
13:16	0.018
13:17	0.018
13:18	0.018
13:19	0.083
13:20	0.073
13:21	0.073
13:22	0.073
13:23	0.073

13:24	0.073
13:25	0.077
13:26	0.018
13:27	0.082
13:28	0.079
13:29	0.018
13:30	0.018
13:31	0.018
13:32	0.018
13:33	0.073
13:34	0.073
13:35	0.073
13:36	0.073
13:37	0.073
13:38	0.077
13:39	0.018
13:40	0.082
13:41	0.079
13:42	0.018
13:43	0.018
13:44	0.018
13:45	0.018
13:46	0.083

Device Serial No	Log Time		Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	1/23/2024	10:51	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:50	Readings	PID	SC23030921B3	Normal	1.7
592-601274	1/23/2024	10:49	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:48	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:47	Readings	PID	SC23030921B3	Normal	1.7
592-601274	1/23/2024	10:46	Readings	PID	SC23030921B3	Normal	1.9
592-601274	1/23/2024	10:45	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:44	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:43	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:42	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:41	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:40	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:39	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:38	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:37	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:36	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:35	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:34	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:33	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:32	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:31	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:30	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:29	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:28	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:27	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:26	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:25	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:24	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:23	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:22	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:21	Readings	PID	SC23030921B3	Normal	1.8
592-601274	1/23/2024	10:20	Readings	PID	SC23030921B3	Normal	1.8

592-601274	1/23/2024	7:59	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:58	Readings	PID	SC23030921B3	Normal	1.3
592-601274	1/23/2024	7:57	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:56	Readings	PID	SC23030921B3	Normal	1.3
592-601274	1/23/2024	7:55	Readings	PID	SC23030921B3	Normal	1.3
592-601274	1/23/2024	7:54	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:53	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:52	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:51	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:50	Readings	PID	SC23030921B3	Normal	1.3
592-601274	1/23/2024	7:49	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:48	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:47	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:46	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:45	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:44	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:43	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:42	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:41	Readings	PID	SC23030921B3	Normal	1.0
592-601274	1/23/2024	7:40	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:39	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:38	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:37	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:36	Readings	PID	SC23030921B3	Normal	1.0
592-601274	1/23/2024	7:35	Readings	PID	SC23030921B3	Normal	1.0
592-601274	1/23/2024	7:34	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:33	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:32	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:31	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:30	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:29	Readings	PID	SC23030921B3	Normal	1.2
592-601274	1/23/2024	7:28	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:27	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:26	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:25	Readings	PID	SC23030921B3	Normal	1.1

592-601274	1/23/2024	7:24	Readings	PID	SC23030921B3	Normal	1.1
592-601274	1/23/2024	7:23	Readings	PID	SC23030921B3	Normal	1.0
592-601274	1/23/2024	7:22	Readings	PID	SC23030921B3	Normal	0.9
592-601274	1/23/2024	7:21	Readings	PID	SC23030921B3	Normal	0.9
592-601274	1/23/2024	7:20	Readings	PID	SC23030921B3	Normal	0.9
592-601274	1/23/2024	7:19	Readings	PID	SC23030921B3	Normal	0.9
592-601274	1/23/2024	7:18	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:17	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:16	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:15	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:14	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:13	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:12	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:11	Readings	PID	SC23030921B3	Normal	0.7
592-601274	1/23/2024	7:10	Readings	PID	SC23030921B3	Normal	0.7
592-601274	1/23/2024	7:09	Readings	PID	SC23030921B3	Normal	0.8
592-601274	1/23/2024	7:08	Readings	PID	SC23030921B3	Normal	0.7
592-601274	1/23/2024	7:07	Readings	PID	SC23030921B3	Normal	0.7
592-601274	1/23/2024	7:06	Readings	PID	SC23030921B3	Normal	0.7
592-601274	1/23/2024	7:05	Readings	PID	SC23030921B3	Normal	0.6
592-601274	1/23/2024	7:04	Readings	PID	SC23030921B3	Normal	0.6
592-601274	1/23/2024	7:03	Readings	PID	SC23030921B3	Normal	0.5
592-601274	1/23/2024	7:02	Readings	PID	SC23030921B3	Normal	0.5
592-601274	1/23/2024	7:01	Readings	PID	SC23030921B3	Normal	0.7
592-601274	1/23/2024	7:00	Readings	PID	SC23030921B3	Normal	0.5
592-601274	1/23/2024	6:59	Readings	PID	SC23030921B3	Normal	0.5
592-601274	1/23/2024	6:58	Readings	PID	SC23030921B3	Normal	0.5
592-601274	1/23/2024	6:57	Readings	PID	SC23030921B3	Normal	0.5
592-601274	1/23/2024	6:56	Readings	PID	SC23030921B3	Normal	0.4
592-601274	1/23/2024	6:55	Readings	PID	SC23030921B3	Normal	0.4
592-601274	1/23/2024	6:54	Readings	PID	SC23030921B3	Normal	0.3
592-601274	1/23/2024	6:53	Readings	PID	SC23030921B3	Normal	0.3
592-601274	1/23/2024	6:52	Readings	PID	SC23030921B3	Normal	0.3
592-601274	1/23/2024	6:51	Readings	PID	SC23030921B3	Normal	0.3
592-601274	1/23/2024	6:50	Readings	PID	SC23030921B3	Normal	0.2

592-601274	1/23/2024	6:49	Readings	PID	SC23030921B3	Normal	0.2
592-601274	1/23/2024	6:48	Readings	PID	SC23030921B3	Normal	0.1
592-601274	1/23/2024	6:47	Readings	PID	SC23030921B3	Normal	0.1
592-601274	1/23/2024	6:46	Readings	PID	SC23030921B3	Normal	0.0
592-601274	1/23/2024	6:45	CONFIG	PID	SC23030921B3		