



**DAILY STATUS REPORT**

**Prepared By:**

Ryan Just

WEATHER	Snow	Rain		Overcast	Partly Cloudy	X	Bright Sun	Wind
TEMP.	< 32	32-50	X	50-70	70-85		>85	WNW- 12 MPH

<b>IEC Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b> 03/18/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY			

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 18:30</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Ryan Just Broadway Construction Group - Tom Caporale Cascade WSP- Charlie Lambert</p> <p><b>Equipment On Site:</b> Minirae 3000 PID, DustTrak II</p>
---	--

**Scope of Work:** Continue ISS column installation along the southern portion of the Site, along Douglass Street, and loadout of swell material for offsite disposal.

- Site Activities:**
- Deploy three (3) CAMPs at the Start of the work day;
  - Cascade stockpiled swell material on poly in the eastern portion of the site, this material will be sampled prior to disposal;
  - Twelve (12) truckloads of Swell Stockpile - 030624 material were removed offsite for disposal at Conestoga. It should be noted that this material is segregated from the swell material that has not yet been tested;
  - Cascade received two (2) deliveries of slag and one (1) delivery of Portland cement;
    - Cascade drilled **Column 38**, column spec below:
      - The column was 8’ diameter and drilled 36’ deep from Site grade;
      - The column consisted of a total of 15 batches;
    - Cascade drilled **Column 106**, column spec below:
      - The column was 8’ diameter and drilled 36’ deep from Site grade;
      - The column consisted of a total of 14 batches;
    - Cascade drilled **Column 108**, column spec below:
      - The column was 8’ diameter and drilled 36’ deep from Site grade;
      - The column consisted of a total of 14 batches;
    - Cascade drilled **Column 110**, column spec below:
      - The column was 8’ diameter and drilled 36’ deep from Site grade;
      - The column consisted of a total of 13 batches;
    - Cascade drilled **Column 112**, column spec below:
      - The column was 8’ diameter and drilled 36’ deep from Site grade;
      - The column consisted of a total of 13 batches;

\*Site grade refers to the elevation of the site after the 4' excavation was completed.

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day.
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.014\_ mg/m<sup>3</sup> @ 07:09
- High Conditions (Upwind) – PID = \_0.0\_ ppm @ 07:09, Dust = \_0.188\_ mg/m<sup>3</sup> @ 10:43
- High Conditions (Downwind 1) – PID = \_0.2\_ ppm @ 08:21, Dust = \_0.132\_ mg/m<sup>3</sup> @ 10:13
- High Conditions (Downwind 2) – PID = \_1.3\_ ppm @ 16:45, Dust = \_0.264\_ mg/m<sup>3</sup> @ 13:25

**Notable Site Conditions:**

- The new ATMOS foam pump delivery has been delayed until tomorrow (3/19).

**Planned for the Next Day/Week:**

- Continue ISS column installation.



**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative  
photo of drilling  
ISS column.



**Photo 2-**  
Representative  
photo of swell  
material being  
removed for  
offsite disposal.



**Photo 3-**  
Representative photo of truck tires being washed before leaving the site over track pad.




**Photo 4-**  
Representative photo of a swell stockpile covered at the end of the day in poly.



**SITE PLANS**

251 DOUGLASS STREET, BROOKLYN, NY





© 2023 TERRACON INC. ALL RIGHTS RESERVED

PROJECT DATE: 12/13/2023

170 KEYLAND COURT, BROOKLYN, NY 11201  
TEL: 631.269.8800




NOTES:

1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL, 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

LEGEND:

-  EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
-  EIGHT FOOT DIA. INNER COLUMN (TYP.)
-  SIX FOOT DIA. COLUMN (TYP.)



ISS columns  
38, 106, 108,  
110, and 112  
completed on  
3/18/2024.

SCALE:		SHEET NO. <b>D</b>		REV. <b>A</b>	
PROJECT NO. 251 DOUGLAS STREET BROOKLYN, NEW YORK		DATE: 12/13/2023		DRAWN BY: [Name]	
PROJECT NAME: 251 DOUGLAS STREET BROOKLYN, NEW YORK		DATE: 12/13/2023		CHECKED BY: [Name]	
PROJECT ADDRESS: 251 DOUGLAS STREET BROOKLYN, NEW YORK		DATE: 12/13/2023		APPROVED BY: [Name]	
PROJECT CLIENT: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT LOCATION: 251 DOUGLAS STREET BROOKLYN, NEW YORK		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT TYPE: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT STATUS: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT PHASE: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT DESCRIPTION: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT CONTACT: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT PHONE: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT FAX: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT EMAIL: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT WEBSITE: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT SOCIAL MEDIA: ISS		DATE: 12/13/2023		DATE: 12/13/2023	
PROJECT OTHER: ISS		DATE: 12/13/2023		DATE: 12/13/2023	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c38a  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 03:48 PM	
Max. depth: 37.5 ft.		End Date: 03/18/2024	
Volume/m 1: 28.25 ft³		End time: 04:20 PM	
		Production duration: 00:31:44	
		Final depth time: 04:12 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c38b  
Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 04:20 PM	
Max. depth: 37.59 ft.		End Date: 03/18/2024	
Volume/m 1: 19.42 ft³		End time: 04:41 PM	
		Production duration: 00:20:44	
		Final depth time: 04:31 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c106a  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 02:47 PM	
Max. depth: 37.63 ft.		End Date: 03/18/2024	
Volume/m 1: 21.89 ft³		End time: 03:13 PM	
		Production duration: 00:25:53	
		Final depth time: 03:05 PM	
		Total suspension quantity:	



# SCM Report




Project name: Douglass Street BCG ISS      Element name: c106b  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 03:13 PM	
Max. depth: 37.7 ft.		End Date: 03/18/2024	
Volume/m 1: 20.48 ft³		End time: 03:35 PM	
		Production duration: 00:22:47	
		Final depth time: 03:24 PM	
		Total suspension quantity:	



# SCM Report





Project name: Douglass Street BCG ISS      Element name: c108a  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 01:11 PM	
Max. depth: 37.56 ft.		End Date: 03/18/2024	
Volume/m 1: 22.95 ft³		End time: 01:40 PM	
		Production duration: 00:29:30	
		Final depth time: 01:32 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c108b  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 01:41 PM	
Max. depth: 37.92 ft.		End Date: 03/18/2024	
Volume/m 1: 22.24 ft³		End time: 02:07 PM	
		Production duration: 00:26:41	
		Final depth time: 01:52 PM	
		Total suspension quantity:	



# SCM Report




Project name: Douglass Street BCG ISS      Element name: c110a  
Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 11:43 AM	
Max. depth: 38.12 ft.		End Date: 03/18/2024	
Volume/m 1: 22.6 ft³		End time: 12:11 PM	
		Production duration: 00:28:07	
		Final depth time: 12:03 PM	
		Total suspension quantity:	



# SCM Report




Project name: Douglass Street BCG ISS      Element name: c110b  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 12:12 PM	
Max. depth: 37.69 ft.		End Date: 03/18/2024	
Volume/m 1: 18.36 ft³		End time: 12:34 PM	
		Production duration: 00:21:47	
		Final depth time: 12:25 PM	
		Total suspension quantity	




# SCM Report



Project name	Douglass Street BCG ISS	Element name	c112a
		Project number	
		Start date	03/18/2024
Drilling rig	BG36H_5717		

<b>Details</b>			
Max. depth	38.15 ft.	Start time	10:19 AM
Volume/m 1	27.19 ft³	End Date	03/18/2024
		End time	10:52 AM
		Production duration	00:33:16
		Final depth time	10:44 AM
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c112b  
 Project number

Start date: 03/18/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 10:53 AM	
Max. depth: 38.02 ft.		End Date: 03/18/2024	
Volume/m 1: 10.59 ft³		End time: 11:12 AM	
		Production duration: 00:18:51	
		Final depth time: 11:03 AM	
		Total suspension quantity:	





**IMPACT ENVIRONMENTAL**

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

[www.impactenvironmental.com](http://www.impactenvironmental.com)

---

**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_004
Test Start Time	6:50:09 AM
Test Start Date	3/18/2024
Test Length [D:H:M]	0:10:42
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.013
PM1 Minimum [mg/m3]	0.009
PM1 Maximum [mg/m3]	0.188
PM1 TWA [mg/m3]	0.013
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	642

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
7:09	0.014		
7:10	0.01		
7:11	0.01		
7:12	0.012		
7:13	0.011		
7:14	0.012		
7:15	0.011		
7:16	0.01		
7:17	0.009		
7:18	0.009		
7:19	0.009		
7:20	0.009		
7:21	0.009		
7:22	0.009		
7:23	0.009		
7:24	0.01		
7:25	0.01		
7:26	0.01		
7:27	0.011		
7:28	0.01		
7:29	0.01		
7:30	0.011		
7:31	0.01		

7:32	0.01
7:33	0.011
7:34	0.011
7:35	0.016
7:36	0.017
7:37	0.013
7:38	0.009
7:39	0.009
7:40	0.01
7:41	0.011
7:42	0.011
7:43	0.01
7:44	0.011
7:45	0.011
7:46	0.011
7:47	0.011
7:48	0.018
7:49	0.016
7:50	0.015
7:51	0.01
7:52	0.01
7:53	0.01
7:54	0.012
7:55	0.009
7:56	0.01
7:57	0.011
7:58	0.01
7:59	0.01
8:00	0.016
8:01	0.01
8:02	0.01
8:03	0.01
8:04	0.01
8:05	0.01
8:06	0.01
8:07	0.009
8:08	0.01
8:09	0.011
8:10	0.009
8:11	0.016
8:12	0.011
8:13	0.01
8:14	0.01
8:15	0.01

8:16	0.012
8:17	0.01
8:18	0.011
8:19	0.01
8:20	0.011
8:21	0.011
8:22	0.01
8:23	0.01
8:24	0.014
8:25	0.011
8:26	0.01
8:27	0.011
8:28	0.011
8:29	0.011
8:30	0.01
8:31	0.01
8:32	0.01
8:33	0.012
8:34	0.011
8:35	0.012
8:36	0.011
8:37	0.012
8:38	0.021
8:39	0.011
8:40	0.011
8:41	0.01
8:42	0.01
8:43	0.011
8:44	0.011
8:45	0.01
8:46	0.01
8:47	0.011
8:48	0.01
8:49	0.01
8:50	0.01
8:51	0.009
8:52	0.009
8:53	0.01
8:54	0.009
8:55	0.01
8:56	0.01
8:57	0.009
8:58	0.01
8:59	0.01

9:00	0.01
9:01	0.011
9:02	0.01
9:03	0.012
9:04	0.01
9:05	0.01
9:06	0.01
9:07	0.011
9:08	0.011
9:09	0.012
9:10	0.011
9:11	0.01
9:12	0.012
9:13	0.011
9:14	0.011
9:15	0.01
9:16	0.01
9:17	0.01
9:18	0.011
9:19	0.01
9:20	0.014
9:21	0.011
9:22	0.01
9:23	0.01
9:24	0.01
9:25	0.01
9:26	0.01
9:27	0.01
9:28	0.01
9:29	0.011
9:30	0.01
9:31	0.012
9:32	0.01
9:33	0.01
9:34	0.011
9:35	0.013
9:36	0.013
9:37	0.012
9:38	0.012
9:39	0.024
9:40	0.02
9:41	0.035
9:42	0.023
9:43	0.02

9:44	0.023
9:45	0.026
9:46	0.025
9:47	0.016
9:48	0.018
9:49	0.021
9:50	0.019
9:51	0.018
9:52	0.018
9:53	0.027
9:54	0.016
9:55	0.015
9:56	0.017
9:57	0.022
9:58	0.021
9:59	0.018
10:00	0.021
10:01	0.026
10:02	0.025
10:03	0.02
10:04	0.019
10:05	0.02
10:06	0.018
10:07	0.021
10:08	0.016
10:09	0.026
10:10	0.02
10:11	0.027
10:12	0.017
10:13	0.017
10:14	0.018
10:15	0.018
10:16	0.017
10:17	0.018
10:18	0.019
10:19	0.018
10:20	0.028
10:21	0.018
10:22	0.019
10:23	0.018
10:24	0.021
10:25	0.016
10:26	0.024
10:27	0.019

10:28	0.014
10:29	0.018
10:30	0.012
10:31	0.017
10:32	0.016
10:33	0.014
10:34	0.015
10:35	0.016
10:36	0.019
10:37	0.015
10:38	0.015
10:39	0.014
10:40	0.016
10:41	0.02
10:42	0.018
10:43	0.188
10:44	0.029
10:45	0.016
10:46	0.01
10:47	0.011
10:48	0.01
10:49	0.011
10:50	0.01
10:51	0.023
10:52	0.012
10:53	0.011
10:54	0.013
10:55	0.019
10:56	0.011
10:57	0.01
10:58	0.014
10:59	0.01
11:00	0.01
11:01	0.012
11:02	0.013
11:03	0.013
11:04	0.01
11:05	0.018
11:06	0.016
11:07	0.014
11:08	0.013
11:09	0.011
11:10	0.012
11:11	0.011

11:12	0.015
11:13	0.017
11:14	0.016
11:15	0.013
11:16	0.012
11:17	0.013
11:18	0.014
11:19	0.012
11:20	0.011
11:21	0.011
11:22	0.01
11:23	0.01
11:24	0.011
11:25	0.016
11:26	0.015
11:27	0.013
11:28	0.011
11:29	0.012
11:30	0.037
11:31	0.067
11:32	0.015
11:33	0.012
11:34	0.013
11:35	0.012
11:36	0.011
11:37	0.011
11:38	0.011
11:39	0.011
11:40	0.009
11:41	0.011
11:42	0.012
11:43	0.015
11:44	0.013
11:45	0.01
11:46	0.011
11:47	0.009
11:48	0.009
11:49	0.009
11:50	0.009
11:51	0.009
11:52	0.01
11:53	0.015
11:54	0.015
11:55	0.012

11:56	0.011
11:57	0.014
11:58	0.012
11:59	0.018
12:00	0.013
12:01	0.01
12:02	0.011
12:03	0.01
12:04	0.018
12:05	0.011
12:06	0.009
12:07	0.011
12:08	0.016
12:09	0.013
12:10	0.011
12:11	0.011
12:12	0.01
12:13	0.01
12:14	0.011
12:15	0.012
12:16	0.011
12:17	0.012
12:18	0.01
12:19	0.01
12:20	0.014
12:21	0.012
12:22	0.01
12:23	0.015
12:24	0.011
12:25	0.01
12:26	0.012
12:27	0.023
12:28	0.013
12:29	0.013
12:30	0.011
12:31	0.01
12:32	0.01
12:33	0.01
12:34	0.01
12:35	0.011
12:36	0.011
12:37	0.012
12:38	0.014
12:39	0.011

12:40	0.01
12:41	0.01
12:42	0.015
12:43	0.016
12:44	0.011
12:45	0.011
12:46	0.011
12:47	0.014
12:48	0.018
12:49	0.016
12:50	0.01
12:51	0.017
12:52	0.012
12:53	0.011
12:54	0.014
12:55	0.01
12:56	0.01
12:57	0.013
12:58	0.012
12:59	0.01
13:00	0.011
13:01	0.011
13:02	0.011
13:03	0.013
13:04	0.017
13:05	0.012
13:06	0.012
13:07	0.011
13:08	0.01
13:09	0.01
13:10	0.011
13:11	0.013
13:12	0.017
13:13	0.012
13:14	0.01
13:15	0.01
13:16	0.012
13:17	0.01
13:18	0.011
13:19	0.012
13:20	0.011
13:21	0.011
13:22	0.01
13:23	0.01

13:24	0.011
13:25	0.012
13:26	0.011
13:27	0.01
13:28	0.01
13:29	0.011
13:30	0.012
13:31	0.012
13:32	0.012
13:33	0.01
13:34	0.013
13:35	0.011
13:36	0.015
13:37	0.013
13:38	0.016
13:39	0.014
13:40	0.012
13:41	0.01
13:42	0.011
13:43	0.012
13:44	0.014
13:45	0.012
13:46	0.013
13:47	0.018
13:48	0.012
13:49	0.02
13:50	0.018
13:51	0.011
13:52	0.01
13:53	0.011
13:54	0.011
13:55	0.022
13:56	0.016
13:57	0.011
13:58	0.01
13:59	0.011
14:00	0.017
14:01	0.02
14:02	0.012
14:03	0.016
14:04	0.011
14:05	0.01
14:06	0.011
14:07	0.011

14:08	0.012
14:09	0.009
14:10	0.01
14:11	0.01
14:12	0.011
14:13	0.01
14:14	0.012
14:15	0.014
14:16	0.016
14:17	0.011
14:18	0.01
14:19	0.01
14:20	0.011
14:21	0.012
14:22	0.011
14:23	0.01
14:24	0.01
14:25	0.012
14:26	0.011
14:27	0.011
14:28	0.01
14:29	0.032
14:30	0.01
14:31	0.01
14:32	0.01
14:33	0.009
14:34	0.01
14:35	0.009
14:36	0.01
14:37	0.011
14:38	0.01
14:39	0.011
14:40	0.01
14:41	0.011
14:42	0.01
14:43	0.012
14:44	0.015
14:45	0.013
14:46	0.013
14:47	0.012
14:48	0.012
14:49	0.011
14:50	0.011
14:51	0.012

14:52	0.015
14:53	0.01
14:54	0.011
14:55	0.011
14:56	0.013
14:57	0.012
14:58	0.011
14:59	0.01
15:00	0.01
15:01	0.009
15:02	0.009
15:03	0.01
15:04	0.01
15:05	0.011
15:06	0.012
15:07	0.01
15:08	0.013
15:09	0.019
15:10	0.024
15:11	0.012
15:12	0.011
15:13	0.012
15:14	0.011
15:15	0.01
15:16	0.012
15:17	0.017
15:18	0.012
15:19	0.011
15:20	0.016
15:21	0.01
15:22	0.011
15:23	0.011
15:24	0.01
15:25	0.01
15:26	0.01
15:27	0.01
15:28	0.01
15:29	0.01
15:30	0.01
15:31	0.012
15:32	0.011
15:33	0.011
15:34	0.011
15:35	0.011

15:36	0.011
15:37	0.011
15:38	0.011
15:39	0.016
15:40	0.011
15:41	0.013
15:42	0.011
15:43	0.015
15:44	0.011
15:45	0.012
15:46	0.013
15:47	0.01
15:48	0.011
15:49	0.012
15:50	0.01
15:51	0.01
15:52	0.01
15:53	0.01
15:54	0.01
15:55	0.026
15:56	0.011
15:57	0.012
15:58	0.012
15:59	0.011
16:00	0.01
16:01	0.01
16:02	0.013
16:03	0.012
16:04	0.015
16:05	0.021
16:06	0.015
16:07	0.01
16:08	0.01
16:09	0.009
16:10	0.009
16:11	0.009
16:12	0.009
16:13	0.009
16:14	0.009
16:15	0.01
16:16	0.01
16:17	0.01
16:18	0.01
16:19	0.011

16:20	0.012
16:21	0.011
16:22	0.013
16:23	0.011
16:24	0.01
16:25	0.009
16:26	0.011
16:27	0.011
16:28	0.009
16:29	0.009
16:30	0.009
16:31	0.009
16:32	0.009
16:33	0.009
16:34	0.009
16:35	0.009
16:36	0.009
16:37	0.011
16:38	0.022
16:39	0.01
16:40	0.009
16:41	0.01
16:42	0.01
16:43	0.013
16:44	0.01
16:45	0.009
16:46	0.009
16:47	0.009
16:48	0.01
16:49	0.01
16:50	0.009
16:51	0.01
16:52	0.01
16:53	0.009
16:54	0.009
16:55	0.009
16:56	0.009
16:57	0.009
16:58	0.011
16:59	0.027
17:00	0.013
17:01	0.011
17:02	0.011
17:03	0.01

17:04	0.009
17:05	0.012
17:06	0.009
17:07	0.011
17:08	0.009
17:09	0.012
17:10	0.01
17:11	0.009
17:12	0.009
17:13	0.012
17:14	0.012
17:15	0.009
17:16	0.009
17:17	0.009
17:18	0.009
17:19	0.009
17:20	0.009
17:21	0.009
17:22	0.009
17:23	0.009
17:24	0.009
17:25	0.009
17:26	0.009
17:27	0.01
17:28	0.009
17:29	0.009
17:30	0.01
17:31	0.009
17:32	0.01
17:33	0.009
17:34	0.009
17:35	0.011
17:36	0.01
17:37	0.009
17:38	0.009
17:39	0.01
17:40	0.009
17:41	0.012
17:42	0.01
17:43	0.009
17:44	0.009
17:45	0.009
17:46	0.009
17:47	0.009

17:48	0.009
17:49	0.009
17:50	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	3/18/2024 7:09	CONFIG	PID	SC23030921B3		
592-601274	3/18/2024 7:10	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:11	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:12	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:13	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:14	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:15	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:16	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:17	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:18	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:19	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:20	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:21	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:22	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:23	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:24	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:25	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:26	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:27	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:28	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:29	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:30	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:31	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:32	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:33	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:34	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:35	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:36	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:37	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:38	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:39	Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 7:40	Readings	PID	SC23030921B3	Normal	0





































592-601274	3/18/2024 17:35 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:36 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:37 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:38 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:39 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:40 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:41 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:42 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:43 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:44 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:45 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:46 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:47 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:48 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:49 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:50 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:51 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:52 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:53 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:54 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:55 Readings	PID	SC23030921B3	Normal	0
592-601274	3/18/2024 17:56 Readings	PID	SC23030921B3	Normal	0

**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_028
Test Start Time	7:05:40 AM
Test Start Date	3/18/2024
Test Length [D:H:M]	0:10:47
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.132
Mass TWA [mg/m3]	0.013
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	647

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:05	0.054		
7:06	0.008		
7:07	0.006		
7:08	0.006		
7:09	0.007		
7:10	0.006		
7:11	0.006		
7:12	0.006		
7:13	0.007		
7:14	0.007		
7:15	0.006		
7:16	0.009		
7:17	0.009		
7:18	0.006		
7:19	0.007		
7:20	0.007		
7:21	0.006		
7:22	0.006		
7:23	0.006		
7:24	0.006		
7:25	0.006		
7:26	0.006		
7:27	0.005		
7:28	0.007		

7:29	0.006
7:30	0.006
7:31	0.006
7:32	0.006
7:33	0.005
7:34	0.011
7:35	0.006
7:36	0.008
7:37	0.007
7:38	0.006
7:39	0.006
7:40	0.007
7:41	0.024
7:42	0.006
7:43	0.006
7:44	0.005
7:45	0.006
7:46	0.006
7:47	0.009
7:48	0.007
7:49	0.009
7:50	0.009
7:51	0.011
7:52	0.009
7:53	0.007
7:54	0.005
7:55	0.006
7:56	0.007
7:57	0.007
7:58	0.007
7:59	0.006
8:00	0.006
8:01	0.016
8:02	0.006
8:03	0.006
8:04	0.008
8:05	0.006
8:06	0.007
8:07	0.007
8:08	0.008
8:09	0.016
8:10	0.007
8:11	0.005
8:12	0.005

8:13	0.005
8:14	0.005
8:15	0.008
8:16	0.008
8:17	0.006
8:18	0.007
8:19	0.008
8:20	0.007
8:21	0.007
8:22	0.008
8:23	0.01
8:24	0.015
8:25	0.008
8:26	0.008
8:27	0.007
8:28	0.007
8:29	0.006
8:30	0.009
8:31	0.007
8:32	0.021
8:33	0.036
8:34	0.006
8:35	0.006
8:36	0.007
8:37	0.008
8:38	0.008
8:39	0.009
8:40	0.011
8:41	0.007
8:42	0.021
8:43	0.021
8:44	0.01
8:45	0.006
8:46	0.006
8:47	0.006
8:48	0.008
8:49	0.008
8:50	0.008
8:51	0.006
8:52	0.006
8:53	0.007
8:54	0.006
8:55	0.006
8:56	0.006

8:57	0.007
8:58	0.006
8:59	0.007
9:00	0.006
9:01	0.006
9:02	0.006
9:03	0.006
9:04	0.007
9:05	0.006
9:06	0.005
9:07	0.008
9:08	0.006
9:09	0.006
9:10	0.006
9:11	0.008
9:12	0.006
9:13	0.007
9:14	0.007
9:15	0.006
9:16	0.006
9:17	0.007
9:18	0.007
9:19	0.007
9:20	0.023
9:21	0.01
9:22	0.007
9:23	0.006
9:24	0.008
9:25	0.009
9:26	0.013
9:27	0.006
9:28	0.008
9:29	0.009
9:30	0.013
9:31	0.007
9:32	0.007
9:33	0.007
9:34	0.007
9:35	0.006
9:36	0.018
9:37	0.01
9:38	0.008
9:39	0.01
9:40	0.012

9:41	0.007
9:42	0.007
9:43	0.008
9:44	0.019
9:45	0.012
9:46	0.03
9:47	0.026
9:48	0.034
9:49	0.035
9:50	0.021
9:51	0.015
9:52	0.015
9:53	0.017
9:54	0.01
9:55	0.038
9:56	0.023
9:57	0.01
9:58	0.034
9:59	0.038
10:00	0.014
10:01	0.008
10:02	0.013
10:03	0.029
10:04	0.016
10:05	0.034
10:06	0.027
10:07	0.023
10:08	0.018
10:09	0.022
10:10	0.03
10:11	0.018
10:12	0.025
10:13	0.132
10:14	0.021
10:15	0.025
10:16	0.021
10:17	0.06
10:18	0.021
10:19	0.03
10:20	0.022
10:21	0.015
10:22	0.035
10:23	0.014
10:24	0.015

10:25	0.018
10:26	0.013
10:27	0.017
10:28	0.081
10:29	0.022
10:30	0.043
10:31	0.029
10:32	0.046
10:33	0.029
10:34	0.031
10:35	0.019
10:36	0.024
10:37	0.013
10:38	0.011
10:39	0.016
10:40	0.011
10:41	0.012
10:42	0.019
10:43	0.02
10:44	0.016
10:45	0.017
10:46	0.018
10:47	0.021
10:48	0.029
10:49	0.032
10:50	0.009
10:51	0.009
10:52	0.01
10:53	0.009
10:54	0.009
10:55	0.01
10:56	0.008
10:57	0.011
10:58	0.014
10:59	0.03
11:00	0.011
11:01	0.011
11:02	0.01
11:03	0.011
11:04	0.009
11:05	0.012
11:06	0.011
11:07	0.012
11:08	0.012

11:09	0.011
11:10	0.016
11:11	0.022
11:12	0.011
11:13	0.012
11:14	0.009
11:15	0.011
11:16	0.011
11:17	0.025
11:18	0.031
11:19	0.012
11:20	0.01
11:21	0.01
11:22	0.019
11:23	0.009
11:24	0.008
11:25	0.008
11:26	0.008
11:27	0.009
11:28	0.009
11:29	0.012
11:30	0.011
11:31	0.01
11:32	0.012
11:33	0.011
11:34	0.103
11:35	0.062
11:36	0.027
11:37	0.025
11:38	0.01
11:39	0.016
11:40	0.011
11:41	0.038
11:42	0.01
11:43	0.008
11:44	0.007
11:45	0.007
11:46	0.013
11:47	0.011
11:48	0.011
11:49	0.008
11:50	0.01
11:51	0.007
11:52	0.01

11:53	0.008
11:54	0.006
11:55	0.007
11:56	0.008
11:57	0.007
11:58	0.016
11:59	0.012
12:00	0.007
12:01	0.013
12:02	0.014
12:03	0.026
12:04	0.017
12:05	0.01
12:06	0.007
12:07	0.008
12:08	0.016
12:09	0.013
12:10	0.007
12:11	0.008
12:12	0.026
12:13	0.044
12:14	0.01
12:15	0.009
12:16	0.007
12:17	0.008
12:18	0.008
12:19	0.023
12:20	0.009
12:21	0.009
12:22	0.008
12:23	0.008
12:24	0.008
12:25	0.008
12:26	0.008
12:27	0.023
12:28	0.017
12:29	0.008
12:30	0.009
12:31	0.052
12:32	0.032
12:33	0.015
12:34	0.018
12:35	0.008
12:36	0.008

12:37	0.009
12:38	0.009
12:39	0.009
12:40	0.01
12:41	0.009
12:42	0.009
12:43	0.008
12:44	0.008
12:45	0.009
12:46	0.013
12:47	0.014
12:48	0.008
12:49	0.011
12:50	0.009
12:51	0.009
12:52	0.009
12:53	0.053
12:54	0.01
12:55	0.009
12:56	0.014
12:57	0.012
12:58	0.013
12:59	0.008
13:00	0.007
13:01	0.01
13:02	0.02
13:03	0.007
13:04	0.009
13:05	0.01
13:06	0.008
13:07	0.009
13:08	0.011
13:09	0.01
13:10	0.01
13:11	0.011
13:12	0.008
13:13	0.008
13:14	0.009
13:15	0.008
13:16	0.015
13:17	0.016
13:18	0.008
13:19	0.008
13:20	0.008

13:21	0.01
13:22	0.008
13:23	0.01
13:24	0.01
13:25	0.008
13:26	0.008
13:27	0.008
13:28	0.01
13:29	0.015
13:30	0.012
13:31	0.011
13:32	0.008
13:33	0.008
13:34	0.008
13:35	0.008
13:36	0.009
13:37	0.007
13:38	0.007
13:39	0.008
13:40	0.011
13:41	0.019
13:42	0.009
13:43	0.008
13:44	0.012
13:45	0.008
13:46	0.008
13:47	0.009
13:48	0.017
13:49	0.014
13:50	0.009
13:51	0.038
13:52	0.01
13:53	0.011
13:54	0.012
13:55	0.01
13:56	0.009
13:57	0.009
13:58	0.012
13:59	0.009
14:00	0.024
14:01	0.014
14:02	0.008
14:03	0.008
14:04	0.014

14:05	0.014
14:06	0.011
14:07	0.009
14:08	0.011
14:09	0.008
14:10	0.009
14:11	0.009
14:12	0.009
14:13	0.008
14:14	0.008
14:15	0.008
14:16	0.013
14:17	0.009
14:18	0.009
14:19	0.013
14:20	0.013
14:21	0.019
14:22	0.008
14:23	0.008
14:24	0.009
14:25	0.009
14:26	0.011
14:27	0.008
14:28	0.008
14:29	0.008
14:30	0.011
14:31	0.026
14:32	0.013
14:33	0.008
14:34	0.007
14:35	0.01
14:36	0.007
14:37	0.007
14:38	0.008
14:39	0.008
14:40	0.008
14:41	0.012
14:42	0.009
14:43	0.009
14:44	0.009
14:45	0.01
14:46	0.009
14:47	0.012
14:48	0.02

14:49	0.017
14:50	0.014
14:51	0.011
14:52	0.012
14:53	0.012
14:54	0.01
14:55	0.009
14:56	0.01
14:57	0.01
14:58	0.009
14:59	0.012
15:00	0.014
15:01	0.011
15:02	0.013
15:03	0.009
15:04	0.008
15:05	0.008
15:06	0.008
15:07	0.008
15:08	0.009
15:09	0.009
15:10	0.01
15:11	0.009
15:12	0.009
15:13	0.02
15:14	0.013
15:15	0.01
15:16	0.008
15:17	0.013
15:18	0.013
15:19	0.009
15:20	0.01
15:21	0.01
15:22	0.01
15:23	0.009
15:24	0.019
15:25	0.011
15:26	0.008
15:27	0.01
15:28	0.008
15:29	0.009
15:30	0.009
15:31	0.008
15:32	0.008

15:33	0.008
15:34	0.008
15:35	0.009
15:36	0.009
15:37	0.009
15:38	0.009
15:39	0.008
15:40	0.008
15:41	0.009
15:42	0.008
15:43	0.008
15:44	0.011
15:45	0.009
15:46	0.008
15:47	0.008
15:48	0.007
15:49	0.007
15:50	0.013
15:51	0.008
15:52	0.008
15:53	0.012
15:54	0.01
15:55	0.007
15:56	0.007
15:57	0.007
15:58	0.007
15:59	0.009
16:00	0.01
16:01	0.009
16:02	0.008
16:03	0.008
16:04	0.007
16:05	0.007
16:06	0.008
16:07	0.009
16:08	0.01
16:09	0.008
16:10	0.008
16:11	0.035
16:12	0.007
16:13	0.008
16:14	0.007
16:15	0.007
16:16	0.006

16:17	0.007
16:18	0.007
16:19	0.008
16:20	0.007
16:21	0.007
16:22	0.007
16:23	0.007
16:24	0.007
16:25	0.007
16:26	0.014
16:27	0.01
16:28	0.007
16:29	0.007
16:30	0.007
16:31	0.009
16:32	0.008
16:33	0.007
16:34	0.007
16:35	0.007
16:36	0.007
16:37	0.007
16:38	0.007
16:39	0.006
16:40	0.007
16:41	0.007
16:42	0.012
16:43	0.008
16:44	0.007
16:45	0.007
16:46	0.008
16:47	0.007
16:48	0.018
16:49	0.009
16:50	0.007
16:51	0.008
16:52	0.007
16:53	0.012
16:54	0.007
16:55	0.007
16:56	0.008
16:57	0.007
16:58	0.007
16:59	0.007
17:00	0.007

17:01	0.007
17:02	0.007
17:03	0.012
17:04	0.021
17:05	0.007
17:06	0.009
17:07	0.01
17:08	0.009
17:09	0.007
17:10	0.011
17:11	0.007
17:12	0.008
17:13	0.082
17:14	0.009
17:15	0.008
17:16	0.007
17:17	0.008
17:18	0.022
17:19	0.007
17:20	0.008
17:21	0.007
17:22	0.007
17:23	0.007
17:24	0.007
17:25	0.007
17:26	0.007
17:27	0.007
17:28	0.008
17:29	0.01
17:30	0.007
17:31	0.008
17:32	0.007
17:33	0.007
17:34	0.007
17:35	0.007
17:36	0.008
17:37	0.008
17:38	0.007
17:39	0.008
17:40	0.007
17:41	0.007
17:42	0.007
17:43	0.007
17:44	0.006

17:45	0.01
17:46	0.009
17:47	0.006
17:48	0.009
17:49	0.006
17:50	0.006
17:51	0.007

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	3/18/2024 7:19	CONFIG	PID	SC23030324C7		
592-602816	3/18/2024 7:20	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:21	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:22	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:23	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:24	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:25	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:26	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:27	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:28	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:29	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:30	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:31	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:32	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:33	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:34	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:35	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:36	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:37	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:38	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:39	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:40	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:41	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:42	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:43	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:44	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:45	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:46	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:47	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:48	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:49	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:50	Readings	PID	SC23030324C7	Normal	0

592-602816	3/18/2024 7:51 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:52 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 7:53 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 7:54 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 7:55 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 7:56 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 7:57 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 7:58 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 7:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:00 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:03 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:05 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:06 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:07 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:08 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:10 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:15 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:16 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:17 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:18 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:19 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:20 Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 8:21 Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 8:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 8:23 Readings	PID	SC23030324C7	Normal	0.2





592-602816	3/18/2024 9:30	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:31	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:32	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:33	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:34	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:35	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:36	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:37	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:38	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:39	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:40	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:41	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:42	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:43	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:44	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:45	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:46	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:47	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:48	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:49	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:50	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:51	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:52	Readings	PID	SC23030324C7	Normal	0.2
592-602816	3/18/2024 9:53	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:54	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:55	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:56	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:57	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:58	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 9:59	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:00	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:01	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:02	Readings	PID	SC23030324C7	Normal	0.1



592-602816	3/18/2024 10:36	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:37	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:38	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:39	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:40	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:41	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:42	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:43	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:44	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:45	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:46	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:47	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:48	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:49	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:50	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:51	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:52	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:53	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:54	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 10:55	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:56	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:57	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:58	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 10:59	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:00	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:01	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:02	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:03	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:04	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:05	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:06	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:07	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:08	Readings	PID	SC23030324C7	Normal	0

592-602816	3/18/2024 11:09	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:10	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:11	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:12	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:13	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:14	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:15	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:16	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:17	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:18	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:19	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:20	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:21	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:22	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:23	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:24	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:25	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:26	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:27	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 11:28	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 11:29	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 11:30	Readings	PID	SC23030324C7	Normal	0.1
592-602816	3/18/2024 11:31	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:32	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:33	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:34	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:35	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:36	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:37	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:38	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:39	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:40	Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 11:41	Readings	PID	SC23030324C7	Normal	0























592-602816	3/18/2024 17:45 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:46 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:47 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:48 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:49 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:50 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:51 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:52 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:53 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:54 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:55 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:56 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:57 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:58 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 17:59 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 18:00 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 18:01 Readings	PID	SC23030324C7	Normal	0
592-602816	3/18/2024 18:02 Readings	PID	SC23030324C7	Normal	0

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530123704
Firmware Version	3.1
Calibration Date	8/18/2023
Test Name	MANUAL_004
Test Start Time	5:58:09 AM
Test Start Date	3/18/2024
Test Length [D:H:M]	0:10:41
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.011
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.264
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	641

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:10	0.025		
7:11	0.005		
7:12	0.006		
7:13	0.008		
7:14	0.004		
7:15	0.004		
7:16	0.004		
7:17	0.006		
7:18	0.005		
7:19	0.007		
7:20	0.008		
7:21	0.005		
7:22	0.005		
7:23	0.008		
7:24	0.006		
7:25	0.006		
7:26	0.006		
7:27	0.007		
7:28	0.007		
7:29	0.011		
7:30	0.009		
7:31	0.005		
7:32	0.005		
7:33	0.006		

7:34	0.009
7:35	0.006
7:36	0.007
7:37	0.007
7:38	0.007
7:39	0.006
7:40	0.007
7:41	0.014
7:42	0.007
7:43	0.015
7:44	0.006
7:45	0.005
7:46	0.006
7:47	0.006
7:48	0.009
7:49	0.008
7:50	0.007
7:51	0.007
7:52	0.006
7:53	0.012
7:54	0.006
7:55	0.006
7:56	0.006
7:57	0.006
7:58	0.006
7:59	0.006
8:00	0.006
8:01	0.006
8:02	0.006
8:03	0.007
8:04	0.018
8:05	0.016
8:06	0.008
8:07	0.008
8:08	0.013
8:09	0.01
8:10	0.008
8:11	0.007
8:12	0.008
8:13	0.008
8:14	0.009
8:15	0.007
8:16	0.008
8:17	0.015

8:18	0.007
8:19	0.007
8:20	0.008
8:21	0.007
8:22	0.009
8:23	0.006
8:24	0.006
8:25	0.008
8:26	0.01
8:27	0.012
8:28	0.007
8:29	0.012
8:30	0.015
8:31	0.014
8:32	0.015
8:33	0.007
8:34	0.007
8:35	0.006
8:36	0.017
8:37	0.008
8:38	0.008
8:39	0.007
8:40	0.006
8:41	0.006
8:42	0.01
8:43	0.006
8:44	0.006
8:45	0.006
8:46	0.007
8:47	0.006
8:48	0.007
8:49	0.007
8:50	0.007
8:51	0.006
8:52	0.008
8:53	0.007
8:54	0.007
8:55	0.006
8:56	0.007
8:57	0.007
8:58	0.006
8:59	0.007
9:00	0.007
9:01	0.009

9:02	0.007
9:03	0.007
9:04	0.006
9:05	0.014
9:06	0.012
9:07	0.009
9:08	0.01
9:09	0.008
9:10	0.008
9:11	0.008
9:12	0.009
9:13	0.011
9:14	0.006
9:15	0.007
9:16	0.008
9:17	0.007
9:18	0.007
9:19	0.009
9:20	0.007
9:21	0.012
9:22	0.008
9:23	0.008
9:24	0.016
9:25	0.008
9:26	0.007
9:27	0.008
9:28	0.009
9:29	0.01
9:30	0.009
9:31	0.01
9:32	0.024
9:33	0.02
9:34	0.027
9:35	0.023
9:36	0.015
9:37	0.017
9:38	0.015
9:39	0.022
9:40	0.013
9:41	0.014
9:42	0.013
9:43	0.013
9:44	0.015
9:45	0.025

9:46	0.025
9:47	0.012
9:48	0.012
9:49	0.015
9:50	0.021
9:51	0.024
9:52	0.016
9:53	0.015
9:54	0.021
9:55	0.016
9:56	0.011
9:57	0.01
9:58	0.019
9:59	0.022
10:00	0.016
10:01	0.017
10:02	0.026
10:03	0.013
10:04	0.021
10:05	0.016
10:06	0.014
10:07	0.012
10:08	0.009
10:09	0.012
10:10	0.016
10:11	0.017
10:12	0.038
10:13	0.022
10:14	0.011
10:15	0.015
10:16	0.011
10:17	0.01
10:18	0.012
10:19	0.025
10:20	0.017
10:21	0.01
10:22	0.018
10:23	0.009
10:24	0.009
10:25	0.011
10:26	0.013
10:27	0.014
10:28	0.012
10:29	0.018

10:30	0.009
10:31	0.012
10:32	0.011
10:33	0.015
10:34	0.014
10:35	0.024
10:36	0.164
10:37	0.024
10:38	0.011
10:39	0.007
10:40	0.006
10:41	0.008
10:42	0.009
10:43	0.01
10:44	0.011
10:45	0.008
10:46	0.008
10:47	0.016
10:48	0.014
10:49	0.007
10:50	0.006
10:51	0.009
10:52	0.006
10:53	0.007
10:54	0.007
10:55	0.01
10:56	0.007
10:57	0.006
10:58	0.036
10:59	0.018
11:00	0.009
11:01	0.011
11:02	0.007
11:03	0.007
11:04	0.007
11:05	0.021
11:06	0.027
11:07	0.014
11:08	0.01
11:09	0.007
11:10	0.009
11:11	0.014
11:12	0.007
11:13	0.007

11:14	0.007
11:15	0.007
11:16	0.006
11:17	0.009
11:18	0.008
11:19	0.009
11:20	0.008
11:21	0.007
11:22	0.015
11:23	0.033
11:24	0.027
11:25	0.01
11:26	0.007
11:27	0.011
11:28	0.007
11:29	0.009
11:30	0.008
11:31	0.007
11:32	0.005
11:33	0.006
11:34	0.007
11:35	0.008
11:36	0.013
11:37	0.009
11:38	0.008
11:39	0.008
11:40	0.004
11:41	0.005
11:42	0.006
11:43	0.007
11:44	0.006
11:45	0.009
11:46	0.016
11:47	0.014
11:48	0.012
11:49	0.01
11:50	0.011
11:51	0.009
11:52	0.015
11:53	0.01
11:54	0.009
11:55	0.006
11:56	0.007
11:57	0.02

11:58	0.007
11:59	0.009
12:00	0.01
12:01	0.01
12:02	0.009
12:03	0.007
12:04	0.011
12:05	0.006
12:06	0.006
12:07	0.009
12:08	0.008
12:09	0.008
12:10	0.011
12:11	0.009
12:12	0.008
12:13	0.02
12:14	0.008
12:15	0.006
12:16	0.011
12:17	0.006
12:18	0.006
12:19	0.011
12:20	0.018
12:21	0.01
12:22	0.009
12:23	0.005
12:24	0.005
12:25	0.009
12:26	0.007
12:27	0.006
12:28	0.006
12:29	0.011
12:30	0.008
12:31	0.011
12:32	0.005
12:33	0.014
12:34	0.007
12:35	0.016
12:36	0.007
12:37	0.006
12:38	0.006
12:39	0.068
12:40	0.041
12:41	0.019

12:42	0.019
12:43	0.007
12:44	0.011
12:45	0.013
12:46	0.022
12:47	0.008
12:48	0.005
12:49	0.006
12:50	0.013
12:51	0.008
12:52	0.007
12:53	0.006
12:54	0.005
12:55	0.011
12:56	0.011
12:57	0.015
12:58	0.015
12:59	0.006
13:00	0.012
13:01	0.012
13:02	0.029
13:03	0.024
13:04	0.012
13:05	0.016
13:06	0.007
13:07	0.004
13:08	0.008
13:09	0.011
13:10	0.006
13:11	0.024
13:12	0.008
13:13	0.005
13:14	0.005
13:15	0.008
13:16	0.006
13:17	0.008
13:18	0.012
13:19	0.007
13:20	0.025
13:21	0.149
13:22	0.047
13:23	0.013
13:24	0.011
13:25	0.264

13:26	0.008
13:27	0.009
13:28	0.012
13:29	0.016
13:30	0.013
13:31	0.007
13:32	0.016
13:33	0.011
13:34	0.004
13:35	0.005
13:36	0.008
13:37	0.009
13:38	0.007
13:39	0.102
13:40	0.02
13:41	0.01
13:42	0.009
13:43	0.007
13:44	0.006
13:45	0.005
13:46	0.009
13:47	0.007
13:48	0.01
13:49	0.013
13:50	0.009
13:51	0.004
13:52	0.005
13:53	0.013
13:54	0.021
13:55	0.007
13:56	0.009
13:57	0.013
13:58	0.005
13:59	0.005
14:00	0.011
14:01	0.008
14:02	0.004
14:03	0.005
14:04	0.004
14:05	0.005
14:06	0.038
14:07	0.043
14:08	0.014
14:09	0.018

14:10	0.009
14:11	0.007
14:12	0.016
14:13	0.006
14:14	0.007
14:15	0.005
14:16	0.004
14:17	0.005
14:18	0.006
14:19	0.006
14:20	0.008
14:21	0.004
14:22	0.013
14:23	0.006
14:24	0.005
14:25	0.004
14:26	0.005
14:27	0.007
14:28	0.004
14:29	0.006
14:30	0.006
14:31	0.005
14:32	0.007
14:33	0.006
14:34	0.005
14:35	0.006
14:36	0.009
14:37	0.019
14:38	0.012
14:39	0.007
14:40	0.009
14:41	0.011
14:42	0.007
14:43	0.006
14:44	0.007
14:45	0.006
14:46	0.005
14:47	0.006
14:48	0.006
14:49	0.007
14:50	0.006
14:51	0.006
14:52	0.005
14:53	0.005

14:54	0.005
14:55	0.006
14:56	0.006
14:57	0.006
14:58	0.007
14:59	0.012
15:00	0.005
15:01	0.01
15:02	0.02
15:03	0.007
15:04	0.005
15:05	0.006
15:06	0.009
15:07	0.006
15:08	0.009
15:09	0.013
15:10	0.015
15:11	0.011
15:12	0.007
15:13	0.009
15:14	0.007
15:15	0.005
15:16	0.01
15:17	0.005
15:18	0.005
15:19	0.006
15:20	0.005
15:21	0.005
15:22	0.005
15:23	0.006
15:24	0.011
15:25	0.006
15:26	0.007
15:27	0.007
15:28	0.007
15:29	0.006
15:30	0.006
15:31	0.009
15:32	0.013
15:33	0.017
15:34	0.012
15:35	0.006
15:36	0.005
15:37	0.006

15:38	0.025
15:39	0.006
15:40	0.005
15:41	0.007
15:42	0.013
15:43	0.006
15:44	0.011
15:45	0.004
15:46	0.005
15:47	0.007
15:48	0.024
15:49	0.007
15:50	0.019
15:51	0.006
15:52	0.006
15:53	0.006
15:54	0.004
15:55	0.008
15:56	0.008
15:57	0.008
15:58	0.014
15:59	0.018
16:00	0.005
16:01	0.005
16:02	0.007
16:03	0.004
16:04	0.005
16:05	0.004
16:06	0.01
16:07	0.005
16:08	0.005
16:09	0.005
16:10	0.005
16:11	0.004
16:12	0.008
16:13	0.007
16:14	0.009
16:15	0.009
16:16	0.014
16:17	0.011
16:18	0.005
16:19	0.005
16:20	0.006
16:21	0.004

16:22	0.005
16:23	0.005
16:24	0.004
16:25	0.006
16:26	0.006
16:27	0.004
16:28	0.005
16:29	0.005
16:30	0.007
16:31	0.026
16:32	0.006
16:33	0.004
16:34	0.006
16:35	0.007
16:36	0.009
16:37	0.005
16:38	0.005
16:39	0.005
16:40	0.006
16:41	0.006
16:42	0.005
16:43	0.005
16:44	0.005
16:45	0.006
16:46	0.005
16:47	0.005
16:48	0.005
16:49	0.005
16:50	0.011
16:51	0.009
16:52	0.015
16:53	0.009
16:54	0.009
16:55	0.006
16:56	0.011
16:57	0.007
16:58	0.009
16:59	0.007
17:00	0.008
17:01	0.007
17:02	0.009
17:03	0.007
17:04	0.006
17:05	0.045

17:06	0.016
17:07	0.008
17:08	0.013
17:09	0.004
17:10	0.004
17:11	0.009
17:12	0.005
17:13	0.006
17:14	0.005
17:15	0.005
17:16	0.006
17:17	0.009
17:18	0.005
17:19	0.005
17:20	0.005
17:21	0.005
17:22	0.005
17:23	0.005
17:24	0.005
17:25	0.006
17:26	0.005
17:27	0.005
17:28	0.005
17:29	0.005
17:30	0.005
17:31	0.005
17:32	0.005
17:33	0.007
17:34	0.009
17:35	0.005
17:36	0.005
17:37	0.004
17:38	0.004
17:39	0.004
17:40	0.005
17:41	0.004
17:42	0.004
17:43	0.004
17:44	0.004
17:45	0.005
17:46	0.005
17:47	0.005
17:48	0.006
17:49	0.025

17:50

0.007

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	3/18/2024 7:05	CONFIG	PID	SC23030408A8		
592-600871	3/18/2024 7:06	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:07	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:08	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:09	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:10	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:11	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:12	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:13	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:14	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:15	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:16	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:17	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:18	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:19	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:20	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:21	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:22	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:23	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:24	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:25	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:26	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:27	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:28	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:29	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:30	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:31	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:32	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:33	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:34	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:35	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 7:36	Readings	PID	SC23030408A8	Normal	0







592-600871	3/18/2024 9:16	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:17	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:18	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:19	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:20	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:21	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:22	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:23	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:24	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:25	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:26	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:27	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:28	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:29	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:30	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:31	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:32	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:33	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:34	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:35	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:36	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:37	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:38	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:39	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:40	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:41	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:42	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:43	Readings	PID	SC23030408A8	Normal	0.1
592-600871	3/18/2024 9:44	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:45	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:46	Readings	PID	SC23030408A8	Normal	0.1
592-600871	3/18/2024 9:47	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:48	Readings	PID	SC23030408A8	Normal	0

592-600871	3/18/2024 9:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:56 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:57 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:58 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 9:59 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:00 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:01 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:02 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:03 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:04 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:05 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:06 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:07 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:08 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:09 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:10 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:11 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:12 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:13 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:14 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:15 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:16 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:17 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:18 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:19 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:20 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 10:21 Readings	PID	SC23030408A8	Normal	0



















592-600871	3/18/2024 15:19 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:20 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:21 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:22 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:23 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:24 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:25 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:26 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:27 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:28 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:29 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:30 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:31 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:32 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:33 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:34 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:35 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:36 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:37 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:38 Readings	PID	SC23030408A8	Normal	0.1
592-600871	3/18/2024 15:39 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:40 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:41 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:42 Readings	PID	SC23030408A8	Normal	0.2
592-600871	3/18/2024 15:43 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:44 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:45 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:46 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:47 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:48 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 15:51 Readings	PID	SC23030408A8	Normal	0



592-600871	3/18/2024 16:25	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:26	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:27	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:28	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:29	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:30	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:31	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:32	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:33	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:34	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:35	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:36	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:37	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:38	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:39	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:40	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:41	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:42	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:43	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:44	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:45	Readings	PID	SC23030408A8	Normal	1.3
592-600871	3/18/2024 16:46	Readings	PID	SC23030408A8	Normal	0.1
592-600871	3/18/2024 16:47	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:48	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:49	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:50	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:51	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:52	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:53	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:54	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:55	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:56	Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 16:57	Readings	PID	SC23030408A8	Normal	0



592-600871	3/18/2024 17:31 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:32 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:33 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:34 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:35 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:36 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:37 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:38 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:39 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:40 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:41 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:42 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:43 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:44 Readings	PID	SC23030408A8	Normal	0
592-600871	3/18/2024 17:45 Readings	PID	SC23030408A8	Normal	0