



**DAILY STATUS REPORT**

**Prepared By:**

Thomas Jensen

WEATHER	Snow	Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32	32-50	X	50-70		70-85		>85		E- 11 MPH

<b>IEC Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b> 03/19/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY			

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 19:15</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade WSP- Charlie Lambert</p> <p><b>Equipment On Site:</b> Minirae 3000 PID, DustTrak II</p>
---	--

**Scope of Work:** Continue ISS column installation along the southern portion of the Site, along Douglass Street.

**Site Activities:**

- Deploy three (3) CAMPs at the Start of the work day;
- Cascade stockpiled swell material on poly in the eastern portion of the site, this material will be sampled prior to disposal;
- Cascade received one (1) delivery of slag and one (1) delivery of Portland cement;
  - Cascade drilled **Column 28**, column spec below:
    - The column was 8’ diameter and drilled 51’ deep from Site grade;
    - The column consisted of a total of 24 batches;
    - A sample was collected from 40’ below site grade;
  - Cascade drilled **Column 90**, column spec below:
    - The column was 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 15 batches;
    - A shallow obstruction was removed from 3’-4’ from 13:39-13:51;
  - Cascade drilled **Column 92**, column spec below:
    - The column was 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 17 batches;
  - Cascade drilled **Column 94**, column spec below:
    - The column was 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 17 batches;
    - At 10:48 the auger had come back up due to locking up;
  - Cascade drilled **Column 105**, column spec below:
    - The column was 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 14 batches;
    - A shallow obstruction was removed from 3’-4’ from 15:06-15:12;

- Cascade drilled **Column 107**, column spec below:
  - The column was 8' diameter and drilled 36' deep from Site grade;
  - The column consisted of a total of 14 batches;
- Cascade drilled **Column 109**, column spec below:
  - The column was 8' diameter and drilled 36' deep from Site grade;
  - The column consisted of a total of 14 batches;

\*Site grade refers to the elevation of the site after the 4' excavation was completed.

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day.
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.023\_ mg/m<sup>3</sup> @ 06:46
- High Conditions (Upwind) – PID = \_0.1\_ ppm @ 16:10, Dust = \_0.113\_ mg/m<sup>3</sup> @ 10:54
- High Conditions (Downwind 1) – PID = \_1.4\_ ppm @ 18:25, Dust = \_0.155\_ mg/m<sup>3</sup> @ 18:32
- High Conditions (Downwind 2) – PID = \_0.1\_ ppm @ 16:14, Dust = \_0.114\_ mg/m<sup>3</sup> @ 17:59

**Notable Site Conditions:**

- A new pump for the ATMOS foam unit was delivered and set up.

**Planned for the Next Day/Week:**

- Continue ISS column installation;
- GES and Concrete Courses will be on site to expose the large obstruction on the northern portion of the Site.



**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative  
photo of drilling  
ISS column.



**Photo 2-**  
Representative  
photo of a slag  
delivery.



**Photo 3-**  
Representative  
photo of  
collecting a wet  
mix sample from  
ISS column 28.




**Photo 4-**  
Representative  
photo of swell  
stockpile being  
covered at the  
end of the day.



**SITE PLANS**

251 DOUGLASS STREET, BROOKLYN, NY





**LEGEND**  
 - - - PROPERTY LINE



NOTES:

**FIGURE 2: SITE BOUNDARY**


251 Douglas Street  
 Brooklyn, New York

Figure No: 02

**IMPACT ENVIRONMENTAL CLOSURES, INC.**

170 KEYLAND COURT  
 BOHEMIA, NEW YORK 11716  
 TEL (631) 269-8800  
 FAX (631) 269-1599





NOTES:  
 1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTANSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'

- LEGEND:
- EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
  - EIGHT FOOT DIA. INNER COLUMN (TYP.)
  - SIX FOOT DIA. COLUMN (TYP.)

CASCADÉ			
261 DOUGLAS STREET, BROOKLYN, NEW YORK ZONING DISTRICT: B 20 WWW.CASCADENV.COM			
FIGURE 4: ISS COLUMN LAYOUT			
SCALE:	SHEET NO.:	REV.:	
	D	A	
SHEET 1 OF 1			
ISS			

ISS columns  
 26, 90, 92, 94,  
 105, 107, and  
 109 completed  
 on 3/19/2024.



q

# SCM Report






Project name: Douglass Street BCG ISS      Element name: c28a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 08:05 AM	
Max. depth: 51.54 ft.		End Date: 03/19/2024	
Volume/m 1: 31.43 ft³		End time: 08:49 AM	
		Production duration: 00:43:26	
		Final depth time: 08:38 AM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c28b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 08:49 AM	
Max. depth: 51.6 ft.		End Date: 03/19/2024	
Volume/m 1: 21.18 ft³		End time: 09:17 AM	
		Production duration: 00:28:21	
		Final depth time: 09:05 AM	
		Total suspension quantity:	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c90a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 01:51 PM	
Max. depth: 37.53 ft.		End Date: 03/19/2024	
Volume/m 1: 27.19 ft³		End time: 02:20 PM	
		Production duration: 00:29:33	
		Final depth time: 02:12 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c90b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 02:20 PM	
Max. depth: 37.59 ft.		End Date: 03/19/2024	
Volume/m 1: 19.77 ft³		End time: 02:42 PM	
		Production duration: 00:21:43	
		Final depth time: 02:33 PM	
		Total suspension quantity:	



# SCM Report




Project name: Douglass Street BCG ISS      Element name: c92a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 12:16 PM	
Max. depth: 38.51 ft.		End Date: 03/19/2024	
Volume/m 1: 24.72 ft³		End time: 12:44 PM	
		Production duration: 00:27:26	
		Final depth time: 12:36 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c92b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 12:44 PM	
Max. depth: 38.15 ft.		End Date: 03/19/2024	
Volume/m 1: 28.25 ft³		End time: 01:16 PM	
		Production duration: 00:32:28	
		Final depth time: 12:55 PM	
		Total suspension quantity:	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c94a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 10:31 AM	
Max. depth: 38.25 ft.		End Date: 03/19/2024	
Volume/m 1: 28.25 ft³		End time: 11:07 AM	
		Production duration: 00:36:54	
		Final depth time: 11:00 AM	
		Total suspension quantity:	



# SCM Report




Project name: Douglass Street BCG ISS      Element name: c94b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

Details		Start time	
Max. depth	38.18 ft.	11:08 AM	
Volume/m 1	24.72 ft³	End Date	03/19/2024
		End time	11:36 AM
		Production duration	00:28:32
		Final depth time	11:19 AM
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c105a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 03:11 PM	
Max. depth: 38.18 ft.		End Date: 03/19/2024	
Volume/m 1: 25.77 ft³		End time: 03:40 PM	
		Production duration: 00:29:34	
		Final depth time: 03:33 PM	
		Total suspension quantity	



# SCM Report





Project name: Douglass Street BCG ISS      Element name: c105b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 03:41 PM	
Max. depth: 38.12 ft.		End Date: 03/19/2024	
Volume/m 1: 18.36 ft³		End time: 03:59 PM	
		Production duration: 00:18:24	
		Final depth time: 03:52 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c107a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 04:22 PM	
Max. depth: 38.09 ft.		End Date: 03/19/2024	
Volume/m 1: 30.37 ft³		End time: 04:48 PM	
		Production duration: 00:25:51	
		Final depth time: 04:40 PM	
		Total suspension quantity	



# SCM Report




Project name: Douglass Street BCG ISS      Element name: c107b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 04:48 PM	
Max. depth: 37.95 ft.		End Date: 03/19/2024	
Volume/m 1: 13.77 ft³		End time: 05:07 PM	
		Production duration: 00:18:44	
		Final depth time: 04:59 PM	
		Total suspension quantity:	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c109a  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 05:43 PM	
Max. depth: 38.22 ft.		End Date: 03/19/2024	
Volume/m 1: 26.48 ft³		End time: 06:07 PM	
		Production duration: 00:24:37	
		Final depth time: 06:00 PM	
		Total suspension quantity	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: c109b  
 Project number

Start date: 03/19/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 06:08 PM	
Max. depth: 38.12 ft.		End Date: 03/19/2024	
Volume/m 1: 16.24 ft³		End time: 06:26 PM	
		Production duration: 00:18:40	
		Final depth time: 06:18 PM	
		Total suspension quantity:	





**IMPACT ENVIRONMENTAL**

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

[www.impactenvironmental.com](http://www.impactenvironmental.com)

---

**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_001
Test Start Time	6:46:23 AM
Test Start Date	3/19/2024
Test Length [D:H:M]	0:09:48
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.014
PM1 Minimum [mg/m3]	0
PM1 Maximum [mg/m3]	0.113
PM1 TWA [mg/m3]	0.015
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	588

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:46	0.023		
6:47	0.007		
6:48	0.009		
6:49	0.008		
6:50	0.013		
6:51	0.008		
6:52	0.008		
6:53	0.008		
6:54	0.008		
6:55	0.008		
6:56	0.008		
6:57	0.008		
6:58	0.008		
6:59	0.008		
7:00	0.008		
7:01	0.009		
7:02	0.009		
7:03	0.009		
7:04	0.009		
7:05	0.01		
7:06	0.016		
7:07	0.01		
7:08	0.014		

7:09	0.009
7:10	0.009
7:11	0.019
7:12	0.009
7:13	0.013
7:14	0.009
7:15	0.009
7:16	0.009
7:17	0.009
7:18	0.009
7:19	0.013
7:20	0.011
7:21	0.012
7:22	0.014
7:23	0.019
7:24	0.015
7:25	0.011
7:26	0.015
7:27	0.014
7:28	0.012
7:29	0.019
7:30	0.012
7:31	0.013
7:32	0.013
7:33	0.01
7:34	0.01
7:35	0.01
7:36	0.009
7:37	0.011
7:38	0.009
7:39	0.01
7:40	0.011
7:41	0.011
7:42	0.011
7:43	0.01
7:44	0.009
7:45	0.009
7:46	0.01
7:47	0.011
7:48	0.01
7:49	0.014
7:50	0.029
7:51	0.012
7:52	0.01

7:53	0.009
7:54	0.021
7:55	0.024
7:56	0.011
7:57	0.01
7:58	0.01
7:59	0.01
8:00	0.011
8:01	0.015
8:02	0.019
8:03	0.016
8:04	0.019
8:05	0.01
8:06	0.014
8:07	0.033
8:08	0.012
8:09	0.012
8:10	0.013
8:11	0.013
8:12	0.01
8:13	0.009
8:14	0.011
8:15	0.011
8:16	0.017
8:17	0.009
8:18	0.01
8:19	0.014
8:20	0.013
8:21	0.01
8:22	0.01
8:23	0.009
8:24	0.047
8:25	0.01
8:26	0.009
8:27	0.011
8:28	0.013
8:29	0.021
8:30	0.013
8:31	0.018
8:32	0.017
8:33	0.027
8:34	0.016
8:35	0.015
8:36	0.022

8:37	0.023
8:38	0.022
8:39	0.019
8:40	0.017
8:41	0.021
8:42	0.024
8:43	0.023
8:44	0.018
8:45	0.013
8:46	0.021
8:47	0.014
8:48	0.014
8:49	0.039
8:50	0.024
8:51	0.022
8:52	0.022
8:53	0.023
8:54	0.019
8:55	0.026
8:56	0.016
8:57	0.032
8:58	0.021
8:59	0.026
9:00	0.016
9:01	0.018
9:02	0.014
9:03	0.012
9:04	0.017
9:05	0.019
9:06	0.014
9:07	0.018
9:08	0.014
9:09	0.014
9:10	0.024
9:11	0.013
9:12	0.017
9:13	0.015
9:14	0.014
9:15	0.02
9:16	0.019
9:17	0.019
9:18	0.014
9:19	0.018
9:20	0.02

9:21	0.022
9:22	0.016
9:23	0.017
9:24	0.011
9:25	0.016
9:26	0.011
9:27	0.015
9:28	0.015
9:29	0.02
9:30	0.011
9:31	0.017
9:32	0.021
9:33	0.012
9:34	0.01
9:35	0.01
9:36	0.009
9:37	0.014
9:38	0.021
9:39	0.01
9:40	0.01
9:41	0.01
9:42	0.01
9:43	0.011
9:44	0.01
9:45	0.01
9:46	0.011
9:47	0.011
9:48	0.016
9:49	0.014
9:50	0.013
9:51	0.013
9:52	0.011
9:53	0.011
9:54	0.014
9:55	0.012
9:56	0.016
9:57	0.013
9:58	0.016
9:59	0.018
10:00	0.033
10:01	0.018
10:02	0.013
10:03	0.042
10:04	0.016

10:05	0.013
10:06	0.011
10:07	0.012
10:08	0.011
10:09	0.011
10:10	0.011
10:11	0.01
10:12	0.014
10:13	0.011
10:14	0.012
10:15	0.019
10:16	0.012
10:17	0.011
10:18	0.016
10:19	0.011
10:20	0.011
10:21	0.015
10:22	0.011
10:23	0.012
10:24	0.014
10:25	0.016
10:26	0.015
10:27	0.015
10:28	0.012
10:29	0.011
10:30	0.012
10:31	0.012
10:32	0.012
10:33	0.012
10:34	0.014
10:35	0.023
10:36	0.037
10:37	0.012
10:38	0.015
10:39	0.058
10:40	0.017
10:41	0.022
10:42	0.013
10:43	0.011
10:44	0.012
10:45	0.011
10:46	0.016
10:47	0.012
10:48	0.011

10:49	0.014
10:50	0.01
10:51	0.01
10:52	0.011
10:53	0.014
10:54	0.113
10:55	0.016
10:56	0.012
10:57	0.013
10:58	0.01
10:59	0.015
11:00	0.023
11:01	0.012
11:02	0.018
11:03	0.011
11:04	0.013
11:05	0.019
11:06	0.015
11:07	0.046
11:08	0.013
11:09	0.012
11:10	0.012
11:11	0.012
11:12	0.01
11:13	0.011
11:14	0.023
11:15	0.032
11:16	0.014
11:17	0.013
11:18	0.051
11:19	0.015
11:20	0.012
11:21	0.013
11:22	0.013
11:23	0.018
11:24	0.013
11:25	0.011
11:26	0.01
11:27	0.032
11:28	0.022
11:29	0.016
11:30	0.015
11:31	0.013
11:32	0.019

11:33	0.011
11:34	0.012
11:35	0.018
11:36	0.029
11:37	0.019
11:38	0.011
11:39	0.012
11:40	0.01
11:41	0.029
11:42	0.012
11:43	0.011
11:44	0.011
11:45	0.011
11:46	0.042
11:47	0.029
11:48	0.017
11:49	0.015
11:50	0.013
11:51	0.011
11:52	0.013
11:53	0.011
11:54	0.011
11:55	0.011
11:56	0.012
11:57	0.012
11:58	0.014
11:59	0.012
12:00	0.012
12:01	0.013
12:02	0.014
12:03	0.011
12:04	0.012
12:05	0.011
12:06	0.012
12:07	0.016
12:08	0.012
12:09	0.013
12:10	0.019
12:11	0.012
12:12	0.014
12:13	0.011
12:14	0.011
12:15	0.012
12:16	0.011

12:17	0.013
12:18	0.012
12:19	0.012
12:20	0.012
12:21	0.012
12:22	0.017
12:23	0.013
12:24	0.013
12:25	0.012
12:26	0.011
12:27	0.012
12:28	0.016
12:29	0.017
12:30	0.016
12:31	0.014
12:32	0.042
12:33	0.014
12:34	0.04
12:35	0.02
12:36	0.012
12:37	0.013
12:38	0.016
12:39	0.013
12:40	0.019
12:41	0.018
12:42	0.014
12:43	0.017
12:44	0.038
12:45	0.029
12:46	0.011
12:47	0.012
12:48	0.012
12:49	0.013
12:50	0.014
12:51	0.015
12:52	0.027
12:53	0.018
12:54	0.016
12:55	0.018
12:56	0.013
12:57	0.012
12:58	0.018
12:59	0.021
13:00	0.015

13:01	0.012
13:02	0.012
13:03	0.016
13:04	0.013
13:05	0.02
13:06	0.015
13:07	0.012
13:08	0.012
13:09	0.012
13:10	0.013
13:11	0.013
13:12	0.011
13:13	0.012
13:14	0.013
13:15	0.015
13:16	0.011
13:17	0.011
13:18	0.014
13:19	0.013
13:20	0.014
13:21	0.013
13:22	0.013
13:23	0.019
13:24	0.017
13:25	0.021
13:26	0.016
13:27	0.013
13:28	0.022
13:29	0.012
13:30	0.027
13:31	0.013
13:32	0.014
13:33	0.022
13:34	0.017
13:35	0.013
13:36	0.013
13:37	0.013
13:38	0.012
13:39	0.013
13:40	0.013
13:41	0.013
13:42	0.011
13:43	0.012
13:44	0.012

13:45	0.013
13:46	0.012
13:47	0.013
13:48	0.014
13:49	0.018
13:50	0.014
13:51	0.012
13:52	0.012
13:53	0.014
13:54	0.014
13:55	0.012
13:56	0.012
13:57	0.015
13:58	0.013
13:59	0.011
14:00	0.013
14:01	0.012
14:02	0.014
14:03	0.013
14:04	0.013
14:05	0.012
14:06	0.015
14:07	0.014
14:08	0.013
14:09	0.02
14:10	0.015
14:11	0.029
14:12	0.012
14:13	0.011
14:14	0.017
14:15	0.014
14:16	0.017
14:17	0.013
14:18	0.013
14:19	0.032
14:20	0.018
14:21	0.015
14:22	0.013
14:23	0.012
14:24	0.013
14:25	0.012
14:26	0.013
14:27	0.015
14:28	0.013

14:29	0.017
14:30	0.013
14:31	0.012
14:32	0.013
14:33	0.012
14:34	0.041
14:35	0.014
14:36	0.012
14:37	0.013
14:38	0.019
14:39	0.016
14:40	0.015
14:41	0.013
14:42	0.013
14:43	0.012
14:44	0.013
14:45	0.015
14:46	0.014
14:47	0.012
14:48	0.013
14:49	0.015
14:50	0.013
14:51	0.034
14:52	0.012
14:53	0.013
14:54	0.013
14:55	0.014
14:56	0.012
14:57	0.014
14:58	0.015
14:59	0.014
15:00	0.014
15:01	0.014
15:02	0.012
15:03	0.012
15:04	0.015
15:05	0.016
15:06	0.014
15:07	0.012
15:08	0.013
15:09	0.013
15:10	0.02
15:11	0.014
15:12	0.012

15:13	0.012
15:14	0.012
15:15	0.012
15:16	0.018
15:17	0.015
15:18	0.012
15:19	0.012
15:20	0.015
15:21	0.016
15:22	0.015
15:23	0.012
15:24	0.013
15:25	0.012
15:26	0.012
15:27	0.013
15:28	0.013
15:29	0.013
15:30	0.019
15:31	0.056
15:32	0.013
15:33	0.014
15:34	0.014
15:35	0.012
15:36	0.012
15:37	0.013
15:38	0.015
15:39	0.012
15:40	0.019
15:41	0
15:42	0
15:43	0
15:44	0
15:45	0
15:46	0
15:47	0
15:48	0
15:49	0
15:50	0
15:51	0
15:52	0
15:53	0
15:54	0
15:55	0
15:56	0

15:57	0	
15:58	0	
15:59	0.015	
16:00	0	
16:01	0	
16:02	0.015	
16:03	0.013	
16:04	0.016	
16:05	0.015	
16:06	0.017	
16:07	0.015	
16:08	0.013	
16:09	0.014	
16:10	0.014	
16:11	0.014	
16:12	0.015	
16:13	0.014	
16:14	0.016	
16:15	0.014	
16:16	0.015	
16:17	0.014	
16:18	0.013	
16:19	0.013	
16:20	0.014	
16:21	0.012	
16:22	0.007	Flow Error
16:23	0.005	Flow Error
16:24	0.006	Flow Error
16:25	0.005	Flow Error
16:26	0.006	Flow Error
16:27	0.005	Flow Error
16:28	0.005	Flow Error
16:29	0.005	Flow Error
16:30	0.005	Flow Error
16:31	0.004	Flow Error
16:32	0.006	Flow Error
16:33	0.006	Flow Error

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	3/19/2024	18:27	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:26	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:25	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:24	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:23	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:22	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:21	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:20	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:19	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:18	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:17	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:16	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:15	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:14	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:13	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:12	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:11	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:10	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:09	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:08	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:07	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:06	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:05	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:04	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:03	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:02	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:01	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:00	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	17:59	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	17:58	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	17:57	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	17:56	Readings	PID	SC23030408A8	Normal	0





























592-600871	3/19/2024	10:13 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:12 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:11 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:10 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:09 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:08 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:07 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:06 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:05 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:04 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:03 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:02 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:01 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:00 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:59 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:58 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:57 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:56 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:48 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:47 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:46 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:45 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:44 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:43 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:42 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:41 Readings	PID	SC23030408A8	Normal	0







592-600871	3/19/2024	8:01 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	8:00 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:59 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:58 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:57 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:56 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:48 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:47 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:46 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:45 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:44 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:43 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:42 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:41 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:40 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:39 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:38 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:37 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:36 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:35 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:34 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:33 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:32 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:31 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:30 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	7:29 Readings	PID	SC23030408A8	Normal	0



592-600871	3/19/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:48 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:47 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:46 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	CONFIG	PID	SC23030408A8		

**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_001
Test Start Time	6:37:15 AM
Test Start Date	3/19/2024
Test Length [D:H:M]	0:11:56
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.017
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.155
Mass TWA [mg/m3]	0.016
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	716

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:37	0.015		
6:38	0.005		
6:39	0.076		
6:40	0.021		
6:41	0.007		
6:42	0.004		
6:43	0.014		
6:44	0.005		
6:45	0.006		
6:46	0.011		
6:47	0.016		
6:48	0.006		
6:49	0.019		
6:50	0.015		
6:51	0.036		
6:52	0.008		
6:53	0.005		
6:54	0.005		
6:55	0.009		
6:56	0.005		
6:57	0.005		
6:58	0.006		
6:59	0.014		
7:00	0.005		

7:01	0.006
7:02	0.005
7:03	0.025
7:04	0.009
7:05	0.009
7:06	0.013
7:07	0.007
7:08	0.03
7:09	0.016
7:10	0.011
7:11	0.016
7:12	0.011
7:13	0.006
7:14	0.007
7:15	0.006
7:16	0.005
7:17	0.007
7:18	0.009
7:19	0.013
7:20	0.009
7:21	0.016
7:22	0.011
7:23	0.01
7:24	0.011
7:25	0.008
7:26	0.012
7:27	0.03
7:28	0.011
7:29	0.015
7:30	0.005
7:31	0.007
7:32	0.006
7:33	0.005
7:34	0.006
7:35	0.006
7:36	0.008
7:37	0.006
7:38	0.009
7:39	0.007
7:40	0.007
7:41	0.006
7:42	0.005
7:43	0.007
7:44	0.013

7:45	0.008
7:46	0.008
7:47	0.042
7:48	0.095
7:49	0.011
7:50	0.012
7:51	0.009
7:52	0.042
7:53	0.007
7:54	0.032
7:55	0.006
7:56	0.007
7:57	0.009
7:58	0.009
7:59	0.139
8:00	0.121
8:01	0.022
8:02	0.055
8:03	0.02
8:04	0.064
8:05	0.047
8:06	0.014
8:07	0.01
8:08	0.011
8:09	0.008
8:10	0.011
8:11	0.014
8:12	0.012
8:13	0.013
8:14	0.025
8:15	0.009
8:16	0.024
8:17	0.013
8:18	0.014
8:19	0.017
8:20	0.006
8:21	0.022
8:22	0.01
8:23	0.015
8:24	0.009
8:25	0.011
8:26	0.018
8:27	0.014
8:28	0.012

8:29	0.015
8:30	0.015
8:31	0.017
8:32	0.015
8:33	0.019
8:34	0.01
8:35	0.02
8:36	0.019
8:37	0.01
8:38	0.021
8:39	0.02
8:40	0.015
8:41	0.018
8:42	0.018
8:43	0.011
8:44	0.018
8:45	0.011
8:46	0.018
8:47	0.015
8:48	0.045
8:49	0.016
8:50	0.025
8:51	0.016
8:52	0.021
8:53	0.015
8:54	0.013
8:55	0.01
8:56	0.014
8:57	0.012
8:58	0.01
8:59	0.013
9:00	0.01
9:01	0.01
9:02	0.011
9:03	0.011
9:04	0.009
9:05	0.012
9:06	0.112
9:07	0.053
9:08	0.013
9:09	0.011
9:10	0.01
9:11	0.022
9:12	0.011

9:13	0.013
9:14	0.018
9:15	0.017
9:16	0.011
9:17	0.011
9:18	0.016
9:19	0.015
9:20	0.01
9:21	0.009
9:22	0.009
9:23	0.009
9:24	0.016
9:25	0.012
9:26	0.014
9:27	0.01
9:28	0.023
9:29	0.017
9:30	0.049
9:31	0.01
9:32	0.008
9:33	0.008
9:34	0.008
9:35	0.011
9:36	0.011
9:37	0.006
9:38	0.007
9:39	0.007
9:40	0.007
9:41	0.01
9:42	0.011
9:43	0.006
9:44	0.007
9:45	0.007
9:46	0.014
9:47	0.008
9:48	0.009
9:49	0.015
9:50	0.008
9:51	0.009
9:52	0.011
9:53	0.01
9:54	0.011
9:55	0.01
9:56	0.017

9:57	0.014
9:58	0.011
9:59	0.011
10:00	0.013
10:01	0.017
10:02	0.012
10:03	0.016
10:04	0.014
10:05	0.008
10:06	0.009
10:07	0.01
10:08	0.009
10:09	0.013
10:10	0.022
10:11	0.009
10:12	0.011
10:13	0.008
10:14	0.007
10:15	0.008
10:16	0.012
10:17	0.008
10:18	0.018
10:19	0.013
10:20	0.008
10:21	0.012
10:22	0.017
10:23	0.019
10:24	0.011
10:25	0.015
10:26	0.009
10:27	0.017
10:28	0.028
10:29	0.023
10:30	0.009
10:31	0.075
10:32	0.034
10:33	0.026
10:34	0.015
10:35	0.019
10:36	0.025
10:37	0.031
10:38	0.019
10:39	0.023
10:40	0.029

10:41	0.017
10:42	0.012
10:43	0.01
10:44	0.019
10:45	0.014
10:46	0.012
10:47	0.024
10:48	0.009
10:49	0.013
10:50	0.013
10:51	0.03
10:52	0.074
10:53	0.025
10:54	0.025
10:55	0.013
10:56	0.008
10:57	0.014
10:58	0.015
10:59	0.011
11:00	0.011
11:01	0.026
11:02	0.018
11:03	0.073
11:04	0.023
11:05	0.031
11:06	0.009
11:07	0.012
11:08	0.01
11:09	0.011
11:10	0.016
11:11	0.013
11:12	0.052
11:13	0.021
11:14	0.012
11:15	0.013
11:16	0.04
11:17	0.01
11:18	0.014
11:19	0.01
11:20	0.016
11:21	0.013
11:22	0.011
11:23	0.01
11:24	0.015

11:25	0.022
11:26	0.031
11:27	0.015
11:28	0.011
11:29	0.011
11:30	0.013
11:31	0.01
11:32	0.01
11:33	0.014
11:34	0.028
11:35	0.011
11:36	0.01
11:37	0.102
11:38	0.009
11:39	0.01
11:40	0.009
11:41	0.011
11:42	0.009
11:43	0.009
11:44	0.02
11:45	0.014
11:46	0.015
11:47	0.014
11:48	0.011
11:49	0.01
11:50	0.014
11:51	0.009
11:52	0.01
11:53	0.01
11:54	0.01
11:55	0.017
11:56	0.012
11:57	0.014
11:58	0.011
11:59	0.012
12:00	0.01
12:01	0.01
12:02	0.01
12:03	0.011
12:04	0.011
12:05	0.014
12:06	0.011
12:07	0.017
12:08	0.013

12:09	0.011
12:10	0.011
12:11	0.01
12:12	0.011
12:13	0.01
12:14	0.011
12:15	0.015
12:16	0.011
12:17	0.01
12:18	0.011
12:19	0.009
12:20	0.014
12:21	0.011
12:22	0.009
12:23	0.027
12:24	0.01
12:25	0.013
12:26	0.014
12:27	0.016
12:28	0.016
12:29	0.02
12:30	0.035
12:31	0.014
12:32	0.04
12:33	0.017
12:34	0.01
12:35	0.015
12:36	0.016
12:37	0.015
12:38	0.012
12:39	0.017
12:40	0.013
12:41	0.023
12:42	0.022
12:43	0.015
12:44	0.009
12:45	0.011
12:46	0.014
12:47	0.012
12:48	0.011
12:49	0.049
12:50	0.023
12:51	0.015
12:52	0.016

12:53	0.012
12:54	0.013
12:55	0.016
12:56	0.04
12:57	0.034
12:58	0.018
12:59	0.011
13:00	0.01
13:01	0.011
13:02	0.013
13:03	0.012
13:04	0.017
13:05	0.014
13:06	0.01
13:07	0.017
13:08	0.015
13:09	0.011
13:10	0.01
13:11	0.01
13:12	0.01
13:13	0.012
13:14	0.011
13:15	0.015
13:16	0.015
13:17	0.015
13:18	0.012
13:19	0.011
13:20	0.013
13:21	0.015
13:22	0.018
13:23	0.021
13:24	0.016
13:25	0.122
13:26	0.022
13:27	0.018
13:28	0.014
13:29	0.015
13:30	0.023
13:31	0.035
13:32	0.018
13:33	0.011
13:34	0.016
13:35	0.012
13:36	0.009

13:37	0.013
13:38	0.014
13:39	0.012
13:40	0.011
13:41	0.009
13:42	0.009
13:43	0.01
13:44	0.01
13:45	0.01
13:46	0.018
13:47	0.024
13:48	0.019
13:49	0.014
13:50	0.013
13:51	0.013
13:52	0.018
13:53	0.012
13:54	0.012
13:55	0.016
13:56	0.009
13:57	0.01
13:58	0.011
13:59	0.011
14:00	0.011
14:01	0.014
14:02	0.014
14:03	0.019
14:04	0.014
14:05	0.014
14:06	0.021
14:07	0.011
14:08	0.111
14:09	0.017
14:10	0.009
14:11	0.014
14:12	0.019
14:13	0.015
14:14	0.013
14:15	0.01
14:16	0.028
14:17	0.02
14:18	0.011
14:19	0.015
14:20	0.01

14:21	0.017
14:22	0.012
14:23	0.009
14:24	0.016
14:25	0.014
14:26	0.015
14:27	0.011
14:28	0.011
14:29	0.009
14:30	0.008
14:31	0.012
14:32	0.029
14:33	0.01
14:34	0.011
14:35	0.013
14:36	0.026
14:37	0.015
14:38	0.017
14:39	0.015
14:40	0.014
14:41	0.012
14:42	0.016
14:43	0.011
14:44	0.019
14:45	0.012
14:46	0.011
14:47	0.015
14:48	0.026
14:49	0.03
14:50	0.011
14:51	0.017
14:52	0.014
14:53	0.02
14:54	0.012
14:55	0.013
14:56	0.011
14:57	0.014
14:58	0.017
14:59	0.019
15:00	0.011
15:01	0.026
15:02	0.012
15:03	0.013
15:04	0.01

15:05	0.009
15:06	0.009
15:07	0.014
15:08	0.053
15:09	0.011
15:10	0.01
15:11	0.009
15:12	0.011
15:13	0.022
15:14	0.027
15:15	0.012
15:16	0.01
15:17	0.011
15:18	0.014
15:19	0.011
15:20	0.012
15:21	0.009
15:22	0.01
15:23	0.013
15:24	0.025
15:25	0.038
15:26	0.01
15:27	0.019
15:28	0.031
15:29	0.015
15:30	0.013
15:31	0.01
15:32	0.011
15:33	0.018
15:34	0.01
15:35	0.01
15:36	0.015
15:37	0.025
15:38	0.035
15:39	0.012
15:40	0.013
15:41	0.012
15:42	0.01
15:43	0.014
15:44	0.014
15:45	0.012
15:46	0.015
15:47	0.013
15:48	0.02

15:49	0.011
15:50	0.011
15:51	0.012
15:52	0.011
15:53	0.016
15:54	0.011
15:55	0.012
15:56	0.014
15:57	0.011
15:58	0.012
15:59	0.013
16:00	0.013
16:01	0.011
16:02	0.011
16:03	0.014
16:04	0.013
16:05	0.012
16:06	0.012
16:07	0.016
16:08	0.013
16:09	0.017
16:10	0.014
16:11	0.014
16:12	0.012
16:13	0.011
16:14	0.013
16:15	0.012
16:16	0.013
16:17	0.015
16:18	0.014
16:19	0.016
16:20	0.013
16:21	0.014
16:22	0.014
16:23	0.016
16:24	0.016
16:25	0.016
16:26	0.013
16:27	0.014
16:28	0.018
16:29	0.016
16:30	0.088
16:31	0.016
16:32	0.017

16:33	0.016
16:34	0.014
16:35	0.013
16:36	0.036
16:37	0.019
16:38	0.015
16:39	0.012
16:40	0.013
16:41	0.016
16:42	0.018
16:43	0.019
16:44	0.012
16:45	0.012
16:46	0.013
16:47	0.015
16:48	0.012
16:49	0.017
16:50	0.012
16:51	0.012
16:52	0.013
16:53	0.013
16:54	0.013
16:55	0.012
16:56	0.017
16:57	0.017
16:58	0.017
16:59	0.014
17:00	0.014
17:01	0.015
17:02	0.014
17:03	0.016
17:04	0.014
17:05	0.016
17:06	0.014
17:07	0.012
17:08	0.014
17:09	0.013
17:10	0.014
17:11	0.014
17:12	0.012
17:13	0.014
17:14	0.018
17:15	0.014
17:16	0.013

17:17	0.044
17:18	0.015
17:19	0.014
17:20	0.014
17:21	0.016
17:22	0.018
17:23	0.027
17:24	0.016
17:25	0.014
17:26	0.018
17:27	0.018
17:28	0.035
17:29	0.016
17:30	0.014
17:31	0.013
17:32	0.013
17:33	0.013
17:34	0.014
17:35	0.012
17:36	0.017
17:37	0.022
17:38	0.019
17:39	0.016
17:40	0.026
17:41	0.015
17:42	0.019
17:43	0.018
17:44	0.016
17:45	0.034
17:46	0.021
17:47	0.027
17:48	0.046
17:49	0.022
17:50	0.021
17:51	0.022
17:52	0.014
17:53	0.015
17:54	0.014
17:55	0.014
17:56	0.052
17:57	0.032
17:58	0.015
17:59	0.013
18:00	0.014

18:01	0.013
18:02	0.014
18:03	0.015
18:04	0.013
18:05	0.014
18:06	0.014
18:07	0.021
18:08	0.022
18:09	0.02
18:10	0.014
18:11	0.016
18:12	0.018
18:13	0.014
18:14	0.015
18:15	0.014
18:16	0.015
18:17	0.016
18:18	0.015
18:19	0.016
18:20	0.013
18:21	0.014
18:22	0.015
18:23	0.014
18:24	0.012
18:25	0.014
18:26	0.022
18:27	0.063
18:28	0.026
18:29	0.012
18:30	0.058
18:31	0.121
18:32	0.155

Device Serial No	Log Date	Log Type	Log Time	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	3/19/2024	Readings	18:30	PID	SC23030324C7	Normal	0.9
592-602816	3/19/2024	Readings	18:29	PID	SC23030324C7	Normal	1.2
592-602816	3/19/2024	Readings	18:28	PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024	Readings	18:27	PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024	Readings	18:26	PID	SC23030324C7	Normal	1
592-602816	3/19/2024	Readings	18:25	PID	SC23030324C7	Normal	1.4
592-602816	3/19/2024	Readings	18:24	PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024	Readings	18:23	PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024	Readings	18:22	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:21	PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024	Readings	18:20	PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024	Readings	18:19	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:18	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:17	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:16	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:15	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:14	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:13	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:12	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:11	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:10	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:09	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:08	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:07	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	18:06	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:05	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:04	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:03	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:02	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:01	PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024	Readings	18:00	PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024	Readings	17:59	PID	SC23030324C7	Normal	0.2

592-602816	3/19/2024 Readings	17:58 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:57 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:56 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:55 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:54 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:53 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:52 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:51 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:50 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:49 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:48 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:47 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:46 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:45 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	17:44 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:43 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:42 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:41 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:40 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:39 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	17:38 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:37 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:36 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	17:35 PID	SC23030324C7	Normal	1.1
592-602816	3/19/2024 Readings	17:34 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:33 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	17:32 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:31 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:30 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:29 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:28 PID	SC23030324C7	Normal	1
592-602816	3/19/2024 Readings	17:27 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	17:26 PID	SC23030324C7	Normal	1

592-602816	3/19/2024 Readings	17:25 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	17:24 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:23 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:22 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:21 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:20 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:19 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:18 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	17:17 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:16 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	17:15 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:14 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:13 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:12 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:11 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:10 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:09 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	17:08 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:07 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	17:06 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	17:05 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	17:04 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:03 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:02 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:01 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	17:00 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:59 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:58 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:57 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:56 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:55 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:54 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:53 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	16:52 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:51 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:50 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:49 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:48 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:47 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:46 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:45 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:44 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:43 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:42 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:41 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:40 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:39 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:38 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:37 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:36 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:35 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:34 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:33 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:32 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	16:31 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:30 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:29 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:28 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:27 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:26 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:25 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:24 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:23 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:22 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:21 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:20 PID	SC23030324C7	Normal	0.4

592-602816	3/19/2024 Readings	16:19 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:18 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:17 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:16 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:15 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	16:14 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	16:13 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	16:12 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:11 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:10 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:09 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:08 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:07 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	16:06 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:05 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:04 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:03 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:02 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:01 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	16:00 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:59 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:58 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:57 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:56 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:55 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:54 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:53 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:52 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:51 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:50 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:49 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:48 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:47 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	15:46 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:45 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:44 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:43 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:42 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:41 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:40 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:39 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:38 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:37 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:36 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:35 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	15:34 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	15:33 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	15:32 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	15:31 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	15:30 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:29 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	15:28 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	15:27 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	15:26 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:25 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:24 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:23 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:22 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:21 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:20 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:19 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:18 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:17 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:16 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:15 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:14 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	15:13 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:12 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:11 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:10 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:09 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:08 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:07 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:06 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:05 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:04 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:03 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:02 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	15:01 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	15:00 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:59 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:58 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	14:57 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	14:56 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:55 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:54 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	14:53 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:52 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:51 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:50 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:49 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:48 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	14:47 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:46 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:45 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:44 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:43 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	14:42 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	14:41 PID	SC23030324C7	Normal	0.1





592-602816	3/19/2024 Readings	13:34 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	13:33 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	13:32 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	13:31 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	13:30 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:29 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:28 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:27 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	13:26 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:25 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	13:24 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:23 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:22 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	13:21 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:20 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:19 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:18 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	13:17 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:16 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:15 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:14 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:13 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:12 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:11 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:10 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	13:09 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	13:08 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	13:07 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	13:06 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:05 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:04 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:03 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	13:02 PID	SC23030324C7	Normal	0.2

592-602816	3/19/2024 Readings	13:01 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	13:00 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:59 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:58 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:57 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:56 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:55 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:54 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:53 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	12:52 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:51 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:50 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:49 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:48 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:47 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:46 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:45 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:44 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:43 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:42 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:41 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:40 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:39 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:38 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:37 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:36 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:35 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:34 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:33 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:32 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:31 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:30 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:29 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	12:28 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:27 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:26 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:25 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:24 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:23 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:22 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:21 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:20 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:19 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:18 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:17 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:16 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:15 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:14 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:13 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:12 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:11 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:10 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:09 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:08 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:07 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:06 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:05 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:04 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:03 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:02 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	12:01 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	12:00 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:59 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:58 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:57 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:56 PID	SC23030324C7	Normal	0.2

592-602816	3/19/2024 Readings	11:55 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:54 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:53 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:52 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	11:51 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:50 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:49 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:48 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:47 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:46 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:45 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	11:44 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:43 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:42 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:41 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:40 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	11:39 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	11:38 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:37 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:36 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	11:35 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:34 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:33 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:32 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:31 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:30 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	11:29 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:28 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:27 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:26 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:25 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:24 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:23 PID	SC23030324C7	Normal	0.2

592-602816	3/19/2024 Readings	11:22 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:21 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:20 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:19 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:18 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:17 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:16 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:15 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:14 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:13 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	11:12 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:11 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:10 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	11:09 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:08 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:07 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:06 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:05 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:04 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:03 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	11:02 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:01 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	11:00 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:59 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:58 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:57 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:56 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	10:55 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:54 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:53 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:52 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:51 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	10:50 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	10:49 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:48 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:47 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:46 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:45 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:44 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	10:43 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:42 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:41 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:40 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:39 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:38 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:37 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:36 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:35 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:34 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:33 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:32 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:31 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:30 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:29 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:28 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:27 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:26 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:25 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:24 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:23 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:22 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	10:21 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	10:20 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:19 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:18 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	10:17 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	10:16 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:15 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:14 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:13 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:12 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:11 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:10 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:09 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:08 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:07 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:06 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:05 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:04 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:03 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:02 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:01 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	10:00 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:59 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:58 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:57 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:56 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:55 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:54 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:53 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:52 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:51 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:50 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:49 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	9:48 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:47 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:46 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:45 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:44 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	9:43 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	9:42 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	9:41 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	9:40 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:39 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:38 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:37 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:36 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:35 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:34 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:33 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:32 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:31 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:30 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:29 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:28 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:27 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:26 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:25 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:24 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:23 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:22 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:21 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:20 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:19 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:18 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:17 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:16 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:15 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:14 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:13 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	9:12 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:11 PID	SC23030324C7	Normal	0.3

592-602816	3/19/2024 Readings	9:10 PID	SC23030324C7	Normal	0.8
592-602816	3/19/2024 Readings	9:09 PID	SC23030324C7	Normal	1.3
592-602816	3/19/2024 Readings	9:08 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:07 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:06 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:05 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:04 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:03 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	9:02 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	9:01 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	9:00 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	8:59 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	8:58 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	8:57 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	8:56 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	8:55 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	8:54 PID	SC23030324C7	Normal	0.8
592-602816	3/19/2024 Readings	8:53 PID	SC23030324C7	Normal	1.3
592-602816	3/19/2024 Readings	8:52 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	8:51 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	8:50 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	8:49 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:48 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:47 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:46 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:45 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:44 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:43 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:42 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:41 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:40 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:39 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:38 PID	SC23030324C7	Normal	0

592-602816	3/19/2024 Readings	8:37 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:36 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:35 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:34 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:33 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:32 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:31 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:30 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:29 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:28 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:27 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:26 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:25 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:24 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:23 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:22 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:21 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	8:20 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	8:19 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:18 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:17 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:16 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:15 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:14 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:13 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:12 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:11 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:10 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	8:09 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:08 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:07 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:06 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:05 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	8:04 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:03 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:02 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:01 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	8:00 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	7:59 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 CONFIG	7:58 PID	SC23030324C7		
592-602816	3/19/2024 Readings	7:57 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:56 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	7:55 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	7:54 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:53 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:52 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:51 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:50 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:49 PID	SC23030324C7	Normal	1
592-602816	3/19/2024 Readings	7:48 PID	SC23030324C7	Normal	1.2
592-602816	3/19/2024 Readings	7:47 PID	SC23030324C7	Normal	0.9
592-602816	3/19/2024 Readings	7:46 PID	SC23030324C7	Normal	0.7
592-602816	3/19/2024 Readings	7:45 PID	SC23030324C7	Normal	0.9
592-602816	3/19/2024 Readings	7:44 PID	SC23030324C7	Normal	0.9
592-602816	3/19/2024 Readings	7:43 PID	SC23030324C7	Normal	0.8
592-602816	3/19/2024 Readings	7:42 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	7:41 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	7:40 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	7:39 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	7:38 PID	SC23030324C7	Normal	0.5
592-602816	3/19/2024 Readings	7:37 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:36 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:35 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:34 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:33 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	7:32 PID	SC23030324C7	Normal	0.4

592-602816	3/19/2024 Readings	7:31 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	7:30 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:29 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:28 PID	SC23030324C7	Normal	0.8
592-602816	3/19/2024 Readings	7:27 PID	SC23030324C7	Normal	0.8
592-602816	3/19/2024 Readings	7:26 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:25 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:24 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:23 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:22 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:21 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:20 PID	SC23030324C7	Normal	0.6
592-602816	3/19/2024 Readings	7:19 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:18 PID	SC23030324C7	Normal	0.4
592-602816	3/19/2024 Readings	7:17 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:16 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:15 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	7:14 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	7:13 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	7:12 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	7:11 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:10 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	7:09 PID	SC23030324C7	Normal	0.2
592-602816	3/19/2024 Readings	7:08 PID	SC23030324C7	Normal	0.3
592-602816	3/19/2024 Readings	7:07 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:06 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:05 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:04 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:03 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:02 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:01 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	7:00 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	6:59 PID	SC23030324C7	Normal	0.1

592-602816	3/19/2024 Readings	6:58 PID	SC23030324C7	Normal	0.1
592-602816	3/19/2024 Readings	6:57 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:56 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:55 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:54 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:53 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:52 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:51 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:50 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:49 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:48 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:47 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:46 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:45 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:44 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:43 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:42 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:41 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:40 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:39 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:38 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 Readings	6:37 PID	SC23030324C7	Normal	0
592-602816	3/19/2024 CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530123704
Firmware Version	3.1
Calibration Date	8/18/2023
Test Name	MANUAL_001
Test Start Time	6:50:16 AM
Test Start Date	3/19/2024
Test Length [D:H:M]	0:11:41
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.114
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	701

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50	0.069		
6:51	0.012		
6:52	0.028		
6:53	0.019		
6:54	0.006		
6:55	0.008		
6:56	0.006		
6:57	0.006		
6:58	0.005		
6:59	0.007		
7:00	0.008		
7:01	0.007		
7:02	0.005		
7:03	0.005		
7:04	0.005		
7:05	0.007		
7:06	0.024		
7:07	0.01		
7:08	0.009		
7:09	0.011		
7:10	0.009		
7:11	0.016		
7:12	0.011		
7:13	0.006		

7:14	0.009
7:15	0.006
7:16	0.005
7:17	0.007
7:18	0.007
7:19	0.006
7:20	0.008
7:21	0.015
7:22	0.012
7:23	0.008
7:24	0.017
7:25	0.013
7:26	0.017
7:27	0.023
7:28	0.019
7:29	0.012
7:30	0.016
7:31	0.008
7:32	0.011
7:33	0.008
7:34	0.007
7:35	0.006
7:36	0.007
7:37	0.008
7:38	0.009
7:39	0.008
7:40	0.008
7:41	0.009
7:42	0.009
7:43	0.008
7:44	0.007
7:45	0.007
7:46	0.009
7:47	0.008
7:48	0.007
7:49	0.012
7:50	0.036
7:51	0.013
7:52	0.009
7:53	0.007
7:54	0.007
7:55	0.012
7:56	0.009
7:57	0.008

7:58	0.009
7:59	0.01
8:00	0.01
8:01	0.011
8:02	0.013
8:03	0.013
8:04	0.009
8:05	0.009
8:06	0.011
8:07	0.035
8:08	0.021
8:09	0.012
8:10	0.012
8:11	0.019
8:12	0.016
8:13	0.014
8:14	0.011
8:15	0.01
8:16	0.01
8:17	0.009
8:18	0.01
8:19	0.02
8:20	0.01
8:21	0.009
8:22	0.006
8:23	0.007
8:24	0.009
8:25	0.013
8:26	0.009
8:27	0.011
8:28	0.019
8:29	0.013
8:30	0.01
8:31	0.011
8:32	0.009
8:33	0.009
8:34	0.009
8:35	0.012
8:36	0.011
8:37	0.012
8:38	0.01
8:39	0.009
8:40	0.009
8:41	0.009

8:42	0.008
8:43	0.01
8:44	0.012
8:45	0.01
8:46	0.011
8:47	0.018
8:48	0.018
8:49	0.024
8:50	0.014
8:51	0.014
8:52	0.012
8:53	0.015
8:54	0.01
8:55	0.011
8:56	0.009
8:57	0.009
8:58	0.014
8:59	0.011
9:00	0.01
9:01	0.009
9:02	0.012
9:03	0.009
9:04	0.01
9:05	0.01
9:06	0.009
9:07	0.008
9:08	0.007
9:09	0.007
9:10	0.008
9:11	0.012
9:12	0.012
9:13	0.007
9:14	0.006
9:15	0.007
9:16	0.009
9:17	0.01
9:18	0.016
9:19	0.01
9:20	0.008
9:21	0.007
9:22	0.007
9:23	0.009
9:24	0.008
9:25	0.008

9:26	0.007
9:27	0.01
9:28	0.009
9:29	0.009
9:30	0.014
9:31	0.035
9:32	0.048
9:33	0.023
9:34	0.01
9:35	0.007
9:36	0.007
9:37	0.01
9:38	0.012
9:39	0.01
9:40	0.008
9:41	0.009
9:42	0.008
9:43	0.011
9:44	0.012
9:45	0.008
9:46	0.009
9:47	0.011
9:48	0.013
9:49	0.012
9:50	0.01
9:51	0.013
9:52	0.03
9:53	0.026
9:54	0.011
9:55	0.014
9:56	0.01
9:57	0.018
9:58	0.015
9:59	0.015
10:00	0.014
10:01	0.013
10:02	0.009
10:03	0.024
10:04	0.019
10:05	0.011
10:06	0.009
10:07	0.012
10:08	0.009
10:09	0.013

10:10	0.01
10:11	0.008
10:12	0.014
10:13	0.014
10:14	0.011
10:15	0.02
10:16	0.011
10:17	0.008
10:18	0.013
10:19	0.009
10:20	0.008
10:21	0.022
10:22	0.014
10:23	0.016
10:24	0.01
10:25	0.011
10:26	0.011
10:27	0.013
10:28	0.009
10:29	0.008
10:30	0.01
10:31	0.01
10:32	0.011
10:33	0.009
10:34	0.009
10:35	0.057
10:36	0.024
10:37	0.012
10:38	0.013
10:39	0.045
10:40	0.018
10:41	0.021
10:42	0.014
10:43	0.013
10:44	0.013
10:45	0.01
10:46	0.012
10:47	0.029
10:48	0.01
10:49	0.016
10:50	0.013
10:51	0.01
10:52	0.009
10:53	0.01

10:54	0.045
10:55	0.028
10:56	0.013
10:57	0.012
10:58	0.008
10:59	0.018
11:00	0.018
11:01	0.017
11:02	0.024
11:03	0.009
11:04	0.011
11:05	0.012
11:06	0.021
11:07	0.041
11:08	0.013
11:09	0.009
11:10	0.01
11:11	0.011
11:12	0.008
11:13	0.011
11:14	0.018
11:15	0.04
11:16	0.015
11:17	0.009
11:18	0.009
11:19	0.008
11:20	0.008
11:21	0.012
11:22	0.01
11:23	0.011
11:24	0.011
11:25	0.007
11:26	0.007
11:27	0.015
11:28	0.018
11:29	0.012
11:30	0.012
11:31	0.009
11:32	0.012
11:33	0.009
11:34	0.008
11:35	0.01
11:36	0.019
11:37	0.015

11:38	0.01
11:39	0.009
11:40	0.007
11:41	0.008
11:42	0.007
11:43	0.007
11:44	0.008
11:45	0.009
11:46	0.008
11:47	0.014
11:48	0.011
11:49	0.009
11:50	0.01
11:51	0.008
11:52	0.01
11:53	0.007
11:54	0.006
11:55	0.007
11:56	0.008
11:57	0.009
11:58	0.008
11:59	0.008
12:00	0.008
12:01	0.007
12:02	0.009
12:03	0.008
12:04	0.007
12:05	0.006
12:06	0.007
12:07	0.011
12:08	0.011
12:09	0.01
12:10	0.011
12:11	0.009
12:12	0.008
12:13	0.007
12:14	0.007
12:15	0.01
12:16	0.008
12:17	0.008
12:18	0.01
12:19	0.009
12:20	0.012
12:21	0.01

12:22	0.011
12:23	0.009
12:24	0.008
12:25	0.007
12:26	0.008
12:27	0.008
12:28	0.011
12:29	0.012
12:30	0.009
12:31	0.012
12:32	0.029
12:33	0.014
12:34	0.019
12:35	0.022
12:36	0.01
12:37	0.011
12:38	0.016
12:39	0.009
12:40	0.011
12:41	0.017
12:42	0.013
12:43	0.01
12:44	0.01
12:45	0.014
12:46	0.008
12:47	0.006
12:48	0.007
12:49	0.008
12:50	0.01
12:51	0.029
12:52	0.069
12:53	0.014
12:54	0.014
12:55	0.011
12:56	0.009
12:57	0.011
12:58	0.021
12:59	0.035
13:00	0.016
13:01	0.01
13:02	0.009
13:03	0.011
13:04	0.01
13:05	0.011

13:06	0.013
13:07	0.009
13:08	0.012
13:09	0.009
13:10	0.009
13:11	0.008
13:12	0.007
13:13	0.007
13:14	0.008
13:15	0.011
13:16	0.01
13:17	0.01
13:18	0.011
13:19	0.009
13:20	0.008
13:21	0.011
13:22	0.012
13:23	0.028
13:24	0.014
13:25	0.017
13:26	0.018
13:27	0.01
13:28	0.029
13:29	0.01
13:30	0.013
13:31	0.014
13:32	0.013
13:33	0.024
13:34	0.012
13:35	0.008
13:36	0.007
13:37	0.007
13:38	0.009
13:39	0.008
13:40	0.009
13:41	0.009
13:42	0.005
13:43	0.005
13:44	0.007
13:45	0.007
13:46	0.006
13:47	0.007
13:48	0.01
13:49	0.018

13:50	0.011
13:51	0.01
13:52	0.012
13:53	0.009
13:54	0.011
13:55	0.009
13:56	0.008
13:57	0.008
13:58	0.009
13:59	0.007
14:00	0.01
14:01	0.008
14:02	0.008
14:03	0.009
14:04	0.009
14:05	0.007
14:06	0.014
14:07	0.011
14:08	0.012
14:09	0.009
14:10	0.011
14:11	0.01
14:12	0.007
14:13	0.006
14:14	0.009
14:15	0.011
14:16	0.011
14:17	0.007
14:18	0.008
14:19	0.011
14:20	0.007
14:21	0.013
14:22	0.014
14:23	0.017
14:24	0.013
14:25	0.007
14:26	0.006
14:27	0.009
14:28	0.009
14:29	0.011
14:30	0.007
14:31	0.006
14:32	0.008
14:33	0.005

14:34	0.028
14:35	0.014
14:36	0.005
14:37	0.006
14:38	0.01
14:39	0.012
14:40	0.008
14:41	0.008
14:42	0.008
14:43	0.014
14:44	0.007
14:45	0.011
14:46	0.009
14:47	0.006
14:48	0.007
14:49	0.007
14:50	0.008
14:51	0.016
14:52	0.013
14:53	0.009
14:54	0.014
14:55	0.008
14:56	0.008
14:57	0.011
14:58	0.008
14:59	0.009
15:00	0.012
15:01	0.01
15:02	0.009
15:03	0.008
15:04	0.013
15:05	0.013
15:06	0.01
15:07	0.008
15:08	0.01
15:09	0.012
15:10	0.018
15:11	0.013
15:12	0.008
15:13	0.01
15:14	0.008
15:15	0.009
15:16	0.01
15:17	0.008

15:18	0.008
15:19	0.01
15:20	0.01
15:21	0.012
15:22	0.018
15:23	0.01
15:24	0.009
15:25	0.014
15:26	0.014
15:27	0.03
15:28	0.015
15:29	0.009
15:30	0.013
15:31	0.034
15:32	0.009
15:33	0.009
15:34	0.011
15:35	0.007
15:36	0.007
15:37	0.008
15:38	0.01
15:39	0.006
15:40	0.014
15:41	0.015
15:42	0.009
15:43	0.009
15:44	0.01
15:45	0.009
15:46	0.01
15:47	0.008
15:48	0.01
15:49	0.01
15:50	0.008
15:51	0.009
15:52	0.01
15:53	0.01
15:54	0.008
15:55	0.008
15:56	0.008
15:57	0.008
15:58	0.009
15:59	0.009
16:00	0.009
16:01	0.01

16:02	0.009
16:03	0.009
16:04	0.01
16:05	0.009
16:06	0.009
16:07	0.012
16:08	0.009
16:09	0.009
16:10	0.009
16:11	0.009
16:12	0.011
16:13	0.009
16:14	0.01
16:15	0.011
16:16	0.009
16:17	0.009
16:18	0.01
16:19	0.01
16:20	0.009
16:21	0.013
16:22	0.012
16:23	0.009
16:24	0.008
16:25	0.014
16:26	0.009
16:27	0.011
16:28	0.017
16:29	0.014
16:30	0.015
16:31	0.011
16:32	0.014
16:33	0.013
16:34	0.013
16:35	0.016
16:36	0.012
16:37	0.011
16:38	0.021
16:39	0.021
16:40	0.01
16:41	0.01
16:42	0.008
16:43	0.009
16:44	0.009
16:45	0.014

16:46	0.012
16:47	0.009
16:48	0.009
16:49	0.011
16:50	0.007
16:51	0.007
16:52	0.01
16:53	0.008
16:54	0.009
16:55	0.009
16:56	0.009
16:57	0.009
16:58	0.01
16:59	0.012
17:00	0.011
17:01	0.011
17:02	0.012
17:03	0.013
17:04	0.013
17:05	0.013
17:06	0.01
17:07	0.01
17:08	0.01
17:09	0.012
17:10	0.01
17:11	0.012
17:12	0.011
17:13	0.011
17:14	0.012
17:15	0.01
17:16	0.009
17:17	0.011
17:18	0.009
17:19	0.017
17:20	0.01
17:21	0.01
17:22	0.009
17:23	0.008
17:24	0.01
17:25	0.009
17:26	0.011
17:27	0.011
17:28	0.01
17:29	0.015

17:30	0.013
17:31	0.013
17:32	0.01
17:33	0.009
17:34	0.011
17:35	0.012
17:36	0.01
17:37	0.01
17:38	0.008
17:39	0.009
17:40	0.015
17:41	0.017
17:42	0.012
17:43	0.01
17:44	0.013
17:45	0.014
17:46	0.011
17:47	0.014
17:48	0.012
17:49	0.011
17:50	0.012
17:51	0.013
17:52	0.012
17:53	0.01
17:54	0.013
17:55	0.012
17:56	0.012
17:57	0.011
17:58	0.012
17:59	0.114
18:00	0.035
18:01	0.014
18:02	0.016
18:03	0.011
18:04	0.01
18:05	0.01
18:06	0.011
18:07	0.011
18:08	0.013
18:09	0.011
18:10	0.016
18:11	0.014
18:12	0.014
18:13	0.014

18:14	0.015
18:15	0.012
18:16	0.012
18:17	0.012
18:18	0.013
18:19	0.013
18:20	0.012
18:21	0.012
18:22	0.011
18:23	0.011
18:24	0.019
18:25	0.01
18:26	0.009
18:27	0.014
18:28	0.011
18:29	0.013
18:30	0.012

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	3/19/2024	18:31	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:30	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:29	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:28	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:27	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:26	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:25	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:24	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:23	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:22	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:21	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:20	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:19	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:18	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:17	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:16	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:15	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:14	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:13	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:12	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:11	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:10	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:09	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:08	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:07	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:06	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:05	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:04	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:03	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:02	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:01	Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	18:00	Readings	PID	SC23030408A8	Normal	0







592-600871	3/19/2024	16:20 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:19 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:18 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:17 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:16 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:15 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:14 Readings	PID	SC23030408A8	Normal	0.1
592-600871	3/19/2024	16:13 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:12 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:11 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:10 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:09 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:08 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:07 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:06 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:05 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:04 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:03 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:02 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:01 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	16:00 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:59 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:58 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:57 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:56 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	15:48 Readings	PID	SC23030408A8	Normal	0





















592-600871	3/19/2024	10:17 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:16 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:15 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:14 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:13 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:12 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:11 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:10 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:09 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:08 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:07 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:06 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:05 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:04 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:03 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:02 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:01 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	10:00 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:59 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:58 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:57 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:56 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:49 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:48 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:47 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:46 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	9:45 Readings	PID	SC23030408A8	Normal	0











592-600871	3/19/2024	6:59 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:58 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:57 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:56 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:52 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:51 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	6:50 Readings	PID	SC23030408A8	Normal	0
592-600871	3/19/2024	CONFIG	PID	SC23030408A8		