



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain	X	Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	X	50-70	X	70-85		>85		S – 12 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 04/04/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 18:00</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade WSP- Charlie Lambert</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	--

Scope of Work: Continue ISS column installation along the southern portion of the Site, along Douglass Street.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- Cascade received one (1) delivery of slag; and
- National grid continued work on the sidewalk adjacent to Douglass Street;
 - Cascade drilled **Column 101**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 12 batches;
 - Cascade drilled **Column 157**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 165**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 15 batches;
 - A wet mix sample was collected from 33’;
 - Cascade drilled **Column 221**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 17 batches;
 - Cascade drilled **Column 223**, column spec below:
 - The column was 8’ diameter and drilled 51’ deep from Site grade;
 - The column consisted of a total of 24 batches;

*Site grade refers to the elevation of the site after the 4’ excavation was completed.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.011_ mg/m³ @ 06:49
- High Conditions (Upwind) – PID = _0.7_ ppm @ 12:11, Dust = _0.031_ mg/m³ @ 14:31
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.012_ mg/m³ @ 06:39
- High Conditions (Downwind 2) – PID = _0.5_ ppm @ 12:01, Dust = _0.266_ mg/m³ @ 17:26

*ATMOS foam was sprayed throughout the day when odors were encountered.

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Continue ISS column installation;
- Triumvirate to pump out remaining truck wash rinsate frac tank tomorrow (4/5/24);
- Remove swell material for offsite disposal to Conestoga; and
- Sonic Rig scheduled for ISS core sampling on 4/8 and 4/9.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of drilling
ISS column.



Photo 2-
Representative
photo of National
Grid work
adjacent to
Douglass Street.



Photo 3-

Representative photo the sampling rod being used to collect a wet mix sample from Column 165 at 33'.



Photo 4-

Representative photo of slag delivery.




Photo 5-
Representative
photo of swell
material sprayed
with ATMOS
foam.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY








BUTLER STREET

NEVINS STREET

DOUGLASS STREET



LEGEND

- PROPERTY LINE
- 1500 SFT GRID
- EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- SIX FOOT DIA. COLUMN (TYP.)

PROJECT

NORTH

0' 30' 60'

NOTES:
 1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

QA/QC CORE GRID PLAN

251 Douglass Street
Brooklyn, New York

Figure No: 04

PROJECT NO.	1908-01
DESIGNED BY	JM
DRAWN BY	JM
CHECKED BY	JFM/K
DATE	02/07/2023
SCALE	1" = 20'
REVISIONS	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599



ISS columns
 101, 157, 165,
 221, and 223
 completed on
 04/04/2024.

SCM Report






Project name: Douglass Street BCG ISS Element name: c101a
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	08:56 AM	
Volume/m 1	24.36 ft³	End Date	04/04/2024
		End time	09:30 AM
		Production duration	00:33:46
		Final depth time	09:22 AM
		Total suspension quantity	282.305 ft³



SCM Report






Project name	Douglass Street BCG ISS	Element name	c101b
		Project number	

		Start date	04/04/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details			
Max. depth	38.02 ft.	Start time	09:30 AM
Volume/m 1	9.88 ft³	End Date	04/04/2024
		End time	09:50 AM
		Production duration	00:20:07
		Final depth time	09:42 AM
		Total suspension quantity	113.71 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c157a
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	11:06 AM	
Volume/m 1	20.83 ft³	End Date	04/04/2024
		End time	11:35 AM
		Production duration	00:28:31
		Final depth time	11:27 AM
		Total suspension quantity	242.859 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c157b
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	11:35 AM	
Volume/m 1	18.71 ft³	End Date	04/04/2024
		End time	11:55 AM
		Production duration	00:20:25
		Final depth time	11:47 AM_
		Total suspension quantity	216.655 ft³




SCM Report



Project name	Douglass Street BCG ISS	Element name	c165a
		Project number	
		Start date	04/04/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.02 ft.	Start time	12:49 PM
Volume/m 1	21.89 ft³	End Date	04/04/2024
		End time	01:19 PM
		Production duration	00:30:21
		Final depth time	01:11 PM
		Total suspension quantity	252.606 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c165b
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	01:19 PM	
Volume/m 1	23.66 ft³	End Date	04/04/2024
		End time	01:44 PM
		Production duration	00:24:40
		Final depth time	01:32 PM
		Total suspension quantity	274.536 ft³



SCM Report




Project name: Douglass Street BCG ISS Element name: c221a
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time: 05:02 PM	
Max. depth: 38.02 ft.		End Date: 04/04/2024	
Volume/m 1: 26.13 ft³		End time: 05:30 PM	
		Production duration: 00:27:37	
		Final depth time: 05:21 PM	
		Total suspension quantity: 303.141 ft³	



SCM Report





Project name: Douglass Street BCG ISS Element name: c221b
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time: 05:30 PM	
Max. depth: 38.02 ft.		End Date: 04/04/2024	
Volume/m 1: 25.77 ft³		End time: 05:58 PM	
		Production duration: 00:28:11	
		Final depth time: 05:43 PM	
		Total suspension quantity: 299.256 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c223a
 Project number

Start date: 04/04/2024

Drilling rig: BG36H_5717

Details		Start time	03:03 PM
Max. depth	52 ft.	End Date	04/04/2024
Volume/m 1	28.95 ft³	End time	03:47 PM
		Production duration	00:44:03
		Final depth time	03:37 PM
		Total suspension quantity	442.14 ft³



SCM Report






Project name	Douglass Street BCG ISS	Element name	c223b
		Project number	

		Start date	04/04/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details			
Max. depth	52 ft.	Start time	03:48 AM
Volume/m 1	26.13 ft ³	End Date	04/04/2024
		End time	04:21 AM
		Production duration	00:33:24
		Final depth time	04:04 AM_
		Total suspension quantity	398.455 ft ³





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_004
Test Start Time	6:49:00 AM
Test Start Date	4/4/2024
Test Length [D:H:M]	0:11:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.031
Mass TWA [mg/m3]	0.009
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	692

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:49	0.011		
6:50	0.006		
6:51	0.008		
6:52	0.006		
6:53	0.006		
6:54	0.007		
6:55	0.006		
6:56	0.005		
6:57	0.005		
6:58	0.005		
6:59	0.004		
7:00	0.004		
7:01	0.004		
7:02	0.005		
7:03	0.005		
7:04	0.005		
7:05	0.003		
7:06	0.003		
7:07	0.003		
7:08	0.002		
7:09	0.002		
7:10	0.002		
7:11	0.002		
7:12	0.003		

7:13	0.003
7:14	0.003
7:15	0.003
7:16	0.004
7:17	0.007
7:18	0.006
7:19	0.007
7:20	0.005
7:21	0.003
7:22	0.004
7:23	0.01
7:24	0.005
7:25	0.004
7:26	0.003
7:27	0.004
7:28	0.002
7:29	0.002
7:30	0.002
7:31	0.002
7:32	0.002
7:33	0.001
7:34	0.001
7:35	0.002
7:36	0.006
7:37	0.003
7:38	0.009
7:39	0.003
7:40	0.002
7:41	0.003
7:42	0.003
7:43	0.002
7:44	0.002
7:45	0.002
7:46	0.002
7:47	0.002
7:48	0.002
7:49	0.003
7:50	0.002
7:51	0.003
7:52	0.004
7:53	0.003
7:54	0.002
7:55	0.002
7:56	0.002

7:57	0.003
7:58	0.002
7:59	0.004
8:00	0.003
8:01	0.002
8:02	0.003
8:03	0.002
8:04	0.002
8:05	0.002
8:06	0.003
8:07	0.002
8:08	0.003
8:09	0.003
8:10	0.003
8:11	0.004
8:12	0.004
8:13	0.005
8:14	0.004
8:15	0.005
8:16	0.007
8:17	0.004
8:18	0.004
8:19	0.004
8:20	0.004
8:21	0.005
8:22	0.005
8:23	0.004
8:24	0.004
8:25	0.004
8:26	0.004
8:27	0.004
8:28	0.004
8:29	0.004
8:30	0.004
8:31	0.004
8:32	0.004
8:33	0.003
8:34	0.008
8:35	0.003
8:36	0.004
8:37	0.003
8:38	0.004
8:39	0.004
8:40	0.004

8:41	0.004
8:42	0.007
8:43	0.005
8:44	0.005
8:45	0.004
8:46	0.004
8:47	0.004
8:48	0.004
8:49	0.004
8:50	0.004
8:51	0.009
8:52	0.006
8:53	0.006
8:54	0.005
8:55	0.005
8:56	0.005
8:57	0.008
8:58	0.006
8:59	0.005
9:00	0.007
9:01	0.006
9:02	0.005
9:03	0.005
9:04	0.005
9:05	0.026
9:06	0.007
9:07	0.005
9:08	0.006
9:09	0.005
9:10	0.005
9:11	0.004
9:12	0.004
9:13	0.005
9:14	0.005
9:15	0.006
9:16	0.007
9:17	0.004
9:18	0.004
9:19	0.004
9:20	0.008
9:21	0.012
9:22	0.007
9:23	0.012
9:24	0.01

9:25	0.01
9:26	0.005
9:27	0.008
9:28	0.009
9:29	0.01
9:30	0.008
9:31	0.007
9:32	0.017
9:33	0.013
9:34	0.011
9:35	0.01
9:36	0.01
9:37	0.009
9:38	0.007
9:39	0.009
9:40	0.009
9:41	0.012
9:42	0.01
9:43	0.011
9:44	0.011
9:45	0.013
9:46	0.012
9:47	0.012
9:48	0.009
9:49	0.009
9:50	0.009
9:51	0.01
9:52	0.013
9:53	0.01
9:54	0.008
9:55	0.008
9:56	0.008
9:57	0.007
9:58	0.009
9:59	0.007
10:00	0.008
10:01	0.007
10:02	0.006
10:03	0.007
10:04	0.007
10:05	0.007
10:06	0.007
10:07	0.007
10:08	0.007

10:09	0.006
10:10	0.007
10:11	0.006
10:12	0.006
10:13	0.006
10:14	0.007
10:15	0.005
10:16	0.007
10:17	0.006
10:18	0.005
10:19	0.007
10:20	0.008
10:21	0.007
10:22	0.006
10:23	0.006
10:24	0.008
10:25	0.007
10:26	0.007
10:27	0.009
10:28	0.007
10:29	0.007
10:30	0.007
10:31	0.007
10:32	0.009
10:33	0.007
10:34	0.007
10:35	0.007
10:36	0.007
10:37	0.008
10:38	0.011
10:39	0.008
10:40	0.01
10:41	0.009
10:42	0.013
10:43	0.012
10:44	0.009
10:45	0.009
10:46	0.009
10:47	0.009
10:48	0.007
10:49	0.012
10:50	0.007
10:51	0.006
10:52	0.005

10:53	0.005
10:54	0.006
10:55	0.006
10:56	0.006
10:57	0.007
10:58	0.009
10:59	0.013
11:00	0.01
11:01	0.014
11:02	0.018
11:03	0.012
11:04	0.016
11:05	0.028
11:06	0.011
11:07	0.017
11:08	0.012
11:09	0.009
11:10	0.01
11:11	0.007
11:12	0.008
11:13	0.013
11:14	0.009
11:15	0.008
11:16	0.012
11:17	0.016
11:18	0.022
11:19	0.02
11:20	0.012
11:21	0.007
11:22	0.008
11:23	0.01
11:24	0.014
11:25	0.017
11:26	0.01
11:27	0.012
11:28	0.014
11:29	0.013
11:30	0.017
11:31	0.015
11:32	0.011
11:33	0.014
11:34	0.02
11:35	0.011
11:36	0.017

11:37	0.012
11:38	0.008
11:39	0.02
11:40	0.016
11:41	0.013
11:42	0.015
11:43	0.016
11:44	0.014
11:45	0.015
11:46	0.009
11:47	0.012
11:48	0.016
11:49	0.007
11:50	0.006
11:51	0.006
11:52	0.007
11:53	0.01
11:54	0.012
11:55	0.012
11:56	0.01
11:57	0.013
11:58	0.013
11:59	0.009
12:00	0.008
12:01	0.014
12:02	0.011
12:03	0.009
12:04	0.011
12:05	0.013
12:06	0.011
12:07	0.012
12:08	0.012
12:09	0.01
12:10	0.011
12:11	0.012
12:12	0.011
12:13	0.008
12:14	0.013
12:15	0.014
12:16	0.01
12:17	0.011
12:18	0.011
12:19	0.009
12:20	0.01

12:21	0.01
12:22	0.012
12:23	0.012
12:24	0.011
12:25	0.012
12:26	0.01
12:27	0.009
12:28	0.007
12:29	0.011
12:30	0.011
12:31	0.009
12:32	0.012
12:33	0.015
12:34	0.014
12:35	0.011
12:36	0.013
12:37	0.017
12:38	0.014
12:39	0.012
12:40	0.013
12:41	0.014
12:42	0.015
12:43	0.016
12:44	0.02
12:45	0.014
12:46	0.018
12:47	0.014
12:48	0.021
12:49	0.019
12:50	0.014
12:51	0.02
12:52	0.009
12:53	0.009
12:54	0.013
12:55	0.014
12:56	0.019
12:57	0.015
12:58	0.013
12:59	0.014
13:00	0.009
13:01	0.011
13:02	0.015
13:03	0.016
13:04	0.017

13:05	0.012
13:06	0.011
13:07	0.012
13:08	0.009
13:09	0.009
13:10	0.01
13:11	0.01
13:12	0.012
13:13	0.013
13:14	0.015
13:15	0.011
13:16	0.014
13:17	0.014
13:18	0.014
13:19	0.009
13:20	0.009
13:21	0.01
13:22	0.009
13:23	0.011
13:24	0.013
13:25	0.01
13:26	0.011
13:27	0.011
13:28	0.01
13:29	0.008
13:30	0.008
13:31	0.013
13:32	0.013
13:33	0.011
13:34	0.015
13:35	0.01
13:36	0.01
13:37	0.011
13:38	0.01
13:39	0.01
13:40	0.012
13:41	0.012
13:42	0.011
13:43	0.012
13:44	0.014
13:45	0.013
13:46	0.011
13:47	0.011
13:48	0.012

13:49	0.013
13:50	0.014
13:51	0.014
13:52	0.011
13:53	0.009
13:54	0.009
13:55	0.015
13:56	0.012
13:57	0.011
13:58	0.014
13:59	0.013
14:00	0.013
14:01	0.013
14:02	0.01
14:03	0.012
14:04	0.01
14:05	0.009
14:06	0.008
14:07	0.011
14:08	0.01
14:09	0.008
14:10	0.014
14:11	0.009
14:12	0.009
14:13	0.009
14:14	0.008
14:15	0.008
14:16	0.009
14:17	0.012
14:18	0.012
14:19	0.014
14:20	0.01
14:21	0.01
14:22	0.011
14:23	0.01
14:24	0.011
14:25	0.011
14:26	0.01
14:27	0.011
14:28	0.012
14:29	0.011
14:30	0.01
14:31	0.031
14:32	0.022

14:33	0.01
14:34	0.009
14:35	0.008
14:36	0.011
14:37	0.008
14:38	0.009
14:39	0.009
14:40	0.009
14:41	0.01
14:42	0.01
14:43	0.009
14:44	0.011
14:45	0.011
14:46	0.012
14:47	0.009
14:48	0.008
14:49	0.008
14:50	0.009
14:51	0.009
14:52	0.01
14:53	0.01
14:54	0.008
14:55	0.008
14:56	0.01
14:57	0.015
14:58	0.011
14:59	0.009
15:00	0.007
15:01	0.007
15:02	0.007
15:03	0.015
15:04	0.012
15:05	0.01
15:06	0.008
15:07	0.007
15:08	0.016
15:09	0.012
15:10	0.008
15:11	0.016
15:12	0.01
15:13	0.024
15:14	0.009
15:15	0.007
15:16	0.007

15:17	0.015
15:18	0.02
15:19	0.007
15:20	0.006
15:21	0.006
15:22	0.006
15:23	0.006
15:24	0.007
15:25	0.008
15:26	0.008
15:27	0.007
15:28	0.008
15:29	0.009
15:30	0.01
15:31	0.011
15:32	0.009
15:33	0.009
15:34	0.009
15:35	0.008
15:36	0.007
15:37	0.008
15:38	0.008
15:39	0.008
15:40	0.022
15:41	0.014
15:42	0.009
15:43	0.009
15:44	0.007
15:45	0.009
15:46	0.008
15:47	0.011
15:48	0.017
15:49	0.012
15:50	0.008
15:51	0.006
15:52	0.008
15:53	0.008
15:54	0.01
15:55	0.008
15:56	0.008
15:57	0.007
15:58	0.007
15:59	0.007
16:00	0.007

16:01	0.009
16:02	0.009
16:03	0.01
16:04	0.022
16:05	0.013
16:06	0.009
16:07	0.007
16:08	0.007
16:09	0.007
16:10	0.008
16:11	0.012
16:12	0.013
16:13	0.011
16:14	0.014
16:15	0.009
16:16	0.007
16:17	0.006
16:18	0.009
16:19	0.01
16:20	0.009
16:21	0.008
16:22	0.008
16:23	0.009
16:24	0.008
16:25	0.007
16:26	0.007
16:27	0.007
16:28	0.008
16:29	0.009
16:30	0.008
16:31	0.006
16:32	0.007
16:33	0.007
16:34	0.007
16:35	0.007
16:36	0.007
16:37	0.007
16:38	0.007
16:39	0.007
16:40	0.007
16:41	0.008
16:42	0.009
16:43	0.007
16:44	0.007

16:45	0.007
16:46	0.007
16:47	0.008
16:48	0.009
16:49	0.01
16:50	0.008
16:51	0.007
16:52	0.007
16:53	0.008
16:54	0.008
16:55	0.009
16:56	0.011
16:57	0.01
16:58	0.009
16:59	0.01
17:00	0.011
17:01	0.014
17:02	0.015
17:03	0.009
17:04	0.011
17:05	0.009
17:06	0.009
17:07	0.01
17:08	0.008
17:09	0.008
17:10	0.009
17:11	0.008
17:12	0.009
17:13	0.01
17:14	0.009
17:15	0.009
17:16	0.008
17:17	0.008
17:18	0.013
17:19	0.011
17:20	0.01
17:21	0.011
17:22	0.01
17:23	0.01
17:24	0.01
17:25	0.01
17:26	0.01
17:27	0.01
17:28	0.009

17:29	0.009
17:30	0.009
17:31	0.01
17:32	0.01
17:33	0.009
17:34	0.008
17:35	0.008
17:36	0.009
17:37	0.009
17:38	0.009
17:39	0.01
17:40	0.011
17:41	0.018
17:42	0.013
17:43	0.011
17:44	0.01
17:45	0.011
17:46	0.009
17:47	0.011
17:48	0.011
17:49	0.01
17:50	0.009
17:51	0.009
17:52	0.009
17:53	0.009
17:54	0.009
17:55	0.009
17:56	0.009
17:57	0.01
17:58	0.011
17:59	0.011
18:00	0.01
18:01	0.01
18:02	0.01
18:03	0.011
18:04	0.014
18:05	0.023
18:06	0.017
18:07	0.009
18:08	0.009
18:09	0.009
18:10	0.009
18:11	0.008
18:12	0.009

18:13	0.009	
18:14	0.009	
18:15	0.006	Flow Error
18:16	0.003	Flow Error
18:17	0.003	Flow Error
18:18	0.003	Flow Error
18:19	0.004	Flow Error
18:20	0.004	Flow Error

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	4/4/2024	18:23	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:22	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:21	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:20	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:19	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:18	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:17	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:16	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:15	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:14	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:13	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:12	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:11	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:10	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:09	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:08	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:07	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:06	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:05	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:04	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:03	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:02	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:01	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	18:00	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:59	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:58	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:57	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:56	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:55	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:54	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:53	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	17:52	Readings	PID	SC23030921B3	Normal	0

592-601274	4/4/2024	14:33 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	14:32 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	14:31 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	14:30 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:29 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:28 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:27 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:26 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:25 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:24 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	14:23 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:22 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:21 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:20 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:19 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:18 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:17 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:16 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:15 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	14:14 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	14:13 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	14:12 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:11 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:10 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	14:09 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	14:08 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	14:07 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	14:06 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	14:05 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	14:04 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	14:03 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:02 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	14:01 Readings	PID	SC23030921B3	Normal	0.3

592-601274	4/4/2024	14:00 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:59 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:58 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:57 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	13:56 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	13:55 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	13:54 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	13:53 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:52 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:51 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:50 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:49 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:48 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	13:47 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:46 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:45 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:44 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:43 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:42 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:41 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:40 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:39 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:38 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:37 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	13:36 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:35 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:34 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:33 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:32 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:31 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:30 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:29 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:28 Readings	PID	SC23030921B3	Normal	0.1

592-601274	4/4/2024	13:27 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:26 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:25 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	13:24 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:23 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:22 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:21 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:20 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:19 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:18 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:17 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:16 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:15 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:14 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:13 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:12 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	13:11 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:10 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:09 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:08 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:07 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:06 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:05 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:04 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:03 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	13:02 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	13:01 Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	13:00 Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:59 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:58 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:57 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:56 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	12:55 Readings	PID	SC23030921B3	Normal	0.3

592-601274	4/4/2024	12:54	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:53	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:52	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:51	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:50	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:49	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:48	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:47	Readings	PID	SC23030921B3	Normal	0.6
592-601274	4/4/2024	12:46	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:45	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:44	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:43	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:42	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:41	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:40	Readings	PID	SC23030921B3	Normal	0.6
592-601274	4/4/2024	12:39	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:38	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:37	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:36	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:35	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:34	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	12:33	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	12:32	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:31	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	12:30	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:29	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:28	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:27	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:26	Readings	PID	SC23030921B3	Normal	0.7
592-601274	4/4/2024	12:25	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:24	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:23	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:22	Readings	PID	SC23030921B3	Normal	0.5

592-601274	4/4/2024	12:21 Readings	PID	SC23030921B3	Normal	0.6
592-601274	4/4/2024	12:20 Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:19 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:18 Readings	PID	SC23030921B3	Normal	0.6
592-601274	4/4/2024	12:17 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:16 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:15 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:14 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	12:13 Readings	PID	SC23030921B3	Normal	0.6
592-601274	4/4/2024	12:12 Readings	PID	SC23030921B3	Normal	0.7
592-601274	4/4/2024	12:11 Readings	PID	SC23030921B3	Normal	0.7
592-601274	4/4/2024	12:10 Readings	PID	SC23030921B3	Normal	0.6
592-601274	4/4/2024	12:09 Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	12:08 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:07 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:06 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:05 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:04 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:03 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	12:02 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	12:01 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	12:00 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:59 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:58 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	11:57 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:56 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:55 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:54 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:53 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:52 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:51 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:50 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:49 Readings	PID	SC23030921B3	Normal	0.2

592-601274	4/4/2024	11:48	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:47	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:46	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:45	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:44	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:43	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:42	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:41	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:40	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:39	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:38	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:37	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:36	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:35	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:34	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:33	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:32	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:31	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:30	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:29	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:28	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:27	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:26	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:25	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:24	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:23	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:22	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:21	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:20	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:19	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:18	Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	11:17	Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:16	Readings	PID	SC23030921B3	Normal	0.1

592-601274	4/4/2024	11:15 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:14 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:13 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:12 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:11 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	11:10 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:09 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:08 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:07 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:06 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:05 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:04 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:03 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:02 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	11:01 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	11:00 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	10:59 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	10:58 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	10:57 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	10:56 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	10:55 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	10:54 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:53 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:52 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:51 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:50 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:49 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:48 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:47 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:46 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:45 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:44 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:43 Readings	PID	SC23030921B3	Normal	0.3

592-601274	4/4/2024	10:42	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:41	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:40	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:39	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:38	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:37	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:36	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:35	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:34	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:33	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:32	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:31	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:30	Readings	PID	SC23030921B3	Normal	0.5
592-601274	4/4/2024	10:29	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:28	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:27	Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	10:26	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:25	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:24	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:23	Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:22	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:21	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:20	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:19	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:18	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:17	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:16	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:15	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:14	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:13	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:12	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:11	Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:10	Readings	PID	SC23030921B3	Normal	0.2

592-601274	4/4/2024	10:09 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:08 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:07 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:06 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:05 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:04 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:03 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:02 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	10:01 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	10:00 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	9:59 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	9:58 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:57 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:56 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:55 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:54 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:53 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	9:52 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	9:51 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:50 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	9:49 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:48 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/4/2024	9:47 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:46 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:45 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:44 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:43 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:42 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:41 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:40 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:39 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:38 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:37 Readings	PID	SC23030921B3	Normal	0.3

592-601274	4/4/2024	9:03 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:02 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:01 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	9:00 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:59 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:58 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:57 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:56 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:55 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:54 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:53 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:52 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:51 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:50 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:49 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:48 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:47 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:46 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:45 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:44 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:43 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:42 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:41 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:40 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:39 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:38 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:37 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:36 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:35 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:34 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:33 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:32 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:31 Readings	PID	SC23030921B3	Normal	0.3

592-601274	4/4/2024	8:30 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:29 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:28 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:27 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:26 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:25 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:24 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:23 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:22 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:21 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:20 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:19 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:18 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:17 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:16 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:15 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:14 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:13 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:12 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:11 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:10 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:09 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:08 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:07 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:06 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:05 Readings	PID	SC23030921B3	Normal	0.4
592-601274	4/4/2024	8:04 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:03 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:02 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:01 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	8:00 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	7:59 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/4/2024	7:58 Readings	PID	SC23030921B3	Normal	0.3

592-601274	4/4/2024	7:24 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:23 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:22 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:21 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:20 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:19 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:18 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:17 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/4/2024	7:16 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:15 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:14 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:13 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:12 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:11 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:10 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:09 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:08 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:07 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:06 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:05 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:04 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:03 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:02 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:01 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:59 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:58 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:57 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:56 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:55 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:54 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:53 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:52 Readings	PID	SC23030921B3	Normal	0

592-601274	4/4/2024	6:51 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:50 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	6:49 Readings	PID	SC23030921B3	Normal	0
592-601274	4/4/2024	CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_004
Test Start Time	6:38:49 AM
Test Start Date	4/4/2024
Test Length [D:H:M]	0:00:53
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.01
PM1 Minimum [mg/m3]	0.007
PM1 Maximum [mg/m3]	0.012
PM1 TWA [mg/m3]	0.001
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	53

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:38	0.011		
6:39	0.012		
6:40	0.012		
6:41	0.012		
6:42	0.011		
6:43	0.012		
6:44	0.011		
6:45	0.011		
6:46	0.01		
6:47	0.01		
6:48	0.01		
6:49	0.01		
6:50	0.01		
6:51	0.01		
6:52	0.011		
6:53	0.01		
6:54	0.01		
6:55	0.011		
6:56	0.012		
6:57	0.012		
6:58	0.01		
6:59	0.011		
7:00	0.011		

7:01	0.012	
7:02	0.012	
7:03	0.011	
7:04	0.01	
7:05	0.011	
7:06	0.011	
7:07	0.01	
7:08	0.01	
7:09	0.011	
7:10	0.011	
7:11	0.011	
7:12	0.012	
7:13	0.012	
7:14	0.012	
7:15	0.012	
7:16	0.011	Flow Error
7:17	0.008	
7:18	0.009	Flow Error
7:19	0.008	Flow Error
7:20	0.007	Flow Error
7:21	0.007	Flow Error
7:22	0.007	Flow Error
7:23	0.007	Flow Error
7:24	0.007	Flow Error
7:25	0.007	Flow Error
7:26	0.007	Flow Error
7:27	0.007	Flow Error
7:28	0.007	Flow Error
7:29	0.01	Flow Error
7:30	0.007	Flow Error

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-929156	4/4/2024	17:32	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:31	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:30	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:29	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:28	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:27	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:26	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:25	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:24	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:23	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:22	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:21	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:20	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:19	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:18	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:17	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:16	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:15	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:14	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:13	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:12	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:11	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:10	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:09	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:08	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:07	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:06	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:05	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:04	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:03	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:02	Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	17:01	Readings	PID	SC23030065D3	Normal	0

592-929156	4/4/2024	7:06 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	7:05 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	7:04 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	7:03 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	7:02 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	7:01 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	7:00 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:59 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:58 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:57 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:56 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:55 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:54 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:53 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:52 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:51 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:50 CONFIG	PID	SC23030065D3		
592-929156	4/4/2024	6:49 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:48 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:47 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:46 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:45 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:44 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:43 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:42 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:41 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:40 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:39 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	6:38 Readings	PID	SC23030065D3	Normal	0
592-929156	4/4/2024	CONFIG	PID	SC23030065D3		

Instrument Name	0.2
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_005
Test Start Time	6:39:25 AM
Test Start Date	4/4/2024
Test Length [D:H:M]	0:11:37
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.008
PM1 Minimum [mg/m3]	0.001
PM1 Maximum [mg/m3]	0.266
PM1 TWA [mg/m3]	0.006
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	697

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:39	0.004		
6:40	0.003		
6:41	0.004		
6:42	0.003		
6:43	0.002		
6:44	0.002		
6:45	0.003		
6:46	0.002		
6:47	0.001		
6:48	0.002		
6:49	0.002		
6:50	0.002		
6:51	0.002		
6:52	0.003		
6:53	0.004		
6:54	0.005		
6:55	0.002		
6:56	0.003		
6:57	0.003		
6:58	0.003		
6:59	0.003		
7:00	0.003		
7:01	0.002		

7:02	0.004
7:03	0.003
7:04	0.002
7:05	0.003
7:06	0.003
7:07	0.003
7:08	0.003
7:09	0.004
7:10	0.003
7:11	0.003
7:12	0.003
7:13	0.002
7:14	0.002
7:15	0.003
7:16	0.003
7:17	0.003
7:18	0.003
7:19	0.003
7:20	0.003
7:21	0.003
7:22	0.003
7:23	0.004
7:24	0.004
7:25	0.003
7:26	0.003
7:27	0.005
7:28	0.005
7:29	0.004
7:30	0.005
7:31	0.007
7:32	0.003
7:33	0.003
7:34	0.007
7:35	0.005
7:36	0.006
7:37	0.005
7:38	0.004
7:39	0.004
7:40	0.006
7:41	0.005
7:42	0.003
7:43	0.003
7:44	0.003
7:45	0.003

7:46	0.003
7:47	0.004
7:48	0.004
7:49	0.004
7:50	0.006
7:51	0.005
7:52	0.003
7:53	0.004
7:54	0.004
7:55	0.004
7:56	0.004
7:57	0.006
7:58	0.01
7:59	0.006
8:00	0.005
8:01	0.004
8:02	0.003
8:03	0.004
8:04	0.003
8:05	0.005
8:06	0.003
8:07	0.005
8:08	0.006
8:09	0.004
8:10	0.005
8:11	0.004
8:12	0.004
8:13	0.004
8:14	0.009
8:15	0.005
8:16	0.004
8:17	0.004
8:18	0.004
8:19	0.005
8:20	0.005
8:21	0.004
8:22	0.003
8:23	0.003
8:24	0.002
8:25	0.003
8:26	0.004
8:27	0.003
8:28	0.003
8:29	0.004

8:30	0.005
8:31	0.004
8:32	0.004
8:33	0.004
8:34	0.003
8:35	0.005
8:36	0.004
8:37	0.004
8:38	0.005
8:39	0.004
8:40	0.005
8:41	0.007
8:42	0.005
8:43	0.005
8:44	0.004
8:45	0.005
8:46	0.004
8:47	0.004
8:48	0.005
8:49	0.005
8:50	0.005
8:51	0.008
8:52	0.005
8:53	0.004
8:54	0.004
8:55	0.006
8:56	0.006
8:57	0.004
8:58	0.004
8:59	0.005
9:00	0.004
9:01	0.004
9:02	0.006
9:03	0.006
9:04	0.004
9:05	0.005
9:06	0.004
9:07	0.004
9:08	0.004
9:09	0.004
9:10	0.004
9:11	0.005
9:12	0.004
9:13	0.004

9:14	0.004
9:15	0.004
9:16	0.004
9:17	0.004
9:18	0.004
9:19	0.005
9:20	0.007
9:21	0.005
9:22	0.004
9:23	0.004
9:24	0.011
9:25	0.006
9:26	0.007
9:27	0.006
9:28	0.006
9:29	0.007
9:30	0.008
9:31	0.005
9:32	0.005
9:33	0.007
9:34	0.007
9:35	0.008
9:36	0.006
9:37	0.005
9:38	0.006
9:39	0.007
9:40	0.005
9:41	0.005
9:42	0.006
9:43	0.005
9:44	0.007
9:45	0.005
9:46	0.007
9:47	0.005
9:48	0.006
9:49	0.006
9:50	0.005
9:51	0.005
9:52	0.005
9:53	0.004
9:54	0.005
9:55	0.005
9:56	0.004
9:57	0.005

9:58	0.004
9:59	0.005
10:00	0.005
10:01	0.006
10:02	0.007
10:03	0.008
10:04	0.006
10:05	0.006
10:06	0.005
10:07	0.004
10:08	0.005
10:09	0.005
10:10	0.004
10:11	0.005
10:12	0.005
10:13	0.005
10:14	0.004
10:15	0.005
10:16	0.004
10:17	0.004
10:18	0.004
10:19	0.004
10:20	0.004
10:21	0.004
10:22	0.004
10:23	0.004
10:24	0.003
10:25	0.004
10:26	0.004
10:27	0.004
10:28	0.004
10:29	0.004
10:30	0.004
10:31	0.005
10:32	0.005
10:33	0.005
10:34	0.005
10:35	0.005
10:36	0.005
10:37	0.004
10:38	0.004
10:39	0.006
10:40	0.005
10:41	0.004

10:42	0.005
10:43	0.006
10:44	0.005
10:45	0.004
10:46	0.005
10:47	0.005
10:48	0.006
10:49	0.006
10:50	0.006
10:51	0.005
10:52	0.005
10:53	0.004
10:54	0.006
10:55	0.009
10:56	0.006
10:57	0.004
10:58	0.005
10:59	0.005
11:00	0.009
11:01	0.006
11:02	0.005
11:03	0.004
11:04	0.005
11:05	0.007
11:06	0.005
11:07	0.005
11:08	0.006
11:09	0.005
11:10	0.006
11:11	0.005
11:12	0.004
11:13	0.004
11:14	0.004
11:15	0.004
11:16	0.005
11:17	0.004
11:18	0.005
11:19	0.006
11:20	0.005
11:21	0.007
11:22	0.006
11:23	0.005
11:24	0.005
11:25	0.005

11:26	0.005
11:27	0.006
11:28	0.006
11:29	0.006
11:30	0.006
11:31	0.005
11:32	0.006
11:33	0.015
11:34	0.014
11:35	0.008
11:36	0.006
11:37	0.007
11:38	0.007
11:39	0.007
11:40	0.006
11:41	0.007
11:42	0.01
11:43	0.007
11:44	0.007
11:45	0.005
11:46	0.006
11:47	0.009
11:48	0.006
11:49	0.005
11:50	0.005
11:51	0.005
11:52	0.006
11:53	0.006
11:54	0.005
11:55	0.006
11:56	0.005
11:57	0.006
11:58	0.006
11:59	0.006
12:00	0.007
12:01	0.006
12:02	0.006
12:03	0.006
12:04	0.006
12:05	0.008
12:06	0.008
12:07	0.007
12:08	0.006
12:09	0.006

12:10	0.008
12:11	0.008
12:12	0.006
12:13	0.006
12:14	0.007
12:15	0.007
12:16	0.007
12:17	0.008
12:18	0.007
12:19	0.006
12:20	0.007
12:21	0.008
12:22	0.006
12:23	0.006
12:24	0.007
12:25	0.007
12:26	0.007
12:27	0.007
12:28	0.009
12:29	0.009
12:30	0.007
12:31	0.006
12:32	0.006
12:33	0.007
12:34	0.007
12:35	0.007
12:36	0.007
12:37	0.009
12:38	0.007
12:39	0.008
12:40	0.008
12:41	0.009
12:42	0.006
12:43	0.007
12:44	0.007
12:45	0.007
12:46	0.008
12:47	0.007
12:48	0.008
12:49	0.006
12:50	0.006
12:51	0.007
12:52	0.006
12:53	0.006

12:54	0.006
12:55	0.006
12:56	0.006
12:57	0.007
12:58	0.007
12:59	0.008
13:00	0.012
13:01	0.008
13:02	0.006
13:03	0.006
13:04	0.006
13:05	0.007
13:06	0.007
13:07	0.008
13:08	0.007
13:09	0.007
13:10	0.008
13:11	0.007
13:12	0.008
13:13	0.009
13:14	0.008
13:15	0.007
13:16	0.008
13:17	0.011
13:18	0.007
13:19	0.007
13:20	0.007
13:21	0.007
13:22	0.007
13:23	0.007
13:24	0.007
13:25	0.008
13:26	0.007
13:27	0.006
13:28	0.007
13:29	0.008
13:30	0.009
13:31	0.008
13:32	0.009
13:33	0.009
13:34	0.009
13:35	0.008
13:36	0.008
13:37	0.008

13:38	0.008
13:39	0.009
13:40	0.009
13:41	0.008
13:42	0.01
13:43	0.009
13:44	0.01
13:45	0.009
13:46	0.009
13:47	0.009
13:48	0.008
13:49	0.008
13:50	0.011
13:51	0.011
13:52	0.013
13:53	0.011
13:54	0.008
13:55	0.007
13:56	0.008
13:57	0.009
13:58	0.008
13:59	0.008
14:00	0.008
14:01	0.008
14:02	0.009
14:03	0.009
14:04	0.009
14:05	0.008
14:06	0.009
14:07	0.009
14:08	0.008
14:09	0.008
14:10	0.008
14:11	0.009
14:12	0.011
14:13	0.009
14:14	0.009
14:15	0.01
14:16	0.01
14:17	0.011
14:18	0.01
14:19	0.009
14:20	0.008
14:21	0.009

14:22	0.01
14:23	0.009
14:24	0.008
14:25	0.009
14:26	0.008
14:27	0.008
14:28	0.008
14:29	0.009
14:30	0.008
14:31	0.009
14:32	0.008
14:33	0.008
14:34	0.008
14:35	0.01
14:36	0.008
14:37	0.008
14:38	0.008
14:39	0.008
14:40	0.009
14:41	0.009
14:42	0.008
14:43	0.008
14:44	0.01
14:45	0.01
14:46	0.01
14:47	0.01
14:48	0.009
14:49	0.009
14:50	0.01
14:51	0.01
14:52	0.011
14:53	0.01
14:54	0.01
14:55	0.01
14:56	0.01
14:57	0.012
14:58	0.01
14:59	0.009
15:00	0.01
15:01	0.011
15:02	0.01
15:03	0.01
15:04	0.012
15:05	0.011

15:06	0.01
15:07	0.009
15:08	0.01
15:09	0.009
15:10	0.01
15:11	0.011
15:12	0.009
15:13	0.009
15:14	0.009
15:15	0.01
15:16	0.01
15:17	0.009
15:18	0.009
15:19	0.009
15:20	0.008
15:21	0.01
15:22	0.009
15:23	0.011
15:24	0.01
15:25	0.011
15:26	0.01
15:27	0.012
15:28	0.011
15:29	0.011
15:30	0.011
15:31	0.01
15:32	0.012
15:33	0.011
15:34	0.01
15:35	0.01
15:36	0.011
15:37	0.012
15:38	0.012
15:39	0.013
15:40	0.011
15:41	0.011
15:42	0.011
15:43	0.013
15:44	0.012
15:45	0.011
15:46	0.011
15:47	0.01
15:48	0.011
15:49	0.013

15:50	0.013
15:51	0.012
15:52	0.039
15:53	0.016
15:54	0.011
15:55	0.012
15:56	0.01
15:57	0.011
15:58	0.01
15:59	0.012
16:00	0.01
16:01	0.009
16:02	0.009
16:03	0.01
16:04	0.009
16:05	0.012
16:06	0.012
16:07	0.009
16:08	0.009
16:09	0.01
16:10	0.012
16:11	0.01
16:12	0.009
16:13	0.009
16:14	0.01
16:15	0.01
16:16	0.009
16:17	0.01
16:18	0.009
16:19	0.01
16:20	0.009
16:21	0.01
16:22	0.01
16:23	0.011
16:24	0.01
16:25	0.01
16:26	0.012
16:27	0.01
16:28	0.009
16:29	0.009
16:30	0.01
16:31	0.01
16:32	0.011
16:33	0.013

16:34	0.015
16:35	0.015
16:36	0.015
16:37	0.012
16:38	0.014
16:39	0.017
16:40	0.018
16:41	0.014
16:42	0.014
16:43	0.017
16:44	0.019
16:45	0.013
16:46	0.016
16:47	0.016
16:48	0.012
16:49	0.016
16:50	0.015
16:51	0.012
16:52	0.013
16:53	0.016
16:54	0.019
16:55	0.02
16:56	0.015
16:57	0.014
16:58	0.014
16:59	0.017
17:00	0.019
17:01	0.014
17:02	0.015
17:03	0.014
17:04	0.016
17:05	0.014
17:06	0.013
17:07	0.013
17:08	0.014
17:09	0.016
17:10	0.016
17:11	0.016
17:12	0.016
17:13	0.013
17:14	0.021
17:15	0.016
17:16	0.013
17:17	0.016

17:18	0.017
17:19	0.016
17:20	0.014
17:21	0.014
17:22	0.016
17:23	0.017
17:24	0.012
17:25	0.025
17:26	0.266
17:27	0.028
17:28	0.015
17:29	0.012
17:30	0.014
17:31	0.014
17:32	0.013
17:33	0.013
17:34	0.016
17:35	0.016
17:36	0.014
17:37	0.021
17:38	0.019
17:39	0.012
17:40	0.025
17:41	0.025
17:42	0.028
17:43	0.027
17:44	0.013
17:45	0.013
17:46	0.015
17:47	0.016
17:48	0.015
17:49	0.015
17:50	0.013
17:51	0.011
17:52	0.02
17:53	0.017
17:54	0.012
17:55	0.011
17:56	0.014
17:57	0.014
17:58	0.011
17:59	0.012
18:00	0.015
18:01	0.011

18:02	0.01
18:03	0.015
18:04	0.013
18:05	0.01
18:06	0.012
18:07	0.013
18:08	0.017
18:09	0.01
18:10	0.011
18:11	0.01
18:12	0.011
18:13	0.01
18:14	0.013
18:15	0.011

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	4/4/2024	18:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	18:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	17:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	17:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	17:57	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	15:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	15:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	15:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	15:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	15:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	15:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	15:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:54	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	14:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:52	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	14:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	14:33	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	13:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:20	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	13:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:18	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	13:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:15	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	13:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:11	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	13:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	13:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:51	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	12:50	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:43	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:42	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:41	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/4/2024	12:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:39	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:38	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:35	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:32	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:31	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:30	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:29	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:25	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:24	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:23	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:19	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:17	Readings	PID	SC23030408A8	Normal	0.1

592-600871	4/4/2024	12:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	12:15	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:14	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:13	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:12	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:11	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:10	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:09	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:08	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:07	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:06	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:05	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:04	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:03	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	12:02	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/4/2024	12:01	Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/4/2024	12:00	Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/4/2024	11:59	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	11:58	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	11:57	Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/4/2024	11:56	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/4/2024	11:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:53	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	11:52	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/4/2024	11:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:43	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	11:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:38	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/4/2024	11:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:29	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	11:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:09	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	11:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	11:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:59	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	10:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:56	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/4/2024	10:55	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	10:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	10:35	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	10:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:49	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	9:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	9:27	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	8:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:35	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	8:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:33	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	8:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:31	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	8:30	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	8:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:26	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	8:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:22	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/4/2024	8:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	8:19	Readings	PID	SC23030408A8	Normal	0

592-600871	4/4/2024	7:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	7:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/4/2024	6:39	Readings	PID	SC23030408A8	Normal	0