



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	X	50-70	X	70-85		>85		S – 4 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 04/08/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 18:00</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade ADT Concrete Courses WSP- Charlie Lambert</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	---

Scope of Work: Continuation of ISS column installation, QA/QC coring of ISS columns, and removal of obstruction in the northern alley.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- Concrete courses began to excavate and install a shoring box in the western portion of the Site;
- BCG received one (1) truckload of approved, clean backfill from Braen Stone;
- ADT cored Columns 25-26 overlap from the pilot test to 20'. It should be noted that the coring location was abandoned due to column 26 not being cured enough;
- ADT cored Column 25 F from the pilot test to 40'; and
 - Cascade drilled **Column 208**, column spec below:
 - The column was 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 210**, column spec below:
 - The column was 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 212**, column spec below:
 - The column was 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 15 batches;
 - At 13:05 during downstroke 1 the auger had to come back to surface due to pressure building up;
 - Cascade drilled **Column 214**, column spec below:
 - The column was 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 19 batches;
 - At 15:08 the auger had to come back to surface due to pressure building up;

- During downstroke 1 near terminal depth hard material was encountered, auger penetration was slowed down until the terminal depth was reached.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.027_ mg/m³ @ 06:39
- High Conditions (Upwind) – PID = _0.7_ ppm @ 08:46, Dust = _0.246_ mg/m³ @ 09:44
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.163_ mg/m³ @ 06:37
- High Conditions (Downwind 2) – PID = _4.8_ ppm @ 7:13, Dust = _0.101_ mg/m³ @ 14:37

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Continue ISS column installation;
- Removal of obstruction on the western portion of the northern alley; and
- Continuation of QA/QC coring ISS columns.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of
preparing to
remove
obstruction in
the northern
alley.



Photo 2-
Representative
photo of drilling
ISS column.



Photo 3-
Representative
photo of ADT
coring a pilot test
column.



Photo 4-
Representative
photo of an ISS
test pilot core.



Photo 5-


Representative photo of swell stockpile securely covered at the end of the day with poly.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





LEGEND
 - - - PROPERTY LINE



NOTES:

FIGURE 2: SITE BOUNDARY

251 Douglas Street
 Brooklyn, New York

Figure No: 02

IMPACT ENVIRONMENTAL CLOSURE S, INC.


170 KEYLAND COURT
 BOHEMIA, NEW YORK 11716
 TEL (631) 269-8800
 FAX (631) 269-1599






BUTLER STREET

NEVINS STREET



LEGEND	
- - -	PROPERTY LINE
□	1500 SFT GRID
○	EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
○	EIGHT FOOT DIA. INNER COLUMN (TYP.)
○	SIX FOOT DIA. COLUMN (TYP.)



NOTES:
 1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

QA/QC CORE GRID PLAN

*251 Douglass Street
 Brooklyn, New York*

Figure No:04

PROJECT NO:	1908-01
DESIGNED BY:	JAF
DRAWN BY:	JAF
CHECKED BY:	JAF/HK
DATE:	02/07/2023
SCALE:	1" = 20'
REVIEWS:	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
 BOHEMIA, NEW YORK 11716
 TEL (631) 269-8800
 FAX (631) 269-1599



ISS columns
 208, 210, 212,
 and 214
 completed on
 04/08/2024.

SCM Report






Project name: Douglass Street BCG ISS Element name: c208a
Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	09:38 AM	
Volume/m 1	24.01 ft³	End Date	04/08/2024
		End time	10:16 AM
		Production duration	00:37:34
		Final depth time	10:08 AM
		Total suspension quantity	277.82 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c208b
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	10:16 AM	
Volume/m 1	12.36 ft ³	End Date	04/08/2024
		End time	10:36 AM
		Production duration	00:20:16
		Final depth time	10:28 AM_
		Total suspension quantity	144.366 ft ³



SCM Report





Project name: Douglass Street BCG ISS Element name: c210a
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	11:05 AM	
Volume/m 1	23.66 ft ³	End Date	04/08/2024
		End time	11:59 AM
		Production duration	00:53:23
		Final depth time	11:50 AM
		Total suspension quantity	273.794 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: c210b
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time: 11:59 AM	
Max. depth: 38 ft.		End Date: 04/08/2024	
Volume/m 1: 15.89 ft³		End time: 12:19 PM	
		Production duration: 00:20:23	
		Final depth time: 12:11 PM	
		Total suspension quantity: 185.614 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c212a
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	12:36 PM	
Volume/m 1	32.13 ft³	End Date	04/08/2024
		End time	01:39 PM
		Production duration	01:03:38
		Final depth time	01:31 PM
		Total suspension quantity	373.77 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c212b
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	01:39 PM	
Volume/m 1	12.36 ft³	End Date	04/08/2024
		End time	01:58 PM
		Production duration	00:18:44
		Final depth time	01:50 PM
		Total suspension quantity	142.459 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c214a
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	02:35 PM	
Volume/m 1	51.55 ft³	End Date	04/08/2024
		End time	04:42 PM
		Production duration	02:07:19
		Final depth time	04:34 PM
		Total suspension quantity	595.829 ft³



SCM Report





Project name: Douglass Street BCG ISS Element name: c214b
 Project number

Start date: 04/08/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	04:42 PM	
Volume/m 1	13.41 ft³	End Date	04/08/2024
		End time	05:03 PM
		Production duration	00:20:25
		Final depth time	04:54 PM
		Total suspension quantity	156.055 ft³





IMPACT ENVIRONMENTAL

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_001
Test Start Time	6:39:43 AM
Test Start Date	4/8/2024
Test Length [D:H:M]	0:10:18
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.028
PM10 Minimum [mg/m3]	0.014
PM10 Maximum [mg/m3]	0.246
PM10 TWA [mg/m3]	0.03
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	618

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
6:39	0.027		
6:40	0.023		
6:41	0.059		
6:42	0.02		
6:43	0.023		
6:44	0.021		
6:45	0.021		
6:46	0.02		
6:47	0.026		
6:48	0.023		
6:49	0.022		
6:50	0.022		
6:51	0.02		
6:52	0.021		
6:53	0.161		
6:54	0.143		
6:55	0.038		
6:56	0.037		
6:57	0.029		
6:58	0.024		
6:59	0.027		
7:00	0.023		
7:01	0.025		
7:02	0.026		
7:03	0.026		
7:04	0.029		

7:05	0.032
7:06	0.031
7:07	0.034
7:08	0.036
7:09	0.035
7:10	0.03
7:11	0.028
7:12	0.023
7:13	0.023
7:14	0.024
7:15	0.021
7:16	0.02
7:17	0.024
7:18	0.026
7:19	0.04
7:20	0.027
7:21	0.035
7:22	0.059
7:23	0.028
7:24	0.025
7:25	0.035
7:26	0.025
7:27	0.026
7:28	0.016
7:29	0.019
7:30	0.022
7:31	0.023
7:32	0.042
7:33	0.043
7:34	0.028
7:35	0.022
7:36	0.02
7:37	0.023
7:38	0.055
7:39	0.021
7:40	0.027
7:41	0.024
7:42	0.021
7:43	0.149
7:44	0.046
7:45	0.048
7:46	0.023
7:47	0.02
7:48	0.019
7:49	0.021
7:50	0.024
7:51	0.028

7:52	0.029
7:53	0.021
7:54	0.025
7:55	0.023
7:56	0.022
7:57	0.032
7:58	0.035
7:59	0.019
8:00	0.024
8:01	0.022
8:02	0.03
8:03	0.044
8:04	0.023
8:05	0.029
8:06	0.02
8:07	0.025
8:08	0.029
8:09	0.03
8:10	0.042
8:11	0.058
8:12	0.062
8:13	0.042
8:14	0.045
8:15	0.053
8:16	0.143
8:17	0.143
8:18	0.068
8:19	0.05
8:20	0.028
8:21	0.03
8:22	0.036
8:23	0.035
8:24	0.028
8:25	0.027
8:26	0.03
8:27	0.04
8:28	0.032
8:29	0.043
8:30	0.033
8:31	0.032
8:32	0.029
8:33	0.027
8:34	0.021
8:35	0.024
8:36	0.022
8:37	0.022
8:38	0.025

8:39	0.029
8:40	0.02
8:41	0.022
8:42	0.086
8:43	0.041
8:44	0.031
8:45	0.043
8:46	0.057
8:47	0.057
8:48	0.062
8:49	0.037
8:50	0.033
8:51	0.026
8:52	0.031
8:53	0.036
8:54	0.026
8:55	0.033
8:56	0.032
8:57	0.029
8:58	0.029
8:59	0.037
9:00	0.03
9:01	0.032
9:02	0.024
9:03	0.031
9:04	0.037
9:05	0.023
9:06	0.024
9:07	0.036
9:08	0.038
9:09	0.034
9:10	0.026
9:11	0.032
9:12	0.033
9:13	0.019
9:14	0.015
9:15	0.018
9:16	0.02
9:17	0.016
9:18	0.03
9:19	0.024
9:20	0.049
9:21	0.046
9:22	0.046
9:23	0.034
9:24	0.038
9:25	0.075

9:26	0.027
9:27	0.034
9:28	0.022
9:29	0.017
9:30	0.016
9:31	0.028
9:32	0.051
9:33	0.026
9:34	0.022
9:35	0.037
9:36	0.023
9:37	0.022
9:38	0.023
9:39	0.023
9:40	0.022
9:41	0.023
9:42	0.031
9:43	0.046
9:44	0.246
9:45	0.028
9:46	0.06
9:47	0.096
9:48	0.075
9:49	0.042
9:50	0.035
9:51	0.068
9:52	0.067
9:53	0.018
9:54	0.02
9:55	0.019
9:56	0.02
9:57	0.022
9:58	0.019
9:59	0.029
10:00	0.046
10:01	0.041
10:02	0.035
10:03	0.055
10:04	0.044
10:05	0.021
10:06	0.046
10:07	0.047
10:08	0.061
10:09	0.022
10:10	0.019
10:11	0.023
10:12	0.032

10:13	0.02
10:14	0.02
10:15	0.026
10:16	0.016
10:17	0.017
10:18	0.017
10:19	0.017
10:20	0.052
10:21	0.067
10:22	0.027
10:23	0.023
10:24	0.024
10:25	0.022
10:26	0.052
10:27	0.025
10:28	0.015
10:29	0.015
10:30	0.027
10:31	0.04
10:32	0.02
10:33	0.017
10:34	0.021
10:35	0.025
10:36	0.026
10:37	0.02
10:38	0.015
10:39	0.02
10:40	0.022
10:41	0.045
10:42	0.041
10:43	0.019
10:44	0.047
10:45	0.018
10:46	0.036
10:47	0.031
10:48	0.029
10:49	0.026
10:50	0.019
10:51	0.021
10:52	0.031
10:53	0.069
10:54	0.036
10:55	0.034
10:56	0.022
10:57	0.08
10:58	0.027
10:59	0.038

11:00	0.051
11:01	0.03
11:02	0.019
11:03	0.048
11:04	0.02
11:05	0.031
11:06	0.045
11:07	0.015
11:08	0.016
11:09	0.014
11:10	0.035
11:11	0.027
11:12	0.038
11:13	0.059
11:14	0.037
11:15	0.038
11:16	0.021
11:17	0.021
11:18	0.045
11:19	0.038
11:20	0.081
11:21	0.032
11:22	0.017
11:23	0.031
11:24	0.022
11:25	0.025
11:26	0.023
11:27	0.021
11:28	0.015
11:29	0.014
11:30	0.017
11:31	0.015
11:32	0.018
11:33	0.017
11:34	0.019
11:35	0.029
11:36	0.022
11:37	0.019
11:38	0.025
11:39	0.02
11:40	0.018
11:41	0.018
11:42	0.015
11:43	0.022
11:44	0.023
11:45	0.028
11:46	0.028

11:47	0.032
11:48	0.022
11:49	0.017
11:50	0.018
11:51	0.02
11:52	0.028
11:53	0.023
11:54	0.025
11:55	0.025
11:56	0.02
11:57	0.033
11:58	0.019
11:59	0.019
12:00	0.027
12:01	0.036
12:02	0.033
12:03	0.021
12:04	0.025
12:05	0.022
12:06	0.027
12:07	0.019
12:08	0.019
12:09	0.02
12:10	0.023
12:11	0.021
12:12	0.025
12:13	0.035
12:14	0.028
12:15	0.019
12:16	0.02
12:17	0.027
12:18	0.025
12:19	0.059
12:20	0.026
12:21	0.027
12:22	0.024
12:23	0.025
12:24	0.026
12:25	0.024
12:26	0.021
12:27	0.018
12:28	0.017
12:29	0.019
12:30	0.017
12:31	0.017
12:32	0.018
12:33	0.017

12:34	0.023
12:35	0.018
12:36	0.019
12:37	0.02
12:38	0.019
12:39	0.017
12:40	0.016
12:41	0.023
12:42	0.053
12:43	0.02
12:44	0.024
12:45	0.019
12:46	0.018
12:47	0.045
12:48	0.035
12:49	0.019
12:50	0.02
12:51	0.029
12:52	0.029
12:53	0.04
12:54	0.036
12:55	0.035
12:56	0.022
12:57	0.024
12:58	0.046
12:59	0.027
13:00	0.035
13:01	0.038
13:02	0.033
13:03	0.027
13:04	0.032
13:05	0.036
13:06	0.028
13:07	0.031
13:08	0.033
13:09	0.027
13:10	0.046
13:11	0.04
13:12	0.02
13:13	0.024
13:14	0.021
13:15	0.026
13:16	0.036
13:17	0.038
13:18	0.061
13:19	0.031
13:20	0.041

13:21	0.027
13:22	0.035
13:23	0.021
13:24	0.023
13:25	0.02
13:26	0.021
13:27	0.023
13:28	0.022
13:29	0.021
13:30	0.038
13:31	0.016
13:32	0.016
13:33	0.023
13:34	0.02
13:35	0.018
13:36	0.022
13:37	0.023
13:38	0.019
13:39	0.02
13:40	0.02
13:41	0.021
13:42	0.023
13:43	0.02
13:44	0.026
13:45	0.022
13:46	0.032
13:47	0.025
13:48	0.015
13:49	0.018
13:50	0.021
13:51	0.018
13:52	0.025
13:53	0.02
13:54	0.019
13:55	0.016
13:56	0.019
13:57	0.023
13:58	0.02
13:59	0.018
14:00	0.016
14:01	0.017
14:02	0.017
14:03	0.022
14:04	0.019
14:05	0.018
14:06	0.019
14:07	0.021

14:08	0.025
14:09	0.019
14:10	0.024
14:11	0.018
14:12	0.022
14:13	0.023
14:14	0.018
14:15	0.028
14:16	0.021
14:17	0.021
14:18	0.017
14:19	0.02
14:20	0.021
14:21	0.021
14:22	0.02
14:23	0.02
14:24	0.021
14:25	0.022
14:26	0.018
14:27	0.017
14:28	0.019
14:29	0.02
14:30	0.022
14:31	0.021
14:32	0.029
14:33	0.03
14:34	0.026
14:35	0.019
14:36	0.022
14:37	0.024
14:38	0.019
14:39	0.02
14:40	0.031
14:41	0.033
14:42	0.029
14:43	0.023
14:44	0.022
14:45	0.021
14:46	0.018
14:47	0.018
14:48	0.019
14:49	0.022
14:50	0.027
14:51	0.025
14:52	0.028
14:53	0.028
14:54	0.023

14:55	0.02
14:56	0.024
14:57	0.025
14:58	0.027
14:59	0.024
15:00	0.025
15:01	0.024
15:02	0.024
15:03	0.021
15:04	0.02
15:05	0.021
15:06	0.021
15:07	0.023
15:08	0.022
15:09	0.021
15:10	0.019
15:11	0.02
15:12	0.02
15:13	0.021
15:14	0.022
15:15	0.022
15:16	0.02
15:17	0.023
15:18	0.026
15:19	0.022
15:20	0.024
15:21	0.019
15:22	0.02
15:23	0.019
15:24	0.019
15:25	0.019
15:26	0.02
15:27	0.021
15:28	0.021
15:29	0.02
15:30	0.02
15:31	0.019
15:32	0.02
15:33	0.02
15:34	0.021
15:35	0.02
15:36	0.02
15:37	0.019
15:38	0.02
15:39	0.019
15:40	0.017
15:41	0.041

15:42	0.022
15:43	0.022
15:44	0.02
15:45	0.035
15:46	0.022
15:47	0.018
15:48	0.017
15:49	0.017
15:50	0.017
15:51	0.017
15:52	0.019
15:53	0.019
15:54	0.02
15:55	0.021
15:56	0.019
15:57	0.02
15:58	0.021
15:59	0.022
16:00	0.023
16:01	0.025
16:02	0.025
16:03	0.033
16:04	0.028
16:05	0.025
16:06	0.03
16:07	0.022
16:08	0.022
16:09	0.022
16:10	0.02
16:11	0.02
16:12	0.023
16:13	0.022
16:14	0.02
16:15	0.022
16:16	0.023
16:17	0.027
16:18	0.024
16:19	0.022
16:20	0.026
16:21	0.07
16:22	0.029
16:23	0.033
16:24	0.027
16:25	0.021
16:26	0.024
16:27	0.019
16:28	0.022

16:29	0.021
16:30	0.022
16:31	0.024
16:32	0.021
16:33	0.019
16:34	0.02
16:35	0.019
16:36	0.021
16:37	0.025
16:38	0.02
16:39	0.02
16:40	0.023
16:41	0.022
16:42	0.02
16:43	0.022
16:44	0.02
16:45	0.02
16:46	0.02
16:47	0.021
16:48	0.022
16:49	0.02
16:50	0.021
16:51	0.019
16:52	0.019
16:53	0.019
16:54	0.019
16:55	0.019
16:56	0.019

592-601274	4/8/2024	6:41	Readings	PID	SC23030921B3	Normal	0
592-601274	4/8/2024	6:40	Readings	PID	SC23030921B3	Normal	0
592-601274	4/8/2024	6:39	Readings	PID	SC23030921B3	Normal	0
592-601274	4/8/2024		CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_001
Test Start Time	6:37:29 AM
Test Start Date	4/8/2024
Test Length [D:H:M]	0:10:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.02
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.163
Mass TWA [mg/m3]	0.021
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	626

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:37	0.163		
6:38	0.019		
6:39	0.021		
6:40	0.022		
6:41	0.021		
6:42	0.021		
6:43	0.021		
6:44	0.029		
6:45	0.022		
6:46	0.021		
6:47	0.02		
6:48	0.022		
6:49	0.022		
6:50	0.034		
6:51	0.025		
6:52	0.023		
6:53	0.023		
6:54	0.024		
6:55	0.023		
6:56	0.027		
6:57	0.036		
6:58	0.026		
6:59	0.031		
7:00	0.026		
7:01	0.028		
7:02	0.031		
7:03	0.029		

7:04	0.029
7:05	0.034
7:06	0.034
7:07	0.035
7:08	0.03
7:09	0.027
7:10	0.037
7:11	0.028
7:12	0.027
7:13	0.032
7:14	0.03
7:15	0.027
7:16	0.029
7:17	0.025
7:18	0.025
7:19	0.023
7:20	0.022
7:21	0.025
7:22	0.021
7:23	0.022
7:24	0.022
7:25	0.022
7:26	0.023
7:27	0.029
7:28	0.023
7:29	0.019
7:30	0.019
7:31	0.021
7:32	0.021
7:33	0.024
7:34	0.021
7:35	0.019
7:36	0.02
7:37	0.022
7:38	0.025
7:39	0.021
7:40	0.021
7:41	0.021
7:42	0.023
7:43	0.02
7:44	0.021
7:45	0.021
7:46	0.02
7:47	0.021
7:48	0.021
7:49	0.021
7:50	0.024

7:51	0.022
7:52	0.023
7:53	0.023
7:54	0.025
7:55	0.021
7:56	0.021
7:57	0.022
7:58	0.023
7:59	0.021
8:00	0.022
8:01	0.021
8:02	0.023
8:03	0.02
8:04	0.02
8:05	0.021
8:06	0.021
8:07	0.018
8:08	0.021
8:09	0.023
8:10	0.028
8:11	0.03
8:12	0.064
8:13	0.045
8:14	0.041
8:15	0.07
8:16	0.028
8:17	0.024
8:18	0.022
8:19	0.021
8:20	0.022
8:21	0.023
8:22	0.024
8:23	0.035
8:24	0.026
8:25	0.025
8:26	0.026
8:27	0.03
8:28	0.029
8:29	0.029
8:30	0.024
8:31	0.023
8:32	0.023
8:33	0.02
8:34	0.019
8:35	0.019
8:36	0.021
8:37	0.034

8:38	0.029
8:39	0.023
8:40	0.023
8:41	0.027
8:42	0.029
8:43	0.025
8:44	0.027
8:45	0.026
8:46	0.139
8:47	0.024
8:48	0.035
8:49	0.03
8:50	0.025
8:51	0.023
8:52	0.023
8:53	0.021
8:54	0.026
8:55	0.022
8:56	0.02
8:57	0.022
8:58	0.022
8:59	0.037
9:00	0.026
9:01	0.021
9:02	0.019
9:03	0.021
9:04	0.02
9:05	0.017
9:06	0.02
9:07	0.029
9:08	0.037
9:09	0.034
9:10	0.024
9:11	0.022
9:12	0.025
9:13	0.025
9:14	0.023
9:15	0.024
9:16	0.02
9:17	0.02
9:18	0.019
9:19	0.02
9:20	0.025
9:21	0.036
9:22	0.02
9:23	0.02
9:24	0.021

9:25	0.018
9:26	0.017
9:27	0.017
9:28	0.018
9:29	0.018
9:30	0.02
9:31	0.019
9:32	0.02
9:33	0.02
9:34	0.02
9:35	0.021
9:36	0.026
9:37	0.022
9:38	0.021
9:39	0.019
9:40	0.02
9:41	0.018
9:42	0.019
9:43	0.021
9:44	0.025
9:45	0.026
9:46	0.036
9:47	0.024
9:48	0.023
9:49	0.021
9:50	0.02
9:51	0.021
9:52	0.02
9:53	0.021
9:54	0.023
9:55	0.019
9:56	0.018
9:57	0.018
9:58	0.017
9:59	0.019
10:00	0.02
10:01	0.018
10:02	0.02
10:03	0.017
10:04	0.016
10:05	0.017
10:06	0.02
10:07	0.017
10:08	0.017
10:09	0.018
10:10	0.017
10:11	0.017

10:12	0.016
10:13	0.018
10:14	0.018
10:15	0.021
10:16	0.016
10:17	0.017
10:18	0.024
10:19	0.028
10:20	0.019
10:21	0.027
10:22	0.021
10:23	0.016
10:24	0.017
10:25	0.018
10:26	0.019
10:27	0.013
10:28	0.015
10:29	0.015
10:30	0.016
10:31	0.014
10:32	0.016
10:33	0.015
10:34	0.016
10:35	0.016
10:36	0.017
10:37	0.017
10:38	0.018
10:39	0.012
10:40	0.013
10:41	0.014
10:42	0.016
10:43	0.016
10:44	0.018
10:45	0.015
10:46	0.011
10:47	0.01
10:48	0.014
10:49	0.014
10:50	0.017
10:51	0.015
10:52	0.015
10:53	0.013
10:54	0.014
10:55	0.016
10:56	0.014
10:57	0.018
10:58	0.014

10:59	0.013
11:00	0.015
11:01	0.014
11:02	0.013
11:03	0.015
11:04	0.01
11:05	0.011
11:06	0.012
11:07	0.012
11:08	0.012
11:09	0.013
11:10	0.014
11:11	0.012
11:12	0.009
11:13	0.012
11:14	0.015
11:15	0.012
11:16	0.011
11:17	0.012
11:18	0.012
11:19	0.012
11:20	0.013
11:21	0.014
11:22	0.029
11:23	0.015
11:24	0.013
11:25	0.014
11:26	0.012
11:27	0.011
11:28	0.012
11:29	0.011
11:30	0.014
11:31	0.015
11:32	0.012
11:33	0.013
11:34	0.013
11:35	0.015
11:36	0.013
11:37	0.016
11:38	0.013
11:39	0.016
11:40	0.014
11:41	0.013
11:42	0.011
11:43	0.013
11:44	0.011
11:45	0.014

11:46	0.015
11:47	0.014
11:48	0.015
11:49	0.016
11:50	0.014
11:51	0.013
11:52	0.014
11:53	0.016
11:54	0.016
11:55	0.015
11:56	0.014
11:57	0.013
11:58	0.013
11:59	0.013
12:00	0.014
12:01	0.017
12:02	0.016
12:03	0.017
12:04	0.013
12:05	0.014
12:06	0.016
12:07	0.018
12:08	0.017
12:09	0.024
12:10	0.022
12:11	0.023
12:12	0.014
12:13	0.019
12:14	0.021
12:15	0.021
12:16	0.019
12:17	0.017
12:18	0.021
12:19	0.022
12:20	0.019
12:21	0.016
12:22	0.018
12:23	0.02
12:24	0.029
12:25	0.022
12:26	0.017
12:27	0.015
12:28	0.019
12:29	0.017
12:30	0.016
12:31	0.016
12:32	0.017

12:33	0.015
12:34	0.018
12:35	0.015
12:36	0.015
12:37	0.019
12:38	0.021
12:39	0.019
12:40	0.018
12:41	0.02
12:42	0.017
12:43	0.016
12:44	0.014
12:45	0.019
12:46	0.016
12:47	0.025
12:48	0.025
12:49	0.021
12:50	0.019
12:51	0.019
12:52	0.021
12:53	0.024
12:54	0.026
12:55	0.019
12:56	0.019
12:57	0.018
12:58	0.021
12:59	0.028
13:00	0.026
13:01	0.019
13:02	0.022
13:03	0.017
13:04	0.019
13:05	0.019
13:06	0.019
13:07	0.023
13:08	0.038
13:09	0.022
13:10	0.017
13:11	0.019
13:12	0.025
13:13	0.029
13:14	0.021
13:15	0.025
13:16	0.036
13:17	0.022
13:18	0.023
13:19	0.029

13:20	0.021
13:21	0.015
13:22	0.016
13:23	0.017
13:24	0.019
13:25	0.024
13:26	0.018
13:27	0.023
13:28	0.021
13:29	0.018
13:30	0.015
13:31	0.014
13:32	0.016
13:33	0.017
13:34	0.017
13:35	0.015
13:36	0.018
13:37	0.018
13:38	0.018
13:39	0.016
13:40	0.015
13:41	0.017
13:42	0.017
13:43	0.015
13:44	0.016
13:45	0.015
13:46	0.013
13:47	0.022
13:48	0.014
13:49	0.013
13:50	0.02
13:51	0.025
13:52	0.02
13:53	0.021
13:54	0.018
13:55	0.014
13:56	0.014
13:57	0.014
13:58	0.014
13:59	0.015
14:00	0.014
14:01	0.014
14:02	0.015
14:03	0.016
14:04	0.017
14:05	0.016
14:06	0.017

14:07	0.015
14:08	0.017
14:09	0.016
14:10	0.017
14:11	0.017
14:12	0.018
14:13	0.018
14:14	0.016
14:15	0.014
14:16	0.015
14:17	0.016
14:18	0.017
14:19	0.02
14:20	0.016
14:21	0.019
14:22	0.017
14:23	0.017
14:24	0.021
14:25	0.019
14:26	0.017
14:27	0.015
14:28	0.017
14:29	0.016
14:30	0.019
14:31	0.017
14:32	0.016
14:33	0.021
14:34	0.031
14:35	0.025
14:36	0.065
14:37	0.042
14:38	0.016
14:39	0.014
14:40	0.02
14:41	0.025
14:42	0.016
14:43	0.02
14:44	0.018
14:45	0.016
14:46	0.017
14:47	0.017
14:48	0.022
14:49	0.019
14:50	0.028
14:51	0.019
14:52	0.023
14:53	0.042

14:54	0.028
14:55	0.058
14:56	0.027
14:57	0.022
14:58	0.025
14:59	0.023
15:00	0.023
15:01	0.018
15:02	0.017
15:03	0.016
15:04	0.013
15:05	0.013
15:06	0.015
15:07	0.017
15:08	0.02
15:09	0.034
15:10	0.016
15:11	0.014
15:12	0.014
15:13	0.015
15:14	0.015
15:15	0.017
15:16	0.015
15:17	0.016
15:18	0.022
15:19	0.017
15:20	0.014
15:21	0.013
15:22	0.013
15:23	0.012
15:24	0.012
15:25	0.016
15:26	0.018
15:27	0.013
15:28	0.014
15:29	0.014
15:30	0.012
15:31	0.017
15:32	0.014
15:33	0.019
15:34	0.015
15:35	0.018
15:36	0.017
15:37	0.018
15:38	0.015
15:39	0.014
15:40	0.011

15:41	0.013
15:42	0.012
15:43	0.013
15:44	0.02
15:45	0.016
15:46	0.011
15:47	0.012
15:48	0.013
15:49	0.012
15:50	0.013
15:51	0.012
15:52	0.012
15:53	0.05
15:54	0.054
15:55	0.015
15:56	0.016
15:57	0.028
15:58	0.021
15:59	0.026
16:00	0.02
16:01	0.02
16:02	0.019
16:03	0.032
16:04	0.022
16:05	0.018
16:06	0.029
16:07	0.021
16:08	0.018
16:09	0.02
16:10	0.021
16:11	0.02
16:12	0.016
16:13	0.014
16:14	0.016
16:15	0.019
16:16	0.017
16:17	0.018
16:18	0.023
16:19	0.016
16:20	0.017
16:21	0.022
16:22	0.018
16:23	0.019
16:24	0.019
16:25	0.02
16:26	0.019
16:27	0.025

16:28	0.019
16:29	0.015
16:30	0.014
16:31	0.014
16:32	0.017
16:33	0.014
16:34	0.015
16:35	0.015
16:36	0.014
16:37	0.013
16:38	0.016
16:39	0.014
16:40	0.013
16:41	0.019
16:42	0.018
16:43	0.014
16:44	0.014
16:45	0.014
16:46	0.02
16:47	0.016
16:48	0.015
16:49	0.014
16:50	0.015
16:51	0.014
16:52	0.014
16:53	0.014
16:54	0.014
16:55	0.021
16:56	0.023
16:57	0.021
16:58	0.014
16:59	0.015
17:00	0.016
17:01	0.024
17:02	0.023

592-929156	4/8/2024	6:45	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:44	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:43	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:42	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:41	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:40	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:39	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:38	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024	6:37	Readings	PID	SC23030065D3	Normal	0
592-929156	4/8/2024		CONFIG	PID	SC23030065D3		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_001
Test Start Time	6:37:56 AM
Test Start Date	4/8/2024
Test Length [D:H:M]	0:10:34
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.02
PM10 Minimum [mg/m3]	0.013
PM10 Maximum [mg/m3]	0.101
PM10 TWA [mg/m3]	0.02
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	634

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
6:37	0.019		
6:38	0.028		
6:39	0.024		
6:40	0.019		
6:41	0.02		
6:42	0.018		
6:43	0.018		
6:44	0.02		
6:45	0.024		
6:46	0.023		
6:47	0.019		
6:48	0.018		
6:49	0.017		
6:50	0.017		
6:51	0.02		
6:52	0.02		
6:53	0.019		
6:54	0.018		
6:55	0.018		
6:56	0.019		
6:57	0.019		
6:58	0.018		
6:59	0.018		
7:00	0.018		
7:01	0.02		
7:02	0.018		

7:03	0.018
7:04	0.019
7:05	0.024
7:06	0.026
7:07	0.026
7:08	0.028
7:09	0.027
7:10	0.028
7:11	0.028
7:12	0.031
7:13	0.03
7:14	0.028
7:15	0.023
7:16	0.026
7:17	0.024
7:18	0.037
7:19	0.028
7:20	0.022
7:21	0.022
7:22	0.022
7:23	0.021
7:24	0.021
7:25	0.026
7:26	0.022
7:27	0.02
7:28	0.02
7:29	0.021
7:30	0.032
7:31	0.022
7:32	0.017
7:33	0.018
7:34	0.018
7:35	0.018
7:36	0.027
7:37	0.02
7:38	0.018
7:39	0.018
7:40	0.018
7:41	0.017
7:42	0.017
7:43	0.017
7:44	0.017
7:45	0.017
7:46	0.017
7:47	0.017
7:48	0.017
7:49	0.017

7:50	0.017
7:51	0.017
7:52	0.017
7:53	0.018
7:54	0.018
7:55	0.018
7:56	0.018
7:57	0.018
7:58	0.017
7:59	0.017
8:00	0.017
8:01	0.017
8:02	0.017
8:03	0.017
8:04	0.017
8:05	0.018
8:06	0.017
8:07	0.017
8:08	0.016
8:09	0.015
8:10	0.015
8:11	0.016
8:12	0.017
8:13	0.017
8:14	0.022
8:15	0.019
8:16	0.021
8:17	0.02
8:18	0.021
8:19	0.036
8:20	0.019
8:21	0.021
8:22	0.017
8:23	0.023
8:24	0.021
8:25	0.02
8:26	0.02
8:27	0.021
8:28	0.022
8:29	0.023
8:30	0.021
8:31	0.023
8:32	0.02
8:33	0.018
8:34	0.018
8:35	0.016
8:36	0.015

8:37	0.015
8:38	0.015
8:39	0.016
8:40	0.022
8:41	0.032
8:42	0.017
8:43	0.017
8:44	0.017
8:45	0.021
8:46	0.02
8:47	0.021
8:48	0.028
8:49	0.054
8:50	0.027
8:51	0.026
8:52	0.03
8:53	0.026
8:54	0.019
8:55	0.019
8:56	0.02
8:57	0.02
8:58	0.017
8:59	0.017
9:00	0.021
9:01	0.023
9:02	0.023
9:03	0.024
9:04	0.023
9:05	0.02
9:06	0.026
9:07	0.022
9:08	0.023
9:09	0.027
9:10	0.038
9:11	0.047
9:12	0.034
9:13	0.03
9:14	0.059
9:15	0.026
9:16	0.022
9:17	0.021
9:18	0.021
9:19	0.018
9:20	0.016
9:21	0.015
9:22	0.019
9:23	0.016

9:24	0.035
9:25	0.025
9:26	0.018
9:27	0.02
9:28	0.016
9:29	0.016
9:30	0.013
9:31	0.017
9:32	0.016
9:33	0.016
9:34	0.018
9:35	0.016
9:36	0.017
9:37	0.019
9:38	0.023
9:39	0.018
9:40	0.018
9:41	0.016
9:42	0.017
9:43	0.017
9:44	0.022
9:45	0.018
9:46	0.018
9:47	0.018
9:48	0.018
9:49	0.02
9:50	0.018
9:51	0.02
9:52	0.017
9:53	0.019
9:54	0.019
9:55	0.02
9:56	0.021
9:57	0.019
9:58	0.021
9:59	0.017
10:00	0.016
10:01	0.021
10:02	0.021
10:03	0.019
10:04	0.024
10:05	0.021
10:06	0.017
10:07	0.019
10:08	0.018
10:09	0.02
10:10	0.017

10:11	0.02
10:12	0.018
10:13	0.018
10:14	0.017
10:15	0.019
10:16	0.019
10:17	0.019
10:18	0.021
10:19	0.018
10:20	0.017
10:21	0.028
10:22	0.02
10:23	0.02
10:24	0.02
10:25	0.019
10:26	0.019
10:27	0.018
10:28	0.019
10:29	0.019
10:30	0.016
10:31	0.017
10:32	0.016
10:33	0.019
10:34	0.026
10:35	0.017
10:36	0.019
10:37	0.016
10:38	0.018
10:39	0.021
10:40	0.018
10:41	0.016
10:42	0.016
10:43	0.016
10:44	0.023
10:45	0.018
10:46	0.018
10:47	0.021
10:48	0.016
10:49	0.015
10:50	0.018
10:51	0.017
10:52	0.018
10:53	0.017
10:54	0.017
10:55	0.019
10:56	0.022
10:57	0.019

10:58	0.021
10:59	0.021
11:00	0.021
11:01	0.017
11:02	0.017
11:03	0.017
11:04	0.019
11:05	0.017
11:06	0.019
11:07	0.015
11:08	0.016
11:09	0.016
11:10	0.018
11:11	0.019
11:12	0.019
11:13	0.017
11:14	0.015
11:15	0.013
11:16	0.017
11:17	0.02
11:18	0.018
11:19	0.017
11:20	0.02
11:21	0.016
11:22	0.019
11:23	0.019
11:24	0.018
11:25	0.021
11:26	0.026
11:27	0.02
11:28	0.017
11:29	0.018
11:30	0.025
11:31	0.017
11:32	0.017
11:33	0.02
11:34	0.017
11:35	0.017
11:36	0.018
11:37	0.017
11:38	0.016
11:39	0.016
11:40	0.015
11:41	0.016
11:42	0.02
11:43	0.018
11:44	0.02

11:45	0.017
11:46	0.016
11:47	0.018
11:48	0.021
11:49	0.022
11:50	0.016
11:51	0.017
11:52	0.017
11:53	0.016
11:54	0.016
11:55	0.016
11:56	0.02
11:57	0.021
11:58	0.02
11:59	0.019
12:00	0.018
12:01	0.017
12:02	0.018
12:03	0.02
12:04	0.019
12:05	0.018
12:06	0.016
12:07	0.02
12:08	0.02
12:09	0.021
12:10	0.021
12:11	0.021
12:12	0.017
12:13	0.022
12:14	0.021
12:15	0.017
12:16	0.024
12:17	0.021
12:18	0.023
12:19	0.021
12:20	0.023
12:21	0.023
12:22	0.022
12:23	0.02
12:24	0.021
12:25	0.02
12:26	0.022
12:27	0.023
12:28	0.021
12:29	0.017
12:30	0.02
12:31	0.024

12:32	0.02
12:33	0.019
12:34	0.022
12:35	0.018
12:36	0.017
12:37	0.017
12:38	0.016
12:39	0.017
12:40	0.018
12:41	0.019
12:42	0.017
12:43	0.017
12:44	0.017
12:45	0.017
12:46	0.016
12:47	0.017
12:48	0.018
12:49	0.017
12:50	0.019
12:51	0.02
12:52	0.02
12:53	0.02
12:54	0.02
12:55	0.02
12:56	0.023
12:57	0.019
12:58	0.019
12:59	0.018
13:00	0.019
13:01	0.02
13:02	0.023
13:03	0.022
13:04	0.019
13:05	0.027
13:06	0.02
13:07	0.019
13:08	0.018
13:09	0.018
13:10	0.017
13:11	0.019
13:12	0.018
13:13	0.023
13:14	0.021
13:15	0.021
13:16	0.026
13:17	0.02
13:18	0.022

13:19	0.021
13:20	0.019
13:21	0.022
13:22	0.017
13:23	0.023
13:24	0.019
13:25	0.016
13:26	0.018
13:27	0.026
13:28	0.028
13:29	0.023
13:30	0.018
13:31	0.019
13:32	0.017
13:33	0.015
13:34	0.017
13:35	0.017
13:36	0.019
13:37	0.024
13:38	0.018
13:39	0.021
13:40	0.019
13:41	0.017
13:42	0.019
13:43	0.018
13:44	0.018
13:45	0.019
13:46	0.032
13:47	0.02
13:48	0.018
13:49	0.017
13:50	0.015
13:51	0.014
13:52	0.016
13:53	0.023
13:54	0.019
13:55	0.017
13:56	0.015
13:57	0.016
13:58	0.015
13:59	0.02
14:00	0.019
14:01	0.015
14:02	0.02
14:03	0.016
14:04	0.016
14:05	0.021

14:06	0.021
14:07	0.019
14:08	0.023
14:09	0.019
14:10	0.017
14:11	0.02
14:12	0.028
14:13	0.021
14:14	0.017
14:15	0.021
14:16	0.022
14:17	0.017
14:18	0.018
14:19	0.019
14:20	0.02
14:21	0.026
14:22	0.021
14:23	0.017
14:24	0.024
14:25	0.025
14:26	0.018
14:27	0.019
14:28	0.02
14:29	0.017
14:30	0.017
14:31	0.02
14:32	0.023
14:33	0.018
14:34	0.019
14:35	0.019
14:36	0.031
14:37	0.101
14:38	0.019
14:39	0.02
14:40	0.027
14:41	0.02
14:42	0.019
14:43	0.022
14:44	0.018
14:45	0.019
14:46	0.02
14:47	0.022
14:48	0.016
14:49	0.016
14:50	0.015
14:51	0.016
14:52	0.02

14:53	0.024
14:54	0.024
14:55	0.019
14:56	0.019
14:57	0.02
14:58	0.016
14:59	0.02
15:00	0.024
15:01	0.023
15:02	0.022
15:03	0.023
15:04	0.018
15:05	0.018
15:06	0.016
15:07	0.015
15:08	0.019
15:09	0.018
15:10	0.017
15:11	0.017
15:12	0.017
15:13	0.015
15:14	0.015
15:15	0.016
15:16	0.016
15:17	0.016
15:18	0.016
15:19	0.017
15:20	0.017
15:21	0.018
15:22	0.018
15:23	0.016
15:24	0.024
15:25	0.015
15:26	0.014
15:27	0.015
15:28	0.015
15:29	0.015
15:30	0.016
15:31	0.016
15:32	0.023
15:33	0.016
15:34	0.016
15:35	0.025
15:36	0.023
15:37	0.017
15:38	0.016
15:39	0.016

15:40	0.015
15:41	0.014
15:42	0.014
15:43	0.017
15:44	0.018
15:45	0.016
15:46	0.019
15:47	0.015
15:48	0.02
15:49	0.018
15:50	0.025
15:51	0.017
15:52	0.015
15:53	0.015
15:54	0.017
15:55	0.024
15:56	0.022
15:57	0.019
15:58	0.016
15:59	0.018
16:00	0.024
16:01	0.024
16:02	0.02
16:03	0.019
16:04	0.021
16:05	0.023
16:06	0.023
16:07	0.02
16:08	0.026
16:09	0.019
16:10	0.021
16:11	0.024
16:12	0.024
16:13	0.02
16:14	0.02
16:15	0.019
16:16	0.028
16:17	0.018
16:18	0.018
16:19	0.021
16:20	0.045
16:21	0.026
16:22	0.018
16:23	0.018
16:24	0.068
16:25	0.032
16:26	0.022

16:27	0.019
16:28	0.017
16:29	0.017
16:30	0.016
16:31	0.018
16:32	0.018
16:33	0.017
16:34	0.017
16:35	0.017
16:36	0.017
16:37	0.017
16:38	0.018
16:39	0.017
16:40	0.016
16:41	0.016
16:42	0.015
16:43	0.015
16:44	0.021
16:45	0.017
16:46	0.016
16:47	0.016
16:48	0.017
16:49	0.017
16:50	0.018
16:51	0.017
16:52	0.017
16:53	0.016
16:54	0.015
16:55	0.016
16:56	0.017
16:57	0.015
16:58	0.016
16:59	0.016
17:00	0.016
17:01	0.017
17:02	0.017
17:03	0.016
17:04	0.019
17:05	0.018
17:06	0.015
17:07	0.016
17:08	0.019
17:09	0.029
17:10	0.02

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	4/8/2024	17:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	17:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	16:41	Readings	PID	SC23030408A8	Normal	0

592-600871	4/8/2024	15:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:24	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	15:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:12	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	15:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:10	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	15:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:06	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	15:05	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	15:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	15:02	Readings	PID	SC23030408A8	Normal	0.1

592-600871	4/8/2024	15:01	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	15:00	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:59	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:58	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:57	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:54	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:52	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:49	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:48	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:47	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	14:45	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:44	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:43	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:42	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:41	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:40	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:39	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:38	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:37	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:36	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:35	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:34	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:33	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:32	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:31	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:30	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:29	Readings	PID	SC23030408A8	Normal	0.2

592-600871	4/8/2024	14:28	Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/8/2024	14:27	Readings	PID	SC23030408A8	Normal	1.4
592-600871	4/8/2024	14:26	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:25	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:24	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:23	Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	14:22	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:21	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:20	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:19	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:18	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:17	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:16	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:15	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:14	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:13	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:12	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:11	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:10	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:09	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:08	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:07	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	14:06	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:05	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:04	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:03	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:02	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:01	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	14:00	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:59	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:58	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:57	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:56	Readings	PID	SC23030408A8	Normal	0.1

592-600871	4/8/2024	13:55	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:54	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:53	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:52	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:51	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:50	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:49	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:48	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:47	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:46	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:45	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:44	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:42	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:41	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:37	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:36	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:35	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:33	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:32	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:31	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:30	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:29	Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	13:28	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:27	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:26	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:25	Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	13:24	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:23	Readings	PID	SC23030408A8	Normal	0.2

592-600871	4/8/2024	13:22 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:21 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:20 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:19 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:18 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:17 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:16 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:15 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	13:14 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	13:13 Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/8/2024	13:12 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	13:11 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	13:10 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	13:09 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:08 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:07 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:06 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:05 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:04 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	13:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	13:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:59 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:58 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:56 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:55 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:54 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:53 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:52 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:51 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:50 Readings	PID	SC23030408A8	Normal	0.1

592-600871	4/8/2024	12:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:48	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:47	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:46	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:45	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:44	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:43	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:42	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:41	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:40	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:39	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:37	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:36	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:35	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:34	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:33	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	12:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:28	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:27	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:25	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:24	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	12:23	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	12:22	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	12:21	Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	12:20	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	12:19	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:18	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:17	Readings	PID	SC23030408A8	Normal	0

592-600871	4/8/2024	12:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:14	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:07	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:06	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:05	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:04	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	12:01	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	12:00	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	11:59	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:58	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:53	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:52	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:44	Readings	PID	SC23030408A8	Normal	0

592-600871	4/8/2024	11:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:32	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:29	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:22	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:11	Readings	PID	SC23030408A8	Normal	0

592-600871	4/8/2024	11:10 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:09 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:08 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:07 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:06 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:05 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	11:02 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:01 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	11:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:59 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:58 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:56 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:55 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:54 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:53 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:52 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:51 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:50 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:49 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:48 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:47 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:46 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:45 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:44 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:43 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:42 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:41 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:40 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:39 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:38 Readings	PID	SC23030408A8	Normal	0.1

592-600871	4/8/2024	10:37	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:27	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:26	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:23	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:22	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:21	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:20	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:19	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	10:17	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:16	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:15	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:14	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:13	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:12	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:11	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:10	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:09	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:08	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:07	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:06	Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	10:05	Readings	PID	SC23030408A8	Normal	0.1

592-600871	4/8/2024	9:31 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:30 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:29 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:28 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:27 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:26 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:25 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:24 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:23 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:22 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:21 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:20 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:19 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:18 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:17 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:16 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	9:15 Readings	PID	SC23030408A8	Normal	0.7
592-600871	4/8/2024	9:14 Readings	PID	SC23030408A8	Normal	2
592-600871	4/8/2024	9:13 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:12 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:11 Readings	PID	SC23030408A8	Normal	0.6
592-600871	4/8/2024	9:10 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:09 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:08 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:07 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:06 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:05 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:04 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	9:03 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:02 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	9:01 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	9:00 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:59 Readings	PID	SC23030408A8	Normal	0.2

592-600871	4/8/2024	8:58 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:57 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:56 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:55 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:54 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	8:53 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:52 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:51 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:50 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:49 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:48 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:47 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:46 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:45 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:44 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:43 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:42 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:41 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:40 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:39 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:38 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:37 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:36 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:35 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:34 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:33 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:32 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:31 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:30 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:29 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:28 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:27 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:26 Readings	PID	SC23030408A8	Normal	0.2

592-600871	4/8/2024	8:25 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:24 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:23 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/8/2024	8:22 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:21 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:20 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:19 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:18 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:17 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:16 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:15 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:14 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:13 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:12 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:11 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:10 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:09 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:08 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:07 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:06 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:05 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:04 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/8/2024	8:03 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	8:02 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	8:01 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	8:00 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:59 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:58 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:57 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:56 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:55 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:54 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:53 Readings	PID	SC23030408A8	Normal	0.4

592-600871	4/8/2024	7:52 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:51 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:50 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:49 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:48 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:47 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:46 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:45 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:44 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:43 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:42 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/8/2024	7:41 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:40 Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/8/2024	7:39 Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/8/2024	7:38 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:37 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:36 Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/8/2024	7:35 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:34 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:33 Readings	PID	SC23030408A8	Normal	0.4
592-600871	4/8/2024	7:32 Readings	PID	SC23030408A8	Normal	0.6
592-600871	4/8/2024	7:31 Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/8/2024	7:30 Readings	PID	SC23030408A8	Normal	0.6
592-600871	4/8/2024	7:29 Readings	PID	SC23030408A8	Normal	0.6
592-600871	4/8/2024	7:28 Readings	PID	SC23030408A8	Normal	0.7
592-600871	4/8/2024	7:27 Readings	PID	SC23030408A8	Normal	0.7
592-600871	4/8/2024	7:26 Readings	PID	SC23030408A8	Normal	0.8
592-600871	4/8/2024	7:25 Readings	PID	SC23030408A8	Normal	0.9
592-600871	4/8/2024	7:24 Readings	PID	SC23030408A8	Normal	0.6
592-600871	4/8/2024	7:23 Readings	PID	SC23030408A8	Normal	1.3
592-600871	4/8/2024	7:22 Readings	PID	SC23030408A8	Normal	1.3
592-600871	4/8/2024	7:21 Readings	PID	SC23030408A8	Normal	1.3
592-600871	4/8/2024	7:20 Readings	PID	SC23030408A8	Normal	0.9

592-600871	4/8/2024	7:19 Readings	PID	SC23030408A8	Normal	1.3
592-600871	4/8/2024	7:18 Readings	PID	SC23030408A8	Normal	2.4
592-600871	4/8/2024	7:17 Readings	PID	SC23030408A8	Normal	2.2
592-600871	4/8/2024	7:16 Readings	PID	SC23030408A8	Normal	2.8
592-600871	4/8/2024	7:15 Readings	PID	SC23030408A8	Normal	4.5
592-600871	4/8/2024	7:14 Readings	PID	SC23030408A8	Normal	3.8
592-600871	4/8/2024	7:13 Readings	PID	SC23030408A8	Normal	4.8
592-600871	4/8/2024	7:12 Readings	PID	SC23030408A8	Normal	3.1
592-600871	4/8/2024	7:11 Readings	PID	SC23030408A8	Normal	6
592-600871	4/8/2024	7:10 Readings	PID	SC23030408A8	Normal	4.7
592-600871	4/8/2024	7:09 Readings	PID	SC23030408A8	Normal	1
592-600871	4/8/2024	7:08 Readings	PID	SC23030408A8	Normal	2.1
592-600871	4/8/2024	7:07 Readings	PID	SC23030408A8	Normal	0.7
592-600871	4/8/2024	7:06 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	7:05 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	7:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	7:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	7:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	7:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	7:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:59 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:58 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:56 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:52 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:51 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:50 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:49 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:48 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:47 Readings	PID	SC23030408A8	Normal	0

592-600871	4/8/2024	6:46 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:45 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:44 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:43 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:42 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:41 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:40 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:39 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:38 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	6:37 Readings	PID	SC23030408A8	Normal	0
592-600871	4/8/2024	CONFIG	PID	SC23030408A8		