



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain	X	Overcast	X	Partly Cloudy	Bright Sun	Wind
TEMP.	< 32	32-50	X	50-70	X	70-85	>85	W – 12 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 04/18/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:40 Time Out: 19:15</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade National Grid Sandstone WSP- Christopher DiSclafani</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	---

Scope of Work: Continuation of ISS columns and repair of adjacent building.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- National Grid performed work in the sidewalk on Douglass Street;
- Sandstone continued repairs the roof of the adjacent building previously damaged;
- Cascade performed maintenance on the kelly bar of the drill rig; and
 - Cascade drilled column **236**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled column **238**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled column **240**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 15 batches;
 - A wet mix sample was collected from 31.3’ below site grade.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.008_ mg/m³ @ 06:42
- High Conditions (Upwind) – PID = _0.3_ ppm @ 07:12, Dust = _0.077_ mg/m³ @ 14:21
- High Conditions (Downwind 1) – PID = _1.9_ ppm @ 08:04, Dust = _0.171_ mg/m³ @ 09:32
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.108_ mg/m³ @ 06:53

Notable Site Conditions:

- None.

Planned for the Next Day/Week:

- Continuing to install ISS columns;
- QA/QC ISS Coring scheduled to continue on 4/22;
- Load out of swell material; and
- Concrete Courses to begin removing obstructions along the building on the eastern portion of the Site.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of ISS
column
installation.



Photo 2-
Representative
photo of wet mix
sample collected
from Column
240.



Photo 3-
Representative
photo of
adjacent building
repairs.



Photo 4-
Representative
photo of
maintenance on
the rigs kelly bar.



Photo 5-
Representative
photo of National
Grid work
adjacent to
Douglass Street.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





SCM Report



Project name	Douglass Street BCG ISS	Element name	c236a
		Project number	
		Start date	04/18/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.12 ft.	Start time	08:16 AM
Volume/m 1	24.72 ft³	End Date	04/18/2024
		End time	08:50 AM
		Production duration	00:33:37
		Final depth time	08:42 AM
		Total suspension quantity	287.002 ft³



SCM Report









Project name: Douglass Street BCG ISS Element name: c236b
 Project number

Start date: 04/18/2024

Drilling rig: BG36H_5717

Details		Start time: 08:50 AM	
Max. depth: 38.18 ft.		End Date: 04/18/2024	
Volume/m 1: 16.95 ft³		End time: 09:11 AM	
		Production duration: 00:21:04	
		Final depth time: 09:02 AM	
		Total suspension quantity: 195.36 ft³	



SCM Report








Project name: Douglass Street BCG ISS Element name: c238a
Project number

Start date: 04/18/2024

Drilling rig: BG36H_5717

Details		Start time: 09:57 AM	
Max. depth: 38.25 ft.		End Date: 04/18/2024	
Volume/m 1: 23.66 ft³		End time: 10:35 AM	
		Production duration: 00:38:22	
		Final depth time: 10:27 AM	
		Total suspension quantity: 276.62 ft³	



SCM Report







Project name	Douglass Street BCG ISS	Element name	c238b
		Project number	

		Start date	04/18/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details		Start time	10:35 AM
Max. depth	38.15 ft.	End Date	04/18/2024
Volume/m 1	14.83 ft ³	End time	10:55 AM
		Production duration	00:19:21
		Final depth time	10:47 AM_
		Total suspension quantity	171.346 ft ³



SCM Report








Project name: Douglass Street BCG ISS Element name: c240a
 Project number

Start date: 04/18/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.32 ft.		11:07 AM
Volume/m 1	28.6 ft³	End Date	04/18/2024
		End time	11:47 AM
		Production duration	00:40:04
		Final depth time	11:38 AM
		Total suspension quantity	333.759 ft³



SCM Report








Project name	Douglass Street BCG ISS	Element name	c240b
		Project number	

		Start date	04/18/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details		Start time	11:47 AM
Max. depth	38.12 ft.	End Date	04/18/2024
Volume/m 1	18.71 ft ³	End time	12:11 PM
		Production duration	00:23:37
		Final depth time	11:58 AM
		Total suspension quantity	217.044 ft ³





IMPACT ENVIRONMENTAL

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_001
Test Start Time	6:42:36 AM
Test Start Date	4/18/2024
Test Length [D:H:M]	0:12:11
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.004
PM1 Minimum [mg/m3]	0.001
PM1 Maximum [mg/m3]	0.077
PM1 TWA [mg/m3]	0.004
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	731

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:42	0.008		
6:43	0.006		
6:44	0.005		
6:45	0.005		
6:46	0.005		
6:47	0.007		
6:48	0.007		
6:49	0.005		
6:50	0.008		
6:51	0.008		
6:52	0.007		
6:53	0.006		
6:54	0.007		
6:55	0.008		
6:56	0.009		
6:57	0.007		
6:58	0.007		
6:59	0.007		
7:00	0.007		
7:01	0.006		
7:02	0.006		
7:03	0.006		
7:04	0.007		

7:05	0.006
7:06	0.005
7:07	0.005
7:08	0.004
7:09	0.004
7:10	0.004
7:11	0.004
7:12	0.004
7:13	0.004
7:14	0.003
7:15	0.003
7:16	0.003
7:17	0.003
7:18	0.003
7:19	0.003
7:20	0.003
7:21	0.003
7:22	0.003
7:23	0.003
7:24	0.003
7:25	0.003
7:26	0.003
7:27	0.004
7:28	0.004
7:29	0.003
7:30	0.004
7:31	0.006
7:32	0.005
7:33	0.006
7:34	0.004
7:35	0.004
7:36	0.004
7:37	0.005
7:38	0.003
7:39	0.006
7:40	0.006
7:41	0.005
7:42	0.004
7:43	0.004
7:44	0.005
7:45	0.003
7:46	0.004
7:47	0.004
7:48	0.004

7:49	0.004
7:50	0.004
7:51	0.003
7:52	0.003
7:53	0.004
7:54	0.01
7:55	0.012
7:56	0.006
7:57	0.004
7:58	0.006
7:59	0.007
8:00	0.005
8:01	0.005
8:02	0.004
8:03	0.003
8:04	0.003
8:05	0.004
8:06	0.003
8:07	0.004
8:08	0.004
8:09	0.004
8:10	0.004
8:11	0.004
8:12	0.004
8:13	0.004
8:14	0.003
8:15	0.003
8:16	0.004
8:17	0.004
8:18	0.004
8:19	0.004
8:20	0.004
8:21	0.004
8:22	0.004
8:23	0.004
8:24	0.004
8:25	0.004
8:26	0.004
8:27	0.004
8:28	0.007
8:29	0.005
8:30	0.004
8:31	0.003
8:32	0.003

8:33	0.004
8:34	0.003
8:35	0.004
8:36	0.003
8:37	0.004
8:38	0.004
8:39	0.006
8:40	0.008
8:41	0.005
8:42	0.004
8:43	0.005
8:44	0.004
8:45	0.004
8:46	0.004
8:47	0.004
8:48	0.004
8:49	0.004
8:50	0.005
8:51	0.005
8:52	0.004
8:53	0.005
8:54	0.005
8:55	0.005
8:56	0.005
8:57	0.005
8:58	0.004
8:59	0.005
9:00	0.005
9:01	0.005
9:02	0.004
9:03	0.003
9:04	0.004
9:05	0.003
9:06	0.003
9:07	0.004
9:08	0.003
9:09	0.003
9:10	0.003
9:11	0.004
9:12	0.004
9:13	0.003
9:14	0.003
9:15	0.003
9:16	0.003

9:17	0.004
9:18	0.003
9:19	0.003
9:20	0.003
9:21	0.006
9:22	0.005
9:23	0.003
9:24	0.003
9:25	0.003
9:26	0.003
9:27	0.003
9:28	0.003
9:29	0.002
9:30	0.003
9:31	0.003
9:32	0.003
9:33	0.003
9:34	0.003
9:35	0.003
9:36	0.002
9:37	0.002
9:38	0.003
9:39	0.003
9:40	0.003
9:41	0.002
9:42	0.002
9:43	0.002
9:44	0.003
9:45	0.002
9:46	0.002
9:47	0.002
9:48	0.003
9:49	0.003
9:50	0.002
9:51	0.002
9:52	0.003
9:53	0.003
9:54	0.003
9:55	0.003
9:56	0.003
9:57	0.003
9:58	0.003
9:59	0.003
10:00	0.004

10:01	0.004
10:02	0.004
10:03	0.005
10:04	0.004
10:05	0.004
10:06	0.003
10:07	0.004
10:08	0.003
10:09	0.003
10:10	0.003
10:11	0.004
10:12	0.003
10:13	0.004
10:14	0.003
10:15	0.003
10:16	0.004
10:17	0.004
10:18	0.004
10:19	0.003
10:20	0.003
10:21	0.004
10:22	0.004
10:23	0.004
10:24	0.005
10:25	0.003
10:26	0.004
10:27	0.003
10:28	0.003
10:29	0.003
10:30	0.003
10:31	0.003
10:32	0.004
10:33	0.006
10:34	0.006
10:35	0.005
10:36	0.003
10:37	0.004
10:38	0.003
10:39	0.003
10:40	0.003
10:41	0.004
10:42	0.004
10:43	0.003
10:44	0.003

10:45	0.003
10:46	0.003
10:47	0.003
10:48	0.003
10:49	0.004
10:50	0.003
10:51	0.003
10:52	0.004
10:53	0.003
10:54	0.003
10:55	0.003
10:56	0.003
10:57	0.003
10:58	0.003
10:59	0.004
11:00	0.005
11:01	0.004
11:02	0.004
11:03	0.004
11:04	0.003
11:05	0.003
11:06	0.004
11:07	0.003
11:08	0.003
11:09	0.003
11:10	0.004
11:11	0.003
11:12	0.003
11:13	0.003
11:14	0.003
11:15	0.003
11:16	0.005
11:17	0.003
11:18	0.003
11:19	0.003
11:20	0.002
11:21	0.003
11:22	0.003
11:23	0.003
11:24	0.003
11:25	0.003
11:26	0.004
11:27	0.005
11:28	0.006

11:29	0.008
11:30	0.008
11:31	0.005
11:32	0.007
11:33	0.004
11:34	0.003
11:35	0.003
11:36	0.003
11:37	0.004
11:38	0.003
11:39	0.003
11:40	0.003
11:41	0.004
11:42	0.034
11:43	0.005
11:44	0.004
11:45	0.004
11:46	0.003
11:47	0.003
11:48	0.003
11:49	0.003
11:50	0.002
11:51	0.003
11:52	0.004
11:53	0.003
11:54	0.003
11:55	0.001
11:56	0.002
11:57	0.002
11:58	0.002
11:59	0.003
12:00	0.003
12:01	0.002
12:02	0.003
12:03	0.003
12:04	0.004
12:05	0.003
12:06	0.003
12:07	0.003
12:08	0.003
12:09	0.003
12:10	0.002
12:11	0.003
12:12	0.003

12:13	0.003
12:14	0.004
12:15	0.003
12:16	0.003
12:17	0.002
12:18	0.002
12:19	0.002
12:20	0.002
12:21	0.002
12:22	0.003
12:23	0.003
12:24	0.003
12:25	0.003
12:26	0.003
12:27	0.004
12:28	0.003
12:29	0.004
12:30	0.003
12:31	0.003
12:32	0.004
12:33	0.005
12:34	0.005
12:35	0.005
12:36	0.004
12:37	0.004
12:38	0.004
12:39	0.005
12:40	0.005
12:41	0.004
12:42	0.005
12:43	0.004
12:44	0.004
12:45	0.003
12:46	0.003
12:47	0.003
12:48	0.003
12:49	0.003
12:50	0.003
12:51	0.003
12:52	0.003
12:53	0.003
12:54	0.003
12:55	0.005
12:56	0.004

12:57	0.004
12:58	0.003
12:59	0.003
13:00	0.003
13:01	0.003
13:02	0.003
13:03	0.003
13:04	0.003
13:05	0.003
13:06	0.003
13:07	0.003
13:08	0.003
13:09	0.003
13:10	0.004
13:11	0.003
13:12	0.003
13:13	0.003
13:14	0.003
13:15	0.003
13:16	0.003
13:17	0.004
13:18	0.004
13:19	0.004
13:20	0.004
13:21	0.004
13:22	0.004
13:23	0.003
13:24	0.004
13:25	0.004
13:26	0.003
13:27	0.003
13:28	0.004
13:29	0.003
13:30	0.004
13:31	0.004
13:32	0.004
13:33	0.005
13:34	0.005
13:35	0.004
13:36	0.005
13:37	0.004
13:38	0.005
13:39	0.004
13:40	0.005

13:41	0.013
13:42	0.008
13:43	0.007
13:44	0.007
13:45	0.005
13:46	0.005
13:47	0.006
13:48	0.005
13:49	0.005
13:50	0.005
13:51	0.006
13:52	0.007
13:53	0.007
13:54	0.005
13:55	0.005
13:56	0.005
13:57	0.01
13:58	0.005
13:59	0.005
14:00	0.005
14:01	0.004
14:02	0.005
14:03	0.004
14:04	0.007
14:05	0.007
14:06	0.01
14:07	0.016
14:08	0.014
14:09	0.007
14:10	0.005
14:11	0.008
14:12	0.005
14:13	0.005
14:14	0.007
14:15	0.008
14:16	0.008
14:17	0.007
14:18	0.006
14:19	0.007
14:20	0.007
14:21	0.077
14:22	0.008
14:23	0.009
14:24	0.006

14:25	0.005
14:26	0.007
14:27	0.006
14:28	0.005
14:29	0.005
14:30	0.004
14:31	0.005
14:32	0.004
14:33	0.004
14:34	0.005
14:35	0.005
14:36	0.005
14:37	0.006
14:38	0.004
14:39	0.005
14:40	0.005
14:41	0.006
14:42	0.005
14:43	0.004
14:44	0.004
14:45	0.005
14:46	0.005
14:47	0.004
14:48	0.004
14:49	0.004
14:50	0.004
14:51	0.004
14:52	0.004
14:53	0.005
14:54	0.005
14:55	0.004
14:56	0.006
14:57	0.005
14:58	0.004
14:59	0.004
15:00	0.004
15:01	0.004
15:02	0.005
15:03	0.005
15:04	0.006
15:05	0.004
15:06	0.004
15:07	0.003
15:08	0.004

15:09	0.004
15:10	0.005
15:11	0.005
15:12	0.005
15:13	0.005
15:14	0.005
15:15	0.004
15:16	0.004
15:17	0.004
15:18	0.004
15:19	0.01
15:20	0.014
15:21	0.004
15:22	0.004
15:23	0.004
15:24	0.004
15:25	0.004
15:26	0.004
15:27	0.003
15:28	0.003
15:29	0.003
15:30	0.004
15:31	0.004
15:32	0.005
15:33	0.004
15:34	0.004
15:35	0.005
15:36	0.004
15:37	0.004
15:38	0.005
15:39	0.004
15:40	0.004
15:41	0.004
15:42	0.004
15:43	0.004
15:44	0.004
15:45	0.004
15:46	0.004
15:47	0.005
15:48	0.006
15:49	0.005
15:50	0.006
15:51	0.005
15:52	0.004

15:53	0.004
15:54	0.005
15:55	0.007
15:56	0.005
15:57	0.004
15:58	0.004
15:59	0.004
16:00	0.003
16:01	0.004
16:02	0.004
16:03	0.004
16:04	0.004
16:05	0.004
16:06	0.004
16:07	0.005
16:08	0.005
16:09	0.006
16:10	0.006
16:11	0.005
16:12	0.005
16:13	0.004
16:14	0.005
16:15	0.005
16:16	0.005
16:17	0.005
16:18	0.004
16:19	0.004
16:20	0.004
16:21	0.005
16:22	0.004
16:23	0.004
16:24	0.004
16:25	0.003
16:26	0.004
16:27	0.004
16:28	0.004
16:29	0.004
16:30	0.004
16:31	0.004
16:32	0.004
16:33	0.004
16:34	0.004
16:35	0.005
16:36	0.006

16:37	0.005
16:38	0.004
16:39	0.004
16:40	0.004
16:41	0.004
16:42	0.004
16:43	0.004
16:44	0.003
16:45	0.004
16:46	0.004
16:47	0.004
16:48	0.003
16:49	0.004
16:50	0.004
16:51	0.004
16:52	0.004
16:53	0.004
16:54	0.003
16:55	0.003
16:56	0.004
16:57	0.004
16:58	0.004
16:59	0.004
17:00	0.004
17:01	0.004
17:02	0.004
17:03	0.004
17:04	0.004
17:05	0.004
17:06	0.004
17:07	0.004
17:08	0.004
17:09	0.005
17:10	0.004
17:11	0.003
17:12	0.004
17:13	0.004
17:14	0.004
17:15	0.004
17:16	0.004
17:17	0.004
17:18	0.003
17:19	0.004
17:20	0.003

17:21	0.003
17:22	0.003
17:23	0.003
17:24	0.004
17:25	0.004
17:26	0.003
17:27	0.003
17:28	0.004
17:29	0.004
17:30	0.004
17:31	0.005
17:32	0.004
17:33	0.004
17:34	0.004
17:35	0.004
17:36	0.004
17:37	0.004
17:38	0.004
17:39	0.004
17:40	0.004
17:41	0.003
17:42	0.005
17:43	0.008
17:44	0.004
17:45	0.003
17:46	0.003
17:47	0.003
17:48	0.003
17:49	0.003
17:50	0.003
17:51	0.004
17:52	0.003
17:53	0.003
17:54	0.004
17:55	0.004
17:56	0.003
17:57	0.003
17:58	0.003
17:59	0.003
18:00	0.003
18:01	0.004
18:02	0.004
18:03	0.005
18:04	0.006

18:05	0.004
18:06	0.004
18:07	0.003
18:08	0.003
18:09	0.003
18:10	0.004
18:11	0.004
18:12	0.004
18:13	0.003
18:14	0.004
18:15	0.004
18:16	0.004
18:17	0.003
18:18	0.003
18:19	0.004
18:20	0.003
18:21	0.003
18:22	0.003
18:23	0.003
18:24	0.003
18:25	0.003
18:26	0.003
18:27	0.003
18:28	0.003
18:29	0.004
18:30	0.003
18:31	0.003
18:32	0.003
18:33	0.003
18:34	0.003
18:35	0.003
18:36	0.003
18:37	0.003
18:38	0.003
18:39	0.004
18:40	0.004
18:41	0.003
18:42	0.004
18:43	0.003
18:44	0.004
18:45	0.004
18:46	0.006
18:47	0.003
18:48	0.002

18:49	0.002
18:50	0.002
18:51	0.003
18:52	0.004

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	4/18/2024	18:53	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:52	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:51	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:50	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:49	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:48	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:47	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:46	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:45	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:44	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:43	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:42	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:41	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:40	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:39	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:38	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:37	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:36	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:35	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:34	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:33	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:32	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:31	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:30	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:29	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:28	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:27	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:26	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:25	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:24	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:23	Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	18:22	Readings	PID	SC23030921B3	Normal	0

592-601274	4/18/2024	9:33 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:32 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:31 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:30 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:29 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:28 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:27 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:26 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:25 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:24 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:23 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:22 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:21 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:20 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:19 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:18 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:17 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:16 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:15 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:14 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:13 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:12 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:11 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:10 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:09 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:08 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:07 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:06 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:05 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:04 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:03 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:02 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	9:01 Readings	PID	SC23030921B3	Normal	0

592-601274	4/18/2024	9:00 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:59 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:58 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:57 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:56 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:55 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:54 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:53 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:52 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:51 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:50 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:49 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:48 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:47 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:46 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:45 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:44 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:43 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:42 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:41 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:40 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:39 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:38 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:37 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:36 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:35 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:34 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:33 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:32 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:31 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:30 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:29 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	8:28 Readings	PID	SC23030921B3	Normal	0

592-601274	4/18/2024	7:21 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:20 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:19 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:18 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:17 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:16 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:15 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:14 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:13 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/18/2024	7:12 Readings	PID	SC23030921B3	Normal	0.3
592-601274	4/18/2024	7:11 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/18/2024	7:10 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/18/2024	7:09 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/18/2024	7:08 Readings	PID	SC23030921B3	Normal	0.2
592-601274	4/18/2024	7:07 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/18/2024	7:06 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/18/2024	7:05 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/18/2024	7:04 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/18/2024	7:03 Readings	PID	SC23030921B3	Normal	0.1
592-601274	4/18/2024	7:02 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:01 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:59 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:58 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:57 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:56 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:55 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:54 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:53 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:52 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:51 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:50 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:49 Readings	PID	SC23030921B3	Normal	0

592-601274	4/18/2024	6:48 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:47 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:46 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:45 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:44 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:43 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	6:42 Readings	PID	SC23030921B3	Normal	0
592-601274	4/18/2024	CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_001
Test Start Time	6:52:02 AM
Test Start Date	4/18/2024
Test Length [D:H:M]	0:10:13
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.015
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.171
Mass TWA [mg/m3]	0.015
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	613

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:52	0.113		
6:53	0.022		
6:54	0.014		
6:55	0.011		
6:56	0.012		
6:57	0.013		
6:58	0.013		
6:59	0.015		
7:00	0.014		
7:01	0.013		
7:02	0.014		
7:03	0.013		
7:04	0.014		
7:05	0.015		
7:06	0.014		
7:07	0.013		
7:08	0.012		
7:09	0.013		
7:10	0.012		
7:11	0.011		
7:12	0.01		
7:13	0.01		
7:14	0.01		
7:15	0.009		

7:16	0.009
7:17	0.009
7:18	0.009
7:19	0.01
7:20	0.011
7:21	0.009
7:22	0.009
7:23	0.009
7:24	0.012
7:25	0.009
7:26	0.009
7:27	0.009
7:28	0.009
7:29	0.012
7:30	0.01
7:31	0.012
7:32	0.013
7:33	0.014
7:34	0.014
7:35	0.013
7:36	0.013
7:37	0.013
7:38	0.015
7:39	0.012
7:40	0.01
7:41	0.01
7:42	0.012
7:43	0.012
7:44	0.012
7:45	0.012
7:46	0.011
7:47	0.009
7:48	0.01
7:49	0.009
7:50	0.015
7:51	0.01
7:52	0.01
7:53	0.01
7:54	0.01
7:55	0.012
7:56	0.013
7:57	0.011
7:58	0.009
7:59	0.01

8:00	0.01
8:01	0.012
8:02	0.011
8:03	0.011
8:04	0.012
8:05	0.011
8:06	0.021
8:07	0.014
8:08	0.009
8:09	0.013
8:10	0.013
8:11	0.034
8:12	0.048
8:13	0.07
8:14	0.033
8:15	0.012
8:16	0.01
8:17	0.009
8:18	0.019
8:19	0.017
8:20	0.025
8:21	0.033
8:22	0.079
8:23	0.046
8:24	0.04
8:25	0.032
8:26	0.019
8:27	0.021
8:28	0.014
8:29	0.07
8:30	0.029
8:31	0.039
8:32	0.011
8:33	0.021
8:34	0.018
8:35	0.042
8:36	0.013
8:37	0.013
8:38	0.014
8:39	0.021
8:40	0.021
8:41	0.016
8:42	0.013
8:43	0.011

8:44	0.016
8:45	0.017
8:46	0.014
8:47	0.012
8:48	0.013
8:49	0.011
8:50	0.019
8:51	0.013
8:52	0.011
8:53	0.025
8:54	0.015
8:55	0.015
8:56	0.016
8:57	0.011
8:58	0.02
8:59	0.11
9:00	0.081
9:01	0.04
9:02	0.034
9:03	0.013
9:04	0.009
9:05	0.062
9:06	0.03
9:07	0.012
9:08	0.069
9:09	0.044
9:10	0.012
9:11	0.011
9:12	0.012
9:13	0.011
9:14	0.009
9:15	0.009
9:16	0.009
9:17	0.009
9:18	0.01
9:19	0.01
9:20	0.008
9:21	0.021
9:22	0.024
9:23	0.009
9:24	0.009
9:25	0.008
9:26	0.009
9:27	0.008

9:28	0.009
9:29	0.009
9:30	0.02
9:31	0.027
9:32	0.171
9:33	0.012
9:34	0.009
9:35	0.009
9:36	0.009
9:37	0.009
9:38	0.008
9:39	0.01
9:40	0.009
9:41	0.009
9:42	0.008
9:43	0.009
9:44	0.008
9:45	0.01
9:46	0.012
9:47	0.016
9:48	0.015
9:49	0.009
9:50	0.01
9:51	0.009
9:52	0.013
9:53	0.015
9:54	0.012
9:55	0.021
9:56	0.012
9:57	0.009
9:58	0.009
9:59	0.016
10:00	0.014
10:01	0.011
10:02	0.01
10:03	0.011
10:04	0.016
10:05	0.011
10:06	0.012
10:07	0.012
10:08	0.01
10:09	0.011
10:10	0.011
10:11	0.01

10:12	0.011
10:13	0.01
10:14	0.011
10:15	0.011
10:16	0.011
10:17	0.012
10:18	0.011
10:19	0.011
10:20	0.012
10:21	0.014
10:22	0.017
10:23	0.01
10:24	0.009
10:25	0.01
10:26	0.009
10:27	0.01
10:28	0.01
10:29	0.011
10:30	0.01
10:31	0.01
10:32	0.009
10:33	0.014
10:34	0.011
10:35	0.013
10:36	0.011
10:37	0.016
10:38	0.01
10:39	0.011
10:40	0.013
10:41	0.012
10:42	0.011
10:43	0.011
10:44	0.011
10:45	0.011
10:46	0.013
10:47	0.01
10:48	0.012
10:49	0.012
10:50	0.014
10:51	0.02
10:52	0.018
10:53	0.017
10:54	0.011
10:55	0.012

10:56	0.019
10:57	0.014
10:58	0.015
10:59	0.014
11:00	0.013
11:01	0.014
11:02	0.013
11:03	0.016
11:04	0.012
11:05	0.014
11:06	0.012
11:07	0.013
11:08	0.016
11:09	0.014
11:10	0.015
11:11	0.012
11:12	0.017
11:13	0.012
11:14	0.024
11:15	0.011
11:16	0.01
11:17	0.011
11:18	0.013
11:19	0.009
11:20	0.011
11:21	0.014
11:22	0.011
11:23	0.011
11:24	0.015
11:25	0.011
11:26	0.013
11:27	0.012
11:28	0.017
11:29	0.012
11:30	0.016
11:31	0.02
11:32	0.014
11:33	0.012
11:34	0.013
11:35	0.011
11:36	0.011
11:37	0.011
11:38	0.011
11:39	0.011

11:40	0.013
11:41	0.017
11:42	0.026
11:43	0.011
11:44	0.015
11:45	0.012
11:46	0.012
11:47	0.011
11:48	0.011
11:49	0.011
11:50	0.013
11:51	0.023
11:52	0.012
11:53	0.013
11:54	0.014
11:55	0.01
11:56	0.01
11:57	0.009
11:58	0.009
11:59	0.009
12:00	0.009
12:01	0.008
12:02	0.009
12:03	0.01
12:04	0.021
12:05	0.02
12:06	0.02
12:07	0.015
12:08	0.017
12:09	0.012
12:10	0.01
12:11	0.01
12:12	0.012
12:13	0.014
12:14	0.013
12:15	0.012
12:16	0.013
12:17	0.01
12:18	0.01
12:19	0.01
12:20	0.01
12:21	0.01
12:22	0.01
12:23	0.01

12:24	0.01
12:25	0.011
12:26	0.011
12:27	0.011
12:28	0.01
12:29	0.013
12:30	0.011
12:31	0.011
12:32	0.01
12:33	0.012
12:34	0.015
12:35	0.013
12:36	0.013
12:37	0.015
12:38	0.013
12:39	0.012
12:40	0.013
12:41	0.014
12:42	0.015
12:43	0.014
12:44	0.01
12:45	0.01
12:46	0.011
12:47	0.012
12:48	0.015
12:49	0.011
12:50	0.012
12:51	0.012
12:52	0.011
12:53	0.01
12:54	0.01
12:55	0.01
12:56	0.01
12:57	0.011
12:58	0.011
12:59	0.012
13:00	0.012
13:01	0.011
13:02	0.011
13:03	0.011
13:04	0.01
13:05	0.013
13:06	0.014
13:07	0.01

13:08	0.011
13:09	0.011
13:10	0.012
13:11	0.012
13:12	0.012
13:13	0.011
13:14	0.011
13:15	0.011
13:16	0.011
13:17	0.012
13:18	0.012
13:19	0.012
13:20	0.015
13:21	0.012
13:22	0.012
13:23	0.012
13:24	0.011
13:25	0.011
13:26	0.011
13:27	0.014
13:28	0.012
13:29	0.011
13:30	0.014
13:31	0.012
13:32	0.011
13:33	0.012
13:34	0.012
13:35	0.012
13:36	0.013
13:37	0.014
13:38	0.013
13:39	0.016
13:40	0.015
13:41	0.013
13:42	0.039
13:43	0.065
13:44	0.052
13:45	0.024
13:46	0.026
13:47	0.024
13:48	0.023
13:49	0.022
13:50	0.014
13:51	0.013

13:52	0.015
13:53	0.018
13:54	0.026
13:55	0.023
13:56	0.016
13:57	0.016
13:58	0.014
13:59	0.017
14:00	0.015
14:01	0.014
14:02	0.019
14:03	0.023
14:04	0.017
14:05	0.017
14:06	0.017
14:07	0.018
14:08	0.019
14:09	0.015
14:10	0.012
14:11	0.013
14:12	0.014
14:13	0.013
14:14	0.014
14:15	0.014
14:16	0.014
14:17	0.014
14:18	0.014
14:19	0.015
14:20	0.014
14:21	0.014
14:22	0.014
14:23	0.015
14:24	0.014
14:25	0.014
14:26	0.013
14:27	0.015
14:28	0.014
14:29	0.014
14:30	0.014
14:31	0.013
14:32	0.014
14:33	0.012
14:34	0.014
14:35	0.014

14:36	0.014
14:37	0.014
14:38	0.015
14:39	0.012
14:40	0.013
14:41	0.013
14:42	0.013
14:43	0.013
14:44	0.013
14:45	0.013
14:46	0.018
14:47	0.018
14:48	0.015
14:49	0.014
14:50	0.015
14:51	0.013
14:52	0.013
14:53	0.013
14:54	0.015
14:55	0.014
14:56	0.013
14:57	0.013
14:58	0.013
14:59	0.013
15:00	0.012
15:01	0.012
15:02	0.012
15:03	0.013
15:04	0.014
15:05	0.013
15:06	0.012
15:07	0.012
15:08	0.012
15:09	0.012
15:10	0.011
15:11	0.012
15:12	0.014
15:13	0.013
15:14	0.014
15:15	0.013
15:16	0.013
15:17	0.012
15:18	0.013
15:19	0.013

15:20	0.012
15:21	0.012
15:22	0.013
15:23	0.012
15:24	0.012
15:25	0.012
15:26	0.011
15:27	0.012
15:28	0.012
15:29	0.011
15:30	0.012
15:31	0.012
15:32	0.012
15:33	0.012
15:34	0.013
15:35	0.012
15:36	0.012
15:37	0.012
15:38	0.014
15:39	0.014
15:40	0.019
15:41	0.017
15:42	0.013
15:43	0.012
15:44	0.013
15:45	0.013
15:46	0.013
15:47	0.012
15:48	0.012
15:49	0.012
15:50	0.012
15:51	0.013
15:52	0.013
15:53	0.012
15:54	0.012
15:55	0.012
15:56	0.013
15:57	0.014
15:58	0.013
15:59	0.014
16:00	0.015
16:01	0.013
16:02	0.012
16:03	0.012

16:04	0.012
16:05	0.013
16:06	0.013
16:07	0.012
16:08	0.012
16:09	0.014
16:10	0.016
16:11	0.014
16:12	0.013
16:13	0.013
16:14	0.013
16:15	0.015
16:16	0.014
16:17	0.014
16:18	0.014
16:19	0.013
16:20	0.012
16:21	0.013
16:22	0.014
16:23	0.013
16:24	0.013
16:25	0.012
16:26	0.011
16:27	0.012
16:28	0.012
16:29	0.012
16:30	0.012
16:31	0.012
16:32	0.012
16:33	0.012
16:34	0.012
16:35	0.012
16:36	0.012
16:37	0.012
16:38	0.011
16:39	0.012
16:40	0.011
16:41	0.012
16:42	0.011
16:43	0.013
16:44	0.013
16:45	0.013
16:46	0.011
16:47	0.013

16:48	0.015	
16:49	0.012	
16:50	0.011	
16:51	0.011	
16:52	0.007	Flow Error
16:53	0.008	Flow Error
16:54	0.007	Flow Error
16:55	0.005	Flow Error
16:56	0.009	Flow Error
16:57	0.005	Flow Error
16:58	0.006	Flow Error
16:59	0.005	Flow Error
17:00	0.009	Flow Error
17:01	0.008	Flow Error
17:02	0.009	Flow Error
17:03	0.006	Flow Error
17:04	0.008	Flow Error

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	4/18/2024	18:01	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	18:00	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:59	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:58	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:57	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:56	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:55	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:54	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:53	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:52	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:51	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:50	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:49	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:48	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:47	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:46	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:45	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:44	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:43	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:42	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:41	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:40	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:39	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:38	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:37	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:36	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:35	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:34	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:33	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:32	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:31	Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:30	Readings	PID	SC23030324C7	Normal	0

592-602816	4/18/2024	17:29 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:28 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:27 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:26 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:25 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:24 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:23 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:22 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:21 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:20 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:19 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:18 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:17 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:16 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:15 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:14 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:13 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:12 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:11 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:10 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	17:08 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:07 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:06 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:05 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:04 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:03 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:02 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:01 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	17:00 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	16:59 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	16:58 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	16:57 Readings	PID	SC23030324C7	Normal	0

592-602816	4/18/2024	15:50 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:49 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:48 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:47 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:46 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:45 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:44 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:43 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:42 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:41 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:40 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:39 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:38 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:37 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:36 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:35 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:34 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:33 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:32 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:31 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:30 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:29 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:28 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:27 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:26 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:25 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:24 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:23 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:22 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:21 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:20 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:19 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:18 Readings	PID	SC23030324C7	Normal	0

592-602816	4/18/2024	15:17 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:16 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:15 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:14 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:10 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:09 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:08 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:07 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:06 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:05 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	15:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:03 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	15:00 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:58 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:57 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:56 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:55 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:54 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:53 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:52 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:51 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:50 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:49 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:48 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:46 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:45 Readings	PID	SC23030324C7	Normal	0.1

592-602816	4/18/2024	14:44	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:43	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:42	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:41	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:40	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:39	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:38	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:37	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:36	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:35	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:34	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:33	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:32	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:31	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:30	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:29	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:28	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:27	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:26	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:25	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:24	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:23	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:22	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:21	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:20	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:19	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:18	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:17	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:16	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:15	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:14	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:13	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	14:12	Readings	PID	SC23030324C7	Normal	0.2

592-602816	4/18/2024	14:11 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:10 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:09 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:07 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:06 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:05 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	14:03 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	14:02 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	14:00 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:59 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:56 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:55 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:54 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:53 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	13:52 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:51 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:50 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	13:49 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	13:48 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	13:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	13:46 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:44 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:43 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	13:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:40 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	13:39 Readings	PID	SC23030324C7	Normal	0.2

592-602816	4/18/2024	12:32	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:31	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:30	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:29	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:28	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:27	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:26	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:25	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:24	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:23	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:22	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:21	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:20	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:19	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:18	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:17	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:16	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:15	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:14	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:13	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:12	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:11	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:10	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:09	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:08	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:07	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:06	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:05	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:04	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:03	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:02	Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	12:01	Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	12:00	Readings	PID	SC23030324C7	Normal	0.2

592-602816	4/18/2024	11:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:58 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:56 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:55 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:54 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:52 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:51 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:50 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:49 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:48 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:46 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:44 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:43 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:42 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:40 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:39 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:38 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:37 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:35 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:34 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:33 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:32 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	11:31 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	11:30 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	11:29 Readings	PID	SC23030324C7	Normal	1.5
592-602816	4/18/2024	11:28 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:27 Readings	PID	SC23030324C7	Normal	0.2

592-602816	4/18/2024	11:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:25 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:24 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:23 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	11:22 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	11:21 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	11:20 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	11:19 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	11:18 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	11:17 Readings	PID	SC23030324C7	Normal	1
592-602816	4/18/2024	11:16 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:15 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:10 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:08 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:07 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	11:06 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	11:05 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	11:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:03 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	11:00 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	10:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	10:58 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	10:57 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	10:56 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	10:55 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	10:54 Readings	PID	SC23030324C7	Normal	0.1

592-602816	4/18/2024	10:20 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	10:19 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	10:18 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	10:17 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	10:16 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	10:15 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	10:14 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	10:13 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	10:12 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	10:11 CONFIG	PID	SC23030324C7		
592-602816	4/18/2024	10:10 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:09 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:08 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:07 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	10:06 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:05 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:04 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:03 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	10:02 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	10:01 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	10:00 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:59 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:58 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:57 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:56 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:55 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:54 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:53 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	9:52 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	9:51 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:50 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	9:49 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	9:48 Readings	PID	SC23030324C7	Normal	0.7

592-602816	4/18/2024	9:47 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:46 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:45 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:44 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:43 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	9:42 Readings	PID	SC23030324C7	Normal	1.2
592-602816	4/18/2024	9:41 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:40 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:39 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:38 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:37 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:36 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:35 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:34 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:33 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:32 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:31 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:30 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:29 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:28 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:27 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:26 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:25 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:24 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:23 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:22 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:21 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:20 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:19 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:18 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:17 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:16 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:15 Readings	PID	SC23030324C7	Normal	0.6

592-602816	4/18/2024	9:14 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:13 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:12 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	9:11 Readings	PID	SC23030324C7	Normal	1
592-602816	4/18/2024	9:10 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	9:09 Readings	PID	SC23030324C7	Normal	1
592-602816	4/18/2024	9:08 Readings	PID	SC23030324C7	Normal	1.1
592-602816	4/18/2024	9:07 Readings	PID	SC23030324C7	Normal	1.4
592-602816	4/18/2024	9:06 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	9:05 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	9:04 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	9:03 Readings	PID	SC23030324C7	Normal	1.1
592-602816	4/18/2024	9:02 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	9:01 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	9:00 Readings	PID	SC23030324C7	Normal	1.1
592-602816	4/18/2024	8:59 Readings	PID	SC23030324C7	Normal	1.1
592-602816	4/18/2024	8:58 Readings	PID	SC23030324C7	Normal	1.2
592-602816	4/18/2024	8:57 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:56 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	8:55 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	8:54 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	8:53 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:52 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:51 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:50 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:49 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:48 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:47 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:46 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:45 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:44 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:43 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:42 Readings	PID	SC23030324C7	Normal	0.7

592-602816	4/18/2024	8:41 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:40 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:39 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:38 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:37 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:36 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:35 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:34 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:33 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:32 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:31 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:30 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:29 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:28 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:27 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:26 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:25 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:24 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:23 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:22 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:21 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:20 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:19 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:18 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:17 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:16 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:15 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:14 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:13 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:12 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:11 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:10 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	8:09 Readings	PID	SC23030324C7	Normal	0.9

592-602816	4/18/2024	8:08 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	8:07 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	8:06 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:05 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	8:04 Readings	PID	SC23030324C7	Normal	1.9
592-602816	4/18/2024	8:03 Readings	PID	SC23030324C7	Normal	1.2
592-602816	4/18/2024	8:02 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	8:01 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	8:00 Readings	PID	SC23030324C7	Normal	1.5
592-602816	4/18/2024	7:59 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	7:58 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:57 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	7:56 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	7:55 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:54 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:53 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:52 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	7:51 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:50 Readings	PID	SC23030324C7	Normal	0.4
592-602816	4/18/2024	7:49 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:48 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:47 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:46 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:45 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	7:44 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	7:43 Readings	PID	SC23030324C7	Normal	0.8
592-602816	4/18/2024	7:42 Readings	PID	SC23030324C7	Normal	0.9
592-602816	4/18/2024	7:41 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	7:40 Readings	PID	SC23030324C7	Normal	0.7
592-602816	4/18/2024	7:39 Readings	PID	SC23030324C7	Normal	1.1
592-602816	4/18/2024	7:38 Readings	PID	SC23030324C7	Normal	1.1
592-602816	4/18/2024	7:37 Readings	PID	SC23030324C7	Normal	1.2
592-602816	4/18/2024	7:36 Readings	PID	SC23030324C7	Normal	0.6

592-602816	4/18/2024	7:35 Readings	PID	SC23030324C7	Normal	0.6
592-602816	4/18/2024	7:34 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:33 Readings	PID	SC23030324C7	Normal	0.5
592-602816	4/18/2024	7:32 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	7:31 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	7:30 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:29 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	7:28 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	7:27 Readings	PID	SC23030324C7	Normal	0.3
592-602816	4/18/2024	7:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:25 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:24 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:23 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:21 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:20 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:19 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:18 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	7:17 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:16 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:15 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:10 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:08 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:07 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:06 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:05 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:03 Readings	PID	SC23030324C7	Normal	0.1

592-602816	4/18/2024	7:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	4/18/2024	7:00 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:59 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:56 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:55 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:54 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	4/18/2024	6:52 Readings	PID	SC23030324C7	Normal	0
592-602816	4/18/2024	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_001
Test Start Time	6:53:14 AM
Test Start Date	4/18/2024
Test Length [D:H:M]	0:11:56
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.011
PM1 Minimum [mg/m3]	0.009
PM1 Maximum [mg/m3]	0.108
PM1 TWA [mg/m3]	0.011
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	716

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:53	0.108		
6:54	0.017		
6:55	0.013		
6:56	0.013		
6:57	0.013		
6:58	0.013		
6:59	0.013		
7:00	0.013		
7:01	0.015		
7:02	0.015		
7:03	0.014		
7:04	0.013		
7:05	0.014		
7:06	0.013		
7:07	0.013		
7:08	0.014		
7:09	0.013		
7:10	0.016		
7:11	0.013		
7:12	0.012		
7:13	0.011		
7:14	0.011		
7:15	0.011		

7:16	0.012
7:17	0.01
7:18	0.01
7:19	0.01
7:20	0.01
7:21	0.01
7:22	0.012
7:23	0.011
7:24	0.01
7:25	0.01
7:26	0.009
7:27	0.009
7:28	0.009
7:29	0.009
7:30	0.009
7:31	0.009
7:32	0.01
7:33	0.01
7:34	0.011
7:35	0.012
7:36	0.011
7:37	0.011
7:38	0.011
7:39	0.011
7:40	0.01
7:41	0.01
7:42	0.01
7:43	0.011
7:44	0.012
7:45	0.011
7:46	0.011
7:47	0.01
7:48	0.012
7:49	0.01
7:50	0.01
7:51	0.01
7:52	0.01
7:53	0.01
7:54	0.01
7:55	0.01
7:56	0.01
7:57	0.011
7:58	0.011
7:59	0.01

8:00	0.011
8:01	0.01
8:02	0.01
8:03	0.018
8:04	0.011
8:05	0.01
8:06	0.011
8:07	0.011
8:08	0.01
8:09	0.01
8:10	0.01
8:11	0.011
8:12	0.011
8:13	0.011
8:14	0.011
8:15	0.011
8:16	0.011
8:17	0.011
8:18	0.011
8:19	0.01
8:20	0.011
8:21	0.011
8:22	0.011
8:23	0.011
8:24	0.011
8:25	0.012
8:26	0.011
8:27	0.013
8:28	0.015
8:29	0.013
8:30	0.011
8:31	0.011
8:32	0.011
8:33	0.011
8:34	0.012
8:35	0.011
8:36	0.011
8:37	0.011
8:38	0.011
8:39	0.011
8:40	0.011
8:41	0.012
8:42	0.012
8:43	0.013

8:44	0.012
8:45	0.012
8:46	0.011
8:47	0.013
8:48	0.012
8:49	0.014
8:50	0.011
8:51	0.011
8:52	0.011
8:53	0.011
8:54	0.012
8:55	0.011
8:56	0.011
8:57	0.012
8:58	0.013
8:59	0.012
9:00	0.012
9:01	0.011
9:02	0.011
9:03	0.012
9:04	0.012
9:05	0.01
9:06	0.01
9:07	0.013
9:08	0.013
9:09	0.011
9:10	0.011
9:11	0.011
9:12	0.01
9:13	0.012
9:14	0.011
9:15	0.012
9:16	0.011
9:17	0.011
9:18	0.011
9:19	0.011
9:20	0.011
9:21	0.011
9:22	0.01
9:23	0.011
9:24	0.01
9:25	0.01
9:26	0.01
9:27	0.01

9:28	0.01
9:29	0.01
9:30	0.011
9:31	0.01
9:32	0.01
9:33	0.01
9:34	0.01
9:35	0.01
9:36	0.01
9:37	0.01
9:38	0.011
9:39	0.01
9:40	0.01
9:41	0.01
9:42	0.011
9:43	0.011
9:44	0.011
9:45	0.01
9:46	0.01
9:47	0.01
9:48	0.01
9:49	0.01
9:50	0.01
9:51	0.01
9:52	0.01
9:53	0.01
9:54	0.011
9:55	0.011
9:56	0.011
9:57	0.01
9:58	0.01
9:59	0.01
10:00	0.01
10:01	0.011
10:02	0.011
10:03	0.01
10:04	0.011
10:05	0.011
10:06	0.012
10:07	0.012
10:08	0.011
10:09	0.011
10:10	0.011
10:11	0.011

10:12	0.011
10:13	0.011
10:14	0.012
10:15	0.015
10:16	0.011
10:17	0.011
10:18	0.011
10:19	0.011
10:20	0.012
10:21	0.012
10:22	0.011
10:23	0.011
10:24	0.011
10:25	0.011
10:26	0.012
10:27	0.011
10:28	0.011
10:29	0.011
10:30	0.011
10:31	0.011
10:32	0.012
10:33	0.013
10:34	0.011
10:35	0.011
10:36	0.012
10:37	0.012
10:38	0.012
10:39	0.012
10:40	0.012
10:41	0.011
10:42	0.012
10:43	0.011
10:44	0.012
10:45	0.012
10:46	0.013
10:47	0.013
10:48	0.011
10:49	0.011
10:50	0.012
10:51	0.011
10:52	0.012
10:53	0.012
10:54	0.012
10:55	0.012

10:56	0.012
10:57	0.011
10:58	0.011
10:59	0.011
11:00	0.011
11:01	0.011
11:02	0.012
11:03	0.012
11:04	0.012
11:05	0.012
11:06	0.013
11:07	0.012
11:08	0.011
11:09	0.011
11:10	0.011
11:11	0.011
11:12	0.011
11:13	0.011
11:14	0.012
11:15	0.011
11:16	0.011
11:17	0.012
11:18	0.011
11:19	0.011
11:20	0.011
11:21	0.01
11:22	0.01
11:23	0.011
11:24	0.01
11:25	0.01
11:26	0.011
11:27	0.011
11:28	0.011
11:29	0.012
11:30	0.012
11:31	0.012
11:32	0.012
11:33	0.013
11:34	0.014
11:35	0.014
11:36	0.012
11:37	0.011
11:38	0.01
11:39	0.01

11:40	0.011
11:41	0.012
11:42	0.011
11:43	0.012
11:44	0.011
11:45	0.011
11:46	0.011
11:47	0.012
11:48	0.011
11:49	0.011
11:50	0.011
11:51	0.011
11:52	0.011
11:53	0.011
11:54	0.01
11:55	0.011
11:56	0.012
11:57	0.011
11:58	0.01
11:59	0.009
12:00	0.009
12:01	0.009
12:02	0.01
12:03	0.01
12:04	0.01
12:05	0.01
12:06	0.01
12:07	0.01
12:08	0.011
12:09	0.011
12:10	0.01
12:11	0.011
12:12	0.01
12:13	0.01
12:14	0.01
12:15	0.01
12:16	0.01
12:17	0.011
12:18	0.012
12:19	0.011
12:20	0.01
12:21	0.01
12:22	0.01
12:23	0.01

12:24	0.01
12:25	0.01
12:26	0.01
12:27	0.01
12:28	0.01
12:29	0.011
12:30	0.011
12:31	0.01
12:32	0.011
12:33	0.011
12:34	0.01
12:35	0.01
12:36	0.011
12:37	0.012
12:38	0.011
12:39	0.012
12:40	0.011
12:41	0.011
12:42	0.011
12:43	0.012
12:44	0.012
12:45	0.012
12:46	0.011
12:47	0.01
12:48	0.01
12:49	0.011
12:50	0.011
12:51	0.011
12:52	0.01
12:53	0.011
12:54	0.01
12:55	0.01
12:56	0.01
12:57	0.01
12:58	0.01
12:59	0.01
13:00	0.011
13:01	0.011
13:02	0.012
13:03	0.011
13:04	0.01
13:05	0.009
13:06	0.01
13:07	0.01

13:08	0.012
13:09	0.012
13:10	0.011
13:11	0.01
13:12	0.01
13:13	0.011
13:14	0.01
13:15	0.01
13:16	0.01
13:17	0.011
13:18	0.01
13:19	0.01
13:20	0.01
13:21	0.011
13:22	0.012
13:23	0.012
13:24	0.011
13:25	0.01
13:26	0.011
13:27	0.01
13:28	0.011
13:29	0.012
13:30	0.011
13:31	0.01
13:32	0.01
13:33	0.01
13:34	0.01
13:35	0.01
13:36	0.013
13:37	0.01
13:38	0.014
13:39	0.011
13:40	0.012
13:41	0.011
13:42	0.011
13:43	0.011
13:44	0.011
13:45	0.011
13:46	0.013
13:47	0.012
13:48	0.011
13:49	0.011
13:50	0.011
13:51	0.012

13:52	0.012
13:53	0.011
13:54	0.012
13:55	0.012
13:56	0.013
13:57	0.012
13:58	0.012
13:59	0.012
14:00	0.011
14:01	0.013
14:02	0.015
14:03	0.012
14:04	0.012
14:05	0.011
14:06	0.014
14:07	0.011
14:08	0.011
14:09	0.014
14:10	0.014
14:11	0.012
14:12	0.011
14:13	0.011
14:14	0.012
14:15	0.011
14:16	0.011
14:17	0.011
14:18	0.011
14:19	0.011
14:20	0.011
14:21	0.011
14:22	0.012
14:23	0.013
14:24	0.011
14:25	0.012
14:26	0.011
14:27	0.011
14:28	0.011
14:29	0.011
14:30	0.015
14:31	0.012
14:32	0.011
14:33	0.011
14:34	0.011
14:35	0.011

14:36	0.011
14:37	0.011
14:38	0.012
14:39	0.011
14:40	0.012
14:41	0.011
14:42	0.011
14:43	0.011
14:44	0.011
14:45	0.011
14:46	0.011
14:47	0.011
14:48	0.011
14:49	0.012
14:50	0.011
14:51	0.016
14:52	0.01
14:53	0.012
14:54	0.01
14:55	0.01
14:56	0.01
14:57	0.011
14:58	0.012
14:59	0.011
15:00	0.011
15:01	0.012
15:02	0.01
15:03	0.01
15:04	0.011
15:05	0.01
15:06	0.011
15:07	0.011
15:08	0.01
15:09	0.01
15:10	0.011
15:11	0.01
15:12	0.01
15:13	0.011
15:14	0.013
15:15	0.012
15:16	0.011
15:17	0.012
15:18	0.011
15:19	0.013

15:20	0.01
15:21	0.01
15:22	0.01
15:23	0.011
15:24	0.013
15:25	0.011
15:26	0.011
15:27	0.01
15:28	0.01
15:29	0.01
15:30	0.011
15:31	0.01
15:32	0.015
15:33	0.01
15:34	0.01
15:35	0.011
15:36	0.011
15:37	0.011
15:38	0.011
15:39	0.011
15:40	0.011
15:41	0.013
15:42	0.012
15:43	0.011
15:44	0.011
15:45	0.011
15:46	0.011
15:47	0.012
15:48	0.011
15:49	0.011
15:50	0.011
15:51	0.012
15:52	0.011
15:53	0.012
15:54	0.011
15:55	0.011
15:56	0.013
15:57	0.015
15:58	0.012
15:59	0.013
16:00	0.011
16:01	0.011
16:02	0.011
16:03	0.011

16:04	0.01
16:05	0.01
16:06	0.011
16:07	0.011
16:08	0.011
16:09	0.012
16:10	0.011
16:11	0.013
16:12	0.016
16:13	0.013
16:14	0.012
16:15	0.011
16:16	0.013
16:17	0.012
16:18	0.011
16:19	0.012
16:20	0.012
16:21	0.017
16:22	0.011
16:23	0.012
16:24	0.011
16:25	0.012
16:26	0.011
16:27	0.011
16:28	0.011
16:29	0.011
16:30	0.011
16:31	0.012
16:32	0.011
16:33	0.011
16:34	0.011
16:35	0.011
16:36	0.015
16:37	0.011
16:38	0.011
16:39	0.012
16:40	0.011
16:41	0.011
16:42	0.012
16:43	0.014
16:44	0.012
16:45	0.012
16:46	0.011
16:47	0.012

16:48	0.011
16:49	0.011
16:50	0.014
16:51	0.011
16:52	0.01
16:53	0.011
16:54	0.011
16:55	0.011
16:56	0.011
16:57	0.011
16:58	0.011
16:59	0.011
17:00	0.011
17:01	0.01
17:02	0.014
17:03	0.011
17:04	0.012
17:05	0.011
17:06	0.011
17:07	0.011
17:08	0.011
17:09	0.011
17:10	0.011
17:11	0.011
17:12	0.012
17:13	0.012
17:14	0.011
17:15	0.011
17:16	0.011
17:17	0.011
17:18	0.011
17:19	0.012
17:20	0.011
17:21	0.011
17:22	0.01
17:23	0.011
17:24	0.011
17:25	0.011
17:26	0.011
17:27	0.011
17:28	0.011
17:29	0.011
17:30	0.011
17:31	0.011

17:32	0.011
17:33	0.011
17:34	0.013
17:35	0.011
17:36	0.011
17:37	0.01
17:38	0.011
17:39	0.011
17:40	0.011
17:41	0.012
17:42	0.012
17:43	0.011
17:44	0.011
17:45	0.011
17:46	0.011
17:47	0.01
17:48	0.011
17:49	0.011
17:50	0.01
17:51	0.01
17:52	0.01
17:53	0.011
17:54	0.011
17:55	0.011
17:56	0.011
17:57	0.011
17:58	0.011
17:59	0.011
18:00	0.011
18:01	0.012
18:02	0.011
18:03	0.011
18:04	0.012
18:05	0.011
18:06	0.011
18:07	0.011
18:08	0.011
18:09	0.011
18:10	0.011
18:11	0.012
18:12	0.011
18:13	0.011
18:14	0.011
18:15	0.012

18:16	0.011
18:17	0.011
18:18	0.011
18:19	0.011
18:20	0.011
18:21	0.011
18:22	0.011
18:23	0.011
18:24	0.011
18:25	0.011
18:26	0.01
18:27	0.011
18:28	0.011
18:29	0.011
18:30	0.011
18:31	0.011
18:32	0.01
18:33	0.011
18:34	0.011
18:35	0.011
18:36	0.013
18:37	0.014
18:38	0.011
18:39	0.01
18:40	0.01
18:41	0.013
18:42	0.012
18:43	0.011
18:44	0.012
18:45	0.012
18:46	0.011
18:47	0.012
18:48	0.011

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	4/18/2024	18:51	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:50	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:49	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:48	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:47	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:46	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:45	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:44	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:43	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:42	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:41	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:40	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:39	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	18:20	Readings	PID	SC23030408A8	Normal	0

592-600871	4/18/2024	10:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	10:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	10:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	10:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	10:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:59 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:58 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:56 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:55 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:54 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:53 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:52 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:51 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:50 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:49 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:48 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:47 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:46 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:45 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:44 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:43 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:42 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:41 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:40 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:39 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:38 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:37 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:36 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:35 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:34 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:33 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:32 Readings	PID	SC23030408A8	Normal	0

592-600871	4/18/2024	9:31 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:30 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:29 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:28 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:27 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:26 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:25 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:24 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:23 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:22 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:21 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:20 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:19 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:18 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:17 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:16 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:15 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:14 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:13 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:12 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:11 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:10 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:09 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:08 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:07 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:06 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:05 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	9:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	8:59 Readings	PID	SC23030408A8	Normal	0

592-600871	4/18/2024	7:19 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:18 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:17 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:16 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:15 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:14 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:13 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:12 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:11 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:10 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:09 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:08 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:07 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:06 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:05 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	7:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:59 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:58 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:56 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	4/18/2024	CONFIG	PID	SC23030408A8		