



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain	Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85		>85		S – 6 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 04/30/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 19:00</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade ADT WSP- Charlie Lambert</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	--

Scope of Work: ISS column installation and QA/QC coring of full scale ISS columns.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- Triumvirate arrived on site to pump 4,000 gallons of water from the truck wash frac tank. The remaining liquid will be pumped on 5/1;
- Cascade received two (2) slag deliveries;
- ADT completed the QA/QC coring of the following full scale ISS columns: 26-27 OL, 88-40 OL, and 91-38 OL; and
 - Cascade drilled **Column 529**, column spec below:
 - The column was 8’ diameter and drilled 51’ deep from Site grade;
 - The column consisted of a total of 23 batches;
 - After the first pass was completed, Cascade put new teeth on the auger before the second pass;
 - Cascade drilled **Column 535**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 15 batches;
 - Cascade drilled **Column 546**, column spec below:
 - The column was 8’ diameter and drilled 51’ deep from Site grade;
 - The column consisted of a total of 33 batches;
 - Cascade drilled **Column 552**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 15 batches;
 - After the first pass was completed, Cascade put new teeth on the auger before the second pass;
 - Cascade drilled **Column 569**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 16 batches;
 - Cascade drilled **Column 586**, column spec below:

- The column was 8' diameter and drilled 36' deep from Site grade;
- The column consisted of a total of 19 batches;

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.166_ mg/m³ @ 06:32
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.399_ mg/m³ @ 13:38
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.153_ mg/m³ @ 17:10
- High Conditions (Downwind 2) – PID = _2.5_ ppm @ 07:51, Dust = _0.085_ mg/m³ @ 12:12

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Continuing to install ISS columns; and
- Continuation QA/QC ISS Coring.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of drilling
an ISS column.



Photo 2-
Representative
photo of a
QA/QC core from
a full scale ISS
column.



Photo 3-
Representative
photo of
Triumvirate
removing water
from the frac
tank.



Photo 4-
Representative
photo of ADT
during QA/QC
coring.



Photo 5-
Representative
photo of a
stockpile covered
at the end of the
day.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY






BUTLER STREET

Legend Extension

- : ISS column installed to terminal depth
- : ISS column unable to be installed to terminal depth
- : Wet mix sample collected from ISS column
- : ISS pilot test column
- : ISS column installed to 51' below site grade
- ▲ : Coring location



Drilling of columns
529, 535, 546, 552,
569, and 586 on
4/30/2024

LEGEND

- - - PROPERTY LINE
- 1500 SFT GRID
- EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- SIX FOOT DIA. COLUMN (TYP.)

PROJECT

0' 30' 60'

NOTES:
 1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

QA/QC CORE GRID PLAN

251 Douglass Street
Brooklyn, New York

Figure No: 04

PROJECT NO.	1908-01
DESIGNED BY	JM
DRAWN BY	JM
CHECKED BY	JFM/K
DATE	02/07/2023
SCALE	1" = 20'
REVISIONS	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
 BOHEMIA, NEW YORK 11716
 TEL (631) 269-8800
 FAX (631) 269-1599

NEVINS STREET

EXISTING 2 STORY BUILDING

DOUGLASS STREET

SCM Report






Project name: Douglass Street BCG ISS Element name: c529a
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	51.24 ft.	10:46 AM	
Volume/m 1	35.66 ft ³	End Date	04/30/2024
		End time	11:47 AM
		Production duration	01:00:28
		Final depth time	11:34 AM
		Total suspension quantity	554.829 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: c529b
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	52 ft.	12:04 PM	
Volume/m 1	24.01 ft³	End Date	04/30/2024
		End time	12:41 PM
		Production duration	00:36:09
		Final depth time	12:31 PM
		Total suspension quantity	379.703 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c535a
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time	05:46 PM
Max. depth	38 ft.	End Date	04/30/2024
Volume/m 1	30.72 ft³	End time	06:14 PM
		Production duration	00:27:56
		Final depth time	06:06 PM
		Total suspension quantity	356.6 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c535b
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	06:15 PM	06:15 PM
Volume/m 1	24.01 ft ³	End Date	04/30/2024
		End time	06:42 PM
		Production duration	00:26:59
		Final depth time	06:31 PM
		Total suspension quantity	276.902 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: c546a
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time: 08:09 AM	
Max. depth: 51.27 ft.		End Date: 04/30/2024	
Volume/m 1: 67.09 ft³		End time: 09:41 AM	
		Production duration: 01:32:46	
		Final depth time: 09:24 AM	
		Total suspension quantity: 1,049.623 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c546b
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time: 09:59 AM	
Max. depth: 52.03 ft.		End Date: 04/30/2024	
Volume/m 1: 20.48 ft³		End time: 10:28 AM	
		Production duration: 00:29:16	
		Final depth time: 10:19 AM	
		Total suspension quantity: 326.449 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c552a
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time: 04:26 PM	
Max. depth: 38.09 ft.		End Date: 04/30/2024	
Volume/m 1: 30.72 ft³		End time: 05:06 PM	
		Production duration: 00:40:18	
		Final depth time: 04:55 PM	
		Total suspension quantity: 358.197 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c552b
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time: 05:06 PM	
Max. depth: 38.02 ft.		End Date: 04/30/2024	
Volume/m 1: 23.3 ft³		End time: 05:31 PM	
		Production duration: 00:24:04	
		Final depth time: 05:20 PM	
		Total suspension quantity: 268.674 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c569a
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time: 03:01 PM	
Max. depth: 38.02 ft.		End Date: 04/30/2024	
Volume/m 1: 37.08 ft³		End time: 03:46 PM	
		Production duration: 00:45:20	
		Final depth time: 03:37 PM	
		Total suspension quantity: 428.155 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: c569b
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	03:46 PM	
Volume/m 1	19.42 ft³	End Date	04/30/2024
		End time	04:08 PM
		Production duration	00:21:23
		Final depth time	03:59 PM
		Total suspension quantity	224.213 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: c586a
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	01:35 AM	04/30/2024
Volume/m 1	48.02 ft ³	End time	02:25 AM
		Production duration	00:50:21
		Final depth time	02:14 AM_
		Total suspension quantity	558.184 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: c586b
 Project number

Start date: 04/30/2024

Drilling rig: BG36H_5717

Details		Start time: 02:26 AM	
Max. depth: 38.02 ft.		End Date: 04/30/2024	
Volume/m 1: 19.77 ft³		End time: 02:48 AM	
		Production duration: 00:22:16	
		Final depth time: 02:40 AM	
		Total suspension quantity: 229.5 ft³	





IMPACT ENVIRONMENTAL

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_009
Test Start Time	6:32:37 AM
Test Start Date	4/30/2024
Test Length [D:H:M]	0:12:08
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.03
PM1 Minimum [mg/m3]	0.016
PM1 Maximum [mg/m3]	0.399
PM1 TWA [mg/m3]	0.034
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	728

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:32	0.166		
6:33	0.03		
6:34	0.029		
6:35	0.029		
6:36	0.029		
6:37	0.029		
6:38	0.028		
6:39	0.028		
6:40	0.028		
6:41	0.029		
6:42	0.028		
6:43	0.028		
6:44	0.028		
6:45	0.028		
6:46	0.028		
6:47	0.028		
6:48	0.028		
6:49	0.028		
6:50	0.028		
6:51	0.028		
6:52	0.028		
6:53	0.029		
6:54	0.034		

6:55	0.032
6:56	0.03
6:57	0.031
6:58	0.031
6:59	0.031
7:00	0.031
7:01	0.032
7:02	0.029
7:03	0.03
7:04	0.029
7:05	0.03
7:06	0.032
7:07	0.031
7:08	0.032
7:09	0.031
7:10	0.031
7:11	0.032
7:12	0.03
7:13	0.032
7:14	0.033
7:15	0.035
7:16	0.033
7:17	0.033
7:18	0.031
7:19	0.033
7:20	0.034
7:21	0.032
7:22	0.034
7:23	0.034
7:24	0.033
7:25	0.035
7:26	0.037
7:27	0.041
7:28	0.04
7:29	0.037
7:30	0.038
7:31	0.036
7:32	0.036
7:33	0.036
7:34	0.037
7:35	0.038
7:36	0.037
7:37	0.036
7:38	0.034

7:39	0.034
7:40	0.034
7:41	0.037
7:42	0.037
7:43	0.035
7:44	0.035
7:45	0.036
7:46	0.035
7:47	0.034
7:48	0.036
7:49	0.035
7:50	0.035
7:51	0.036
7:52	0.036
7:53	0.035
7:54	0.035
7:55	0.037
7:56	0.038
7:57	0.035
7:58	0.036
7:59	0.036
8:00	0.035
8:01	0.036
8:02	0.035
8:03	0.036
8:04	0.035
8:05	0.038
8:06	0.038
8:07	0.036
8:08	0.036
8:09	0.038
8:10	0.038
8:11	0.039
8:12	0.039
8:13	0.042
8:14	0.039
8:15	0.039
8:16	0.039
8:17	0.04
8:18	0.041
8:19	0.042
8:20	0.042
8:21	0.042
8:22	0.044

8:23	0.043
8:24	0.044
8:25	0.044
8:26	0.044
8:27	0.043
8:28	0.039
8:29	0.04
8:30	0.04
8:31	0.04
8:32	0.041
8:33	0.041
8:34	0.04
8:35	0.04
8:36	0.039
8:37	0.04
8:38	0.041
8:39	0.038
8:40	0.039
8:41	0.045
8:42	0.042
8:43	0.038
8:44	0.037
8:45	0.037
8:46	0.036
8:47	0.035
8:48	0.036
8:49	0.042
8:50	0.044
8:51	0.034
8:52	0.034
8:53	0.034
8:54	0.034
8:55	0.033
8:56	0.033
8:57	0.034
8:58	0.033
8:59	0.032
9:00	0.033
9:01	0.033
9:02	0.032
9:03	0.032
9:04	0.032
9:05	0.031
9:06	0.036

9:07	0.031
9:08	0.031
9:09	0.031
9:10	0.031
9:11	0.031
9:12	0.031
9:13	0.031
9:14	0.031
9:15	0.031
9:16	0.031
9:17	0.031
9:18	0.031
9:19	0.031
9:20	0.034
9:21	0.032
9:22	0.031
9:23	0.038
9:24	0.04
9:25	0.033
9:26	0.032
9:27	0.032
9:28	0.032
9:29	0.032
9:30	0.032
9:31	0.034
9:32	0.037
9:33	0.039
9:34	0.033
9:35	0.032
9:36	0.033
9:37	0.033
9:38	0.032
9:39	0.035
9:40	0.036
9:41	0.033
9:42	0.035
9:43	0.038
9:44	0.038
9:45	0.036
9:46	0.037
9:47	0.042
9:48	0.036
9:49	0.036
9:50	0.036

9:51	0.035
9:52	0.035
9:53	0.036
9:54	0.037
9:55	0.036
9:56	0.037
9:57	0.035
9:58	0.035
9:59	0.035
10:00	0.039
10:01	0.038
10:02	0.036
10:03	0.037
10:04	0.038
10:05	0.042
10:06	0.043
10:07	0.038
10:08	0.038
10:09	0.038
10:10	0.037
10:11	0.036
10:12	0.036
10:13	0.037
10:14	0.035
10:15	0.035
10:16	0.035
10:17	0.036
10:18	0.036
10:19	0.035
10:20	0.035
10:21	0.034
10:22	0.035
10:23	0.036
10:24	0.036
10:25	0.039
10:26	0.035
10:27	0.035
10:28	0.035
10:29	0.034
10:30	0.035
10:31	0.034
10:32	0.035
10:33	0.034
10:34	0.034

10:35	0.032
10:36	0.032
10:37	0.033
10:38	0.033
10:39	0.033
10:40	0.032
10:41	0.033
10:42	0.033
10:43	0.033
10:44	0.033
10:45	0.032
10:46	0.032
10:47	0.033
10:48	0.033
10:49	0.034
10:50	0.034
10:51	0.033
10:52	0.033
10:53	0.034
10:54	0.033
10:55	0.034
10:56	0.036
10:57	0.037
10:58	0.036
10:59	0.041
11:00	0.04
11:01	0.038
11:02	0.038
11:03	0.036
11:04	0.036
11:05	0.035
11:06	0.034
11:07	0.032
11:08	0.033
11:09	0.034
11:10	0.036
11:11	0.035
11:12	0.034
11:13	0.033
11:14	0.032
11:15	0.032
11:16	0.032
11:17	0.032
11:18	0.032

11:19	0.032
11:20	0.031
11:21	0.032
11:22	0.032
11:23	0.032
11:24	0.032
11:25	0.031
11:26	0.032
11:27	0.036
11:28	0.033
11:29	0.034
11:30	0.031
11:31	0.032
11:32	0.031
11:33	0.03
11:34	0.032
11:35	0.031
11:36	0.03
11:37	0.03
11:38	0.03
11:39	0.044
11:40	0.039
11:41	0.049
11:42	0.04
11:43	0.04
11:44	0.034
11:45	0.035
11:46	0.034
11:47	0.032
11:48	0.043
11:49	0.04
11:50	0.039
11:51	0.046
11:52	0.051
11:53	0.033
11:54	0.033
11:55	0.029
11:56	0.029
11:57	0.028
11:58	0.028
11:59	0.028
12:00	0.039
12:01	0.036
12:02	0.031

12:03	0.028
12:04	0.027
12:05	0.028
12:06	0.027
12:07	0.028
12:08	0.03
12:09	0.028
12:10	0.028
12:11	0.029
12:12	0.028
12:13	0.028
12:14	0.027
12:15	0.027
12:16	0.028
12:17	0.028
12:18	0.029
12:19	0.029
12:20	0.029
12:21	0.031
12:22	0.031
12:23	0.029
12:24	0.029
12:25	0.029
12:26	0.029
12:27	0.029
12:28	0.037
12:29	0.033
12:30	0.028
12:31	0.028
12:32	0.027
12:33	0.027
12:34	0.027
12:35	0.026
12:36	0.028
12:37	0.028
12:38	0.029
12:39	0.03
12:40	0.028
12:41	0.028
12:42	0.025
12:43	0.025
12:44	0.025
12:45	0.03
12:46	0.025

12:47	0.028
12:48	0.029
12:49	0.039
12:50	0.03
12:51	0.028
12:52	0.03
12:53	0.029
12:54	0.029
12:55	0.027
12:56	0.027
12:57	0.026
12:58	0.026
12:59	0.026
13:00	0.029
13:01	0.036
13:02	0.028
13:03	0.029
13:04	0.03
13:05	0.036
13:06	0.029
13:07	0.029
13:08	0.028
13:09	0.028
13:10	0.027
13:11	0.033
13:12	0.04
13:13	0.04
13:14	0.028
13:15	0.028
13:16	0.028
13:17	0.028
13:18	0.029
13:19	0.027
13:20	0.035
13:21	0.027
13:22	0.027
13:23	0.027
13:24	0.035
13:25	0.031
13:26	0.031
13:27	0.034
13:28	0.031
13:29	0.038
13:30	0.031

13:31	0.039
13:32	0.036
13:33	0.039
13:34	0.035
13:35	0.064
13:36	0.037
13:37	0.029
13:38	0.399
13:39	0.067
13:40	0.035
13:41	0.046
13:42	0.034
13:43	0.036
13:44	0.033
13:45	0.032
13:46	0.03
13:47	0.03
13:48	0.031
13:49	0.031
13:50	0.032
13:51	0.031
13:52	0.031
13:53	0.03
13:54	0.028
13:55	0.028
13:56	0.028
13:57	0.028
13:58	0.028
13:59	0.029
14:00	0.029
14:01	0.031
14:02	0.028
14:03	0.029
14:04	0.029
14:05	0.027
14:06	0.027
14:07	0.027
14:08	0.028
14:09	0.028
14:10	0.027
14:11	0.028
14:12	0.029
14:13	0.028
14:14	0.027

14:15	0.03
14:16	0.03
14:17	0.028
14:18	0.027
14:19	0.029
14:20	0.028
14:21	0.027
14:22	0.027
14:23	0.026
14:24	0.027
14:25	0.032
14:26	0.028
14:27	0.026
14:28	0.026
14:29	0.027
14:30	0.028
14:31	0.026
14:32	0.026
14:33	0.025
14:34	0.026
14:35	0.026
14:36	0.026
14:37	0.025
14:38	0.025
14:39	0.026
14:40	0.027
14:41	0.026
14:42	0.025
14:43	0.026
14:44	0.026
14:45	0.025
14:46	0.028
14:47	0.029
14:48	0.028
14:49	0.025
14:50	0.025
14:51	0.025
14:52	0.025
14:53	0.025
14:54	0.024
14:55	0.023
14:56	0.023
14:57	0.024
14:58	0.026

14:59	0.022
15:00	0.022
15:01	0.025
15:02	0.024
15:03	0.023
15:04	0.023
15:05	0.026
15:06	0.022
15:07	0.023
15:08	0.021
15:09	0.022
15:10	0.021
15:11	0.021
15:12	0.021
15:13	0.021
15:14	0.021
15:15	0.023
15:16	0.02
15:17	0.02
15:18	0.021
15:19	0.022
15:20	0.022
15:21	0.021
15:22	0.021
15:23	0.024
15:24	0.023
15:25	0.022
15:26	0.022
15:27	0.021
15:28	0.021
15:29	0.027
15:30	0.065
15:31	0.026
15:32	0.024
15:33	0.024
15:34	0.026
15:35	0.028
15:36	0.025
15:37	0.023
15:38	0.023
15:39	0.023
15:40	0.022
15:41	0.025
15:42	0.042

15:43	0.029
15:44	0.022
15:45	0.022
15:46	0.023
15:47	0.022
15:48	0.022
15:49	0.022
15:50	0.024
15:51	0.027
15:52	0.023
15:53	0.022
15:54	0.021
15:55	0.021
15:56	0.021
15:57	0.021
15:58	0.021
15:59	0.021
16:00	0.022
16:01	0.022
16:02	0.022
16:03	0.024
16:04	0.023
16:05	0.026
16:06	0.028
16:07	0.025
16:08	0.022
16:09	0.021
16:10	0.022
16:11	0.022
16:12	0.022
16:13	0.021
16:14	0.021
16:15	0.021
16:16	0.021
16:17	0.02
16:18	0.02
16:19	0.02
16:20	0.019
16:21	0.02
16:22	0.021
16:23	0.021
16:24	0.021
16:25	0.022
16:26	0.02

16:27	0.019
16:28	0.02
16:29	0.02
16:30	0.02
16:31	0.019
16:32	0.019
16:33	0.019
16:34	0.018
16:35	0.019
16:36	0.019
16:37	0.02
16:38	0.019
16:39	0.019
16:40	0.019
16:41	0.018
16:42	0.019
16:43	0.02
16:44	0.02
16:45	0.021
16:46	0.02
16:47	0.019
16:48	0.019
16:49	0.018
16:50	0.018
16:51	0.017
16:52	0.017
16:53	0.018
16:54	0.018
16:55	0.017
16:56	0.018
16:57	0.018
16:58	0.018
16:59	0.021
17:00	0.019
17:01	0.018
17:02	0.019
17:03	0.02
17:04	0.018
17:05	0.018
17:06	0.018
17:07	0.018
17:08	0.019
17:09	0.019
17:10	0.019

17:11	0.018
17:12	0.018
17:13	0.019
17:14	0.019
17:15	0.019
17:16	0.019
17:17	0.019
17:18	0.019
17:19	0.018
17:20	0.018
17:21	0.018
17:22	0.019
17:23	0.018
17:24	0.019
17:25	0.019
17:26	0.02
17:27	0.019
17:28	0.019
17:29	0.019
17:30	0.018
17:31	0.018
17:32	0.019
17:33	0.018
17:34	0.019
17:35	0.018
17:36	0.018
17:37	0.018
17:38	0.017
17:39	0.018
17:40	0.019
17:41	0.019
17:42	0.019
17:43	0.019
17:44	0.018
17:45	0.019
17:46	0.017
17:47	0.018
17:48	0.018
17:49	0.018
17:50	0.018
17:51	0.019
17:52	0.018
17:53	0.018
17:54	0.018

17:55	0.018
17:56	0.018
17:57	0.018
17:58	0.017
17:59	0.017
18:00	0.017
18:01	0.017
18:02	0.017
18:03	0.018
18:04	0.018
18:05	0.017
18:06	0.017
18:07	0.017
18:08	0.017
18:09	0.017
18:10	0.017
18:11	0.017
18:12	0.017
18:13	0.017
18:14	0.017
18:15	0.017
18:16	0.017
18:17	0.017
18:18	0.017
18:19	0.017
18:20	0.017
18:21	0.018
18:22	0.018
18:23	0.017
18:24	0.016
18:25	0.016
18:26	0.016
18:27	0.017
18:28	0.017
18:29	0.017
18:30	0.017
18:31	0.017
18:32	0.017
18:33	0.016
18:34	0.017
18:35	0.016
18:36	0.018
18:37	0.017
18:38	0.016

18:39

0.017

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Ty	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	4/30/2024	18:40	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:39	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:38	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:37	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:36	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:35	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:34	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:33	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:32	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:31	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:30	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:29	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:28	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:27	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:26	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:25	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:24	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:23	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:22	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:21	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:20	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:19	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:18	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:17	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:16	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:15	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:14	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:13	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:12	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:11	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:10	Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	18:09	Readings	PID	SC23030921B3	Normal	0

592-601274	4/30/2024	10:26 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:25 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:24 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:23 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:22 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:21 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:20 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:19 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:18 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:17 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:16 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:15 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:14 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:13 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:12 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:11 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:10 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:09 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:08 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:07 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:06 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:05 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:04 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:03 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:02 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:01 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	10:00 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	9:59 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	9:58 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	9:57 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	9:56 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	9:55 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	9:54 Readings	PID	SC23030921B3	Normal	0

592-601274	4/30/2024	6:35 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	6:34 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	6:33 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	6:32 Readings	PID	SC23030921B3	Normal	0
592-601274	4/30/2024	CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_009
Test Start Time	6:38:58 AM
Test Start Date	4/30/2024
Test Length [D:H:M]	0:12:04
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.046
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.153
Mass TWA [mg/m3]	0
Photometric User Cal	1
Flow User Cal	0
Errors	Max Concentration
Number of Samples	633

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:38	0.07		
6:39	0.042		
6:40	0.042		
6:41	0.042		
6:42	0.041		
6:43	0.041		
6:44	0.042		
6:45	0.041		
6:46	0.041		
6:47	0.041		
6:48	0.042		
6:49	0.042		
6:50	0.042		
6:51	0.041		
6:52	0.042		
6:53	0.041		
6:54	0.049		
6:55	0.046		
6:56	0.045		
6:57	0.045		
6:58	0.044		
6:59	0.045		
7:00	0.044		
7:01	0.043		

7:02	0.043
7:03	0.042
7:04	0.043
7:05	0.043
7:06	0.043
7:07	0.045
7:08	0.045
7:09	0.048
7:10	0.046
7:11	0.045
7:12	0.045
7:13	0.043
7:14	0.044
7:15	0.045
7:16	0.047
7:17	0.045
7:18	0.047
7:19	0.047
7:20	0.046
7:21	0.045
7:22	0.048
7:23	0.048
7:24	0.049
7:25	0.048
7:26	0.052
7:27	0.052
7:28	0.053
7:29	0.052
7:30	0.055
7:31	0.054
7:32	0.076
7:33	0.079
7:34	0.064
7:35	0.059
7:36	0.057
7:37	0.052
7:38	0.059
7:39	0.053
7:40	0.061
7:41	0.063
7:42	0.056
7:43	0.055
7:44	0.057
7:45	0.055

7:46	0.055
7:47	0.06
7:48	0.056
7:49	0.062
7:50	0.057
7:51	0.055
7:52	0.056
7:53	0.061
7:54	0.055
7:55	0.055
7:56	0.057
7:57	0.071
7:58	0.07
7:59	0.061
8:00	0.057
8:01	0.069
8:02	0.061
8:03	0.084
8:04	0.092
8:05	0.08
8:06	0.088
8:07	0.066
8:08	0.089
8:09	0.061
8:10	0.061
8:11	0.063
8:12	0.084
8:13	0.067
8:14	0.062
8:15	0.07
8:16	0.091
8:17	0.071
8:18	0.061
8:19	0.064
8:20	0.066
8:21	0.067
8:22	0.064
8:23	0.064
8:24	0.064
8:25	0.065
8:26	0.064
8:27	0.063
8:28	0.072
8:29	0.063

8:30	0.066
8:31	0.08
8:32	0.076
8:33	0.063
8:34	0.067
8:35	0.071
8:36	0.074
8:37	0.078
8:38	0.077
8:39	0.065
8:40	0.06
8:41	0.06
8:42	0.067
8:43	0.082
8:44	0.068
8:45	0.058
8:46	0.059
8:47	0.059
8:48	0.055
8:49	0.062
8:50	0.063
8:51	0.062
8:52	0.053
8:53	0.052
8:54	0.051
8:55	0.055
8:56	0.053
8:57	0.053
8:58	0.053
8:59	0.051
9:00	0.053
9:01	0.053
9:02	0.052
9:03	0.053
9:04	0.05
9:05	0.053
9:06	0.051
9:07	0.052
9:08	0.05
9:09	0.052
9:10	0.049
9:11	0.05
9:12	0.05
9:13	0.057

9:14	0.05
9:15	0.058
9:16	0.052
9:17	0.05
9:18	0.054
9:19	0.05
9:20	0.048
9:21	0.049
9:22	0.049
9:23	0.048
9:24	0.047
9:25	0.05
9:26	0.051
9:27	0.049
9:28	0.049
9:29	0.053
9:30	0.049
9:31	0.048
9:32	0.048
9:33	0.051
9:34	0.049
9:35	0.05
9:36	0.051
9:37	0.049
9:38	0.051
9:39	0.052
9:40	0.053
9:41	0.052
9:42	0.059
9:43	0.057
9:44	0.058
9:45	0.057
9:46	0.056
9:47	0.055
9:48	0.056
9:49	0.058
9:50	0.06
9:51	0.058
9:52	0.057
9:53	0.057
9:54	0.056
9:55	0.059
9:56	0.055
9:57	0.055

9:58	0.055
9:59	0.055
10:00	0.056
10:01	0.065
10:02	0.059
10:03	0.058
10:04	0.055
10:05	0.055
10:06	0.058
10:07	0.056
10:08	0.056
10:09	0.059
10:10	0.058
10:11	0.057
10:12	0.056
10:13	0.055
10:14	0.06
10:15	0.055
10:16	0.055
10:17	0.055
10:18	0.054
10:19	0.059
10:20	0.056
10:21	0.056
10:22	0.057
10:23	0.059
10:24	0.053
10:25	0.058
10:26	0.053
10:27	0.051
10:28	0.053
10:29	0.052
10:30	0.049
10:31	0.051
10:32	0.057
10:33	0.068
10:34	0.051
10:35	0.052
10:36	0.052
10:37	0.053
10:38	0.053
10:39	0.051
10:40	0.054
10:41	0.052

10:42	0.054
10:43	0.052
10:44	0.056
10:45	0.052
10:46	0.053
10:47	0.052
10:48	0.053
10:49	0.051
10:50	0.049
10:51	0.053
10:52	0.055
10:53	0.056
10:54	0.06
10:55	0.055
10:56	0.052
10:57	0.051
10:58	0.05
10:59	0.052
11:00	0.051
11:01	0.049
11:02	0.051
11:03	0.05
11:04	0.049
11:05	0.05
11:06	0.049
11:07	0.053
11:08	0.053
11:09	0.05
11:10	0.052
11:11	0.051
11:12	0.05
11:13	0.05
11:14	0.054
11:15	0.049
11:16	0.049
11:17	0.046
11:18	0.045
11:19	0.047
11:20	0.047
11:21	0.047
11:22	0.049
11:23	0.047
11:24	0.047
11:25	0.049

11:26	0.059
11:27	0.058
11:28	0.059
11:29	0.054
11:30	0.058
11:31	0.054
11:32	0.05
11:33	0.052
11:34	0.052
11:35	0.05
11:36	0.052
11:37	0.052
11:38	0.064
11:39	0.056
11:40	0.051
11:41	0.053
11:42	0.061
11:43	0.067
11:44	0.053
11:45	0.059
11:46	0.059
11:47	0.052
11:48	0.051
11:49	0.041
11:50	0.041
11:51	0.048
11:52	0.046
11:53	0.047
11:54	0.048
11:55	0.052
11:56	0.061
11:57	0.066
11:58	0.06
11:59	0.048
12:00	0.043
12:01	0.05
12:02	0.051
12:03	0.043
12:04	0.051
12:05	0.056
12:06	0.061
12:07	0.067
12:08	0.058
12:09	0.046

12:10	0.043
12:11	0.055
12:12	0.052
12:13	0.053
12:14	0.042
12:15	0.047
12:16	0.048
12:17	0.057
12:18	0.049
12:19	0.048
12:20	0.054
12:21	0.048
12:22	0.053
12:23	0.055
12:24	0.055
12:25	0.053
12:26	0.044
12:27	0.046
12:28	0.055
12:29	0.045
12:30	0.043
12:31	0.041
12:32	0.041
12:33	0.043
12:34	0.036
12:35	0.038
12:36	0.039
12:37	0.041
12:38	0.04
12:39	0.042
12:40	0.039
12:41	0.04
12:42	0.04
12:43	0.035
12:44	0.035
12:45	0.035
12:46	0.037
12:47	0.045
12:48	0.036
12:49	0.036
12:50	0.036
12:51	0.039
12:52	0.039
12:53	0.037

12:54	0.037
12:55	0.037
12:56	0.036
12:57	0.037
12:58	0.035
12:59	0.035
13:00	0.037
13:01	0.039
13:02	0.037
13:03	0.038
13:04	0.039
13:05	0.039
13:06	0.041
13:07	0.038
13:08	0.039
13:09	0.038
13:10	0.038
13:11	0.074
13:12	0.045
13:13	0.064
13:14	0.054
13:15	0.046
13:16	0.038
13:17	0.04
13:18	0.039
13:19	0.037
13:20	0.049
13:21	0.049
13:22	0.049
13:23	0.039
13:24	0.038
13:25	0.044
13:26	0.047
13:27	0.066
13:28	0.042
13:29	0.038
13:30	0.037
13:31	0.037
13:32	0.038
13:33	0.038
13:34	0.04
13:35	0.038
13:36	0.039
13:37	0.046

13:38	0.043
13:39	0.043
13:40	0.039
13:41	0.041
13:42	0.038
13:43	0.037
13:44	0.038
13:45	0.043
13:46	0.044
13:47	0.041
13:48	0.039
13:49	0.04
13:50	0.039
13:51	0.035
13:52	0.035
13:53	0.037
13:54	0.038
13:55	0.039
13:56	0.039
13:57	0.04
13:58	0.04
13:59	0.038
14:00	0.037
14:01	0.037
14:02	0.038
14:03	0.038
14:04	0.037
14:05	0.037
14:06	0.038
14:07	0.038
14:08	0.041
14:09	0.04
14:10	0.04
14:11	0.041
14:12	0.041
14:13	0.04
14:14	0.039
14:15	0.038
14:16	0.04
14:17	0.04
14:18	0.042
14:19	0.042
14:20	0.04
14:21	0.038

14:22	0.037
14:23	0.038
14:24	0.037
14:25	0.036
14:26	0.035
14:27	0.035
14:28	0.036
14:29	0.035
14:30	0.039
14:31	0.039
14:32	0.037
14:33	0.036
14:34	0.038
14:35	0.035
14:36	0.035
14:37	0.036
14:38	0.038
14:39	0.037
14:40	0.036
14:41	0.038
14:42	0.036
14:43	0.035
14:44	0.035
14:45	0.034
14:46	0.036
14:47	0.035
14:48	0.033
14:49	0.033
14:50	0.034
14:51	0.032
14:52	0.033
14:53	0.033
14:54	0.032
14:55	0.031
14:56	0.034
14:57	0.032
14:58	0.031
14:59	0.03
15:00	0.031
15:01	0.03
15:02	0.029
15:03	0.029
15:04	0.032
15:05	0.029

15:06	0.028
15:07	0.029
15:08	0.031
15:09	0.03
15:10	0.029
15:11	0.03
15:12	0.038
15:13	0.029
15:14	0.036
15:15	0.029
15:16	0.028
15:17	0.028
15:18	0.032
15:19	0.03
15:20	0.033
15:21	0.031
15:22	0.027
15:23	0.029
15:24	0.028
15:25	0.03
15:26	0.028
15:27	0.03
15:28	0.029
15:29	0.028
15:30	0.029
15:31	0.031
15:32	0.03
15:33	0.03
15:34	0.031
15:35	0.032
15:36	0.035
15:37	0.032
15:38	0.031
15:39	0.03
15:40	0.033
15:41	0.031
15:42	0.029
15:43	0.032
15:44	0.038
15:45	0.03
15:46	0.031
15:47	0.03
15:48	0.029
15:49	0.029

15:50	0.028
15:51	0.03
15:52	0.028
15:53	0.027
15:54	0.027
15:55	0.028
15:56	0.028
15:57	0.027
15:58	0.027
15:59	0.028
16:00	0.028
16:01	0.027
16:02	0.027
16:03	0.028
16:04	0.029
16:05	0.03
16:06	0.027
16:07	0.029
16:08	0.032
16:09	0.03
16:10	0.029
16:11	0.035
16:12	0.029
16:13	0.029
16:14	0.028
16:15	0.028
16:16	0.032
16:17	0.027
16:18	0.027
16:19	0.027
16:20	0.026
16:21	0.026
16:22	0.027
16:23	0.027
16:24	0.027
16:25	0.039
16:26	0.027
16:27	0.027
16:28	0.028
16:29	0.026
16:30	0.029
16:31	0.026
16:32	0.025
16:33	0.026

16:34	0.026
16:35	0.025
16:36	0.03
16:37	0.028
16:38	0.027
16:39	0.027
16:40	0.028
16:41	0.026
16:42	0.026
16:43	0.029
16:44	0.027
16:45	0.027
16:46	0.027
16:47	0.026
16:48	0.027
16:49	0.028
16:50	0.025
16:51	0.025
16:52	0.026
16:53	0.024
16:54	0.025
16:55	0.027
16:56	0.026
16:57	0.025
16:58	0.025
16:59	0.025
17:00	0.026
17:01	0.037
17:02	0.026
17:03	0.027
17:04	0.026
17:05	0.026
17:06	0.026
17:07	0.025
17:08	0.027
17:09	0
17:10	0.153

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	4/30/2024	18:38	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:37	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:36	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:35	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:34	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:33	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:32	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:31	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:30	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:29	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:28	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:27	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:26	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:25	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:24	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:23	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:22	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:21	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:20	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:19	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:18	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:17	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:16	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:15	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:14	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:13	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:12	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:11	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:10	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:09	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:08	Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	18:07	Readings	PID	SC23030324C7	Normal	0

592-602816	4/30/2024	7:06 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	7:05 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	7:04 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	7:03 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	7:02 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	7:01 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	7:00 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:59 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:58 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:57 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:56 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:55 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:54 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:53 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:52 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:51 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:50 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:49 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:48 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:47 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:46 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:45 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:44 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:43 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:42 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:41 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:40 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:39 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	6:38 Readings	PID	SC23030324C7	Normal	0
592-602816	4/30/2024	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_009
Test Start Time	6:39:56 AM
Test Start Date	4/30/2024
Test Length [D:H:M]	0:12:01
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.039
PM1 Minimum [mg/m3]	0.026
PM1 Maximum [mg/m3]	0.085
PM1 TWA [mg/m3]	0.043
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	721

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:39	0.035		
6:40	0.035		
6:41	0.036		
6:42	0.036		
6:43	0.036		
6:44	0.037		
6:45	0.035		
6:46	0.036		
6:47	0.035		
6:48	0.035		
6:49	0.035		
6:50	0.039		
6:51	0.035		
6:52	0.035		
6:53	0.035		
6:54	0.035		
6:55	0.035		
6:56	0.036		
6:57	0.036		
6:58	0.039		
6:59	0.038		
7:00	0.038		
7:01	0.045		

7:02	0.041
7:03	0.038
7:04	0.04
7:05	0.044
7:06	0.046
7:07	0.043
7:08	0.038
7:09	0.037
7:10	0.039
7:11	0.04
7:12	0.042
7:13	0.04
7:14	0.039
7:15	0.039
7:16	0.038
7:17	0.036
7:18	0.036
7:19	0.036
7:20	0.037
7:21	0.038
7:22	0.037
7:23	0.039
7:24	0.038
7:25	0.036
7:26	0.037
7:27	0.041
7:28	0.039
7:29	0.041
7:30	0.04
7:31	0.041
7:32	0.043
7:33	0.044
7:34	0.042
7:35	0.041
7:36	0.04
7:37	0.042
7:38	0.045
7:39	0.045
7:40	0.041
7:41	0.039
7:42	0.038
7:43	0.041
7:44	0.042
7:45	0.042

7:46	0.05
7:47	0.072
7:48	0.054
7:49	0.055
7:50	0.045
7:51	0.046
7:52	0.079
7:53	0.059
7:54	0.049
7:55	0.047
7:56	0.044
7:57	0.042
7:58	0.043
7:59	0.045
8:00	0.045
8:01	0.047
8:02	0.043
8:03	0.043
8:04	0.044
8:05	0.046
8:06	0.045
8:07	0.046
8:08	0.047
8:09	0.049
8:10	0.049
8:11	0.052
8:12	0.048
8:13	0.064
8:14	0.051
8:15	0.055
8:16	0.058
8:17	0.056
8:18	0.051
8:19	0.048
8:20	0.05
8:21	0.048
8:22	0.051
8:23	0.053
8:24	0.05
8:25	0.049
8:26	0.049
8:27	0.05
8:28	0.05
8:29	0.05

8:30	0.05
8:31	0.053
8:32	0.051
8:33	0.056
8:34	0.051
8:35	0.053
8:36	0.052
8:37	0.056
8:38	0.053
8:39	0.08
8:40	0.056
8:41	0.057
8:42	0.05
8:43	0.048
8:44	0.05
8:45	0.049
8:46	0.049
8:47	0.051
8:48	0.051
8:49	0.047
8:50	0.049
8:51	0.048
8:52	0.046
8:53	0.045
8:54	0.043
8:55	0.044
8:56	0.042
8:57	0.044
8:58	0.043
8:59	0.043
9:00	0.04
9:01	0.039
9:02	0.041
9:03	0.04
9:04	0.04
9:05	0.041
9:06	0.043
9:07	0.044
9:08	0.04
9:09	0.04
9:10	0.039
9:11	0.04
9:12	0.041
9:13	0.043

9:14	0.043
9:15	0.041
9:16	0.041
9:17	0.041
9:18	0.042
9:19	0.041
9:20	0.04
9:21	0.04
9:22	0.04
9:23	0.04
9:24	0.041
9:25	0.041
9:26	0.04
9:27	0.04
9:28	0.041
9:29	0.041
9:30	0.043
9:31	0.046
9:32	0.044
9:33	0.048
9:34	0.042
9:35	0.04
9:36	0.042
9:37	0.048
9:38	0.042
9:39	0.045
9:40	0.041
9:41	0.043
9:42	0.043
9:43	0.042
9:44	0.042
9:45	0.043
9:46	0.044
9:47	0.044
9:48	0.046
9:49	0.049
9:50	0.054
9:51	0.05
9:52	0.046
9:53	0.049
9:54	0.045
9:55	0.045
9:56	0.045
9:57	0.045

9:58	0.046
9:59	0.046
10:00	0.045
10:01	0.046
10:02	0.046
10:03	0.048
10:04	0.05
10:05	0.047
10:06	0.046
10:07	0.046
10:08	0.046
10:09	0.046
10:10	0.048
10:11	0.048
10:12	0.047
10:13	0.049
10:14	0.046
10:15	0.047
10:16	0.05
10:17	0.046
10:18	0.046
10:19	0.045
10:20	0.045
10:21	0.045
10:22	0.047
10:23	0.046
10:24	0.047
10:25	0.046
10:26	0.048
10:27	0.046
10:28	0.048
10:29	0.044
10:30	0.043
10:31	0.043
10:32	0.044
10:33	0.043
10:34	0.044
10:35	0.043
10:36	0.053
10:37	0.046
10:38	0.045
10:39	0.043
10:40	0.044
10:41	0.043

10:42	0.042
10:43	0.044
10:44	0.042
10:45	0.043
10:46	0.042
10:47	0.044
10:48	0.048
10:49	0.047
10:50	0.042
10:51	0.045
10:52	0.046
10:53	0.047
10:54	0.049
10:55	0.044
10:56	0.046
10:57	0.048
10:58	0.047
10:59	0.045
11:00	0.043
11:01	0.045
11:02	0.047
11:03	0.044
11:04	0.043
11:05	0.044
11:06	0.045
11:07	0.046
11:08	0.043
11:09	0.043
11:10	0.049
11:11	0.05
11:12	0.045
11:13	0.05
11:14	0.049
11:15	0.048
11:16	0.045
11:17	0.051
11:18	0.045
11:19	0.047
11:20	0.042
11:21	0.061
11:22	0.046
11:23	0.042
11:24	0.048
11:25	0.046

11:26	0.049
11:27	0.043
11:28	0.041
11:29	0.042
11:30	0.042
11:31	0.042
11:32	0.041
11:33	0.041
11:34	0.047
11:35	0.044
11:36	0.042
11:37	0.045
11:38	0.047
11:39	0.044
11:40	0.043
11:41	0.044
11:42	0.041
11:43	0.041
11:44	0.042
11:45	0.042
11:46	0.042
11:47	0.04
11:48	0.04
11:49	0.042
11:50	0.043
11:51	0.04
11:52	0.036
11:53	0.037
11:54	0.038
11:55	0.039
11:56	0.038
11:57	0.04
11:58	0.039
11:59	0.039
12:00	0.037
12:01	0.038
12:02	0.042
12:03	0.04
12:04	0.041
12:05	0.042
12:06	0.039
12:07	0.05
12:08	0.041
12:09	0.039

12:10	0.038
12:11	0.039
12:12	0.085
12:13	0.039
12:14	0.039
12:15	0.041
12:16	0.041
12:17	0.04
12:18	0.039
12:19	0.041
12:20	0.05
12:21	0.038
12:22	0.042
12:23	0.042
12:24	0.043
12:25	0.044
12:26	0.066
12:27	0.048
12:28	0.041
12:29	0.042
12:30	0.039
12:31	0.04
12:32	0.037
12:33	0.038
12:34	0.039
12:35	0.04
12:36	0.037
12:37	0.037
12:38	0.036
12:39	0.037
12:40	0.042
12:41	0.039
12:42	0.039
12:43	0.037
12:44	0.038
12:45	0.035
12:46	0.034
12:47	0.035
12:48	0.035
12:49	0.035
12:50	0.034
12:51	0.037
12:52	0.035
12:53	0.035

12:54	0.037
12:55	0.037
12:56	0.037
12:57	0.036
12:58	0.038
12:59	0.035
13:00	0.036
13:01	0.035
13:02	0.035
13:03	0.035
13:04	0.037
13:05	0.037
13:06	0.037
13:07	0.038
13:08	0.038
13:09	0.038
13:10	0.037
13:11	0.037
13:12	0.037
13:13	0.038
13:14	0.037
13:15	0.037
13:16	0.038
13:17	0.041
13:18	0.041
13:19	0.036
13:20	0.036
13:21	0.038
13:22	0.038
13:23	0.042
13:24	0.037
13:25	0.036
13:26	0.037
13:27	0.053
13:28	0.041
13:29	0.039
13:30	0.038
13:31	0.04
13:32	0.039
13:33	0.039
13:34	0.038
13:35	0.037
13:36	0.038
13:37	0.039

13:38	0.037
13:39	0.05
13:40	0.039
13:41	0.053
13:42	0.045
13:43	0.04
13:44	0.039
13:45	0.038
13:46	0.038
13:47	0.039
13:48	0.04
13:49	0.041
13:50	0.037
13:51	0.038
13:52	0.039
13:53	0.038
13:54	0.038
13:55	0.036
13:56	0.037
13:57	0.038
13:58	0.039
13:59	0.038
14:00	0.039
14:01	0.039
14:02	0.039
14:03	0.039
14:04	0.038
14:05	0.039
14:06	0.037
14:07	0.043
14:08	0.039
14:09	0.041
14:10	0.041
14:11	0.04
14:12	0.038
14:13	0.038
14:14	0.039
14:15	0.038
14:16	0.046
14:17	0.041
14:18	0.039
14:19	0.038
14:20	0.038
14:21	0.037

14:22	0.038
14:23	0.037
14:24	0.039
14:25	0.04
14:26	0.037
14:27	0.037
14:28	0.042
14:29	0.039
14:30	0.041
14:31	0.038
14:32	0.039
14:33	0.039
14:34	0.039
14:35	0.038
14:36	0.036
14:37	0.037
14:38	0.049
14:39	0.037
14:40	0.041
14:41	0.039
14:42	0.041
14:43	0.039
14:44	0.036
14:45	0.038
14:46	0.038
14:47	0.036
14:48	0.037
14:49	0.038
14:50	0.038
14:51	0.036
14:52	0.036
14:53	0.034
14:54	0.035
14:55	0.036
14:56	0.035
14:57	0.035
14:58	0.034
14:59	0.045
15:00	0.038
15:01	0.041
15:02	0.037
15:03	0.034
15:04	0.034
15:05	0.043

15:06	0.037
15:07	0.04
15:08	0.035
15:09	0.032
15:10	0.032
15:11	0.033
15:12	0.033
15:13	0.033
15:14	0.033
15:15	0.037
15:16	0.033
15:17	0.032
15:18	0.035
15:19	0.037
15:20	0.034
15:21	0.032
15:22	0.033
15:23	0.035
15:24	0.034
15:25	0.034
15:26	0.034
15:27	0.043
15:28	0.033
15:29	0.034
15:30	0.035
15:31	0.033
15:32	0.032
15:33	0.033
15:34	0.032
15:35	0.034
15:36	0.033
15:37	0.035
15:38	0.034
15:39	0.034
15:40	0.032
15:41	0.033
15:42	0.033
15:43	0.032
15:44	0.032
15:45	0.032
15:46	0.034
15:47	0.033
15:48	0.034
15:49	0.036

15:50	0.033
15:51	0.033
15:52	0.033
15:53	0.032
15:54	0.032
15:55	0.031
15:56	0.031
15:57	0.031
15:58	0.032
15:59	0.031
16:00	0.032
16:01	0.032
16:02	0.032
16:03	0.032
16:04	0.031
16:05	0.032
16:06	0.032
16:07	0.033
16:08	0.031
16:09	0.031
16:10	0.032
16:11	0.032
16:12	0.031
16:13	0.031
16:14	0.033
16:15	0.043
16:16	0.034
16:17	0.031
16:18	0.031
16:19	0.033
16:20	0.032
16:21	0.031
16:22	0.032
16:23	0.03
16:24	0.029
16:25	0.031
16:26	0.03
16:27	0.032
16:28	0.031
16:29	0.031
16:30	0.03
16:31	0.033
16:32	0.031
16:33	0.032

16:34	0.03
16:35	0.032
16:36	0.031
16:37	0.031
16:38	0.032
16:39	0.032
16:40	0.03
16:41	0.032
16:42	0.033
16:43	0.032
16:44	0.031
16:45	0.032
16:46	0.033
16:47	0.036
16:48	0.033
16:49	0.032
16:50	0.029
16:51	0.03
16:52	0.03
16:53	0.031
16:54	0.029
16:55	0.029
16:56	0.032
16:57	0.029
16:58	0.029
16:59	0.029
17:00	0.029
17:01	0.031
17:02	0.029
17:03	0.029
17:04	0.029
17:05	0.029
17:06	0.029
17:07	0.029
17:08	0.03
17:09	0.03
17:10	0.029
17:11	0.029
17:12	0.03
17:13	0.03
17:14	0.029
17:15	0.029
17:16	0.029
17:17	0.03

17:18	0.029
17:19	0.029
17:20	0.029
17:21	0.029
17:22	0.03
17:23	0.038
17:24	0.029
17:25	0.029
17:26	0.029
17:27	0.028
17:28	0.029
17:29	0.029
17:30	0.028
17:31	0.029
17:32	0.028
17:33	0.028
17:34	0.028
17:35	0.03
17:36	0.029
17:37	0.029
17:38	0.028
17:39	0.032
17:40	0.028
17:41	0.029
17:42	0.029
17:43	0.029
17:44	0.029
17:45	0.03
17:46	0.029
17:47	0.03
17:48	0.029
17:49	0.029
17:50	0.028
17:51	0.028
17:52	0.028
17:53	0.028
17:54	0.028
17:55	0.028
17:56	0.03
17:57	0.028
17:58	0.029
17:59	0.028
18:00	0.029
18:01	0.029

18:02	0.028
18:03	0.028
18:04	0.027
18:05	0.028
18:06	0.028
18:07	0.028
18:08	0.028
18:09	0.027
18:10	0.027
18:11	0.027
18:12	0.027
18:13	0.027
18:14	0.028
18:15	0.028
18:16	0.028
18:17	0.028
18:18	0.027
18:19	0.028
18:20	0.027
18:21	0.028
18:22	0.027
18:23	0.028
18:24	0.03
18:25	0.028
18:26	0.028
18:27	0.028
18:28	0.027
18:29	0.027
18:30	0.028
18:31	0.028
18:32	0.028
18:33	0.028
18:34	0.028
18:35	0.028
18:36	0.027
18:37	0.027
18:38	0.027
18:39	0.026

Device Serial No	Log Time	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	4/30/2024	18:38	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:37	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:36	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:35	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:34	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:33	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:32	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:31	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:30	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:29	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:28	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:27	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:26	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:25	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	18:07	Readings	PID	SC23030408A8	Normal	0

592-600871	4/30/2024	10:24	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:23	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:22	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:21	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:20	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:19	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:18	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:17	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:16	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:15	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:14	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:13	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:12	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:11	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:10	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:09	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:08	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:07	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:06	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:05	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:04	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:03	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:02	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:01	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	10:00	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:59	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:58	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:57	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:56	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:55	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:54	Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:53	Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/30/2024	9:52	Readings	PID	SC23030408A8	Normal	0

592-600871	4/30/2024	9:51 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:50 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:49 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:48 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:47 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:46 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:45 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:44 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:43 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:42 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:41 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:40 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:39 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/30/2024	9:38 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:37 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:36 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:35 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:34 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:33 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:32 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:31 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:30 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:29 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:28 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:27 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:26 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:25 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:24 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:23 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:22 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:21 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:20 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	9:19 Readings	PID	SC23030408A8	Normal	0

592-600871	4/30/2024	8:12 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:11 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:10 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:09 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:08 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:07 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:06 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:05 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	8:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:59 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:58 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/30/2024	7:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:56 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/30/2024	7:55 Readings	PID	SC23030408A8	Normal	0.1
592-600871	4/30/2024	7:54 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/30/2024	7:53 Readings	PID	SC23030408A8	Normal	0.8
592-600871	4/30/2024	7:52 Readings	PID	SC23030408A8	Normal	0.9
592-600871	4/30/2024	7:51 Readings	PID	SC23030408A8	Normal	2.5
592-600871	4/30/2024	7:50 Readings	PID	SC23030408A8	Normal	0.5
592-600871	4/30/2024	7:49 Readings	PID	SC23030408A8	Normal	1.1
592-600871	4/30/2024	7:48 Readings	PID	SC23030408A8	Normal	2
592-600871	4/30/2024	7:47 Readings	PID	SC23030408A8	Normal	0.6
592-600871	4/30/2024	7:46 Readings	PID	SC23030408A8	Normal	2.1
592-600871	4/30/2024	7:45 Readings	PID	SC23030408A8	Normal	0.3
592-600871	4/30/2024	7:44 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:43 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:42 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:41 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:40 Readings	PID	SC23030408A8	Normal	0.3

592-600871	4/30/2024	7:06 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:05 Readings	PID	SC23030408A8	Normal	0.2
592-600871	4/30/2024	7:04 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:03 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:02 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:01 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	7:00 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:59 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:58 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:57 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:56 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:52 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:51 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:50 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:49 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:48 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:47 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:46 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:45 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:44 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:43 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:42 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:41 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:40 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	6:39 Readings	PID	SC23030408A8	Normal	0
592-600871	4/30/2024	CONFIG	PID	SC23030408A8		