



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain	X	Overcast	X	Partly Cloudy	Bright Sun	Wind
TEMP.	< 32	32-50	X	50-70	X	70-85	>85	S – 15 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 05/16/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:40 Time Out: 18:15</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade WSP - Charlie Lambert</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
-----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Scope of Work: ISS column installation.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- Cascade received two (2) deliveries of slag;
- Cascade put new teeth on the auger;
 - Cascade drilled **Column 598**, column spec below:
 - The column 8’ diameter and drilled 51’ deep from Site grade;
 - The column consisted of a total of 29 batches;
 - While drilling downstroke 1, Cascade pulled the auger to surface at 10:36 to check the teeth on the auger. Downstroke 1 resumed at 10:42;
 - Cascade drilled **Column 600**, column spec below:
 - The column was 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 28 batches;
 - Cascade attempted to drill through an obstruction at the depth of 34.54’ from 16:24 to 16:56, but was unsuccessful in advancing deeper. Marnie DeLuke from the NYSDEC was notified that the column could not be installed to terminal depth;
 - Cascade drilled **Column 617**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 14 batches;
 - A wet sample was collected from 10’.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = 1.7 ppm, Dust = 0.002 mg/m³ @ 06:50
- High Conditions (Upwind) – PID = 3.3 ppm @ 07:10, Dust = 0.158 mg/m³ @ 11:52
- High Conditions (Downwind 1) – PID = 2.6 ppm @ 12:47, Dust = 0.188 mg/m³ @ 10:39
- High Conditions (Downwind 2) – PID = 0.0 ppm, Dust = 0.035 mg/m³ @ 07:17

Notable Site Conditions:

- Column 600 could only be installed to its terminal depth.

Planned for the Next Day/Week:

- Continuation of installing ISS columns;
- QA/QC ISS coring scheduled for next week.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of ISS
column
installation.



Photo 2-
Representative
photo of Cascade
removing a
shallow
obstruction.



Photo 3-
Representative
photo of new
teeth being put
on the auger.




Photo 4-
Representative
photo of swell
stockpile securely
covered at the
end of the day.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





LEGEND
--- PROPERTY LINE

0' 30' 60'

NOTES:

**FIGURE 2:
SITE BOUNDARY**

251 Douglas Street
Brooklyn, New York

Figure No: 02

**IMPACT ENVIRONMENTAL
CLOSURES, INC.**




170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599





BUTLER STREET

NEVINS STREET



NOTES:

- THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

QA/QC CORE GRID PLAN

*251 Douglass Street
Brooklyn, New York*

Figure No: 04

PROJECT NO.	1808-01
DESIGNED BY	JH
DRAWN BY	JH
CHECKED BY	JTF/MH
DATE	02/27/23
SCALE	1" = 20'
REVIEWS	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599



SCM Report






Project name: Douglass Street BCG ISS Element name: 598a
 Project number

Start date: 05/16/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	53.01 ft.	08:23 AM	
Volume/m 1	54.03 ft ³	End Date	05/16/2024
		End time	11:33 AM
		Production duration	03:09:55
		Final depth time	11:23 AM
		Total suspension quantity	871.56 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 598b
Project number

Start date: 05/16/2024

Drilling rig: BG36H_5717

Details		Start time: 11:33 AM	
Max. depth: 53.01 ft.		End Date: 05/16/2024	
Volume/m 1: 15.89 ft³		End time: 12:00 PM	
		Production duration: 00:26:27	
		Final depth time: 11:49 AM	
		Total suspension quantity: 255.96 ft³	





SCM Report



Project name	Douglass Street BCG ISS	Element name	600a
		Project number	
		Start date	05/16/2024
Drilling rig	BG36H_5717		

Details		Start time	02:42 PM
Max. depth	34.54 ft.	End Date	05/16/2024
Volume/m 1	81.22 ft ³	End time	05:02 PM
		Production duration	02:19:44
		Final depth time	04:54 PM
		Total suspension quantity	854.26 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 600b
 Project number

Start date: 05/16/2024

Drilling rig: BG36H_5717

Details		Start time: 05:02 PM	
Max. depth: 34.54 ft.		End Date: 05/16/2024	
Volume/m 1: 17.3 ft³		End time: 05:20 PM	
		Production duration: 00:18:08	
		Final depth time: 05:13 PM	
		Total suspension quantity: 182.682 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 617a
Project number

Start date: 05/16/2024

Drilling rig: BG36H_5717

Details		Start time: 01:05 PM	
Max. depth: 38.09 ft.		End Date: 05/16/2024	
Volume/m 1: 21.54 ft³		End time: 01:51 PM	
		Production duration: 00:46:19	
		Final depth time: 01:43 PM	
		Total suspension quantity: 249.745 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 617b
 Project number

Start date: 05/16/2024

Drilling rig: BG36H_5717

Details		Start time: 01:51 PM	
Max. depth: 38.09 ft.		End Date: 05/16/2024	
Volume/m 1: 22.6 ft³		End time: 02:13 PM	
		Production duration: 00:21:38	
		Final depth time: 02:03 PM	
		Total suspension quantity: 263.306 ft³	





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_011
Test Start Time	6:50:42 AM
Test Start Date	5/16/2024
Test Length [D:H:M]	0:10:44
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.006
PM1 Minimum [mg/m3]	0.001
PM1 Maximum [mg/m3]	0.158
PM1 TWA [mg/m3]	0.006
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	644

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:50	0.002		
6:51	0.002		
6:52	0.003		
6:53	0.004		
6:54	0.002		
6:55	0.003		
6:56	0.002		
6:57	0.004		
6:58	0.005		
6:59	0.003		
7:00	0.002		
7:01	0.002		
7:02	0.002		
7:03	0.002		
7:04	0.003		
7:05	0.003		
7:06	0.004		
7:07	0.004		
7:08	0.004		
7:09	0.003		
7:10	0.004		
7:11	0.012		
7:12	0.006		

7:13	0.006
7:14	0.006
7:15	0.004
7:16	0.003
7:17	0.003
7:18	0.002
7:19	0.002
7:20	0.003
7:21	0.003
7:22	0.002
7:23	0.004
7:24	0.005
7:25	0.003
7:26	0.002
7:27	0.004
7:28	0.005
7:29	0.003
7:30	0.004
7:31	0.002
7:32	0.002
7:33	0.004
7:34	0.004
7:35	0.008
7:36	0.002
7:37	0.007
7:38	0.008
7:39	0.003
7:40	0.002
7:41	0.006
7:42	0.006
7:43	0.011
7:44	0.009
7:45	0.017
7:46	0.03
7:47	0.002
7:48	0.007
7:49	0.007
7:50	0.025
7:51	0.005
7:52	0.008
7:53	0.002
7:54	0.001
7:55	0.001
7:56	0.002

7:57	0.004
7:58	0.003
7:59	0.011
8:00	0.01
8:01	0.011
8:02	0.006
8:03	0.005
8:04	0.01
8:05	0.011
8:06	0.005
8:07	0.004
8:08	0.003
8:09	0.002
8:10	0.003
8:11	0.031
8:12	0.002
8:13	0.002
8:14	0.001
8:15	0.001
8:16	0.001
8:17	0.002
8:18	0.002
8:19	0.002
8:20	0.001
8:21	0.001
8:22	0.002
8:23	0.004
8:24	0.002
8:25	0.001
8:26	0.001
8:27	0.001
8:28	0.002
8:29	0.001
8:30	0.001
8:31	0.001
8:32	0.001
8:33	0.001
8:34	0.005
8:35	0.001
8:36	0.001
8:37	0.002
8:38	0.002
8:39	0.002
8:40	0.002

8:41	0.001
8:42	0.001
8:43	0.002
8:44	0.001
8:45	0.001
8:46	0.002
8:47	0.001
8:48	0.001
8:49	0.001
8:50	0.017
8:51	0.005
8:52	0.001
8:53	0.003
8:54	0.004
8:55	0.002
8:56	0.002
8:57	0.001
8:58	0.002
8:59	0.002
9:00	0.002
9:01	0.001
9:02	0.001
9:03	0.001
9:04	0.001
9:05	0.001
9:06	0.001
9:07	0.002
9:08	0.002
9:09	0.002
9:10	0.002
9:11	0.002
9:12	0.002
9:13	0.002
9:14	0.002
9:15	0.001
9:16	0.001
9:17	0.001
9:18	0.001
9:19	0.001
9:20	0.003
9:21	0.002
9:22	0.002
9:23	0.003
9:24	0.002

9:25	0.002
9:26	0.003
9:27	0.003
9:28	0.001
9:29	0.001
9:30	0.001
9:31	0.001
9:32	0.002
9:33	0.002
9:34	0.003
9:35	0.003
9:36	0.002
9:37	0.004
9:38	0.004
9:39	0.002
9:40	0.002
9:41	0.002
9:42	0.002
9:43	0.002
9:44	0.002
9:45	0.002
9:46	0.002
9:47	0.002
9:48	0.002
9:49	0.002
9:50	0.002
9:51	0.002
9:52	0.002
9:53	0.002
9:54	0.002
9:55	0.002
9:56	0.002
9:57	0.002
9:58	0.002
9:59	0.002
10:00	0.002
10:01	0.003
10:02	0.002
10:03	0.002
10:04	0.002
10:05	0.002
10:06	0.003
10:07	0.002
10:08	0.002

10:09	0.002
10:10	0.003
10:11	0.003
10:12	0.002
10:13	0.002
10:14	0.003
10:15	0.003
10:16	0.003
10:17	0.003
10:18	0.004
10:19	0.003
10:20	0.003
10:21	0.003
10:22	0.002
10:23	0.004
10:24	0.002
10:25	0.002
10:26	0.002
10:27	0.003
10:28	0.005
10:29	0.004
10:30	0.005
10:31	0.039
10:32	0.084
10:33	0.043
10:34	0.011
10:35	0.008
10:36	0.018
10:37	0.007
10:38	0.005
10:39	0.003
10:40	0.006
10:41	0.004
10:42	0.005
10:43	0.003
10:44	0.003
10:45	0.004
10:46	0.004
10:47	0.006
10:48	0.006
10:49	0.004
10:50	0.011
10:51	0.007
10:52	0.004

10:53	0.004
10:54	0.003
10:55	0.003
10:56	0.002
10:57	0.002
10:58	0.003
10:59	0.003
11:00	0.002
11:01	0.004
11:02	0.003
11:03	0.002
11:04	0.002
11:05	0.005
11:06	0.005
11:07	0.004
11:08	0.004
11:09	0.004
11:10	0.002
11:11	0.002
11:12	0.002
11:13	0.002
11:14	0.002
11:15	0.002
11:16	0.003
11:17	0.004
11:18	0.003
11:19	0.002
11:20	0.007
11:21	0.003
11:22	0.003
11:23	0.004
11:24	0.003
11:25	0.002
11:26	0.002
11:27	0.004
11:28	0.003
11:29	0.003
11:30	0.003
11:31	0.003
11:32	0.004
11:33	0.002
11:34	0.003
11:35	0.003
11:36	0.002

11:37	0.005
11:38	0.004
11:39	0.003
11:40	0.002
11:41	0.002
11:42	0.003
11:43	0.003
11:44	0.004
11:45	0.013
11:46	0.007
11:47	0.006
11:48	0.003
11:49	0.002
11:50	0.003
11:51	0.003
11:52	0.158
11:53	0.005
11:54	0.016
11:55	0.004
11:56	0.011
11:57	0.007
11:58	0.004
11:59	0.005
12:00	0.007
12:01	0.017
12:02	0.104
12:03	0.006
12:04	0.003
12:05	0.003
12:06	0.003
12:07	0.003
12:08	0.003
12:09	0.003
12:10	0.003
12:11	0.003
12:12	0.003
12:13	0.004
12:14	0.004
12:15	0.003
12:16	0.003
12:17	0.003
12:18	0.004
12:19	0.004
12:20	0.004

12:21	0.004
12:22	0.004
12:23	0.005
12:24	0.004
12:25	0.004
12:26	0.004
12:27	0.004
12:28	0.004
12:29	0.004
12:30	0.006
12:31	0.004
12:32	0.004
12:33	0.005
12:34	0.021
12:35	0.006
12:36	0.004
12:37	0.005
12:38	0.013
12:39	0.005
12:40	0.005
12:41	0.015
12:42	0.01
12:43	0.008
12:44	0.032
12:45	0.007
12:46	0.005
12:47	0.007
12:48	0.011
12:49	0.022
12:50	0.006
12:51	0.082
12:52	0.039
12:53	0.021
12:54	0.008
12:55	0.009
12:56	0.005
12:57	0.007
12:58	0.004
12:59	0.005
13:00	0.016
13:01	0.009
13:02	0.007
13:03	0.006
13:04	0.01

13:05	0.022
13:06	0.01
13:07	0.008
13:08	0.004
13:09	0.007
13:10	0.006
13:11	0.005
13:12	0.005
13:13	0.004
13:14	0.005
13:15	0.005
13:16	0.004
13:17	0.005
13:18	0.005
13:19	0.005
13:20	0.005
13:21	0.005
13:22	0.007
13:23	0.005
13:24	0.004
13:25	0.006
13:26	0.004
13:27	0.005
13:28	0.006
13:29	0.004
13:30	0.004
13:31	0.004
13:32	0.004
13:33	0.005
13:34	0.005
13:35	0.005
13:36	0.004
13:37	0.004
13:38	0.004
13:39	0.004
13:40	0.006
13:41	0.006
13:42	0.005
13:43	0.005
13:44	0.005
13:45	0.005
13:46	0.004
13:47	0.004
13:48	0.005

13:49	0.004
13:50	0.004
13:51	0.004
13:52	0.004
13:53	0.004
13:54	0.004
13:55	0.005
13:56	0.005
13:57	0.004
13:58	0.004
13:59	0.004
14:00	0.005
14:01	0.006
14:02	0.004
14:03	0.004
14:04	0.004
14:05	0.004
14:06	0.004
14:07	0.004
14:08	0.008
14:09	0.006
14:10	0.028
14:11	0.019
14:12	0.006
14:13	0.004
14:14	0.005
14:15	0.005
14:16	0.005
14:17	0.005
14:18	0.005
14:19	0.006
14:20	0.004
14:21	0.004
14:22	0.008
14:23	0.005
14:24	0.005
14:25	0.009
14:26	0.005
14:27	0.008
14:28	0.006
14:29	0.005
14:30	0.01
14:31	0.005
14:32	0.005

14:33	0.007
14:34	0.005
14:35	0.005
14:36	0.022
14:37	0.023
14:38	0.025
14:39	0.032
14:40	0.016
14:41	0.017
14:42	0.036
14:43	0.011
14:44	0.02
14:45	0.006
14:46	0.02
14:47	0.005
14:48	0.01
14:49	0.005
14:50	0.005
14:51	0.005
14:52	0.005
14:53	0.005
14:54	0.005
14:55	0.005
14:56	0.041
14:57	0.017
14:58	0.005
14:59	0.006
15:00	0.006
15:01	0.009
15:02	0.007
15:03	0.006
15:04	0.006
15:05	0.006
15:06	0.006
15:07	0.006
15:08	0.006
15:09	0.006
15:10	0.006
15:11	0.005
15:12	0.005
15:13	0.006
15:14	0.005
15:15	0.005
15:16	0.005

15:17	0.005
15:18	0.005
15:19	0.005
15:20	0.006
15:21	0.006
15:22	0.005
15:23	0.005
15:24	0.006
15:25	0.006
15:26	0.006
15:27	0.006
15:28	0.006
15:29	0.006
15:30	0.006
15:31	0.006
15:32	0.006
15:33	0.006
15:34	0.006
15:35	0.006
15:36	0.007
15:37	0.006
15:38	0.006
15:39	0.006
15:40	0.006
15:41	0.006
15:42	0.006
15:43	0.006
15:44	0.006
15:45	0.006
15:46	0.006
15:47	0.006
15:48	0.007
15:49	0.006
15:50	0.006
15:51	0.006
15:52	0.006
15:53	0.006
15:54	0.006
15:55	0.006
15:56	0.006
15:57	0.007
15:58	0.006
15:59	0.005
16:00	0.005

16:01	0.005
16:02	0.005
16:03	0.006
16:04	0.006
16:05	0.006
16:06	0.006
16:07	0.006
16:08	0.006
16:09	0.006
16:10	0.006
16:11	0.006
16:12	0.006
16:13	0.005
16:14	0.005
16:15	0.005
16:16	0.006
16:17	0.005
16:18	0.005
16:19	0.005
16:20	0.005
16:21	0.006
16:22	0.006
16:23	0.005
16:24	0.006
16:25	0.006
16:26	0.006
16:27	0.006
16:28	0.006
16:29	0.007
16:30	0.006
16:31	0.006
16:32	0.006
16:33	0.006
16:34	0.006
16:35	0.006
16:36	0.006
16:37	0.006
16:38	0.006
16:39	0.006
16:40	0.006
16:41	0.006
16:42	0.006
16:43	0.005
16:44	0.019

16:45	0.099
16:46	0.009
16:47	0.009
16:48	0.006
16:49	0.005
16:50	0.005
16:51	0.005
16:52	0.005
16:53	0.005
16:54	0.005
16:55	0.005
16:56	0.005
16:57	0.004
16:58	0.004
16:59	0.011
17:00	0.006
17:01	0.012
17:02	0.008
17:03	0.004
17:04	0.004
17:05	0.004
17:06	0.004
17:07	0.004
17:08	0.004
17:09	0.088
17:10	0.005
17:11	0.008
17:12	0.005
17:13	0.015
17:14	0.01
17:15	0.01
17:16	0.005
17:17	0.005
17:18	0.005
17:19	0.005
17:20	0.005
17:21	0.005
17:22	0.005
17:23	0.005
17:24	0.005
17:25	0.005
17:26	0.004
17:27	0.004
17:28	0.004

17:29	0.004
17:30	0.004
17:31	0.004
17:32	0.004
17:33	0.004

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	5/16/2024	17:14	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:13	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:12	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:11	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:10	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:09	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:08	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:07	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:06	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:05	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:04	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:03	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:02	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:01	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	17:00	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:59	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:58	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:57	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:56	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:55	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:54	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:53	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:52	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:51	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:50	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:49	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:48	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:47	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:46	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:45	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:44	Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	16:43	Readings	PID	SC23030921B3	Normal	0

592-601274	5/16/2024	9:00 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:59 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:58 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:57 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:56 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:55 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:54 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:53 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:52 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:51 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:50 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:49 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:48 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:47 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:46 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:45 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:44 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:43 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:42 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:41 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:40 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:39 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:38 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:37 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:36 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:35 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:34 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:33 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:32 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:31 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:30 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:29 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	8:28 Readings	PID	SC23030921B3	Normal	0

592-601274	5/16/2024	7:21 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	7:20 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	7:19 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	7:18 Readings	PID	SC23030921B3	Normal	0.1
592-601274	5/16/2024	7:17 Readings	PID	SC23030921B3	Normal	0
592-601274	5/16/2024	7:16 CONFIG	PID	SC23030921B3		
592-601274	5/16/2024	7:15 Readings	PID	SC23030921B3	Normal	0.8
592-601274	5/16/2024	7:14 Readings	PID	SC23030921B3	Normal	0.5
592-601274	5/16/2024	7:13 Readings	PID	SC23030921B3	Normal	0.2
592-601274	5/16/2024	7:12 CONFIG	PID	SC23030921B3		
592-601274	5/16/2024	7:11 Readings	PID	SC23030921B3	Normal	2.8
592-601274	5/16/2024	7:10 Readings	PID	SC23030921B3	Normal	3.3
592-601274	5/16/2024	7:09 Readings	PID	SC23030921B3	Normal	3.1
592-601274	5/16/2024	7:08 Readings	PID	SC23030921B3	Normal	2.8
592-601274	5/16/2024	7:07 Readings	PID	SC23030921B3	Normal	3.1
592-601274	5/16/2024	7:06 Readings	PID	SC23030921B3	Normal	2.8
592-601274	5/16/2024	7:05 Readings	PID	SC23030921B3	Normal	2.7
592-601274	5/16/2024	7:04 Readings	PID	SC23030921B3	Normal	2.6
592-601274	5/16/2024	7:03 Readings	PID	SC23030921B3	Normal	2.7
592-601274	5/16/2024	7:02 Readings	PID	SC23030921B3	Normal	2.7
592-601274	5/16/2024	7:01 Readings	PID	SC23030921B3	Normal	2.5
592-601274	5/16/2024	7:00 Readings	PID	SC23030921B3	Normal	2.5
592-601274	5/16/2024	6:59 Readings	PID	SC23030921B3	Normal	2.8
592-601274	5/16/2024	6:58 Readings	PID	SC23030921B3	Normal	3
592-601274	5/16/2024	6:57 Readings	PID	SC23030921B3	Normal	3.1
592-601274	5/16/2024	6:56 Readings	PID	SC23030921B3	Normal	2.6
592-601274	5/16/2024	6:55 Readings	PID	SC23030921B3	Normal	2.4
592-601274	5/16/2024	6:54 Readings	PID	SC23030921B3	Normal	2.4
592-601274	5/16/2024	6:53 Readings	PID	SC23030921B3	Normal	2.1
592-601274	5/16/2024	6:52 Readings	PID	SC23030921B3	Normal	1.9
592-601274	5/16/2024	6:51 Readings	PID	SC23030921B3	Normal	1.7
592-601274	5/16/2024	6:50 Readings	PID	SC23030921B3	Normal	1.7
592-601274	5/16/2024	CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_011
Test Start Time	6:50:48 AM
Test Start Date	5/16/2024
Test Length [D:H:M]	0:11:02
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.004
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.188
Mass TWA [mg/m3]	0
Photometric User Cal	1
Flow User Cal	0
Errors	Max Concentration
Number of Samples	619

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50	0.028		
6:51	0		
6:52	0		
6:53	0		
6:54	0		
6:55	0.002		
6:56	0.004		
6:57	0.003		
6:58	0.003		
6:59	0.001		
7:00	0.001		
7:01	0.001		
7:02	0.002		
7:03	0.008		
7:04	0.002		
7:05	0		
7:06	0		
7:07	0		
7:08	0.001		
7:09	0.001		
7:10	0.005		
7:11	0.003		
7:12	0.001		
7:13	0.005		

7:14	0.001
7:15	0.002
7:16	0.001
7:17	0
7:18	0.014
7:19	0.007
7:20	0.004
7:21	0.002
7:22	0
7:23	0.001
7:24	0.001
7:25	0
7:26	0.001
7:27	0.002
7:28	0.005
7:29	0.005
7:30	0.003
7:31	0.004
7:32	0.01
7:33	0.004
7:34	0.001
7:35	0.016
7:36	0.003
7:37	0.013
7:38	0.005
7:39	0.001
7:40	0.003
7:41	0.002
7:42	0.008
7:43	0.021
7:44	0.032
7:45	0.01
7:46	0.003
7:47	0.001
7:48	0.001
7:49	0.002
7:50	0.001
7:51	0.01
7:52	0.009
7:53	0.005
7:54	0
7:55	0
7:56	0
7:57	0.004

7:58	0.002
7:59	0.008
8:00	0.004
8:01	0.008
8:02	0.002
8:03	0
8:04	0.002
8:05	0.017
8:06	0.01
8:07	0.011
8:08	0.013
8:09	0.004
8:10	0.004
8:11	0.002
8:12	0.002
8:13	0.002
8:14	0.001
8:15	0
8:16	0.001
8:17	0
8:18	0
8:19	0
8:20	0.021
8:21	0.005
8:22	0.002
8:23	0.002
8:24	0.001
8:25	0
8:26	0.001
8:27	0
8:28	0
8:29	0.001
8:30	0
8:31	0
8:32	0.001
8:33	0.002
8:34	0.003
8:35	0
8:36	0
8:37	0.002
8:38	0.001
8:39	0
8:40	0
8:41	0.001

8:42	0.002
8:43	0.001
8:44	0.001
8:45	0.002
8:46	0.001
8:47	0
8:48	0
8:49	0
8:50	0
8:51	0
8:52	0.001
8:53	0
8:54	0
8:55	0.001
8:56	0
8:57	0.001
8:58	0
8:59	0.001
9:00	0
9:01	0.002
9:02	0.001
9:03	0.002
9:04	0.001
9:05	0.001
9:06	0.001
9:07	0
9:08	0.002
9:09	0
9:10	0
9:11	0
9:12	0.002
9:13	0.001
9:14	0.001
9:15	0.001
9:16	0
9:17	0.001
9:18	0.001
9:19	0.002
9:20	0.001
9:21	0
9:22	0.001
9:23	0.001
9:24	0
9:25	0

9:26	0
9:27	0
9:28	0
9:29	0.001
9:30	0
9:31	0.001
9:32	0
9:33	0.001
9:34	0
9:35	0
9:36	0
9:37	0.001
9:38	0
9:39	0.001
9:40	0.002
9:41	0.007
9:42	0.001
9:43	0.004
9:44	0.002
9:45	0
9:46	0.001
9:47	0.002
9:48	0.002
9:49	0.002
9:50	0
9:51	0.002
9:52	0.002
9:53	0.002
9:54	0.001
9:55	0
9:56	0
9:57	0.001
9:58	0
9:59	0.001
10:00	0.001
10:01	0.002
10:02	0.003
10:03	0.001
10:04	0.001
10:05	0.002
10:06	0.001
10:07	0.001
10:08	0.005
10:09	0.004

10:10	0.004
10:11	0.002
10:12	0.004
10:13	0.003
10:14	0.005
10:15	0.007
10:16	0.006
10:17	0.068
10:18	0.012
10:19	0.013
10:20	0.017
10:21	0.016
10:22	0.008
10:23	0.002
10:24	0.004
10:25	0.005
10:26	0.008
10:27	0.006
10:28	0.007
10:29	0.013
10:30	0.01
10:31	0.009
10:32	0.012
10:33	0.018
10:34	0.004
10:35	0.005
10:36	0.012
10:37	0.009
10:38	0.008
10:39	0.188
10:40	0.059
10:41	0.007
10:42	0.011
10:43	0.003
10:44	0.001
10:45	0.005
10:46	0.003
10:47	0.001
10:48	0.002
10:49	0.001
10:50	0.002
10:51	0.003
10:52	0.004
10:53	0.005

10:54	0.003
10:55	0.003
10:56	0.003
10:57	0.003
10:58	0.007
10:59	0.006
11:00	0.016
11:01	0.003
11:02	0.002
11:03	0.003
11:04	0.004
11:05	0.002
11:06	0.002
11:07	0
11:08	0.001
11:09	0.004
11:10	0.004
11:11	0.003
11:12	0.001
11:13	0.002
11:14	0.007
11:15	0.005
11:16	0.001
11:17	0.003
11:18	0.001
11:19	0.001
11:20	0.008
11:21	0.005
11:22	0.003
11:23	0.005
11:24	0.003
11:25	0.001
11:26	0.001
11:27	0.002
11:28	0.003
11:29	0.002
11:30	0.005
11:31	0.001
11:32	0.001
11:33	0.001
11:34	0.002
11:35	0.003
11:36	0.003
11:37	0.001

11:38	0.002
11:39	0
11:40	0
11:41	0.001
11:42	0
11:43	0
11:44	0.001
11:45	0.001
11:46	0
11:47	0
11:48	0.001
11:49	0
11:50	0.001
11:51	0.001
11:52	0.002
11:53	0.001
11:54	0
11:55	0
11:56	0
11:57	0.001
11:58	0.001
11:59	0.002
12:00	0.001
12:01	0.001
12:02	0.002
12:03	0.003
12:04	0.005
12:05	0.006
12:06	0.004
12:07	0.002
12:08	0.002
12:09	0
12:10	0
12:11	0
12:12	0.002
12:13	0.001
12:14	0.001
12:15	0.003
12:16	0.001
12:17	0.005
12:18	0
12:19	0.001
12:20	0.001
12:21	0.001

12:22	0.001
12:23	0
12:24	0
12:25	0
12:26	0.002
12:27	0.001
12:28	0
12:29	0
12:30	0
12:31	0
12:32	0.001
12:33	0.002
12:34	0.002
12:35	0
12:36	0
12:37	0.001
12:38	0.001
12:39	0.001
12:40	0.002
12:41	0.001
12:42	0.001
12:43	0.001
12:44	0
12:45	0.002
12:46	0.002
12:47	0.002
12:48	0.001
12:49	0
12:50	0.001
12:51	0.007
12:52	0.003
12:53	0.006
12:54	0.006
12:55	0.004
12:56	0.002
12:57	0.001
12:58	0.003
12:59	0.005
13:00	0.003
13:01	0.003
13:02	0.001
13:03	0.001
13:04	0.001
13:05	0.002

13:06	0.007
13:07	0.001
13:08	0.001
13:09	0.001
13:10	0.002
13:11	0.001
13:12	0.014
13:13	0.029
13:14	0.002
13:15	0.003
13:16	0.007
13:17	0.002
13:18	0.002
13:19	0.003
13:20	0.002
13:21	0.001
13:22	0.001
13:23	0.002
13:24	0.002
13:25	0.004
13:26	0.006
13:27	0.008
13:28	0.003
13:29	0.001
13:30	0.001
13:31	0
13:32	0.006
13:33	0.004
13:34	0.003
13:35	0.002
13:36	0.001
13:37	0.001
13:38	0.003
13:39	0.003
13:40	0.008
13:41	0.003
13:42	0.01
13:43	0.003
13:44	0.002
13:45	0.002
13:46	0.003
13:47	0.002
13:48	0.003
13:49	0.002

13:50	0.002
13:51	0.002
13:52	0.001
13:53	0.001
13:54	0.002
13:55	0.004
13:56	0.003
13:57	0.002
13:58	0.007
13:59	0.005
14:00	0.007
14:01	0.009
14:02	0.008
14:03	0.01
14:04	0.002
14:05	0.002
14:06	0.002
14:07	0.002
14:08	0.002
14:09	0.001
14:10	0.001
14:11	0.001
14:12	0.003
14:13	0.014
14:14	0.007
14:15	0.011
14:16	0.044
14:17	0.029
14:18	0.009
14:19	0.003
14:20	0.001
14:21	0.003
14:22	0.001
14:23	0.001
14:24	0.006
14:25	0.003
14:26	0.001
14:27	0.003
14:28	0.001
14:29	0.001
14:30	0.002
14:31	0.002
14:32	0.001
14:33	0.001

14:34	0.001
14:35	0.002
14:36	0.001
14:37	0.002
14:38	0.002
14:39	0.003
14:40	0.003
14:41	0.002
14:42	0.002
14:43	0.001
14:44	0.002
14:45	0.002
14:46	0.004
14:47	0.003
14:48	0.004
14:49	0.007
14:50	0.004
14:51	0.003
14:52	0.003
14:53	0.003
14:54	0.003
14:55	0.036
14:56	0.003
14:57	0.002
14:58	0.002
14:59	0.002
15:00	0.001
15:01	0.002
15:02	0.006
15:03	0.006
15:04	0.007
15:05	0.006
15:06	0.005
15:07	0.004
15:08	0.003
15:09	0.004
15:10	0.004
15:11	0.004
15:12	0.003
15:13	0.003
15:14	0.005
15:15	0.006
15:16	0.004
15:17	0.003

15:18	0.003
15:19	0.003
15:20	0.003
15:21	0.002
15:22	0.002
15:23	0.002
15:24	0.002
15:25	0.006
15:26	0.003
15:27	0.002
15:28	0.002
15:29	0.003
15:30	0.003
15:31	0.003
15:32	0.003
15:33	0.004
15:34	0.004
15:35	0.004
15:36	0.005
15:37	0.004
15:38	0.004
15:39	0.005
15:40	0.004
15:41	0.004
15:42	0.011
15:43	0.019
15:44	0.006
15:45	0.004
15:46	0.003
15:47	0.003
15:48	0.003
15:49	0.004
15:50	0.004
15:51	0.005
15:52	0.004
15:53	0.005
15:54	0.004
15:55	0.003
15:56	0.004
15:57	0.004
15:58	0.005
15:59	0.003
16:00	0.005
16:01	0.004

16:02	0.003
16:03	0.006
16:04	0.007
16:05	0.004
16:06	0.003
16:07	0.003
16:08	0.004
16:09	0.003
16:10	0.004
16:11	0.004
16:12	0.004
16:13	0.004
16:14	0.004
16:15	0.004
16:16	0.004
16:17	0.003
16:18	0.004
16:19	0.003
16:20	0.003
16:21	0.003
16:22	0.003
16:23	0.004
16:24	0.003
16:25	0.003
16:26	0.005
16:27	0.005
16:28	0.005
16:29	0.003
16:30	0.006
16:31	0.003
16:32	0.004
16:33	0.005
16:34	0.004
16:35	0.004
16:36	0.004
16:37	0.004
16:38	0.004
16:39	0.005
16:40	0.005
16:41	0.004
16:42	0.004
16:43	0.005
16:44	0.005
16:45	0.006

16:46	0.005	
16:47	0.005	
16:48	0.003	
16:49	0.003	
16:50	0.004	
16:51	0.004	
16:52	0.003	
16:53	0.004	
16:54	0.004	
16:55	0.005	
16:56	0.004	
16:57	0.003	
16:58	0.005	
16:59	0.009	
17:00	0.003	
17:01	0.001	
17:02	0.001	
17:03	0.002	
17:04	0.002	
17:05	0.001	
17:06	0.002	
17:07	0	Max Concentration
17:08	0.066	Max Concentration

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	5/16/2024	18:15	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	18:14	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	18:13	Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	18:12	Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	18:11	Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	18:10	Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	18:09	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	18:08	Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	18:07	Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	18:06	Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	18:05	Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	18:04	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	18:03	Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	18:02	Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	18:01	Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	18:00	Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	17:59	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:58	Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:57	Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	17:56	Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:55	Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	17:54	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:53	Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:52	Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	17:51	Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:50	Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	17:49	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:48	Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:47	Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:46	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:45	Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:44	Readings	PID	SC23030324C7	Normal	0.3

592-602816	5/16/2024	17:43 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:42 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:40 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:39 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:38 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:37 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:36 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:35 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:34 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:33 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:32 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:31 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:30 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:29 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:28 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:27 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:25 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:24 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:23 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:21 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:20 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:19 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:18 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:17 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:16 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:15 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:14 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:13 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:12 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:11 Readings	PID	SC23030324C7	Normal	0.3

592-602816	5/16/2024	17:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:09 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:07 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:06 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:05 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	17:03 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	17:02 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	17:00 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	16:59 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	16:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:56 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:55 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:54 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	16:53 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:52 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	16:51 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:50 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:49 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:48 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	16:46 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:44 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:43 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:42 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:40 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:39 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:38 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	16:37 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:36 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:35 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:34 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:32 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:31 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:30 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:29 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:28 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:27 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:25 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:24 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:23 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:21 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:20 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	16:19 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:18 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:17 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:16 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	16:15 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:14 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:13 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:12 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:11 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:10 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:09 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:07 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:06 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	16:05 Readings	PID	SC23030324C7	Normal	0

592-602816	5/16/2024	16:04 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:03 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	16:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	16:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	16:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:59 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:57 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:56 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:55 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:54 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:53 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:52 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:51 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:49 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:48 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:47 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:46 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:45 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:44 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:43 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	15:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:40 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:39 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:37 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:36 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:35 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:34 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	15:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:32 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	15:31 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:30 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	15:29 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:28 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:27 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:26 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:25 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:24 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:23 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:22 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:21 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:20 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:19 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:18 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	15:17 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:16 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:15 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:14 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	15:13 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:12 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:11 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:09 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:08 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:07 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:06 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:05 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:03 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	15:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	15:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	15:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:59 Readings	PID	SC23030324C7	Normal	0

592-602816	5/16/2024	14:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:57 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:56 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:55 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:52 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:51 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:50 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:49 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:48 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:47 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:46 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:45 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:44 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:43 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:42 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:41 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:40 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:39 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:38 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:37 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	14:36 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:35 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:34 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:33 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:32 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:31 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:30 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:29 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:28 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:27 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:26 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	14:25 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:24 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:23 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:22 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:21 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:20 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:19 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:18 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:17 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:16 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:15 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:14 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:13 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:12 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:11 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:10 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:09 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:08 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:07 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:06 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:05 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	14:03 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	14:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	14:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	14:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:59 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:56 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:55 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:54 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:53 Readings	PID	SC23030324C7	Normal	0

592-602816	5/16/2024	13:52 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:51 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:50 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:49 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:48 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:47 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:46 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:45 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:44 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:43 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:42 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:41 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:40 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:39 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:38 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:37 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:35 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:34 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:32 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:31 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:30 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:29 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:28 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:27 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:26 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:25 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:24 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:23 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:22 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:21 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:20 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	13:19 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:18 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:17 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:16 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:15 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:14 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:13 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	13:12 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:11 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:10 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	13:09 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	13:08 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:07 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:06 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:05 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:04 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	13:03 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	13:02 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	13:01 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	13:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	12:59 Readings	PID	SC23030324C7	Normal	1.7
592-602816	5/16/2024	12:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:56 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:55 Readings	PID	SC23030324C7	Normal	1.8
592-602816	5/16/2024	12:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:52 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	12:51 Readings	PID	SC23030324C7	Normal	0.8
592-602816	5/16/2024	12:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:49 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:48 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:47 Readings	PID	SC23030324C7	Normal	2.6

592-602816	5/16/2024	12:46 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:44 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	12:43 Readings	PID	SC23030324C7	Normal	1.8
592-602816	5/16/2024	12:42 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:40 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	12:39 Readings	PID	SC23030324C7	Normal	2.1
592-602816	5/16/2024	12:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:37 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:35 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	12:34 Readings	PID	SC23030324C7	Normal	0.7
592-602816	5/16/2024	12:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:32 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:31 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:30 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:29 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:28 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:27 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:26 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:25 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:24 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:23 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	12:22 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	12:21 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:20 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:19 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:18 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:17 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:16 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	12:15 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:14 Readings	PID	SC23030324C7	Normal	0

592-602816	5/16/2024	12:13 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:12 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	12:11 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:09 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:08 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:07 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	12:06 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:05 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	12:03 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	12:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	12:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	12:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:59 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:56 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:55 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:52 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:51 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	11:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:49 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:48 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:47 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	11:46 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:44 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:43 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	11:42 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:41 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	11:40 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:39 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	11:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:37 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:36 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:35 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	11:34 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:33 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:32 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:31 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	11:30 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:29 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:28 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:27 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:26 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:25 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:24 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:23 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:21 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:20 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:19 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:18 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:17 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:16 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:15 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:14 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:13 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:12 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:11 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:10 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:09 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:08 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	11:07 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:06 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:05 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:04 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	11:03 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	11:02 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	11:01 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	11:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:59 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:58 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:57 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:56 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:55 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:54 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:53 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:52 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:51 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:50 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:49 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:48 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:47 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:46 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:45 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:44 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:43 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:42 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:41 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:40 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	10:39 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:38 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:37 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:36 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:35 Readings	PID	SC23030324C7	Normal	0.3

592-602816	5/16/2024	10:34 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:33 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:32 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:31 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:30 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	10:29 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:28 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	10:27 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:26 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:25 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:24 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:23 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:21 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:20 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:19 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:18 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:17 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:16 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:15 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	10:13 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:12 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	10:11 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	10:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:07 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:06 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	10:05 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	10:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	10:03 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	10:02 Readings	PID	SC23030324C7	Normal	0.4

592-602816	5/16/2024	10:01 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	10:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:57 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	9:56 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	9:55 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:54 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:52 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:51 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	9:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:49 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:48 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:47 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:46 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:45 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	9:44 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:43 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:40 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:39 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	9:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:37 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:35 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:34 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:32 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:31 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:30 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:29 Readings	PID	SC23030324C7	Normal	0.4

592-602816	5/16/2024	9:28 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:27 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:25 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:24 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	9:23 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:22 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:21 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:20 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:19 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:18 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:17 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:16 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:15 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:13 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:12 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:11 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	9:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:07 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:06 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	9:05 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	9:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	9:03 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:02 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	9:01 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	9:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:57 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:56 Readings	PID	SC23030324C7	Normal	0.4

592-602816	5/16/2024	8:55 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:54 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:52 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	8:51 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:50 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:49 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:48 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	8:47 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:46 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:44 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	8:43 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:41 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:40 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	8:39 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	8:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:37 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:35 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:34 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	8:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:32 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:31 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:30 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	8:29 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:28 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:27 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:26 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	8:25 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:24 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:23 Readings	PID	SC23030324C7	Normal	0.2

592-602816	5/16/2024	8:22 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	8:21 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:20 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	8:19 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:18 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	8:17 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	8:16 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:15 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:14 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	8:13 Readings	PID	SC23030324C7	Normal	0.6
592-602816	5/16/2024	8:12 Readings	PID	SC23030324C7	Normal	0.7
592-602816	5/16/2024	8:11 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:10 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:09 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:08 Readings	PID	SC23030324C7	Normal	0.5
592-602816	5/16/2024	8:07 Readings	PID	SC23030324C7	Normal	0.7
592-602816	5/16/2024	8:06 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:05 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	8:03 Readings	PID	SC23030324C7	Normal	0.7
592-602816	5/16/2024	8:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	8:01 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	8:00 Readings	PID	SC23030324C7	Normal	0.7
592-602816	5/16/2024	7:59 Readings	PID	SC23030324C7	Normal	1.1
592-602816	5/16/2024	7:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:57 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:56 Readings	PID	SC23030324C7	Normal	0.9
592-602816	5/16/2024	7:55 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:54 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:52 Readings	PID	SC23030324C7	Normal	0.9
592-602816	5/16/2024	7:51 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:50 Readings	PID	SC23030324C7	Normal	0.1

592-602816	5/16/2024	7:49 Readings	PID	SC23030324C7	Normal	0.9
592-602816	5/16/2024	7:48 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:46 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:45 Readings	PID	SC23030324C7	Normal	0.7
592-602816	5/16/2024	7:44 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:43 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:41 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:40 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	7:39 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:38 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:37 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:36 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	7:35 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:34 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:33 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:32 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/16/2024	7:31 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:30 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:29 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	7:28 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	7:27 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:26 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:25 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:24 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	7:23 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:22 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:21 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:20 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:19 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:18 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:17 Readings	PID	SC23030324C7	Normal	0.1

592-602816	5/16/2024	7:16 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:15 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:12 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:11 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:10 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:07 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:06 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:05 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:04 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	7:03 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	7:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	7:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	6:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	6:58 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	6:57 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	6:56 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	6:55 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	6:54 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	6:53 Readings	PID	SC23030324C7	Normal	0
592-602816	5/16/2024	6:52 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/16/2024	6:51 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/16/2024	6:50 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/16/2024	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_012
Test Start Time	6:46:31 AM
Test Start Date	5/16/2024
Test Length [D:H:M]	0:10:59
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.006
PM1 Minimum [mg/m3]	0.001
PM1 Maximum [mg/m3]	0.035
PM1 TWA [mg/m3]	0.005
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	659

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
60	0.001		
120	0.001		
180	0.001		
240	0.002		
300	0.002		
360	0.002		
420	0.002		
480	0.002		
540	0.002		
600	0.002		
660	0.002		
720	0.002		
780	0.003		
840	0.003		
900	0.002		
960	0.006		
1020	0.004		
1080	0.004		
1140	0.009		
1200	0.004		
1260	0.002		
1320	0.002		
1380	0.004		

1440	0.002
1500	0.006
1560	0.005
1620	0.004
1680	0.005
1740	0.008
1800	0.034
1860	0.035
1920	0.021
1980	0.006
2040	0.007
2100	0.004
2160	0.006
2220	0.003
2280	0.002
2340	0.002
2400	0.002
2460	0.002
2520	0.002
2580	0.002
2640	0.006
2700	0.005
2760	0.002
2820	0.002
2880	0.005
2940	0.003
3000	0.003
3060	0.003
3120	0.003
3180	0.007
3240	0.005
3300	0.003
3360	0.005
3420	0.003
3480	0.005
3540	0.005
3600	0.007
3660	0.005
3720	0.003
3780	0.003
3840	0.003
3900	0.003
3960	0.003
4020	0.005

4080	0.005
4140	0.004
4200	0.003
4260	0.002
4320	0.002
4380	0.002
4440	0.002
4500	0.004
4560	0.005
4620	0.008
4680	0.003
4740	0.002
4800	0.003
4860	0.006
4920	0.004
4980	0.008
5040	0.007
5100	0.008
5160	0.002
5220	0.002
5280	0.003
5340	0.004
5400	0.003
5460	0.003
5520	0.002
5580	0.002
5640	0.002
5700	0.003
5760	0.003
5820	0.003
5880	0.003
5940	0.003
6000	0.004
6060	0.003
6120	0.003
6180	0.003
6240	0.003
6300	0.004
6360	0.003
6420	0.003
6480	0.003
6540	0.003
6600	0.003
6660	0.003

6720	0.004
6780	0.003
6840	0.003
6900	0.002
6960	0.003
7020	0.003
7080	0.003
7140	0.002
7200	0.003
7260	0.004
7320	0.003
7380	0.003
7440	0.002
7500	0.003
7560	0.003
7620	0.002
7680	0.002
7740	0.002
7800	0.002
7860	0.003
7920	0.003
7980	0.003
8040	0.003
8100	0.003
8160	0.003
8220	0.003
8280	0.003
8340	0.003
8400	0.003
8460	0.003
8520	0.003
8580	0.003
8640	0.004
8700	0.003
8760	0.004
8820	0.003
8880	0.003
8940	0.003
9000	0.002
9060	0.002
9120	0.003
9180	0.003
9240	0.003
9300	0.003

9360	0.003
9420	0.003
9480	0.002
9540	0.003
9600	0.004
9660	0.003
9720	0.002
9780	0.003
9840	0.002
9900	0.003
9960	0.003
10020	0.003
10080	0.003
10140	0.003
10200	0.004
10260	0.003
10320	0.003
10380	0.005
10440	0.004
10500	0.003
10560	0.004
10620	0.003
10680	0.003
10740	0.003
10800	0.003
10860	0.003
10920	0.003
10980	0.003
11040	0.003
11100	0.003
11160	0.003
11220	0.004
11280	0.004
11340	0.003
11400	0.003
11460	0.003
11520	0.003
11580	0.003
11640	0.003
11700	0.003
11760	0.003
11820	0.003
11880	0.003
11940	0.004

12000	0.004
12060	0.004
12120	0.003
12180	0.003
12240	0.005
12300	0.007
12360	0.004
12420	0.004
12480	0.004
12540	0.008
12600	0.008
12660	0.011
12720	0.007
12780	0.009
12840	0.006
12900	0.008
12960	0.006
13020	0.005
13080	0.005
13140	0.004
13200	0.005
13260	0.004
13320	0.009
13380	0.004
13440	0.009
13500	0.006
13560	0.014
13620	0.014
13680	0.03
13740	0.021
13800	0.033
13860	0.013
13920	0.017
13980	0.01
14040	0.015
14100	0.011
14160	0.006
14220	0.007
14280	0.005
14340	0.004
14400	0.005
14460	0.005
14520	0.004
14580	0.007

14640	0.005
14700	0.004
14760	0.004
14820	0.011
14880	0.006
14940	0.005
15000	0.005
15060	0.004
15120	0.015
15180	0.005
15240	0.005
15300	0.006
15360	0.006
15420	0.005
15480	0.003
15540	0.004
15600	0.005
15660	0.004
15720	0.008
15780	0.004
15840	0.004
15900	0.005
15960	0.005
16020	0.004
16080	0.004
16140	0.006
16200	0.005
16260	0.02
16320	0.005
16380	0.006
16440	0.004
16500	0.004
16560	0.004
16620	0.005
16680	0.004
16740	0.005
16800	0.006
16860	0.004
16920	0.005
16980	0.004
17040	0.005
17100	0.004
17160	0.004
17220	0.006

17280	0.007
17340	0.005
17400	0.005
17460	0.005
17520	0.005
17580	0.008
17640	0.006
17700	0.005
17760	0.006
17820	0.004
17880	0.004
17940	0.004
18000	0.005
18060	0.004
18120	0.004
18180	0.004
18240	0.004
18300	0.005
18360	0.005
18420	0.005
18480	0.006
18540	0.005
18600	0.004
18660	0.005
18720	0.005
18780	0.004
18840	0.01
18900	0.007
18960	0.004
19020	0.006
19080	0.005
19140	0.01
19200	0.011
19260	0.007
19320	0.007
19380	0.006
19440	0.006
19500	0.005
19560	0.004
19620	0.004
19680	0.004
19740	0.004
19800	0.004
19860	0.005

19920	0.004
19980	0.005
20040	0.005
20100	0.005
20160	0.005
20220	0.004
20280	0.004
20340	0.004
20400	0.004
20460	0.004
20520	0.005
20580	0.004
20640	0.004
20700	0.005
20760	0.005
20820	0.004
20880	0.005
20940	0.005
21000	0.004
21060	0.004
21120	0.004
21180	0.005
21240	0.005
21300	0.005
21360	0.005
21420	0.005
21480	0.005
21540	0.006
21600	0.007
21660	0.005
21720	0.008
21780	0.009
21840	0.005
21900	0.006
21960	0.021
22020	0.015
22080	0.009
22140	0.009
22200	0.007
22260	0.011
22320	0.006
22380	0.013
22440	0.009
22500	0.006

22560	0.005
22620	0.005
22680	0.004
22740	0.005
22800	0.005
22860	0.006
22920	0.008
22980	0.006
23040	0.007
23100	0.005
23160	0.006
23220	0.006
23280	0.007
23340	0.006
23400	0.005
23460	0.004
23520	0.007
23580	0.006
23640	0.006
23700	0.006
23760	0.005
23820	0.007
23880	0.007
23940	0.006
24000	0.006
24060	0.007
24120	0.006
24180	0.006
24240	0.005
24300	0.007
24360	0.006
24420	0.005
24480	0.006
24540	0.006
24600	0.005
24660	0.006
24720	0.005
24780	0.014
24840	0.006
24900	0.005
24960	0.005
25020	0.007
25080	0.007
25140	0.005

25200	0.005
25260	0.005
25320	0.005
25380	0.006
25440	0.004
25500	0.005
25560	0.004
25620	0.005
25680	0.005
25740	0.004
25800	0.005
25860	0.005
25920	0.005
25980	0.005
26040	0.005
26100	0.007
26160	0.005
26220	0.006
26280	0.007
26340	0.007
26400	0.008
26460	0.005
26520	0.005
26580	0.006
26640	0.005
26700	0.005
26760	0.005
26820	0.005
26880	0.006
26940	0.008
27000	0.008
27060	0.007
27120	0.007
27180	0.01
27240	0.006
27300	0.006
27360	0.006
27420	0.007
27480	0.005
27540	0.007
27600	0.006
27660	0.006
27720	0.006
27780	0.005

27840	0.006
27900	0.006
27960	0.005
28020	0.006
28080	0.005
28140	0.004
28200	0.004
28260	0.004
28320	0.005
28380	0.005
28440	0.006
28500	0.006
28560	0.006
28620	0.005
28680	0.005
28740	0.005
28800	0.006
28860	0.006
28920	0.008
28980	0.006
29040	0.005
29100	0.007
29160	0.01
29220	0.009
29280	0.008
29340	0.006
29400	0.007
29460	0.01
29520	0.006
29580	0.007
29640	0.006
29700	0.006
29760	0.005
29820	0.014
29880	0.007
29940	0.009
30000	0.007
30060	0.011
30120	0.007
30180	0.01
30240	0.008
30300	0.009
30360	0.007
30420	0.008

30480	0.007
30540	0.007
30600	0.007
30660	0.007
30720	0.007
30780	0.006
30840	0.006
30900	0.006
30960	0.006
31020	0.007
31080	0.006
31140	0.006
31200	0.007
31260	0.007
31320	0.007
31380	0.006
31440	0.006
31500	0.006
31560	0.007
31620	0.007
31680	0.007
31740	0.008
31800	0.007
31860	0.008
31920	0.009
31980	0.008
32040	0.008
32100	0.009
32160	0.009
32220	0.007
32280	0.011
32340	0.012
32400	0.007
32460	0.008
32520	0.007
32580	0.007
32640	0.008
32700	0.008
32760	0.007
32820	0.009
32880	0.009
32940	0.008
33000	0.009
33060	0.009

33120	0.007
33180	0.006
33240	0.006
33300	0.007
33360	0.006
33420	0.007
33480	0.006
33540	0.006
33600	0.007
33660	0.007
33720	0.006
33780	0.006
33840	0.007
33900	0.007
33960	0.007
34020	0.017
34080	0.008
34140	0.006
34200	0.006
34260	0.007
34320	0.007
34380	0.006
34440	0.006
34500	0.006
34560	0.007
34620	0.007
34680	0.007
34740	0.007
34800	0.007
34860	0.007
34920	0.011
34980	0.007
35040	0.007
35100	0.006
35160	0.007
35220	0.007
35280	0.007
35340	0.008
35400	0.007
35460	0.008
35520	0.007
35580	0.007
35640	0.007
35700	0.008

35760	0.007
35820	0.007
35880	0.007
35940	0.008
36000	0.008
36060	0.007
36120	0.007
36180	0.007
36240	0.006
36300	0.008
36360	0.017
36420	0.008
36480	0.007
36540	0.007
36600	0.007
36660	0.006
36720	0.008
36780	0.006
36840	0.006
36900	0.006
36960	0.006
37020	0.005
37080	0.005
37140	0.005
37200	0.005
37260	0.007
37320	0.008
37380	0.01
37440	0.006
37500	0.005
37560	0.004
37620	0.005
37680	0.005
37740	0.006
37800	0.006
37860	0.004
37920	0.006
37980	0.012
38040	0.008
38100	0.006
38160	0.006
38220	0.006
38280	0.006
38340	0.006

38400	0.007
38460	0.006
38520	0.007
38580	0.011
38640	0.008
38700	0.011
38760	0.007
38820	0.007
38880	0.006
38940	0.011
39000	0.015
39060	0.014
39120	0.01
39180	0.007
39240	0.005
39300	0.02
39360	0.012
39420	0.007
39480	0.009
39540	0.007

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	5/16/2024	5/16/2024 17:52	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:51	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:50	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:49	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:48	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:47	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:46	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:45	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:44	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:43	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:42	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:41	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:40	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:39	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:38	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:37	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:36	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:35	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:34	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:33	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:32	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:31	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:30	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:29	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:28	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:27	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:26	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:25	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:24	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:23	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:22	Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 17:21	Readings	PID	SC23030408A8	Normal	0

592-600871	5/16/2024	5/16/2024 7:59 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:58 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:57 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:56 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:55 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:54 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:53 Readings	PID	SC23030408A8	Normal	0
592-600871	5/16/2024	5/16/2024 7:52 CONFIG	PID	SC23030408A8		