



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain	Overcast	Partly Cloudy	Bright Sun	X	Wind	
TEMP.	< 32	32-50	50-70	X	70-85	X	>85	N – 10 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 05/22/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 18:00</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade WSP - Charlie Lambert</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	---

Scope of Work: ISS column installation.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- Cascade received one (1) delivery of slag;
- Cascade cleared and removed the lines off of the drill rig due to a blockage. and
 - Cascade drilled **Column 273**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 275**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 14 batches;
 - Cascade drilled **Column 277**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 279**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 281**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 13 batches;
 - Cascade drilled **Column 283**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 14 batches;
 - At 15:15 the auger had to come to surface due to coming out of the centralizer;
 - Cascade drilled **Column 285**, column spec below:

- The column 8' diameter and drilled 36' deep from Site grade;
- The column consisted of a total of 14 batches;

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.048_ mg/m³ @ 06:41
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.048_ mg/m³ @ 06:41
- High Conditions (Downwind 1) – PID = _1.6_ ppm @ 12:06, Dust = _0.266_ mg/m³ @ 06:47
- High Conditions (Downwind 2) – PID = _0.3_ ppm @ 07:13, Dust = _0.217_ mg/m³ @ 15:07

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Continuation of installing ISS columns; and
- Loading out swell material for off site disposal.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of drilling
an ISS column.



Photo 2-
Representative
photo of
removing a
shallow
obstruction.




Photo 3-
Representative
photo of
stockpile covered
at the end of the
day



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY







BUTLER STREET

Legend Extension

- : ISS column installed to terminal depth
- : ISS column unable to be installed to terminal depth
- : Wet mix sample collected from ISS column
- : ISS pilot test column
- : ISS column installed to 51' below site grade
- : Coring location

LEGEND

- PROPERTY LINE
- 1500 SFT GRID
- EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- SIX FOOT DIA. COLUMN (TYP.)

PROJECT

NORTH

0' 30' 60'

- NOTES:
- THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

Drilling of column 273, 275, 277, 279, 281, 283, and 285 on 5/22/2024.

QA/QC CORE GRID PLAN

251 Douglass Street Brooklyn, New York

Figure No: 04

PROJECT NO.	1908-01
DESIGNED BY	JM
DRAWN BY	JM
CHECKED BY	JFMH
DATE	02/29/23
SCALE	1" = 20'
REVISIONS	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599



NEVINS STREET

DOUGLASS STREET

SCM Report






Project name: Douglass Street BCG ISS Element name: 273a
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	08:08 AM	
Volume/m 1	28.6 ft³	End Date	05/22/2024
		End time	08:41 AM
		Production duration	00:33:42
		Final depth time	08:34 AM
		Total suspension quantity	330.757 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 273b
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time: 08:41 AM	
Max. depth: 38.02 ft.		End Date: 05/22/2024	
Volume/m 1: 18.36 ft ³		End time: 09:03 AM	
		Production duration: 00:21:48	
		Final depth time: 08:55 AM	
		Total suspension quantity: 211.994 ft ³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 275a
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	09:14 AM	
Volume/m 1	31.43 ft³	End Date	05/22/2024
		End time	10:15 AM
		Production duration	01:01:00
		Final depth time	10:08 AM
		Total suspension quantity	363.67 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 275b
Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time: 10:15 AM	
Max. depth	38.02 ft.	End Date	05/22/2024
Volume/m 1	14.83 ft ³	End time	10:36 AM
		Production duration	00:20:20
		Final depth time	10:28 AM_
		Total suspension quantity	173.783 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 277a
Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time: 10:50 AM	
Max. depth: 38.02 ft.		End Date: 05/22/2024	
Volume/m 1: 26.83 ft³		End time: 11:31 AM	
		Production duration: 00:40:26	
		Final depth time: 11:24 AM	
		Total suspension quantity: 312.782 ft³	



SCM Report




Project name: Douglass Street BCG ISS Element name: 277b
Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	Start time	11:31 AM
Volume/m 1	19.42 ft ³	End Date	05/22/2024
		End time	11:58 AM
		Production duration	00:26:58
		Final depth time	11:43 AM_
		Total suspension quantity	226.155 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 279a
Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	12:25 PM	
Volume/m 1	28.25 ft ³	End Date	05/22/2024
		End time	12:59 PM
		Production duration	00:33:49
		Final depth time	12:52 PM
		Total suspension quantity	325.778 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 279b
Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.		12:59 PM
Volume/m 1	15.18 ft ³	End Date	05/22/2024
		End time	01:20 PM
		Production duration	00:20:49
		Final depth time	01:13 PM
		Total suspension quantity	175.372 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 281a
Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	01:40 PM
Max. depth	38 ft.	End Date	05/22/2024
Volume/m 1	22.24 ft ³	End time	02:21 PM
		Production duration	00:41:26
		Final depth time	02:14 PM
		Total suspension quantity	257.973 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 281b
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	02:21 PM	05/22/2024
Volume/m 1	21.18 ft³	End time	02:42 PM
		Production duration	00:20:30
		Final depth time	02:33 PM
		Total suspension quantity	245.684 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 283a
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.		02:56 PM
Volume/m 1	32.13 ft³	End Date	05/22/2024
		End time	03:42 PM
		Production duration	00:45:52
		Final depth time	03:36 PM
		Total suspension quantity	373.806 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 283b
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time: 03:43 PM	
Max. depth: 38 ft.		End Date: 05/22/2024	
Volume/m 1: 16.95 ft³		End time: 04:03 PM	
		Production duration: 00:19:57	
		Final depth time: 03:55 PM	
		Total suspension quantity: 195.99 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 285a
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	04:16 PM	
Volume/m 1	34.6 ft³	End Date	05/22/2024
		End time	05:14 PM
		Production duration	00:57:46
		Final depth time	05:07 PM
		Total suspension quantity	403.329 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 285b
 Project number

Start date: 05/22/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.		05:14 PM
Volume/m 1	16.95 ft ³	End Date	05/22/2024
		End time	05:34 PM
		Production duration	00:19:56
		Final depth time	05:27 PM
		Total suspension quantity	195.113 ft ³





IMPACT ENVIRONMENTAL

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_004
Test Start Time	6:41:23 AM
Test Start Date	5/22/2024
Test Length [D:H:M]	0:10:53
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.015
PM1 Minimum [mg/m3]	0.009
PM1 Maximum [mg/m3]	0.048
PM1 TWA [mg/m3]	0.016
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	653

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:41	0.048		
6:42	0.021		
6:43	0.02		
6:44	0.026		
6:45	0.02		
6:46	0.021		
6:47	0.018		
6:48	0.019		
6:49	0.018		
6:50	0.019		
6:51	0.02		
6:52	0.02		
6:53	0.021		
6:54	0.02		
6:55	0.022		
6:56	0.02		
6:57	0.02		
6:58	0.02		
6:59	0.021		
7:00	0.02		
7:01	0.023		
7:02	0.021		
7:03	0.02		

7:04	0.021
7:05	0.02
7:06	0.02
7:07	0.021
7:08	0.023
7:09	0.023
7:10	0.023
7:11	0.023
7:12	0.022
7:13	0.022
7:14	0.02
7:15	0.021
7:16	0.021
7:17	0.022
7:18	0.023
7:19	0.022
7:20	0.023
7:21	0.021
7:22	0.024
7:23	0.021
7:24	0.021
7:25	0.021
7:26	0.022
7:27	0.022
7:28	0.025
7:29	0.022
7:30	0.022
7:31	0.02
7:32	0.019
7:33	0.021
7:34	0.022
7:35	0.021
7:36	0.022
7:37	0.022
7:38	0.021
7:39	0.018
7:40	0.018
7:41	0.018
7:42	0.018
7:43	0.019
7:44	0.02
7:45	0.018
7:46	0.018
7:47	0.02

7:48	0.018
7:49	0.016
7:50	0.015
7:51	0.016
7:52	0.018
7:53	0.015
7:54	0.016
7:55	0.015
7:56	0.016
7:57	0.016
7:58	0.016
7:59	0.015
8:00	0.015
8:01	0.015
8:02	0.015
8:03	0.016
8:04	0.015
8:05	0.016
8:06	0.016
8:07	0.017
8:08	0.018
8:09	0.016
8:10	0.016
8:11	0.017
8:12	0.015
8:13	0.015
8:14	0.016
8:15	0.015
8:16	0.015
8:17	0.016
8:18	0.015
8:19	0.016
8:20	0.015
8:21	0.015
8:22	0.014
8:23	0.016
8:24	0.015
8:25	0.015
8:26	0.015
8:27	0.014
8:28	0.014
8:29	0.013
8:30	0.014
8:31	0.014

8:32	0.014
8:33	0.014
8:34	0.014
8:35	0.014
8:36	0.013
8:37	0.013
8:38	0.014
8:39	0.014
8:40	0.014
8:41	0.014
8:42	0.013
8:43	0.013
8:44	0.014
8:45	0.014
8:46	0.014
8:47	0.014
8:48	0.014
8:49	0.014
8:50	0.015
8:51	0.015
8:52	0.015
8:53	0.015
8:54	0.015
8:55	0.014
8:56	0.015
8:57	0.016
8:58	0.015
8:59	0.014
9:00	0.015
9:01	0.014
9:02	0.014
9:03	0.017
9:04	0.018
9:05	0.016
9:06	0.015
9:07	0.016
9:08	0.016
9:09	0.016
9:10	0.016
9:11	0.017
9:12	0.021
9:13	0.016
9:14	0.017
9:15	0.015

9:16	0.015
9:17	0.017
9:18	0.018
9:19	0.017
9:20	0.015
9:21	0.017
9:22	0.017
9:23	0.016
9:24	0.015
9:25	0.016
9:26	0.02
9:27	0.023
9:28	0.019
9:29	0.018
9:30	0.017
9:31	0.019
9:32	0.018
9:33	0.018
9:34	0.016
9:35	0.017
9:36	0.018
9:37	0.016
9:38	0.016
9:39	0.016
9:40	0.017
9:41	0.019
9:42	0.018
9:43	0.018
9:44	0.017
9:45	0.018
9:46	0.019
9:47	0.019
9:48	0.017
9:49	0.017
9:50	0.017
9:51	0.019
9:52	0.017
9:53	0.019
9:54	0.017
9:55	0.017
9:56	0.019
9:57	0.02
9:58	0.018
9:59	0.02

10:00	0.02
10:01	0.019
10:02	0.02
10:03	0.018
10:04	0.019
10:05	0.019
10:06	0.018
10:07	0.018
10:08	0.018
10:09	0.02
10:10	0.02
10:11	0.019
10:12	0.018
10:13	0.019
10:14	0.018
10:15	0.018
10:16	0.018
10:17	0.019
10:18	0.019
10:19	0.02
10:20	0.024
10:21	0.022
10:22	0.023
10:23	0.019
10:24	0.019
10:25	0.019
10:26	0.02
10:27	0.019
10:28	0.019
10:29	0.019
10:30	0.019
10:31	0.02
10:32	0.021
10:33	0.018
10:34	0.019
10:35	0.021
10:36	0.021
10:37	0.02
10:38	0.018
10:39	0.018
10:40	0.02
10:41	0.02
10:42	0.018
10:43	0.019

10:44	0.018
10:45	0.018
10:46	0.017
10:47	0.016
10:48	0.016
10:49	0.016
10:50	0.017
10:51	0.018
10:52	0.017
10:53	0.018
10:54	0.017
10:55	0.017
10:56	0.018
10:57	0.018
10:58	0.017
10:59	0.018
11:00	0.019
11:01	0.017
11:02	0.019
11:03	0.018
11:04	0.018
11:05	0.017
11:06	0.017
11:07	0.017
11:08	0.018
11:09	0.019
11:10	0.018
11:11	0.02
11:12	0.019
11:13	0.017
11:14	0.019
11:15	0.02
11:16	0.018
11:17	0.018
11:18	0.017
11:19	0.016
11:20	0.017
11:21	0.018
11:22	0.019
11:23	0.018
11:24	0.016
11:25	0.017
11:26	0.016
11:27	0.016

11:28	0.016
11:29	0.015
11:30	0.017
11:31	0.015
11:32	0.019
11:33	0.015
11:34	0.015
11:35	0.015
11:36	0.016
11:37	0.03
11:38	0.018
11:39	0.016
11:40	0.017
11:41	0.017
11:42	0.017
11:43	0.026
11:44	0.025
11:45	0.018
11:46	0.019
11:47	0.018
11:48	0.019
11:49	0.016
11:50	0.017
11:51	0.016
11:52	0.015
11:53	0.016
11:54	0.016
11:55	0.017
11:56	0.016
11:57	0.016
11:58	0.018
11:59	0.021
12:00	0.017
12:01	0.017
12:02	0.018
12:03	0.019
12:04	0.017
12:05	0.017
12:06	0.02
12:07	0.021
12:08	0.017
12:09	0.017
12:10	0.017
12:11	0.019

12:12	0.016
12:13	0.017
12:14	0.017
12:15	0.017
12:16	0.019
12:17	0.016
12:18	0.018
12:19	0.015
12:20	0.016
12:21	0.017
12:22	0.018
12:23	0.016
12:24	0.017
12:25	0.017
12:26	0.017
12:27	0.019
12:28	0.03
12:29	0.018
12:30	0.017
12:31	0.019
12:32	0.016
12:33	0.016
12:34	0.016
12:35	0.015
12:36	0.016
12:37	0.016
12:38	0.015
12:39	0.015
12:40	0.015
12:41	0.014
12:42	0.014
12:43	0.014
12:44	0.016
12:45	0.014
12:46	0.014
12:47	0.015
12:48	0.014
12:49	0.014
12:50	0.014
12:51	0.013
12:52	0.016
12:53	0.015
12:54	0.014
12:55	0.015

12:56	0.015
12:57	0.013
12:58	0.013
12:59	0.014
13:00	0.014
13:01	0.015
13:02	0.013
13:03	0.014
13:04	0.019
13:05	0.012
13:06	0.013
13:07	0.013
13:08	0.013
13:09	0.013
13:10	0.012
13:11	0.013
13:12	0.015
13:13	0.018
13:14	0.013
13:15	0.015
13:16	0.013
13:17	0.012
13:18	0.013
13:19	0.013
13:20	0.013
13:21	0.011
13:22	0.012
13:23	0.011
13:24	0.011
13:25	0.013
13:26	0.014
13:27	0.013
13:28	0.012
13:29	0.012
13:30	0.012
13:31	0.015
13:32	0.011
13:33	0.011
13:34	0.011
13:35	0.01
13:36	0.011
13:37	0.012
13:38	0.012
13:39	0.012

13:40	0.012
13:41	0.012
13:42	0.011
13:43	0.013
13:44	0.012
13:45	0.011
13:46	0.011
13:47	0.01
13:48	0.011
13:49	0.011
13:50	0.01
13:51	0.011
13:52	0.012
13:53	0.011
13:54	0.011
13:55	0.011
13:56	0.013
13:57	0.011
13:58	0.011
13:59	0.01
14:00	0.011
14:01	0.011
14:02	0.011
14:03	0.011
14:04	0.01
14:05	0.011
14:06	0.015
14:07	0.011
14:08	0.01
14:09	0.01
14:10	0.01
14:11	0.01
14:12	0.012
14:13	0.01
14:14	0.01
14:15	0.011
14:16	0.01
14:17	0.01
14:18	0.01
14:19	0.01
14:20	0.01
14:21	0.01
14:22	0.01
14:23	0.01

14:24	0.011
14:25	0.011
14:26	0.009
14:27	0.01
14:28	0.011
14:29	0.011
14:30	0.01
14:31	0.01
14:32	0.011
14:33	0.01
14:34	0.01
14:35	0.009
14:36	0.01
14:37	0.009
14:38	0.009
14:39	0.009
14:40	0.009
14:41	0.009
14:42	0.011
14:43	0.009
14:44	0.01
14:45	0.01
14:46	0.01
14:47	0.009
14:48	0.009
14:49	0.009
14:50	0.009
14:51	0.009
14:52	0.009
14:53	0.009
14:54	0.009
14:55	0.02
14:56	0.011
14:57	0.01
14:58	0.009
14:59	0.01
15:00	0.01
15:01	0.018
15:02	0.012
15:03	0.01
15:04	0.01
15:05	0.011
15:06	0.019
15:07	0.011

15:08	0.01
15:09	0.012
15:10	0.01
15:11	0.01
15:12	0.01
15:13	0.01
15:14	0.011
15:15	0.011
15:16	0.011
15:17	0.011
15:18	0.011
15:19	0.012
15:20	0.028
15:21	0.013
15:22	0.012
15:23	0.012
15:24	0.012
15:25	0.019
15:26	0.016
15:27	0.01
15:28	0.011
15:29	0.015
15:30	0.011
15:31	0.013
15:32	0.01
15:33	0.01
15:34	0.011
15:35	0.01
15:36	0.01
15:37	0.01
15:38	0.01
15:39	0.01
15:40	0.01
15:41	0.01
15:42	0.011
15:43	0.011
15:44	0.011
15:45	0.012
15:46	0.011
15:47	0.011
15:48	0.011
15:49	0.013
15:50	0.011
15:51	0.01

15:52	0.01
15:53	0.01
15:54	0.01
15:55	0.01
15:56	0.01
15:57	0.01
15:58	0.011
15:59	0.01
16:00	0.011
16:01	0.01
16:02	0.01
16:03	0.01
16:04	0.011
16:05	0.01
16:06	0.01
16:07	0.01
16:08	0.01
16:09	0.009
16:10	0.01
16:11	0.01
16:12	0.01
16:13	0.01
16:14	0.012
16:15	0.011
16:16	0.01
16:17	0.01
16:18	0.011
16:19	0.01
16:20	0.01
16:21	0.011
16:22	0.01
16:23	0.01
16:24	0.011
16:25	0.011
16:26	0.011
16:27	0.011
16:28	0.01
16:29	0.011
16:30	0.011
16:31	0.011
16:32	0.011
16:33	0.011
16:34	0.011
16:35	0.011

16:36	0.012
16:37	0.012
16:38	0.012
16:39	0.011
16:40	0.011
16:41	0.014
16:42	0.011
16:43	0.022
16:44	0.011
16:45	0.011
16:46	0.012
16:47	0.011
16:48	0.014
16:49	0.01
16:50	0.011
16:51	0.011
16:52	0.011
16:53	0.011
16:54	0.011
16:55	0.01
16:56	0.011
16:57	0.011
16:58	0.011
16:59	0.011
17:00	0.018
17:01	0.011
17:02	0.011
17:03	0.011
17:04	0.011
17:05	0.011
17:06	0.011
17:07	0.011
17:08	0.017
17:09	0.011
17:10	0.011
17:11	0.011
17:12	0.011
17:13	0.011
17:14	0.018
17:15	0.011
17:16	0.011
17:17	0.011
17:18	0.01
17:19	0.011

17:20	0.012
17:21	0.011
17:22	0.011
17:23	0.011
17:24	0.011
17:25	0.01
17:26	0.01
17:27	0.011
17:28	0.012
17:29	0.01
17:30	0.01
17:31	0.01
17:32	0.011
17:33	0.011

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	5/22/2024	17:37	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:36	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:35	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:34	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:33	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:32	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:31	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:30	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:29	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:28	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:27	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:26	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:25	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:24	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:23	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:22	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:21	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:20	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:19	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:18	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:17	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:16	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:15	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:14	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:13	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:12	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:11	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:10	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:09	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:08	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:07	Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	17:06	Readings	PID	SC23030921B3	Normal	0

592-601274	5/22/2024	7:11 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:10 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:09 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:08 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:07 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:06 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:05 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:04 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:03 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:02 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:01 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:59 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:58 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:57 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:56 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:55 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:54 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:53 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:52 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:51 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:50 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:49 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:48 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:47 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:46 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:45 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:44 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:43 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:42 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	6:41 Readings	PID	SC23030921B3	Normal	0
592-601274	5/22/2024	CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_005
Test Start Time	6:45:26 AM
Test Start Date	5/22/2024
Test Length [D:H:M]	0:10:53
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.023
PM1 Minimum [mg/m3]	0.013
PM1 Maximum [mg/m3]	0.266
PM1 TWA [mg/m3]	0.025
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	653

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:45	0.031		
6:46	0.02		
6:47	0.266		
6:48	0.023		
6:49	0.02		
6:50	0.019		
6:51	0.02		
6:52	0.022		
6:53	0.023		
6:54	0.019		
6:55	0.02		
6:56	0.022		
6:57	0.023		
6:58	0.027		
6:59	0.029		
7:00	0.021		
7:01	0.021		
7:02	0.021		
7:03	0.02		
7:04	0.021		
7:05	0.022		
7:06	0.024		
7:07	0.023		

7:08	0.023
7:09	0.023
7:10	0.024
7:11	0.024
7:12	0.023
7:13	0.023
7:14	0.024
7:15	0.023
7:16	0.022
7:17	0.022
7:18	0.021
7:19	0.022
7:20	0.021
7:21	0.022
7:22	0.022
7:23	0.022
7:24	0.021
7:25	0.023
7:26	0.023
7:27	0.022
7:28	0.021
7:29	0.023
7:30	0.023
7:31	0.023
7:32	0.024
7:33	0.021
7:34	0.02
7:35	0.02
7:36	0.022
7:37	0.019
7:38	0.02
7:39	0.02
7:40	0.02
7:41	0.021
7:42	0.022
7:43	0.021
7:44	0.018
7:45	0.017
7:46	0.017
7:47	0.017
7:48	0.017
7:49	0.017
7:50	0.016
7:51	0.022

7:52	0.028
7:53	0.021
7:54	0.017
7:55	0.016
7:56	0.02
7:57	0.03
7:58	0.02
7:59	0.019
8:00	0.017
8:01	0.017
8:02	0.017
8:03	0.016
8:04	0.019
8:05	0.253
8:06	0.049
8:07	0.017
8:08	0.017
8:09	0.016
8:10	0.095
8:11	0.017
8:12	0.021
8:13	0.037
8:14	0.017
8:15	0.017
8:16	0.019
8:17	0.027
8:18	0.018
8:19	0.016
8:20	0.05
8:21	0.035
8:22	0.016
8:23	0.017
8:24	0.029
8:25	0.031
8:26	0.018
8:27	0.016
8:28	0.091
8:29	0.019
8:30	0.018
8:31	0.017
8:32	0.03
8:33	0.017
8:34	0.015
8:35	0.044

8:36	0.05
8:37	0.018
8:38	0.017
8:39	0.018
8:40	0.015
8:41	0.014
8:42	0.014
8:43	0.017
8:44	0.018
8:45	0.015
8:46	0.015
8:47	0.023
8:48	0.027
8:49	0.014
8:50	0.014
8:51	0.017
8:52	0.029
8:53	0.023
8:54	0.015
8:55	0.015
8:56	0.016
8:57	0.015
8:58	0.015
8:59	0.017
9:00	0.016
9:01	0.017
9:02	0.014
9:03	0.016
9:04	0.034
9:05	0.019
9:06	0.019
9:07	0.02
9:08	0.015
9:09	0.014
9:10	0.015
9:11	0.018
9:12	0.047
9:13	0.023
9:14	0.016
9:15	0.016
9:16	0.021
9:17	0.023
9:18	0.016
9:19	0.017

9:20	0.015
9:21	0.015
9:22	0.036
9:23	0.026
9:24	0.017
9:25	0.016
9:26	0.017
9:27	0.044
9:28	0.018
9:29	0.017
9:30	0.017
9:31	0.041
9:32	0.048
9:33	0.023
9:34	0.016
9:35	0.017
9:36	0.063
9:37	0.021
9:38	0.018
9:39	0.017
9:40	0.016
9:41	0.054
9:42	0.075
9:43	0.021
9:44	0.018
9:45	0.018
9:46	0.018
9:47	0.017
9:48	0.02
9:49	0.021
9:50	0.018
9:51	0.022
9:52	0.021
9:53	0.021
9:54	0.018
9:55	0.018
9:56	0.019
9:57	0.057
9:58	0.023
9:59	0.019
10:00	0.019
10:01	0.019
10:02	0.021
10:03	0.108

10:04	0.085
10:05	0.024
10:06	0.021
10:07	0.02
10:08	0.022
10:09	0.022
10:10	0.018
10:11	0.02
10:12	0.021
10:13	0.018
10:14	0.02
10:15	0.022
10:16	0.021
10:17	0.067
10:18	0.02
10:19	0.019
10:20	0.049
10:21	0.028
10:22	0.02
10:23	0.02
10:24	0.02
10:25	0.022
10:26	0.022
10:27	0.02
10:28	0.04
10:29	0.021
10:30	0.02
10:31	0.02
10:32	0.021
10:33	0.022
10:34	0.02
10:35	0.019
10:36	0.022
10:37	0.028
10:38	0.032
10:39	0.023
10:40	0.027
10:41	0.022
10:42	0.025
10:43	0.027
10:44	0.065
10:45	0.065
10:46	0.026
10:47	0.023

10:48	0.023
10:49	0.024
10:50	0.02
10:51	0.057
10:52	0.049
10:53	0.021
10:54	0.017
10:55	0.019
10:56	0.018
10:57	0.033
10:58	0.019
10:59	0.019
11:00	0.024
11:01	0.02
11:02	0.02
11:03	0.019
11:04	0.019
11:05	0.02
11:06	0.026
11:07	0.023
11:08	0.02
11:09	0.019
11:10	0.018
11:11	0.018
11:12	0.018
11:13	0.019
11:14	0.02
11:15	0.036
11:16	0.023
11:17	0.02
11:18	0.021
11:19	0.156
11:20	0.044
11:21	0.022
11:22	0.019
11:23	0.019
11:24	0.077
11:25	0.019
11:26	0.021
11:27	0.024
11:28	0.052
11:29	0.019
11:30	0.018
11:31	0.02

11:32	0.021
11:33	0.028
11:34	0.019
11:35	0.019
11:36	0.021
11:37	0.018
11:38	0.026
11:39	0.019
11:40	0.018
11:41	0.019
11:42	0.025
11:43	0.026
11:44	0.022
11:45	0.019
11:46	0.02
11:47	0.021
11:48	0.027
11:49	0.032
11:50	0.028
11:51	0.024
11:52	0.028
11:53	0.031
11:54	0.031
11:55	0.019
11:56	0.02
11:57	0.02
11:58	0.028
11:59	0.021
12:00	0.025
12:01	0.021
12:02	0.02
12:03	0.021
12:04	0.047
12:05	0.033
12:06	0.043
12:07	0.026
12:08	0.026
12:09	0.027
12:10	0.025
12:11	0.023
12:12	0.022
12:13	0.022
12:14	0.022
12:15	0.021

12:16	0.021
12:17	0.021
12:18	0.023
12:19	0.021
12:20	0.021
12:21	0.022
12:22	0.023
12:23	0.022
12:24	0.027
12:25	0.02
12:26	0.022
12:27	0.038
12:28	0.025
12:29	0.022
12:30	0.025
12:31	0.023
12:32	0.023
12:33	0.07
12:34	0.055
12:35	0.035
12:36	0.041
12:37	0.051
12:38	0.024
12:39	0.035
12:40	0.033
12:41	0.022
12:42	0.021
12:43	0.023
12:44	0.022
12:45	0.02
12:46	0.021
12:47	0.021
12:48	0.032
12:49	0.025
12:50	0.022
12:51	0.043
12:52	0.022
12:53	0.021
12:54	0.034
12:55	0.019
12:56	0.021
12:57	0.027
12:58	0.025
12:59	0.021

13:00	0.019
13:01	0.2
13:02	0.026
13:03	0.021
13:04	0.018
13:05	0.018
13:06	0.029
13:07	0.034
13:08	0.019
13:09	0.018
13:10	0.018
13:11	0.017
13:12	0.018
13:13	0.018
13:14	0.018
13:15	0.017
13:16	0.017
13:17	0.018
13:18	0.023
13:19	0.023
13:20	0.019
13:21	0.019
13:22	0.018
13:23	0.017
13:24	0.017
13:25	0.018
13:26	0.023
13:27	0.017
13:28	0.017
13:29	0.016
13:30	0.016
13:31	0.019
13:32	0.019
13:33	0.017
13:34	0.019
13:35	0.017
13:36	0.019
13:37	0.017
13:38	0.017
13:39	0.016
13:40	0.025
13:41	0.017
13:42	0.017
13:43	0.018

13:44	0.019
13:45	0.018
13:46	0.027
13:47	0.017
13:48	0.017
13:49	0.017
13:50	0.024
13:51	0.022
13:52	0.017
13:53	0.02
13:54	0.017
13:55	0.016
13:56	0.02
13:57	0.038
13:58	0.022
13:59	0.018
14:00	0.016
14:01	0.017
14:02	0.017
14:03	0.016
14:04	0.017
14:05	0.017
14:06	0.02
14:07	0.021
14:08	0.021
14:09	0.017
14:10	0.018
14:11	0.025
14:12	0.019
14:13	0.017
14:14	0.015
14:15	0.026
14:16	0.017
14:17	0.015
14:18	0.017
14:19	0.02
14:20	0.024
14:21	0.023
14:22	0.039
14:23	0.017
14:24	0.015
14:25	0.016
14:26	0.018
14:27	0.017

14:28	0.015
14:29	0.015
14:30	0.018
14:31	0.014
14:32	0.015
14:33	0.031
14:34	0.016
14:35	0.014
14:36	0.015
14:37	0.017
14:38	0.017
14:39	0.015
14:40	0.014
14:41	0.021
14:42	0.021
14:43	0.015
14:44	0.018
14:45	0.014
14:46	0.027
14:47	0.029
14:48	0.022
14:49	0.018
14:50	0.023
14:51	0.019
14:52	0.017
14:53	0.035
14:54	0.016
14:55	0.02
14:56	0.016
14:57	0.015
14:58	0.015
14:59	0.015
15:00	0.014
15:01	0.013
15:02	0.013
15:03	0.038
15:04	0.017
15:05	0.018
15:06	0.015
15:07	0.044
15:08	0.023
15:09	0.02
15:10	0.027
15:11	0.015

15:12	0.016
15:13	0.023
15:14	0.022
15:15	0.017
15:16	0.014
15:17	0.014
15:18	0.014
15:19	0.014
15:20	0.018
15:21	0.028
15:22	0.019
15:23	0.018
15:24	0.034
15:25	0.024
15:26	0.018
15:27	0.034
15:28	0.021
15:29	0.017
15:30	0.038
15:31	0.016
15:32	0.016
15:33	0.016
15:34	0.015
15:35	0.022
15:36	0.022
15:37	0.015
15:38	0.014
15:39	0.027
15:40	0.015
15:41	0.014
15:42	0.016
15:43	0.015
15:44	0.015
15:45	0.033
15:46	0.017
15:47	0.016
15:48	0.015
15:49	0.015
15:50	0.019
15:51	0.013
15:52	0.014
15:53	0.019
15:54	0.028
15:55	0.014

15:56	0.014
15:57	0.014
15:58	0.014
15:59	0.017
16:00	0.014
16:01	0.016
16:02	0.014
16:03	0.014
16:04	0.018
16:05	0.014
16:06	0.016
16:07	0.015
16:08	0.014
16:09	0.014
16:10	0.014
16:11	0.014
16:12	0.049
16:13	0.014
16:14	0.014
16:15	0.013
16:16	0.018
16:17	0.021
16:18	0.018
16:19	0.014
16:20	0.015
16:21	0.014
16:22	0.016
16:23	0.015
16:24	0.015
16:25	0.013
16:26	0.034
16:27	0.044
16:28	0.015
16:29	0.014
16:30	0.031
16:31	0.021
16:32	0.015
16:33	0.015
16:34	0.014
16:35	0.017
16:36	0.015
16:37	0.015
16:38	0.015
16:39	0.014

16:40	0.014
16:41	0.04
16:42	0.049
16:43	0.017
16:44	0.019
16:45	0.023
16:46	0.015
16:47	0.015
16:48	0.019
16:49	0.017
16:50	0.016
16:51	0.016
16:52	0.015
16:53	0.016
16:54	0.015
16:55	0.019
16:56	0.013
16:57	0.022
16:58	0.018
16:59	0.014
17:00	0.014
17:01	0.015
17:02	0.016
17:03	0.014
17:04	0.016
17:05	0.021
17:06	0.042
17:07	0.016
17:08	0.016
17:09	0.047
17:10	0.014
17:11	0.015
17:12	0.017
17:13	0.014
17:14	0.016
17:15	0.015
17:16	0.014
17:17	0.015
17:18	0.022
17:19	0.017
17:20	0.018
17:21	0.016
17:22	0.014
17:23	0.013

17:24	0.014
17:25	0.014
17:26	0.014
17:27	0.017
17:28	0.015
17:29	0.014
17:30	0.014
17:31	0.014
17:32	0.017
17:33	0.018
17:34	0.016
17:35	0.032
17:36	0.017
17:37	0.026

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	5/22/2024	17:37	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:36	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:35	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:34	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:33	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:32	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:31	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:30	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:29	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:28	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:27	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:26	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:25	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:24	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:23	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:22	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:21	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:20	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:19	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:18	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:17	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:16	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:15	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:14	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:13	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:12	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:11	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:10	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:09	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:08	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:07	Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	17:06	Readings	PID	SC23030324C7	Normal	0

592-602816	5/22/2024	13:14 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:13 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:12 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	13:11 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	13:10 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	13:09 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:08 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:07 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:06 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:05 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:04 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	13:03 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	13:02 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	13:01 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	13:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:59 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:58 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:57 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:56 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:55 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:54 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:53 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:52 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:51 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:50 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:49 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	12:48 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	12:47 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	12:46 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:45 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:44 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:43 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:42 Readings	PID	SC23030324C7	Normal	0.3

592-602816	5/22/2024	12:08 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:07 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:06 Readings	PID	SC23030324C7	Normal	1.6
592-602816	5/22/2024	12:05 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:04 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	12:03 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	12:02 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	12:01 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	12:00 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:59 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:58 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:57 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:56 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:55 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:54 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:53 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:52 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:51 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:50 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:49 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:48 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:47 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:46 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:45 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:44 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:43 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:42 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:41 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:40 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:39 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:38 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:37 Readings	PID	SC23030324C7	Normal	0.4
592-602816	5/22/2024	11:36 Readings	PID	SC23030324C7	Normal	0.4

592-602816	5/22/2024	11:02 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:01 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	11:00 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:59 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:58 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:57 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:56 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:55 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:54 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:53 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:52 Readings	PID	SC23030324C7	Normal	0.3
592-602816	5/22/2024	10:51 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:50 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:49 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:48 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:46 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:45 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:44 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:43 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:41 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:40 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:39 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:38 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:37 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:35 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:34 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:33 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:32 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:31 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:30 Readings	PID	SC23030324C7	Normal	0.1

592-602816	5/22/2024	10:29 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:28 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:27 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:25 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:24 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:23 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:22 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:21 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:20 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:19 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:18 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:17 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:16 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:15 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:14 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	10:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:08 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:07 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:06 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:05 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:04 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	10:03 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	10:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:59 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:57 Readings	PID	SC23030324C7	Normal	0

592-602816	5/22/2024	9:56 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:55 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:53 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:52 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:51 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:50 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:49 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:48 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:46 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:45 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:44 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	9:43 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	9:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:41 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	9:40 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:39 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:37 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	9:36 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:35 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:34 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:33 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:32 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:31 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:30 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:29 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:28 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:27 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	9:26 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	9:25 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	9:24 Readings	PID	SC23030324C7	Normal	0.1

592-602816	5/22/2024	8:50 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:49 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:48 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:47 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:46 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	8:45 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:44 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:43 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:42 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:41 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:40 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:39 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	8:38 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:37 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	8:36 Readings	PID	SC23030324C7	Normal	0.2
592-602816	5/22/2024	8:35 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:34 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:33 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:32 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:31 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:30 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:29 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:28 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:27 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:26 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:25 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:24 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:23 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:22 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:21 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:20 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:19 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:18 Readings	PID	SC23030324C7	Normal	0

592-602816	5/22/2024	8:17 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:16 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:15 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:14 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:13 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:12 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:11 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:10 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:09 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:08 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:07 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:06 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:05 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:04 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:03 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:02 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:01 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	8:00 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:59 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:58 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:57 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:56 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:55 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:53 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:52 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:51 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:49 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:48 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:47 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:46 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:45 Readings	PID	SC23030324C7	Normal	0

592-602816	5/22/2024	7:44 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:43 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:42 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:41 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:40 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:39 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:38 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:37 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:36 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:35 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:34 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:33 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:32 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:31 Readings	PID	SC23030324C7	Normal	0.1
592-602816	5/22/2024	7:30 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:29 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:28 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:27 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:26 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:25 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:24 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:23 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:22 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:21 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:20 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:19 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:18 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:17 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:16 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:15 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:14 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:13 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:12 Readings	PID	SC23030324C7	Normal	0

592-602816	5/22/2024	7:11 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:09 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:08 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:07 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:06 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:05 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:04 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:03 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:01 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	7:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:59 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:57 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:56 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:55 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:53 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:52 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:51 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:49 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:48 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:47 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:46 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	6:45 Readings	PID	SC23030324C7	Normal	0
592-602816	5/22/2024	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_003
Test Start Time	6:41:24 AM
Test Start Date	5/22/2024
Test Length [D:H:M]	0:10:57
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.025
Mass Minimum [mg/m3]	0.014
Mass Maximum [mg/m3]	0.217
Mass TWA [mg/m3]	0.025
Photometric User Cal	1
Flow User Cal	0
Errors	Max Concentration
Number of Samples	657

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:41	0.083		
6:42	0.026		
6:43	0.024		
6:44	0.024		
6:45	0.03		
6:46	0.03		
6:47	0.026		
6:48	0.03		
6:49	0.028		
6:50	0.028		
6:51	0.027		
6:52	0.028		
6:53	0.026		
6:54	0.033		
6:55	0.026		
6:56	0.028		
6:57	0.026		
6:58	0.024		
6:59	0.027		
7:00	0.027		
7:01	0.026		
7:02	0.028		
7:03	0.035		
7:04	0.027		

7:05	0.028
7:06	0.028
7:07	0.028
7:08	0.031
7:09	0.031
7:10	0.03
7:11	0.03
7:12	0.03
7:13	0.029
7:14	0.03
7:15	0.029
7:16	0.028
7:17	0.029
7:18	0.028
7:19	0.029
7:20	0.027
7:21	0.028
7:22	0.029
7:23	0.034
7:24	0.031
7:25	0.03
7:26	0.029
7:27	0.029
7:28	0.028
7:29	0.028
7:30	0.029
7:31	0.029
7:32	0.028
7:33	0.027
7:34	0.028
7:35	0.028
7:36	0.026
7:37	0.026
7:38	0.029
7:39	0.026
7:40	0.026
7:41	0.028
7:42	0.028
7:43	0.031
7:44	0.026
7:45	0.023
7:46	0.023
7:47	0.024
7:48	0.025

7:49	0.024
7:50	0.025
7:51	0.022
7:52	0.024
7:53	0.024
7:54	0.033
7:55	0.027
7:56	0.025
7:57	0.025
7:58	0.022
7:59	0.021
8:00	0.02
8:01	0.022
8:02	0.024
8:03	0.021
8:04	0.02
8:05	0.021
8:06	0.031
8:07	0.023
8:08	0.024
8:09	0.022
8:10	0.02
8:11	0.02
8:12	0.021
8:13	0.022
8:14	0.024
8:15	0.022
8:16	0.021
8:17	0.022
8:18	0.021
8:19	0.018
8:20	0.018
8:21	0.018
8:22	0.019
8:23	0.02
8:24	0.022
8:25	0.017
8:26	0.018
8:27	0.019
8:28	0.024
8:29	0.027
8:30	0.02
8:31	0.018
8:32	0.017

8:33	0.02
8:34	0.017
8:35	0.017
8:36	0.018
8:37	0.017
8:38	0.017
8:39	0.016
8:40	0.016
8:41	0.016
8:42	0.02
8:43	0.016
8:44	0.016
8:45	0.017
8:46	0.016
8:47	0.016
8:48	0.016
8:49	0.016
8:50	0.018
8:51	0.019
8:52	0.016
8:53	0.016
8:54	0.018
8:55	0.017
8:56	0.018
8:57	0.019
8:58	0.018
8:59	0.02
9:00	0.018
9:01	0.018
9:02	0.02
9:03	0.019
9:04	0.021
9:05	0.019
9:06	0.018
9:07	0.018
9:08	0.019
9:09	0.019
9:10	0.02
9:11	0.018
9:12	0.022
9:13	0.02
9:14	0.019
9:15	0.019
9:16	0.02

9:17	0.021
9:18	0.02
9:19	0.022
9:20	0.019
9:21	0.018
9:22	0.02
9:23	0.021
9:24	0.02
9:25	0.029
9:26	0.023
9:27	0.024
9:28	0.056
9:29	0.023
9:30	0.021
9:31	0.072
9:32	0.102
9:33	0.031
9:34	0.021
9:35	0.022
9:36	0.022
9:37	0.024
9:38	0.021
9:39	0.022
9:40	0.026
9:41	0.023
9:42	0.025
9:43	0.023
9:44	0.024
9:45	0.025
9:46	0.024
9:47	0.024
9:48	0.022
9:49	0.023
9:50	0.025
9:51	0.026
9:52	0.027
9:53	0.024
9:54	0.032
9:55	0.024
9:56	0.025
9:57	0.029
9:58	0.028
9:59	0.024
10:00	0.026

10:01	0.025
10:02	0.028
10:03	0.029
10:04	0.03
10:05	0.029
10:06	0.028
10:07	0.029
10:08	0.029
10:09	0.027
10:10	0.028
10:11	0.026
10:12	0.028
10:13	0.025
10:14	0.027
10:15	0.029
10:16	0.028
10:17	0.025
10:18	0.026
10:19	0.026
10:20	0.024
10:21	0.029
10:22	0.03
10:23	0.026
10:24	0.026
10:25	0.029
10:26	0.029
10:27	0.03
10:28	0.029
10:29	0.03
10:30	0.028
10:31	0.03
10:32	0.028
10:33	0.027
10:34	0.027
10:35	0.027
10:36	0.027
10:37	0.03
10:38	0.028
10:39	0.031
10:40	0.032
10:41	0.026
10:42	0.028
10:43	0.03
10:44	0.028

10:45	0.03
10:46	0.031
10:47	0.028
10:48	0.029
10:49	0.03
10:50	0.03
10:51	0.025
10:52	0.024
10:53	0.025
10:54	0.024
10:55	0.023
10:56	0.024
10:57	0.027
10:58	0.028
10:59	0.025
11:00	0.027
11:01	0.025
11:02	0.025
11:03	0.026
11:04	0.025
11:05	0.023
11:06	0.024
11:07	0.025
11:08	0.024
11:09	0.025
11:10	0.025
11:11	0.024
11:12	0.022
11:13	0.026
11:14	0.027
11:15	0.025
11:16	0.025
11:17	0.026
11:18	0.026
11:19	0.026
11:20	0.028
11:21	0.026
11:22	0.024
11:23	0.025
11:24	0.026
11:25	0.023
11:26	0.024
11:27	0.026
11:28	0.027

11:29	0.025
11:30	0.025
11:31	0.027
11:32	0.026
11:33	0.027
11:34	0.025
11:35	0.023
11:36	0.025
11:37	0.024
11:38	0.024
11:39	0.024
11:40	0.023
11:41	0.025
11:42	0.023
11:43	0.026
11:44	0.027
11:45	0.026
11:46	0.025
11:47	0.025
11:48	0.031
11:49	0.029
11:50	0.027
11:51	0.025
11:52	0.03
11:53	0.029
11:54	0.026
11:55	0.026
11:56	0.047
11:57	0.026
11:58	0.025
11:59	0.025
12:00	0.028
12:01	0.025
12:02	0.027
12:03	0.03
12:04	0.037
12:05	0.027
12:06	0.028
12:07	0.034
12:08	0.027
12:09	0.034
12:10	0.037
12:11	0.029
12:12	0.027

12:13	0.027
12:14	0.026
12:15	0.027
12:16	0.029
12:17	0.027
12:18	0.031
12:19	0.026
12:20	0.028
12:21	0.027
12:22	0.189
12:23	0.132
12:24	0.026
12:25	0.027
12:26	0.027
12:27	0.035
12:28	0.027
12:29	0.03
12:30	0.025
12:31	0.044
12:32	0.024
12:33	0.029
12:34	0.059
12:35	0.031
12:36	0.026
12:37	0.033
12:38	0.024
12:39	0.025
12:40	0.028
12:41	0.03
12:42	0.031
12:43	0.024
12:44	0.023
12:45	0.024
12:46	0.029
12:47	0.022
12:48	0.026
12:49	0.03
12:50	0.024
12:51	0.045
12:52	0.024
12:53	0.024
12:54	0.022
12:55	0.026
12:56	0.031

12:57	0.024
12:58	0.02
12:59	0.023
13:00	0.022
13:01	0.033
13:02	0.028
13:03	0.023
13:04	0.021
13:05	0.021
13:06	0.031
13:07	0.027
13:08	0.02
13:09	0.023
13:10	0.02
13:11	0.02
13:12	0.019
13:13	0.02
13:14	0.019
13:15	0.019
13:16	0.019
13:17	0.028
13:18	0.022
13:19	0.039
13:20	0.026
13:21	0.021
13:22	0.022
13:23	0.021
13:24	0.024
13:25	0.022
13:26	0.022
13:27	0.019
13:28	0.034
13:29	0.023
13:30	0.022
13:31	0.023
13:32	0.021
13:33	0.038
13:34	0.028
13:35	0.025
13:36	0.02
13:37	0.019
13:38	0.018
13:39	0.019
13:40	0.023

13:41	0.019
13:42	0.021
13:43	0.022
13:44	0.02
13:45	0.024
13:46	0.02
13:47	0.02
13:48	0.022
13:49	0.017
13:50	0.017
13:51	0.036
13:52	0.019
13:53	0.017
13:54	0.016
13:55	0.02
13:56	0.019
13:57	0.02
13:58	0.022
13:59	0.017
14:00	0.02
14:01	0.019
14:02	0.019
14:03	0.023
14:04	0.017
14:05	0.016
14:06	0.017
14:07	0.018
14:08	0.023
14:09	0.023
14:10	0.022
14:11	0.048
14:12	0.024
14:13	0.018
14:14	0.017
14:15	0.018
14:16	0.022
14:17	0.017
14:18	0.016
14:19	0.039
14:20	0.023
14:21	0.019
14:22	0.02
14:23	0.016
14:24	0.018

14:25	0.016
14:26	0.017
14:27	0.016
14:28	0.016
14:29	0.016
14:30	0.017
14:31	0.017
14:32	0.015
14:33	0.015
14:34	0.016
14:35	0.017
14:36	0.015
14:37	0.017
14:38	0.019
14:39	0.015
14:40	0.019
14:41	0.014
14:42	0.014
14:43	0.018
14:44	0.037
14:45	0.017
14:46	0.017
14:47	0.017
14:48	0.021
14:49	0.016
14:50	0.037
14:51	0.019
14:52	0.015
14:53	0.025
14:54	0.017
14:55	0.016
14:56	0.016
14:57	0.032
14:58	0.016
14:59	0.016
15:00	0.016
15:01	0.015
15:02	0.016
15:03	0.018
15:04	0.043
15:05	0.02
15:06	0.022
15:07	0.217
15:08	0.041

15:09	0.034
15:10	0.024
15:11	0.024
15:12	0.05
15:13	0.034
15:14	0.02
15:15	0.02
15:16	0.019
15:17	0.02
15:18	0.018
15:19	0.019
15:20	0.021
15:21	0.025
15:22	0.042
15:23	0.033
15:24	0.025
15:25	0.043
15:26	0.05
15:27	0.03
15:28	0.026
15:29	0.028
15:30	0.04
15:31	0.027
15:32	0.023
15:33	0.018
15:34	0.021
15:35	0.112
15:36	0.023
15:37	0.027
15:38	0.016
15:39	0.025
15:40	0.019
15:41	0.016
15:42	0.023
15:43	0.022
15:44	0.018
15:45	0.016
15:46	0.016
15:47	0.02
15:48	0.016
15:49	0.021
15:50	0.015
15:51	0.02
15:52	0.016

15:53	0.019
15:54	0.025
15:55	0.019
15:56	0.016
15:57	0.016
15:58	0.018
15:59	0.015
16:00	0.015
16:01	0.015
16:02	0.017
16:03	0.016
16:04	0.019
16:05	0.02
16:06	0.055
16:07	0.023
16:08	0.017
16:09	0.016
16:10	0.017
16:11	0.029
16:12	0.018
16:13	0.018
16:14	0.02
16:15	0.018
16:16	0.017
16:17	0.043
16:18	0.017
16:19	0.018
16:20	0.024
16:21	0.02
16:22	0.02
16:23	0.018
16:24	0.02
16:25	0.021
16:26	0.02
16:27	0.017
16:28	0.017
16:29	0.021
16:30	0.047
16:31	0.046
16:32	0.029
16:33	0.02
16:34	0.017
16:35	0.02
16:36	0.018

16:37	0.018
16:38	0.018
16:39	0.02
16:40	0.018
16:41	0.019
16:42	0.024
16:43	0.055
16:44	0.027
16:45	0.02
16:46	0.021
16:47	0.018
16:48	0.018
16:49	0.028
16:50	0.025
16:51	0.018
16:52	0.016
16:53	0.017
16:54	0.02
16:55	0.019
16:56	0.017
16:57	0.017
16:58	0.017
16:59	0.017
17:00	0.018
17:01	0.016
17:02	0.016
17:03	0.017
17:04	0.024
17:05	0.036
17:06	0.028
17:07	0.017
17:08	0.016
17:09	0.018
17:10	0.018
17:11	0.016
17:12	0.027
17:13	0.047
17:14	0.018
17:15	0.017
17:16	0.022
17:17	0.016
17:18	0.016
17:19	0.016
17:20	0.018

17:21	0.017
17:22	0.015
17:23	0.015
17:24	0.018
17:25	0.017
17:26	0.017
17:27	0.016
17:28	0.024
17:29	0.019
17:30	0.027
17:31	0.032
17:32	0.017
17:33	0.028
17:34	0.023
17:35	0.022
17:36	0.025
17:37	0.031

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	5/22/2024	17:33	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:32	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:31	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:30	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:29	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:28	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:27	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:26	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:25	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:24	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:23	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:22	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:21	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:20	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:19	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:18	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:17	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:16	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:15	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:14	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:13	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:12	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:11	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:10	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:09	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:08	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:07	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:06	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:05	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:04	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:03	Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	17:02	Readings	PID	SC23030408A8	Normal	0

592-600871	5/22/2024	7:40 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:39 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:38 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:37 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:36 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:35 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:34 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:33 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:32 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:31 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:30 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:29 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:28 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:27 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:26 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:25 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:24 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:23 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:22 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:21 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:20 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:19 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:18 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:17 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:16 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:15 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:14 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:13 Readings	PID	SC23030408A8	Normal	0.3
592-600871	5/22/2024	7:12 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:11 Readings	PID	SC23030408A8	Normal	0.1
592-600871	5/22/2024	7:10 Readings	PID	SC23030408A8	Normal	0.2
592-600871	5/22/2024	7:09 Readings	PID	SC23030408A8	Normal	0.2
592-600871	5/22/2024	7:08 Readings	PID	SC23030408A8	Normal	0.1

592-600871	5/22/2024	7:07 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:06 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:05 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:04 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:03 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:02 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:01 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	7:00 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:59 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:58 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:57 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:56 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:52 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:51 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:50 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:49 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:48 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:47 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:46 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:45 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:44 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:43 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:42 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	6:41 Readings	PID	SC23030408A8	Normal	0
592-600871	5/22/2024	CONFIG	PID	SC23030408A8		