



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow	Rain	Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70		70-85	X	>85		SE – 6 MPH

IEC Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 05/30/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 18:30</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group - Tom Caporale Cascade WSP - Charlie Lambert</p> <p>Equipment On Site: Minirae 3000 PID, DustTrak II</p>
---	---

Scope of Work: ISS column installation.

Site Activities:

- Deploy three (3) CAMPs at the Start of the work day;
- Cascade received one (1) delivery of slag; and
- Cascade drilled **Column 526**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 15 batches;
 - A wet mix sample was collected from 10’;
- Cascade drilled **Column 532**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 18 batches;
- Cascade drilled **Column 543**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 14 batches;
- Cascade drilled **Column 560**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 14 batches;
- Cascade drilled **Column 577**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 15 batches;
- Cascade drilled **Column 594**, column spec below:
 - The column 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 18 batches;

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 1-min period during monitoring;
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.029_ mg/m³ @ 06:45
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.097_ mg/m³ @ 14:16
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.086_ mg/m³ @ 09:28
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.168_ mg/m³ @ 09:21

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Continuation of installing ISS columns; and
- Removal of swell material for offsite disposal.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of
stockpiling swell
material.



Photo 2-
Representative
photo of Cascade
fixing teeth on
auger.



Photo 3-
Representative
photo of
stockpile covered
at the end of the
day.



Photo 4-
Representative
photo of ISS
column being
installed.



Photo 5-
Representative
photo of the wet
mix sample.



SITE PLANS







251 DOUGLASS STREET, BROOKLYN, NY










BUTLER STREET


Legend Extension

-  : ISS column installed to terminal depth
-  : ISS column unable to be installed to terminal depth
-  : Wet mix sample collected from ISS column
-  : ISS pilot test column
-  : ISS column installed to 51' below site grade
-  : Coring location


LEGEND

-  PROPERTY LINE
-  1500 SFT GRID
-  EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
-  EIGHT FOOT DIA. INNER COLUMN (TYP.)
-  SIX FOOT DIA. COLUMN (TYP.)

PROJECT




NORTH




NOTES:

1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.



Drilling of column
526, 532, 543, 560,
577, and 594 on
5/30/2024.

NEVINS STREET



EXISTING 2 STORY BUILDING

QA/QC CORE GRID PLAN

251 Douglass Street
Brooklyn, New York

Figure No: 04

PROJECT NO.	1908-01
DRAWN BY:	AB
CHECKED BY:	AB
CREATED BY:	JFF/AB
DATE:	02/07/2023
SCALE:	1" = 20'
REVISIONS:	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599





UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_011
Test Start Time	6:45:14 AM
Test Start Date	5/30/2024
Test Length [D:H:M]	0:11:14
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.017
PM10 Minimum [mg/m3]	0.007
PM10 Maximum [mg/m3]	0.097
PM10 TWA [mg/m3]	0.017
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	674

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
6:45	0.029		
6:46	0.015		
6:47	0.011		
6:48	0.008		
6:49	0.008		
6:50	0.008		
6:51	0.009		
6:52	0.008		
6:53	0.013		
6:54	0.008		
6:55	0.007		
6:56	0.008		
6:57	0.007		
6:58	0.008		
6:59	0.011		
7:00	0.009		
7:01	0.018		
7:02	0.016		
7:03	0.015		
7:04	0.008		
7:05	0.008		
7:06	0.007		
7:07	0.008		
7:08	0.009		
7:09	0.008		
7:10	0.008		

7:11	0.013
7:12	0.009
7:13	0.008
7:14	0.008
7:15	0.011
7:16	0.013
7:17	0.023
7:18	0.034
7:19	0.014
7:20	0.011
7:21	0.013
7:22	0.008
7:23	0.009
7:24	0.012
7:25	0.012
7:26	0.008
7:27	0.009
7:28	0.014
7:29	0.012
7:30	0.03
7:31	0.018
7:32	0.012
7:33	0.018
7:34	0.012
7:35	0.011
7:36	0.013
7:37	0.013
7:38	0.022
7:39	0.01
7:40	0.026
7:41	0.022
7:42	0.034
7:43	0.01
7:44	0.013
7:45	0.016
7:46	0.011
7:47	0.019
7:48	0.008
7:49	0.008
7:50	0.008
7:51	0.014
7:52	0.015
7:53	0.011
7:54	0.01
7:55	0.034
7:56	0.018
7:57	0.009

7:58	0.01
7:59	0.012
8:00	0.015
8:01	0.013
8:02	0.01
8:03	0.009
8:04	0.009
8:05	0.009
8:06	0.009
8:07	0.008
8:08	0.008
8:09	0.011
8:10	0.008
8:11	0.009
8:12	0.009
8:13	0.007
8:14	0.017
8:15	0.012
8:16	0.009
8:17	0.008
8:18	0.011
8:19	0.078
8:20	0.08
8:21	0.075
8:22	0.073
8:23	0.043
8:24	0.068
8:25	0.029
8:26	0.013
8:27	0.016
8:28	0.013
8:29	0.014
8:30	0.038
8:31	0.034
8:32	0.041
8:33	0.028
8:34	0.02
8:35	0.022
8:36	0.012
8:37	0.019
8:38	0.01
8:39	0.009
8:40	0.009
8:41	0.009
8:42	0.01
8:43	0.011
8:44	0.009

8:45	0.012
8:46	0.014
8:47	0.01
8:48	0.01
8:49	0.009
8:50	0.012
8:51	0.009
8:52	0.013
8:53	0.013
8:54	0.015
8:55	0.014
8:56	0.01
8:57	0.011
8:58	0.011
8:59	0.014
9:00	0.029
9:01	0.014
9:02	0.011
9:03	0.01
9:04	0.011
9:05	0.014
9:06	0.01
9:07	0.01
9:08	0.011
9:09	0.013
9:10	0.016
9:11	0.013
9:12	0.013
9:13	0.019
9:14	0.031
9:15	0.029
9:16	0.014
9:17	0.009
9:18	0.011
9:19	0.023
9:20	0.015
9:21	0.023
9:22	0.022
9:23	0.06
9:24	0.054
9:25	0.029
9:26	0.015
9:27	0.019
9:28	0.017
9:29	0.033
9:30	0.012
9:31	0.015

9:32	0.028
9:33	0.022
9:34	0.081
9:35	0.011
9:36	0.013
9:37	0.016
9:38	0.014
9:39	0.013
9:40	0.012
9:41	0.022
9:42	0.023
9:43	0.018
9:44	0.014
9:45	0.015
9:46	0.014
9:47	0.015
9:48	0.018
9:49	0.013
9:50	0.012
9:51	0.018
9:52	0.021
9:53	0.017
9:54	0.013
9:55	0.018
9:56	0.016
9:57	0.017
9:58	0.019
9:59	0.041
10:00	0.03
10:01	0.018
10:02	0.011
10:03	0.012
10:04	0.014
10:05	0.017
10:06	0.018
10:07	0.021
10:08	0.019
10:09	0.028
10:10	0.027
10:11	0.023
10:12	0.047
10:13	0.019
10:14	0.012
10:15	0.016
10:16	0.017
10:17	0.028
10:18	0.076

10:19	0.032
10:20	0.023
10:21	0.022
10:22	0.015
10:23	0.017
10:24	0.039
10:25	0.012
10:26	0.012
10:27	0.013
10:28	0.02
10:29	0.025
10:30	0.015
10:31	0.013
10:32	0.013
10:33	0.017
10:34	0.009
10:35	0.01
10:36	0.047
10:37	0.02
10:38	0.013
10:39	0.02
10:40	0.012
10:41	0.016
10:42	0.016
10:43	0.01
10:44	0.009
10:45	0.009
10:46	0.011
10:47	0.011
10:48	0.02
10:49	0.012
10:50	0.017
10:51	0.014
10:52	0.009
10:53	0.008
10:54	0.01
10:55	0.01
10:56	0.01
10:57	0.01
10:58	0.011
10:59	0.019
11:00	0.013
11:01	0.015
11:02	0.021
11:03	0.025
11:04	0.016
11:05	0.016

11:06	0.016
11:07	0.057
11:08	0.019
11:09	0.011
11:10	0.013
11:11	0.012
11:12	0.022
11:13	0.021
11:14	0.015
11:15	0.022
11:16	0.015
11:17	0.015
11:18	0.043
11:19	0.02
11:20	0.035
11:21	0.038
11:22	0.037
11:23	0.026
11:24	0.028
11:25	0.016
11:26	0.019
11:27	0.02
11:28	0.023
11:29	0.02
11:30	0.034
11:31	0.027
11:32	0.021
11:33	0.019
11:34	0.037
11:35	0.026
11:36	0.019
11:37	0.013
11:38	0.011
11:39	0.015
11:40	0.012
11:41	0.014
11:42	0.013
11:43	0.016
11:44	0.033
11:45	0.013
11:46	0.012
11:47	0.012
11:48	0.013
11:49	0.012
11:50	0.013
11:51	0.015
11:52	0.015

11:53	0.013
11:54	0.014
11:55	0.012
11:56	0.014
11:57	0.013
11:58	0.011
11:59	0.011
12:00	0.013
12:01	0.012
12:02	0.012
12:03	0.012
12:04	0.011
12:05	0.013
12:06	0.012
12:07	0.012
12:08	0.015
12:09	0.015
12:10	0.024
12:11	0.011
12:12	0.011
12:13	0.013
12:14	0.011
12:15	0.014
12:16	0.011
12:17	0.012
12:18	0.011
12:19	0.011
12:20	0.012
12:21	0.018
12:22	0.012
12:23	0.019
12:24	0.012
12:25	0.011
12:26	0.014
12:27	0.014
12:28	0.011
12:29	0.013
12:30	0.015
12:31	0.037
12:32	0.016
12:33	0.012
12:34	0.01
12:35	0.01
12:36	0.011
12:37	0.01
12:38	0.014
12:39	0.012

12:40	0.021
12:41	0.013
12:42	0.01
12:43	0.01
12:44	0.012
12:45	0.01
12:46	0.01
12:47	0.018
12:48	0.024
12:49	0.011
12:50	0.01
12:51	0.01
12:52	0.012
12:53	0.016
12:54	0.014
12:55	0.016
12:56	0.017
12:57	0.013
12:58	0.014
12:59	0.036
13:00	0.012
13:01	0.011
13:02	0.011
13:03	0.012
13:04	0.013
13:05	0.024
13:06	0.028
13:07	0.019
13:08	0.032
13:09	0.018
13:10	0.029
13:11	0.031
13:12	0.028
13:13	0.022
13:14	0.019
13:15	0.036
13:16	0.012
13:17	0.016
13:18	0.026
13:19	0.016
13:20	0.022
13:21	0.021
13:22	0.023
13:23	0.016
13:24	0.013
13:25	0.015
13:26	0.012

13:27	0.014
13:28	0.017
13:29	0.013
13:30	0.011
13:31	0.014
13:32	0.024
13:33	0.013
13:34	0.015
13:35	0.014
13:36	0.019
13:37	0.017
13:38	0.02
13:39	0.014
13:40	0.014
13:41	0.011
13:42	0.011
13:43	0.012
13:44	0.014
13:45	0.015
13:46	0.017
13:47	0.014
13:48	0.012
13:49	0.011
13:50	0.012
13:51	0.013
13:52	0.012
13:53	0.024
13:54	0.012
13:55	0.017
13:56	0.012
13:57	0.019
13:58	0.014
13:59	0.013
14:00	0.012
14:01	0.013
14:02	0.015
14:03	0.051
14:04	0.056
14:05	0.022
14:06	0.011
14:07	0.012
14:08	0.014
14:09	0.017
14:10	0.021
14:11	0.014
14:12	0.013
14:13	0.016

14:14	0.025
14:15	0.017
14:16	0.097
14:17	0.017
14:18	0.017
14:19	0.013
14:20	0.015
14:21	0.014
14:22	0.022
14:23	0.016
14:24	0.013
14:25	0.018
14:26	0.022
14:27	0.073
14:28	0.059
14:29	0.027
14:30	0.03
14:31	0.021
14:32	0.016
14:33	0.014
14:34	0.013
14:35	0.013
14:36	0.014
14:37	0.016
14:38	0.018
14:39	0.042
14:40	0.032
14:41	0.024
14:42	0.016
14:43	0.02
14:44	0.016
14:45	0.013
14:46	0.02
14:47	0.014
14:48	0.014
14:49	0.016
14:50	0.017
14:51	0.016
14:52	0.017
14:53	0.023
14:54	0.012
14:55	0.022
14:56	0.015
14:57	0.015
14:58	0.013
14:59	0.016
15:00	0.015

15:01	0.017
15:02	0.014
15:03	0.024
15:04	0.019
15:05	0.013
15:06	0.011
15:07	0.012
15:08	0.011
15:09	0.011
15:10	0.012
15:11	0.012
15:12	0.011
15:13	0.015
15:14	0.011
15:15	0.012
15:16	0.013
15:17	0.012
15:18	0.012
15:19	0.013
15:20	0.017
15:21	0.013
15:22	0.024
15:23	0.027
15:24	0.02
15:25	0.019
15:26	0.017
15:27	0.012
15:28	0.013
15:29	0.013
15:30	0.025
15:31	0.018
15:32	0.013
15:33	0.015
15:34	0.013
15:35	0.014
15:36	0.012
15:37	0.013
15:38	0.014
15:39	0.028
15:40	0.015
15:41	0.017
15:42	0.018
15:43	0.025
15:44	0.026
15:45	0.016
15:46	0.016
15:47	0.014

15:48	0.013
15:49	0.014
15:50	0.012
15:51	0.014
15:52	0.014
15:53	0.014
15:54	0.019
15:55	0.013
15:56	0.012
15:57	0.013
15:58	0.012
15:59	0.015
16:00	0.015
16:01	0.013
16:02	0.011
16:03	0.013
16:04	0.017
16:05	0.012
16:06	0.016
16:07	0.014
16:08	0.017
16:09	0.014
16:10	0.015
16:11	0.014
16:12	0.014
16:13	0.015
16:14	0.015
16:15	0.012
16:16	0.012
16:17	0.013
16:18	0.012
16:19	0.012
16:20	0.018
16:21	0.016
16:22	0.017
16:23	0.015
16:24	0.013
16:25	0.013
16:26	0.013
16:27	0.014
16:28	0.013
16:29	0.013
16:30	0.027
16:31	0.015
16:32	0.013
16:33	0.012
16:34	0.013

16:35	0.078
16:36	0.024
16:37	0.019
16:38	0.023
16:39	0.015
16:40	0.014
16:41	0.017
16:42	0.016
16:43	0.013
16:44	0.012
16:45	0.013
16:46	0.013
16:47	0.013
16:48	0.016
16:49	0.012
16:50	0.013
16:51	0.015
16:52	0.013
16:53	0.013
16:54	0.012
16:55	0.011
16:56	0.014
16:57	0.018
16:58	0.017
16:59	0.011
17:00	0.017
17:01	0.05
17:02	0.016
17:03	0.012
17:04	0.012
17:05	0.013
17:06	0.013
17:07	0.015
17:08	0.014
17:09	0.023
17:10	0.023
17:11	0.025
17:12	0.021
17:13	0.019
17:14	0.016
17:15	0.021
17:16	0.025
17:17	0.021
17:18	0.032
17:19	0.04
17:20	0.077
17:21	0.015

17:22	0.054
17:23	0.045
17:24	0.033
17:25	0.02
17:26	0.015
17:27	0.017
17:28	0.017
17:29	0.019
17:30	0.013
17:31	0.013
17:32	0.014
17:33	0.014
17:34	0.015
17:35	0.012
17:36	0.013
17:37	0.012
17:38	0.011
17:39	0.014
17:40	0.019
17:41	0.02
17:42	0.018
17:43	0.019
17:44	0.016
17:45	0.027
17:46	0.017
17:47	0.015
17:48	0.012
17:49	0.013
17:50	0.012
17:51	0.013
17:52	0.024
17:53	0.016
17:54	0.015
17:55	0.013
17:56	0.016
17:57	0.013
17:58	0.013

592-601274	5/30/2024	7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:59 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:58 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:57 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:56 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:55 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:54 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:53 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:52 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:51 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:50 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:49 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:48 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:47 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:46 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	6:45 Readings	PID	SC23030921B3	Normal	0
592-601274	5/30/2024	CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_008
Test Start Time	6:41:17 AM
Test Start Date	5/30/2024
Test Length [D:H:M]	0:11:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.086
Mass TWA [mg/m3]	0.013
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	690

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:41	0.051		
6:42	0.008		
6:43	0.007		
6:44	0.007		
6:45	0.007		
6:46	0.008		
6:47	0.008		
6:48	0.008		
6:49	0.008		
6:50	0.009		
6:51	0.008		
6:52	0.008		
6:53	0.009		
6:54	0.009		
6:55	0.009		
6:56	0.009		
6:57	0.009		
6:58	0.009		
6:59	0.009		
7:00	0.009		
7:01	0.009		
7:02	0.009		
7:03	0.009		
7:04	0.009		
7:05	0.01		
7:06	0.009		
7:07	0.009		

7:08	0.009
7:09	0.008
7:10	0.009
7:11	0.009
7:12	0.009
7:13	0.008
7:14	0.009
7:15	0.01
7:16	0.011
7:17	0.011
7:18	0.011
7:19	0.01
7:20	0.01
7:21	0.01
7:22	0.01
7:23	0.011
7:24	0.013
7:25	0.012
7:26	0.01
7:27	0.01
7:28	0.01
7:29	0.011
7:30	0.01
7:31	0.01
7:32	0.012
7:33	0.011
7:34	0.013
7:35	0.013
7:36	0.012
7:37	0.014
7:38	0.011
7:39	0.012
7:40	0.012
7:41	0.012
7:42	0.013
7:43	0.01
7:44	0.012
7:45	0.011
7:46	0.066
7:47	0.021
7:48	0.012
7:49	0.011
7:50	0.012
7:51	0.013
7:52	0.009
7:53	0.011
7:54	0.01

7:55	0.011
7:56	0.01
7:57	0.011
7:58	0.011
7:59	0.01
8:00	0.01
8:01	0.01
8:02	0.011
8:03	0.013
8:04	0.012
8:05	0.012
8:06	0.012
8:07	0.012
8:08	0.018
8:09	0.014
8:10	0.013
8:11	0.018
8:12	0.014
8:13	0.013
8:14	0.015
8:15	0.014
8:16	0.023
8:17	0.013
8:18	0.013
8:19	0.013
8:20	0.013
8:21	0.029
8:22	0.015
8:23	0.009
8:24	0.011
8:25	0.012
8:26	0.014
8:27	0.013
8:28	0.012
8:29	0.011
8:30	0.013
8:31	0.011
8:32	0.011
8:33	0.013
8:34	0.012
8:35	0.012
8:36	0.013
8:37	0.012
8:38	0.012
8:39	0.011
8:40	0.012
8:41	0.016

8:42	0.017
8:43	0.019
8:44	0.014
8:45	0.017
8:46	0.013
8:47	0.011
8:48	0.015
8:49	0.012
8:50	0.015
8:51	0.012
8:52	0.013
8:53	0.013
8:54	0.012
8:55	0.011
8:56	0.011
8:57	0.018
8:58	0.031
8:59	0.014
9:00	0.016
9:01	0.018
9:02	0.026
9:03	0.017
9:04	0.013
9:05	0.015
9:06	0.019
9:07	0.021
9:08	0.027
9:09	0.027
9:10	0.013
9:11	0.012
9:12	0.014
9:13	0.014
9:14	0.012
9:15	0.019
9:16	0.015
9:17	0.011
9:18	0.013
9:19	0.013
9:20	0.012
9:21	0.012
9:22	0.013
9:23	0.012
9:24	0.012
9:25	0.018
9:26	0.016
9:27	0.023
9:28	0.086

9:29	0.018
9:30	0.017
9:31	0.014
9:32	0.011
9:33	0.013
9:34	0.011
9:35	0.011
9:36	0.011
9:37	0.012
9:38	0.011
9:39	0.012
9:40	0.012
9:41	0.012
9:42	0.011
9:43	0.013
9:44	0.012
9:45	0.011
9:46	0.012
9:47	0.013
9:48	0.01
9:49	0.011
9:50	0.012
9:51	0.012
9:52	0.012
9:53	0.011
9:54	0.012
9:55	0.012
9:56	0.011
9:57	0.015
9:58	0.013
9:59	0.014
10:00	0.013
10:01	0.011
10:02	0.013
10:03	0.012
10:04	0.012
10:05	0.013
10:06	0.012
10:07	0.012
10:08	0.013
10:09	0.012
10:10	0.011
10:11	0.012
10:12	0.013
10:13	0.013
10:14	0.012
10:15	0.012

10:16	0.012
10:17	0.011
10:18	0.011
10:19	0.011
10:20	0.011
10:21	0.012
10:22	0.011
10:23	0.011
10:24	0.012
10:25	0.011
10:26	0.011
10:27	0.011
10:28	0.012
10:29	0.011
10:30	0.011
10:31	0.012
10:32	0.012
10:33	0.012
10:34	0.011
10:35	0.012
10:36	0.011
10:37	0.013
10:38	0.011
10:39	0.011
10:40	0.013
10:41	0.011
10:42	0.012
10:43	0.012
10:44	0.011
10:45	0.011
10:46	0.01
10:47	0.013
10:48	0.013
10:49	0.021
10:50	0.024
10:51	0.015
10:52	0.012
10:53	0.01
10:54	0.01
10:55	0.011
10:56	0.011
10:57	0.01
10:58	0.01
10:59	0.01
11:00	0.01
11:01	0.01
11:02	0.011

11:03	0.01
11:04	0.011
11:05	0.012
11:06	0.012
11:07	0.011
11:08	0.012
11:09	0.016
11:10	0.012
11:11	0.013
11:12	0.022
11:13	0.021
11:14	0.015
11:15	0.012
11:16	0.014
11:17	0.012
11:18	0.012
11:19	0.012
11:20	0.012
11:21	0.011
11:22	0.011
11:23	0.011
11:24	0.011
11:25	0.011
11:26	0.011
11:27	0.014
11:28	0.012
11:29	0.012
11:30	0.013
11:31	0.013
11:32	0.011
11:33	0.011
11:34	0.011
11:35	0.012
11:36	0.011
11:37	0.011
11:38	0.012
11:39	0.013
11:40	0.012
11:41	0.012
11:42	0.014
11:43	0.012
11:44	0.014
11:45	0.012
11:46	0.012
11:47	0.012
11:48	0.012
11:49	0.012

11:50	0.012
11:51	0.024
11:52	0.019
11:53	0.014
11:54	0.013
11:55	0.015
11:56	0.012
11:57	0.012
11:58	0.013
11:59	0.012
12:00	0.012
12:01	0.012
12:02	0.012
12:03	0.013
12:04	0.012
12:05	0.013
12:06	0.013
12:07	0.013
12:08	0.015
12:09	0.013
12:10	0.013
12:11	0.013
12:12	0.012
12:13	0.012
12:14	0.012
12:15	0.012
12:16	0.011
12:17	0.012
12:18	0.011
12:19	0.011
12:20	0.012
12:21	0.012
12:22	0.014
12:23	0.018
12:24	0.024
12:25	0.019
12:26	0.016
12:27	0.013
12:28	0.012
12:29	0.013
12:30	0.011
12:31	0.014
12:32	0.012
12:33	0.012
12:34	0.012
12:35	0.015
12:36	0.016

12:37	0.017
12:38	0.014
12:39	0.012
12:40	0.012
12:41	0.014
12:42	0.017
12:43	0.014
12:44	0.013
12:45	0.013
12:46	0.014
12:47	0.013
12:48	0.013
12:49	0.014
12:50	0.015
12:51	0.013
12:52	0.013
12:53	0.013
12:54	0.013
12:55	0.015
12:56	0.014
12:57	0.013
12:58	0.013
12:59	0.013
13:00	0.012
13:01	0.013
13:02	0.014
13:03	0.013
13:04	0.012
13:05	0.018
13:06	0.013
13:07	0.012
13:08	0.014
13:09	0.015
13:10	0.015
13:11	0.014
13:12	0.015
13:13	0.015
13:14	0.014
13:15	0.013
13:16	0.014
13:17	0.015
13:18	0.017
13:19	0.015
13:20	0.017
13:21	0.013
13:22	0.014
13:23	0.013

13:24	0.014
13:25	0.014
13:26	0.014
13:27	0.014
13:28	0.013
13:29	0.013
13:30	0.013
13:31	0.016
13:32	0.013
13:33	0.014
13:34	0.013
13:35	0.015
13:36	0.015
13:37	0.015
13:38	0.015
13:39	0.015
13:40	0.024
13:41	0.014
13:42	0.014
13:43	0.015
13:44	0.015
13:45	0.019
13:46	0.024
13:47	0.018
13:48	0.021
13:49	0.019
13:50	0.02
13:51	0.022
13:52	0.022
13:53	0.018
13:54	0.02
13:55	0.019
13:56	0.016
13:57	0.014
13:58	0.018
13:59	0.015
14:00	0.015
14:01	0.013
14:02	0.013
14:03	0.016
14:04	0.013
14:05	0.013
14:06	0.014
14:07	0.013
14:08	0.013
14:09	0.013
14:10	0.016

14:11	0.015
14:12	0.017
14:13	0.014
14:14	0.013
14:15	0.013
14:16	0.015
14:17	0.015
14:18	0.016
14:19	0.015
14:20	0.023
14:21	0.018
14:22	0.016
14:23	0.014
14:24	0.015
14:25	0.015
14:26	0.012
14:27	0.013
14:28	0.013
14:29	0.015
14:30	0.013
14:31	0.012
14:32	0.012
14:33	0.013
14:34	0.013
14:35	0.013
14:36	0.013
14:37	0.014
14:38	0.014
14:39	0.014
14:40	0.014
14:41	0.013
14:42	0.014
14:43	0.013
14:44	0.014
14:45	0.014
14:46	0.013
14:47	0.013
14:48	0.013
14:49	0.014
14:50	0.014
14:51	0.014
14:52	0.014
14:53	0.015
14:54	0.015
14:55	0.016
14:56	0.015
14:57	0.015

14:58	0.015
14:59	0.015
15:00	0.015
15:01	0.016
15:02	0.018
15:03	0.018
15:04	0.016
15:05	0.017
15:06	0.017
15:07	0.015
15:08	0.016
15:09	0.016
15:10	0.015
15:11	0.014
15:12	0.013
15:13	0.015
15:14	0.015
15:15	0.014
15:16	0.014
15:17	0.014
15:18	0.016
15:19	0.016
15:20	0.016
15:21	0.015
15:22	0.015
15:23	0.015
15:24	0.014
15:25	0.014
15:26	0.014
15:27	0.014
15:28	0.014
15:29	0.014
15:30	0.014
15:31	0.014
15:32	0.014
15:33	0.015
15:34	0.014
15:35	0.013
15:36	0.014
15:37	0.014
15:38	0.014
15:39	0.015
15:40	0.015
15:41	0.014
15:42	0.014
15:43	0.014
15:44	0.014

15:45	0.015
15:46	0.015
15:47	0.027
15:48	0.036
15:49	0.014
15:50	0.014
15:51	0.014
15:52	0.014
15:53	0.015
15:54	0.015
15:55	0.015
15:56	0.015
15:57	0.015
15:58	0.015
15:59	0.015
16:00	0.015
16:01	0.015
16:02	0.016
16:03	0.017
16:04	0.018
16:05	0.017
16:06	0.015
16:07	0.015
16:08	0.014
16:09	0.017
16:10	0.016
16:11	0.015
16:12	0.015
16:13	0.014
16:14	0.014
16:15	0.015
16:16	0.015
16:17	0.018
16:18	0.017
16:19	0.015
16:20	0.017
16:21	0.015
16:22	0.015
16:23	0.015
16:24	0.015
16:25	0.014
16:26	0.015
16:27	0.015
16:28	0.014
16:29	0.014
16:30	0.015
16:31	0.016

16:32	0.015
16:33	0.014
16:34	0.014
16:35	0.015
16:36	0.015
16:37	0.016
16:38	0.015
16:39	0.017
16:40	0.016
16:41	0.015
16:42	0.016
16:43	0.015
16:44	0.015
16:45	0.016
16:46	0.015
16:47	0.015
16:48	0.014
16:49	0.014
16:50	0.015
16:51	0.014
16:52	0.014
16:53	0.016
16:54	0.017
16:55	0.015
16:56	0.014
16:57	0.015
16:58	0.017
16:59	0.014
17:00	0.014
17:01	0.015
17:02	0.026
17:03	0.017
17:04	0.017
17:05	0.021
17:06	0.018
17:07	0.017
17:08	0.019
17:09	0.014
17:10	0.014
17:11	0.014
17:12	0.016
17:13	0.015
17:14	0.014
17:15	0.016
17:16	0.02
17:17	0.017
17:18	0.014

17:19	0.017
17:20	0.024
17:21	0.014
17:22	0.013
17:23	0.013
17:24	0.013
17:25	0.013
17:26	0.014
17:27	0.018
17:28	0.014
17:29	0.014
17:30	0.014
17:31	0.015
17:32	0.014
17:33	0.014
17:34	0.014
17:35	0.013
17:36	0.013
17:37	0.013
17:38	0.014
17:39	0.015
17:40	0.013
17:41	0.014
17:42	0.013
17:43	0.013
17:44	0.013
17:45	0.015
17:46	0.014
17:47	0.018
17:48	0.014
17:49	0.018
17:50	0.016
17:51	0.017
17:52	0.017
17:53	0.02
17:54	0.015
17:55	0.023
17:56	0.017
17:57	0.013
17:58	0.013
17:59	0.013
18:00	0.014
18:01	0.013
18:02	0.013
18:03	0.012
18:04	0.013
18:05	0.013

18:06	0.013
18:07	0.012
18:08	0.013
18:09	0.013
18:10	0.019

592-602816	5/30/2024	7:11 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:10 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:09 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:08 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:07 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:06 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:05 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:04 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:03 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:02 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:01 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	7:00 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:59 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:58 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:57 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:56 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:55 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:54 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:53 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:52 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:51 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:50 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:49 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:48 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:47 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:46 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:45 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:44 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:43 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:42 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	6:41 Readings	PID	SC23030324C7	Normal	0
592-602816	5/30/2024	CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_009
Test Start Time	6:42:42 AM
Test Start Date	5/30/2024
Test Length [D:H:M]	0:11:21
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.011
PM10 Minimum [mg/m3]	0.005
PM10 Maximum [mg/m3]	0.168
PM10 TWA [mg/m3]	0.01
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	681

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
6:42	0.058		
6:43	0.005		
6:44	0.005		
6:45	0.005		
6:46	0.005		
6:47	0.006		
6:48	0.005		
6:49	0.006		
6:50	0.006		
6:51	0.007		
6:52	0.006		
6:53	0.006		
6:54	0.006		
6:55	0.006		
6:56	0.006		
6:57	0.006		
6:58	0.006		
6:59	0.007		
7:00	0.006		
7:01	0.006		
7:02	0.006		
7:03	0.007		
7:04	0.007		
7:05	0.006		
7:06	0.006		
7:07	0.006		

7:08	0.006
7:09	0.008
7:10	0.007
7:11	0.008
7:12	0.009
7:13	0.01
7:14	0.006
7:15	0.006
7:16	0.006
7:17	0.008
7:18	0.008
7:19	0.008
7:20	0.006
7:21	0.008
7:22	0.006
7:23	0.008
7:24	0.007
7:25	0.007
7:26	0.008
7:27	0.008
7:28	0.01
7:29	0.009
7:30	0.007
7:31	0.008
7:32	0.009
7:33	0.008
7:34	0.013
7:35	0.011
7:36	0.009
7:37	0.007
7:38	0.012
7:39	0.012
7:40	0.01
7:41	0.009
7:42	0.008
7:43	0.007
7:44	0.007
7:45	0.007
7:46	0.006
7:47	0.008
7:48	0.009
7:49	0.009
7:50	0.009
7:51	0.009
7:52	0.009
7:53	0.008
7:54	0.01

7:55	0.007
7:56	0.009
7:57	0.008
7:58	0.009
7:59	0.009
8:00	0.01
8:01	0.01
8:02	0.01
8:03	0.01
8:04	0.008
8:05	0.008
8:06	0.009
8:07	0.009
8:08	0.012
8:09	0.013
8:10	0.012
8:11	0.009
8:12	0.01
8:13	0.009
8:14	0.014
8:15	0.013
8:16	0.009
8:17	0.009
8:18	0.013
8:19	0.017
8:20	0.013
8:21	0.009
8:22	0.011
8:23	0.009
8:24	0.011
8:25	0.008
8:26	0.009
8:27	0.009
8:28	0.01
8:29	0.01
8:30	0.011
8:31	0.01
8:32	0.008
8:33	0.009
8:34	0.011
8:35	0.014
8:36	0.02
8:37	0.012
8:38	0.01
8:39	0.01
8:40	0.009
8:41	0.01

8:42	0.009
8:43	0.009
8:44	0.01
8:45	0.008
8:46	0.01
8:47	0.011
8:48	0.01
8:49	0.011
8:50	0.009
8:51	0.009
8:52	0.01
8:53	0.009
8:54	0.012
8:55	0.01
8:56	0.01
8:57	0.01
8:58	0.009
8:59	0.008
9:00	0.011
9:01	0.012
9:02	0.012
9:03	0.011
9:04	0.012
9:05	0.011
9:06	0.009
9:07	0.01
9:08	0.011
9:09	0.01
9:10	0.011
9:11	0.011
9:12	0.011
9:13	0.011
9:14	0.011
9:15	0.009
9:16	0.011
9:17	0.011
9:18	0.01
9:19	0.011
9:20	0.01
9:21	0.168
9:22	0.077
9:23	0.015
9:24	0.012
9:25	0.01
9:26	0.009
9:27	0.027
9:28	0.009

9:29	0.009
9:30	0.012
9:31	0.01
9:32	0.009
9:33	0.011
9:34	0.01
9:35	0.01
9:36	0.011
9:37	0.012
9:38	0.01
9:39	0.009
9:40	0.01
9:41	0.009
9:42	0.009
9:43	0.008
9:44	0.009
9:45	0.011
9:46	0.01
9:47	0.009
9:48	0.01
9:49	0.009
9:50	0.009
9:51	0.014
9:52	0.01
9:53	0.01
9:54	0.009
9:55	0.01
9:56	0.009
9:57	0.008
9:58	0.009
9:59	0.009
10:00	0.009
10:01	0.009
10:02	0.01
10:03	0.01
10:04	0.009
10:05	0.01
10:06	0.01
10:07	0.009
10:08	0.009
10:09	0.009
10:10	0.009
10:11	0.009
10:12	0.009
10:13	0.009
10:14	0.008
10:15	0.015

10:16	0.008
10:17	0.009
10:18	0.01
10:19	0.009
10:20	0.01
10:21	0.009
10:22	0.009
10:23	0.008
10:24	0.009
10:25	0.009
10:26	0.009
10:27	0.009
10:28	0.008
10:29	0.009
10:30	0.008
10:31	0.008
10:32	0.008
10:33	0.008
10:34	0.009
10:35	0.008
10:36	0.009
10:37	0.009
10:38	0.008
10:39	0.008
10:40	0.008
10:41	0.009
10:42	0.01
10:43	0.009
10:44	0.009
10:45	0.008
10:46	0.008
10:47	0.008
10:48	0.008
10:49	0.008
10:50	0.008
10:51	0.008
10:52	0.009
10:53	0.009
10:54	0.009
10:55	0.009
10:56	0.008
10:57	0.009
10:58	0.009
10:59	0.008
11:00	0.009
11:01	0.009
11:02	0.009

11:03	0.01
11:04	0.009
11:05	0.009
11:06	0.009
11:07	0.008
11:08	0.008
11:09	0.009
11:10	0.009
11:11	0.009
11:12	0.009
11:13	0.009
11:14	0.009
11:15	0.009
11:16	0.009
11:17	0.008
11:18	0.008
11:19	0.008
11:20	0.008
11:21	0.008
11:22	0.009
11:23	0.01
11:24	0.013
11:25	0.008
11:26	0.008
11:27	0.008
11:28	0.009
11:29	0.009
11:30	0.009
11:31	0.009
11:32	0.008
11:33	0.009
11:34	0.008
11:35	0.009
11:36	0.01
11:37	0.009
11:38	0.008
11:39	0.009
11:40	0.008
11:41	0.009
11:42	0.01
11:43	0.009
11:44	0.009
11:45	0.01
11:46	0.008
11:47	0.008
11:48	0.009
11:49	0.009

11:50	0.009
11:51	0.009
11:52	0.009
11:53	0.008
11:54	0.01
11:55	0.009
11:56	0.009
11:57	0.01
11:58	0.009
11:59	0.01
12:00	0.01
12:01	0.009
12:02	0.011
12:03	0.01
12:04	0.01
12:05	0.01
12:06	0.009
12:07	0.009
12:08	0.009
12:09	0.009
12:10	0.009
12:11	0.009
12:12	0.009
12:13	0.009
12:14	0.01
12:15	0.009
12:16	0.009
12:17	0.01
12:18	0.009
12:19	0.009
12:20	0.009
12:21	0.009
12:22	0.01
12:23	0.009
12:24	0.011
12:25	0.013
12:26	0.01
12:27	0.009
12:28	0.011
12:29	0.009
12:30	0.009
12:31	0.009
12:32	0.01
12:33	0.01
12:34	0.01
12:35	0.009
12:36	0.01

12:37	0.009
12:38	0.009
12:39	0.009
12:40	0.01
12:41	0.01
12:42	0.01
12:43	0.01
12:44	0.012
12:45	0.01
12:46	0.01
12:47	0.01
12:48	0.012
12:49	0.011
12:50	0.011
12:51	0.011
12:52	0.01
12:53	0.009
12:54	0.01
12:55	0.011
12:56	0.01
12:57	0.01
12:58	0.009
12:59	0.011
13:00	0.012
13:01	0.01
13:02	0.011
13:03	0.011
13:04	0.01
13:05	0.01
13:06	0.01
13:07	0.01
13:08	0.01
13:09	0.01
13:10	0.01
13:11	0.01
13:12	0.011
13:13	0.011
13:14	0.01
13:15	0.011
13:16	0.01
13:17	0.01
13:18	0.01
13:19	0.01
13:20	0.01
13:21	0.01
13:22	0.01
13:23	0.01

13:24	0.009
13:25	0.01
13:26	0.009
13:27	0.01
13:28	0.01
13:29	0.011
13:30	0.011
13:31	0.011
13:32	0.011
13:33	0.011
13:34	0.01
13:35	0.01
13:36	0.013
13:37	0.011
13:38	0.01
13:39	0.01
13:40	0.012
13:41	0.01
13:42	0.01
13:43	0.01
13:44	0.014
13:45	0.012
13:46	0.013
13:47	0.012
13:48	0.01
13:49	0.014
13:50	0.01
13:51	0.011
13:52	0.011
13:53	0.012
13:54	0.011
13:55	0.011
13:56	0.011
13:57	0.011
13:58	0.01
13:59	0.011
14:00	0.011
14:01	0.01
14:02	0.01
14:03	0.01
14:04	0.011
14:05	0.01
14:06	0.01
14:07	0.011
14:08	0.012
14:09	0.011
14:10	0.012

14:11	0.011
14:12	0.01
14:13	0.011
14:14	0.012
14:15	0.012
14:16	0.011
14:17	0.01
14:18	0.011
14:19	0.01
14:20	0.011
14:21	0.01
14:22	0.013
14:23	0.012
14:24	0.011
14:25	0.012
14:26	0.011
14:27	0.01
14:28	0.011
14:29	0.011
14:30	0.01
14:31	0.012
14:32	0.011
14:33	0.011
14:34	0.01
14:35	0.011
14:36	0.012
14:37	0.011
14:38	0.011
14:39	0.011
14:40	0.01
14:41	0.01
14:42	0.01
14:43	0.011
14:44	0.011
14:45	0.011
14:46	0.011
14:47	0.012
14:48	0.011
14:49	0.01
14:50	0.011
14:51	0.011
14:52	0.011
14:53	0.011
14:54	0.011
14:55	0.011
14:56	0.014
14:57	0.012

14:58	0.012
14:59	0.012
15:00	0.011
15:01	0.012
15:02	0.013
15:03	0.014
15:04	0.011
15:05	0.01
15:06	0.01
15:07	0.01
15:08	0.011
15:09	0.01
15:10	0.01
15:11	0.01
15:12	0.013
15:13	0.013
15:14	0.015
15:15	0.012
15:16	0.011
15:17	0.011
15:18	0.011
15:19	0.011
15:20	0.011
15:21	0.011
15:22	0.011
15:23	0.01
15:24	0.012
15:25	0.01
15:26	0.011
15:27	0.011
15:28	0.011
15:29	0.01
15:30	0.01
15:31	0.01
15:32	0.011
15:33	0.011
15:34	0.011
15:35	0.011
15:36	0.011
15:37	0.01
15:38	0.011
15:39	0.012
15:40	0.012
15:41	0.011
15:42	0.011
15:43	0.011
15:44	0.01

15:45	0.011
15:46	0.011
15:47	0.011
15:48	0.01
15:49	0.011
15:50	0.011
15:51	0.011
15:52	0.011
15:53	0.012
15:54	0.011
15:55	0.011
15:56	0.015
15:57	0.013
15:58	0.012
15:59	0.013
16:00	0.014
16:01	0.011
16:02	0.011
16:03	0.012
16:04	0.011
16:05	0.012
16:06	0.013
16:07	0.012
16:08	0.011
16:09	0.012
16:10	0.013
16:11	0.012
16:12	0.012
16:13	0.013
16:14	0.012
16:15	0.011
16:16	0.012
16:17	0.012
16:18	0.011
16:19	0.01
16:20	0.012
16:21	0.011
16:22	0.01
16:23	0.011
16:24	0.012
16:25	0.012
16:26	0.012
16:27	0.016
16:28	0.011
16:29	0.012
16:30	0.011
16:31	0.011

16:32	0.012
16:33	0.012
16:34	0.011
16:35	0.011
16:36	0.014
16:37	0.011
16:38	0.011
16:39	0.012
16:40	0.012
16:41	0.011
16:42	0.01
16:43	0.01
16:44	0.012
16:45	0.012
16:46	0.011
16:47	0.011
16:48	0.011
16:49	0.011
16:50	0.011
16:51	0.011
16:52	0.012
16:53	0.011
16:54	0.011
16:55	0.01
16:56	0.011
16:57	0.014
16:58	0.013
16:59	0.013
17:00	0.013
17:01	0.012
17:02	0.012
17:03	0.01
17:04	0.011
17:05	0.012
17:06	0.011
17:07	0.013
17:08	0.014
17:09	0.012
17:10	0.011
17:11	0.011
17:12	0.011
17:13	0.01
17:14	0.011
17:15	0.012
17:16	0.011
17:17	0.01
17:18	0.01

17:19	0.01
17:20	0.012
17:21	0.012
17:22	0.013
17:23	0.016
17:24	0.014
17:25	0.013
17:26	0.011
17:27	0.015
17:28	0.016
17:29	0.013
17:30	0.011
17:31	0.011
17:32	0.01
17:33	0.012
17:34	0.012
17:35	0.011
17:36	0.01
17:37	0.01
17:38	0.011
17:39	0.013
17:40	0.012
17:41	0.012
17:42	0.011
17:43	0.01
17:44	0.01
17:45	0.012
17:46	0.014
17:47	0.012
17:48	0.012
17:49	0.014
17:50	0.012
17:51	0.011
17:52	0.011
17:53	0.01
17:54	0.011
17:55	0.018
17:56	0.012
17:57	0.01
17:58	0.011
17:59	0.011
18:00	0.011
18:01	0.011
18:02	0.011

592-600871	5/30/2024	7:04 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	7:03 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	7:02 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	7:01 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	7:00 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:59 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:58 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:57 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:56 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:55 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:54 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:53 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:52 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:51 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:50 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:49 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:48 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:47 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:46 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:45 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:44 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:43 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	6:42 Readings	PID	SC23030408A8	Normal	0
592-600871	5/30/2024	CONFIG	PID	SC23030408A8		

SCM Report






Project name: Douglass Street BCG ISS Element name: 526a
Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time: 04:56 PM	
Max. depth: 38 ft.		End Date: 05/30/2024	
Volume/m 1: 16.59 ft³		End time: 05:23 PM	
		Production duration: 00:27:32	
		Final depth time: 05:16 PM	
		Total suspension quantity: 190.664 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 526b
 Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time: 05:23 PM	
Max. depth: 38.02 ft.		End Date: 05/30/2024	
Volume/m 1: 33.9 ft³		End time: 05:54 PM	
		Production duration: 00:30:20	
		Final depth time: 05:39 PM	
		Total suspension quantity: 391.145 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 532a
Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time: 02:38 PM	
Max. depth: 38.02 ft.		End Date: 05/30/2024	
Volume/m 1: 48.02 ft³		End time: 04:06 PM	
		Production duration: 01:28:02	
		Final depth time: 03:59 PM	
		Total suspension quantity: 556.383 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 532b
 Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time: 04:06 PM	
Max. depth: 38 ft.		End Date: 05/30/2024	
Volume/m 1: 10.24 ft³		End time: 04:25 PM	
		Production duration: 00:19:08	
		Final depth time: 04:18 PM	
		Total suspension quantity: 117.209 ft³	



SCM Report






Project name	Douglass Street BCG ISS	Element name	543a
		Project number	

		Start date	05/30/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details			
Max. depth	38.15 ft.	Start time	12:38 PM
Volume/m 1	28.95 ft ³	End Date	05/30/2024
		End time	01:30 PM
		Production duration	00:52:12
		Final depth time	01:22 PM
		Total suspension quantity	338.244 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 543b
 Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.	01:31 PM	05/30/2024
Volume/m 1	12.71 ft ³	End time	01:54 PM
		Production duration	00:23:15
		Final depth time	01:48 PM
		Total suspension quantity	147.96 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 560a
Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	11:00 AM	
Volume/m 1	33.9 ft³	End Date	05/30/2024
		End time	12:01 PM
		Production duration	01:01:25
		Final depth time	11:54 AM
		Total suspension quantity	393.05 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 560b
 Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.02 ft.		12:01 PM
Volume/m 1	12.71 ft³	End Date	05/30/2024
		End time	12:21 PM
		Production duration	00:19:30
		Final depth time	12:13 PM
		Total suspension quantity	146.485 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 577a
Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.35 ft.	09:20 AM	
Volume/m 1	32.48 ft ³	End Date	05/30/2024
		End time	10:14 AM
		Production duration	00:53:46
		Final depth time	10:06 AM
		Total suspension quantity	379.138 ft ³



SCM Report






Project name: Douglass Street BCG ISS Element name: 577b
 Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time: 10:14 AM	
Max. depth: 38 ft.		End Date: 05/30/2024	
Volume/m 1: 15.53 ft³		End time: 10:36 AM	
		Production duration: 00:22:16	
		Final depth time: 10:27 AM	
		Total suspension quantity: 182.22 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 594a
 Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time: 07:42 AM	
Max. depth: 38.12 ft.		End Date: 05/30/2024	
Volume/m 1: 45.9 ft³		End time: 08:43 AM	
		Production duration: 01:00:51	
		Final depth time: 08:35 AM	
		Total suspension quantity: 532.086 ft³	



SCM Report



Project name: Douglass Street BCG ISS Element name: 594b
Project number

Start date: 05/30/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38 ft.	08:43 AM	05/30/2024
Volume/m 1	10.59 ft ³	End time	09:03 AM
		Production duration	00:19:26
		Final depth time	08:55 AM_
		Total suspension quantity	122.506 ft ³

