



**DAILY STATUS REPORT**

**Prepared By:**  
Bill Chaky

WEATHER	Snow	Rain	X	Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50		50-70		70-85	X	>85	X	SSE – 2 mph

<b>IEEG Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b>	07/12/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY				

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:50 Time Out: 21:15</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Bill Chaky Broadway Construction Group - Tom Caporale Cascade Concrete Courses Komatsu WSP - Charlie Lambert Ancora - Glorimar</p> <p><b>Equipment On Site:</b> (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

**Scope of Work:** Cascade to continue with ISS column installation; Cascade to load out soil for disposal at Bayshore; Concrete Courses to continue subgrade work in the northern alley.

**Site Activities:**

- Deployed three (3) CAMP stations prior to the start of work activities;
- Cascade received one (1) delivery of slag to the silo;
- Concrete Courses did not continue subgrade work in the Butler Corridor due to rain;
- Komatsu technician recharged the air conditioning system within the ISS Drill Rig;
- Cascade loaded swell from the stockpile onto eighteen (18) tri-axle dump-trucks for offsite disposal at Byshore;
- Cascade attempted to drill **Column 481** with column specification below:
  - Column is 8’ diameter
  - Obstructions were encountered at approximately 6’ deep from Site Grade
  - Cascade attempted to drill through the obstruction for approximately 30 minutes without success
  - Ancora assessed issue, then Cascade mobilized to next column;
- Cascade drilled **Column 477** with column specification below:
  - Column is 8’ diameter and drilled 36’ deep from Site grade;
  - The column consisted of a total of 17 batches;
- Cascade drilled **Column 416** with column specification below:
  - Column is 8’ diameter and drilled 51’ deep from Site grade;
  - The column consisted of a total of 27 batches;
- Cascade drilled **Column 352** with column specification below:
  - Column is 8’ diameter and drilled 51’ deep from Site grade;
  - The column consisted of a total of 30 batches;
- Cascade consolidated remaining swell stockpile, graded Site, positioned timber-mats, and performed Site housekeeping;

- Cascade deconned batch-plant and auger; and
- Alex (PRC) and BC covered swell stockpiles with poly-sheeting.

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = \_0.7\_ ppm @ 07:06, Dust = \_0.003\_ mg/m<sup>3</sup> @ 06:59
- High Conditions (Upwind) – PID = 1.0\_ ppm @ 07:17, Dust = \_0.110\_ mg/m<sup>3</sup> @ 14:07
- High Conditions (Downwind 1) – PID = \_0.0\_ ppm, Dust = \_0.604\_ mg/m<sup>3</sup> @ 07:09
- High Conditions (Downwind 2) – PID = \_0.0\_ ppm, Dust = \_0.346\_ mg/m<sup>3</sup> @ 07:00

**Notable Site Conditions:**

- None.

**Planned for the Next Day/Week:**

- Continuation of ISS column installation;
- Continuation of subgrade work in the alley;
- Continuation of soil load-out;
- Impact to collect soil sample of swell material for disposal purposes.



**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative  
photo of swell  
load-out for  
disposal at  
Bayshore.



**Photo 2-**  
Representative  
photo of  
departing trucks  
passing through  
wash-station  
prior to exiting  
the Site.





**Photo 3-**  
Representative  
photo of slag  
delivery to silo.



**Photo 4-**  
Representative  
photo of ISS  
column  
installation along  
eastern side of  
Site.



**Photo 5-**  
Representative  
photo of swell  
stockpile covered  
with poly-  
sheeting.



## **SITE PLANS**

251 DOUGLASS STREET, BROOKLYN, NY










Drilling of ISS Columns 477, 416, and 352 completed on 07/12/2024.



PROJECT

**LEGEND**

- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- ▲ COMPLETED CORING LOCATION

NOTES:  
 1 THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTAIRNS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

251 Douglas Street  
 Brooklyn, New York

Figure No: 01

PROJECT NO.	D2024P
FORMULATED BY	JAS
DESIGNED BY	AK
ENGINEERED BY	EP
DATE	6/2024
SCALE	AS SHOWN

**IMPACT ENVIRONMENTAL CLOSURES, INC.**

170 KEYLAND COURT  
 BOHEMIA, NEW YORK 11716  
 TEL (631) 269-8800  
 FAX (631) 269-1599

# SCM Report






Project name	Douglass Street BCG ISS	Element name	352a
		Project number	

		Start date	07/12/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	53.01 ft.	Start time	03:44 PM
Volume/m 1	56.5 ft³	End Date	07/12/2024
		End time	05:20 PM
		Production duration	01:36:36
		Final depth time	05:06 PM
		Total suspension quantity	913.94 ft³



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 352b  
Project number

Start date: 07/12/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 05:21 PM	
Max. depth: 52.98 ft.		End Date: 07/12/2024	
Volume/m 1: 24.36 ft³		End time: 06:04 PM	
		Production duration: 00:43:00	
		Final depth time: 05:50 PM	
		Total suspension quantity: 396.372 ft³	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 416a  
Project number

Start date: 07/12/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 12:59 PM	
Max. depth: 53.05 ft.		End Date: 07/12/2024	
Volume/m 1: 50.14 ft³		End time: 02:30 PM	
		Production duration: 01:31:05	
		Final depth time: 02:16 PM	
		Total suspension quantity: 811.99 ft³	



# SCM Report






Project name	Douglass Street BCG ISS	Element name	416b
		Project number	

		Start date	07/12/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	53.01 ft.	Start time	02:31 PM
Volume/m 1	24.72 ft <sup>3</sup>	End Date	07/12/2024
		End time	03:15 PM
		Production duration	00:44:52
		Final depth time	03:02 PM
		Total suspension quantity	398.95 ft <sup>3</sup>





# SCM Report






Project name	Douglass Street BCG ISS	Element name	477a
		Project number	

		Start date	07/12/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.54 ft.	Start time	10:20 AM
Volume/m 1	49.44 ft <sup>3</sup>	End Date	07/12/2024
		End time	11:39 AM
		Production duration	01:18:19
		Final depth time	11:29 AM
		Total suspension quantity	582.056 ft <sup>3</sup>



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 477a  
Project number

Start date: 07/12/2024

Drilling rig: BG36H\_5717

Details		Start time	
Max. depth	38.45 ft.	11:29 AM	
Volume/m 1	49.79 ft <sup>3</sup>	End Date	07/12/2024
		End time	11:39 AM
		Production duration	00:09:46
		Final depth time	11:29 AM_
		Total suspension quantity	582.056 ft <sup>3</sup>



# SCM Report





Project name: Douglass Street BCG ISS      Element name: 477b  
 Project number

Start date: 07/12/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 11:39 AM	
Max. depth: 38.51 ft.		End Date: 07/12/2024	
Volume/m 1: 23.66 ft³		End time: 12:11 PM	
		Production duration: 00:32:37	
		Final depth time: 12:01 PM	
		Total suspension quantity: 277.502 ft³	





**IMPACT ENVIRONMENTAL**

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

[www.impactenvironmental.com](http://www.impactenvironmental.com)

---

**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	6/1/2023
Test Name	MANUAL_010
Test Start Time	6:59:42 AM
Test Start Date	7/12/2024
Test Length [D:H:M]	0:14:34
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.011
PM1 Minimum [mg/m3]	0.002
PM1 Maximum [mg/m3]	0.11
PM1 TWA [mg/m3]	0.007
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	808

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:59	0.003		
7:00	0.003		
7:01	0.003		
7:02	0.003		
7:03	0.003		
7:04	0.002		
7:05	0.002		
7:06	0.003		
7:07	0.004		
7:08	0.005		
7:09	0.003		
7:10	0.003		
7:11	0.003		
7:12	0.004		
7:13	0.004		
7:14	0.004		
7:15	0.005		
7:16	0.004		
7:17	0.003		
7:18	0.003		
7:19	0.003		
7:20	0.003		
7:21	0.004		



7:22	0.004
7:23	0.003
7:24	0.004
7:25	0.004
7:26	0.004
7:27	0.004
7:28	0.006
7:29	0.006
7:30	0.006
7:31	0.007
7:32	0.008
7:33	0.007
7:34	0.008
7:35	0.008
7:36	0.01
7:37	0.009
7:38	0.005
7:39	0.006
7:40	0.006
7:41	0.01
7:42	0.031
7:43	0.025
7:44	0.018
7:45	0.018
7:46	0.014
7:47	0.009
7:48	0.007
7:49	0.005
7:50	0.006
7:51	0.006
7:52	0.005
7:53	0.006
7:54	0.008
7:55	0.01
7:56	0.011
7:57	0.009
7:58	0.007
7:59	0.009
8:00	0.008
8:01	0.006
8:02	0.007
8:03	0.011
8:04	0.01
8:05	0.017

8:06	0.02
8:07	0.006
8:08	0.02
8:09	0.007
8:10	0.007
8:11	0.004
8:12	0.005
8:13	0.005
8:14	0.006
8:15	0.004
8:16	0.004
8:17	0.009
8:18	0.009
8:19	0.009
8:20	0.012
8:21	0.007
8:22	0.007
8:23	0.006
8:24	0.021
8:25	0.012
8:26	0.006
8:27	0.015
8:28	0.005
8:29	0.003
8:30	0.013
8:31	0.011
8:32	0.004
8:33	0.007
8:34	0.013
8:35	0.013
8:36	0.011
8:37	0.007
8:38	0.004
8:39	0.009
8:40	0.015
8:41	0.011
8:42	0.011
8:43	0.005
8:44	0.004
8:45	0.004
8:46	0.007
8:47	0.011
8:48	0.012
8:49	0.009

8:50	0.005
8:51	0.016
8:52	0.005
8:53	0.004
8:54	0.003
8:55	0.003
8:56	0.003
8:57	0.003
8:58	0.004
8:59	0.004
9:00	0.003
9:01	0.003
9:02	0.003
9:03	0.003
9:04	0.004
9:05	0.004
9:06	0.003
9:07	0.003
9:08	0.005
9:09	0.004
9:10	0.005
9:11	0.004
9:12	0.004
9:13	0.005
9:14	0.005
9:15	0.005
9:16	0.004
9:17	0.004
9:18	0.004
9:19	0.005
9:20	0.007
9:21	0.011
9:22	0.01
9:23	0.005
9:24	0.008
9:25	0.005
9:26	0.004
9:27	0.006
9:28	0.013
9:29	0.004
9:30	0.003
9:31	0.004
9:32	0.005
9:33	0.002

9:34	0.002
9:35	0.002
9:36	0.002
9:37	0.003
9:38	0.012
9:39	0.014
9:40	0.005
9:41	0.002
9:42	0.004
9:43	0.003
9:44	0.003
9:45	0.003
9:46	0.003
9:47	0.005
9:48	0.008
9:49	0.005
9:50	0.004
9:51	0.004
9:52	0.003
9:53	0.003
9:54	0.004
9:55	0.005
9:56	0.006
9:57	0.003
9:58	0.003
9:59	0.005
10:00	0.004
10:01	0.005
10:02	0.011
10:03	0.004
10:04	0.002
10:05	0.004
10:06	0.005
10:07	0.005
10:08	0.004
10:09	0.005
10:10	0.004
10:11	0.004
10:12	0.008
10:13	0.013
10:14	0.005
10:15	0.003
10:16	0.004
10:17	0.005

10:18	0.004
10:19	0.004
10:20	0.003
10:21	0.005
10:22	0.005
10:23	0.004
10:24	0.006
10:25	0.009
10:26	0.008
10:27	0.006
10:28	0.008
10:29	0.006
10:30	0.003
10:31	0.004
10:32	0.007
10:33	0.005
10:34	0.005
10:35	0.01
10:36	0.005
10:37	0.007
10:38	0.01
10:39	0.012
10:40	0.009
10:41	0.007
10:42	0.005
10:43	0.005
10:44	0.005
10:45	0.005
10:46	0.004
10:47	0.004
10:48	0.006
10:49	0.011
10:50	0.011
10:51	0.009
10:52	0.007
10:53	0.007
10:54	0.007
10:55	0.01
10:56	0.008
10:57	0.011
10:58	0.009
10:59	0.008
11:00	0.009
11:01	0.007



11:02	0.006
11:03	0.006
11:04	0.006
11:05	0.006
11:06	0.006
11:07	0.006
11:08	0.005
11:09	0.007
11:10	0.009
11:11	0.007
11:12	0.005
11:13	0.006
11:14	0.009
11:15	0.007
11:16	0.01
11:17	0.007
11:18	0.008
11:19	0.007
11:20	0.01
11:21	0.008
11:22	0.005
11:23	0.008
11:24	0.009
11:25	0.011
11:26	0.008
11:27	0.007
11:28	0.008
11:29	0.008
11:30	0.009
11:31	0.008
11:32	0.007
11:33	0.007
11:34	0.005
11:35	0.006
11:36	0.01
11:37	0.007
11:38	0.008
11:39	0.007
11:40	0.009
11:41	0.011
11:42	0.007
11:43	0.006
11:44	0.005
11:45	0.007

11:46	0.008
11:47	0.009
11:48	0.009
11:49	0.013
11:50	0.01
11:51	0.008
11:52	0.012
11:53	0.011
11:54	0.011
11:55	0.007
11:56	0.008
11:57	0.006
11:58	0.008
11:59	0.007
12:00	0.009
12:01	0.008
12:02	0.007
12:03	0.008
12:04	0.008
12:05	0.008
12:06	0.014
12:07	0.011
12:08	0.017
12:09	0.015
12:10	0.007
12:11	0.009
12:12	0.009
12:13	0.009
12:14	0.008
12:15	0.009
12:16	0.008
12:17	0.017
12:18	0.011
12:19	0.012
12:20	0.01
12:21	0.011
12:22	0.014
12:23	0.01
12:24	0.008
12:25	0.009
12:26	0.009
12:27	0.007
12:28	0.007
12:29	0.007

12:30	0.007
12:31	0.007
12:32	0.007
12:33	0.01
12:34	0.006
12:35	0.005
12:36	0.007
12:37	0.006
12:38	0.007
12:39	0.006
12:40	0.007
12:41	0.005
12:42	0.004
12:43	0.006
12:44	0.008
12:45	0.009
12:46	0.011
12:47	0.009
12:48	0.007
12:49	0.006
12:50	0.009
12:51	0.009
12:52	0.011
12:53	0.01
12:54	0.007
12:55	0.008
12:56	0.012
12:57	0.01
12:58	0.007
12:59	0.009
13:00	0.007
13:01	0.006
13:02	0.006
13:03	0.007
13:04	0.008
13:05	0.009
13:06	0.008
13:07	0.006
13:08	0.008
13:09	0.006
13:10	0.007
13:11	0.007
13:12	0.006
13:13	0.006

13:14	0.006
13:15	0.007
13:16	0.01
13:17	0.01
13:18	0.006
13:19	0.006
13:20	0.006
13:21	0.008
13:22	0.007
13:23	0.006
13:24	0.008
13:25	0.007
13:26	0.006
13:27	0.005
13:28	0.005
13:29	0.005
13:30	0.007
13:31	0.007
13:32	0.007
13:33	0.006
13:34	0.005
13:35	0.01
13:36	0.009
13:37	0.006
13:38	0.005
13:39	0.005
13:40	0.006
13:41	0.006
13:42	0.005
13:43	0.006
13:44	0.005
13:45	0.005
13:46	0.005
13:47	0.005
13:48	0.005
13:49	0.006
13:50	0.007
13:51	0.006
13:52	0.006
13:53	0.008
13:54	0.009
13:55	0.008
13:56	0.007
13:57	0.007

13:58	0.006
13:59	0.009
14:00	0.007
14:01	0.006
14:02	0.005
14:03	0.005
14:04	0.005
14:05	0.007
14:06	0.109
14:07	0.11
14:08	0.007
14:09	0.006
14:10	0.006
14:11	0.007
14:12	0.007
14:13	0.008
14:14	0.008
14:15	0.007
14:16	0.008
14:17	0.008
14:18	0.006
14:19	0.008
14:20	0.009
14:21	0.008
14:22	0.008
14:23	0.009
14:24	0.009
14:25	0.008
14:26	0.007
14:27	0.009
14:28	0.008
14:29	0.008
14:30	0.007
14:31	0.007
14:32	0.007
14:33	0.009
14:34	0.008
14:35	0.008
14:36	0.008
14:37	0.01
14:38	0.009
14:39	0.011
14:40	0.008
14:41	0.007

14:42	0.008
14:43	0.008
14:44	0.006
14:45	0.007
14:46	0.006
14:47	0.006
14:48	0.007
14:49	0.007
14:50	0.007
14:51	0.009
14:52	0.008
14:53	0.009
14:54	0.009
14:55	0.007
14:56	0.011
14:57	0.014
14:58	0.011
14:59	0.018
15:00	0.008
15:01	0.008
15:02	0.008
15:03	0.008
15:04	0.007
15:05	0.007
15:06	0.007
15:07	0.009
15:08	0.008
15:09	0.008
15:10	0.008
15:11	0.007
15:12	0.008
15:13	0.008
15:14	0.007
15:15	0.008
15:16	0.008
15:17	0.007
15:18	0.008
15:19	0.008
15:20	0.01
15:21	0.01
15:22	0.009
15:23	0.009
15:24	0.02
15:25	0.009

15:26	0.028
15:27	0.009
15:28	0.009
15:29	0.01
15:30	0.008
15:31	0.007
15:32	0.008
15:33	0.014
15:34	0.023
15:35	0.013
15:36	0.009
15:37	0.008
15:38	0.01
15:39	0.01
15:40	0.009
15:41	0.009
15:42	0.009
15:43	0.009
15:44	0.027
15:45	0.012
15:46	0.01
15:47	0.015
15:48	0.01
15:49	0.009
15:50	0.011
15:51	0.009
15:52	0.009
15:53	0.008
15:54	0.009
15:55	0.01
15:56	0.009
15:57	0.01
15:58	0.011
15:59	0.012
16:00	0.014
16:01	0.009
16:02	0.008
16:03	0.009
16:04	0.014
16:05	0.013
16:06	0.032
16:07	0.011
16:08	0.008
16:09	0.008

16:10	0.009
16:11	0.011
16:12	0.012
16:13	0.014
16:14	0.011
16:15	0.009
16:16	0.01
16:17	0.014
16:18	0.011
16:19	0.01
16:20	0.01
16:21	0.011
16:22	0.011
16:23	0.012
16:24	0.011
16:25	0.012
16:26	0.011
16:27	0.011
16:28	0.029
16:29	0.013
16:30	0.012
16:31	0.011
16:32	0.011
16:33	0.01
16:34	0.009
16:35	0.01
16:36	0.01
16:37	0.016
16:38	0.011
16:39	0.01
16:40	0.013
16:41	0.015
16:42	0.011
16:43	0.011
16:44	0.011
16:45	0.011
16:46	0.011
16:47	0.032
16:48	0.017
16:49	0.014
16:50	0.012
16:51	0.014
16:52	0.013
16:53	0.011



16:54	0.016
16:55	0.01
16:56	0.01
16:57	0.013
16:58	0.011
16:59	0.01
17:00	0.011
17:01	0.009
17:02	0.01
17:03	0.01
17:04	0.015
17:05	0.01
17:06	0.01
17:07	0.012
17:08	0.01
17:09	0.009
17:10	0.009
17:11	0.011
17:12	0.009
17:13	0.01
17:14	0.009
17:15	0.018
17:16	0.011
17:17	0.01
17:18	0.024
17:19	0.009
17:20	0.009
17:21	0.009
17:22	0.012
17:23	0.009
17:24	0.009
17:25	0.013
17:26	0.033
17:27	0.013
17:28	0.014
17:29	0.012
17:30	0.009
17:31	0.009
17:32	0.01
17:33	0.014
17:34	0.009
17:35	0.009
17:36	0.009
17:37	0.01

17:38	0.022
17:39	0.014
17:40	0.01
17:41	0.01
17:42	0.01
17:43	0.013
17:44	0.017
17:45	0.017
17:46	0.012
17:47	0.01
17:48	0.009
17:49	0.01
17:50	0.015
17:51	0.009
17:52	0.009
17:53	0.01
17:54	0.012
17:55	0.01
17:56	0.01
17:57	0.01
17:58	0.011
17:59	0.011
18:00	0.011
18:01	0.011
18:02	0.01
18:03	0.01
18:04	0.015
18:05	0.017
18:06	0.034
18:07	0.013
18:08	0.016
18:09	0.03
18:10	0.03
18:11	0.047
18:12	0.02
18:13	0.015
18:14	0.012
18:15	0.073
18:16	0.047
18:17	0.055
18:18	0.056
18:19	0.028
18:20	0.012
18:21	0.028

18:22	0.015
18:23	0.012
18:24	0.011
18:25	0.011
18:26	0.011
18:27	0.012
18:28	0.014
18:29	0.037
18:30	0.016
18:31	0.013
18:32	0.014
18:33	0.04
18:34	0.012
18:35	0.011
18:36	0.01
18:37	0.011
18:38	0.012
18:39	0.013
18:40	0.012
18:41	0.011
18:42	0.013
18:43	0.015
18:44	0.015
18:45	0.015
18:46	0.017
18:47	0.02
18:48	0.017
18:49	0.018
18:50	0.018
18:51	0.016
18:52	0.014
18:53	0.014
18:54	0.013
18:55	0.013
18:56	0.012
18:57	0.013
18:58	0.014
18:59	0.014
19:00	0.02
19:01	0.027
19:02	0.037
19:03	0.03
19:04	0.027
19:05	0.046

19:06	0.045
19:07	0.02
19:08	0.027
19:09	0.043
19:10	0.03
19:11	0.067
19:12	0.072
19:13	0.04
19:14	0.085
19:15	0.053
19:16	0.047
19:17	0.039
19:18	0.026
19:19	0.024
19:20	0.039
19:21	0.02
19:22	0.014
19:23	0.02
19:24	0.013
19:25	0.013
19:26	0.014
19:27	0.013
19:28	0.014
19:29	0.014
19:30	0.013
19:31	0.013
19:32	0.013
19:33	0.014
19:34	0.016
19:35	0.015
19:36	0.014
19:37	0.014
19:38	0.015
19:39	0.015
19:40	0.015
19:41	0.014
19:42	0.014
19:43	0.014
19:44	0.015
19:45	0.014
19:46	0.014
19:47	0.015
19:48	0.015
19:49	0.014

19:50	0.015
19:51	0.013
19:52	0.015
19:53	0.015
19:54	0.013
19:55	0.017
19:56	0.013
19:57	0.014
19:58	0.015
19:59	0.016
20:00	0.015
20:01	0.014
20:02	0.015
20:03	0.015
20:04	0.015
20:05	0.02
20:06	0.019
20:07	0.016
20:08	0.015
20:09	0.015
20:10	0.016
20:11	0.016
20:12	0.016
20:13	0.016
20:14	0.014
20:15	0.014
20:16	0.015
20:17	0.015
20:18	0.015
20:19	0.017
20:20	0.015
20:21	0.015
20:22	0.015
20:23	0.015
20:24	0.016
20:25	0.016
20:26	0.017

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	7/12/2024 20:22	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:21	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:20	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:19	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:18	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:17	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:16	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:15	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:14	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:13	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:12	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:11	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:10	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:09	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:08	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:07	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:06	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:05	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:04	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:03	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:02	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:01	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 20:00	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:59	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:58	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:57	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:56	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:55	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:54	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:53	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:52	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 19:51	Readings	PID	SC23030921B3	Normal	0

















































592-601274	7/12/2024 8:17	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:16	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:15	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:14	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:13	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:12	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:11	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:10	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:09	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:08	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:07	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:06	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:05	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:04	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:03	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:02	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:01	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 8:00	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:59	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:58	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:57	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:56	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:55	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:54	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:53	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:52	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:51	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:50	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:49	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:48	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:47	Readings	PID	SC23030921B3	Normal	0
592-601274	7/12/2024 7:46	Readings	PID	SC23030921B3	Normal	0.1
592-601274	7/12/2024 7:45	Readings	PID	SC23030921B3	Normal	0.1

592-601274	7/12/2024 7:44 Readings	PID	SC23030921B3	Normal	0.2
592-601274	7/12/2024 7:43 Readings	PID	SC23030921B3	Normal	0.2
592-601274	7/12/2024 7:42 Readings	PID	SC23030921B3	Normal	0.3
592-601274	7/12/2024 7:41 Readings	PID	SC23030921B3	Normal	0.4
592-601274	7/12/2024 7:40 Readings	PID	SC23030921B3	Normal	0.4
592-601274	7/12/2024 7:39 Readings	PID	SC23030921B3	Normal	0.5
592-601274	7/12/2024 7:38 Readings	PID	SC23030921B3	Normal	0.5
592-601274	7/12/2024 7:37 Readings	PID	SC23030921B3	Normal	0.6
592-601274	7/12/2024 7:36 Readings	PID	SC23030921B3	Normal	0.6
592-601274	7/12/2024 7:35 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:34 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:33 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:32 Readings	PID	SC23030921B3	Normal	0.8
592-601274	7/12/2024 7:31 Readings	PID	SC23030921B3	Normal	0.8
592-601274	7/12/2024 7:30 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:29 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:28 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:27 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:26 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:25 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:24 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:23 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:22 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:21 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:20 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:19 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:18 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:17 Readings	PID	SC23030921B3	Normal	1
592-601274	7/12/2024 7:16 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:15 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:14 Readings	PID	SC23030921B3	Normal	0.9
592-601274	7/12/2024 7:13 Readings	PID	SC23030921B3	Normal	0.8
592-601274	7/12/2024 7:12 Readings	PID	SC23030921B3	Normal	0.8

592-601274	7/12/2024 7:11 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:10 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:09 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:08 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:07 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:06 Readings	PID	SC23030921B3	Normal	0.7
592-601274	7/12/2024 7:05 CONFIG	PID	SC23030921B3		

**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_011
Test Start Time	7:09:29 AM
Test Start Date	7/12/2024
Test Length [D:H:M]	0:13:10
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.604
Mass TWA [mg/m3]	0.015
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	790

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.604		
120	0.019		
180	0.015		
240	0.013		
300	0.016		
360	0.015		
420	0.016		
480	0.037		
540	0.025		
600	0.015		
660	0.014		
720	0.016		
780	0.026		
840	0.043		
900	0.033		
960	0.022		
1020	0.025		
1080	0.021		
1140	0.022		
1200	0.018		
1260	0.018		
1320	0.028		
1380	0.028		
1440	0.025		



1500	0.029
1560	0.027
1620	0.023
1680	0.023
1740	0.022
1800	0.024
1860	0.02
1920	0.022
1980	0.026
2040	0.019
2100	0.015
2160	0.014
2220	0.021
2280	0.015
2340	0.021
2400	0.017
2460	0.017
2520	0.019
2580	0.017
2640	0.016
2700	0.017
2760	0.021
2820	0.021
2880	0.018
2940	0.016
3000	0.017
3060	0.023
3120	0.024
3180	0.02
3240	0.019
3300	0.018
3360	0.025
3420	0.019
3480	0.02
3540	0.021
3600	0.023
3660	0.025
3720	0.019
3780	0.017
3840	0.02
3900	0.022
3960	0.021
4020	0.019
4080	0.017

4140	0.017
4200	0.018
4260	0.017
4320	0.018
4380	0.018
4440	0.017
4500	0.025
4560	0.018
4620	0.021
4680	0.015
4740	0.015
4800	0.015
4860	0.016
4920	0.016
4980	0.022
5040	0.016
5100	0.016
5160	0.016
5220	0.018
5280	0.015
5340	0.016
5400	0.015
5460	0.016
5520	0.015
5580	0.048
5640	0.027
5700	0.015
5760	0.015
5820	0.013
5880	0.014
5940	0.016
6000	0.018
6060	0.018
6120	0.015
6180	0.015
6240	0.015
6300	0.015
6360	0.015
6420	0.015
6480	0.016
6540	0.016
6600	0.017
6660	0.015
6720	0.015

6780	0.015
6840	0.013
6900	0.012
6960	0.012
7020	0.012
7080	0.011
7140	0.011
7200	0.011
7260	0.011
7320	0.013
7380	0.012
7440	0.014
7500	0.013
7560	0.013
7620	0.012
7680	0.012
7740	0.013
7800	0.012
7860	0.012
7920	0.012
7980	0.012
8040	0.013
8100	0.012
8160	0.013
8220	0.014
8280	0.016
8340	0.012
8400	0.013
8460	0.013
8520	0.013
8580	0.013
8640	0.016
8700	0.014
8760	0.012
8820	0.012
8880	0.013
8940	0.013
9000	0.014
9060	0.015
9120	0.015
9180	0.014
9240	0.014
9300	0.014
9360	0.014

9420	0.015
9480	0.014
9540	0.017
9600	0.016
9660	0.017
9720	0.016
9780	0.014
9840	0.015
9900	0.014
9960	0.016
10020	0.014
10080	0.012
10140	0.013
10200	0.016
10260	0.014
10320	0.013
10380	0.013
10440	0.013
10500	0.018
10560	0.017
10620	0.016
10680	0.014
10740	0.014
10800	0.014
10860	0.015
10920	0.015
10980	0.016
11040	0.015
11100	0.014
11160	0.013
11220	0.012
11280	0.012
11340	0.012
11400	0.012
11460	0.017
11520	0.019
11580	0.021
11640	0.015
11700	0.012
11760	0.013
11820	0.012
11880	0.014
11940	0.013
12000	0.014

12060	0.012
12120	0.012
12180	0.014
12240	0.011
12300	0.01
12360	0.014
12420	0.015
12480	0.016
12540	0.011
12600	0.014
12660	0.014
12720	0.015
12780	0.015
12840	0.014
12900	0.018
12960	0.019
13020	0.016
13080	0.019
13140	0.019
13200	0.02
13260	0.02
13320	0.019
13380	0.018
13440	0.021
13500	0.016
13560	0.013
13620	0.014
13680	0.013
13740	0.013
13800	0.013
13860	0.012
13920	0.013
13980	0.012
14040	0.014
14100	0.015
14160	0.015
14220	0.014
14280	0.015
14340	0.014
14400	0.014
14460	0.016
14520	0.016
14580	0.016
14640	0.012

14700	0.015
14760	0.013
14820	0.014
14880	0.014
14940	0.014
15000	0.015
15060	0.014
15120	0.012
15180	0.011
15240	0.057
15300	0.098
15360	0.02
15420	0.013
15480	0.014
15540	0.012
15600	0.011
15660	0.013
15720	0.013
15780	0.012
15840	0.013
15900	0.014
15960	0.014
16020	0.018
16080	0.011
16140	0.011
16200	0.011
16260	0.019
16320	0.048
16380	0.012
16440	0.008
16500	0.009
16560	0.011
16620	0.015
16680	0.015
16740	0.013
16800	0.012
16860	0.011
16920	0.011
16980	0.011
17040	0.01
17100	0.01
17160	0.014
17220	0.01
17280	0.012

17340	0.013
17400	0.01
17460	0.011
17520	0.01
17580	0.01
17640	0.01
17700	0.01
17760	0.01
17820	0.009
17880	0.01
17940	0.012
18000	0.011
18060	0.01
18120	0.011
18180	0.013
18240	0.011
18300	0.012
18360	0.011
18420	0.009
18480	0.025
18540	0.018
18600	0.008
18660	0.008
18720	0.008
18780	0.007
18840	0.006
18900	0.007
18960	0.006
19020	0.004
19080	0.005
19140	0.005
19200	0.009
19260	0.006
19320	0.007
19380	0.007
19440	0.006
19500	0.006
19560	0.011
19620	0.007
19680	0.005
19740	0.005
19800	0.005
19860	0.005
19920	0.007

19980	0.005
20040	0.008
20100	0.005
20160	0.008
20220	0.017
20280	0.013
20340	0.022
20400	0.007
20460	0.008
20520	0.007
20580	0.008
20640	0.014
20700	0.014
20760	0.013
20820	0.017
20880	0.02
20940	0.014
21000	0.047
21060	0.036
21120	0.035
21180	0.023
21240	0.017
21300	0.016
21360	0.012
21420	0.01
21480	0.021
21540	0.014
21600	0.012
21660	0.012
21720	0.011
21780	0.011
21840	0.011
21900	0.014
21960	0.017
22020	0.015
22080	0.009
22140	0.01
22200	0.012
22260	0.012
22320	0.013
22380	0.015
22440	0.007
22500	0.01
22560	0.011



22620	0.009
22680	0.008
22740	0.008
22800	0.019
22860	0.011
22920	0.009
22980	0.008
23040	0.008
23100	0.009
23160	0.008
23220	0.01
23280	0.009
23340	0.011
23400	0.01
23460	0.009
23520	0.008
23580	0.006
23640	0.007
23700	0.009
23760	0.01
23820	0.014
23880	0.009
23940	0.009
24000	0.009
24060	0.006
24120	0.006
24180	0.004
24240	0.005
24300	0.008
24360	0.006
24420	0.008
24480	0.005
24540	0.006
24600	0.008
24660	0.006
24720	0.007
24780	0.009
24840	0.008
24900	0.007
24960	0.007
25020	0.009
25080	0.008
25140	0.005
25200	0.004

25260	0.005
25320	0.006
25380	0.011
25440	0.01
25500	0.008
25560	0.007
25620	0.008
25680	0.01
25740	0.01
25800	0.009
25860	0.013
25920	0.011
25980	0.01
26040	0.009
26100	0.008
26160	0.007
26220	0.008
26280	0.01
26340	0.011
26400	0.009
26460	0.008
26520	0.007
26580	0.005
26640	0.007
26700	0.008
26760	0.005
26820	0.005
26880	0.005
26940	0.005
27000	0.006
27060	0.008
27120	0.011
27180	0.008
27240	0.007
27300	0.005
27360	0.008
27420	0.005
27480	0.006
27540	0.009
27600	0.008
27660	0.006
27720	0.006
27780	0.006
27840	0.008

27900	0.011
27960	0.012
28020	0.012
28080	0.012
28140	0.011
28200	0.012
28260	0.013
28320	0.009
28380	0.017
28440	0.009
28500	0.006
28560	0.007
28620	0.071
28680	0.122
28740	0.005
28800	0.004
28860	0.005
28920	0.009
28980	0.028
29040	0.026
29100	0.011
29160	0.031
29220	0.02
29280	0.012
29340	0.011
29400	0.005
29460	0.005
29520	0.005
29580	0.006
29640	0.008
29700	0.027
29760	0.014
29820	0.086
29880	0.016
29940	0.006
30000	0.003
30060	0.003
30120	0.007
30180	0.013
30240	0.007
30300	0.007
30360	0.006
30420	0.004
30480	0.004

30540	0.005
30600	0.004
30660	0.005
30720	0.006
30780	0.006
30840	0.007
30900	0.008
30960	0.007
31020	0.006
31080	0.005
31140	0.009
31200	0.014
31260	0.007
31320	0.005
31380	0.009
31440	0.011
31500	0.009
31560	0.016
31620	0.009
31680	0.018
31740	0.014
31800	0.008
31860	0.006
31920	0.008
31980	0.006
32040	0.006
32100	0.007
32160	0.007
32220	0.042
32280	0.016
32340	0.008
32400	0.014
32460	0.009
32520	0.009
32580	0.008
32640	0.008
32700	0.006
32760	0.007
32820	0.006
32880	0.006
32940	0.006
33000	0.007
33060	0.011
33120	0.013

33180	0.005
33240	0.004
33300	0.004
33360	0.004
33420	0.005
33480	0.005
33540	0.005
33600	0.026
33660	0.011
33720	0.008
33780	0.005
33840	0.005
33900	0.008
33960	0.005
34020	0.005
34080	0.007
34140	0.02
34200	0.01
34260	0.009
34320	0.008
34380	0.005
34440	0.017
34500	0.011
34560	0.011
34620	0.013
34680	0.007
34740	0.009
34800	0.013
34860	0.02
34920	0.011
34980	0.011
35040	0.009
35100	0.008
35160	0.007
35220	0.007
35280	0.005
35340	0.006
35400	0.008
35460	0.011
35520	0.009
35580	0.008
35640	0.009
35700	0.006
35760	0.007

35820	0.008
35880	0.007
35940	0.008
36000	0.005
36060	0.006
36120	0.01
36180	0.008
36240	0.005
36300	0.018
36360	0.022
36420	0.011
36480	0.018
36540	0.013
36600	0.009
36660	0.006
36720	0.01
36780	0.01
36840	0.011
36900	0.01
36960	0.007
37020	0.009
37080	0.01
37140	0.018
37200	0.011
37260	0.011
37320	0.008
37380	0.005
37440	0.006
37500	0.006
37560	0.015
37620	0.008
37680	0.011
37740	0.015
37800	0.013
37860	0.008
37920	0.009
37980	0.013
38040	0.026
38100	0.026
38160	0.022
38220	0.012
38280	0.014
38340	0.043
38400	0.121

38460	0.02
38520	0.017
38580	0.01
38640	0.009
38700	0.009
38760	0.009
38820	0.01
38880	0.009
38940	0.009
39000	0.009
39060	0.008
39120	0.008
39180	0.008
39240	0.009
39300	0.006
39360	0.008
39420	0.01
39480	0.009
39540	0.01
39600	0.009
39660	0.019
39720	0.014
39780	0.008
39840	0.007
39900	0.007
39960	0.008
40020	0.007
40080	0.008
40140	0.008
40200	0.011
40260	0.011
40320	0.011
40380	0.007
40440	0.008
40500	0.01
40560	0.013
40620	0.036
40680	0.013
40740	0.009
40800	0.01
40860	0.008
40920	0.009
40980	0.009
41040	0.009

41100	0.01
41160	0.014
41220	0.018
41280	0.032
41340	0.025
41400	0.015
41460	0.012
41520	0.012
41580	0.013
41640	0.01
41700	0.009
41760	0.009
41820	0.011
41880	0.013
41940	0.011
42000	0.008
42060	0.009
42120	0.012
42180	0.012
42240	0.013
42300	0.015
42360	0.011
42420	0.011
42480	0.011
42540	0.013
42600	0.012
42660	0.022
42720	0.011
42780	0.011
42840	0.011
42900	0.013
42960	0.012
43020	0.013
43080	0.01
43140	0.01
43200	0.011
43260	0.012
43320	0.013
43380	0.012
43440	0.011
43500	0.012
43560	0.013
43620	0.014
43680	0.013



43740	0.014
43800	0.013
43860	0.013
43920	0.015
43980	0.015
44040	0.015
44100	0.012
44160	0.012
44220	0.013
44280	0.013
44340	0.013
44400	0.014
44460	0.014
44520	0.014
44580	0.015
44640	0.014
44700	0.014
44760	0.014
44820	0.013
44880	0.013
44940	0.012
45000	0.012
45060	0.013
45120	0.013
45180	0.015
45240	0.014
45300	0.014
45360	0.014
45420	0.014
45480	0.015
45540	0.015
45600	0.017
45660	0.015
45720	0.015
45780	0.017
45840	0.015
45900	0.015
45960	0.014
46020	0.012
46080	0.012
46140	0.013
46200	0.013
46260	0.013
46320	0.013

46380	0.014
46440	0.013
46500	0.012
46560	0.014
46620	0.015
46680	0.015
46740	0.014
46800	0.015
46860	0.015
46920	0.014
46980	0.014
47040	0.014
47100	0.02
47160	0.014
47220	0.015
47280	0.015
47340	0.014
47400	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602816	7/12/2024 20:20	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:19	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:18	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:17	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:16	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:15	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:14	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:13	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:12	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:11	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:10	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:09	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:08	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:07	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:06	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:05	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:04	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:03	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:02	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:01	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 20:00	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:59	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:58	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:57	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:56	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:55	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:54	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:53	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:52	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:51	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:50	Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 19:49	Readings	PID	SC23030324C7	Normal	0





















































592-602816	7/12/2024 7:09 Readings	PID	SC23030324C7	Normal	0
592-602816	7/12/2024 7:08 CONFIG	PID	SC23030324C7		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_009
Test Start Time	6:58:32 AM
Test Start Date	7/12/2024
Test Length [D:H:M]	0:13:37
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.048
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.346
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	42

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.193		
120	0.068		
180	0.346		
240	0.036		
300	0.027		
360	0.026		
420	0.029		
480	0.076		
540	0.037		
600	0.025		
660	0.026		
720	0.021		
780	0.025		
840	0.036		
900	0.033		
960	0.031		
1020	0.03		
1080	0.032		
1140	0.023		
1200	0.025		
1260	0.03		
1320	0.032		
1380	0.036		
1440	0.032		

1500	0.025
1560	0.031
1620	0.025
1680	0.03
1740	0.037
1800	0.037
1860	0.049
1920	0.059
1980	0.075
2040	0.072
2100	0.043
2160	0.051
2220	0.038
2280	0.042
2340	0.04
2400	0.033
2460	0.047
49043	0

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600871	7/12/2024 19:52	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:51	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:50	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:49	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:48	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:47	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:46	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:45	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:44	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:43	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:42	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:41	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:40	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:39	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:38	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:37	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:36	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:35	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:34	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:33	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:32	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:31	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:30	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:29	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:28	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:27	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:26	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:25	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:24	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:23	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:22	Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 19:21	Readings	PID	SC23030408A8	Normal	0



















































592-600871	7/12/2024 7:14 Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 7:13 Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 7:12 Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 7:11 Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 7:10 Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 7:09 Readings	PID	SC23030408A8	Normal	0
592-600871	7/12/2024 7:08 CONFIG	PID	SC23030408A8		