



DAILY STATUS REPORT

Prepared By:
Thomas Jensen

WEATHER	Snow	Rain	X	Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32	32-50		50-70		70-85	X	>85	X	E – 4 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date:	07/25/24
Project:	251 Douglass Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:40 Time Out: 20:20</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group – Shannon Dowling Cascade Concrete Courses WSP - Charlie Lambert</p> <p>Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

Scope of Work: IEEG to deploy CAMP stations according to wind direction; and Cascade to continue with column installation.

- Site Activities:**
- IEEG deployed three (3) CAMP stations prior to the start of work activities;
 - Cascade received one (1) slag delivery;
 - Concrete Courses began laying rebar in the Butler corridor;
 - Cascade received a delivery of their repaired KDK;
 - Cascade drilled **Column 290** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 22 batches;
 - A wet mix sample was collected from 28’;
 - Cascade drilled **Column 415** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 17 batches;
 - Cascade drilled **Column 479** with column specification below:
 - Column is 8’ diameter and drilled 51’ deep from Site grade;
 - The column consisted of a total of 32 batches;
 - During downstroke 1 Cascade pulled the auger to surface at 11:36 to change the teeth, downstroke 1 resumed at 12:08.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.058_ mg/m³ @ 06:50
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.413_ mg/m³ @ 07:07
- High Conditions (Downwind 1) – PID = _4.6_ ppm @19:14, Dust = _0.121_ mg/m³ @ 15:57
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.280_ mg/m³ @ 19:48

Notable Site Conditions:

- None.

Planned for the Next Day/Week:

- Continuation of ISS column installation; and
- Begin rebar work in the Butler corridor.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of Cascade
changing teeth.



Photo 2-
Representative
photo of
Concrete Courses
laying rebar.



Photo 3-
Representative photo of a wet mix sample being collected.



Photo 4-
Representative photo of drilling an ISS Column.




Photo 5-


Representative photo of the swell stockpile securely covered at the end of the day with poly.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





LEGEND
 - - - PROPERTY LINE



NOTES:

**FIGURE 2:
SITE BOUNDARY**

251 Douglas Street
 Brooklyn, New York

Figure No: 02

**IMPACT ENVIRONMENTAL
CLOSURE S, INC.**

170 KEYLAND COURT
 BOHEMIA, NEW YORK 11716
 TEL (631) 269-8800
 FAX (631) 269-1599



SCM Report





Project name: Douglass Street BCG ISS Element name: 290a
Project number

Start date: 07/25/2024

Drilling rig: BG36H_5717

Details		Start time: 04:18 PM	
Max. depth: 38.02 ft.		End Date: 07/25/2024	
Volume/m 1: 54.38 ft ³		End time: 05:55 PM	
		Production duration: 01:37:18	
		Final depth time: 05:46 PM	
		Total suspension quantity: 631.42 ft ³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 290b
 Project number

Start date: 07/25/2024

Drilling rig: BG36H_5717

Details		Start time: 05:55 PM	
Max. depth: 38.02 ft.		End Date: 07/25/2024	
Volume/m 1: 20.83 ft³		End time: 06:25 PM	
		Production duration: 00:29:27	
		Final depth time: 06:15 PM	
		Total suspension quantity: 240.351 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 415a
Project number

Start date: 07/25/2024

Drilling rig: BG36H_5717

Details		Start time: 02:18 PM	
Max. depth: 38 ft.		End Date: 07/25/2024	
Volume/m 1: 37.08 ft³		End time: 03:14 PM	
		Production duration: 00:55:49	
		Final depth time: 03:03 PM	
		Total suspension quantity: 429.002 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 415b
Project number

Start date: 07/25/2024

Drilling rig: BG36H_5717

Details		Start time: 03:15 PM	
Max. depth: 38.09 ft.		End Date: 07/25/2024	
Volume/m 1: 20.12 ft³		End time: 03:42 PM	
		Production duration: 00:27:29	
		Final depth time: 03:33 PM	
		Total suspension quantity: 232.582 ft³	



SCM Report





Project name: Douglass Street BCG ISS Element name: 479a
Project number

Start date: 07/25/2024

Drilling rig: BG36H_5717

Details		Start time: 09:09 AM	
Max. depth: 50.68 ft.		End Date: 07/25/2024	
Volume/m 1: 73.45 ft³		End time: 11:47 AM	
		Production duration: 02:37:26	
		Final depth time: 11:27 AM	
		Total suspension quantity: 1,134.484 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 479a2
 Project number

Start date: 07/25/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	53.01 ft.	12:09 AM	
Volume/m 1	13.41 ft³	End Date	07/25/2024
		End time	12:39 AM
		Production duration	00:30:04
		Final depth time	12:22 AM_
		Total suspension quantity	216.267 ft³



SCM Report






Project name	Douglass Street BCG ISS	Element name	479b
		Project number	

		Start date	07/25/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details		Start time	12:39 PM
Max. depth	53.01 ft.	End Date	07/25/2024
Volume/m 1	19.06 ft³	End time	01:22 PM
		Production duration	00:43:06
		Final depth time	01:05 PM
		Total suspension quantity	306.249 ft³





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_002
Test Start Time	6:50:43 AM
Test Start Date	7/25/2024
Test Length [D:H:M]	0:13:01
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.032
PM1 Minimum [mg/m3]	0.02
PM1 Maximum [mg/m3]	0.413
PM1 TWA [mg/m3]	0.032
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	781

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:50	0.058		
6:51	0.023		
6:52	0.023		
6:53	0.022		
6:54	0.02		
6:55	0.021		
6:56	0.021		
6:57	0.023		
6:58	0.02		
6:59	0.02		
7:00	0.021		
7:01	0.022		
7:02	0.027		
7:03	0.023		
7:04	0.021		
7:05	0.023		
7:06	0.021		
7:07	0.413		
7:08	0.24		
7:09	0.03		
7:10	0.022		
7:11	0.021		
7:12	0.02		

7:13	0.022
7:14	0.023
7:15	0.024
7:16	0.022
7:17	0.022
7:18	0.022
7:19	0.022
7:20	0.022
7:21	0.024
7:22	0.023
7:23	0.023
7:24	0.023
7:25	0.022
7:26	0.022
7:27	0.021
7:28	0.022
7:29	0.022
7:30	0.022
7:31	0.023
7:32	0.024
7:33	0.023
7:34	0.023
7:35	0.023
7:36	0.023
7:37	0.025
7:38	0.026
7:39	0.024
7:40	0.026
7:41	0.028
7:42	0.028
7:43	0.023
7:44	0.022
7:45	0.023
7:46	0.023
7:47	0.022
7:48	0.023
7:49	0.023
7:50	0.022
7:51	0.022
7:52	0.023
7:53	0.024
7:54	0.022
7:55	0.023
7:56	0.021

7:57	0.021
7:58	0.022
7:59	0.022
8:00	0.021
8:01	0.021
8:02	0.021
8:03	0.021
8:04	0.021
8:05	0.021
8:06	0.021
8:07	0.022
8:08	0.022
8:09	0.023
8:10	0.024
8:11	0.023
8:12	0.021
8:13	0.021
8:14	0.021
8:15	0.022
8:16	0.023
8:17	0.022
8:18	0.023
8:19	0.024
8:20	0.024
8:21	0.024
8:22	0.025
8:23	0.025
8:24	0.022
8:25	0.024
8:26	0.024
8:27	0.023
8:28	0.024
8:29	0.025
8:30	0.026
8:31	0.026
8:32	0.025
8:33	0.025
8:34	0.026
8:35	0.025
8:36	0.027
8:37	0.025
8:38	0.025
8:39	0.029
8:40	0.358

8:41	0.033
8:42	0.028
8:43	0.027
8:44	0.026
8:45	0.027
8:46	0.026
8:47	0.027
8:48	0.027
8:49	0.027
8:50	0.025
8:51	0.025
8:52	0.026
8:53	0.026
8:54	0.026
8:55	0.026
8:56	0.026
8:57	0.026
8:58	0.026
8:59	0.027
9:00	0.026
9:01	0.027
9:02	0.027
9:03	0.027
9:04	0.027
9:05	0.028
9:06	0.029
9:07	0.027
9:08	0.026
9:09	0.027
9:10	0.027
9:11	0.026
9:12	0.031
9:13	0.029
9:14	0.027
9:15	0.027
9:16	0.029
9:17	0.029
9:18	0.028
9:19	0.029
9:20	0.031
9:21	0.03
9:22	0.028
9:23	0.027
9:24	0.028

9:25	0.029
9:26	0.028
9:27	0.026
9:28	0.027
9:29	0.028
9:30	0.029
9:31	0.027
9:32	0.026
9:33	0.026
9:34	0.03
9:35	0.028
9:36	0.029
9:37	0.03
9:38	0.029
9:39	0.031
9:40	0.032
9:41	0.027
9:42	0.027
9:43	0.029
9:44	0.029
9:45	0.029
9:46	0.029
9:47	0.027
9:48	0.029
9:49	0.027
9:50	0.029
9:51	0.026
9:52	0.026
9:53	0.029
9:54	0.03
9:55	0.029
9:56	0.03
9:57	0.028
9:58	0.028
9:59	0.028
10:00	0.029
10:01	0.032
10:02	0.033
10:03	0.028
10:04	0.034
10:05	0.037
10:06	0.036
10:07	0.03
10:08	0.03

10:09	0.037
10:10	0.034
10:11	0.031
10:12	0.035
10:13	0.031
10:14	0.04
10:15	0.042
10:16	0.028
10:17	0.029
10:18	0.03
10:19	0.034
10:20	0.031
10:21	0.031
10:22	0.033
10:23	0.036
10:24	0.034
10:25	0.03
10:26	0.03
10:27	0.032
10:28	0.032
10:29	0.039
10:30	0.037
10:31	0.029
10:32	0.032
10:33	0.034
10:34	0.045
10:35	0.035
10:36	0.03
10:37	0.043
10:38	0.045
10:39	0.029
10:40	0.029
10:41	0.039
10:42	0.031
10:43	0.032
10:44	0.033
10:45	0.03
10:46	0.031
10:47	0.032
10:48	0.029
10:49	0.028
10:50	0.031
10:51	0.038
10:52	0.032

10:53	0.043
10:54	0.039
10:55	0.042
10:56	0.041
10:57	0.034
10:58	0.034
10:59	0.032
11:00	0.034
11:01	0.036
11:02	0.034
11:03	0.031
11:04	0.029
11:05	0.028
11:06	0.028
11:07	0.031
11:08	0.031
11:09	0.031
11:10	0.03
11:11	0.032
11:12	0.036
11:13	0.029
11:14	0.029
11:15	0.032
11:16	0.045
11:17	0.033
11:18	0.034
11:19	0.029
11:20	0.028
11:21	0.03
11:22	0.03
11:23	0.034
11:24	0.031
11:25	0.033
11:26	0.03
11:27	0.031
11:28	0.03
11:29	0.031
11:30	0.029
11:31	0.035
11:32	0.033
11:33	0.032
11:34	0.031
11:35	0.031
11:36	0.037

11:37	0.042
11:38	0.03
11:39	0.034
11:40	0.032
11:41	0.031
11:42	0.034
11:43	0.029
11:44	0.033
11:45	0.033
11:46	0.032
11:47	0.031
11:48	0.031
11:49	0.031
11:50	0.031
11:51	0.031
11:52	0.033
11:53	0.036
11:54	0.033
11:55	0.028
11:56	0.032
11:57	0.033
11:58	0.032
11:59	0.03
12:00	0.031
12:01	0.033
12:02	0.033
12:03	0.033
12:04	0.03
12:05	0.031
12:06	0.032
12:07	0.03
12:08	0.032
12:09	0.031
12:10	0.031
12:11	0.033
12:12	0.038
12:13	0.036
12:14	0.035
12:15	0.032
12:16	0.033
12:17	0.03
12:18	0.034
12:19	0.036
12:20	0.033

12:21	0.031
12:22	0.03
12:23	0.03
12:24	0.029
12:25	0.029
12:26	0.03
12:27	0.03
12:28	0.031
12:29	0.032
12:30	0.03
12:31	0.031
12:32	0.032
12:33	0.036
12:34	0.035
12:35	0.032
12:36	0.03
12:37	0.03
12:38	0.03
12:39	0.031
12:40	0.031
12:41	0.031
12:42	0.031
12:43	0.034
12:44	0.032
12:45	0.042
12:46	0.044
12:47	0.044
12:48	0.034
12:49	0.034
12:50	0.037
12:51	0.035
12:52	0.034
12:53	0.029
12:54	0.032
12:55	0.034
12:56	0.033
12:57	0.031
12:58	0.033
12:59	0.035
13:00	0.033
13:01	0.033
13:02	0.031
13:03	0.031
13:04	0.034

13:05	0.033
13:06	0.03
13:07	0.032
13:08	0.036
13:09	0.034
13:10	0.029
13:11	0.031
13:12	0.031
13:13	0.043
13:14	0.03
13:15	0.031
13:16	0.03
13:17	0.031
13:18	0.033
13:19	0.031
13:20	0.032
13:21	0.032
13:22	0.032
13:23	0.032
13:24	0.036
13:25	0.036
13:26	0.033
13:27	0.033
13:28	0.032
13:29	0.033
13:30	0.032
13:31	0.035
13:32	0.034
13:33	0.035
13:34	0.034
13:35	0.034
13:36	0.039
13:37	0.035
13:38	0.033
13:39	0.032
13:40	0.033
13:41	0.033
13:42	0.038
13:43	0.037
13:44	0.031
13:45	0.034
13:46	0.036
13:47	0.035
13:48	0.032

13:49	0.034
13:50	0.035
13:51	0.032
13:52	0.032
13:53	0.031
13:54	0.036
13:55	0.035
13:56	0.031
13:57	0.032
13:58	0.031
13:59	0.033
14:00	0.031
14:01	0.035
14:02	0.036
14:03	0.032
14:04	0.032
14:05	0.032
14:06	0.033
14:07	0.033
14:08	0.033
14:09	0.034
14:10	0.032
14:11	0.03
14:12	0.038
14:13	0.031
14:14	0.03
14:15	0.032
14:16	0.037
14:17	0.031
14:18	0.03
14:19	0.031
14:20	0.03
14:21	0.032
14:22	0.031
14:23	0.031
14:24	0.032
14:25	0.033
14:26	0.038
14:27	0.034
14:28	0.034
14:29	0.03
14:30	0.036
14:31	0.032
14:32	0.032

14:33	0.033
14:34	0.032
14:35	0.031
14:36	0.032
14:37	0.032
14:38	0.032
14:39	0.031
14:40	0.03
14:41	0.031
14:42	0.031
14:43	0.031
14:44	0.031
14:45	0.032
14:46	0.035
14:47	0.033
14:48	0.032
14:49	0.037
14:50	0.033
14:51	0.033
14:52	0.034
14:53	0.033
14:54	0.032
14:55	0.036
14:56	0.032
14:57	0.032
14:58	0.031
14:59	0.04
15:00	0.035
15:01	0.032
15:02	0.033
15:03	0.036
15:04	0.033
15:05	0.032
15:06	0.034
15:07	0.034
15:08	0.036
15:09	0.032
15:10	0.034
15:11	0.036
15:12	0.036
15:13	0.036
15:14	0.035
15:15	0.034
15:16	0.036

15:17	0.04
15:18	0.034
15:19	0.037
15:20	0.033
15:21	0.035
15:22	0.035
15:23	0.032
15:24	0.035
15:25	0.034
15:26	0.032
15:27	0.032
15:28	0.034
15:29	0.041
15:30	0.034
15:31	0.034
15:32	0.034
15:33	0.034
15:34	0.037
15:35	0.035
15:36	0.034
15:37	0.038
15:38	0.034
15:39	0.038
15:40	0.036
15:41	0.036
15:42	0.034
15:43	0.035
15:44	0.037
15:45	0.038
15:46	0.036
15:47	0.041
15:48	0.039
15:49	0.037
15:50	0.034
15:51	0.033
15:52	0.035
15:53	0.035
15:54	0.034
15:55	0.035
15:56	0.036
15:57	0.038
15:58	0.04
15:59	0.034
16:00	0.037

16:01	0.036
16:02	0.034
16:03	0.033
16:04	0.034
16:05	0.038
16:06	0.038
16:07	0.039
16:08	0.036
16:09	0.038
16:10	0.037
16:11	0.041
16:12	0.041
16:13	0.036
16:14	0.034
16:15	0.036
16:16	0.035
16:17	0.036
16:18	0.047
16:19	0.035
16:20	0.035
16:21	0.035
16:22	0.036
16:23	0.037
16:24	0.04
16:25	0.039
16:26	0.043
16:27	0.039
16:28	0.038
16:29	0.035
16:30	0.035
16:31	0.035
16:32	0.035
16:33	0.039
16:34	0.035
16:35	0.035
16:36	0.034
16:37	0.035
16:38	0.035
16:39	0.035
16:40	0.035
16:41	0.037
16:42	0.04
16:43	0.032
16:44	0.033

16:45	0.034
16:46	0.034
16:47	0.035
16:48	0.037
16:49	0.036
16:50	0.035
16:51	0.033
16:52	0.034
16:53	0.037
16:54	0.03
16:55	0.031
16:56	0.032
16:57	0.032
16:58	0.031
16:59	0.031
17:00	0.033
17:01	0.033
17:02	0.037
17:03	0.036
17:04	0.034
17:05	0.035
17:06	0.033
17:07	0.032
17:08	0.032
17:09	0.031
17:10	0.031
17:11	0.031
17:12	0.032
17:13	0.033
17:14	0.033
17:15	0.032
17:16	0.032
17:17	0.033
17:18	0.033
17:19	0.032
17:20	0.032
17:21	0.032
17:22	0.033
17:23	0.033
17:24	0.034
17:25	0.031
17:26	0.031
17:27	0.03
17:28	0.032

17:29	0.03
17:30	0.032
17:31	0.035
17:32	0.03
17:33	0.03
17:34	0.033
17:35	0.031
17:36	0.033
17:37	0.03
17:38	0.029
17:39	0.027
17:40	0.028
17:41	0.028
17:42	0.027
17:43	0.028
17:44	0.027
17:45	0.029
17:46	0.029
17:47	0.027
17:48	0.026
17:49	0.036
17:50	0.026
17:51	0.026
17:52	0.026
17:53	0.025
17:54	0.025
17:55	0.029
17:56	0.027
17:57	0.026
17:58	0.025
17:59	0.027
18:00	0.027
18:01	0.029
18:02	0.029
18:03	0.028
18:04	0.03
18:05	0.032
18:06	0.029
18:07	0.026
18:08	0.026
18:09	0.026
18:10	0.026
18:11	0.028
18:12	0.027

18:13	0.029
18:14	0.027
18:15	0.028
18:16	0.038
18:17	0.028
18:18	0.027
18:19	0.027
18:20	0.026
18:21	0.026
18:22	0.027
18:23	0.026
18:24	0.025
18:25	0.026
18:26	0.026
18:27	0.026
18:28	0.027
18:29	0.026
18:30	0.027
18:31	0.031
18:32	0.025
18:33	0.026
18:34	0.026
18:35	0.025
18:36	0.025
18:37	0.025
18:38	0.025
18:39	0.025
18:40	0.024
18:41	0.025
18:42	0.025
18:43	0.025
18:44	0.025
18:45	0.034
18:46	0.027
18:47	0.026
18:48	0.024
18:49	0.025
18:50	0.028
18:51	0.025
18:52	0.025
18:53	0.025
18:54	0.026
18:55	0.026
18:56	0.026

18:57	0.027
18:58	0.027
18:59	0.025
19:00	0.025
19:01	0.024
19:02	0.025
19:03	0.025
19:04	0.025
19:05	0.026
19:06	0.026
19:07	0.026
19:08	0.027
19:09	0.028
19:10	0.03
19:11	0.03
19:12	0.032
19:13	0.031
19:14	0.028
19:15	0.027
19:16	0.03
19:17	0.028
19:18	0.029
19:19	0.03
19:20	0.029
19:21	0.03
19:22	0.029
19:23	0.028
19:24	0.03
19:25	0.028
19:26	0.028
19:27	0.028
19:28	0.027
19:29	0.027
19:30	0.03
19:31	0.029
19:32	0.029
19:33	0.029
19:34	0.029
19:35	0.028
19:36	0.028
19:37	0.028
19:38	0.028
19:39	0.028
19:40	0.027

19:41	0.027
19:42	0.025
19:43	0.025
19:44	0.025
19:45	0.025
19:46	0.027
19:47	0.03
19:48	0.031
19:49	0.03
19:50	0.027

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-001278	7/25/2024	19:51	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:50	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:49	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:48	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:47	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:46	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:45	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:44	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:43	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:42	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:41	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:40	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:39	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:38	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:37	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:36	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:35	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:34	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:33	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:32	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:31	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:30	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:29	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:28	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:27	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:26	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:25	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:24	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:23	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:22	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:21	Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	19:20	Readings	PID	SC23030041T3	Normal	0

592-001278	7/25/2024	7:13 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:12 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:11 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:10 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:09 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:08 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:07 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:06 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:05 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:04 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:03 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:02 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:01 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	7:00 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:59 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:58 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:57 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:56 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:55 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:54 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:53 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:52 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:51 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	6:50 Readings	PID	SC23030041T3	Normal	0
592-001278	7/25/2024	CONFIG	PID	SC23030041T3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_002
Test Start Time	6:36:17 AM
Test Start Date	7/25/2024
Test Length [D:H:M]	0:00:51
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.03
Mass Maximum [mg/m3]	0.121
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	799

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:36	0.104		
6:37	0.036		
6:38	0.035		
6:39	0.036		
6:40	0.035		
6:41	0.035		
6:42	0.035		
6:43	0.041		
6:44	0.038		
6:45	0.034		
6:46	0.036		
6:47	0.033		
6:48	0.035		
6:49	0.038		
6:50	0.037		
6:51	0.032		
6:52	0.032		
6:53	0.03		
6:54	0.033		
6:55	0.031		
6:56	0.03		
6:57	0.032		
6:58	0.032		
6:59	0.031		

7:00	0.032
7:01	0.031
7:02	0.031
7:03	0.031
7:04	0.031
7:05	0.031
7:06	0.032
7:07	0.033
7:08	0.033
7:09	0.031
7:10	0.033
7:11	0.032
7:12	0.03
7:13	0.032
7:14	0.033
7:15	0.034
7:16	0.033
7:17	0.033
7:18	0.034
7:19	0.035
7:20	0.035
7:21	0.036
7:22	0.035
7:23	0.034
7:24	0.034
7:25	0.034
7:26	0.033
7:28	0.036
7:29	0.034
7:30	0.035
7:31	0.037
7:32	0.036
7:33	0.036
7:34	0.036
7:35	0.036
7:36	0.037
7:37	0.036
7:38	0.038
7:39	0.038
7:40	0.039
7:41	0.056
7:42	0.076
7:43	0.087
7:44	0.042

7:45	0.052
7:46	0.046
7:47	0.049
7:48	0.068
7:49	0.068
7:50	0.037
7:51	0.038
7:52	0.037
7:53	0.037
7:54	0.037
7:55	0.038
7:56	0.036
7:57	0.034
7:58	0.055
7:59	0.058
8:00	0.04
8:01	0.036
8:02	0.044
8:03	0.038
8:04	0.038
8:05	0.039
8:06	0.041
8:07	0.036
8:08	0.042
8:09	0.038
8:10	0.041
8:11	0.056
8:12	0.041
8:13	0.04
8:14	0.037
8:15	0.037
8:16	0.04
8:17	0.039
8:18	0.04
8:19	0.039
8:20	0.044
8:21	0.051
8:22	0.047
8:23	0.04
8:24	0.039
8:25	0.046
8:26	0.042
8:27	0.053
8:28	0.045

8:29	0.042
8:30	0.043
8:31	0.043
8:32	0.04
8:33	0.04
8:34	0.043
8:35	0.04
8:36	0.042
8:37	0.04
8:38	0.043
8:39	0.042
8:40	0.041
8:41	0.042
8:42	0.045
8:43	0.043
8:44	0.043
8:45	0.043
8:46	0.054
8:47	0.067
8:48	0.045
8:49	0.046
8:50	0.043
8:51	0.065
8:52	0.047
8:53	0.048
8:54	0.047
8:55	0.043
8:56	0.057
8:57	0.051
8:58	0.044
8:59	0.045
9:00	0.05
9:01	0.045
9:02	0.046
9:03	0.049
9:04	0.044
9:05	0.043
9:06	0.046
9:07	0.046
9:08	0.044
9:09	0.044
9:10	0.043
9:11	0.042
9:12	0.042

9:13	0.041
9:14	0.042
9:15	0.046
9:16	0.044
9:17	0.042
9:18	0.044
9:19	0.045
9:20	0.045
9:21	0.043
9:22	0.042
9:23	0.041
9:24	0.041
9:25	0.042
9:26	0.039
9:27	0.04
9:28	0.039
9:29	0.04
9:30	0.041
9:31	0.042
9:32	0.04
9:33	0.044
9:34	0.042
9:35	0.047
9:36	0.041
9:37	0.042
9:38	0.041
9:39	0.041
9:40	0.043
9:41	0.042
9:42	0.042
9:43	0.044
9:44	0.042
9:45	0.042
9:46	0.042
9:47	0.042
9:48	0.046
9:49	0.042
9:50	0.04
9:51	0.042
9:52	0.043
9:53	0.043
9:54	0.043
9:55	0.045
9:56	0.044

9:57	0.044
9:58	0.043
9:59	0.043
10:00	0.046
10:01	0.044
10:02	0.045
10:03	0.048
10:04	0.048
10:05	0.044
10:06	0.046
10:07	0.047
10:08	0.047
10:09	0.053
10:10	0.06
10:11	0.055
10:12	0.05
10:13	0.047
10:14	0.047
10:15	0.047
10:16	0.048
10:17	0.055
10:18	0.049
10:19	0.051
10:20	0.053
10:21	0.047
10:22	0.045
10:23	0.047
10:24	0.045
10:25	0.046
10:26	0.049
10:27	0.05
10:28	0.048
10:29	0.047
10:30	0.045
10:31	0.051
10:32	0.049
10:33	0.046
10:34	0.045
10:35	0.046
10:36	0.048
10:37	0.046
10:38	0.048
10:39	0.054
10:40	0.046

10:41	0.047
10:42	0.045
10:43	0.048
10:44	0.049
10:45	0.048
10:46	0.048
10:47	0.049
10:48	0.05
10:49	0.047
10:50	0.05
10:51	0.049
10:52	0.046
10:53	0.052
10:54	0.049
10:55	0.046
10:56	0.046
10:57	0.044
10:58	0.049
10:59	0.048
11:00	0.048
11:01	0.048
11:02	0.046
11:03	0.052
11:04	0.047
11:05	0.048
11:06	0.046
11:07	0.047
11:08	0.046
11:09	0.045
11:10	0.046
11:11	0.047
11:12	0.047
11:13	0.047
11:14	0.044
11:15	0.047
11:16	0.047
11:17	0.049
11:18	0.046
11:19	0.046
11:20	0.045
11:21	0.046
11:22	0.049
11:23	0.047
11:24	0.045

11:25	0.046
11:26	0.049
11:27	0.047
11:28	0.045
11:29	0.047
11:30	0.048
11:31	0.047
11:32	0.046
11:33	0.046
11:34	0.048
11:35	0.047
11:36	0.048
11:37	0.05
11:38	0.051
11:39	0.049
11:40	0.051
11:41	0.047
11:42	0.046
11:43	0.051
11:44	0.045
11:45	0.05
11:46	0.052
11:47	0.047
11:48	0.048
11:49	0.049
11:50	0.047
11:51	0.047
11:52	0.049
11:53	0.049
11:54	0.049
11:55	0.049
11:56	0.045
11:57	0.047
11:58	0.047
11:59	0.046
12:00	0.046
12:01	0.046
12:02	0.045
12:03	0.045
12:04	0.047
12:05	0.046
12:06	0.048
12:07	0.047
12:08	0.048

12:09	0.047
12:10	0.046
12:11	0.046
12:12	0.048
12:13	0.045
12:14	0.048
12:15	0.049
12:16	0.05
12:17	0.047
12:18	0.048
12:19	0.047
12:20	0.062
12:21	0.05
12:22	0.047
12:23	0.046
12:24	0.046
12:25	0.047
12:26	0.047
12:27	0.054
12:28	0.049
12:29	0.049
12:30	0.049
12:31	0.047
12:32	0.049
12:33	0.048
12:34	0.049
12:35	0.047
12:36	0.048
12:37	0.048
12:38	0.048
12:39	0.053
12:40	0.05
12:41	0.049
12:42	0.053
12:43	0.048
12:44	0.048
12:45	0.049
12:46	0.052
12:47	0.05
12:48	0.053
12:49	0.053
12:50	0.053
12:51	0.056
12:52	0.05

12:53	0.047
12:54	0.047
12:55	0.052
12:56	0.053
12:57	0.052
12:58	0.058
12:59	0.054
13:00	0.051
13:01	0.052
13:02	0.052
13:03	0.051
13:04	0.053
13:05	0.055
13:06	0.055
13:07	0.05
13:08	0.05
13:09	0.052
13:10	0.051
13:11	0.047
13:12	0.049
13:13	0.055
13:14	0.059
13:15	0.055
13:16	0.051
13:17	0.049
13:18	0.052
13:19	0.053
13:20	0.063
13:21	0.053
13:22	0.051
13:23	0.062
13:24	0.053
13:25	0.052
13:26	0.052
13:27	0.049
13:28	0.049
13:29	0.054
13:30	0.063
13:31	0.05
13:32	0.048
13:33	0.049
13:34	0.051
13:35	0.048
13:36	0.052

13:37	0.059
13:38	0.053
13:39	0.05
13:40	0.063
13:41	0.052
13:42	0.054
13:43	0.054
13:44	0.052
13:45	0.056
13:46	0.055
13:47	0.051
13:48	0.053
13:49	0.055
13:50	0.05
13:51	0.062
13:52	0.053
13:53	0.056
13:54	0.053
13:55	0.047
13:56	0.05
13:57	0.051
13:58	0.057
13:59	0.051
14:00	0.054
14:01	0.051
14:02	0.053
14:03	0.056
14:04	0.053
14:05	0.046
14:06	0.046
14:07	0.048
14:08	0.056
14:09	0.05
14:10	0.049
14:11	0.047
14:12	0.049
14:13	0.053
14:14	0.054
14:15	0.047
14:16	0.053
14:17	0.049
14:18	0.048
14:19	0.053
14:20	0.047

14:21	0.054
14:22	0.056
14:23	0.054
14:24	0.051
14:25	0.048
14:26	0.047
14:27	0.05
14:28	0.06
14:29	0.057
14:30	0.051
14:31	0.049
14:32	0.06
14:33	0.055
14:34	0.048
14:35	0.049
14:36	0.05
14:37	0.048
14:38	0.051
14:39	0.049
14:40	0.049
14:41	0.048
14:42	0.05
14:43	0.05
14:44	0.048
14:45	0.048
14:46	0.052
14:47	0.048
14:48	0.049
14:49	0.053
14:50	0.054
14:51	0.054
14:52	0.052
14:53	0.053
14:54	0.053
14:55	0.062
14:56	0.049
14:57	0.056
14:58	0.049
14:59	0.052
15:00	0.053
15:01	0.056
15:02	0.053
15:03	0.05
15:04	0.049

15:05	0.048
15:06	0.054
15:07	0.053
15:08	0.049
15:09	0.052
15:10	0.056
15:11	0.06
15:12	0.053
15:13	0.049
15:14	0.05
15:15	0.058
15:16	0.052
15:17	0.051
15:18	0.056
15:19	0.052
15:20	0.051
15:21	0.056
15:22	0.055
15:23	0.063
15:24	0.049
15:25	0.05
15:26	0.062
15:27	0.063
15:28	0.053
15:29	0.093
15:30	0.052
15:31	0.054
15:32	0.053
15:33	0.056
15:34	0.054
15:35	0.098
15:36	0.058
15:37	0.101
15:38	0.064
15:39	0.056
15:40	0.057
15:41	0.061
15:42	0.072
15:43	0.064
15:44	0.058
15:45	0.058
15:46	0.055
15:47	0.062
15:48	0.056

15:49	0.069
15:50	0.084
15:51	0.09
15:52	0.087
15:53	0.087
15:54	0.064
15:55	0.069
15:56	0.084
15:57	0.121
15:58	0.085
15:59	0.061
16:00	0.059
16:01	0.062
16:02	0.056
16:03	0.062
16:04	0.058
16:05	0.052
16:06	0.06
16:07	0.059
16:08	0.056
16:09	0.07
16:10	0.066
16:11	0.085
16:12	0.068
16:13	0.06
16:14	0.074
16:15	0.062
16:16	0.065
16:17	0.065
16:18	0.077
16:19	0.073
16:20	0.065
16:21	0.059
16:22	0.062
16:23	0.062
16:24	0.055
16:25	0.053
16:26	0.054
16:27	0.053
16:28	0.06
16:29	0.063
16:30	0.052
16:31	0.053
16:32	0.053

16:33	0.052
16:34	0.055
16:35	0.05
16:36	0.052
16:37	0.053
16:38	0.051
16:39	0.053
16:40	0.052
16:41	0.059
16:42	0.051
16:43	0.049
16:44	0.049
16:45	0.051
16:46	0.05
16:47	0.048
16:48	0.049
16:49	0.05
16:50	0.052
16:51	0.049
16:52	0.06
16:53	0.049
16:54	0.05
16:55	0.049
16:56	0.047
16:57	0.048
16:58	0.047
16:59	0.046
17:00	0.047
17:01	0.047
17:02	0.047
17:03	0.053
17:04	0.052
17:05	0.049
17:06	0.048
17:07	0.047
17:08	0.048
17:09	0.05
17:10	0.048
17:11	0.048
17:12	0.046
17:13	0.047
17:14	0.047
17:15	0.047
17:16	0.046

17:17	0.047
17:18	0.046
17:19	0.048
17:20	0.046
17:21	0.044
17:22	0.045
17:23	0.053
17:24	0.05
17:25	0.044
17:26	0.044
17:27	0.045
17:28	0.045
17:29	0.043
17:30	0.045
17:31	0.044
17:32	0.044
17:33	0.043
17:34	0.042
17:35	0.043
17:36	0.047
17:37	0.043
17:38	0.043
17:39	0.041
17:40	0.047
17:41	0.04
17:42	0.041
17:43	0.042
17:44	0.043
17:45	0.043
17:46	0.042
17:47	0.041
17:48	0.04
17:49	0.041
17:50	0.04
17:51	0.041
17:52	0.04
17:53	0.039
17:54	0.039
17:55	0.04
17:56	0.039
17:57	0.04
17:58	0.041
17:59	0.041
18:00	0.04

18:01	0.043
18:02	0.044
18:03	0.044
18:04	0.043
18:05	0.04
18:06	0.04
18:07	0.04
18:08	0.042
18:09	0.041
18:10	0.04
18:11	0.041
18:12	0.078
18:13	0.04
18:14	0.04
18:15	0.046
18:16	0.042
18:17	0.042
18:18	0.04
18:19	0.04
18:20	0.04
18:21	0.04
18:22	0.04
18:23	0.039
18:24	0.039
18:25	0.04
18:26	0.04
18:27	0.039
18:28	0.04
18:29	0.041
18:30	0.039
18:31	0.039
18:32	0.039
18:33	0.039
18:34	0.039
18:35	0.039
18:36	0.038
18:37	0.038
18:38	0.038
18:39	0.038
18:40	0.038
18:41	0.039
18:42	0.039
18:43	0.037
18:44	0.038

18:45	0.038
18:46	0.039
18:47	0.039
18:48	0.038
18:49	0.038
18:50	0.039
18:51	0.04
18:52	0.039
18:53	0.039
18:54	0.038
18:55	0.039
18:56	0.048
18:57	0.046
18:58	0.043
18:59	0.043
19:00	0.038
19:01	0.042
19:02	0.042
19:03	0.043
19:04	0.038
19:05	0.045
19:06	0.042
19:07	0.042
19:08	0.042
19:09	0.042
19:10	0.048
19:11	0.047
19:12	0.051
19:13	0.051
19:14	0.074
19:15	0.068
19:16	0.066
19:17	0.042
19:18	0.043
19:19	0.047
19:20	0.045
19:21	0.044
19:22	0.043
19:23	0.052
19:24	0.052
19:25	0.046
19:26	0.042
19:27	0.044
19:28	0.074

19:29	0.046
19:30	0.042
19:31	0.049
19:32	0.044
19:33	0.042
19:34	0.043
19:35	0.043
19:36	0.049
19:37	0.05
19:38	0.045
19:39	0.047
19:40	0.045
19:41	0.04
19:42	0.041
19:43	0.044
19:44	0.039
19:45	0.037
19:46	0.039
19:47	0.042
19:48	0.047
19:49	0.047
19:50	0.043
19:51	0.043
19:52	0.043
19:53	0.041
19:54	0.042
19:55	0.044

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-905859	7/25/2024	19:56	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:55	Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	19:54	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:53	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:52	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:51	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:50	Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	19:49	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:48	Readings	PID	SC23030262J9	Normal	0.9
592-905859	7/25/2024	19:47	Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	19:46	Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	19:45	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:44	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:43	Readings	PID	SC23030262J9	Normal	0.8
592-905859	7/25/2024	19:42	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:41	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:40	Readings	PID	SC23030262J9	Normal	0.8
592-905859	7/25/2024	19:39	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:38	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:37	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:36	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:35	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:34	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:33	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:32	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:31	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:30	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:29	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:28	Readings	PID	SC23030262J9	Normal	0.7
592-905859	7/25/2024	19:27	Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	19:26	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:25	Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	19:24 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	19:23 Readings	PID	SC23030262J9	Normal	2.8
592-905859	7/25/2024	19:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:21 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	19:20 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:19 Readings	PID	SC23030262J9	Normal	1.5
592-905859	7/25/2024	19:18 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:17 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:16 Readings	PID	SC23030262J9	Normal	1.7
592-905859	7/25/2024	19:15 Readings	PID	SC23030262J9	Normal	2.8
592-905859	7/25/2024	19:14 Readings	PID	SC23030262J9	Normal	4.6
592-905859	7/25/2024	19:13 Readings	PID	SC23030262J9	Normal	1.9
592-905859	7/25/2024	19:12 Readings	PID	SC23030262J9	Normal	2.5
592-905859	7/25/2024	19:11 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	19:10 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	19:09 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	19:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:07 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	19:06 Readings	PID	SC23030262J9	Normal	1.6
592-905859	7/25/2024	19:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:04 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:03 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	19:02 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	19:01 Readings	PID	SC23030262J9	Normal	1.5
592-905859	7/25/2024	19:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:59 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:58 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:57 Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	18:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:55 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	18:52 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	16:39 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:38 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:35 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:34 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	16:33 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:32 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	16:31 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:30 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:29 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:28 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:27 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:26 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:25 Readings	PID	SC23030262J9	Normal	0.9
592-905859	7/25/2024	16:24 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:23 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:20 Readings	PID	SC23030262J9	Normal	1.2
592-905859	7/25/2024	16:19 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:18 Readings	PID	SC23030262J9	Normal	1.5
592-905859	7/25/2024	16:17 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:16 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:15 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	16:14 Readings	PID	SC23030262J9	Normal	1.7
592-905859	7/25/2024	16:13 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	16:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:11 Readings	PID	SC23030262J9	Normal	1.6
592-905859	7/25/2024	16:10 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	16:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:07 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	16:06 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:04 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:03 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:02 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:01 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	16:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:59 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:58 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:55 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:52 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	15:51 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:50 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:49 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	15:48 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:47 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:46 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:45 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:44 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:43 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:42 Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	15:41 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	15:40 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	15:39 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	15:38 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:35 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	15:34 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	15:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:59 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:58 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:55 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:52 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	14:51 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:50 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:49 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:48 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:47 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:46 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:45 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:44 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:43 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:42 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:41 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:40 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:39 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:38 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:35 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:34 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:33 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:32 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:31 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:30 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:29 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:28 Readings	PID	SC23030262J9	Normal	0.1

592-905859	7/25/2024	14:27 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:26 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:25 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:24 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	14:23 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:20 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:19 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	14:18 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:17 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:16 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:15 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:14 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:13 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:11 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:10 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:07 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:06 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:04 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	14:03 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:02 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:01 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	14:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:59 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:58 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:55 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	13:54	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:53	Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	13:52	Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	13:51	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:50	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:49	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:48	Readings	PID	SC23030262J9	Normal	1.3
592-905859	7/25/2024	13:47	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:46	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:45	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:44	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:43	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:42	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:41	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:40	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:39	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:38	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:37	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:36	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:35	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:34	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:33	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:32	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:31	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:30	Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	13:29	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:28	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:27	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:26	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:25	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:24	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:23	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:22	Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	13:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:20 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	13:19 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:18 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:17 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:16 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:15 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:14 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:13 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	13:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:11 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:10 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:07 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:06 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:05 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	13:04 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:03 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:02 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:01 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	13:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:59 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:58 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:55 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:52 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:51 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:50 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:49 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	12:15 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:14 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:13 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:11 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:10 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:07 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:06 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:04 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:03 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:02 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:01 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	12:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:59 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:58 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:55 Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	11:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:52 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	11:51 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:50 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:49 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:48 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	11:47 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:46 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:45 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:44 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:43 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	11:42 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:41 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:40 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:39 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:38 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	11:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:35 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:34 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:33 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:32 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:31 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:30 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:29 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:28 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:27 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:26 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:25 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:24 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:23 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:20 Readings	PID	SC23030262J9	Normal	0.7
592-905859	7/25/2024	11:19 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:18 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:17 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:16 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:15 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	11:14 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:13 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	11:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:11 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:10 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	11:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:07 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:06 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:04 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:03 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:02 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:01 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	11:00 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:59 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	10:58 Readings	PID	SC23030262J9	Normal	0.8
592-905859	7/25/2024	10:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:56 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:55 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:53 Readings	PID	SC23030262J9	Normal	0.9
592-905859	7/25/2024	10:52 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:51 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	10:50 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	10:49 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	10:48 Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	10:47 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	10:46 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	10:45 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	10:44 Readings	PID	SC23030262J9	Normal	1
592-905859	7/25/2024	10:43 Readings	PID	SC23030262J9	Normal	2.4
592-905859	7/25/2024	10:42 Readings	PID	SC23030262J9	Normal	1.7
592-905859	7/25/2024	10:41 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:40 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:39 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	10:38 Readings	PID	SC23030262J9	Normal	0.7
592-905859	7/25/2024	10:37 Readings	PID	SC23030262J9	Normal	0.9

592-905859	7/25/2024	10:36	Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	10:35	Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	10:34	Readings	PID	SC23030262J9	Normal	1
592-905859	7/25/2024	10:33	Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	10:32	Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	10:31	Readings	PID	SC23030262J9	Normal	5
592-905859	7/25/2024	10:30	Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	10:29	Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	10:28	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:27	Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	10:26	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:25	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:24	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:23	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:22	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:21	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:20	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:19	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:18	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:17	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:16	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:15	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:14	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:13	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:12	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:11	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:10	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:09	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:08	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:07	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:06	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:05	Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	10:04	Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	9:30 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	9:29 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:28 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:27 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:26 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:25 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:24 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:23 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:20 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:19 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:18 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:17 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:16 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:15 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:14 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:13 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:11 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	9:10 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:08 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:07 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:06 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	9:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:04 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:03 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:02 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	9:01 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	9:00 Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	8:59 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	8:58 Readings	PID	SC23030262J9	Normal	0.6

592-905859	7/25/2024	8:57 Readings	PID	SC23030262J9	Normal	1.2
592-905859	7/25/2024	8:56 Readings	PID	SC23030262J9	Normal	2.7
592-905859	7/25/2024	8:55 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:54 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:52 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:51 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	8:50 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:49 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:48 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:47 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:46 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	8:45 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:44 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:43 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:42 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:41 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:40 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:39 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:38 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:35 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:34 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:33 Readings	PID	SC23030262J9	Normal	1.2
592-905859	7/25/2024	8:32 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:31 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:30 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:29 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:28 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:27 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:26 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:25 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	8:24 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:23 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:20 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:19 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:18 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	8:17 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	8:16 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:15 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:14 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:13 Readings	PID	SC23030262J9	Normal	0.7
592-905859	7/25/2024	8:12 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:11 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	8:10 Readings	PID	SC23030262J9	Normal	0.1
592-905859	7/25/2024	8:09 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:08 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	8:07 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:06 Readings	PID	SC23030262J9	Normal	2
592-905859	7/25/2024	8:05 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	8:04 Readings	PID	SC23030262J9	Normal	0.2
592-905859	7/25/2024	8:03 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	8:02 Readings	PID	SC23030262J9	Normal	0.4
592-905859	7/25/2024	8:01 Readings	PID	SC23030262J9	Normal	3.4
592-905859	7/25/2024	8:00 Readings	PID	SC23030262J9	Normal	1.1
592-905859	7/25/2024	7:59 Readings	PID	SC23030262J9	Normal	3.8
592-905859	7/25/2024	7:58 Readings	PID	SC23030262J9	Normal	1.2
592-905859	7/25/2024	7:57 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:56 Readings	PID	SC23030262J9	Normal	0.6
592-905859	7/25/2024	7:55 Readings	PID	SC23030262J9	Normal	1.8
592-905859	7/25/2024	7:54 Readings	PID	SC23030262J9	Normal	0.5
592-905859	7/25/2024	7:53 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:52 Readings	PID	SC23030262J9	Normal	0.4

592-905859	7/25/2024	7:51 Readings	PID	SC23030262J9	Normal	0.8
592-905859	7/25/2024	7:50 Readings	PID	SC23030262J9	Normal	1.3
592-905859	7/25/2024	7:49 Readings	PID	SC23030262J9	Normal	2.1
592-905859	7/25/2024	7:48 Readings	PID	SC23030262J9	Normal	2.9
592-905859	7/25/2024	7:47 Readings	PID	SC23030262J9	Normal	1
592-905859	7/25/2024	7:46 Readings	PID	SC23030262J9	Normal	1.1
592-905859	7/25/2024	7:45 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:44 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	7:43 Readings	PID	SC23030262J9	Normal	2.4
592-905859	7/25/2024	7:42 Readings	PID	SC23030262J9	Normal	0.3
592-905859	7/25/2024	7:41 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:40 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:39 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:38 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:35 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:34 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:33 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:32 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:31 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:30 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:29 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:28 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:27 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:26 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:25 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:24 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:23 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:22 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:21 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:20 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	7:19 Readings	PID	SC23030262J9	Normal	0

592-905859	7/25/2024	6:45 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:44 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:43 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:42 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:41 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:40 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:39 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:38 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:37 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	6:36 Readings	PID	SC23030262J9	Normal	0
592-905859	7/25/2024	CONFIG	PID	SC23030262J9		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_002
Test Start Time	6:41:28 AM
Test Start Date	7/25/2024
Test Length [D:H:M]	0:13:12
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.046
Mass Minimum [mg/m3]	0.031
Mass Maximum [mg/m3]	0.28
Mass TWA [mg/m3]	0.045
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	792

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:41	0.152		
6:42	0.037		
6:43	0.035		
6:44	0.043		
6:45	0.041		
6:46	0.045		
6:47	0.048		
6:48	0.039		
6:49	0.035		
6:50	0.041		
6:51	0.037		
6:52	0.032		
6:53	0.031		
6:54	0.032		
6:55	0.037		
6:56	0.034		
6:57	0.035		
6:58	0.035		
6:59	0.063		
7:00	0.035		
7:01	0.036		
7:02	0.036		
7:03	0.037		
7:04	0.034		

7:05	0.031
7:06	0.033
7:07	0.033
7:08	0.038
7:09	0.036
7:10	0.033
7:11	0.032
7:12	0.032
7:13	0.032
7:14	0.034
7:15	0.035
7:16	0.035
7:17	0.034
7:18	0.034
7:19	0.034
7:20	0.036
7:21	0.036
7:22	0.035
7:23	0.033
7:24	0.034
7:25	0.035
7:26	0.034
7:27	0.036
7:28	0.038
7:29	0.036
7:30	0.034
7:31	0.035
7:32	0.036
7:33	0.043
7:34	0.065
7:35	0.041
7:36	0.038
7:37	0.038
7:38	0.038
7:39	0.038
7:40	0.038
7:41	0.038
7:42	0.041
7:43	0.038
7:44	0.036
7:45	0.036
7:46	0.038
7:47	0.039
7:48	0.034

7:49	0.035
7:50	0.035
7:51	0.038
7:52	0.04
7:53	0.058
7:54	0.04
7:55	0.035
7:56	0.055
7:57	0.073
7:58	0.036
7:59	0.034
8:00	0.034
8:01	0.034
8:02	0.033
8:03	0.036
8:04	0.041
8:05	0.037
8:06	0.035
8:07	0.037
8:08	0.034
8:09	0.034
8:10	0.034
8:11	0.036
8:12	0.035
8:13	0.034
8:14	0.034
8:15	0.034
8:16	0.035
8:17	0.035
8:18	0.035
8:19	0.037
8:20	0.036
8:21	0.037
8:22	0.036
8:23	0.036
8:24	0.036
8:25	0.036
8:26	0.037
8:27	0.036
8:28	0.036
8:29	0.036
8:30	0.038
8:31	0.042
8:32	0.04

8:33	0.038
8:34	0.038
8:35	0.038
8:36	0.039
8:37	0.039
8:38	0.041
8:39	0.04
8:40	0.04
8:41	0.044
8:42	0.048
8:43	0.041
8:44	0.039
8:45	0.04
8:46	0.039
8:47	0.041
8:48	0.04
8:49	0.042
8:50	0.042
8:51	0.039
8:52	0.04
8:53	0.039
8:54	0.039
8:55	0.039
8:56	0.04
8:57	0.04
8:58	0.04
8:59	0.04
9:00	0.04
9:01	0.04
9:02	0.041
9:03	0.042
9:04	0.042
9:05	0.041
9:06	0.042
9:07	0.06
9:08	0.041
9:09	0.044
9:10	0.041
9:11	0.039
9:12	0.04
9:13	0.044
9:14	0.048
9:15	0.046
9:16	0.066

9:17	0.085
9:18	0.041
9:19	0.042
9:20	0.043
9:21	0.046
9:22	0.043
9:23	0.039
9:24	0.04
9:25	0.05
9:26	0.047
9:27	0.041
9:28	0.039
9:29	0.041
9:30	0.051
9:31	0.059
9:32	0.043
9:33	0.045
9:34	0.042
9:35	0.045
9:36	0.044
9:37	0.04
9:38	0.046
9:39	0.044
9:40	0.043
9:41	0.043
9:42	0.04
9:43	0.041
9:44	0.045
9:45	0.047
9:46	0.051
9:47	0.05
9:48	0.05
9:49	0.047
9:50	0.039
9:51	0.042
9:52	0.044
9:53	0.04
9:54	0.041
9:55	0.043
9:56	0.046
9:57	0.047
9:58	0.054
9:59	0.047
10:00	0.044

10:01	0.043
10:02	0.046
10:03	0.042
10:04	0.043
10:05	0.051
10:06	0.051
10:07	0.067
10:08	0.043
10:09	0.043
10:10	0.048
10:11	0.045
10:12	0.044
10:13	0.048
10:14	0.042
10:15	0.056
10:16	0.063
10:17	0.05
10:18	0.048
10:19	0.048
10:20	0.046
10:21	0.046
10:22	0.044
10:23	0.05
10:24	0.05
10:25	0.045
10:26	0.045
10:27	0.044
10:28	0.043
10:29	0.044
10:30	0.073
10:31	0.046
10:32	0.044
10:33	0.044
10:34	0.054
10:35	0.063
10:36	0.049
10:37	0.048
10:38	0.051
10:39	0.054
10:40	0.05
10:41	0.044
10:42	0.046
10:43	0.043
10:44	0.046

10:45	0.048
10:46	0.042
10:47	0.042
10:48	0.045
10:49	0.041
10:50	0.041
10:51	0.046
10:52	0.048
10:53	0.045
10:54	0.065
10:55	0.057
10:56	0.059
10:57	0.051
10:58	0.047
10:59	0.049
11:00	0.065
11:01	0.1
11:02	0.093
11:03	0.05
11:04	0.044
11:05	0.04
11:06	0.041
11:07	0.045
11:08	0.044
11:09	0.043
11:10	0.042
11:11	0.042
11:12	0.044
11:13	0.045
11:14	0.042
11:15	0.041
11:16	0.045
11:17	0.045
11:18	0.041
11:19	0.042
11:20	0.041
11:21	0.043
11:22	0.043
11:23	0.045
11:24	0.045
11:25	0.043
11:26	0.045
11:27	0.042
11:28	0.043

11:29	0.045
11:30	0.044
11:31	0.045
11:32	0.048
11:33	0.046
11:34	0.053
11:35	0.043
11:36	0.045
11:37	0.05
11:38	0.058
11:39	0.047
11:40	0.046
11:41	0.043
11:42	0.044
11:43	0.056
11:44	0.047
11:45	0.047
11:46	0.072
11:47	0.052
11:48	0.066
11:49	0.12
11:50	0.048
11:51	0.042
11:52	0.044
11:53	0.046
11:54	0.045
11:55	0.044
11:56	0.047
11:57	0.044
11:58	0.046
11:59	0.042
12:00	0.042
12:01	0.043
12:02	0.044
12:03	0.044
12:04	0.044
12:05	0.042
12:06	0.045
12:07	0.072
12:08	0.052
12:09	0.045
12:10	0.049
12:11	0.042
12:12	0.044

12:13	0.047
12:14	0.044
12:15	0.042
12:16	0.044
12:17	0.05
12:18	0.045
12:19	0.046
12:20	0.043
12:21	0.043
12:22	0.041
12:23	0.042
12:24	0.045
12:25	0.044
12:26	0.056
12:27	0.051
12:28	0.053
12:29	0.06
12:30	0.044
12:31	0.04
12:32	0.041
12:33	0.043
12:34	0.066
12:35	0.048
12:36	0.041
12:37	0.041
12:38	0.049
12:39	0.049
12:40	0.05
12:41	0.044
12:42	0.041
12:43	0.047
12:44	0.049
12:45	0.043
12:46	0.046
12:47	0.063
12:48	0.057
12:49	0.145
12:50	0.066
12:51	0.052
12:52	0.049
12:53	0.042
12:54	0.039
12:55	0.041
12:56	0.041

12:57	0.041
12:58	0.039
12:59	0.044
13:00	0.046
13:01	0.065
13:02	0.06
13:03	0.039
13:04	0.04
13:05	0.04
13:06	0.038
13:07	0.038
13:08	0.038
13:09	0.041
13:10	0.112
13:11	0.052
13:12	0.052
13:13	0.044
13:14	0.039
13:15	0.039
13:16	0.042
13:17	0.038
13:18	0.038
13:19	0.039
13:20	0.04
13:21	0.04
13:22	0.04
13:23	0.046
13:24	0.039
13:25	0.041
13:26	0.04
13:27	0.048
13:28	0.04
13:29	0.039
13:30	0.038
13:31	0.038
13:32	0.046
13:33	0.045
13:34	0.038
13:35	0.039
13:36	0.04
13:37	0.045
13:38	0.042
13:39	0.038
13:40	0.038

13:41	0.04
13:42	0.05
13:43	0.043
13:44	0.04
13:45	0.043
13:46	0.042
13:47	0.042
13:48	0.041
13:49	0.04
13:50	0.046
13:51	0.042
13:52	0.037
13:53	0.038
13:54	0.037
13:55	0.039
13:56	0.04
13:57	0.074
13:58	0.058
13:59	0.073
14:00	0.068
14:01	0.045
14:02	0.039
14:03	0.04
14:04	0.038
14:05	0.041
14:06	0.08
14:07	0.048
14:08	0.039
14:09	0.038
14:10	0.042
14:11	0.081
14:12	0.046
14:13	0.048
14:14	0.068
14:15	0.04
14:16	0.042
14:17	0.041
14:18	0.039
14:19	0.039
14:20	0.04
14:21	0.038
14:22	0.038
14:23	0.038
14:24	0.038

14:25	0.039
14:26	0.04
14:27	0.043
14:28	0.279
14:29	0.079
14:30	0.039
14:31	0.042
14:32	0.04
14:33	0.038
14:34	0.046
14:35	0.044
14:36	0.042
14:37	0.051
14:38	0.041
14:39	0.039
14:40	0.037
14:41	0.039
14:42	0.047
14:43	0.061
14:44	0.047
14:45	0.042
14:46	0.046
14:47	0.044
14:48	0.039
14:49	0.039
14:50	0.049
14:51	0.039
14:52	0.049
14:53	0.042
14:54	0.057
14:55	0.054
14:56	0.044
14:57	0.039
14:58	0.038
14:59	0.04
15:00	0.041
15:01	0.05
15:02	0.05
15:03	0.039
15:04	0.043
15:05	0.041
15:06	0.04
15:07	0.039
15:08	0.041

15:09	0.042
15:10	0.041
15:11	0.041
15:12	0.041
15:13	0.043
15:14	0.046
15:15	0.043
15:16	0.043
15:17	0.043
15:18	0.044
15:19	0.047
15:20	0.045
15:21	0.05
15:22	0.061
15:23	0.042
15:24	0.05
15:25	0.045
15:26	0.062
15:27	0.051
15:28	0.043
15:29	0.057
15:30	0.057
15:31	0.057
15:32	0.055
15:33	0.048
15:34	0.044
15:35	0.048
15:36	0.057
15:37	0.049
15:38	0.08
15:39	0.049
15:40	0.043
15:41	0.045
15:42	0.044
15:43	0.05
15:44	0.045
15:45	0.046
15:46	0.045
15:47	0.045
15:48	0.049
15:49	0.05
15:50	0.052
15:51	0.066
15:52	0.051

15:53	0.078
15:54	0.046
15:55	0.043
15:56	0.043
15:57	0.046
15:58	0.047
15:59	0.062
16:00	0.055
16:01	0.044
16:02	0.192
16:03	0.073
16:04	0.048
16:05	0.046
16:06	0.048
16:07	0.047
16:08	0.047
16:09	0.045
16:10	0.046
16:11	0.045
16:12	0.049
16:13	0.05
16:14	0.047
16:15	0.054
16:16	0.065
16:17	0.06
16:18	0.044
16:19	0.044
16:20	0.047
16:21	0.045
16:22	0.049
16:23	0.047
16:24	0.046
16:25	0.047
16:26	0.047
16:27	0.064
16:28	0.05
16:29	0.053
16:30	0.047
16:31	0.046
16:32	0.044
16:33	0.044
16:34	0.049
16:35	0.045
16:36	0.048

16:37	0.083
16:38	0.049
16:39	0.048
16:40	0.052
16:41	0.054
16:42	0.046
16:43	0.056
16:44	0.048
16:45	0.043
16:46	0.043
16:47	0.043
16:48	0.044
16:49	0.043
16:50	0.046
16:51	0.049
16:52	0.045
16:53	0.049
16:54	0.045
16:55	0.044
16:56	0.042
16:57	0.041
16:58	0.039
16:59	0.043
17:00	0.041
17:01	0.042
17:02	0.043
17:03	0.048
17:04	0.052
17:05	0.062
17:06	0.075
17:07	0.093
17:08	0.048
17:09	0.053
17:10	0.043
17:11	0.055
17:12	0.059
17:13	0.043
17:14	0.042
17:15	0.042
17:16	0.042
17:17	0.042
17:18	0.047
17:19	0.044
17:20	0.057

17:21	0.048
17:22	0.043
17:23	0.044
17:24	0.043
17:25	0.043
17:26	0.044
17:27	0.041
17:28	0.048
17:29	0.042
17:30	0.039
17:31	0.045
17:32	0.039
17:33	0.046
17:34	0.044
17:35	0.047
17:36	0.041
17:37	0.038
17:38	0.038
17:39	0.041
17:40	0.038
17:41	0.037
17:42	0.038
17:43	0.037
17:44	0.037
17:45	0.045
17:46	0.038
17:47	0.038
17:48	0.036
17:49	0.036
17:50	0.036
17:51	0.039
17:52	0.04
17:53	0.036
17:54	0.035
17:55	0.035
17:56	0.038
17:57	0.038
17:58	0.04
17:59	0.042
18:00	0.039
18:01	0.039
18:02	0.039
18:03	0.038
18:04	0.039

18:05	0.038
18:06	0.038
18:07	0.038
18:08	0.037
18:09	0.049
18:10	0.043
18:11	0.043
18:12	0.038
18:13	0.036
18:14	0.036
18:15	0.037
18:16	0.037
18:17	0.038
18:18	0.037
18:19	0.037
18:20	0.037
18:21	0.036
18:22	0.037
18:23	0.047
18:24	0.048
18:25	0.059
18:26	0.038
18:27	0.037
18:28	0.042
18:29	0.043
18:30	0.038
18:31	0.037
18:32	0.037
18:33	0.038
18:34	0.059
18:35	0.044
18:36	0.038
18:37	0.043
18:38	0.052
18:39	0.046
18:40	0.048
18:41	0.037
18:42	0.037
18:43	0.036
18:44	0.035
18:45	0.037
18:46	0.042
18:47	0.038
18:48	0.039

18:49	0.039
18:50	0.036
18:51	0.035
18:52	0.035
18:53	0.036
18:54	0.035
18:55	0.037
18:56	0.038
18:57	0.037
18:58	0.038
18:59	0.037
19:00	0.035
19:01	0.036
19:02	0.035
19:03	0.047
19:04	0.037
19:05	0.037
19:06	0.037
19:07	0.035
19:08	0.037
19:09	0.04
19:10	0.04
19:11	0.042
19:12	0.044
19:13	0.045
19:14	0.039
19:15	0.038
19:16	0.038
19:17	0.039
19:18	0.041
19:19	0.042
19:20	0.044
19:21	0.046
19:22	0.042
19:23	0.041
19:24	0.041
19:25	0.04
19:26	0.04
19:27	0.117
19:28	0.056
19:29	0.045
19:30	0.188
19:31	0.175
19:32	0.055

19:33	0.047
19:34	0.058
19:35	0.065
19:36	0.047
19:37	0.081
19:38	0.059
19:39	0.048
19:40	0.043
19:41	0.045
19:42	0.04
19:43	0.059
19:44	0.05
19:45	0.04
19:46	0.058
19:47	0.103
19:48	0.28
19:49	0.188
19:50	0.14
19:51	0.066
19:52	0.098

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-923428	7/25/2024	19:52	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:51	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:50	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:49	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:48	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:47	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:46	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:45	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:44	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:43	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:42	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:41	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:40	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:39	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:38	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:37	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:36	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:35	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:34	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:33	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:32	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:31	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:30	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:29	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:28	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:27	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:26	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:25	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:24	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:23	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:22	Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	19:21	Readings	PID	SC23030029V2	Normal	0

592-923428	7/25/2024	6:41 Readings	PID	SC23030029V2	Normal	0
592-923428	7/25/2024	CONFIG	PID	SC23030029V2		