



DAILY STATUS REPORT

Prepared By:
Bill Chaky

WEATHER	Snow	Rain	Overcast	Partly Cloudy	Bright Sun	X	Wind	
TEMP.	< 32	32-50	50-70	X	70-85	X	>85	NW – 8 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 08/21/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 20:30</p>	<p>Personnel On Site: IEEG (Environmental) – Bill Chaky Broadway Construction Group – Shannon Dowling / Tom Caporale WSP – Charlie Lambert Cascade – John Vollmer Concrete Courses LEC (Electricians)</p> <p>Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to load out swell material onto for offsite disposal at Conestoga; Cascade to continue with ISS column installation; Cascade to remove 8’ auger from ISS drill-rig and install 6’ auger; Concrete Courses to continue with rebar fabrication in the Butler corridor; LEC to connect electrical wiring from water treatment system to electrical panels.

- Site Activities:**
- IEEG deployed three (3) CAMP stations prior to the start of work activities;
 - Concrete Courses continued rebar fabrication work in the Butler Corridor;
 - ACT delivered two (2) loads of slag delivery to the silos;
 - LEC connected electrical wiring from water-treatment system to electrical panels;
 - Cascade loaded fifteen (15) truckloads of swell material for offsite disposal to the Conestoga facility;
 - Cascade to remove 8’ diameter auger from ISS drill-rig and install 6’ diameter auger at completion of ISS column installation;
 - Cascade graded site and consolidated swell material stockpile;
 - IEEG applied ISS spray-foam to the swell stockpile at the end of work activities;
 - Cascade drilled **Column 430** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 26 batches;
 - Cascade drilled **Column 432** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 26 batches;
 - Cascade drilled **Column 463** with column specification below:
 - Column is 8’ diameter and drilled 25’ deep from Site grade;
 - The column consisted of a total of 25 batches;

- An obstruction was encountered at ~27.69' depth at approximately 11:04. Cascade worked on advancing the column until 11:46. The column could not be completed to its terminal depth.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.021_ mg/m³ @ 06:53
- High Conditions (Upwind) – PID = _0.1_ ppm @17:26, Dust = _0.512_ mg/m³ @ 10:54
- High Conditions (Downwind 1) – PID = _2.3_ ppm @ 12:53, Dust = _0.204_ mg/m³ @ 12:12
- High Conditions (Downwind 2) – PID = _10.1_ ppm @ 16:01, Dust = _0.155_ mg/m³ @ 15:18

Notable Site Conditions:

- None.

Planned for the Next Day/Week:

- Cascade to begin over-drill of ISS pilot columns;
- Concrete Courses to continue rebar fabrication work in the Butler corridor;
- Cascade to load out swell material for offsite disposal.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of ISS
column
installation.



Photo 2-
Representative
photo of Cascade
crew washing
wheels of each
truck departing
Site over track
pad.



Photo 3-

Representative photo of departing trucks loaded with swell material properly secured with tarps strapped in place.



Photo 4-


Representative photo of remaining swell material stockpile with ISS foam applied.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





SCM Report





Project name: Douglass Street BCG ISS Element name: 430a
Project number

Start date: 08/21/2024

Drilling rig: BG36H_5717

Details		Start time: 02:57 PM	
Max. depth: 38.648 ft.		End Date: 08/21/2024	
Volume/m 1: 51.559 ft³		End time: 03:56 PM	
		Production duration: 00:59:19	
		Final depth time: 03:46 PM	
		Total suspension quantity: 605.894 ft³	



SCM Report





Project name: Douglass Street BCG ISS Element name: 430b
Project number

Start date: 08/21/2024

Drilling rig: BG36H_5717

Details		Start time: 03:56 PM	
Max. depth: 38.681 ft.		End Date: 08/21/2024	
Volume/m 1: 28.252 ft³		End time: 04:29 PM	
		Production duration: 00:32:40	
		Final depth time: 04:18 PM	
		Total suspension quantity: 333.865 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 432a
Project number

Start date: 08/21/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.583 ft.	01:13 PM	08/21/2024
Volume/m 1	52.266 ft³	End time	02:10 PM
		Production duration	00:56:58
		Final depth time	02:00 PM
		Total suspension quantity	612.887 ft³






SCM Report



Project name	Douglass Street BCG ISS	Element name	432b
		Project number	
		Start date	08/21/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.747 ft.	Start time	02:11 PM
Volume/m 1	27.192 ft³	End Date	08/21/2024
		End time	02:40 PM
		Production duration	00:29:50
		Final depth time	02:31 PM
		Total suspension quantity	320.198 ft³



SCM Report






Project name: Douglass Street BCG ISS Element name: 463a
Project number

Start date: 08/21/2024

Drilling rig: BG36H_5717

Details		Start time: 10:12 AM	
Max. depth: 27.69 ft.		End Date: 08/21/2024	
Volume/m 1: 121.129 ft³		End time: 11:53 AM	
		Production duration: 01:40:50	
		Final depth time: 11:04 AM	
		Total suspension quantity: 1,023.067 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 463b
 Project number

Start date: 08/21/2024

Drilling rig: BG36H_5717

Details		Start time: 11:53 AM	
Max. depth: 27.231 ft.		End Date: 08/21/2024	
Volume/m 1: 27.899 ft³		End time: 12:16 PM	
		Production duration: 00:23:15	
		Final depth time: 12:08 PM	
		Total suspension quantity: 232.865 ft³	





IMPACT ENVIRONMENTAL

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_004
Test Start Time	6:53:47 AM
Test Start Date	8/21/2024
Test Length [D:H:M]	0:12:51
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.512
Mass TWA [mg/m3]	0.017
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	771

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53	0.021		
6:54	0.023		
6:55	0.008		
6:56	0.014		
6:57	0.007		
6:58	0.003		
6:59	0.007		
7:00	0.003		
7:01	0.004		
7:02	0.002		
7:03	0.001		
7:04	0.002		
7:05	0.002		
7:06	0.002		
7:07	0.003		
7:08	0.002		
7:09	0.001		
7:10	0.003		
7:11	0.008		
7:12	0.004		
7:13	0.003		
7:14	0.002		
7:15	0.006		
7:16	0.009		

7:17	0.004
7:18	0.002
7:19	0.002
7:20	0.002
7:21	0.002
7:22	0.002
7:23	0.002
7:24	0.002
7:25	0.004
7:26	0.003
7:27	0.004
7:28	0.004
7:29	0.002
7:30	0.002
7:31	0.004
7:32	0.007
7:33	0.01
7:34	0.019
7:35	0.081
7:36	0.052
7:37	0.02
7:38	0.009
7:39	0.005
7:40	0.003
7:41	0.002
7:42	0.002
7:43	0.001
7:44	0.001
7:45	0.002
7:46	0.003
7:47	0.001
7:48	0.001
7:49	0.003
7:50	0.006
7:51	0.002
7:52	0.003
7:53	0.005
7:54	0.002
7:55	0.002
7:56	0.002
7:57	0.006
7:58	0.004
7:59	0.004
8:00	0.002

8:01	0.008
8:02	0.005
8:03	0.006
8:04	0.003
8:05	0.006
8:06	0.003
8:07	0.002
8:08	0.01
8:09	0.005
8:10	0.006
8:11	0.004
8:12	0.004
8:13	0.059
8:14	0.023
8:15	0.008
8:16	0.007
8:17	0.007
8:18	0.006
8:19	0.004
8:20	0.003
8:21	0.005
8:22	0.006
8:23	0.009
8:24	0.006
8:25	0.004
8:26	0.006
8:27	0.008
8:28	0.007
8:29	0.005
8:30	0.004
8:31	0.005
8:32	0.005
8:33	0.006
8:34	0.007
8:35	0.009
8:36	0.008
8:37	0.011
8:38	0.003
8:39	0.006
8:40	0.007
8:41	0.004
8:42	0.002
8:43	0.009
8:44	0.005

8:45	0.004
8:46	0.003
8:47	0.004
8:48	0.003
8:49	0.01
8:50	0.005
8:51	0.006
8:52	0.008
8:53	0.005
8:54	0.003
8:55	0.012
8:56	0.007
8:57	0.005
8:58	0.005
8:59	0.003
9:00	0.004
9:01	0.002
9:02	0.003
9:03	0.003
9:04	0.003
9:05	0.003
9:06	0.003
9:07	0.002
9:08	0.001
9:09	0.001
9:10	0.002
9:11	0.007
9:12	0.007
9:13	0.005
9:14	0.004
9:15	0.003
9:16	0.007
9:17	0.012
9:18	0.018
9:19	0.011
9:20	0.008
9:21	0.003
9:22	0.007
9:23	0.006
9:24	0.009
9:25	0.005
9:26	0.004
9:27	0.005
9:28	0.006

9:29	0.004
9:30	0.008
9:31	0.004
9:32	0.003
9:33	0.006
9:34	0.01
9:35	0.006
9:36	0.008
9:37	0.009
9:38	0.007
9:39	0.003
9:40	0.003
9:41	0.015
9:42	0.014
9:43	0.017
9:44	0.014
9:45	0.024
9:46	0.03
9:47	0.015
9:48	0.009
9:49	0.014
9:50	0.012
9:51	0.004
9:52	0.004
9:53	0.008
9:54	0.03
9:55	0.013
9:56	0.01
9:57	0.008
9:58	0.006
9:59	0.007
10:00	0.009
10:01	0.006
10:02	0.005
10:03	0.006
10:04	0.01
10:05	0.01
10:06	0.01
10:07	0.012
10:08	0.009
10:09	0.007
10:10	0.01
10:11	0.012
10:12	0.027

10:13	0.022
10:14	0.013
10:15	0.027
10:16	0.014
10:17	0.01
10:18	0.011
10:19	0.01
10:20	0.015
10:21	0.062
10:22	0.037
10:23	0.014
10:24	0.012
10:25	0.034
10:26	0.026
10:27	0.036
10:28	0.067
10:29	0.022
10:30	0.033
10:31	0.026
10:32	0.031
10:33	0.03
10:34	0.035
10:35	0.044
10:36	0.023
10:37	0.066
10:38	0.059
10:39	0.044
10:40	0.029
10:41	0.024
10:42	0.015
10:43	0.026
10:44	0.035
10:45	0.016
10:46	0.014
10:47	0.034
10:48	0.024
10:49	0.017
10:50	0.017
10:51	0.033
10:52	0.034
10:53	0.028
10:54	0.512
10:55	0.494
10:56	0.166

10:57	0.019
10:58	0.017
10:59	0.016
11:00	0.025
11:01	0.025
11:02	0.044
11:03	0.015
11:04	0.04
11:05	0.019
11:06	0.026
11:07	0.01
11:08	0.017
11:09	0.009
11:10	0.015
11:11	0.011
11:12	0.012
11:13	0.015
11:14	0.024
11:15	0.009
11:16	0.02
11:17	0.015
11:18	0.014
11:19	0.013
11:20	0.012
11:21	0.012
11:22	0.012
11:23	0.011
11:24	0.026
11:25	0.021
11:26	0.013
11:27	0.012
11:28	0.011
11:29	0.012
11:30	0.012
11:31	0.052
11:32	0.013
11:33	0.012
11:34	0.01
11:35	0.02
11:36	0.014
11:37	0.013
11:38	0.012
11:39	0.01
11:40	0.013

11:41	0.013
11:42	0.021
11:43	0.014
11:44	0.015
11:45	0.015
11:46	0.011
11:47	0.011
11:48	0.013
11:49	0.016
11:50	0.013
11:51	0.014
11:52	0.02
11:53	0.014
11:54	0.018
11:55	0.014
11:56	0.011
11:57	0.011
11:58	0.013
11:59	0.012
12:00	0.015
12:01	0.019
12:02	0.027
12:03	0.017
12:04	0.018
12:05	0.015
12:06	0.013
12:07	0.017
12:08	0.012
12:09	0.012
12:10	0.017
12:11	0.014
12:12	0.012
12:13	0.012
12:14	0.01
12:15	0.01
12:16	0.009
12:17	0.013
12:18	0.01
12:19	0.011
12:20	0.015
12:21	0.011
12:22	0.009
12:23	0.01
12:24	0.01

12:25	0.011
12:26	0.01
12:27	0.011
12:28	0.009
12:29	0.01
12:30	0.012
12:31	0.01
12:32	0.012
12:33	0.012
12:34	0.011
12:35	0.013
12:36	0.021
12:37	0.044
12:38	0.013
12:39	0.019
12:40	0.01
12:41	0.013
12:42	0.017
12:43	0.015
12:44	0.017
12:45	0.015
12:46	0.011
12:47	0.011
12:48	0.009
12:49	0.015
12:50	0.009
12:51	0.019
12:52	0.016
12:53	0.012
12:54	0.01
12:55	0.011
12:56	0.016
12:57	0.011
12:58	0.017
12:59	0.015
13:00	0.01
13:01	0.017
13:02	0.011
13:03	0.013
13:04	0.026
13:05	0.013
13:06	0.014
13:07	0.014
13:08	0.012

13:09	0.015
13:10	0.014
13:11	0.031
13:12	0.02
13:13	0.015
13:14	0.029
13:15	0.04
13:16	0.017
13:17	0.027
13:18	0.02
13:19	0.014
13:20	0.02
13:21	0.014
13:22	0.011
13:23	0.015
13:24	0.013
13:25	0.013
13:26	0.022
13:27	0.012
13:28	0.017
13:29	0.037
13:30	0.023
13:31	0.028
13:32	0.043
13:33	0.012
13:34	0.013
13:35	0.012
13:36	0.008
13:37	0.013
13:38	0.008
13:39	0.015
13:40	0.018
13:41	0.008
13:42	0.029
13:43	0.013
13:44	0.012
13:45	0.011
13:46	0.01
13:47	0.012
13:48	0.037
13:49	0.009
13:50	0.008
13:51	0.01
13:52	0.008

13:53	0.014
13:54	0.021
13:55	0.022
13:56	0.009
13:57	0.01
13:58	0.008
13:59	0.008
14:00	0.014
14:01	0.018
14:02	0.013
14:03	0.022
14:04	0.018
14:05	0.012
14:06	0.021
14:07	0.033
14:08	0.01
14:09	0.014
14:10	0.011
14:11	0.008
14:12	0.007
14:13	0.008
14:14	0.015
14:15	0.009
14:16	0.008
14:17	0.008
14:18	0.01
14:19	0.015
14:20	0.01
14:21	0.008
14:22	0.01
14:23	0.036
14:24	0.439
14:25	0.039
14:26	0.023
14:27	0.012
14:28	0.018
14:29	0.015
14:30	0.028
14:31	0.017
14:32	0.021
14:33	0.068
14:34	0.033
14:35	0.028
14:36	0.033

14:37	0.02
14:38	0.015
14:39	0.011
14:40	0.013
14:41	0.01
14:42	0.011
14:43	0.015
14:44	0.009
14:45	0.011
14:46	0.014
14:47	0.015
14:48	0.018
14:49	0.022
14:50	0.02
14:51	0.021
14:52	0.201
14:53	0.022
14:54	0.009
14:55	0.012
14:56	0.017
14:57	0.013
14:58	0.009
14:59	0.007
15:00	0.009
15:01	0.008
15:02	0.009
15:03	0.008
15:04	0.008
15:05	0.01
15:06	0.017
15:07	0.024
15:08	0.017
15:09	0.022
15:10	0.015
15:11	0.022
15:12	0.009
15:13	0.013
15:14	0.031
15:15	0.035
15:16	0.021
15:17	0.008
15:18	0.018
15:19	0.011
15:20	0.031

15:21	0.024
15:22	0.014
15:23	0.018
15:24	0.024
15:25	0.01
15:26	0.017
15:27	0.02
15:28	0.01
15:29	0.009
15:30	0.015
15:31	0.047
15:32	0.014
15:33	0.022
15:34	0.017
15:35	0.014
15:36	0.011
15:37	0.056
15:38	0.049
15:39	0.037
15:40	0.027
15:41	0.033
15:42	0.019
15:43	0.026
15:44	0.029
15:45	0.01
15:46	0.016
15:47	0.011
15:48	0.009
15:49	0.01
15:50	0.094
15:51	0.009
15:52	0.01
15:53	0.009
15:54	0.012
15:55	0.018
15:56	0.009
15:57	0.006
15:58	0.005
15:59	0.007
16:00	0.011
16:01	0.014
16:02	0.072
16:03	0.165
16:04	0.04

16:05	0.008
16:06	0.007
16:07	0.012
16:08	0.02
16:09	0.012
16:10	0.01
16:11	0.005
16:12	0.004
16:13	0.006
16:14	0.007
16:15	0.006
16:16	0.032
16:17	0.017
16:18	0.009
16:19	0.185
16:20	0.016
16:21	0.009
16:22	0.014
16:23	0.006
16:24	0.005
16:25	0.007
16:26	0.07
16:27	0.018
16:28	0.024
16:29	0.009
16:30	0.037
16:31	0.019
16:32	0.015
16:33	0.011
16:34	0.008
16:35	0.007
16:36	0.006
16:37	0.01
16:38	0.006
16:39	0.053
16:40	0.076
16:41	0.009
16:42	0.005
16:43	0.005
16:44	0.004
16:45	0.004
16:46	0.005
16:47	0.005
16:48	0.007

16:49	0.006
16:50	0.004
16:51	0.008
16:52	0.007
16:53	0.023
16:54	0.004
16:55	0.005
16:56	0.004
16:57	0.004
16:58	0.004
16:59	0.004
17:00	0.005
17:01	0.004
17:02	0.004
17:03	0.004
17:04	0.006
17:05	0.008
17:06	0.007
17:07	0.005
17:08	0.007
17:09	0.005
17:10	0.008
17:11	0.004
17:12	0.011
17:13	0.007
17:14	0.005
17:15	0.004
17:16	0.009
17:17	0.004
17:18	0.004
17:19	0.004
17:20	0.004
17:21	0.005
17:22	0.004
17:23	0.006
17:24	0.005
17:25	0.006
17:26	0.004
17:27	0.004
17:28	0.003
17:29	0.004
17:30	0.004
17:31	0.003
17:32	0.004

17:33	0.009
17:34	0.13
17:35	0.005
17:36	0.02
17:37	0.027
17:38	0.01
17:39	0.004
17:40	0.005
17:41	0.004
17:42	0.004
17:43	0.005
17:44	0.004
17:45	0.005
17:46	0.006
17:47	0.005
17:48	0.045
17:49	0.048
17:50	0.003
17:51	0.004
17:52	0.003
17:53	0.003
17:54	0.004
17:55	0.003
17:56	0.003
17:57	0.003
17:58	0.006
17:59	0.006
18:00	0.004
18:01	0.007
18:02	0.006
18:03	0.003
18:04	0.004
18:05	0.004
18:06	0.007
18:07	0.004
18:08	0.017
18:09	0.011
18:10	0.008
18:11	0.005
18:12	0.004
18:13	0.004
18:14	0.009
18:15	0.009
18:16	0.005

18:17	0.005
18:18	0.004
18:19	0.006
18:20	0.02
18:21	0.003
18:22	0.003
18:23	0.004
18:24	0.003
18:25	0.003
18:26	0.004
18:27	0.003
18:28	0.004
18:29	0.005
18:30	0.005
18:31	0.009
18:32	0.004
18:33	0.033
18:34	0.008
18:35	0.005
18:36	0.003
18:37	0.005
18:38	0.004
18:39	0.004
18:40	0.005
18:41	0.004
18:42	0.004
18:43	0.004
18:44	0.006
18:45	0.003
18:46	0.004
18:47	0.005
18:48	0.005
18:49	0.005
18:50	0.004
18:51	0.005
18:52	0.006
18:53	0.005
18:54	0.005
18:55	0.005
18:56	0.004
18:57	0.005
18:58	0.007
18:59	0.006
19:00	0.005

19:01	0.006
19:02	0.006
19:03	0.005
19:04	0.005
19:05	0.005
19:06	0.006
19:07	0.006
19:08	0.008
19:09	0.011
19:10	0.008
19:11	0.007
19:12	0.006
19:13	0.006
19:14	0.079
19:15	0.031
19:16	0.006
19:17	0.043
19:18	0.023
19:19	0.018
19:20	0.02
19:21	0.008
19:22	0.008
19:23	0.013
19:24	0.008
19:25	0.015
19:26	0.012
19:27	0.007
19:28	0.012
19:29	0.009
19:30	0.019
19:31	0.062
19:32	0.006
19:33	0.006
19:34	0.006
19:35	0.005
19:36	0.005
19:37	0.006
19:38	0.009
19:39	0.005
19:40	0.005
19:41	0.005
19:42	0.006
19:43	0.007

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-001278	8/21/2024 20:00	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:59	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:58	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:57	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:56	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:55	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:54	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:53	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:52	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:51	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:50	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:49	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:48	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:47	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:46	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:45	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:44	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:43	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:42	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:41	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:40	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:39	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:38	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:37	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:36	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:35	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:34	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:33	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:32	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:31	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:30	Readings	PID	SC23030041T3	Normal	0.1
592-001278	8/21/2024 19:29	Readings	PID	SC23030041T3	Normal	0.1

592-001278	8/21/2024 7:22 Readings	PID	SC23030041T3	Normal	0
592-001278	8/21/2024 7:21 Readings	PID	SC23030041T3	Normal	0
592-001278	8/21/2024 7:20 Readings	PID	SC23030041T3	Normal	0
592-001278	8/21/2024 7:19 Readings	PID	SC23030041T3	Normal	0
592-001278	8/21/2024 7:18 Readings	PID	SC23030041T3	Normal	0
592-001278	8/21/2024 7:17 Readings	PID	SC23030041T3	Normal	0
592-001278	8/21/2024 7:16 CONFIG	PID	SC23030041T3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_006
Test Start Time	6:55:46 AM
Test Start Date	8/21/2024
Test Length [D:H:M]	11:55:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.028
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.204
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	714

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:55	0.027		
6:56	0.019		
6:57	0.019		
6:58	0.019		
6:59	0.02		
7:00	0.023		
7:01	0.022		
7:02	0.021		
7:03	0.019		
7:04	0.018		
7:05	0.017		
7:06	0.017		
7:07	0.02		
7:08	0.018		
7:09	0.019		
7:10	0.018		
7:11	0.018		
7:12	0.02		
7:13	0.029		
7:14	0.032		
7:15	0.027		
7:16	0.022		
7:17	0.018		
7:18	0.018		

7:19	0.018
7:20	0.019
7:21	0.018
7:22	0.018
7:23	0.019
7:24	0.019
7:25	0.02
7:26	0.019
7:27	0.019
7:28	0.019
7:29	0.019
7:30	0.019
7:31	0.018
7:32	0.019
7:33	0.02
7:34	0.019
7:35	0.019
7:36	0.019
7:37	0.02
7:38	0.02
7:39	0.02
7:40	0.02
7:41	0.02
7:42	0.02
7:43	0.021
7:44	0.021
7:45	0.022
7:46	0.022
7:47	0.023
7:48	0.024
7:49	0.023
7:50	0.023
7:51	0.022
7:52	0.021
7:53	0.023
7:54	0.019
7:55	0.019
7:56	0.019
7:57	0.019
7:58	0.024
7:59	0.024
8:00	0.025
8:01	0.021
8:02	0.021

8:03	0.026
8:04	0.024
8:05	0.025
8:06	0.03
8:07	0.031
8:08	0.031
8:09	0.033
8:10	0.031
8:11	0.024
8:12	0.033
8:13	0.025
8:14	0.024
8:15	0.025
8:16	0.025
8:17	0.026
8:18	0.028
8:19	0.026
8:20	0.025
8:21	0.029
8:22	0.035
8:23	0.036
8:24	0.037
8:25	0.034
8:26	0.029
8:27	0.028
8:28	0.028
8:29	0.03
8:30	0.029
8:31	0.03
8:32	0.029
8:33	0.03
8:34	0.03
8:35	0.029
8:36	0.025
8:37	0.026
8:38	0.024
8:39	0.023
8:40	0.023
8:41	0.023
8:42	0.022
8:43	0.03
8:44	0.065
8:45	0.018
8:46	0.017

8:47	0.019
8:48	0.02
8:49	0.029
8:50	0.022
8:51	0.027
8:52	0.023
8:53	0.024
8:54	0.021
8:55	0.02
8:56	0.019
8:57	0.02
8:58	0.045
8:59	0.03
9:00	0.025
9:01	0.029
9:02	0.025
9:03	0.024
9:04	0.026
9:05	0.024
9:06	0.025
9:07	0.024
9:08	0.024
9:09	0.042
9:10	0.032
9:11	0.024
9:12	0.033
9:13	0.06
9:14	0.036
9:15	0.03
9:16	0.026
9:17	0.025
9:18	0.023
9:19	0.024
9:20	0.025
9:21	0.024
9:22	0.024
9:23	0.025
9:24	0.026
9:25	0.024
9:26	0.024
9:27	0.024
9:28	0.024
9:29	0.023
9:30	0.024

9:31	0.024
9:32	0.034
9:33	0.025
9:34	0.024
9:35	0.024
9:36	0.024
9:37	0.025
9:38	0.026
9:39	0.028
9:40	0.026
9:41	0.028
9:42	0.028
9:43	0.026
9:44	0.028
9:45	0.026
9:46	0.027
9:47	0.027
9:48	0.026
9:49	0.025
9:50	0.028
9:51	0.03
9:52	0.026
9:53	0.026
9:54	0.026
9:55	0.027
9:56	0.026
9:57	0.023
9:58	0.021
9:59	0.021
10:00	0.022
10:01	0.026
10:02	0.042
10:03	0.035
10:04	0.029
10:05	0.023
10:06	0.022
10:07	0.023
10:08	0.021
10:09	0.022
10:10	0.022
10:11	0.018
10:12	0.02
10:13	0.018
10:14	0.017

10:15	0.016
10:16	0.017
10:17	0.016
10:18	0.015
10:19	0.016
10:20	0.016
10:21	0.016
10:22	0.018
10:23	0.014
10:24	0.014
10:25	0.014
10:26	0.013
10:27	0.014
10:28	0.014
10:29	0.012
10:30	0.012
10:31	0.013
10:32	0.012
10:33	0.012
10:34	0.013
10:35	0.013
10:36	0.013
10:37	0.012
10:38	0.011
10:39	0.011
10:40	0.011
10:41	0.011
10:42	0.011
10:43	0.01
10:44	0.008
10:45	0.01
10:46	0.009
10:47	0.01
10:48	0.01
10:49	0.009
10:50	0.009
10:51	0.009
10:52	0.019
10:53	0.01
10:54	0.012
10:55	0.011
10:56	0.011
10:57	0.012
10:58	0.01

10:59	0.011
11:00	0.019
11:01	0.013
11:02	0.014
11:03	0.013
11:04	0.012
11:05	0.013
11:06	0.016
11:07	0.013
11:08	0.02
11:09	0.027
11:10	0.024
11:11	0.015
11:12	0.014
11:13	0.026
11:14	0.031
11:15	0.018
11:16	0.014
11:17	0.017
11:18	0.015
11:19	0.015
11:20	0.016
11:21	0.021
11:22	0.024
11:23	0.014
11:24	0.017
11:25	0.014
11:26	0.017
11:27	0.018
11:28	0.029
11:29	0.017
11:30	0.051
11:31	0.062
11:32	0.018
11:33	0.013
11:34	0.022
11:35	0.022
11:36	0.028
11:37	0.02
11:38	0.016
11:39	0.04
11:40	0.031
11:41	0.02
11:42	0.025

11:43	0.065
11:44	0.024
11:45	0.025
11:46	0.015
11:47	0.015
11:48	0.015
11:49	0.016
11:50	0.016
11:51	0.017
11:52	0.018
11:53	0.018
11:54	0.017
11:55	0.03
11:56	0.021
11:57	0.15
11:58	0.108
11:59	0.029
12:00	0.018
12:01	0.016
12:02	0.017
12:03	0.014
12:04	0.014
12:05	0.014
12:06	0.024
12:07	0.021
12:08	0.023
12:09	0.021
12:10	0.017
12:11	0.015
12:12	0.204
12:13	0.015
12:14	0.017
12:15	0.015
12:16	0.017
12:17	0.016
12:18	0.016
12:19	0.019
12:20	0.016
12:21	0.019
12:22	0.021
12:23	0.018
12:24	0.016
12:25	0.017
12:26	0.019

12:27	0.018
12:28	0.02
12:29	0.017
12:30	0.016
12:31	0.016
12:32	0.018
12:33	0.018
12:34	0.019
12:35	0.025
12:36	0.02
12:37	0.018
12:38	0.019
12:39	0.019
12:40	0.018
12:41	0.018
12:42	0.019
12:43	0.019
12:44	0.023
12:45	0.014
12:46	0.014
12:47	0.014
12:48	0.019
12:49	0.019
12:50	0.018
12:51	0.018
12:52	0.018
12:53	0.017
12:54	0.017
12:55	0.017
12:56	0.017
12:57	0.018
12:58	0.017
12:59	0.017
13:00	0.017
13:01	0.016
13:02	0.014
13:03	0.014
13:04	0.019
13:05	0.016
13:06	0.017
13:07	0.018
13:08	0.019
13:09	0.019
13:10	0.02

13:11	0.018
13:12	0.02
13:13	0.019
13:14	0.017
13:15	0.017
13:16	0.023
13:17	0.023
13:18	0.02
13:19	0.018
13:20	0.019
13:21	0.019
13:22	0.018
13:23	0.019
13:24	0.019
13:25	0.018
13:26	0.018
13:27	0.026
13:28	0.02
13:29	0.018
13:30	0.014
13:31	0.018
13:32	0.02
13:33	0.019
13:34	0.02
13:35	0.021
13:36	0.02
13:37	0.022
13:38	0.022
13:39	0.021
13:40	0.022
13:41	0.024
13:42	0.022
13:43	0.021
13:44	0.021
13:45	0.021
13:46	0.023
13:47	0.023
13:48	0.021
13:49	0.021
13:50	0.02
13:51	0.019
13:52	0.021
13:53	0.021
13:54	0.02

13:55	0.021
13:56	0.02
13:57	0.023
13:58	0.021
13:59	0.021
14:00	0.02
14:01	0.019
14:02	0.019
14:03	0.021
14:04	0.021
14:05	0.014
14:06	0.02
14:07	0.029
14:08	0.023
14:09	0.024
14:10	0.022
14:11	0.023
14:12	0.023
14:13	0.022
14:14	0.02
14:15	0.014
14:16	0.02
14:17	0.021
14:18	0.022
14:19	0.021
14:20	0.022
14:21	0.02
14:22	0.022
14:23	0.014
14:24	0.024
14:25	0.023
14:26	0.022
14:27	0.022
14:28	0.022
14:29	0.024
14:30	0.025
14:31	0.026
14:32	0.029
14:33	0.027
14:34	0.024
14:35	0.026
14:36	0.026
14:37	0.025
14:38	0.025

14:39	0.028
14:40	0.014
14:41	0.036
14:42	0.043
14:43	0.037
14:44	0.042
14:45	0.038
14:46	0.037
14:47	0.04
14:48	0.052
14:49	0.037
14:50	0.044
14:51	0.059
14:52	0.052
14:53	0.037
14:54	0.04
14:55	0.051
14:56	0.049
14:57	0.014
14:58	0.059
14:59	0.058
15:00	0.057
15:01	0.051
15:02	0.05
15:03	0.047
15:04	0.044
15:05	0.014
15:06	0.025
15:07	0.018
15:08	0.018
15:09	0.016
15:10	0.018
15:11	0.015
15:12	0.015
15:13	0.015
15:14	0.017
15:15	0.018
15:16	0.019
15:17	0.019
15:18	0.019
15:19	0.021
15:20	0.025
15:21	0.022
15:22	0.022

15:23	0.02
15:24	0.021
15:25	0.021
15:26	0.019
15:27	0.019
15:28	0.02
15:29	0.021
15:30	0.022
15:31	0.022
15:32	0.021
15:33	0.021
15:34	0.021
15:35	0.02
15:36	0.021
15:37	0.022
15:38	0.024
15:39	0.026
15:40	0.029
15:41	0.031
15:42	0.031
15:43	0.03
15:44	0.028
15:45	0.029
15:46	0.029
15:47	0.029
15:48	0.03
15:49	0.03
15:50	0.03
15:51	0.03
15:52	0.031
15:53	0.03
15:54	0.03
15:55	0.031
15:56	0.033
15:57	0.036
15:58	0.036
15:59	0.035
16:00	0.032
16:01	0.032
16:02	0.033
16:03	0.033
16:04	0.033
16:05	0.036
16:06	0.036

16:07	0.037
16:08	0.038
16:09	0.046
16:10	0.047
16:11	0.043
16:12	0.044
16:13	0.039
16:14	0.04
16:15	0.041
16:16	0.044
16:17	0.054
16:18	0.052
16:19	0.05
16:20	0.043
16:21	0.038
16:22	0.037
16:23	0.039
16:24	0.041
16:25	0.043
16:26	0.047
16:27	0.048
16:28	0.045
16:29	0.043
16:30	0.039
16:31	0.038
16:32	0.044
16:33	0.04
16:34	0.047
16:35	0.041
16:36	0.054
16:37	0.044
16:38	0.046
16:39	0.046
16:40	0.049
16:41	0.044
16:42	0.044
16:43	0.045
16:44	0.045
16:45	0.045
16:46	0.046
16:47	0.046
16:48	0.052
16:49	0.05
16:50	0.047

16:51	0.047
16:52	0.049
16:53	0.047
16:54	0.048
16:55	0.048
16:56	0.046
16:57	0.046
16:58	0.048
16:59	0.05
17:00	0.048
17:01	0.047
17:02	0.046
17:03	0.048
17:04	0.044
17:05	0.045
17:06	0.044
17:07	0.046
17:08	0.051
17:09	0.052
17:10	0.05
17:11	0.049
17:12	0.048
17:13	0.049
17:14	0.05
17:15	0.054
17:16	0.053
17:17	0.052
17:18	0.062
17:19	0.051
17:20	0.049
17:21	0.05
17:22	0.048
17:23	0.047
17:24	0.043
17:25	0.043
17:26	0.043
17:27	0.044
17:28	0.044
17:29	0.043
17:30	0.041
17:31	0.042
17:32	0.044
17:33	0.047
17:34	0.05

17:35	0.05
17:36	0.048
17:37	0.051
17:38	0.05
17:39	0.047
17:40	0.046
17:41	0.045
17:42	0.046
17:43	0.04
17:44	0.043
17:45	0.042
17:46	0.042
17:47	0.04
17:48	0.04
17:49	0.039
17:50	0.038
17:51	0.039
17:52	0.039
17:53	0.038
17:54	0.042
17:55	0.04
17:56	0.042
17:57	0.041
17:58	0.038
17:59	0.038
18:00	0.039
18:01	0.036
18:02	0.036
18:03	0.038
18:04	0.036
18:05	0.038
18:06	0.037
18:07	0.039
18:08	0.036
18:09	0.036
18:10	0.034
18:11	0.035
18:12	0.033
18:13	0.033
18:14	0.03
18:15	0.03
18:16	0.03
18:17	0.031
18:18	0.043

18:19	0.05
18:20	0.054
18:21	0.055
18:22	0.051
18:23	0.048
18:24	0.05
18:25	0.047
18:26	0.041
18:27	0.031
18:28	0.029
18:29	0.029
18:30	0.03
18:31	0.031
18:32	0.03
18:33	0.033
18:34	0.033
18:35	0.032
18:36	0.035
18:37	0.034
18:38	0.042
18:39	0.031
18:40	0.034
18:41	0.033
18:42	0.033
18:43	0.029
18:44	0.029
18:45	0.032
18:46	0.031
18:47	0.032
18:48	0.03
18:49	0.023

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601225	8/21/2024 19:46	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:45	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:44	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:43	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:42	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:41	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:40	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:39	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:38	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:37	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:36	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:35	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:34	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:33	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:32	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:31	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:30	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:29	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:28	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:27	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:26	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:25	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:24	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:23	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:22	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:21	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:20	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:19	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:18	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:17	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:16	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 19:15	Readings	PID	SC23030037D3	Normal	0

592-601225	8/21/2024 14:50	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:49	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:48	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:47	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:46	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:45	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:44	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:43	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:42	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:41	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:40	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:39	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:38	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:37	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:36	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:35	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:34	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:33	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:32	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 14:31	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:30	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 14:29	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:28	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:27	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:26	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:25	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 14:24	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 14:23	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:22	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 14:21	Readings	PID	SC23030037D3	Normal	1
592-601225	8/21/2024 14:20	Readings	PID	SC23030037D3	Normal	0.5
592-601225	8/21/2024 14:19	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:18	Readings	PID	SC23030037D3	Normal	0.7

592-601225	8/21/2024 14:17	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:16	Readings	PID	SC23030037D3	Normal	0.9
592-601225	8/21/2024 14:15	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 14:14	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:13	Readings	PID	SC23030037D3	Normal	1.5
592-601225	8/21/2024 14:12	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 14:11	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:10	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:09	Readings	PID	SC23030037D3	Normal	0.6
592-601225	8/21/2024 14:08	Readings	PID	SC23030037D3	Normal	1
592-601225	8/21/2024 14:07	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 14:06	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:05	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 14:04	Readings	PID	SC23030037D3	Normal	0.8
592-601225	8/21/2024 14:03	Readings	PID	SC23030037D3	Normal	0.5
592-601225	8/21/2024 14:02	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 14:01	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 14:00	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 13:59	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:58	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 13:57	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:56	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:55	Readings	PID	SC23030037D3	Normal	1.3
592-601225	8/21/2024 13:54	Readings	PID	SC23030037D3	Normal	1.4
592-601225	8/21/2024 13:53	Readings	PID	SC23030037D3	Normal	1.4
592-601225	8/21/2024 13:52	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:51	Readings	PID	SC23030037D3	Normal	0.8
592-601225	8/21/2024 13:50	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:49	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 13:48	Readings	PID	SC23030037D3	Normal	0.9
592-601225	8/21/2024 13:47	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:46	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 13:45	Readings	PID	SC23030037D3	Normal	0.2

592-601225	8/21/2024 13:44	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 13:43	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:42	Readings	PID	SC23030037D3	Normal	1.2
592-601225	8/21/2024 13:41	Readings	PID	SC23030037D3	Normal	1
592-601225	8/21/2024 13:40	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 13:39	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 13:38	Readings	PID	SC23030037D3	Normal	0.8
592-601225	8/21/2024 13:37	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:36	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 13:35	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:34	Readings	PID	SC23030037D3	Normal	1
592-601225	8/21/2024 13:33	Readings	PID	SC23030037D3	Normal	0.8
592-601225	8/21/2024 13:32	Readings	PID	SC23030037D3	Normal	1.7
592-601225	8/21/2024 13:31	Readings	PID	SC23030037D3	Normal	1.8
592-601225	8/21/2024 13:30	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:29	Readings	PID	SC23030037D3	Normal	1.5
592-601225	8/21/2024 13:28	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:27	Readings	PID	SC23030037D3	Normal	1.4
592-601225	8/21/2024 13:26	Readings	PID	SC23030037D3	Normal	0.9
592-601225	8/21/2024 13:25	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 13:24	Readings	PID	SC23030037D3	Normal	0.6
592-601225	8/21/2024 13:23	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 13:22	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 13:21	Readings	PID	SC23030037D3	Normal	1.3
592-601225	8/21/2024 13:20	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 13:19	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 13:18	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 13:17	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 13:16	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:15	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:14	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:13	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:12	Readings	PID	SC23030037D3	Normal	0

592-601225	8/21/2024 13:11	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:10	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:09	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:08	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:07	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:06	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 13:05	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 13:04	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 13:03	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 13:02	Readings	PID	SC23030037D3	Normal	1
592-601225	8/21/2024 13:01	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 13:00	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 12:59	Readings	PID	SC23030037D3	Normal	1.7
592-601225	8/21/2024 12:58	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 12:57	Readings	PID	SC23030037D3	Normal	2.2
592-601225	8/21/2024 12:56	Readings	PID	SC23030037D3	Normal	2.2
592-601225	8/21/2024 12:55	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 12:54	Readings	PID	SC23030037D3	Normal	2.2
592-601225	8/21/2024 12:53	Readings	PID	SC23030037D3	Normal	2.3
592-601225	8/21/2024 12:52	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 12:51	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 12:50	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 12:49	Readings	PID	SC23030037D3	Normal	1.7
592-601225	8/21/2024 12:48	Readings	PID	SC23030037D3	Normal	1.7
592-601225	8/21/2024 12:47	Readings	PID	SC23030037D3	Normal	1.2
592-601225	8/21/2024 12:46	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 12:45	Readings	PID	SC23030037D3	Normal	0.8
592-601225	8/21/2024 12:44	Readings	PID	SC23030037D3	Normal	1.7
592-601225	8/21/2024 12:43	Readings	PID	SC23030037D3	Normal	1.2
592-601225	8/21/2024 12:42	Readings	PID	SC23030037D3	Normal	1.6
592-601225	8/21/2024 12:41	Readings	PID	SC23030037D3	Normal	0.9
592-601225	8/21/2024 12:40	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 12:39	Readings	PID	SC23030037D3	Normal	0.1

592-601225	8/21/2024 12:38	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 12:37	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 12:36	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 12:35	Readings	PID	SC23030037D3	Normal	1.2
592-601225	8/21/2024 12:34	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 12:33	Readings	PID	SC23030037D3	Normal	0.5
592-601225	8/21/2024 12:32	Readings	PID	SC23030037D3	Normal	1.6
592-601225	8/21/2024 12:31	Readings	PID	SC23030037D3	Normal	0.5
592-601225	8/21/2024 12:30	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 12:29	Readings	PID	SC23030037D3	Normal	1.3
592-601225	8/21/2024 12:28	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 12:27	Readings	PID	SC23030037D3	Normal	1.6
592-601225	8/21/2024 12:26	Readings	PID	SC23030037D3	Normal	1.8
592-601225	8/21/2024 12:25	Readings	PID	SC23030037D3	Normal	1.2
592-601225	8/21/2024 12:24	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 12:23	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 12:22	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 12:21	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 12:20	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 12:19	Readings	PID	SC23030037D3	Normal	1.1
592-601225	8/21/2024 12:18	Readings	PID	SC23030037D3	Normal	1.6
592-601225	8/21/2024 12:17	Readings	PID	SC23030037D3	Normal	0.5
592-601225	8/21/2024 12:16	Readings	PID	SC23030037D3	Normal	1
592-601225	8/21/2024 12:15	Readings	PID	SC23030037D3	Normal	0.8
592-601225	8/21/2024 12:14	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 12:13	Readings	PID	SC23030037D3	Normal	1.5
592-601225	8/21/2024 12:12	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 12:11	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 12:10	Readings	PID	SC23030037D3	Normal	1.2
592-601225	8/21/2024 12:09	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 12:08	Readings	PID	SC23030037D3	Normal	0.9
592-601225	8/21/2024 12:07	Readings	PID	SC23030037D3	Normal	0.5
592-601225	8/21/2024 12:06	Readings	PID	SC23030037D3	Normal	0.7

592-601225	8/21/2024 12:05	Readings	PID	SC23030037D3	Normal	0.7
592-601225	8/21/2024 12:04	Readings	PID	SC23030037D3	Normal	0.6
592-601225	8/21/2024 12:03	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 12:02	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 12:01	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 12:00	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:59	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:58	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:57	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:56	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:55	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:54	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:53	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:52	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:51	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:50	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:49	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 11:48	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:47	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:46	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:45	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:44	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 11:43	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:42	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 11:41	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 11:40	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:39	Readings	PID	SC23030037D3	Normal	0.6
592-601225	8/21/2024 11:38	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 11:37	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:36	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:35	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:34	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 11:33	Readings	PID	SC23030037D3	Normal	0

592-601225	8/21/2024 10:59	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:58	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:57	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:56	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:55	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:54	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:53	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:52	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:51	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:50	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:49	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:48	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:47	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:46	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:45	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:44	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:43	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:42	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:41	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:40	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:39	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:38	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:37	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:36	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:35	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 10:34	CONFIG	PID	SC23030037D3		
592-601225	8/21/2024 8:42	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:41	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:40	Readings	PID	SC23030037D3	Normal	0.4
592-601225	8/21/2024 8:39	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:38	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:37	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:36	Readings	PID	SC23030037D3	Normal	0

592-601225	8/21/2024 8:35	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:34	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:33	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 8:32	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:31	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 8:30	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:29	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:28	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:27	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:26	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:25	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:24	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:23	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 8:22	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:21	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:20	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:19	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:18	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:17	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:16	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 8:15	Readings	PID	SC23030037D3	Normal	0.2
592-601225	8/21/2024 8:14	Readings	PID	SC23030037D3	Normal	0.3
592-601225	8/21/2024 8:13	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:12	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:11	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:10	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:09	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:08	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:07	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:06	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:05	Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 8:04	Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:03	Readings	PID	SC23030037D3	Normal	0

592-601225	8/21/2024 8:02 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:01 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 8:00 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:59 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:58 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:57 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:56 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:55 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:54 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:53 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:52 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:51 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:50 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:49 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:48 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:47 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:46 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:45 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:44 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:43 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:42 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:41 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:40 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:39 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:38 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:37 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:36 Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 7:35 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:34 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:33 Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 7:32 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:31 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:30 Readings	PID	SC23030037D3	Normal	0.1

592-601225	8/21/2024 7:29 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:28 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:27 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:26 Readings	PID	SC23030037D3	Normal	0.1
592-601225	8/21/2024 7:25 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:24 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:23 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:22 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:21 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:20 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:19 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:18 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:17 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:16 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:15 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:14 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:13 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:12 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:11 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:10 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:09 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:08 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:07 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:06 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:05 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:04 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:03 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:02 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:01 Readings	PID	SC23030037D3	Normal	0
592-601225	8/21/2024 7:00 CONFIG	PID	SC23030037D3		

Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181205
Firmware Version	3.1
Calibration Date	5/31/2023
Test Name	MANUAL_002
Test Start Time	6:59:08 AM
Test Start Date	8/21/2024
Test Length [D:H:M]	0:12:21
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.039
PM1 Minimum [mg/m3]	0.015
PM1 Maximum [mg/m3]	0.155
PM1 TWA [mg/m3]	0.034
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	741

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:59	0.036		
7:00	0.03		
7:01	0.03		
7:02	0.03		
7:03	0.03		
7:04	0.03		
7:05	0.031		
7:06	0.031		
7:07	0.033		
7:08	0.031		
7:09	0.033		
7:10	0.031		
7:11	0.03		
7:12	0.041		
7:13	0.033		
7:14	0.032		
7:15	0.032		
7:16	0.03		
7:17	0.03		
7:18	0.033		
7:19	0.031		
7:20	0.034		
7:21	0.038		

7:22	0.034
7:23	0.035
7:24	0.035
7:25	0.035
7:26	0.035
7:27	0.035
7:28	0.035
7:29	0.035
7:30	0.07
7:31	0.062
7:32	0.048
7:33	0.041
7:34	0.037
7:35	0.035
7:36	0.035
7:37	0.038
7:38	0.04
7:39	0.112
7:40	0.087
7:41	0.046
7:42	0.042
7:43	0.04
7:44	0.04
7:45	0.041
7:46	0.038
7:47	0.038
7:48	0.037
7:49	0.039
7:50	0.041
7:51	0.042
7:52	0.041
7:53	0.045
7:54	0.038
7:55	0.037
7:56	0.035
7:57	0.034
7:58	0.035
7:59	0.036
8:00	0.035
8:01	0.035
8:02	0.034
8:03	0.041
8:04	0.107
8:05	0.055

8:06	0.042
8:07	0.038
8:08	0.035
8:09	0.036
8:10	0.03
8:11	0.03
8:12	0.035
8:13	0.035
8:14	0.055
8:15	0.057
8:16	0.102
8:17	0.064
8:18	0.035
8:19	0.033
8:20	0.032
8:21	0.032
8:22	0.031
8:23	0.031
8:24	0.03
8:25	0.032
8:26	0.033
8:27	0.032
8:28	0.032
8:29	0.032
8:30	0.028
8:31	0.027
8:32	0.027
8:33	0.026
8:34	0.026
8:35	0.026
8:36	0.026
8:37	0.026
8:38	0.027
8:39	0.035
8:40	0.029
8:41	0.027
8:42	0.025
8:43	0.025
8:44	0.022
8:45	0.022
8:46	0.024
8:47	0.02
8:48	0.021
8:49	0.021

8:50	0.019
8:51	0.02
8:52	0.02
8:53	0.022
8:54	0.021
8:55	0.019
8:56	0.018
8:57	0.019
8:58	0.031
8:59	0.046
9:00	0.023
9:01	0.018
9:02	0.017
9:03	0.015
9:04	0.015
9:05	0.022
9:06	0.019
9:07	0.016
9:08	0.017
9:09	0.016
9:10	0.016
9:11	0.017
9:12	0.02
9:13	0.019
9:14	0.021
9:15	0.02
9:16	0.021
9:17	0.022
9:18	0.023
9:19	0.021
9:20	0.021
9:21	0.022
9:22	0.02
9:23	0.018
9:24	0.019
9:25	0.02
9:26	0.022
9:27	0.022
9:28	0.019
9:29	0.02
9:30	0.021
9:31	0.019
9:32	0.02
9:33	0.02

9:34	0.02
9:35	0.022
9:36	0.022
9:37	0.024
9:38	0.023
9:39	0.023
9:40	0.024
9:41	0.03
9:42	0.024
9:43	0.022
9:44	0.022
9:45	0.023
9:46	0.021
9:47	0.022
9:48	0.023
9:49	0.022
9:50	0.023
9:51	0.027
9:52	0.023
9:53	0.022
9:54	0.022
9:55	0.024
9:56	0.024
9:57	0.023
9:58	0.03
9:59	0.027
10:00	0.023
10:01	0.021
10:02	0.024
10:03	0.024
10:04	0.024
10:05	0.024
10:06	0.023
10:07	0.023
10:08	0.023
10:09	0.025
10:10	0.025
10:11	0.024
10:12	0.027
10:13	0.031
10:14	0.032
10:15	0.026
10:16	0.026
10:17	0.026

10:18	0.026
10:19	0.027
10:20	0.028
10:21	0.028
10:22	0.03
10:23	0.031
10:24	0.03
10:25	0.029
10:26	0.029
10:27	0.03
10:28	0.031
10:29	0.026
10:30	0.029
10:31	0.027
10:32	0.026
10:33	0.026
10:34	0.028
10:35	0.029
10:36	0.029
10:37	0.031
10:38	0.031
10:39	0.03
10:40	0.031
10:41	0.036
10:42	0.033
10:43	0.03
10:44	0.036
10:45	0.034
10:46	0.033
10:47	0.028
10:48	0.027
10:49	0.035
10:50	0.034
10:51	0.032
10:52	0.032
10:53	0.046
10:54	0.086
10:55	0.045
10:56	0.033
10:57	0.055
10:58	0.052
10:59	0.034
11:00	0.031
11:01	0.031

11:02	0.033
11:03	0.035
11:04	0.033
11:05	0.042
11:06	0.033
11:07	0.027
11:08	0.064
11:09	0.042
11:10	0.033
11:11	0.049
11:12	0.025
11:13	0.025
11:14	0.03
11:15	0.028
11:16	0.027
11:17	0.026
11:18	0.026
11:19	0.029
11:20	0.026
11:21	0.028
11:22	0.025
11:23	0.045
11:24	0.031
11:25	0.025
11:26	0.029
11:27	0.024
11:28	0.026
11:29	0.026
11:30	0.034
11:31	0.027
11:32	0.024
11:33	0.028
11:34	0.027
11:35	0.023
11:36	0.022
11:37	0.024
11:38	0.022
11:39	0.026
11:40	0.026
11:41	0.03
11:42	0.027
11:43	0.023
11:44	0.025
11:45	0.025

11:46	0.033
11:47	0.034
11:48	0.025
11:49	0.023
11:50	0.028
11:51	0.027
11:52	0.027
11:53	0.048
11:54	0.027
11:55	0.03
11:56	0.029
11:57	0.03
11:58	0.028
11:59	0.03
12:00	0.03
12:01	0.03
12:02	0.03
12:03	0.03
12:04	0.03
12:05	0.03
12:06	0.031
12:07	0.04
12:08	0.048
12:09	0.041
12:10	0.042
12:11	0.039
12:12	0.035
12:13	0.036
12:14	0.033
12:15	0.034
12:16	0.031
12:17	0.031
12:18	0.031
12:19	0.031
12:20	0.032
12:21	0.033
12:22	0.032
12:23	0.034
12:24	0.033
12:25	0.033
12:26	0.033
12:27	0.035
12:28	0.034
12:29	0.042

12:30	0.03
12:31	0.034
12:32	0.034
12:33	0.036
12:34	0.035
12:35	0.036
12:36	0.037
12:37	0.037
12:38	0.037
12:39	0.036
12:40	0.037
12:41	0.034
12:42	0.038
12:43	0.055
12:44	0.049
12:45	0.05
12:46	0.04
12:47	0.046
12:48	0.05
12:49	0.074
12:50	0.037
12:51	0.031
12:52	0.03
12:53	0.033
12:54	0.032
12:55	0.043
12:56	0.034
12:57	0.031
12:58	0.03
12:59	0.031
13:00	0.031
13:01	0.031
13:02	0.034
13:03	0.036
13:04	0.041
13:05	0.034
13:06	0.031
13:07	0.032
13:08	0.033
13:09	0.031
13:10	0.031
13:11	0.036
13:12	0.038
13:13	0.063

13:14	0.052
13:15	0.045
13:16	0.049
13:17	0.044
13:18	0.079
13:19	0.04
13:20	0.035
13:21	0.053
13:22	0.055
13:23	0.043
13:24	0.042
13:25	0.039
13:26	0.042
13:27	0.042
13:28	0.046
13:29	0.039
13:30	0.039
13:31	0.048
13:32	0.066
13:33	0.037
13:34	0.031
13:35	0.032
13:36	0.038
13:37	0.036
13:38	0.037
13:39	0.054
13:40	0.067
13:41	0.033
13:42	0.035
13:43	0.03
13:44	0.04
13:45	0.042
13:46	0.04
13:47	0.048
13:48	0.034
13:49	0.037
13:50	0.033
13:51	0.039
13:52	0.034
13:53	0.035
13:54	0.042
13:55	0.035
13:56	0.034
13:57	0.034

13:58	0.037
13:59	0.035
14:00	0.035
14:01	0.035
14:02	0.055
14:03	0.035
14:04	0.035
14:05	0.034
14:06	0.035
14:07	0.035
14:08	0.035
14:09	0.037
14:10	0.039
14:11	0.035
14:12	0.036
14:13	0.037
14:14	0.037
14:15	0.036
14:16	0.039
14:17	0.036
14:18	0.043
14:19	0.043
14:20	0.036
14:21	0.035
14:22	0.035
14:23	0.037
14:24	0.035
14:25	0.036
14:26	0.035
14:27	0.034
14:28	0.034
14:29	0.036
14:30	0.035
14:31	0.033
14:32	0.034
14:33	0.05
14:34	0.037
14:35	0.037
14:36	0.037
14:37	0.036
14:38	0.035
14:39	0.036
14:40	0.03
14:41	0.036

14:42	0.037
14:43	0.035
14:44	0.036
14:45	0.038
14:46	0.041
14:47	0.036
14:48	0.037
14:49	0.039
14:50	0.04
14:51	0.047
14:52	0.068
14:53	0.046
14:54	0.038
14:55	0.038
14:56	0.049
14:57	0.048
14:58	0.042
14:59	0.043
15:00	0.039
15:01	0.094
15:02	0.041
15:03	0.041
15:04	0.043
15:05	0.041
15:06	0.085
15:07	0.065
15:08	0.042
15:09	0.042
15:10	0.065
15:11	0.043
15:12	0.042
15:13	0.047
15:14	0.048
15:15	0.045
15:16	0.125
15:17	0.105
15:18	0.155
15:19	0.051
15:20	0.047
15:21	0.042
15:22	0.041
15:23	0.042
15:24	0.042
15:25	0.043

15:26	0.048
15:27	0.048
15:28	0.049
15:29	0.046
15:30	0.052
15:31	0.056
15:32	0.046
15:33	0.045
15:34	0.045
15:35	0.046
15:36	0.047
15:37	0.046
15:38	0.045
15:39	0.048
15:40	0.051
15:41	0.046
15:42	0.046
15:43	0.049
15:44	0.046
15:45	0.048
15:46	0.049
15:47	0.047
15:48	0.051
15:49	0.047
15:50	0.047
15:51	0.048
15:52	0.047
15:53	0.054
15:54	0.055
15:55	0.047
15:56	0.047
15:57	0.046
15:58	0.047
15:59	0.048
16:00	0.048
16:01	0.048
16:02	0.047
16:03	0.047
16:04	0.049
16:05	0.05
16:06	0.047
16:07	0.047
16:08	0.047
16:09	0.048

16:10	0.047
16:11	0.047
16:12	0.048
16:13	0.048
16:14	0.048
16:15	0.049
16:16	0.048
16:17	0.048
16:18	0.052
16:19	0.051
16:20	0.049
16:21	0.049
16:22	0.05
16:23	0.061
16:24	0.05
16:25	0.053
16:26	0.051
16:27	0.05
16:28	0.05
16:29	0.054
16:30	0.05
16:31	0.052
16:32	0.052
16:33	0.051
16:34	0.05
16:35	0.05
16:36	0.052
16:37	0.053
16:38	0.051
16:39	0.052
16:40	0.051
16:41	0.052
16:42	0.057
16:43	0.053
16:44	0.063
16:45	0.058
16:46	0.056
16:47	0.055
16:48	0.054
16:49	0.052
16:50	0.056
16:51	0.056
16:52	0.056
16:53	0.051

16:54	0.051
16:55	0.049
16:56	0.047
16:57	0.047
16:58	0.047
16:59	0.058
17:00	0.05
17:01	0.049
17:02	0.049
17:03	0.049
17:04	0.064
17:05	0.051
17:06	0.05
17:07	0.053
17:08	0.049
17:09	0.046
17:10	0.046
17:11	0.046
17:12	0.05
17:13	0.051
17:14	0.047
17:15	0.047
17:16	0.047
17:17	0.048
17:18	0.046
17:19	0.047
17:20	0.046
17:21	0.045
17:22	0.05
17:23	0.049
17:24	0.046
17:25	0.056
17:26	0.053
17:27	0.046
17:28	0.044
17:29	0.043
17:30	0.043
17:31	0.042
17:32	0.045
17:33	0.046
17:34	0.041
17:35	0.042
17:36	0.042
17:37	0.044

17:38	0.051
17:39	0.04
17:40	0.04
17:41	0.04
17:42	0.039
17:43	0.039
17:44	0.042
17:45	0.039
17:46	0.039
17:47	0.041
17:48	0.04
17:49	0.05
17:50	0.042
17:51	0.048
17:52	0.04
17:53	0.041
17:54	0.101
17:55	0.039
17:56	0.041
17:57	0.04
17:58	0.05
17:59	0.04
18:00	0.038
18:01	0.037
18:02	0.044
18:03	0.044
18:04	0.041
18:05	0.082
18:06	0.039
18:07	0.038
18:08	0.039
18:09	0.039
18:10	0.043
18:11	0.05
18:12	0.046
18:13	0.044
18:14	0.066
18:15	0.089
18:16	0.049
18:17	0.045
18:18	0.043
18:19	0.042
18:20	0.044
18:21	0.041

18:22	0.041
18:23	0.041
18:24	0.041
18:25	0.042
18:26	0.042
18:27	0.041
18:28	0.042
18:29	0.044
18:30	0.049
18:31	0.046
18:32	0.042
18:33	0.041
18:34	0.042
18:35	0.045
18:36	0.041
18:37	0.041
18:38	0.045
18:39	0.047
18:40	0.042
18:41	0.046
18:42	0.045
18:43	0.043
18:44	0.041
18:45	0.044
18:46	0.042
18:47	0.041
18:48	0.043
18:49	0.054
18:50	0.044
18:51	0.04
18:52	0.042
18:53	0.041
18:54	0.04
18:55	0.04
18:56	0.039
18:57	0.039
18:58	0.04
18:59	0.051
19:00	0.047
19:01	0.041
19:02	0.044
19:03	0.039
19:04	0.079
19:05	0.054

19:06	0.053
19:07	0.05
19:08	0.052
19:09	0.048
19:10	0.047
19:11	0.048
19:12	0.046
19:13	0.046
19:14	0.046
19:15	0.046
19:16	0.045
19:17	0.045
19:18	0.042
19:19	0.04

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-923428	8/21/2024 18:57	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:56	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:55	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:54	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:53	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:52	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:51	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:50	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:49	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:48	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:47	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:46	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:45	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:44	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:43	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:42	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:41	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:40	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:39	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:38	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:37	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:36	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:35	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:34	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:33	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:32	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:31	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:30	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:29	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:28	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:27	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 18:26	Readings	PID	SC23030029V2	Normal	0

592-923428	8/21/2024 16:46	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:45	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:44	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:43	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:42	Readings	PID	SC23030029V2	Normal	0.4
592-923428	8/21/2024 16:41	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:40	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:39	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:38	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:37	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:36	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:35	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:34	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:33	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:32	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:31	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:30	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:29	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:28	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:27	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:26	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:25	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:24	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:23	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:22	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:21	Readings	PID	SC23030029V2	Normal	9.1
592-923428	8/21/2024 16:20	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:19	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:18	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:17	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:16	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:15	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:14	Readings	PID	SC23030029V2	Normal	0

592-923428	8/21/2024 16:13	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:12	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:11	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:10	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:09	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:08	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:07	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:06	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:05	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:04	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:03	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:02	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 16:01	Readings	PID	SC23030029V2	Normal	10.1
592-923428	8/21/2024 16:00	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:59	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:58	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:57	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:56	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:55	Readings	PID	SC23030029V2	Normal	1.9
592-923428	8/21/2024 15:54	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:53	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:52	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:51	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:50	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:49	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:48	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:47	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:46	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:45	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:44	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:43	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:42	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:41	Readings	PID	SC23030029V2	Normal	0

592-923428	8/21/2024 15:40	Readings	PID	SC23030029V2	Normal	1
592-923428	8/21/2024 15:39	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:38	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:37	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:36	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:35	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:34	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:33	Readings	PID	SC23030029V2	Normal	0.6
592-923428	8/21/2024 15:32	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:31	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:30	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:29	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:28	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:27	Readings	PID	SC23030029V2	Normal	1.6
592-923428	8/21/2024 15:26	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:25	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:24	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:23	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:22	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:21	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:20	Readings	PID	SC23030029V2	Normal	3.6
592-923428	8/21/2024 15:19	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:18	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:17	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:16	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:15	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:14	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:13	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:12	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:11	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:10	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:09	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 15:08	Readings	PID	SC23030029V2	Normal	0

592-923428	8/21/2024 13:28	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:27	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:26	CONFIG	PID	SC23030029V2		
592-923428	8/21/2024 13:09	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:08	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:07	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:06	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:05	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:04	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:03	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:02	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:01	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 13:00	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:59	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:58	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:57	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:56	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:55	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:54	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:53	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:52	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:51	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:50	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:49	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:48	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:47	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:46	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:45	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:44	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:43	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:42	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:41	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 12:40	Readings	PID	SC23030029V2	Normal	0

592-923428	8/21/2024 11:00	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:59	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:58	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:57	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:56	Readings	PID	SC23030029V2	Normal	7.6
592-923428	8/21/2024 10:55	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:54	CONFIG	PID	SC23030029V2		
592-923428	8/21/2024 10:12	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:11	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:10	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:09	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:08	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:07	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:06	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:05	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:04	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:03	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:02	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:01	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 10:00	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:59	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:58	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:57	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:56	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:55	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:54	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:53	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:52	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:51	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:50	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:49	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:48	Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 9:47	Readings	PID	SC23030029V2	Normal	0

592-923428	8/21/2024 7:34 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:33 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:32 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:31 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:30 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:29 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:28 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:27 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:26 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:25 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:24 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:23 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:22 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:21 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:20 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:19 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:18 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:17 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:16 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:15 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:14 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:13 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:12 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:11 Readings	PID	SC23030029V2	Normal	0
592-923428	8/21/2024 7:10 CONFIG	PID	SC23030029V2		