



**DAILY STATUS REPORT**

**Prepared By:**  
Ryan Just

WEATHER	Snow	Rain	Overcast	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85	X	>85	NNE – 9 mph

<b>IEEG Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b> 09/04/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY			

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:40 Time Out: 18:05</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Ryan Just Broadway Construction Group – Shannon Dowling / Tom Caporale WSP – Charlie Lambert Cascade – John Vollmer Concrete Courses</p> <p><b>Equipment On Site:</b> (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

**Scope of Work:** IEEG to deploy CAMP stations according to wind direction; Cascade to continue re-drilling pilot columns; Concrete Courses to continue with rebar fabrication and concrete-form construction in the Butler corridor.

**Site Activities:**

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Concrete Courses continued rebar fabrication and concrete-form construction in the Butler Corridor;
- ACT delivered one (1) load of slag to the silos;
- Cascade consolidated swell material into stockpile;
- IEEG applied ISS foam spray to the swell material throughout the shift and at the end of the shift;
- Cascade drilled **Column 24** with column specification below:
  - Column is 8’ diameter and drilled 51’ deep from Site grade;
  - The column consisted of a total of 28 batches;
- Cascade drilled **Column 155** with column specification below:
  - Column is 8’ diameter and drilled 36’ deep from Site grade;
  - The column consisted of a total of 30 batches;

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.142\_ mg/m<sup>3</sup> @ 07:22
- High Conditions (Upwind) – PID = \_0.0\_ ppm, Dust = \_0.229\_ mg/m<sup>3</sup> @ 14:01
- High Conditions (Downwind 1) – PID = \_6.6\_ ppm @ 09:35, Dust = \_1.53\_ mg/m<sup>3</sup> @ 14:50
- High Conditions (Downwind 2) – PID = \_0.0\_ ppm, Dust = \_0.214\_ mg/m<sup>3</sup> @ 13:07

**Notable Site Conditions:**

- An unknown mixture with soap-like properties was pumped onto Nevins Street by the adjacent site to the west. The material originated from a ConEdison manhole according to Keller. Keller workers used water to clean off the street, two pedestrians fell beforehand and FDNY responded with an ambulance for possible injuries.

**Planned for the Next Day/Week:**

- Cascade to continue to installing ISS columns; and
- Concrete Courses to continue superstructure work in the Butler corridor.



**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative photo of rebar fabrication and concrete-form construction in the Butler Corridor.



**Photo 2-**  
Representative photo of ISS column installation.



**Photo 3-**

Representative photo of ISS swell material sprayed with ATMOS foam.



**Photo 4-**


Representative off-site photo of liquid pumped onto Nevins Street from ConEd Manhole cover.



**SITE PLANS**

251 DOUGLASS STREET, BROOKLYN, NY







# SCM Report






Project name	Douglass Street BCG ISS	Element name	24br
		Project number	

		Start date	09/04/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	53.15 ft.	Start time	11:28 AM
Volume/m 1	18.01 ft <sup>3</sup>	End Date	09/04/2024
		End time	12:11 PM
		Production duration	00:43:39
		Final depth time	11:57 AM
		Total suspension quantity	293.077 ft <sup>3</sup>



# SCM Report





Project name: Douglass Street BCG ISS      Element name: 155ar  
Project number

Start date: 09/04/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 12:42 PM	
Max. depth: 38.911 ft.		End Date: 09/04/2024	
Volume/m 1: 108.769 ft³		End time: 02:52 PM	
		Production duration: 02:10:08	
		Final depth time: 02:42 PM	
		Total suspension quantity: 1,289.693 ft³	



# SCM Report





Project name	Douglass Street BCG ISS	Element name	155br
		Project number	

		Start date	09/04/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	39.108 ft.	Start time	02:53 PM
Volume/m 1	26.839 ft³	End Date	09/04/2024
		End time	03:24 PM
		Production duration	00:31:27
		Final depth time	03:14 PM
		Total suspension quantity	319.033 ft³





**IMPACT ENVIRONMENTAL**

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

[www.impactenvironmental.com](http://www.impactenvironmental.com)

---

**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_001
Test Start Time	7:22:34 AM
Test Start Date	9/4/2024
Test Length [D:H:M]	0:09:53
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.229
Mass TWA [mg/m3]	0.024
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	593

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.142		
120	0.038		
180	0.021		
240	0.02		
300	0.023		
360	0.022		
420	0.02		
480	0.038		
540	0.051		
600	0.036		
660	0.07		
720	0.047		
780	0.037		
840	0.048		
900	0.039		
960	0.023		
1020	0.019		
1080	0.018		
1140	0.017		
1200	0.019		
1260	0.018		
1320	0.018		
1380	0.025		
1440	0.024		

1500	0.024
1560	0.028
1620	0.042
1680	0.026
1740	0.028
1800	0.027
1860	0.024
1920	0.024
1980	0.029
2040	0.029
2100	0.027
2160	0.026
2220	0.025
2280	0.025
2340	0.026
2400	0.027
2460	0.027
2520	0.028
2580	0.026
2640	0.025
2700	0.029
2760	0.028
2820	0.027
2880	0.028
2940	0.027
3000	0.027
3060	0.027
3120	0.027
3180	0.029
3240	0.03
3300	0.029
3360	0.027
3420	0.025
3480	0.026
3540	0.026
3600	0.025
3660	0.023
3720	0.02
3780	0.021
3840	0.026
3900	0.029
3960	0.024
4020	0.024
4080	0.024

4140	0.025
4200	0.024
4260	0.028
4320	0.032
4380	0.025
4440	0.022
4500	0.023
4560	0.026
4620	0.028
4680	0.031
4740	0.033
4800	0.047
4860	0.026
4920	0.019
4980	0.024
5040	0.025
5100	0.023
5160	0.025
5220	0.021
5280	0.02
5340	0.045
5400	0.039
5460	0.058
5520	0.092
5580	0.057
5640	0.034
5700	0.051
5760	0.026
5820	0.02
5880	0.022
5940	0.024
6000	0.024
6060	0.022
6120	0.019
6180	0.017
6240	0.015
6300	0.014
6360	0.013
6420	0.014
6480	0.012
6540	0.012
6600	0.012
6660	0.014
6720	0.018

6780	0.016
6840	0.02
6900	0.021
6960	0.024
7020	0.028
7080	0.02
7140	0.024
7200	0.039
7260	0.023
7320	0.017
7380	0.018
7440	0.015
7500	0.013
7560	0.034
7620	0.011
7680	0.011
7740	0.012
7800	0.013
7860	0.016
7920	0.014
7980	0.009
8040	0.008
8100	0.01
8160	0.009
8220	0.011
8280	0.012
8340	0.009
8400	0.008
8460	0.01
8520	0.009
8580	0.01
8640	0.033
8700	0.021
8760	0.016
8820	0.016
8880	0.014
8940	0.012
9000	0.008
9060	0.008
9120	0.008
9180	0.009
9240	0.012
9300	0.009
9360	0.009

9420	0.009
9480	0.011
9540	0.01
9600	0.009
9660	0.01
9720	0.012
9780	0.008
9840	0.017
9900	0.016
9960	0.012
10020	0.043
10080	0.018
10140	0.011
10200	0.009
10260	0.008
10320	0.007
10380	0.007
10440	0.009
10500	0.009
10560	0.007
10620	0.009
10680	0.014
10740	0.009
10800	0.012
10860	0.012
10920	0.013
10980	0.023
11040	0.047
11100	0.067
11160	0.021
11220	0.014
11280	0.01
11340	0.008
11400	0.007
11460	0.02
11520	0.031
11580	0.023
11640	0.011
11700	0.047
11760	0.063
11820	0.066
11880	0.077
11940	0.045
12000	0.04

12060	0.025
12120	0.009
12180	0.013
12240	0.014
12300	0.01
12360	0.008
12420	0.009
12480	0.008
12540	0.01
12600	0.009
12660	0.011
12720	0.011
12780	0.011
12840	0.015
12900	0.016
12960	0.012
13020	0.032
13080	0.055
13140	0.04
13200	0.031
13260	0.019
13320	0.012
13380	0.007
13440	0.009
13500	0.01
13560	0.01
13620	0.01
13680	0.012
13740	0.01
13800	0.008
13860	0.009
13920	0.01
13980	0.01
14040	0.014
14100	0.013
14160	0.011
14220	0.01
14280	0.017
14340	0.088
14400	0.022
14460	0.013
14520	0.021
14580	0.015
14640	0.011

14700	0.01
14760	0.01
14820	0.01
14880	0.009
14940	0.009
15000	0.01
15060	0.009
15120	0.009
15180	0.009
15240	0.01
15300	0.01
15360	0.01
15420	0.011
15480	0.009
15540	0.01
15600	0.009
15660	0.009
15720	0.009
15780	0.01
15840	0.018
15900	0.023
15960	0.016
16020	0.014
16080	0.012
16140	0.013
16200	0.011
16260	0.011
16320	0.013
16380	0.013
16440	0.012
16500	0.01
16560	0.012
16620	0.013
16680	0.018
16740	0.021
16800	0.019
16860	0.013
16920	0.012
16980	0.018
17040	0.043
17100	0.033
17160	0.027
17220	0.012
17280	0.01

17340	0.01
17400	0.017
17460	0.013
17520	0.013
17580	0.019
17640	0.018
17700	0.015
17760	0.017
17820	0.02
17880	0.015
17940	0.012
18000	0.036
18060	0.024
18120	0.012
18180	0.015
18240	0.013
18300	0.023
18360	0.018
18420	0.017
18480	0.015
18540	0.02
18600	0.022
18660	0.015
18720	0.037
18780	0.037
18840	0.082
18900	0.029
18960	0.077
19020	0.026
19080	0.017
19140	0.142
19200	0.021
19260	0.018
19320	0.017
19380	0.022
19440	0.02
19500	0.02
19560	0.02
19620	0.026
19680	0.028
19740	0.022
19800	0.018
19860	0.017
19920	0.018

19980	0.019
20040	0.023
20100	0.022
20160	0.022
20220	0.02
20280	0.021
20340	0.018
20400	0.024
20460	0.016
20520	0.018
20580	0.017
20640	0.026
20700	0.017
20760	0.036
20820	0.03
20880	0.023
20940	0.03
21000	0.026
21060	0.02
21120	0.022
21180	0.019
21240	0.019
21300	0.031
21360	0.021
21420	0.023
21480	0.026
21540	0.025
21600	0.035
21660	0.02
21720	0.07
21780	0.025
21840	0.017
21900	0.016
21960	0.017
22020	0.016
22080	0.015
22140	0.015
22200	0.017
22260	0.046
22320	0.016
22380	0.014
22440	0.014
22500	0.014
22560	0.014

22620	0.013
22680	0.015
22740	0.017
22800	0.038
22860	0.023
22920	0.016
22980	0.017
23040	0.019
23100	0.059
23160	0.031
23220	0.082
23280	0.047
23340	0.027
23400	0.049
23460	0.015
23520	0.068
23580	0.091
23640	0.102
23700	0.082
23760	0.031
23820	0.025
23880	0.031
23940	0.039
24000	0.229
24060	0.064
24120	0.016
24180	0.014
24240	0.015
24300	0.023
24360	0.027
24420	0.081
24480	0.019
24540	0.021
24600	0.015
24660	0.056
24720	0.018
24780	0.014
24840	0.015
24900	0.013
24960	0.013
25020	0.023
25080	0.014
25140	0.014
25200	0.015

25260	0.02
25320	0.077
25380	0.055
25440	0.055
25500	0.03
25560	0.013
25620	0.014
25680	0.014
25740	0.013
25800	0.09
25860	0.059
25920	0.053
25980	0.02
26040	0.021
26100	0.018
26160	0.013
26220	0.011
26280	0.012
26340	0.013
26400	0.016
26460	0.091
26520	0.029
26580	0.034
26640	0.116
26700	0.021
26760	0.023
26820	0.012
26880	0.015
26940	0.014
27000	0.013
27060	0.017
27120	0.052
27180	0.03
27240	0.017
27300	0.037
27360	0.018
27420	0.015
27480	0.01
27540	0.015
27600	0.025
27660	0.014
27720	0.015
27780	0.019
27840	0.011

27900	0.032
27960	0.012
28020	0.029
28080	0.011
28140	0.028
28200	0.02
28260	0.017
28320	0.015
28380	0.141
28440	0.015
28500	0.013
28560	0.016
28620	0.047
28680	0.023
28740	0.015
28800	0.016
28860	0.015
28920	0.012
28980	0.039
29040	0.015
29100	0.011
29160	0.015
29220	0.017
29280	0.016
29340	0.033
29400	0.02
29460	0.019
29520	0.016
29580	0.014
29640	0.019
29700	0.018
29760	0.017
29820	0.015
29880	0.022
29940	0.015
30000	0.015
30060	0.014
30120	0.012
30180	0.01
30240	0.012
30300	0.025
30360	0.016
30420	0.022
30480	0.025

30540	0.015
30600	0.012
30660	0.018
30720	0.016
30780	0.015
30840	0.012
30900	0.016
30960	0.011
31020	0.018
31080	0.019
31140	0.012
31200	0.016
31260	0.017
31320	0.016
31380	0.012
31440	0.011
31500	0.04
31560	0.015
31620	0.013
31680	0.015
31740	0.014
31800	0.011
31860	0.063
31920	0.029
31980	0.022
32040	0.014
32100	0.015
32160	0.048
32220	0.025
32280	0.112
32340	0.055
32400	0.023
32460	0.015
32520	0.077
32580	0.037
32640	0.023
32700	0.062
32760	0.139
32820	0.058
32880	0.02
32940	0.034
33000	0.02
33060	0.013
33120	0.01

33180	0.011
33240	0.015
33300	0.011
33360	0.013
33420	0.027
33480	0.023
33540	0.025
33600	0.016
33660	0.013
33720	0.023
33780	0.064
33840	0.027
33900	0.016
33960	0.017
34020	0.019
34080	0.058
34140	0.058
34200	0.019
34260	0.015
34320	0.018
34380	0.027
34440	0.01
34500	0.013
34560	0.037
34620	0.015
34680	0.012
34740	0.012
34800	0.013
34860	0.009
34920	0.009
34980	0.011
35040	0.012
35100	0.01
35160	0.011
35220	0.013
35280	0.011
35340	0.01
35400	0.012
35460	0.011
35520	0.01
35580	0.01

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	9/4/2024 17:16	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:15	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:14	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:13	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:12	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:11	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:10	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:09	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:08	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:07	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:06	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:05	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:04	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:03	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:02	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:01	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 17:00	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:59	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:58	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:57	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:56	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:55	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:54	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:53	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:52	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:51	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:50	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:49	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:48	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:47	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:46	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 16:45	Readings	PID	SC23030921B3	Normal	0

























592-601274	9/4/2024 10:08	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:07	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:06	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:05	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:04	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:03	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:02	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:01	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 10:00	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:59	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:58	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:57	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:56	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:55	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:54	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:53	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:52	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:51	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:50	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:49	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:48	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:47	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:46	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:45	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:44	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:43	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:42	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:41	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:40	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:39	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:38	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:37	Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:36	Readings	PID	SC23030921B3	Normal	0



592-601274	9/4/2024 9:02 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:01 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 9:00 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:59 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:58 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:57 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:56 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:55 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:54 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:53 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:52 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:51 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:50 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:49 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:48 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:47 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:46 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:45 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:44 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:43 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:42 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:41 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:40 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:39 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:38 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:37 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:36 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:35 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:34 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:33 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:32 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:31 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 8:30 Readings	PID	SC23030921B3	Normal	0





592-601274	9/4/2024 7:23 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:22 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:21 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:20 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:19 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:18 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:17 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:16 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:15 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:14 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:13 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:12 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:11 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:10 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:09 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:08 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:07 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:06 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:05 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:04 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:03 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:02 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:01 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	9/4/2024 6:59 CONFIG	PID	SC23030921B3		

**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	7/11/2024
Test Name	MANUAL_001
Test Start Time	7:19:32 AM
Test Start Date	9/4/2024
Test Length [D:H:M]	0:10:00
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.02
PM1 Minimum [mg/m3]	0.008
PM1 Maximum [mg/m3]	1.53
PM1 TWA [mg/m3]	0.021
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	600

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
60	0.053		
120	0.043		
180	0.027		
240	0.022		
300	0.02		
360	0.021		
420	0.015		
480	0.035		
540	0.035		
600	0.016		
660	0.016		
720	0.019		
780	0.02		
840	0.019		
900	0.015		
960	0.014		
1020	0.012		
1080	0.013		
1140	0.013		
1200	0.013		
1260	0.013		
1320	0.013		
1380	0.012		

1440	0.012
1500	0.013
1560	0.013
1620	0.014
1680	0.015
1740	0.015
1800	0.015
1860	0.015
1920	0.015
1980	0.015
2040	0.017
2100	0.016
2160	0.016
2220	0.017
2280	0.018
2340	0.018
2400	0.018
2460	0.018
2520	0.018
2580	0.018
2640	0.018
2700	0.02
2760	0.02
2820	0.019
2880	0.02
2940	0.019
3000	0.019
3060	0.018
3120	0.021
3180	0.02
3240	0.019
3300	0.019
3360	0.02
3420	0.022
3480	0.019
3540	0.023
3600	0.022
3660	0.018
3720	0.018
3780	0.017
3840	0.017
3900	0.021
3960	0.017
4020	0.017

4080	0.019
4140	0.02
4200	0.019
4260	0.018
4320	0.016
4380	0.017
4440	0.018
4500	0.015
4560	0.015
4620	0.016
4680	0.015
4740	0.017
4800	0.016
4860	0.013
4920	0.011
4980	0.015
5040	0.016
5100	0.016
5160	0.013
5220	0.013
5280	0.018
5340	0.026
5400	0.027
5460	0.022
5520	0.032
5580	0.014
5640	0.018
5700	0.017
5760	0.016
5820	0.016
5880	0.023
5940	0.025
6000	0.02
6060	0.019
6120	0.018
6180	0.014
6240	0.017
6300	0.067
6360	0.012
6420	0.011
6480	0.055
6540	0.017
6600	0.03
6660	0.014

6720	0.013
6780	0.011
6840	0.016
6900	0.013
6960	0.012
7020	0.012
7080	0.021
7140	0.013
7200	0.019
7260	0.016
7320	0.012
7380	0.012
7440	0.013
7500	0.012
7560	0.013
7620	0.015
7680	0.014
7740	0.01
7800	0.009
7860	0.01
7920	0.011
7980	0.016
8040	0.013
8100	0.028
8160	0.011
8220	0.01
8280	0.01
8340	0.018
8400	0.016
8460	0.012
8520	0.013
8580	0.012
8640	0.013
8700	0.015
8760	0.032
8820	0.013
8880	0.015
8940	0.021
9000	0.044
9060	0.026
9120	0.112
9180	0.024
9240	0.017
9300	0.014

9360	0.011
9420	0.008
9480	0.01
9540	0.01
9600	0.011
9660	0.01
9720	0.016
9780	0.013
9840	0.021
9900	0.022
9960	0.069
10020	0.096
10080	0.015
10140	0.068
10200	0.049
10260	0.016
10320	0.011
10380	0.021
10440	0.017
10500	0.016
10560	0.018
10620	0.01
10680	0.035
10740	0.015
10800	0.013
10860	0.01
10920	0.015
10980	0.013
11040	0.011
11100	0.01
11160	0.009
11220	0.01
11280	0.01
11340	0.01
11400	0.021
11460	0.011
11520	0.009
11580	0.01
11640	0.011
11700	0.063
11760	0.055
11820	0.016
11880	0.012
11940	0.016

12000	0.022
12060	0.042
12120	0.048
12180	0.011
12240	0.011
12300	0.01
12360	0.01
12420	0.015
12480	0.01
12540	0.01
12600	0.009
12660	0.009
12720	0.018
12780	0.012
12840	0.013
12900	0.01
12960	0.011
13020	0.011
13080	0.01
13140	0.013
13200	0.015
13260	0.015
13320	0.014
13380	0.01
13440	0.1
13500	0.013
13560	0.011
13620	0.01
13680	0.011
13740	0.025
13800	0.012
13860	0.013
13920	0.013
13980	0.016
14040	0.015
14100	0.026
14160	0.05
14220	0.014
14280	0.014
14340	0.012
14400	0.011
14460	0.012
14520	0.019
14580	0.012

14640	0.013
14700	0.013
14760	0.011
14820	0.011
14880	0.012
14940	0.012
15000	0.01
15060	0.011
15120	0.01
15180	0.011
15240	0.011
15300	0.011
15360	0.01
15420	0.01
15480	0.011
15540	0.011
15600	0.012
15660	0.011
15720	0.011
15780	0.01
15840	0.011
15900	0.011
15960	0.012
16020	0.018
16080	0.012
16140	0.015
16200	0.018
16260	0.012
16320	0.011
16380	0.015
16440	0.016
16500	0.013
16560	0.011
16620	0.02
16680	0.014
16740	0.011
16800	0.011
16860	0.013
16920	0.027
16980	0.011
17040	0.012
17100	0.014
17160	0.019
17220	0.013

17280	0.014
17340	0.012
17400	0.012
17460	0.012
17520	0.012
17580	0.013
17640	0.015
17700	0.013
17760	0.012
17820	0.012
17880	0.011
17940	0.011
18000	0.051
18060	0.016
18120	0.012
18180	0.012
18240	0.019
18300	0.018
18360	0.018
18420	0.017
18480	0.014
18540	0.012
18600	0.012
18660	0.015
18720	0.013
18780	0.013
18840	0.013
18900	0.012
18960	0.023
19020	0.015
19080	0.012
19140	0.012
19200	0.012
19260	0.039
19320	0.111
19380	0.013
19440	0.014
19500	0.015
19560	0.015
19620	0.019
19680	0.02
19740	0.021
19800	0.053
19860	0.033

19920	0.017
19980	0.017
20040	0.017
20100	0.022
20160	0.016
20220	0.035
20280	0.023
20340	0.016
20400	0.017
20460	0.015
20520	0.033
20580	0.015
20640	0.016
20700	0.014
20760	0.018
20820	0.016
20880	0.015
20940	0.019
21000	0.019
21060	0.016
21120	0.017
21180	0.019
21240	0.016
21300	0.016
21360	0.037
21420	0.016
21480	0.015
21540	0.016
21600	0.015
21660	0.017
21720	0.017
21780	0.014
21840	0.014
21900	0.014
21960	0.013
22020	0.012
22080	0.011
22140	0.015
22200	0.015
22260	0.011
22320	0.01
22380	0.012
22440	0.012
22500	0.01

22560	0.011
22620	0.012
22680	0.023
22740	0.02
22800	0.017
22860	0.013
22920	0.013
22980	0.014
23040	0.017
23100	0.014
23160	0.012
23220	0.016
23280	0.021
23340	0.016
23400	0.011
23460	0.011
23520	0.012
23580	0.012
23640	0.011
23700	0.012
23760	0.025
23820	0.012
23880	0.017
23940	0.018
24000	0.011
24060	0.013
24120	0.019
24180	0.012
24240	0.011
24300	0.015
24360	0.011
24420	0.016
24480	0.057
24540	0.029
24600	0.034
24660	0.012
24720	0.011
24780	0.107
24840	0.015
24900	0.018
24960	0.011
25020	0.013
25080	0.011
25140	0.016

25200	0.011
25260	0.013
25320	0.01
25380	0.01
25440	0.01
25500	0.019
25560	0.017
25620	0.011
25680	0.009
25740	0.012
25800	0.02
25860	0.011
25920	0.015
25980	0.013
26040	0.01
26100	0.01
26160	0.021
26220	0.013
26280	0.011
26340	1.53
26400	0.047
26460	0.039
26520	0.024
26580	0.019
26640	0.014
26700	0.01
26760	0.014
26820	0.016
26880	0.025
26940	0.021
27000	0.012
27060	0.011
27120	0.014
27180	0.009
27240	0.014
27300	0.01
27360	0.013
27420	0.014
27480	0.013
27540	0.01
27600	0.011
27660	0.012
27720	0.018
27780	0.009

27840	0.009
27900	0.008
27960	0.009
28020	0.009
28080	0.012
28140	0.012
28200	0.012
28260	0.015
28320	0.023
28380	0.014
28440	0.009
28500	0.009
28560	0.011
28620	0.009
28680	0.01
28740	0.016
28800	0.012
28860	0.009
28920	0.008
28980	0.009
29040	0.01
29100	0.012
29160	0.012
29220	0.056
29280	0.016
29340	0.011
29400	0.02
29460	0.039
29520	0.017
29580	0.01
29640	0.011
29700	0.021
29760	0.021
29820	0.016
29880	0.01
29940	0.018
30000	0.012
30060	0.013
30120	0.009
30180	0.009
30240	0.092
30300	0.012
30360	0.009
30420	0.009

30480	0.009
30540	0.011
30600	0.023
30660	0.025
30720	0.011
30780	0.033
30840	0.043
30900	0.02
30960	0.017
31020	0.017
31080	0.01
31140	0.009
31200	0.008
31260	0.012
31320	0.018
31380	0.014
31440	0.019
31500	0.01
31560	0.014
31620	0.014
31680	0.013
31740	0.01
31800	0.009
31860	0.009
31920	0.009
31980	0.009
32040	0.015
32100	0.02
32160	0.012
32220	0.011
32280	0.01
32340	0.01
32400	0.008
32460	0.008
32520	0.009
32580	0.013
32640	0.011
32700	0.013
32760	0.01
32820	0.011
32880	0.013
32940	0.009
33000	0.008
33060	0.01

33120	0.012
33180	0.009
33240	0.012
33300	0.011
33360	0.009
33420	0.009
33480	0.009
33540	0.01
33600	0.009
33660	0.013
33720	0.011
33780	0.01
33840	0.012
33900	0.009
33960	0.017
34020	0.013
34080	0.008
34140	0.009
34200	0.009
34260	0.01
34320	0.01
34380	0.012
34440	0.034
34500	0.024
34560	0.031
34620	0.018
34680	0.011
34740	0.008
34800	0.021
34860	0.103
34920	0.122
34980	0.033
35040	0.008
35100	0.009
35160	0.016
35220	0.016
35280	0.009
35340	0.008
35400	0.011
35460	0.009
35520	0.008
35580	0.008
35640	0.009
35700	0.008

35760	0.008
35820	0.008
35880	0.008
35940	0.008
36000	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906376	9/4/2024 17:21	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:20	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:19	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:18	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:17	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:16	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:15	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:14	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:13	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:12	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:11	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:10	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:09	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:08	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:07	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:06	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:05	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:04	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:03	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:02	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:01	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 17:00	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:59	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:58	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:57	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:56	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:55	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:54	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:53	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:52	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:51	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 16:50	Readings	PID	SC23030159V4	Normal	0.4





592-906376	9/4/2024 15:43	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:42	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:41	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:40	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:39	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:38	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:37	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:36	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:35	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:34	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:33	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:32	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:31	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:30	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:29	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:28	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:27	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:26	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:25	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:24	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:23	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:22	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:21	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:20	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:19	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:18	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:17	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:16	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:15	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:14	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:13	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:12	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:11	Readings	PID	SC23030159V4	Normal	0.5

592-906376	9/4/2024 15:10	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:09	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:08	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:07	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 15:06	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 15:05	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 15:04	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 15:03	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 15:02	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 15:01	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 15:00	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:59	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:58	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:57	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:56	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:55	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:54	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:53	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:52	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:51	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:50	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:49	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:48	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:47	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 14:46	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:45	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:44	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 14:43	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 14:42	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 14:41	CONFIG	PID	SC23030159V4		
592-906376	9/4/2024 14:07	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 14:06	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 14:05	Readings	PID	SC23030159V4	Normal	0.4

592-906376	9/4/2024 14:04	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 14:03	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 14:02	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 14:01	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 14:00	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:59	Readings	PID	SC23030159V4	Normal	1.6
592-906376	9/4/2024 13:58	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 13:57	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 13:56	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 13:55	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:54	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 13:53	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 13:52	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:51	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 13:50	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 13:49	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:48	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 13:47	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 13:46	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:45	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:44	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 13:43	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:42	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 13:41	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:40	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 13:39	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 13:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:37	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:36	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:35	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:34	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:33	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:32	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/4/2024 13:31	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:30	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:29	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:28	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:27	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:26	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 13:25	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 13:24	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 13:23	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 13:22	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:21	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:20	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:19	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:18	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 13:17	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 13:16	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:15	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:14	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 13:13	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:12	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:11	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:10	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:09	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:08	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:07	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 13:06	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 13:05	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 13:04	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 13:03	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 13:02	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:01	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 13:00	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 12:59	Readings	PID	SC23030159V4	Normal	0.3

592-906376	9/4/2024 12:58	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:57	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 12:56	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:55	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:54	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:53	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:52	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:51	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:50	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:48	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 12:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:46	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:45	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:44	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:43	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:42	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 12:41	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 12:40	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:39	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:38	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:37	Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 12:36	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 12:35	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 12:34	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 12:33	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:32	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:31	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:30	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 12:29	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:28	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 12:27	Readings	PID	SC23030159V4	Normal	1.8
592-906376	9/4/2024 12:26	Readings	PID	SC23030159V4	Normal	0.3

592-906376	9/4/2024 12:25	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 12:24	Readings	PID	SC23030159V4	Normal	1.1
592-906376	9/4/2024 12:23	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:22	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:21	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:20	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:19	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 12:18	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:17	Readings	PID	SC23030159V4	Normal	1.1
592-906376	9/4/2024 12:16	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 12:15	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 12:14	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 12:13	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:12	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 12:11	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:10	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:09	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 12:08	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 12:07	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 12:06	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 12:05	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:04	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 12:03	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 12:02	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:01	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 12:00	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:59	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 11:58	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:57	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:54	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:53	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/4/2024 11:52	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:51	Readings	PID	SC23030159V4	Normal	1.1
592-906376	9/4/2024 11:50	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 11:49	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:48	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:47	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 11:46	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 11:45	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:44	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 11:43	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 11:42	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 11:41	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 11:40	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:39	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 11:38	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 11:37	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:36	Readings	PID	SC23030159V4	Normal	1.6
592-906376	9/4/2024 11:35	Readings	PID	SC23030159V4	Normal	1.8
592-906376	9/4/2024 11:34	Readings	PID	SC23030159V4	Normal	1.7
592-906376	9/4/2024 11:33	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 11:32	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 11:31	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 11:30	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 11:29	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 11:28	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 11:27	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:26	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 11:25	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 11:24	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 11:23	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 11:22	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:21	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:20	Readings	PID	SC23030159V4	Normal	0.9

592-906376	9/4/2024 11:19	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 11:18	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:17	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 11:16	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:15	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:14	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 11:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:12	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:11	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:10	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:09	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:08	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:07	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 11:06	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 11:05	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 11:04	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:03	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 11:02	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 11:01	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 11:00	Readings	PID	SC23030159V4	Normal	1.1
592-906376	9/4/2024 10:59	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 10:58	Readings	PID	SC23030159V4	Normal	2.9
592-906376	9/4/2024 10:57	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 10:56	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 10:55	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 10:54	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 10:53	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 10:52	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 10:51	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:50	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 10:49	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 10:48	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:47	Readings	PID	SC23030159V4	Normal	1.5

592-906376	9/4/2024 10:46	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 10:45	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 10:44	Readings	PID	SC23030159V4	Normal	2.1
592-906376	9/4/2024 10:43	Readings	PID	SC23030159V4	Normal	2.1
592-906376	9/4/2024 10:42	Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 10:41	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 10:40	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 10:39	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 10:38	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 10:37	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 10:36	Readings	PID	SC23030159V4	Normal	5.9
592-906376	9/4/2024 10:35	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 10:34	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 10:33	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 10:32	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 10:31	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 10:30	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 10:29	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 10:28	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 10:27	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 10:26	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:25	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:24	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:23	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:22	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:21	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:20	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 10:19	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:18	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 10:17	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:16	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 10:15	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 10:14	Readings	PID	SC23030159V4	Normal	0.3

592-906376	9/4/2024 10:13	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 10:12	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 10:11	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 10:10	Readings	PID	SC23030159V4	Normal	2.6
592-906376	9/4/2024 10:09	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:08	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:07	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 10:06	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 10:05	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 10:04	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 10:03	Readings	PID	SC23030159V4	Normal	1
592-906376	9/4/2024 10:02	Readings	PID	SC23030159V4	Normal	1.8
592-906376	9/4/2024 10:01	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 10:00	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 9:59	Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 9:58	Readings	PID	SC23030159V4	Normal	1.4
592-906376	9/4/2024 9:57	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 9:56	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 9:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:54	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 9:53	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:52	Readings	PID	SC23030159V4	Normal	1.6
592-906376	9/4/2024 9:51	Readings	PID	SC23030159V4	Normal	2
592-906376	9/4/2024 9:50	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 9:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:48	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:47	Readings	PID	SC23030159V4	Normal	1.6
592-906376	9/4/2024 9:46	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 9:45	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 9:44	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 9:43	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 9:42	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 9:41	Readings	PID	SC23030159V4	Normal	0.2

592-906376	9/4/2024 9:40	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 9:39	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 9:38	Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 9:37	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 9:36	Readings	PID	SC23030159V4	Normal	3.5
592-906376	9/4/2024 9:35	Readings	PID	SC23030159V4	Normal	6.6
592-906376	9/4/2024 9:34	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 9:33	Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 9:32	Readings	PID	SC23030159V4	Normal	3
592-906376	9/4/2024 9:31	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 9:30	Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 9:29	Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 9:28	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 9:27	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 9:26	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:25	Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 9:24	Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 9:23	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:22	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:21	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:20	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:19	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:18	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:17	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:16	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:15	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:14	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:12	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 9:11	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 9:10	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:09	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 9:08	Readings	PID	SC23030159V4	Normal	0.3

592-906376	9/4/2024 9:07	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 9:06	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 9:05	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 9:04	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 9:03	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:02	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:01	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 9:00	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 8:59	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:58	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:57	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:54	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:53	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 8:52	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 8:51	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 8:50	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 8:49	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 8:48	Readings	PID	SC23030159V4	Normal	2.3
592-906376	9/4/2024 8:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:46	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:45	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 8:44	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 8:43	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 8:42	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:41	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:39	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:38	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:37	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:36	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:35	Readings	PID	SC23030159V4	Normal	0

592-906376	9/4/2024 8:34 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:33 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:32 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:31 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:30 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:29 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:28 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:27 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:26 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:25 Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 8:24 Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 8:23 Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 8:22 Readings	PID	SC23030159V4	Normal	0.8
592-906376	9/4/2024 8:21 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:20 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 8:19 Readings	PID	SC23030159V4	Normal	2.7
592-906376	9/4/2024 8:18 Readings	PID	SC23030159V4	Normal	2.4
592-906376	9/4/2024 8:17 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:16 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:15 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:14 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:13 Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 8:12 Readings	PID	SC23030159V4	Normal	2.4
592-906376	9/4/2024 8:11 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:10 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:09 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 8:08 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 8:07 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 8:06 Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 8:05 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:04 Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 8:03 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 8:02 Readings	PID	SC23030159V4	Normal	0

592-906376	9/4/2024 8:01	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 8:00	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:59	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:58	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:57	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:56	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:54	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 7:53	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 7:52	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:51	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:50	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:48	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:46	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 7:45	Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 7:44	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 7:43	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:42	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:41	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 7:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:39	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:38	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:37	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:36	Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:35	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:34	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 7:33	Readings	PID	SC23030159V4	Normal	1.3
592-906376	9/4/2024 7:32	Readings	PID	SC23030159V4	Normal	1.5
592-906376	9/4/2024 7:31	Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 7:30	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 7:29	Readings	PID	SC23030159V4	Normal	0.2

592-906376	9/4/2024 7:28 Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/4/2024 7:27 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/4/2024 7:26 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 7:25 Readings	PID	SC23030159V4	Normal	1.8
592-906376	9/4/2024 7:24 Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 7:23 Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 7:22 Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 7:21 Readings	PID	SC23030159V4	Normal	0.7
592-906376	9/4/2024 7:20 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:19 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:18 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:17 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:16 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:15 CONFIG	PID	SC23030159V4		
592-906376	9/4/2024 7:14 Readings	PID	SC23030159V4	Normal	1.2
592-906376	9/4/2024 7:13 Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 7:12 Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 7:11 Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 7:10 Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 7:09 Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 7:08 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/4/2024 7:07 Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/4/2024 7:06 Readings	PID	SC23030159V4	Normal	0.5
592-906376	9/4/2024 7:05 Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 7:04 Readings	PID	SC23030159V4	Normal	0.9
592-906376	9/4/2024 7:03 Readings	PID	SC23030159V4	Normal	0.6
592-906376	9/4/2024 7:02 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:01 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 7:00 Readings	PID	SC23030159V4	Normal	0
592-906376	9/4/2024 6:59 CONFIG	PID	SC23030159V4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_007
Test Start Time	7:16:02 AM
Test Start Date	9/4/2024
Test Length [D:H:M]	0:10:08
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.021
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.214
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	608

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.204		
120	0.031		
180	0.04		
240	0.049		
300	0.045		
360	0.042		
420	0.044		
480	0.037		
540	0.035		
600	0.034		
660	0.035		
720	0.034		
780	0.034		
840	0.038		
900	0.04		
960	0.034		
1020	0.032		
1080	0.033		
1140	0.033		
1200	0.033		
1260	0.032		
1320	0.038		
1380	0.038		
1440	0.028		

1500	0.03
1560	0.031
1620	0.03
1680	0.027
1740	0.027
1800	0.027
1860	0.029
1920	0.029
1980	0.03
2040	0.029
2100	0.03
2160	0.029
2220	0.029
2280	0.029
2340	0.031
2400	0.03
2460	0.035
2520	0.034
2580	0.031
2640	0.031
2700	0.031
2760	0.034
2820	0.034
2880	0.034
2940	0.032
3000	0.034
3060	0.035
3120	0.035
3180	0.035
3240	0.035
3300	0.035
3360	0.033
3420	0.033
3480	0.035
3540	0.038
3600	0.039
3660	0.038
3720	0.039
3780	0.04
3840	0.034
3900	0.032
3960	0.034
4020	0.033
4080	0.031

4140	0.029
4200	0.031
4260	0.033
4320	0.037
4380	0.032
4440	0.028
4500	0.027
4560	0.026
4620	0.029
4680	0.026
4740	0.024
4800	0.026
4860	0.026
4920	0.027
4980	0.027
5040	0.024
5100	0.02
5160	0.02
5220	0.022
5280	0.029
5340	0.025
5400	0.025
5460	0.023
5520	0.023
5580	0.024
5640	0.026
5700	0.025
5760	0.025
5820	0.026
5880	0.025
5940	0.024
6000	0.027
6060	0.029
6120	0.029
6180	0.031
6240	0.03
6300	0.028
6360	0.025
6420	0.024
6480	0.023
6540	0.028
6600	0.024
6660	0.022
6720	0.022

6780	0.06
6840	0.05
6900	0.021
6960	0.02
7020	0.021
7080	0.022
7140	0.02
7200	0.022
7260	0.021
7320	0.023
7380	0.024
7440	0.025
7500	0.03
7560	0.026
7620	0.021
7680	0.023
7740	0.048
7800	0.026
7860	0.028
7920	0.021
7980	0.018
8040	0.022
8100	0.021
8160	0.02
8220	0.02
8280	0.02
8340	0.019
8400	0.021
8460	0.021
8520	0.026
8580	0.022
8640	0.017
8700	0.022
8760	0.031
8820	0.019
8880	0.019
8940	0.023
9000	0.02
9060	0.027
9120	0.029
9180	0.044
9240	0.025
9300	0.015
9360	0.015

9420	0.013
9480	0.018
9540	0.02
9600	0.024
9660	0.016
9720	0.016
9780	0.016
9840	0.019
9900	0.02
9960	0.157
10020	0.026
10080	0.032
10140	0.041
10200	0.045
10260	0.02
10320	0.017
10380	0.02
10440	0.022
10500	0.018
10560	0.013
10620	0.019
10680	0.015
10740	0.015
10800	0.013
10860	0.012
10920	0.015
10980	0.02
11040	0.016
11100	0.013
11160	0.015
11220	0.014
11280	0.014
11340	0.012
11400	0.012
11460	0.012
11520	0.014
11580	0.014
11640	0.019
11700	0.186
11760	0.048
11820	0.057
11880	0.078
11940	0.037
12000	0.022

12060	0.032
12120	0.016
12180	0.013
12240	0.017
12300	0.015
12360	0.029
12420	0.017
12480	0.014
12540	0.012
12600	0.011
12660	0.011
12720	0.012
12780	0.012
12840	0.012
12900	0.013
12960	0.012
13020	0.012
13080	0.012
13140	0.012
13200	0.013
13260	0.015
13320	0.022
13380	0.016
13440	0.024
13500	0.017
13560	0.013
13620	0.012
13680	0.015
13740	0.016
13800	0.015
13860	0.012
13920	0.012
13980	0.015
14040	0.016
14100	0.016
14160	0.019
14220	0.012
14280	0.012
14340	0.014
14400	0.017
14460	0.018
14520	0.013
14580	0.012
14640	0.012

14700	0.015
14760	0.013
14820	0.013
14880	0.013
14940	0.013
15000	0.012
15060	0.014
15120	0.012
15180	0.012
15240	0.012
15300	0.011
15360	0.011
15420	0.013
15480	0.011
15540	0.011
15600	0.013
15660	0.013
15720	0.115
15780	0.019
15840	0.016
15900	0.013
15960	0.013
16020	0.011
16080	0.053
16140	0.014
16200	0.012
16260	0.016
16320	0.031
16380	0.042
16440	0.026
16500	0.011
16560	0.012
16620	0.013
16680	0.012
16740	0.012
16800	0.012
16860	0.013
16920	0.012
16980	0.012
17040	0.012
17100	0.012
17160	0.012
17220	0.014
17280	0.013

17340	0.013
17400	0.015
17460	0.013
17520	0.013
17580	0.012
17640	0.012
17700	0.011
17760	0.013
17820	0.012
17880	0.025
17940	0.012
18000	0.011
18060	0.011
18120	0.011
18180	0.012
18240	0.016
18300	0.013
18360	0.012
18420	0.013
18480	0.019
18540	0.012
18600	0.013
18660	0.015
18720	0.013
18780	0.012
18840	0.012
18900	0.014
18960	0.013
19020	0.011
19080	0.011
19140	0.014
19200	0.017
19260	0.016
19320	0.013
19380	0.014
19440	0.014
19500	0.014
19560	0.018
19620	0.014
19680	0.038
19740	0.033
19800	0.019
19860	0.214
19920	0.027

19980	0.019
20040	0.059
20100	0.037
20160	0.028
20220	0.021
20280	0.02
20340	0.037
20400	0.021
20460	0.017
20520	0.019
20580	0.017
20640	0.016
20700	0.015
20760	0.013
20820	0.012
20880	0.015
20940	0.015
21000	0.017
21060	0.019
21120	0.018
21180	0.024
21240	0.016
21300	0.021
21360	0.022
21420	0.018
21480	0.018
21540	0.024
21600	0.019
21660	0.021
21720	0.02
21780	0.018
21840	0.017
21900	0.019
21960	0.02
22020	0.018
22080	0.018
22140	0.014
22200	0.013
22260	0.012
22320	0.011
22380	0.013
22440	0.011
22500	0.011
22560	0.011

22620	0.013
22680	0.013
22740	0.011
22800	0.011
22860	0.012
22920	0.011
22980	0.011
23040	0.013
23100	0.016
23160	0.019
23220	0.071
23280	0.019
23340	0.012
23400	0.159
23460	0.107
23520	0.018
23580	0.015
23640	0.019
23700	0.017
23760	0.014
23820	0.014
23880	0.019
23940	0.037
24000	0.016
24060	0.017
24120	0.014
24180	0.014
24240	0.013
24300	0.02
24360	0.018
24420	0.014
24480	0.015
24540	0.015
24600	0.012
24660	0.014
24720	0.024
24780	0.016
24840	0.017
24900	0.024
24960	0.013
25020	0.033
25080	0.014
25140	0.011
25200	0.012

25260	0.01
25320	0.011
25380	0.013
25440	0.012
25500	0.014
25560	0.012
25620	0.012
25680	0.011
25740	0.014
25800	0.016
25860	0.01
25920	0.01
25980	0.01
26040	0.018
26100	0.031
26160	0.018
26220	0.014
26280	0.063
26340	0.019
26400	0.014
26460	0.01
26520	0.01
26580	0.01
26640	0.011
26700	0.011
26760	0.011
26820	0.012
26880	0.014
26940	0.011
27000	0.014
27060	0.018
27120	0.014
27180	0.014
27240	0.014
27300	0.012
27360	0.011
27420	0.013
27480	0.011
27540	0.012
27600	0.014
27660	0.029
27720	0.015
27780	0.014
27840	0.018

27900	0.013
27960	0.013
28020	0.011
28080	0.012
28140	0.013
28200	0.012
28260	0.01
28320	0.011
28380	0.015
28440	0.016
28500	0.012
28560	0.013
28620	0.011
28680	0.01
28740	0.017
28800	0.014
28860	0.014
28920	0.013
28980	0.013
29040	0.011
29100	0.011
29160	0.01
29220	0.016
29280	0.013
29340	0.013
29400	0.016
29460	0.015
29520	0.018
29580	0.014
29640	0.019
29700	0.08
29760	0.018
29820	0.012
29880	0.013
29940	0.014
30000	0.013
30060	0.013
30120	0.011
30180	0.015
30240	0.016
30300	0.015
30360	0.011
30420	0.013
30480	0.013

30540	0.013
30600	0.011
30660	0.011
30720	0.01
30780	0.012
30840	0.015
30900	0.013
30960	0.011
31020	0.019
31080	0.014
31140	0.013
31200	0.013
31260	0.014
31320	0.011
31380	0.012
31440	0.013
31500	0.013
31560	0.015
31620	0.014
31680	0.013
31740	0.013
31800	0.019
31860	0.013
31920	0.013
31980	0.015
32040	0.013
32100	0.011
32160	0.011
32220	0.013
32280	0.015
32340	0.028
32400	0.022
32460	0.032
32520	0.02
32580	0.013
32640	0.011
32700	0.013
32760	0.014
32820	0.019
32880	0.019
32940	0.012
33000	0.013
33060	0.018
33120	0.013

33180	0.013
33240	0.013
33300	0.015
33360	0.015
33420	0.012
33480	0.013
33540	0.012
33600	0.011
33660	0.013
33720	0.013
33780	0.013
33840	0.011
33900	0.011
33960	0.019
34020	0.018
34080	0.017
34140	0.026
34200	0.033
34260	0.012
34320	0.011
34380	0.014
34440	0.012
34500	0.012
34560	0.012
34620	0.013
34680	0.012
34740	0.012
34800	0.022
34860	0.015
34920	0.015
34980	0.019
35040	0.04
35100	0.021
35160	0.019
35220	0.016
35280	0.013
35340	0.019
35400	0.033
35460	0.014
35520	0.013
35580	0.013
35640	0.013
35700	0.012
35760	0.012

35820	0.012
35880	0.013
35940	0.013
36000	0.021
36060	0.013
36120	0.012
36180	0.012
36240	0.016
36300	0.012
36360	0.016
36420	0.013
36480	0.012

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906020	9/4/2024 17:25	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:24	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:23	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:22	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:21	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:20	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:19	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:18	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:17	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:16	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:15	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:14	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:13	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:12	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:11	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:10	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:09	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:08	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:07	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:06	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:05	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:04	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:03	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:02	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:01	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 17:00	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 16:59	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 16:58	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 16:57	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 16:56	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 16:55	Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 16:54	Readings	PID	SC23030396CB	Normal	0

























592-906020	9/4/2024 10:17 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:16 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:15 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:14 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:13 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:12 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:11 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:10 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:09 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:08 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:07 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:06 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:05 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:04 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:03 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:02 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:01 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 10:00 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:59 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:58 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:57 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:56 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:55 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:54 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:53 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:52 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:51 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:50 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:49 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:48 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:47 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:46 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 9:45 Readings	PID	SC23030396CB	Normal	0









592-906020	9/4/2024 7:32 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:31 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:30 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:29 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:28 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:27 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:26 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:25 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:24 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:23 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:22 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:21 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:20 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:19 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:18 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:17 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:16 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:15 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:14 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:13 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:12 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:11 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:10 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:09 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:08 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:07 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:06 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:05 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:04 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:03 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:02 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:01 Readings	PID	SC23030396CB	Normal	0
592-906020	9/4/2024 7:00 CONFIG	PID	SC23030396CB		